

DOVER, DELAWARE

ILS or LOC or RNAV (GPS) RWY 19

DOVER AFB (KDOV)

WAAAS CH 52208 W19A	APCH CRS 195°	Rwy ldg 9602 TDZE 23 Arpt Elev 29
---	-------------------------	--

[USAF]




RNP APCH. RNAV1 - GPS or RADAR required for ILS, LOC

- * When ALS inop, increase RVR to 40, vis to 3/4 mile. RVR of 18 authorized with use of FD or AP or HUD to DA.
- ** When ALS inop, increase CAT AB RVR to 55, vis to 1 mile, CAT CDE vis to 1 1/2 miles.
- *** When ALS inop, increase CAT AB RVR to 55, vis to 1 mile, CAT CD vis to 1 1/2 miles.



MISSED APPROACH: Climb to 2000 direct ANNUL and hold.
ALTERNATE MISSED APPROACH: Fly runway heading, climb and maintain 2000, expect radar vectors from ATC.

ATIS 127.825 273.5	APP CON 132.425 257.875	TOWER 126.35 279.625	GND CON 118.875 225.4	CLNC DEL 125.55 289.4
------------------------------	-----------------------------------	--------------------------------	---------------------------------	---------------------------------



CATEGORY	A	B	C	D	E
S-ILS 19*	223/24		200 (200-1/2)		
LPV DA*	223/24		200 (200-1/2) NA		
S-LOC 19**	480/24 457 (500-1/2)		480/45 457 (500-7/8)		
LNAV MDA***	480/24 457 (500-1/2)		480/45 457 (500-7/8) NA		
CIRCLING	540-1 511 (600-1)		620-1 1/2 591 (600-1/2)		620-2 591 (600-2) 1080-3 1051 (1100-3)

DOVER, DELAWARE
Amdt 4 26DEC24

39°08'N-75°28'W

DOVER AFB (KDOV)

ILS or LOC or RNAV (GPS) RWY 19

NE-3, 19 MAR 2026 to 16 APR 2026

NE-3, 19 MAR 2026 to 16 APR 2026