


VOR/DME IDA 113.85 Chan 85 (Y)	APP CRS 192°	Rwy Ldg TDZE Apt Elev	9002 4735 4744
--	------------------------	-----------------------------	---

VOR RWY 21



IDAHO FALLS RGNL (IDA)

For inop ALS increase S-21 Cats C/D visibility to 1 1/8 SM.	MALS 	MISSED APPROACH: Climb to 7000 then right turn direct IDA VOR/DME and hold.

ATIS 135.325	SALT LAKE CENTER 128.35 239.25	IDAHO FALLS TOWER ★ 118.5 (CTAF) 0 257.8	GND CON 121.7	CLNC DEL 121.7	GCO 121.725	UNICOM 122.95
------------------------	--	---	-------------------------	--------------------------	-----------------------	-------------------------



ELEV 4744	D	TDZE 4735
-----------	----------	-----------



CATEGORY	A	B	C	D
S-21	5400/24	665 (700-1/2)	5400-1 1/2	665 (700-1 1/2)
CIRCLING	5400-1	656 (700-1)	5400-1 7/8 656 (700-1 7/8)	5420-2 1/4 676 (700-2 1/4)

REIL Rwy 3 **1**
HIRL Rwy 3-21 **1**
MIRL Rwy 17-35