

APP CRS 287°	Rwy Ldg TDZE Apt Elev	9800 2 4
------------------------	-----------------------------	-------------------------------------

RNAV (RNP) Z RWY 29



LOUIS ARMSTRONG NEW ORLEANS INTL (MSY)

▼ For uncompensated Baro-VNAV systems, procedure NA below -1°C (31°F) or above 54°C (130°F). GPS Required.

MALSR 

MISSED APPROACH: Climb to 3000 on track 286° to LETSE and on track 291° to RQR VOR/DME and hold.

D-ATIS 127.55	NEW ORLEANS APP CON 125.5 350.35 (W) 133.15 290.3 (E)	NEW ORLEANS TOWER 119.5 254.3	GND CON 121.9 273.525
-------------------------	---	---	---------------------------------



3000	↑	tr 286°	LETSE	tr 291°	RQR	VGSI and RNAV glidepath not coincident (VGSI Angle 3.00/TCH 68).
HELMT	3000					
			BRRES	2000	287°	
			RWY 29	2000		GP 3.00° TCH 53
				6.1 NM	5 NM	
CATEGORY	A	B	C	D		
RNP 0.30 DA	382/40			380 (400-¾)		
AUTHORIZATION REQUIRED						

SC-4, 19 MAR 2026 to 16 APR 2026

SC-4, 19 MAR 2026 to 16 APR 2026