


|  |                        |                             |   |
|--|------------------------|-----------------------------|---|
| WAAS<br>CH <b>87047</b><br><b>W29A</b> | APP CRS<br><b>290°</b> | Rwy Ldg<br>TDZE<br>Apt Elev | <b>7011</b><br><b>128</b><br><b>132</b> |
|--|------------------------|-----------------------------|---|

# RNAV (GPS) RWY 29



LAURENCE G HANSCOM FLD (BED)

|   |  |           |   |  |
|---|--|-----------|---|--|
| RNP APCH - GPS.   |  | MALSR<br> | MISSED APPROACH: Climb to 600 then climbing right turn to 2000 direct SOSYO and hold, continue climb-in-hold to 2000. |  |
| <p><b>▼</b> For uncompensated Baro-VNAV systems, LNAV/VNAV NA below -19°C or above 54°C. For inop ALS, increase LNAV/VNAV all Cats visibility to 1 3/8 SM and LNAV Cats C and D visibility to 1 3/8 SM.</p> <p><b>▲</b></p> |  |           |   |  |

|                      |                                      |  |                         |                         |
|----------------------|--------------------------------------|--|-------------------------|-------------------------|
| ATIS<br><b>124.6</b> | BOSTON APP CON<br><b>124.4 279.6</b> | <b>HANSCOM TOWER★</b><br><b>118.5 (CTAF) 257.2</b> | GND CON<br><b>121.7</b> | UNICOM<br><b>122.95</b> |
|----------------------|--------------------------------------|--|-------------------------|-------------------------|



|          |          |          |
|----------|----------|----------|
| ELEV 132 | <b>D</b> | TDZE 128 |
|----------|----------|----------|



| CATEGORY     | A       | B             | C                            | D                            |
|--------------|---------|---------------|------------------------------|------------------------------|
| LPV DA       |         | 378-1/2       | 250 (300-1/2)                |                              |
| LNAV/VNAV DA |         | 639-1         | 511 (600-1)                  |                              |
| LNAV MDA     | 700-1/2 | 572 (600-1/2) | 700-1 1/4                    | 572 (600-1 1/4)              |
| CIRCLING     | 720-1   | 588 (600-1)   | 880-2 1/4<br>748 (800-2 1/4) | 920-2 1/2<br>788 (800-2 1/2) |

NE-1, 19 MAR 2026 to 16 APR 2026

NE-1, 19 MAR 2026 to 16 APR 2026