

# RNAV (GPS) RWY 17

APCH CRS **166°** Rwy Idg **8001**  
 TDZE **322**  
 Arpt Elev **322**

[USN]


GOLIAD NOLF (KNGT)

RNP APCH  
 When local altimeter setting not received, use Beeville Muni altimeter setting.

MISSED APPROACH: Climb to 900 then climbing left turn to 4000 direct SWEENEY and hold, continue climb-in-hold to 4000.

ASOS  
**353.675**

CTAF  
**132.875 307.075**



US NAVY Training Wing Four Use Only

EMERG SAFE ALT 100 NM 11,100

5 NM Holding Pattern	VDP NA with Beeville Muni altimeter setting.		900	4000	SWEENEY	ELEV 322	TDZE 322
8000 4000	AHUGE		↑	↶	⊙		
		SIIZE					
CATEGORY	A	B	C	D			
LNAV MDA	640-1 318		(400-1)				
CIRCLING	760-1 438 (500-1)	780-1 458 (500-1)	780-1½ 458 (500-1½)	880-2 558 (600-2)			
BEEVILLE MUNI ALTIMETER SETTING MINIMA							
LNAV MDA	680-1 358		(400-1)				
CIRCLING	800-1 478 (500-1)	820-1 498 (500-1)	820-1½ 498 (500-1½)	880-2 558 (600-2)			

HIRL Rwy 11-29, 17-35  
 TDZL Rwy 11, 29, 17, 35

SC-3, 19 MAR 2026 to 16 APR 2026

SC-3, 19 MAR 2026 to 16 APR 2026

# RNAV (GPS) RWY 17