

WAAS CH 78029 W18A	APP CRS 185°	Rwy Ldg TDZE 777 Apt Elev 777	5264
--	------------------------	---	-------------


RNAV (GPS) RWY 18

AUBURN UNIVERSITY RGNL (AUO)

▼ For uncompensated Baro-VNAV systems, LNAV/VNAV NA below -16°C (4°F) or above 54°C (130°F).
 ▲ Baro-VNAV and VDP NA when using Columbus altimeter setting. DME/DME RNP-0.3 NA. Rwy 18 helicopter visibility reduction below 3/4 SM not authorized. When local altimeter setting not received, use Columbus altimeter setting: increase LPV DA to 1140 feet and visibility all Cats 1/2 SM; increase LNAV/VNAV DA to 1164 feet and visibility all Cats 3/8 SM; increase all MDA 120 feet and LNAV Cats C/D visibility 3/8 SM, Circling Cat C visibility 1/4 SM, and circling Cat D visibility 1/2 SM.


MISSED APPROACH:
Climb to 3000 direct
HESEL and hold.

AWOS-3PT 132.575	ATLANTA APP CON ★ 125.5 323.1	AUBURN TOWER ★ 123.875 (CTAF) 0	GND CON ★ 121.625	UNICOM 123.0
----------------------------	---	---	-----------------------------	------------------------



SE-4, 19 MAR 2026 to 16 APR 2026

SE-4, 19 MAR 2026 to 16 APR 2026



3000	HESEL	MIRDE 2.5 NM to RW18	SASGE 2400	RIVME 4 NM Holding Pattern	3000
*LNAV only		*1.4 NM to RW18	2400	185°	005°
		1620*	2400	185°	185°
		1.4 NM	1.1 NM	2.4 NM	6.8 NM
CATEGORY	A	B	C	D	
LPV DA	1027-3/4		250 (300-3/4)		
LNAV/VNAV DA	1051-7/8		274 (300-7/8)		
LNAV MDA	1260-1 483 (500-1)		1260-1 3/8 483 (500-1 3/8)		
CIRCLING	1280-1 503 (600-1)	1360-1 583 (600-1)	1380-1 3/4 603 (700-1 3/4)	1480-2 1/4 703 (800-2 1/4)	