

YUMA, ARIZONA

# VOR RWY 6

VORTAC BZA <b>116.8</b> Chan <b>115</b>	APCH CRS <b>048°</b>	Rwy Idg TDZE Arprt Elev <b>6043</b> <b>387</b> <b>433</b>
---	-------------------------	--

[USA] LAGUNA AAF (YUMA PROVING GROUND) (KLGf)



RADAR required for holding.

MISSED APPROACH: Climbing right turn to 3800 direct BZA VORTAC and hold, continue climb-in-hold to 3800.



▼ \* Procedure not authorized at night.  
▲ NA \*\* Circling not authorized NW of rwy 06 and 18.

YUMA APP CON <b>124.7 371.975</b>	TOWER ★ <b>126.2 (CTAF) 242.175</b>	GND CON <b>121.8 229.4</b>
--------------------------------------	--	-------------------------------

Helicopter visibility reduction not authorized.  
 Procedure not authorized when airfield closed.  
 Unlit road 379' MSL, 314' from threshold.  
 Obtain local altimeter setting on CTAF.  
 When not received, use Yuma MCAS Intl altimeter setting.




IAF  
BARD  
116.8 BZA  
Chan 115



ELEV 433	TDZE 387
----------	----------

CATEGORY	A	B	C	D
S-6*	1320-1¼ 933 (900-1¼)		1320-2½ 933 (900-2½)	
CIRCLING**	1320-1¼ 887 (900-1¼)		1320-2¾ 887 (900-2¾)	1320-3 887 (900-3)
DME MINIMA				
S-6*	1040-1 653 (700-1)		1040-1⅞ 653 (700-1⅞)	
CIRCLING**	1080-1 647 (700-1)		1080-1⅞ 647 (700-1⅞)	1080-2 647 (700-2)
YUMA MCAS/YUMA Intl ALTIMETER SETTING				
S-6*	1400-1¼ 1013 (1000-1¼)	1400-1½ 1013 (1000-1½)	1400-3 1013 (1000-3)	
CIRCLING**	1400-1¼ 967 (1000-1¼)	1400-1½ 967 (1000-1½)	1400-3 967 (1000-3)	
YUMA MCAS/YUMA Intl ALTIMETER SETTING DME MINIMA				
S-6*	1120-1 733 (700-1)		1120-2 733 (700-2)	
CIRCLING**	1160-1 727 (800-1)		1160-2 727 (800-2)	1160-2¼ 727 (800-2¼)



MIRL Rwy 18-36	FAF to MAP 11.6 NM					
	Knots	60	90	120	150	180
	Min:Sec	11:36	7:44	5:48	4:38	3:52

YUMA, ARIZONA  
Amdt 7 05OCT23

32°52'N-114°24'W LAGUNA AAF (YUMA PROVING GROUND) (KLGf)

# VOR RWY 6

SW-4, 19 MAR 2026 to 16 APR 2026

SW-4, 19 MAR 2026 to 16 APR 2026