

| | |
|------------------------|--|
| APP CRS 238° | Rwy Idg 12000 TDZE 30 Apt Elev 30 |
|------------------------|--|

RNAV (RNP) Z RWY 24




SOUTHWEST FLORIDA INTL (RSW)

RNP AR APCH - GPS.
 For uncompensated Baro-VNAV systems, procedure NA below 4°C or above 54°C.

MISSED APPROACH: Climb to 500 then climbing left turn to 2300 direct CORFU and hold, continue climb-in-hold to 2300.

| | | | | | |
|-------------------------|--|---|-------------------------------|----------------------------|-------------------------|
| D-ATIS 124.65 | FORT MYERS APP CON ★ 125.15 306.2 (RWY 6) 126.8 306.2 (RWY 24) | FORT MYERS TOWER ★ 128.75 (CTAF) 0 257.8 | GND CON 121.9 257.8 | CLNC DEL 132.075 | UNICOM 122.95 |
|-------------------------|--|---|-------------------------------|----------------------------|-------------------------|

CPDLC



| CATEGORY | A | B | C | D |
|-------------|---|---------|---------------|---|
| RNP 0.11 DA | | 294-7/8 | 264 (300-7/8) | |
| RNP 0.30 DA | | 397-1 | 367 (400-1) | |

AUTHORIZATION REQUIRED