

WAAS CH <b>72927</b> <b>W36A</b>	APP CRS <b>359°</b>	Rwy Ldg TDZE Apt Elev	<b>4850</b> <b>59</b> <b>61</b>
--	------------------------	-----------------------------	---------------------------------------

# RNAV (GPS) RWY 36


JACK MC NAMARA FLD (CEC)

RNP APCH.


⚠ Baro-VNAV NA when using Brookings altimeter setting. For uncompensated Baro-VNAV systems, LNAV/VNAV NA below -15°C or above 54°C. When local altimeter setting not received, use Brookings altimeter setting and increase LPV DA to 406 and LNAV/VNAV DA to 505 and all MDA 100 feet; increase LPV all Cats and LNAV Cat C/D and Circling Cat D visibilities 1/4 SM, increase LNAV/VNAV all Cats visibility 3/8 SM, and Circling Cat C visibility 1/2 SM. Rwy 36 helicopter visibility reduction below 1 SM NA. Straight-In Rwy 36 at night, operational VGSI required, remain on or above VGSI glidepath until threshold. Circling Rwy 18, 30 NA at night.

MISSED APPROACH: Climb to 1300 then climbing left turn to 2400 direct CIGCA and hold.

ASOS <b>119.925</b>	SEATTLE CENTER <b>124.85 306.3</b>	UNICOM <b>122.8 (CTAF) 0</b>
------------------------	---------------------------------------	---------------------------------



4 NM Holding Pattern		CIGCA		1300	2400	CIGCA
2400 ← 150°		→ 330°		↑	↶	✦
GP 3.00° TCH 58		KAWIS 1600		RWY 36		
		→ 359°				
		1600				
		← 5.3 NM		← 4.7 NM		
CATEGORY	A	B	C	D		
LPV DA	309-1		250 (300-1)			
LNAV/VNAV DA	408-1 1/8		349 (400-1 1/8)			
LNAV MDA	500-1	441 (500-1)		500-1 3/8	441 (500-1 3/8)	
CIRCLING	540-1	479 (500-1)		640-1 1/2		640-2
			579 (600-1 1/2)		579 (600-2)	



SW-2, 16 APR 2026 to 14 MAY 2026

SW-2, 16 APR 2026 to 14 MAY 2026