

A IFR ALTERNATE AIRPORT MINIMUMS

Pilots must review the IFR Alternate Minimums Notes to determine alternate airport suitability.

▲NA designation on the approach chart means that pilots may not use that approach as an alternate due to unmonitored facility, absence of weather reporting service, or lack of adequate navigation coverage. Approaches with the ▲NA designation are not listed in this section. ▲ designation on the approach chart indicates that the approach procedure has non-standard minimums (for aircraft other than helicopters) or restrictions (for all users) for its use as an alternate. A procedure is not authorized for alternate flight planning purposes when local weather is not available.

MILITARY USERS NOTE: For IFR alternate airport and minima planning, refer to appropriate service directives.

Alternate Minima (ref: 14 CFR 91.169)

	Precision Approach	Non-Precision Approach
Standard	600-2	800-2
 Non-Standard or restrictions	As indicated below	As indicated below
Helicopters	For the selected approach: Ceiling: 200' above published ceiling Visibility: the greater of 1 SM visibility or the published visibility	

Note: For alternate airport flight planning purposes, precision approach operations include: ILS, PAR, and GLS, and Non-Precision approach operations include: NDB, VOR, LOC, TACAN, LDA, SDF, ASR, RNAV (GPS) and RNAV (RNP).

NAME	ALTERNATE MINIMUMS
------	--------------------

BABELTHUAP ISLAND, PW

PALAU INTL (ROR) (PTRO).....NDB Rwy 9¹
RNAV (GPS) Rwy 9
RNAV (GPS) Rwy 27

NA except standard for operators with approved weather reporting service.

¹Cat A, B 900-2, Cat C 900-2½, Cat D 900-2¾.

HANA, HI

HANA (HNM) (PHHN).....RNAV (GPS) Rwy 26
Cat A 900-2, Cat B 1100-2.

HILO. HI

ILS or LOC Rwy 26¹²
RNAV (GPS) Rwy 21³
RNAV (GPS) Rwy 26³
VOR-B³

VOR/DME or TACAN Rwy 26³
VOR/DME or TACAN-A³

¹NA when control tower closed.²LOC Cat C 900-2¹/₄, Cat D 1300-3.³Cat C 900-2 $\frac{1}{4}$, Cat D 1300-3.[illegible]

HONOLULU, HI

DANIEL K INOUYE
INTL (HNL) (PHNL)..... LOC Rwy 4R¹
LOC Rwy 8L²
RNAV (GPS) Rwy 4L³
RNAV (GPS) Rwy 8R⁴
RNAV (GPS) Y Rwy 4R⁵
RNAV (GPS) Y Rwy 8L⁶
VOR or TACAN Rwy 4R⁷
VOR or TACAN-A⁸
VOR or TACAN-A⁹

¹Cat C 800-2¼. Cat D 1400-3.²Cat C 900-2¼. Cat D 1300-3.

³Cat C 900-2¼. Cat D 1400-3. Cat E 2000-3.

⁴ Cat C 900-2¼, Cat D 1400-3, Cat E 2100-3.

⁵Cat D 1300-3.

⁶Cat C 900-2 $\frac{1}{4}$. Cat D 1400-3.

KAHULUI, HI

KAHULUI (OGG)	
(PHOG).....	ILS Y or LOC Y Rwy 2 ¹²
	ILS Z or LOC Z Rwy 2 ¹²
	RNAV (GPS) Rwy 20 ³
	RNAV (GPS) Rwy 23 ⁴
	RNAV (GPS) Y Rwy 2 ⁵⁶
	VOR Z or TACAN Rwy 20 ³

¹NA when control tower closed.²LOC Cat C 800-2¼, Cat D 1200-3, Cat E 1700-3.³Cat D 1100-3.⁴Cat D 1200-3.⁵NA when local weather not available.

⁶Cat C 800-2¼, Cat D 1200-3.

NAME ALTERNATE MINIMUMS

KAILUA-KONA, HI

ELLISON ONIZUKA KONA INTL AT
KEAHOLE (KOA) (PHKO).....**ILS or LOC Rwy 17¹**
RNAV (GPS) Rwy 35
RNAV (GPS) Y Rwy 17
VOR or TACAN Rwy 17
VOR or TACAN Rwy 35

NA when local weather not available.

¹NA when control tower closed.

KAPOLEI, HI

KALAELOA (JOHN RODGERS
FLD) (JRF) (PHJR).....**NDB Rwy 4R¹**
RNAV (GPS) Rwy 4R²
VOR Rwy 4R²

¹Cat C 800-2¼, Cat D 800-2½.

²NA when local weather not available.

KAUNAKAKAI, HI

MOLOKAI (MKK) (PHMK).....**RNAV (GPS)-B¹²**
VOR or TACAN-A³

¹NA when local weather not available.

²Cat C 1200-3, Cat D 1500-3.

³Cat A, B 1500-2, Cat C, D 1500-3.

KOSRAE, FM

KOSRAE (TTK) (PTSA).....**RNAV (GPS) Rwy 5¹**
RNAV (GPS) Rwy 23²

¹NA except standard for operators with approved weather reporting service.

²NA except Cat A, B standard, Cat C 800-2¼, Cat D 800-2½, for operators with approved weather reporting service.

LANAI CITY, HI

LANAI (LNY) (PHNY).....**RNAV (GPS) Rwy 3¹**
VOR or TACAN or GPS-A²

¹Cat C 1000-2¼.

²NA when local weather not received except for operators with approved weather reporting service.

LIHUE, HI

LIHUE (LIH) (PHLI).....**ILS or LOC Rwy 35¹**
RNAV (GPS) Rwy 17²³
RNAV (GPS) Y Rwy 21²³
RNAV (GPS) Y Rwy 35⁴
RNAV (RNP) Z Rwy 21⁵
VOR or TACAN Rwy 21²

¹NA when control tower closed.

²NA when local weather not available.

³Cat C, D 800-2½.

⁴Cat C 800-2¼, Cat D 800-2½.

⁵RNP 0.30, Cat A, B, C, D 1000-4.

NAME ALTERNATE MINIMUMS

MIDWAY ATOLL, QM

HENDERSON
FLD (MDY) (PMDY).....**NDB Rwy 6**
NDB Rwy 24
RNAV (GPS) Rwy 6
RNAV (GPS) Rwy 24

NA except standard for operators with approved weather reporting service.

PAGO PAGO, AS

PAGO PAGO
INTL (PPG) (NSTU).....**ILS or LOC Rwy 5¹**
RNAV (GPS) Rwy 5²
RNAV (GPS) Rwy 23²
VOR or TACAN-B²

¹ILS Cat A, B, C, D 900-2; LOC Cat C 800-2½,
Cat D 900-2¾.

²Cat C 800-2¼, Cat D 900-2¾.

POHNPEI ISLAND, FM

POHNPEI INTL (PNI) (PTPN).....**NDB-A¹**
RNAV (GPS) Rwy 27²
RNAV (GPS) X Rwy 9¹

¹Cat A, B 1000-2, Cat C, D 1000-3.

²Cat D 800-2¼.

ROTA ISLAND, MP

BENJAMIN TAISACAN MANGLONA
INTL (GRO) (PGRO).....**RNAV (GPS) Rwy 9**
RNAV (GPS) Rwy 27
NDB Rwy 9¹
NDB Rwy 27

NA except standard for operators with approved weather reporting service.

¹Cat A, B 1200-2, Cat C, D 1200-3.

SAIPAN ISLAND, MP

FRANCISCO C ADA/
SAIPAN INTL (GSN) (PGSN).....**NDB Y Rwy 7**
Cat D 800-2¼.

TAMUNING, GU

GUAM
INTL (GUM) (PGUM).....**ILS or LOC Rwy 6L¹**
ILS or LOC Rwy 6R¹
RNAV (GPS) Y Rwy 24L²
RNAV (GPS) Y Rwy 24R³
VOR or TACAN Rwy 24R³

¹LOC Cat A, B 1200-2, Cat C, D 1200-3.

²Cat A, B 900-2, Cat C 900-2¾, Cat D 900-3.

³Cat A, B 900-2, Cat C, D 900-2½.

TINIAN ISLAND, MP

FRANCISCO MANGLONA BORJA
TINIAN INTL (TNI) (PGWT).....**RNAV (GPS) Rwy 8**
RNAV (GPS) Rwy 26

NA when local weather not available.

Cat D 800-2½.

26022

NAME

ALTERNATE MINIMUMS

NAME

ALTERNATE MINIMUMS

WENO ISLAND, FM

CHUUK INTL (TKK) (PTKK).....**NDB Rwy 4¹**
NDB Rwy 22²³
RNAV (GPS) Rwy 4²⁴
RNAV (GPS) Rwy 22²⁵

- ¹NA except for operators with approved weather reporting service. Cat A, B, C, D 800-2½.
²NA except standard for operators with approved weather reporting service.
³Cat C, D 800-2½.
⁴Cat A, B, C, D 800-3.
⁵Cat A, B 900-2, Cat C 900-2½, Cat D 900-2¾.

YAP ISLAND, FM

YAP INTL (T11) (PTYA).....**NDB Rwy 7¹**
NDB Rwy 25²
NDB/DME Rwy 25²

- ¹Cat D 800-2½.
²Cat A, B 1000-2, Cat C, D 1000-3.

19 MAR 2026 to 14 MAY 2026

19 MAR 2026 to 14 MAY 2026

26022

M3