

|  |                        |   |
|--|------------------------|---|
| WAAS<br>CH <b>99600</b><br><b>W36A</b> | APP CRS<br><b>002°</b> | Rwy Ldg <b>8003</b><br>TDZE <b>261</b><br>Apt Elev <b>264</b> |
|--|------------------------|---|

# RNAV (GPS) RWY 36


GOLDEN TRIANGLE RGNL (GTR)

**RNP APCH.**

⚠ For uncompensated Baro-VNAV systems, LNAV/VNAV NA below -15°C or above 54°C. When local altimeter setting not received, use Columbus AFB altimeter setting: increase LPV DA to 500 feet, LNAV/VNAV DA to 593 feet and LNAV/VNAV visibility 1/8 SM; increase all MDAs 40 feet. Baro-VNAV and VDP NA when using Columbus AFB altimeter setting.



**MISSED APPROACH:**  
Climb to 3000 direct HUYKA and hold.

|                        |   |  |                                   |                         |
|------------------------|---|--|-----------------------------------|-------------------------|
| ATIS<br><b>126.375</b> | COLUMBUS APP CON★<br><b>135.6 323.275</b> | GOLDEN TRIANGLE TOWER★<br><b>118.2</b> (CTAF) <b>0 298.875</b> | GND CON<br><b>135.375 322.475</b> | UNICOM<br><b>122.95</b> |
|------------------------|---|--|-----------------------------------|-------------------------|



SC-4, 11 JUN 2026 to 09 JUL 2026

SC-4, 11 JUN 2026 to 09 JUL 2026



| CATEGORY     | A     | B           | C                    | D                            | E                            |
|--------------|-------|-------------|----------------------|------------------------------|------------------------------|
| LPV DA       |       | 461-3/4     | 200 (200-3/4)        |                              |                              |
| LNAV/VNAV DA |       | 554-7/8     | 293 (300-7/8)        |                              |                              |
| LNAV MDA     | 640-1 | 379 (400-1) | 640-1 1/8            | 379 (400-1 1/8)              |                              |
| CIRCLING     | 760-1 | 496 (500-1) | 960-2<br>696 (700-2) | 960-2 1/4<br>696 (700-2 1/4) | 960-2 1/2<br>696 (700-2 1/2) |