

VORTAC PUB	APP CRS	Rwy Ldg
116.7	252°	10496
Chan 114		TDZE 4659
		Apt Elev 4729


VOR RWY 26L

PUEBLO MEML (PUB)

DME required. RADAR required for procedure entry at PYNON.

MISSED APPROACH: Climb to 7000 on heading 260° and on PUB VORTAC R-259 to OKDEE/PUB 10.6 DME and hold.

ATIS	DENVER APP CON ★	PUEBLO TOWER ★	GND CON	CLNC DEL	UNICOM
125.25	120.1 290.5	119.1 (CTAF) 0 257.8	121.9	120.9	122.95



7000
hdg 260°

PUB R-259

OKDEE PUB 10.6

VGSI and descent angles not coincident (VGSI Angle 3.00/TCH 62).

COSAL PUB 2.5

AYNES INT PUB 10

One Minute Holding Pattern

PUB 2.1

PUB 0.6

PUB VORTAC

3.52° TCH 59

5500

6000

072°

252°

7000

1.5 NM

0.6 NM

2.5 NM

7.5 NM

CATEGORY	A	B	C	D
S-26L	5120-1	461 (400-1)	5120-1 ³ / ₈ 461 (400-1 ³ / ₈)	NA
CIRCLING	5340-1	611 (700-1)	NA	NA

ELEV 4729 D TDZE 4659

NWOC

4690 X 75

10498 X 150

0.4% UP

26L

252°

35

TWR

HIRL Rwy 8R-26L 0

MIRL Rwy 17-35 and 8L-26R 0

REIL Rwy 8L, 17, 26L, 26R and 35 0