



TACAN RWY 32

VORTAC MMT 113.2 Chan 79	APCH CRS 328°	Rwy Idg 9012 THRE 243 Arpt Elev 254	[USAF]	MC ENTIRE JNGB (KMMT)
▼ * When ALS inop, increase CAT AB RVR to 55, vis to 1 mile, CAT CDE RVR to 60, vis to 1½ miles.			ALSF-1 	† MISSED APPROACH: Climb to 1100 direct MORRL/1 DME then climbing right turn to 3100 intercept MMT R-058 direct JOGSA/12 DME and hold.



ATIS ★ 327.05	SHAW APP CON ★ 125.4 318.1	TOWER ★ 132.4 (CTAF) 0 ★ 253.5	GND CON 127.625 226.675
------------------	-------------------------------	-----------------------------------	----------------------------

Remain within 4 NM of MMT to avoid R-6001,
if unable expect 10 min delay for deactivation.

† Published missed approach requires deactivation of R-6001A/B.



EMERG SAFE ALT 100 NM 3800



CATEGORY	A	B	C	D	E
S-32 *	640/24 397 (400-½)		640/40 397 (400-¾)		
CIRCLING	740-1 486 (500-1)	840-1 586 (600-1)	880-1¾ 626 (700-1¾)	940-2¼ 686 (700-2¼)	1020-2¾ 766 (800-2¾)

[illegible]