


LOC/DME I-OXH 110.75 Chan 44 (Y)	APP CRS 231°	Rwy Ldg TDZE 965 Apt Elev 986
--	------------------------	---


ILS or LOC RWY 23L

MC GHEE TYSON (T'YS)

DME or RADAR required.		MISSED APPROACH: Climb to 4000 then climbing right turn to 4000 on heading 240° and VXV VORTAC R-231 to GROSS INT/VXV 29.1 DME and hold.	
ATIS 128.35	KNOXVILLE APP CON 123.9 360.8	KNOXVILLE TOWER 121.2 257.8	GND CON 121.9 348.6



ELEV 986	D	TDZE 965
-----------------	----------	-----------------



2000 4000 ↑ hdg 240°		VXV R-231	GROSS △	Disregard all marker beacon indications.	
				GOODL I-OXH 15.6	One Minute Holding Pattern
				RKYTP I-OXH 7.2 RADAR	
				XEKEF I-OXH 4.1	
				I-OXH 1.6	
				I-OXH 2.6	
				I-OXH 4.1	
				I-OXH 7.2	
				I-OXH 15.6	
				I-OXH 29.1	
				I-OXH 46.1	
				I-OXH 72.2	
				I-OXH 110.75	
				I-OXH 156.9	
				I-OXH 231.0	
				I-OXH 360.8	
				I-OXH 466.5	
				I-OXH 519.0	
				I-OXH 561.0	
				I-OXH 603.0	
				I-OXH 645.0	
				I-OXH 687.0	
				I-OXH 729.0	
				I-OXH 771.0	
				I-OXH 813.0	
				I-OXH 855.0	
				I-OXH 897.0	
				I-OXH 939.0	
				I-OXH 981.0	
				I-OXH 1023.0	
				I-OXH 1065.0	
				I-OXH 1107.0	
				I-OXH 1149.0	
				I-OXH 1191.0	
				I-OXH 1233.0	
				I-OXH 1275.0	
				I-OXH 1317.0	
				I-OXH 1359.0	
				I-OXH 1401.0	
				I-OXH 1443.0	
				I-OXH 1485.0	
				I-OXH 1527.0	
				I-OXH 1569.0	
				I-OXH 1611.0	
				I-OXH 1653.0	
				I-OXH 1695.0	
				I-OXH 1737.0	
				I-OXH 1779.0	
				I-OXH 1821.0	
				I-OXH 1863.0	
				I-OXH 1905.0	
				I-OXH 1947.0	
				I-OXH 1989.0	
				I-OXH 2031.0	
				I-OXH 2073.0	
				I-OXH 2115.0	
				I-OXH 2157.0	
				I-OXH 2199.0	
				I-OXH 2241.0	
				I-OXH 2283.0	
				I-OXH 2325.0	
				I-OXH 2367.0	
				I-OXH 2409.0	
				I-OXH 2451.0	
				I-OXH 2493.0	
				I-OXH 2535.0	
				I-OXH 2577.0	
				I-OXH 2619.0	
				I-OXH 2661.0	
				I-OXH 2703.0	
				I-OXH 2745.0	
				I-OXH 2787.0	
				I-OXH 2829.0	
				I-OXH 2871.0	
				I-OXH 2913.0	
				I-OXH 2955.0	
				I-OXH 2997.0	
				I-OXH 3039.0	
				I-OXH 3081.0	
				I-OXH 3123.0	
				I-OXH 3165.0	
				I-OXH 3207.0	
				I-OXH 3249.0	
				I-OXH 3291.0	
				I-OXH 3333.0	
				I-OXH 3375.0	
				I-OXH 3417.0	
				I-OXH 3459.0	
				I-OXH 3501.0	
				I-OXH 3543.0	
				I-OXH 3585.0	
				I-OXH 3627.0	
				I-OXH 3669.0	
				I-OXH 3711.0	
				I-OXH 3753.0	
				I-OXH 3795.0	
				I-OXH 3837.0	
				I-OXH 3879.0	
				I-OXH 3921.0	
				I-OXH 3963.0	
				I-OXH 4005.0	
				I-OXH 4047.0	
				I-OXH 4089.0	
				I-OXH 4131.0	
				I-OXH 4173.0	
				I-OXH 4215.0	
				I-OXH 4257.0	
				I-OXH 4299.0	
				I-OXH 4341.0	
				I-OXH 4383.0	
				I-OXH 4425.0	
				I-OXH 4467.0	
				I-OXH 4509.0	
				I-OXH 4551.0	
				I-OXH 4593.0	
				I-OXH 4635.0	
				I-OXH 4677.0	
				I-OXH 4719.0	
				I-OXH 4761.0	
				I-OXH 4803.0	
				I-OXH 4845.0	
				I-OXH 4887.0	
				I-OXH 4929.0	
				I-OXH 4971.0	
				I-OXH 5013.0	
				I-OXH 5055.0	
				I-OXH 5097.0	
				I-OXH 5139.0	
				I-OXH 5181.0	
				I-OXH 5223.0	
				I-OXH 5265.0	
				I-OXH 5307.0	
				I-OXH 5349.0	
				I-OXH 5391.0	
				I-OXH 5433.0	
				I-OXH 5475.0	
				I-OXH 5517.0	
				I-OXH 5559.0	
				I-OXH 5601.0	
				I-OXH 5643.0	
				I-OXH 5685.0	
				I-OXH 5727.0	
				I-OXH 5769.0	
				I-OXH 5811.0	
				I-OXH 5853.0	
				I-OXH 5895.0	
				I-OXH 5937.0	
				I-OXH 5979.0	
				I-OXH 6021.0	
				I-OXH 6063.0	
				I-OXH 6105.0	
				I-OXH 6147.0	
				I-OXH 6189.0	
				I-OXH 6231.0	
				I-OXH 6273.0	
				I-OXH 6315.0	
				I-OXH 6357.0	
				I-OXH 6399.0	
				I-OXH 6441.0	
				I-OXH 6483.0	
				I-OXH 6525.0	
				I-OXH 6567.0	
				I-OXH 6609.0	
				I-OXH 6651.0	
				I-OXH 6693.0	
				I-OXH 6735.0	
				I-OXH 6777.0	
				I-OXH 6819.0	
				I-OXH 6861.0	
				I-OXH 6903.0	
				I-OXH 6945.0	
				I-OXH 6987.0	
				I-OXH 7029.0	
				I-OXH 7071.0	
				I-OXH 7113.0	
				I-OXH 7155.0	
				I-OXH 7197.0	
				I-OXH 7239.0	
				I-OXH 7281.0	
				I-OXH 7323.0	
				I-OXH 7365.0	
				I-OXH 7407.0	
				I-OXH 7449.0	
				I-OXH 7491.0	
				I-OXH 7533.0	
				I-OXH 7575.0	
				I-OXH 7617.0	
				I-OXH 7659.0	
				I-OXH 7701.0	
				I-OXH 7743.0	
				I-OXH 7785.0	
				I-OXH 7827.0	
				I-OXH 7869.0	
				I-OXH 7911.0	