APP CRS	Rwy Ldg	7414
301°	TDZE	38
	Apt Elev	60

RNAV (RNP) Y RWY 30

LONG BEACH (DAUGHERTY FLD) (LGB)


RNP AR APCH.

For uncompensated Baro-VNAV systems, procedure NA below 4° C or above 54° C.


MALSR

MISSED APPROACH: Climb to 800 then climbing left turn to 3000 direct PADDR and hold.

ATIS	SOCAL APP CON	LONG BEACH TOWER★	GND CON	UNICOM
127.75	125.35 316.125	119.4 (CTAF) L 257.6 (8R/26L, 30) 120.5 257.6 (8L/26R, 12)	133.0 257.6	122.95




ELEV 60 | D | TDZE 38



TDZL/RCLS Rwy 30
HIRL Rwy 12-30
HIRL Rwy 8R-26L L
MIRL Rwy 8L-26R L
REIL Rwys 8R, 12, 26L, and 26R L

800 | 3000 | PADDR

VGSI and RNAV glidepath not coincident (VGSI Angle 3.00/TCH 64).



CATEGORY	A	B	C	D
RNP 0.30 DA	384/30	346 (400-5/8)		

AUTHORIZATION REQUIRED

SW-3, 26 NOV 2026 to 24 DEC 2026
SW-3, 26 NOV 2026 to 24 DEC 2026