



U.S. Department
of Transportation

Federal Aviation
Administration


NOTICES TO AIRMEN

Domestic/International

May 25, 2017

Next Issue

June 22, 2017



*Notices to Airmen included in this publication are **NOT** given during pilot briefings unless specifically requested by the pilot. An electronic version of this publication is on the internet at http://www.faa.gov/air_traffic/publications/notices*

JANUARY – 2017							FEBRUARY – 2017							MARCH – 2017						
SUN	MON	TUE	WED	THU	FRI	SAT	SUN	MON	TUE	WED	THU	FRI	SAT	SUN	MON	TUE	WED	THU	FRI	SAT
1	2	3	4	5	6	7				1	2	3	4				1	2	3	4
8	9	10	11	12	13	14	5	6	7	8	9	10	11	5	6	7	8	9	10	11
15	16	17	18	19	20	21	12	13	14	15	16	17	18	12	13	14	15	16	17	18
22	23	24	25	26	27	28	19	20	21	22	23	24	25	19	20	21	22	23	24	25
29	30	31					26	27	28					26	27	28	29	30	31	
APRIL – 2017							MAY – 2017							JUNE – 2017						
SUN	MON	TUE	WED	THU	FRI	SAT	SUN	MON	TUE	WED	THU	FRI	SAT	SUN	MON	TUE	WED	THU	FRI	SAT
						1		1	2	3	4	5	6					1	2	3
2	3	4	5	6	7	8	7	8	9	10	11	12	13	4	5	6	7	8	9	10
9	10	11	12	13	14	15	14	15	16	17	18	19	20	11	12	13	14	15	16	17
16	17	18	19	20	21	22	21	22	23	24	25	26	27	18	19	20	21	22	23	24
23	24	25	26	27	28	29	28	29	30	31				25	26	27	28	29	30	
30																				
JULY – 2017							AUGUST – 2017							SEPTEMBER – 2017						
SUN	MON	TUE	WED	THU	FRI	SAT	SUN	MON	TUE	WED	THU	FRI	SAT	SUN	MON	TUE	WED	THU	FRI	SAT
						1			1	2	3	4	5						1	2
2	3	4	5	6	7	8	6	7	8	9	10	11	12	3	4	5	6	7	8	9
9	10	11	12	13	14	15	13	14	15	16	17	18	19	10	11	12	13	14	15	16
16	17	18	19	20	21	22	20	21	22	23	24	25	26	17	18	19	20	21	22	23
23	24	25	26	27	28	29	27	28	29	30	31			24	25	26	27	28	29	30
30	31																			
OCTOBER – 2017							NOVEMBER – 2017							DECEMBER – 2017						
SUN	MON	TUE	WED	THU	FRI	SAT	SUN	MON	TUE	WED	THU	FRI	SAT	SUN	MON	TUE	WED	THU	FRI	SAT
1	2	3	4	5	6	7				1	2	3	4						1	2
8	9	10	11	12	13	14	5	6	7	8	9	10	11	3	4	5	6	7	8	9
15	16	17	18	19	20	21	12	13	14	15	16	17	18	10	11	12	13	14	15	16
22	23	24	25	26	27	28	19	20	21	22	23	24	25	17	18	19	20	21	22	23
29	30	31					26	27	28	29	30			24	25	26	27	28	29	30
														31						

 = Cutoff dates for submitting NOTAMs to AJV-21 for next publication. (Twenty-three (23) days before effective date.)

 = Effective dates and cutoff dates for submitting information to the Publications Staff, AJV-8 for next publication. (Twenty-eight (28) days before next effective date.)

NOTICES TO AIRMEN

May 25, 2017

Flight Data Center (FDC) NOTAM information current as of May 3, 2017

FDC NOTAMs listed through 7/9954 dated May 3, 2017

Prior to flight, pilots should always check with Flight Service for current NOTAMs (1-800-WX-BRIEF).

TABLE OF CONTENTS

General Information

Title	Page	
Publication Schedule	v	■
Subscription Information	vi	
Foreword (criteria and procedures for submitting data for publication)	vii	
Contractions	x	
NOTAM	x	
Weather	xii	

PART 1. FDC NOTAMs

Section 1. Airway NOTAMs

Airway NOTAMs (listed alphabetically by ARTCC)	1-AN-1	■
--	--------	---

Section 2. Airport, Facility and Procedural NOTAMs

Content Criteria		
Airport, Facility, and Procedural NOTAMs (listed alphabetically by state or territory)	1-AFPN-1	■

Section 3. General NOTAMs

General NOTAMs (listed by NOTAM number, beginning with the most recent)	1-GN-1	■
---	--------	---

PART 2. Part 95 Revisions

Revisions to Minimum En Route IFR Altitudes & Changeover Points	1-IFR-1	
---	---------	--

Title		Page
--------------	--	-------------

PART 3. International NOTAMs

General	3-INTL-3
International Notices	3-INTL-5
Section 1: Flight Prohibitions, Potentially Hostile Situations, and Foreign Notices	3-INTL-5
Section 2: International Oceanic Airspace Notices	3-INTL-13
General	3-INTL-14
Region Specific	3-INTL-15

PART 4. Graphic Notices

(Notices are listed in categories. For information on submitting graphic notices for publication, see page viii.)

<u>Control No.</u>	<u>Category</u>	<u>Page No.</u>
---------------------------	------------------------	------------------------

Section 1. General

GEN16001	Cold Temperature Restricted Airports	4-GEN-3
----------	--	---------

Section 2. Special Operations

MIL00003	Oregon/Washington. Lights Out Military Helicopter Operations	4-MIL-3
MIL02005	Texas. Central and Southwest Texas Lights Out Military Helicopter Operations ..	4-MIL-4
MIL05007	Wisconsin. Lights Out/Low Level Military Helicopter Operations	4-MIL-5
MIL06003	Various Locations. Lights Out Military Helicopter Operations	4-MIL-6
MIL15006	Arizona. Lights Out Operations	4-MIL-8
MIL17000	Vermont. Chugs Temporary Military Operations Area (TMOA)	4-MIL-9
MIL17001	Arkansas. Consolidation of Hog and Arrowhead Military Operations Areas (MOAs)	4-MIL-11
MIL17002	Oregon. Sentry Eagle Temporary Military Operations Area (MOA)	4-MIL-14
MIL17003	Michigan. Grayling Temporary Military Operations Area (MOA)	4-MIL-16

Section 3. Airport and Facility Notices

Northeast United States

NE10002	Pennsylvania. Special Authorization to Conduct Simultaneous Approaches to Runway 26 and Departures from Runway 27R	4-NE-3
NE05001	Maryland. Baltimore-Washington International Airport Standard Taxi Routes ..	4-NE-4
NE10001	Massachusetts. KBOS Land & Hold Short Operations	4-NE-5
NE11002	Pennsylvania. Philadelphia International Airport, Runway 35 Arrivals Procedures "Tall Ship" in River Channel	4-NE-6
NE17000	Massachusetts. Prototype Runway Status Lights (RWSL) at Boston Logan International Airport (BOS)	4-NE-8

Southeast United States

SE10000	Georgia. Atlanta Preferred Arrival Routes	4-SE-3
SE10001	Georgia. Atlanta TRACON Visual Separation for Aircraft Transitioning between Atlanta ATCT and Atlanta Approach/Departure Control	4-SE-4
SE11004	Georgia. Atlanta Tracon/Atlanta ARTCC/Augusta Approach Control Realignment of Airspace	4-SE-6
SE11005	Georgia. ATL Reduced Divergence Area Navigation (RNAV) Standard Instrument Procedure	4-SE-7

East Central United States		
EC08000	Ohio. Cleveland Hopkins International Airport Standard Taxi Route	4-EC-3
EC10000	Michigan. Detroit Metropolitan Wayne County Airport Standard Taxi Routes . . .	4-EC-5
EC14000	Illinois. Midway Airport (MDW) New RNAV Approaches to Runway 22L	4-EC-7
EC15000	Illinois. Chicago O'Hare Runway 10R/28L Opens	4-EC-8
EC17000	Michigan. Special Authorization to Conduct Line Up and Wait (LUAW) Operations at Intersection (Detroit Metro Tower)	4-EC-9
South Central United States		
SC09002	Louisiana. Non-Movement Area at Baton Rouge Metropolitan (BTR) Airport . .	4-SC-3
SC11002	Texas. Houston Intercontinental ATC Tower and Houston Tracon Visual Separation Procedures	4-SC-4
SC17000	Texas. Prototype Runway Status Lights (RWSL) at Dallas/Fort Worth International Airport (DFW)	4-SC-5
North Central United States		
NC11001	Missouri. Visual Separation Procedures at Lambert-St. Louis	4-NC-3
NC12001	Minnesota. Visual Separation Procedures at Minneapolis ATCT/ARTCC	4-NC-4
Northwest United States		
NW03002	Washington. Concurrent Operations to Spokane International Airport and Fairchild Air Force Base	4-NW-3
NW11001	Washington. Seattle Approach Control (S46) Concurrent Operations to Boeing Field (BFI) and Seattle-Tacoma International Airport	4-NW-5
Southwest United States		
SW01003	California. Los Angeles Center Limited Radar Services	4-SW-3
SW04001	California. San Francisco SOIA/PRM	4-SW-4
SW10000	Colorado. Denver Standard Taxi Routes	4-SW-5
SW10001	California. Los Angeles (KLAX) Standard Taxi Routes	4-SW-7
SW11002	California. VNY Simultaneous Same Direction Operations	4-SW-8
SW13000	California. San Francisco Int'l Visual Flight Procedures	4-SW-9
SW14000	California. LAX Noise Abatement Procedures	4-SW-11
SW17000	California. LAX Runway Status Lights (RWSLs)	4-SW-12
SW17001	California. Prototype Runway Status Lights (RWSL) at San Diego International Airport (SAN)	4-SW-14
Alaska and Hawaii		
AH01001	Alaska. Anchorage Merrill Field Mode C Intruder Alert Services	4-A&H-3
AH01009	Alaska. Lake Hood Seaplane Base Mode C Intruder Alert Services	4-A&H-4
AH01010	Alaska. Point Mackenzie Area Mode C Intruder Alert Services	4-A&H-5
AH03004	Alaska. Implementation of IFR RNAV Operations Using GPS	4-A&H-6
AH06000	Alaska. Line Up and Wait Operations	4-A&H-8
AH15000	Alaska. Special Use Airspace – W-22 Oliktok, AK	4-A&H-9
Section 4. Major Sporting & Entertainment Events		
SP17013	Indiana. Indianapolis 500	4-SPORT-3
SP17014	Delaware. NASCAR – AAA 400 Drive for Autism	4-SPORT-7

SP17015	North Carolina. NASCAR – All–Star Race and Coca–Cola 600	4–SPORT–9
SP17016	Pennsylvania. NASCAR – Pocono 400	4–SPORT–11

Section 5. Airshows

AIR17000	Various. 2017 Military Aerial Aircraft/Parachute Demo	5–AIR–3
AIR17003	Washington. Arlington Fly–In	N/A
AIR17004	Wisconsin. EAA AirVenture Oshkosh 2017	N/A

**Temporary Flight Restrictions (TFR) and additional NOTAM information
are available on the FAA website at <http://www.faa.gov>**

NOTICES TO AIRMEN

Publication Schedule

PARTS 1 AND 2

Information for **Part 1** (FDC NOTAMs) and **Part 2** (Part 95 Revisions) shall be submitted to the **National Flight Data Center, AJV-21**, before the information cutoff dates listed in the chart below. Information, as well as inquiries, should be addressed to:

Address	Category
Federal Aviation Administration National Flight Data Center (AJV-21) 800 Independence Avenue, S.W. Washington, DC 20591	Airports & NAVAIDs Airspace & Procedures Part 95 Revisions

Current NOTAMs are available from Flight Service Stations at 1-800-WX-BRIEF. Notices, restrictions, and advisories may change at any time and without notice. Do not attempt any operation in the National Airspace System without first obtaining and understanding a thorough pre-flight briefing.

PARTS 3 AND 4

Information for **Part 3** (International) and **Part 4** (Graphic Notices) shall be submitted electronically to **Air Traffic Procedures (AJV-8)**, through the appropriate regional office. Requirements for Graphic Notices are listed on page viii of the Foreword and **must** be submitted well in advance of the event, but not later than 28 days prior to publication (see table below). Changes to submissions cannot be accepted after the cutoff dates. Graphic Notices for special events are published in two editions prior to the event. Information for Parts 3 and 4, as well as inquiries, should be addressed to:

Address	E-Mail	Phone Number
FAA HQ, Mission Support Services Air Traffic Procedures (AJV-8) 600 Independence Ave., SW Washington, DC 20597	9-ATOR-HQ-PubGrp@faa.gov	1-202-267-0916

Cutoff Dates for Submitting Information To Be Published

Effective Date of Publication	Information Submission Cutoff Dates for Graphic Notices (Parts 3 & 4)	Information Submission Cutoff Dates for FDC NOTAMs (Parts 1 & 2)
January 5, 2017	December 8, 2016	December 14, 2016
February 2, 2017	January 5, 2017	January 11, 2017
March 2, 2017	February 2, 2017	February 8, 2017
March 30, 2017	March 2, 2017	March 8, 2017
April 27, 2017	March 30, 2017	April 5, 2017
May 25, 2017	April 27, 2017	May 3, 2017
June 22, 2017	May 25, 2017	May 31, 2017
July 20, 2017	June 22, 2017	June 28, 2017
August 17, 2017	July 20, 2017	July 26, 2017
September 14, 2017	August 17, 2017	August 23, 2017
October 12, 2017	September 14, 2017	September 20, 2017
November 9, 2017	October 12, 2017	October 18, 2017
December 7, 2017	November 9, 2017	November 15, 2017

SUBSCRIPTION INFORMATION

***This and other selected Air Traffic publications are available online:
www.faa.gov/air_traffic/publications***

<i>General Public*</i>	<i>Government Organizations*</i>
Contact: Superintendent of Documents U.S. Government Printing Office P.O. Box 979050 St. Louis, MO 63197-9000 Call: 202-512-1800 Online: http://bookstore.gpo.gov	This publication is available on the FAA Website. All Government organizations are responsible for viewing, downloading, and subscribing to receive electronic mail notifications when changes occur to this publication. Electronic subscription information can be obtained by visiting the aforementioned website.
<i>*For those desiring printed copies, current pricing is available on the GPO website at http://bookstore.gpo.gov</i>	

FOREWORD

NATIONAL AIRSPACE SYSTEM CHANGES

The main references for changes to the National Airspace System (NAS) are the Aeronautical Charts and the Chart Supplements. Most changes to the NAS meeting NOTAM criteria are known sufficiently in advance to be carried in these publications. When this cannot be done, changes are carried in the Notices to Airmen publication (NTAP) and/or the Service A telecommunications system as a NOTAM D item.

NATIONAL FLIGHT DATA CENTER AIRWAY NOTAMS

Flight Data Center (FDC) NOTAMs reflecting airway changes are carried as Center Area NOTAMs (CAN) on the NOTAM(D) circuit. CANs are NOTAMs issued on airway changes that fall within an ARTCC's airspace. CANs are in FDC format and issued by the U.S. NOTAM Office.

NOTAMS IN THE NOTICES TO AIRMEN PUBLICATION

NOTAM D information printed in this publication is **NOT** included on the Service A circuit.

FDC NOTAMs reflect changes to Standard Instrument Approach Procedures (SIAPs), flight restrictions, and aeronautical chart revisions. The date and number of the last FDC NOTAM included in this issue is indicated on the Table of Contents page. This ensures that FDC NOTAMs issued after the NTAP cutoff date can be identified.

PART 1. PUBLICATION CRITERIA

Section 1. Airway NOTAMs. NOTAMs are sorted alphabetically by ARTCC and in descending FDC NOTAM numerical order.

Section 2. Airport, Facility and Procedural NOTAMs. Categories may include Chart Corrections, Airports, Facilities, Procedural NOTAMs, and others, as required.

NOTAMs in section 2 are sorted alphabetically by state, city, airport name and in descending NOTAM numerical order.

Section 3. General NOTAMs. Contains NOTAMs that are general in nature and not tied to a specific airport/facility identifier; i.e., flight advisories and restrictions. NOTAMs in section 3 are sorted by descending NOTAM numerical order.

NOTAM information of a **temporary** nature is not expected to remain current for an extended period and is carried until expiration or cancellation. NOTAMs of a **permanent** nature are carried until published on the proper charts or in the Chart Supplements.

The Notices to Airmen publication is issued every 28 days. Data in this publication which is current on the effective date of the next Chart Supplement will be transferred to the supplements and removed from this publication.

Facilities are responsible for forwarding NOTAM information to be included in Part One to the National Flight Data Center (NFDC).

FDC NOTAM LEGEND	
Code	Explanation
0/777	Accountability number assigned to the message originator.
FI/T	Flight information of a temporary nature.
FI/P	Flight information of a permanent nature.

PART 2. PUBLICATION CRITERIA

Revisions to Part 95 of the Code of Federal Regulations – Minimum En Route IFR Altitudes and Changeover Points are published four (4) weeks prior to the 56-day IFR chart cycle.

The revisions will remain in the NTAP until four (4) weeks prior to the next IFR chart 56-day cycle. (IFR 56-day cycle dates are published in the AFD in the General Information Section under Effective Date.)

The consolidation of Part 95 Altitudes will continue to be published as a separate document.

PART 3. INTERNATIONAL NOTICES TO AIRMEN

The International Notices to Airmen feature significant international information and data which may affect a pilot's decision to enter or use areas of foreign or international airspace. Each issuance of this Part is complete in itself. Temporary data will be repeated in each issue until the condition ceases to exist. Permanent data will be carried until it is sufficiently published or is available in other permanent sources. New items will be indicated by a black bar running in the left or right margin.

The information in Part 3 is divided into two sections. Section 1, Flight Prohibitions, Potentially Hostile Situations, and Foreign Notices is arranged alphabetically by country. Section 2, International Oceanic Airspace Notices, is divided into two sections, general and region specific.

Any notice submitted for inclusion must include the following information at the end of the notice: submitting office and date of the revision (e.g., AJV-81, 2/2/2017). In addition, all electronic mail submissions to 9-ATOR-HQ-PubGrp@faa.gov should specify a time frame in which to expect the removal of the notice from the publication. Submitting offices should notify AJV-8 when notices are no longer needed in the publication.

PART 4. GRAPHIC NOTICES

This section contains special notices and notices containing graphics pertaining to almost every aspect of aviation, such as military training areas, large scale sporting events that may attract media attention or draw large crowds of aircraft, air show information, and airport-specific information.

Data in this section is updated continuously. All submissions for inclusion in this section must have regional office approval and be submitted to AJV-8 through the regional office.

Notices for events requiring Special Traffic Management Programs (STMP) should be coordinated following the procedures in FAA Order JO 7210.3, Facility Operation and Administration.

Submissions should be sent to AJV-8 well in advance of but **no later than 28 days prior to** the effective date of the Notices to Airmen edition to ensure adequate lead time for inclusion in the publication.

Notices to Airmen (NOTAMS) submitted for inclusion in the NTAP are published **no earlier than two publication cycles (56 day periods) prior to the cycle in which the NOTAM becomes effective**. Special NOTAMS capture special events, like the Super Bowl, and are generally published in the NTAP for two consecutive publication cycles. NOTAMS that are more permanent in nature are posted in the NTAP until transferred to other appropriate Air Traffic Publications.

With the exception of dated special events, any notice submitted for inclusion must include the following information at the end of the notice: submitting office and date of the revision (e.g., AJV-81, 2/2/2017). In addition, all electronic mail submissions should specify a time frame in which to expect the removal of the notice from the publication. Regional offices should notify AJV-8 when notices are no longer needed in the publication.

Text files should be submitted as Word documents. Any graphics submitted for inclusion must be of high quality and in camera ready form; *FAX copies will not be accepted*. Electronic mail submissions are required and should be addressed to 9-ATOR-HQ-PubGrp@faa.gov. Graphics should be submitted in one of the following formats: GIF, JPEG, TIFF, BMP, or PDF. Please do not submit graphics with a “.doc” file extension. Each graphic must be submitted as a separate attachment. Graphic notices may be submitted in color or black and white. Avoid using white text in any graphic. Copyrighted materials, such as maps, should not be submitted for publication without written permission of the copyright owner.

PART 5. SPECIAL TEMPORARY FLIGHT RESTRICTIONS/PROHIBITED AREAS AROUND THE WASHINGTON, DC, THURMONT, MD, AND CRAWFORD, TX, AREAS

Effective with the November 27, 2003, edition, this part was removed from the publication. For information on flight restrictions, pilots are directed to the FAA website at <http://www.faa.gov>. Pilots may also call flight service at 1-800-WX-BRIEF.

TIME REFERENCES

All time references are indicated as UTC or local. During periods of Daylight Saving Time, effective hours in local time will be one hour earlier than shown. All states observe Daylight Savings Time except Arizona, Hawaii, Puerto Rico, and the Virgin Islands.

NEW INFORMATION

In Part 1, new NOTAMs are shown in shaded text. In all other sections of the book, vertical lines in the outside margin indicate new or revised information.

INTERNET

The entire Notices to Airmen publication is published on the internet at the following address: http://www.faa.gov/air_traffic/publications/notices/

There are two copies of the NTAP on the Web site, the current version and the previous version. This is done to overlay any current NOTAMs and information that may be needed.

In the Web version, revised/updated items are shown in blue-colored text.

ERROR OR OBSOLETE DATA NOTIFICATION

Notification of erroneous or obsolete data should be directed to the Federal Aviation Administration, Air Traffic Procedures, AJV-81, 800 Independence Avenue, SW, Washington, DC 20591, or via e-mail at 9-ATOR-HQ-PubGrp@faa.gov.

CONTRACTIONS

NOTAM CONTRACTIONS

This list contains most of the commonly used contractions currently in use in Notices to Airmen (NOTAMS) and the standard aviation weather products, such as METAR/TAF, area forecasts, SIGMETs, AIRMETs, etc.

<i>Contraction</i>	<i>Decode</i>
A	
ABN	Aerodrome Beacon
ABV	Above
ACFT	Aircraft
ACT	Active or Activated or Activity
AD	Aerodrome
ADJ	Adjacent
AGL	Above ground level
ALS	Approach Light System
ALT	Altitude
ALTN	Alternate
AP	Airport
APCH	Approach
APP	Approach control or Approach Control Office
ARR	Arrival or Arrive
ASPH	Asphalt
ATC	Air Traffic Control
ATIS	Automatic Terminal Information Service
AUTH	Authority
AVBL	Available
AWY	Airway
AZM	Azimuth
B	
BA GOOD	Braking action good
BA GOOD TO MEDIUM	Braking action good to medium
BA MEDIUM	Braking action medium
BA MEDIUM TO POOR	Braking action medium to poor
BA NIL	Braking action nil
BC	Back Course
BCN	Beacon
BLW	Below
C	
CAT	Category
CK	Check
CL	Center Line
CLSD	Closed
CMB	Climb
COM	Communications
CONC	Concrete
CTC	Contact
CTL	Control
D	
DCT	Direct
DEG	Degrees
DH	Decision Height
DIST	Distance
DLA	Delay or delayed
DLY	Daily
DME	Distance Measuring Equipment
DP	Dew Point Temperature

<i>Contraction</i>	<i>Decode</i>
E	
E	East
ELEV	Elevation
ENG	Engine
EXC	Except
F	
FAF	Final Approach fix
FAN MKR	Fan Marker
FDC	Flight Data Center
FM	From
FREQ	Frequency
FNA	Final approach
FRI	Friday
FSS	Automated/Flight Service Station
FT	Foot, feet
G	
GCA	Ground Control Approach
GP	Glide Path
GPS	Global Positioning System
GRVL	Gravel
H	
HDG	Heading
HEL	Helicopter
HELI	Heliport
HIRL	High Intensity Runway Lights
HIWAS	Hazardous Inflight Weather Advisory Service
HLDG	Holding
HR	Hour
I	
IAF	Initial approach fix
IAP	Instrument Approach Procedure
INBD	Inbound
ID	Identification
IDENT	Identify/Identifier/Identification
IF	Intermediate approach fix
ILS	Instrument Landing System
IM	Inner Marker
IN	Inch/Inches
INFO	Information
INOP	Inoperative
INSTR	Instrument
INT	Intersection
INTL	International
INTST	Intensity
K	
KT	Knots
L	
L	Left
LAA	Local Airport Advisory
LAT	Latitude

<i>Contraction</i>	<i>Decode</i>
LAWRS	Limited Aviation Weather Reporting Station
LB	Pound/Pounds
LC	Local Control
LOC	Localizer
LGT	Light or lighting
LGTD	Lighted
LIRL	Low Intensity Runway Lights
LM	Locator Middle
LDG	Landing
LO	Outer Locator
LONG	Longitude
M	
MAINT	Maintain, maintenance
MALS	Medium Intensity Approach Light System
MALSF	Medium Intensity Approach Light System with Sequenced Flashers
MALSR	Medium Intensity Approach Light System with Runway Alignment Indicator Lights
MAPT	Missed Approach Point
MCA	Minimum Crossing Altitude
MDA	Minimum Descent Altitude
MEA	Minimum Enroute Altitude
MIN	Minute
MIRL	Medium Intensity Runway Lights
MLS	Microwave Landing System
MM	Middle Marker
MNM	Minimum
MNT	Monitor/Monitoring/Monitored
MOC	Minimum Obstruction Clearance
MON	Monday
MSG	Message
MSL	Mean Sea Level
N	
N	North
NA	Not Authorized
NAV	Navigation
NB	Northbound
NDB	Nondirectional Radio Beacon
NE	North-east
NGT	Night
NM	Nautical Mile(s)
NTAP	Notice To Airmen Publication
NW	North-west
O	
OBSC	Obscured
OBST	Obstacle
OM	Outer Marker
OPR	Operate
OPS	Operation
P	
PAPI	Precision Approach Path Indicator
PAR	Precision Approach Radar
PARL	Parallel
PAX	Passenger
PCL	Pilot Controlled Lighting
PERM	Permanent/Permanently
PJE	Parachute jumping exercise
PLA	Practice Low Approach
PN	Prior Notice Required

<i>Contraction</i>	<i>Decode</i>
PPR	Prior Permission Required
PRN	Pseudo random noise
PROC	Procedure
PTN	Procedure Turn
R	
RAIL	Runway Alignment Indicator Lights
RCL	Runway Centerline
RCLL	Runway Centerline Light System
REC	Receive/Receiver
REIL	Runway End Identifier Lights
REP	Report
RLLS	Runway Lead-in Lights System
RNAV	Area Navigation
RPLC	Replace
RSR	En Route Surveillance Radar
RTS	Return to Service
RVR	Runway Visual Range
RWY	Runway
S	
S	South
SAT	Saturday
SB	Southbound
SE	Southeast
SID	Standard Instrument Departure
SIMUL	Simultaneous
SKED	Scheduled
SSALF	Simplified Short Approach Lighting System with Sequenced Flashers
SSALR	Simplified Short Approach Lighting System with Runway Alignment Indicator Lights
SSALS	Simplified Short Approach Lighting System
SSR	Secondary Surveillance Radar
STA	Straight-in Approach
STAR	Standard Terminal Arrival
SUN	Sunday
SW	Southwest
T	
T	Temperature
TACAN	Tactical Air Navigational Aid
TAR	Terminal area surveillance radar
TDZ	Touchdown Zone
TEMPO	Temporary
TFC	Traffic
TFR	Temporary Flight Restriction
TGL	Touch and Go Landings
THR	Threshold
THRU	Through
THU	Thursday
TKOF	Takeoff
TUE	Tuesday
TWR	Tower
TWY	Taxiway
U	
UNREL	Unreliable
V	
VASI	Visual Approach Slope Indicator
VIS	Visibility
VOR	VHF Omni-Directional Radio Range

<i>Contraction</i>	<i>Decode</i>
VORTAC	VOR and TACAN (colocated)
W	
W	West
WB	Westbound

<i>Contraction</i>	<i>Decode</i>
WED	Wednesday
WI	Within
WPT	Waypoint
WX	Weather

WEATHER CONTRACTIONS

<i>Contraction</i>	<i>Decode</i>
A	
A	Absolute (temperature)
A	Alaskan Standard Time (time groups only)
A	Arctic (air mass)
A01	Automated Observation without Precipitation Discriminator (rain/snow) (METAR)
A02	Automated Observation with Precipitation Discriminator (rain/snow) (METAR)
AAWF	Auxiliary Aviation Weather Facility
AC	Altostratus
ACC	Altostratus Castellanus
ACSL	Standing Lenticular Altostratus
ACYC	Anticyclonic
ADRNDCK	Adirondack
ADV	Advise
ADVCTN	Advection
ADVV	Advisory
AFC	Area Forecast Center
AFDK	After Dark
ALF	Aloft
ALGHNY	Allegheny
ALQDS	All Quadrants
ALSEC	All Sectors
ALTA	Alberta
ALUTN	Aleutian
ALWF	Actual Wind Factor
AM	Ante Meridiem
AMD	Amended Forecast (TAF)
AMPLTD	Amplitude
AMS	Air Mass
AMS	American Meteorological Society
ANLYS	Analysis
APLCN	Appalachian
AS	Altostratus
ASOS	Automated Surface Observing System
ATLC	Atlantic
AURBO	Aurora Borealis
AWP	Aviation Weather Processors
B	
B	Beginning of Precipitation (time in minutes) (weather reports only)
B	Bering Standard Time (time groups only)
BACLN	Baroclinic or Baroclinic Prognosis
BATROP	Barotropic or Barotropic Prognosis
BC	Patches (METAR)
BC	British Columbia
BCFG	Patchy Fog (METAR)
BCH	Beach
BCKG	Backing
BDA	Bermuda
BECMG	Becoming (expected between 2 digit beginning hour and 2 digit ending hour) (TAF)

<i>Contraction</i>	<i>Decode</i>
BFDK	Before Dark
BINOVC	Breaks in Overcast
BKN	Broken
BL	Between Layers
BL	Blowing (METAR)
BLD	Build
BLDUP	Buildup
BLKHLS	Black Hills
BLKT	Blanket
BLZD	Blizzard
BMS	Basic Meteorological Services
BNDRY	Boundary
BOVC	Base of Overcast
BR	Mist (METAR)
BRF	Brief
BRKHIC	Breaks in Higher Overcast
BRKSHR	Berkshire
BRM	Barometer
BTWN	Between
C	
C	Central Standard Time (time groups only)
C	Continental (air mass)
CAN	Canada
CARIB	Caribbean
CASCDS	Cascades
CAVOK	Cloud and Visibility OK (METAR)
CAVU	Clear or Scattered Clouds and Visibility Greater Than Ten Miles
CAWS	Common Aviation Weather Sub-system
CB	Cumulonimbus
CBMAM	Cumulonimbus Mamma
CC	Cirrocumulus
CCLKWS	Counterclockwise
CCSL	Standing Lenticular Cirrocumulus
CDFNT	Cold Front
CFP	Cold Front Passage
CHARC	Characteristic
CHSPK	Chesapeake
CI	Cirrus
CIG	Ceiling
CLD	Cloud
CLR	Clear at or below 12,000 feet (AWOS/ASOS report) (METAR)
CLRS	Clear and Smooth
CNCL	Cancel
CNDN	Canadian
CNVTV	Convective
CONFDC	Confidence
CONTDVD	Continental Divide
CONTRAILS	Condensation Trails
COR	Correction to the observation (METAR)

<i>Contraction</i>	<i>Decode</i>
CS	Cirrostratus
CST	Coast
CTGY	Category
CTSKLS	Catskills
CU	Cumulus
CUFRA	Cumulus Fractus
CYC	Cyclonic
CYCLGN	Cyclogenesis
D	
DABRK	Daybreak
DCAVU	Clear or Scattered Clouds and Visibility Greater than Ten, Remainder of Report Missing (weather reports only)
DKTS	Dakotas
DMSH	Diminish
DNS	Dense
DNSLP	Downslope
DNSTRM	Downstream
DP	Deep
DPNG	Deepening
DPTH	Depth
DR	Low Drifting (METAR)
DRFT	Drift
DS	Dust Storm (METAR)
DSIPT	Dissipate
DTLN	International Dateline
DTRT	Deteriorate
DU	Widespread Dust (METAR)
DVV	Downward Vertical Velocity
DWNDFTS	Downdrafts
DWPNT	Dew Point
DZ	Drizzle (METAR)
E	
E	Eastern Standard Time (time groups only)
E	Ending of Precipitation (time in minutes) (weather reports only)
E	Equatorial (air mass)
E	Estimated (weather reports only)
ELNGT	Elongate
EMBDD	Embedded
EMSU	Environment Meteorological Support Unit
ENERN	East–northeastern (weather reports only)
ENEWD	East–northeastward (weather reports only)
EOF	Expected Operations Forecast
ESERN	East–southeastern (weather reports only)
ESEWD	East–southeastward (weather reports only)
EXTRAP	Extrapolate
EXTRM	Extreme
F	
FA	Area Forecast
FAH	Fahrenheit
FEW	1 or 2 octas (eighths) cloud coverage (METAR)
FC	Funnel Cloud (METAR)
+FC	Tornado/ Water Spout (METAR)
FG	Fog (METAR)
FIBI	Filed but Impractical to Transmit
FILG	Filling
FINO	Weather Report Will Not Be Filed for Transmission
FL	Flash Advisory
FLDST	Flood Stage
FLG	Falling
FLRY	Flurry

<i>Contraction</i>	<i>Decode</i>
FLWIS	Flood Warning Issued
FM	From (4 digit beginning time in hours and minutes) (TAF)
FNT	Front
FNTGNS	Frontogenesis
FNTLYS	Frontolysis
FORNN	Forenoon
FRMG	Forming
FROPA	Frontal Passage
FROSFC	Frontal Surface
FRST	Frost
FRWF	Forecast Wind Factor
FRZ	Freeze
FRZLVL	Freezing Level
FRZN	Frozen
FT	Terminal Forecast
FU	Smoke (METAR)
FULYR	Smoke Layer Aloft
FUOCTY	Smoke Over City
FWC	Fleet Weather Central
FZ	Supercooled/freezing (METAR)
G	
G	Gusts Reaching (knots) (weather reports only)
GLFALSK	Gulf of Alaska
GLFCAL	Gulf of California
GLFMEX	Gulf of Mexico
GLFSTLAWR	Gulf of St. Lawrence
GR	Hail (METAR)
GRAD	Gradient
GRBNKS	Grand Banks
GRDL	Gradual
GRTLKS	Great Lakes
GS	Small Hail/Snow Pellets (METAR)
GSTS	Gusts
GSTY	Gusty
H	
HCVIS	High Clouds Visible
HDFRZ	Hard Freeze
HDSVLY	Hudson Valley
HI	Hi
HIEAT	Highest Temperature Equaled for All Time
HIEFM	Highest Temperature Equaled for The Month
HIESE	Highest Temperature Equaled So Early
HIESL	Highest Temperature Equaled So Late
HIFOR	High Level Forecast
HITMP	Highest Temperature
HIXAT	Highest Temperature Exceeded for All Time
HIXFM	Highest Temperature Exceeded for The Month
HIXSE	Highest Temperature Exceeded So Early
HIXSL	Highest Temperature Exceeded So Late
HLSTO	Hailstones
HLTP	Hilltop
HLYR	Haze Layer Aloft
HURCN	Hurricane
HUREP	Hurricane Report
HX	High Index
HZ	Haze (METAR)
I	
IC	Ice Crystals (METAR)
ICG	Icing
ICGIC	Icing in Clouds
ICGICIP	Icing in Clouds and Precipitation

Contractions

<i>Contraction</i>	<i>Decode</i>
ICGIP	Icing in Precipitation
IMDT	Immediate
INLD	Inland
INSTBY	Instability
INTR	Interior
INTRMTRGN	Inter–Mountain Region
INTS	Intense
INTSFY	Intensify
INVRN	Inversion
IOVC	In Overcast
IR	Ice on Runway
J	
JTSTR	Jet Stream
K	
K	Cold (air mass)
KFRST	Killing Frost
L	
LABRDR	Labrador
LCTMP	Little Change in Temperature
LDG	Landing
LFT	Lift
LGRNG	Long Range
LIFR	Low IFR (weather reports only)
LK	Lake
LOEAT	Lowest Temperature Equaled for All Time
LOEFM	Lowest Temperature Equaled for The Month
LOESE	Lowest Temperature Equaled So Early
LOESL	Lowest Temperature Equaled So Late
LOTMP	Lowest Temperature
LOXAT	Lowest Temperature Exceeded for All Time
LOXFM	Lowest Temperature Exceeded for The Month
LOXSE	Lowest Temperature Exceeded So Early
LOXSL	Lowest Temperature Exceeded So Late
LSR	Loose Snow on Runway
LTGCC	Lightning Cloud-to-Cloud
LTGCCC	Lightning Cloud-to-Cloud, Cloud-to-Ground
LTGCG	Lightning Cloud-to-Ground
LTGCW	Lightning Cloud-to-Water
LTGIC	Lightning in Clouds
LTLCG	Little Change
LTNG	Lightning
LX	Low Index
LYR	Layer or Layered or Layers
M	
M	Maritime (air mass)
M	In temperature field means "minus" or below zero (METAR)
M	In RVR Field, indicates visibility less than lowest reportable sensor value (e.g. M0600FT)
M	Missing (weather reports only)
M	Mountain Standard Time (time groups only)
MA	Map Analysis
MAN	Manitoba
MEGG	Merging
MEX	Mexico
MHKVLY	Mohawk Valley
MI	Shallow (METAR)
MIDN	Midnight
MIFG	Patches of Shallow Fog Not Deeper Than Two Meters (METAR)

Notices to Airmen

<i>Contraction</i>	<i>Decode</i>
MLTLVL	Melting Level
MMO	Main Meteorological Office
MNLD	Mainland
MOGR	Moderate or Greater
MONTR	Monitor
MOV	Move
MRGL	Marginal
MRNG	Morning
MRTM	Maritime
MS	Minus
MSTLY	Mostly
MSTR	Moisture
MTN	Mountain
MVFR	Marginal VFR
MXD	Mixed
N	
NB	New Brunswick
NCWX	No Change in Weather
NELY	Northeasterly (weather reports only)
NERN	Northeastern
NEW ENG	New England
NFLD	Newfoundland
NGT	Night
NL	No Layers
NMBR	Number
NNERN	North–northeastern (weather reports only)
NNEWD	North–northeastward (weather reports only)
NNWRN	North–northwestern (weather reports only)
NNWWD	Northwestward (weather reports only)
NO	Not available (e.g. SLPNO, RVRNO)
NORPI	No Pilot Balloon Observation Will Be Filed Next Collection Unless Weather Changes Significantly
NPRS	Nonpersistent
NS	Nimbostratus
NS	Nova Scotia
NSCSWD	No Small Craft or Storm Warning are Being Displayed
NSW	No Significant Weather (METAR)
NVA	Negative Vorticity Advection
NWLY	Northwesterly (weather reports only)
NWRN	Northwestern (weather reports only)
O	
OBS	Observation
OBSC	Obscure
OCFNT	Occluded Front
OCLD	Occlude
OCLN	Occlusion
OFP	Occluded Frontal Passage
OFSHR	Offshore
OMTNS	Over Mountains
ONSHR	On Shore
ONT	Ontario
ORGPNC	Orographic
OSV	Ocean Station Vessel
OTAS	On Top and Smooth
OTLK	Outlook
OVC	Overcast
P	
P	Pacific Standard Time (time group only)
P	Polar (air mass)

<i>Contraction</i>	<i>Decode</i>
P	In RVR field, indicates visibility greater than highest reportable sensor value (e.g. P6000FT)
P6SM	Visibility greater than 6 statute miles (TAF only)
PAC	Pacific
PBL	Probable
PCPN	Precipitation
PDMT	Predominant
PDMT	Predominate
PDW	Priority Delayed Weather
PL	Ice Pellets (METAR)
PEN	Peninsula
PGTSND	Puget Sound
PIBAL	Pilot Balloon Observation
PISE	No Pilot Balloon Observation Due To Unfavorable Sea Conditions
PISO	No Pilot Balloon Observation Due To Snow
PIWI	No Pilot Balloon Observation Due To High, or Gusty, Surface Wind
PLW	Plow (snow)
PNHDL	Panhandle
PO	Dust/Sand Whirls (METAR)
PPINA	Radar Weather Report Not Available (or omitted for a reason different than those otherwise stated)
PPINE	Radar Weather Report No Echoes Observed
PPINO	Radar Weather Report Equipment Inoperative Due To Breakdown
PPIOK	Radar Weather Report Equipment Operation Resumed
PPIOM	Radar Weather Report Equipment Inoperative Due To Maintenance
PR	Partial (METAR)
PRBLTY	Probability
PRESFR	Pressure Falling Rapidly
PRESRR	Pressure Rising Rapidly
PRJMP	Pressure Jump (weather reports only)
PROB40	Probability 40 percent (METAR)
PROG	Prognosis or Prognostic
PRSNT	Present
PS	Plus
PSG	Passage
PSG	Passing
PTCHY	Patchy
PTLY	Partly
PVA	Positive Vorticity Advection
PY	Spray (METAR)
Q	
QSTNRY	Quasi-stationary
QUE	Quebec
R	
R	Runway (used in RVR measurement)
RA	Rain (METAR)
RABA	No RAWIN Obs., No Balloons Available
RABAL	Radiosonde Balloon Wind Data
RABAR	Radiosonde Balloon Release
RACO	No RAWIN Obs., Communications Out
RADAT	Radiosonde Observation Data
RADNO	Report Missing Account Radio Failure
RAFI	Radiosonde Observation Not Filed
RAFRZ	Radiosonde Observation Freezing Levels
RAHE	No RAWIN Obs., No Gas Available
RAICG	Radiosonde Observation Icing at
RAOB	Radiosonde Observation
RAREP	Radar Weather Report

<i>Contraction</i>	<i>Decode</i>
RAVU	Radiosonde Analysis and Verification Unit
RAWE	No RAWIN obs., Unfavorable Weather
RAWI	No RAWIN Obs., High and Gusty Winds
RAWIN	Upper Winds Obs. (by radio methods)
RCD	Radar Cloud Detection Report
RCDNA	Radar Cloud Detection Report Not Available
RCDNE	Radar Cloud Detection Report No Echoes Observed
RCDNO	Radar Cloud Detector Inoperative Due to Breakdown Until
RCDOM	Radar Cloud Detector Inoperative Due to Maintenance Until
RCKY	Rockies (mountains)
RDG	Ridge
RDWND	Radar Dome Wind
RESTR	Restrict
RGD	Ragged
RH	Relative Humidity
RHINO	Radar Echo Height Information Not Available
RHINO	Radar Range Height Indicator Not Operating on Scan
RIOGD	Rio Grande
RMK	Remark(s)
RNFL	Rainfall
ROBEPS	Radar Operating Below Prescribed Standard
RPD	Rapid
RSG	Rising
RUF	Rough
RY/RWY	Runway
S	
SA	Sand (METAR)
SASK	Saskatchewan
SBSD	Subside
SC	Stratocumulus
SCSL	Standing Lenticular Stratocumulus
SCT	Scattered
SELS	Severe Local Storms
SELY	Southeasterly (weather reports only)
SERN	Southeastern (weather reports only)
SFERICS	Atmospherics
SG	Snow Grains (METAR)
SGD	Solar–Geophysical Data
SH	Showers (METAR)
SHFT	Shift (weather reports only)
SHLW	Shallow
SHRTLY	Shortly
SHWR	Shower
SIERNEV	Sierra Nevada
SKC	Sky Clear (METAR)
SLD	Solid
SLP	Sea Level pressure (e.g. 1013.2 reported as 132)
SLR	Slush on Runway
SLT	Sleet
SM	Statute mile(s)
SMK	Smoke
SMTH	Smooth
SN	Snow (METAR)
SNBNK	Snowbank
SNFLK	Snowflake
SNOINCR	Snow Depth Increase in Past Hour
SNW	Snow
SNWFL	Snowfall
SP	Station Pressure

<i>Contraction</i>	<i>Decode</i>
SPECI	Special Report (METAR)
SPKL	Sprinkle
SPLNS	South Plains
SPRD	Spread
SQ	Squall (METAR)
SQAL	Squall
SQLN	Squall Line
SS	Sandstorm (METAR)
SSERN	South-southeastern (weather reports only)
SSEWD	South-southeastward (weather reports only)
SSWRN	South-southwestern (weather reports only)
SSWWD	South-southwestward (weather reports only)
ST	Stratus
STAGN	Stagnation
STFR	Stratus Fractus
STFRM	Stratiform
STG	Strong
STM	Storm
STNRY	Stationary
SWLG	Swelling
SWLY	Southwesterly (weather reports only)
SWRN	Southwestern (weather reports only)
SX	Stability Index
SXN	Section
SYNOP	Synoptic
SYNS	Synopsis
T	
T	Trace (weather reports only)
T	Tropical (air mass)
TCU	Towering Cumulus
TEMPO	Temporary changes expected (between 2 digit beginning hour and 2 digit ending hour) (TAF)
THD	Thunderhead (non METAR)
THDR	Thunder (non METAR)
THK	Thick
THN	Thin
TKOF	Takeoff
TOP	Cloud Top
TOVC	Top of Overcast
TPG	Topping
TRIB	Tributary
TROF	Trough
TROP	Tropopause
TRPCD	Tropical Continental (air mass)
TRPCL	Tropical
TRPLYR	Trapping Layer
TS	Thunderstorm (METAR)
TSHWR	Thundershower (non METAR)
TSQLS	Thundersqualls (non METAR)
TSTM	Thunderstorm (non METAR)
TURBC	Turbulence
TURBT	Turbulent
TWRG	Towering
U	
UAG	Upper Atmosphere Geophysics
UDDF	Up and Down Drafts
UNSB	Unseasonable
UNSTBL	Unstable
UNSTDY	Unsteady
UNSTL	Unsettle
UP	Unknown Precipitation (Automated Observations)
UPDFTS	Updrafts

<i>Contraction</i>	<i>Decode</i>
UPR	Upper
UPSLP	Upslope
UPSTRM	Upstream
UVV	Upward Vertical Velocity
UWNDS	Upper Winds
V	
V	Varies (wind direction and RVR)
V	Variable (weather reports only)
VA	Volcanic Ash (METAR)
VC	Vicinity
VLCTY	Velocity
VLNT	Violent
VLY	Valley
VR	Veer
VRB	Variable wind direction when speed is less than or equal to 6 knots
VRISL	Vancouver Island, BC
VRT MOTN	Vertical Motion
VSBY	Visibility
VSBYDR	Visibility Decreasing Rapidly
VSBYIR	Visibility Increasing Rapidly
VV	Vertical Visibility (Indefinite Ceiling) (METAR)
W	
W	Warm (air mass)
WA	AIRMET
WDC-1	World Data Centers in Western Europe
WDC-2	World Data Centers Throughout Rest of World
WDLY	Widely
WDSRPD	Widespread
WEA	Weather
WFP	Warm Front Passage
WINT	Winter
WND	Wind
WNWRN	West-northwestern (weather reports only)
WNWWD	West-northwestward (weather reports only)
WPLTO	Western Plateau
WR	Wet Runway
WRM	Warm
WRMFNT	Warm Front
WRNG	Warning
WS	Wind Shear (in TAFs, low level and not associated with convective activity)
WS	SIGMET
WSHFT	Wind Shift
WSOM	Weather Service Operations Manual
WSR	Wet Snow on Runway
WSWRN	West-southwestern (weather reports only)
WSWWD	West-southwestward (weather reports only)
WTR	Water
WTSPT	Waterspout
WV	Wave
WW	Severe Weather Forecast
WXCON	Weather Reconnaissance Flight Pilot Report
X	
XCP	Except
XPC	Expect
Y	
Y	Yukon Standard Time (time groups only)
YKN	Yukon

<i>Contraction</i>	<i>Decode</i>
YLSTN	Yellowstone
<i>Z</i>	
ZI	Zonal Index
ZI	Zone of Interior

Part 1. FDC NOTAMs

Section 1. Airway NOTAMs



Shaded text indicates new or revised NOTAMs.

PART 1

Section 1. AIRWAY NOTAMS

ALBUQUERQUE ARTCC

FDC 7/8178 ZAB NM..ROUTE ZAB ZDV. V389 FOGLE, NM MCA 15600 NORTHBOUND. 1705011626-1712111626EST.

FDC 7/5227 ZAB NM..ROUTE ZAB. V280 TEXICO (TXO) VORTAC, TX R-207 TO DEBRA INT, NM MOCA 6000. 1703151239-1710251239EST.

FDC 7/3169 ZAB NM..ROUTE ZAB. V68 CHISUM (CME) VORTAC, NM TO HAGER, NM HAGER MRA 6500. CNM VORTAC RADIAL RESTRICTED R-344, 56NM, 6500-17500. 1701111302-1708231302EST.

FDC 7/0083 ZAB TX..ROUTE ZAB ZFW. V114 DOGIN, TX TO CHILDRESS (CDS) VORTAC, TX MOCA 4900. 1704131824-1711231824EST.

ANCHORAGE ARTCC

FDC 7/5586 ZAN AK..ROUTE ZAN. G18 COP TO ATQASUK (ATK) NDB, AK MEA 3500. PIZ NDB OTS. 1702171331-1709291331EST.

FDC 7/5584 ZAN AK..ROUTE ZAN. G17 WAINWRIGHT VILLAGE (UKK) NDB, AK TO ATQASUK (ATK) NDB, AK MEA 3500. UKK NDB OTS. 1702171328-1709291328EST.

FDC 6/6271 ZAN AK..ROUTE ZAN. V456 GULKANA (GKN) VOR/DME, AK TO SANKA, AK 11000 NORTHEAST BOUND 6000 SOUTHWEST BOUND. 1612051453-1707171452EST.

ATLANTA ARTCC

FDC 7/9862 ZTL WV..ROUTE ZTL ZOB ZDC. Q103 RICCS, WV TO PULASKI (PSK) VORTAC, VA SINGLE DIRECTION OPERATIONS, SOUTHBOUND ONLY. 1704131531-1711231531EST.

FDC 7/9838 ZTL SC..ROUTE ZTL ZJX. J47 COLUMBIA (CAE) VORTAC, SC TO SPARTANBURG (SPA) VORTAC, SC NA. 1704131521-1711231521EST.

FDC 7/8782 ZTL GA..ROUTE ZTL. V155 COLLIERS (IRQ) VORTAC, SC TO COLUMBUS (CSG) VORTAC, GA MRA 3500 EXCEPT FOR AIRCRAFT EQUIPPED WITH SUITABLE RNAV SYSTEM WITH GPS. 1704121222-1711221222EST.

FDC 7/8691 ZTL ROUTE ZTL ZJX. V53 WIDER INT, SC TO WILLS INT, SC NA EXCEPT FOR AIRCRAFT EQUIPPED WITH SUITABLE RNAV SYSTEM WITH GPS. 1701272329-1709082329EST.

FDC 7/8682 ZTL SC..ROUTE ZTL ZJX. V37 GREAT INT, SC TO RICHE INT, SC MEA 6000. 1701272247-1709082247EST.

FDC 7/8679 ZTL SC..ROUTE ZTL ZJX. V311 GREENWOOD (GRD) VORTAC, SC TO COLUMBIA (CAE) VORTAC, SC MEA 2400. 1701272235-1709082235EST.

FDC 7/8648 ZTL ROUTE ZTL. Q52 CHOPZ, GA TO COLZI, NC NA. 1704121136-1711221136EST.

FDC 7/4963 ZTL TN..ROUTE ZTL ZME. V243, V5 CHOO CHOO (GQO) VORTAC, TN R-331 UNUSABLE BEYOND 40NM. V243, V5 MCMIN, TN TO BOWLING GREEN (BWG) VORTAC, KY NA. 1701171634-1708291634EST.

FDC 7/3878 ZTL SC..ROUTE ZTL ZJX. V325 COLUMBIA (CAE) VORTAC, SC TO ATHENS (AHN) VOR/DME, GA MEA 8000. 1702131917-1709251917EST.

FDC 7/1483 ZTL GA..ROUTE ZTL. J208 ATHENS (AHN) VORTAC, GA TO GLOVR, NC NA. 1704171835-1711271835EST.

FDC 7/1447 ZTL ROUTE ZTL ZME. V209 KEWANEE (EWA) VORTAC, MS TO BROOKWOOD (OKW) VORTAC, AL NA. 1704171809-1711271809EST.

FDC 7/1377 ZTL SC..ROUTE ZTL. V222 SUNET, SC TO SUGARLOAF MOUNTAIN (SUG) VORTAC, NC MEA 7100. 1703071420-1710171420EST.

FDC 7/1376 ZTL MS..ROUTE ZTL ZHU. V222 PICAN, MS TO MONROEVILLE (MVC) VORTAC, AL MEA 3000. 1703071420-1710171420EST.

FDC 7/1283 ZTL TN..ROUTE ZTL. V605 HOLSTON MOUNTAIN (HMY) VORTAC, TN R-175 TO GENOD INT, NC MEA 10000. HMY VOR UNUSABLE. 1704171545-1711271545EST.

FDC 6/5151 ZTL SC..ROUTE ZTL. V185 COLLIERS (IRQ) VORTAC, SC TO GREENWOOD (GRD) VORTAC, SC ..COLON, SC MRA 8000. CAE VORTAC R-270 AT 56NM UNUSABLE BELOW 8000. 1612272156-1708082156EST.

FDC 6/5147 ZTL SC..ROUTE ZTL. V185 COLLIERS (IRQ) VORTAC, SC TO GREENWOOD (GRD) VORTAC, SC ..LUKES, SC MRA 3000. CAE VORTAC R-283 AT 57NM UNUSABLE BELOW 3000. 1612272153-1708082153EST.

BOSTON ARTCC

FDC 7/9735 ZBW NY..ROUTE ZBW. V46 HAMPTON (HTO) VORTAC, NY TO LIBBE, NY NA. 1703241339-1711031339EST.

FDC 7/9731 ZBW NY..ROUTE ZBW. J174 HAMPTON (HTO) VORTAC, NY TO OFTUR, MA NA. 1703241335-1711031335EST.

FDC 7/9287 ZBW NY..ROUTE ZBW. V419 CARMEL (CMK) VOR/DME, NY TO BRISS, CT NA. 1705031253-1712131253EST.

FDC 7/8966 ZBW NY..ROUTE ZBW. J150 HAMPTON (HTO) VORTAC, NY TO OFTUR, MA NA. 1703231347-1711021347EST.

FDC 7/8752 ZBW NY..ROUTE ZBW. V188 CARMEL (CMK) VOR/DME, NY TO SEALL, CT NA. 1704121209-1711221209EST.

FDC 7/8160 ZBW NY..ROUTE ZBW. V3 CARMEL (CMK) VOR/DME, NY TO RACEY, CT NA. COP MOVED TO RACEY, CT. 1704111329-1711211329EST.

FDC 7/8145 ZBW NY..ROUTE ZBW. V39 CARMEL (CMK) VOR/DME, NY TO SOARS, CT NA. 1704111320-1711211320EST.

FDC 7/8125 ZBW NY..ROUTE ZBW. J49 ALBANY (ALB) VORTAC, NY R-071 TO COP NA. 1704111302-1711211302EST.

FDC 7/5287 ZBW NY..ROUTE ZBW. V489 WEARD, NY TO ALBANY (ALB) VORTAC, NY NA. 1704252102-1712052102EST.

FDC 7/5286 ZBW CT..ROUTE ZBW. V91 SOARS, CT TO BOWAN, NY NA. 1704252101-1712052101EST.

FDC 7/5285 ZBW CT..ROUTE ZBW. V39 SOARS, CT TO STUBY, CT NA. 1704252100-1712052100EST.

FDC 7/5284 ZBW CT..ROUTE ZBW. V487 SOARS, CT TO BOWAN, NY NA. 1704252059-1712052059EST.

FDC 7/4962 ZBW NY..ROUTE ZBW. V374 CARMEL (CMK) VOR/DME, NY TO CREAM, NY NA. 1704251249-1712051249EST.

FDC 7/1848 ZBW MA..ROUTE ZBW. V141 CELTS, MA TO BOSTON (BOS) VOR/DME, MA 2000 NORTHWEST BOUND 3000 SOUTHEAST BOUND. 1703072116-1710172116EST.

FDC 6/9189 ZBW CT..ROUTE ZBW. V451 NESSI, CT MCA 4000 SOUTHWESTBOUND. 1612081711-1707201711EST.

FDC 6/6272 ZBW NY..ROUTE ZBW. V139 HAMPTON (HTO) VORTAC, NY TO PROVIDENCE (PVD) VOR/DME, RI MEA 3000. 1612051455-1707171454EST.

CHICAGO ARTCC

FDC 7/9989 ZAU WI..ROUTE ZAU. V510 FALLS (FAH) VOR/DME, WI TO GAYLE, MI NA. FAH VOR/DME R-116 UNUSABLE. 1704131735-1711231735EST.

FDC 7/8612 ZAU IA..ROUTE ZAU ZKC. J233 KIRKSVILLE (IRK) VORTAC, MO TO WATERLOO (ALO) VOR/DME, IA MAA 27000. 1702272017-1710092017EST.

FDC 7/6984 ZAU MI..ROUTE ZAU ZMP. V450 RABEE, WI TO MOTAN, MI MEA 3500. MKG VOR MKG R-313 UNUSABLE BELOW 3500 BEYOND 25NM TO COP.. 1703201401-1710301401EST.

FDC 7/4967 ZAU IN..ROUTE ZAU ZOB. V8 TWERP INT, OH TO GAREN INT, IN MOCA 2400. 1701171636-1708291636EST.

FDC 7/3891 ZAU IN..ROUTE ZAU ZID. V97 SHELBYVILLE (SHB) VORTAC, IN TO OCKEL, IN MEA 5000. 1703121740-1710221740EST.

FDC 7/3887 ZAU IN..ROUTE ZAU ZID. V51 SHELBYVILLE (SHB) VORTAC, IN TO OCKEL, IN MEA 5000. 1703121734-1710221734EST.

FDC 7/2030 ZAU IN..ROUTE ZAU ZID. V51, V97 ZIPPY INT, IN TO COP MRA 5000. SHB VORTAC UNUSABLE. 1703081345-1710181345EST.

FDC 7/1972 ZAU IL..ROUTE ZAU ZMP. J89 BADGER (BAE) VORTAC, WI TO DULUTH (DLH) VORTAC, MN NA EXCEPT FOR AIRCRAFT EQUIPPED WITH SUITABLE RNAV SYSTEM WITH GPS. BAE VORTAC UNUSABLE. 1704181627-1711281624EST.

FDC 7/1370 ZAU IA..ROUTE ZAU. V63 BURLINGTON (BRL) VOR/DME, IA TO MOLINE (MZV) VORTAC, IL MEA 3100. 1703071416-1710171416EST.

FDC 6/5198 ZAU IN..ROUTE ZAU ZOB. V126, V92 BAGEL, IN TO EDGE, OH MEA 5000. GSH VORTAC UNUSABLE. 1612272229-1708082229EST.

FDC 6/4396 ZAU MI..ROUTE ZAU. V215 MUSKEGON (MKG) VORTAC, MI R-209 TO JYBEE, MI NA. 1612211908-1708021908EST.

FDC 6/4394 ZAU MI..ROUTE ZAU. V55 MUSKEGON (MKG) VORTAC, MI R-185 TO ZEELE, MI NA. 1612211907-1708021907EST.

FDC 6/4391 ZAU MI..ROUTE ZAU ZMP. V271 MUSKEGON (MKG) VORTAC, MI R-353 TO WELKO, MI NA. 1612211906-1708021906EST.

FDC 6/4390 ZAU MI..ROUTE ZAU. V2 MUSKEGON (MKG) VORTAC, MI R-115 TO SARAN, MI NA. 1612211904-1708021904EST.

FDC 6/4248 ZAU MI..ROUTE ZAU ZOB. V450 MUSKEGON (MKG) VORTAC, MI R-095 TO CFCCV, MI NA. 1612211354-1708021354EST.

FDC 6/4246 ZAU MI..ROUTE ZAU. V510 GAYLE, MI TO JAKES, MI NA. 1612211353-1708021353EST.

FDC 6/3859 ZAU WI..ROUTE ZAU. V7 CHICAGO HEIGHTS (CGT) VORTAC, IL TO FALLS (FAH) VOR/DME, WI TALOR WI MCA 6000 NORTHBOUND. 1612191900-1707311900EST.

FDC 6/3355 ZAU IN..ROUTE ZAU ZID. V214 KOKOMO (OKK) VORTAC, IN R-102 TO MARION (MZZ) VOR/DME, IN CHANGE R-102 TO R-097. V305 KOKOMO (OKK) VORTAC, IN R-187 TO WELDO, IN CHANGE R-187 TO R-182. V285, V96 KOKOMO (OKK) VORTAC, IN R-204 TO BRICKYARD (VHP) VORTAC, IN CHANGE R-204 TO R-199. V96 KOKOMO (OKK) VORTAC, IN R-060 TO FORT WAYNE (FWA) VORTAC, IN CHANGE R-060 TO R-055. V285 KOKOMO (OKK) VORTAC, IN R-006 TO GOSHEN (GSH) VORTAC, IN CHANGE R-006 TO R-001. OKK VORTAC MAGVAR. 1612162316-1707282315EST.

FDC 6/2559 ZAU IL..ROUTE ZAU. V7 CHICAGO HEIGHTS (CGT) VORTAC, IL TO NILES, IL DUAL MEA 3400 NORTHBOUND 2500 SOUTHBOUND. 1612151726-1707271726EST.

FDC 6/2551 ZAU IL..ROUTE ZAU. V92 CHICAGO HEIGHTS (CGT) VORTAC, IL TO NILES, IL DUAL MEA 3400 NORTHBOUND 2500 SOUTHBOUND. 1612151712-1707271712EST.

FDC 6/2543 ZAU IL..ROUTE ZAU. V97 CHICAGO HEIGHTS (CGT) VORTAC, IL TO NILES, IL DUAL MEA 3400 NORTHBOUND 2500 SOUTHBOUND. 1612151711-1707271711EST.

FDC 6/2522 ZAU IL..ROUTE ZAU. V422 CHICAGO HEIGHTS (CGT) VORTAC, IL TO NILES, IL DUAL MEA 3400 NORTHBOUND 2500 SOUTHBOUND. 1612151707-1707271707EST.

CLEVELAND ARTCC

FDC 7/9859 ZOB WV..ROUTE ZOB ZDC ZTL. Q103 RICCS, WV TO PULASKI (PSK) VORTAC, VA SINGLE DIRECTION OPERATIONS, SOUTHBOUND ONLY. 1704131530-1711231529EST.

FDC 7/9467 ZOB NY..ROUTE ZOB. V164 BENEE, NY MCA 11000 NORTHBOUND. 1705031415-1712131415EST.

FDC 7/8756 ZOB PA..ROUTE ZOB. V184 ERIE (ERI) VORTAC, PA TO TIDIOUTE (TDT) VORTAC, PA MEA 4000. 1704121214-1711221214EST.

FDC 7/8728 ZOB NY..ROUTE ZOB ZNY. V270 WOMAN, NY TO ELMIRA (ULW) VOR/DME, NY MEA 10000. 1704121148-1711221148EST.

FDC 7/8123 ZOB PA..ROUTE ZOB ZNY. V542 CAFKI, PA TO ELMIRA (ULW) VOR/DME, NY MEA 10000. 1704111300-1711211300EST.

FDC 7/8023 ZOB MI..ROUTE ZOB. V450 GIBER INT, MI TO LUGGS INT, MI MEA 4000 MOCA 2400. 1704111218-1711211218EST.

FDC 7/6840 ZOB OH..ROUTE ZOB. V98 WOCKY, OH MCA 10000 NORTHBOUND. 1701232007-1709042007EST.

FDC 7/5999 ZOB MD..ROUTE ZOB ZDC. V8 GRANTSVILLE (GRV) VOR/DME, MD TO MARTINSBURG (MRB) VORTAC, WV MEA 5500. 1703161305-1710261305EST.

FDC 7/5995 ZOB MD..ROUTE ZOB ZDC. V214 GRANTSVILLE (GRV) VOR/DME, MD TO MARTINSBURG (MRB) VORTAC, WV MEA 5500. 1703161304-1710261304EST.

FDC 7/4995 ZOB NY..ROUTE ZOB. V252 AIRCO, NY TO U.S. BORDER NA. 1704251317-1712051317EST.

FDC 7/4993 ZOB NY..ROUTE ZOB. V31 AIRCO, NY TO U.S. BORDER NA. 1704251316-1712051316EST.

FDC 7/4965 ZOB IN..ROUTE ZOB ZAU. V8 TWERP INT, OH TO GAREN INT, IN MOCA 2400. 1701171635-1708291635EST.

FDC 7/1082 ZOB OH..ROUTE ZOB. J518 DRYER (DJB) VOR/DME, OH TO INDIAN HEAD (IHD) VORTAC, PA COP AT IHD R-310 39NM. 1703061911-1710161911EST.

FDC 6/5196 ZOB IN..ROUTE ZOB ZAU. V126, V92 BAGEL, IN TO EDGE, OH MEA 5000. GSH VORTAC UNUSABLE. 1612272228-1708082228EST.

FDC 6/4250 ZOB MI..ROUTE ZOB ZAU. V450 MUSKEGON (MKG) VORTAC, MI R-095 TO CFCCV, MI NA. 1612211354-1708021354EST.

FDC 6/2636 ZOB OH..ROUTE ZOB. V96 ANNTS, OH MCA 16000 SOUTHWESTBOUND. 1611232105-1707052105EST.

FDC 6/2632 ZOB OH..ROUTE ZOB. V96 ILLIE, OH MCA 16000 NORTHEASTBOUND. 1611232104-1707052104EST.

FDC 6/1542 ZOB PA..ROUTE ZOB. V12 ALLEGHENY (AGC) VOR/DME, PA TO JOHNSTOWN (JST) VORTAC, PA AGC VOR/DME R-096 UNUSABLE; USE JST R-274. MEA 5000. AGC VOR/DME RESTRICTED R-071-174 ALL ALTITUDES AND DISTANCES. 1611202056-1707022056EST.

DENVER ARTCC

FDC 7/8179 ZDV NM..ROUTE ZDV ZAB. V389 FOGLE, NM MCA 15600 NORTHBOUND. 1705011626-1712111626EST.

FDC 7/8055 ZDV CO..ROUTE ZDV. V160 BLUE MESA (HBU) VOR/DME, CO TO MURFE INT, CO MEA 16400 MCA 13100 NORTHEASTBOUND. HBU VOR/DME RAISE MEA AND MCA.. 1704111238-1711211238EST.

FDC 7/7729 ZDV CO..ROUTE ZDV. V356 FIDLE, CO MCA 16500 NORTHEASTBOUND. 1703212048-1710312048EST.

FDC 7/6000 ZDV CO..ROUTE ZDV. V361 MONTROSE (MTJ) VOR/DME, CO TO ICIES, CO 15000 NORTHEAST BOUND 10600 SOUTHWEST BOUND. 1703161306-1710261306EST.

FDC 7/4999 ZDV CO..ROUTE ZDV. V611 BLACK FOREST (BRK) VOR/DME, CO TO LIMEX, CO MEA 13000. 1704251326-1712051326EST.

FDC 7/2726 ZDV CO..ROUTE ZDV. V361 ALLAN, CO MCA 16000 SOUTHWESTBOUND. 1703301146-1711091146EST.

FDC 7/2724 ZDV CO..ROUTE ZDV. V85 ALLAN, CO MCA 16000 NORTHWESTBOUND. 1703301144-1711091144EST.

FDC 7/2719 ZDV CO..ROUTE ZDV. V85 HYGEN, CO MCA 12800 NORTHWESTBOUND. 1703301142-1711091142EST.

FDC 7/1380 ZDV CO..ROUTE ZDV. V95 ZEANS, CO TO LAZON, CO MEA 16500. 1703071424-1710171424EST.

FDC 7/0084 ZDV CO..ROUTE ZDV. V263 LIMEX, CO MCA 10000 SOUTHBOUND. 1703242123-1711032123EST.

FDC 6/3046 ZDV CO..ROUTE ZDV. V220 HABRO, CO MCA 11300 SOUTHEASTBOUND. 1611281455-1707101455EST.

FDC 6/3045 ZDV CO..ROUTE ZDV. V328 HABRO, CO MCA 11300 SOUTHEASTBOUND. 1611281454-1707101454EST.

FDC 6/1598 ZDV NE..ROUTE ZDV. V219 HAYES CENTER (HCT) VORTAC, NE R-048 TO YOZLE INT, NE MEA 7000. 1611202320-1707022320EST.

FORT WORTH ARTCC

FDC 7/9969 ZFW TX..ROUTE ZFW. V102 LUBBOCK (LBB) VORTAC, TX TO GUTHRIE (GTH) VORTAC, TX MOCA 6000. GTH VOR CHANGEOVER POINT GTH-257 AT 25NM.. 1704131716-1711231716EST.

FDC 7/9967 ZFW TX..ROUTE ZFW. V278 GUTHRIE (GTH) VORTAC, TX TO NIFDE, TX MEA 8500. GTH VOR CHANGEOVER POINT GTH R-086 AT 45 NM. 1704131715-1711231715EST.

FDC 7/9800 ZFW TX..ROUTE ZFW. V278 PLAINVIEW (PVW) VOR/DME, TX TO GUTHRIE (GTH) VORTAC, TX MEA 6000. GTH VOR CHANGEOVER POINT GTH R-275 AT 25 NM.. 1704131450-1711231450EST.

FDC 7/9698 ZFW TX..ROUTE ZFW. V18 GUTHRIE (GTH) VORTAC, TX TO BEKLE, TX MEA 8500. GTH VOR RESTRICTED BELOW 8500. 1704131344-1711231344EST.

FDC 7/9695 ZFW TX..ROUTE ZFW. V102 GUTHRIE (GTH) VORTAC, TX TO SNEED, TX MEA 6000. GTH VOR CHANGEOVER POINT GTH R-071 AT 25NM.. 1704131342-1711231342EST.

FDC 7/8821 ZFW AR..ROUTE ZFW ZME. V573 MARKI, AR TO HOT SPRINGS (HOT) VOR/DME, AR MEA 3500NE 5500SW. PGO VORTAC RADIALS UNUSABLE BEYOND SERVICE VOLUME PGO RADIAL-110 AT MARKI UNUSABLE. 1702281338-1710101338EST.

FDC 7/7508 ZFW OK..ROUTE ZFW. V77 FLECH INT, OK TO NEADS INT, OK MOCA 3000. 1702232159-1710052159EST.

FDC 7/0345 ZFW TX..ROUTE ZFW. V404 SNEED, TX TO CHILDRESS (CDS) VORTAC, TX MEA 4700. V404 SNEED, TX MCA 4700 NORTHWESTBOUND. 1702021526-1709141525EST.

FDC 7/0209 ZFW TX..ROUTE ZFW. V94 GLEN ROSE (JEN) VORTAC, TX TO CEDAR CREEK (CQY) VORTAC, TX MOCA 2600. 1701031453-1708151453EST.

FDC 7/0208 ZFW TX..ROUTE ZFW. V18 GLEN ROSE (JEN) VORTAC, TX TO CEDAR CREEK (CQY) VORTAC, TX MOCA 2600. 1701031453-1708151453EST.

FDC 7/0085 ZFW TX..ROUTE ZFW ZAB. V114 DOGIN, TX TO CHILDRESS (CDS) VORTAC, TX MOCA 4900. 1704131824-1711231824EST.

HONOLULU CERAP

FDC 7/1822 ZHN HI..ROUTE ZHN. V5 KONA (KOA) VORTAC, HI TO MYNAH, HI MEA 5200. 1703282224-1711072224EST.

FDC 7/1819 ZHN HI..ROUTE ZHN. V1, V2 MAKEN, HI TO HARPO, HI MEA 6300. 1703282223-1711072223EST.

FDC 7/1817 ZHN HI..ROUTE ZHN. V1, V7 KONA (KOA) VORTAC, HI TO REEFS, HI MEA 5200. 1703282221-1711072221EST.

FDC 7/1815 ZHN HI..ROUTE ZHN. V20 KONA (KOA) VORTAC, HI TO ROBYN, HI MEA 5200. 1703282219-1711072219EST.

FDC 6/4355 ZHN HI..AIRSPACE KILAUEA HI..VOLCANIC ACT ADVISORY FOR KILAUEA VOLCANO HI, 1925N15516W, AND THE HILO /ITO/ VORTAC 209 DEGREE RADIAL AT 023NM. KILAUEA VOLCANO HAS BEEN IN AN ACTIVE STATE. HAZARDOUS EMISSIONS OF VOLCANIC ASH HAVE INTERMITTENTLY COMPLICATED AIR TRAVEL IN THE AREA. ANY IMPACT ON ACFT OPS IS DESCRIBED IN CURRENT SIGMET, CWA, OR PIREP INFORMATION. ACFT SHOULD REMAIN ALERT FOR POSSIBLE ASH CLOUDS AND REPORT ANY SIGHTINGS TO ATC. ACFT OPERATORS SHOULD CONTINUALLY EVALUATE OPS IN THE AREA DEFINED BY THE SIGMET. AVIATION ALERT COLOR CODE ORANGE IS IN EFFECT. FLT INTO VOLCANIC ASH MAY CAUSE ENGINE DAMAGE/FAILURE AND ABRASION DAMAGE TO AIRFRAME AND WINDSHIELD SFCS. ANY AIR CARRIERS, INCLUDING FOREIGN AIR CARRIERS THAT OBSERVE OR EXPERIENCE DIFFICULTIES RESULTING FROM AN ENCOUNTER WITH VOLCANIC ASH PLEASE NOTIFY ATC IMMEDIATELY IN ACCORDANCE WITH FAR 121.561 AND ICAO, ANNEX 3, PARAGRAPH 5.4 (SPECIAL AIRCRAFT OPERATIONS), AND ANNEX 6 PARAGRAPH 4.4.3 (HAZARDOUS FLIGHT CONDITIONS), CONTACT HONOLULU CONTROL FACILITY, 808-840-6201, FOR ADDITIONAL INFORMATION. 1611292300-1711030001.

FDC 6/2825 ZHN HI..ROUTE ZHN. V11 LNBRG, HI TO SWEEP, HI MEA 5400 NORTHBOUND. UPP VOR ESF R338/48/54/450. 1611261510-1707081510EST.

HOUSTON ARTCC

FDC 7/8115 ZHU TX..ROUTE ZHU. V556 JUNCTION (JCT) VORTAC, TX R-302 TO CHILD, TX MEA 5000. 1704111252-1711211252EST.

FDC 7/3171 ZHU MS..ROUTE ZHU. V20 GULFPORT (GPT) VORTAC, MS R-061 TO SEMMES (SJI) VORTAC, AL MEA 5000 EXCEPT FOR AIRCRAFT EQUIPPED WITH SUITABLE RNAV SYSTEM WITH GPS. 1701111304-1708231304EST.

FDC 7/1375 ZHU MS..ROUTE ZHU ZTL. V222 PICAN, MS TO MONROEVILLE (MVC) VORTAC, AL MEA 3000. 1703071420-1710171420EST.

FDC 7/1374 ZHU TX..ROUTE ZHU. V306 KUUPR, TX TO OFERS, LA MEA 2800. 1703071418-1710171418EST.

INDIANAPOLIS ARTCC

FDC 7/9802 ZID ROUTE ZID ZTL. Q39 CLAWD, NC TO WISTA, WV NA. 1704131452-1711231452EST.

FDC 7/9654 ZID KY..ROUTE ZID. V178 RENRO, KY MRA 11000. 1703011915-1710111914EST.

FDC 7/8683 ZID ROUTE ZID. V115 HAZARD (AZQ) VOR/DME, KY TO CHARLESTON (HVQ) VORTAC, WV MEA 6000. 1701272300-1709082300EST.

FDC 7/5273 ZID KY..ROUTE ZID. V53 IRVIN, KY TO LEXINGTON (HYK) VORTAC, KY MEA 4000. V53 IRVIN, KY MRA 6000. 1703151249-1710251249EST.

FDC 7/5229 ZID KY..ROUTE ZID. V517 LONDON (LOZ) VOR/DME, KY TO LOGIC, KY MEA 6000. V517 LOGIC, KY MCA 6000 SOUTHBOUND. 1703151241-1710251241EST.

FDC 7/5063 ZID ROUTE ZID Q67 JONEN, KY TO COLTZ, OH NA 1704041150-1710120900.

FDC 7/3889 ZID IN..ROUTE ZID ZAU. V97 SHELBYVILLE (SHB) VORTAC, IN TO OCKEL, IN MEA 5000. 1703121737-1710221737EST.

FDC 7/3885 ZID IN..ROUTE ZID ZAU. V51 SHELBYVILLE (SHB) VORTAC, IN TO OCKEL, IN MEA 5000. 1703121729-1710221729EST.

FDC 7/3384 ZID KY..ROUTE ZID. V310 DARBY, KY MRA 5000. 1704201818-1711301818EST.

FDC 7/2585 ZID KY..ROUTE ZID ZME. V52 BOWLING GREEN (BWG) VORTAC, KY TO LIVINGSTON (LVT) VORTAC, TN MEA 11000. V52 BOWLING GREEN (BWG) VORTAC, KY MCA 11000 SOUTHEASTBOUND. 1703292110-1711082110EST.

FDC 7/2581 ZID KY..ROUTE ZID. V5 LOUISVILLE (IIU) VORTAC, KY MCA 10000 NORTHEASTBOUND. V5 NERVE, KY MCA 10000 SOUTHWESTBOUND. 1703292105-1711082105EST.

FDC 7/2579 ZID KY..ROUTE ZID. V53 LOUISVILLE (IIU) VORTAC, KY MCA 10000 NORTHWESTBOUND. V53 HOUSE, IN MCA 10000 SOUTHEASTBOUND. V53 LOUISVILLE (IIU) VORTAC, KY TO HOUSE, IN MOCA NA. 1703292103-1711082103EST.

FDC 7/2577 ZID KY..ROUTE ZID ZME. V5 KEDLE, KY TO NEW HOPE (EWO) VOR/DME, KY MEA 2900. V5 BOWLING GREEN (BWG) VORTAC, KY TO KEDLE, KY NA. 1703292101-1711082101EST.

FDC 7/2556 ZID KY..ROUTE ZID. V171 LOUISVILLE (IIU) VORTAC, KY MCA 10000 NORTHWESTBOUND. V171 SCOTO, IN MCA 10000 SOUTHEASTBOUND. V171 LOUISVILLE (IIU) VORTAC, KY TO SCOTO, IN MOCA NA. 1703292051-1711082051EST.

FDC 7/2547 ZID KY..ROUTE ZID. V512 LOUISVILLE (IIU) VORTAC, KY MCA 10000 EASTBOUND. V512 CLEGG, KY MCA 10000 WESTBOUND. V512 LOUISVILLE (IIU) VORTAC, KY TO CLEGG, KY MOCA NA. 1703292044-1711082044EST.

FDC 7/2008 ZID IN..ROUTE ZID ZAU. V51, V97 ZIPPY INT, IN TO COP MRA 5000. SHB VORTAC UNUSABLE. 1703081342-1710181342EST.

FDC 7/0293 ZID ROUTE ZID ZME. J6 SOPIE, TN TO BOWLING GREEN (BWG) VORTAC, KY NA. J6 BOWLING GREEN (BWG) VORTAC, KY TO CHARLESTON (HVQ) VORTAC, WV NA. BWG VOR UNUSABLE BEYOND 10 NM ALL ALTITUDES. 1703260029-1711050029EST.

FDC 6/4159 ZID WV..ROUTE ZID. V59 SOFTY, WV TO BECKLEY (BKW) VORTAC, WV NA ; BKW VOR R-161 UNUSABLE. 1612202214-1708012214EST.

FDC 6/4157 ZID WV..ROUTE ZID ZDC. V258 BECKLEY (BKW) VORTAC, WV TO ZOOMS, WV NA ; BKW VOR R-131 UNUSABLE. 1612202213-1708012213EST.

FDC 6/4153 ZID WV..ROUTE ZID. V519 BLUEFIELD (BLF) VORTAC, WV TO BECKLEY (BKW) VORTAC, WV BKW VOR R-193 UNUSABLE; USE BLF R-010. 1612202210-1708012210EST.

FDC 6/3357 ZID IN..ROUTE ZID ZAU. V214 KOKOMO (OKK) VORTAC, IN R-102 TO MARION (MZZ) VOR/DME, IN CHANGE R-102 TO R-097. V305 KOKOMO (OKK) VORTAC, IN R-187 TO WELDO, IN CHANGE R-187 TO R-182. V285, V96 KOKOMO (OKK) VORTAC, IN R-204 TO BRICKYARD (VHP) VORTAC, IN CHANGE R-204 TO R-199. V96 KOKOMO (OKK) VORTAC, IN R-060 TO FORT WAYNE (FWA) VORTAC, IN CHANGE R-060 TO R-055. V285 KOKOMO (OKK) VORTAC, IN R-006 TO GOSHEN (GSH) VORTAC, IN CHANGE R-006 TO R-001. OKK VORTAC MAGVAR. 1612162316-1707282315EST.

JACKSONVILLE ARTCC

FDC 7/9835 ZJX SC..ROUTE ZJX ZTL. J47 COLUMBIA (CAE) VORTAC, SC TO SPARTANBURG (SPA) VORTAC, SC NA. 1704131517-1711231517EST.

FDC 7/9336 ZJX SC..ROUTE ZJX. V53 CHARLESTON (CHS) VORTAC, SC TO COLUMBIA (CAE) VORTAC, SC MEA 2100. 1703011554-1710111553EST.

FDC 7/9178 ZJX GA..ROUTE ZJX. V159 PECAN (PZD) VORTAC, GA TO SAWES, GA NA EXCEPT FOR AIRCRAFT EQUIPPED WITH SUITABLE RNAV SYSTEM WITH GPS. 1704121559-1711221559EST.

FDC 7/8931 ZJX SC..ROUTE ZJX ZDC. V213, V70 GRAND STRAND (CRE) VORTAC, SC TO WILMINGTON (ILM) VORTAC, NC NA. 1704121321-1711221321EST.

FDC 7/8922 ZJX SC..ROUTE ZJX ZDC. V1 INLET, SC TO WALLO, NC NA. 1704121316-1711221316EST.

FDC 7/8916 ZJX SC..ROUTE ZJX. V259 GRAND STRAND (CRE) VORTAC, SC TO COP NA. 1704121313-1711221313EST.

FDC 7/8906 ZJX SC..ROUTE ZJX. V136 COP TO GRAND STRAND (CRE) VORTAC, SC NA. 1704121307-1711221307EST.

FDC 7/8690 ZJX ROUTE ZJX ZTL. V53 WIDER INT, SC TO WILLS INT, SC NA EXCEPT FOR AIRCRAFT EQUIPPED WITH SUITABLE RNAV SYSTEM WITH GPS. 1701272329-1709082329EST.

FDC 7/8681 ZJX SC..ROUTE ZJX ZTL. V37 GREAT INT, SC TO RICHELIEU INT, SC MEA 6000. 1701272247-1709082247EST.

FDC 7/8680 ZJX SC..ROUTE ZJX ZTL. V311 GREENWOOD (GRD) VORTAC, SC TO COLUMBIA (CAE) VORTAC, SC MEA 2400. 1701272235-1709082235EST.

FDC 7/3877 ZJX SC..ROUTE ZJX ZTL. V325 COLUMBIA (CAE) VORTAC, SC TO ATHENS (AHN) VOR/DME, GA MEA 8000. 1702131917-1709251917EST.

FDC 7/0215 ZJX ROUTE ZJX. V37 COLUMBIA (CAE) VORTAC, SC TO NORMS, SC NA. 1701031454-1708151454EST.

FDC 6/1318 ZJX FL..ROUTE ZJX. V441 NITTS, FL MCA 4000 SOUTHBOUND. 1611201854-1707021854EST.

FDC 6/1310 ZJX FL..ROUTE ZJX. V579 NITTS, FL MCA 4000 SOUTHBOUND. 1611201612-1707021612EST.

KANSAS CITY ARTCC

FDC 7/9812 ZKC KS..ROUTE ZKC. V551 SALINA (SLN) VORTAC, KS TO MANKATO (TKO) VORTAC, KS MEA 6000. SLN VORTAC MCA V551 4200 NORTHWESTBOUND.. SLN VORTAC RESTRICTIONS. 1703241434-1711031434EST.

FDC 7/9810 ZKC KS..ROUTE ZKC. V532 SALINA (SLN) VORTAC, KS TO STEEL, NE MEA 6000. SLN VORTAC MCA V532 4200 NORTHEASTBOUND. V532 STEEL, NE TO LINCOLN (LNK) VORTAC, NE MEA 5000. SLN VORTAC RESTRICTION. 1703241432-1711031432EST.

FDC 7/9808 ZKC KS..ROUTE ZKC. V553 SALINA (SLN) VORTAC, KS TO PAWNEE CITY (PWE) VORTAC, NE MEA 3400. URVY MRA 6000. HURDO MRA 6000.. SLN VORTAC RESTRICTIONS. 1703241430-1711031430EST.

FDC 7/8688 ZKC ROUTE ZKC. V12 COLUMBIA (COU) VOR/DME, MO TO FORISTELL (FTZ) VORTAC, MO NA EXCEPT FOR AIRCRAFT EQUIPPED WITH SUITABLE RNAV SYSTEM WITH GPS. 1701272321-1709082321EST.

FDC 7/8613 ZKC IA..ROUTE ZKC ZAU. J233 KIRKSVILLE (IRK) VORTAC, MO TO WATERLOO (ALO) VOR/DME, IA MAA 27000. 1702272017-1710092017EST.

FDC 7/5438 ZKC NE..ROUTE ZKC ZMP. V307 PAWNEE CITY (PWE) VORTAC, NE R-189 TO ALMAS INT, KS MOCA 3000. 1702162121-1709282121EST.

FDC 7/1371 ZKC KS..ROUTE ZKC. V307 ALMAS, KS MCA 5000 NORTHEASTBOUND. 1703071417-1710171417EST.

LOS ANGELES ARTCC

FDC 7/5534 ZLA CA..ROUTE ZLA. V459 LOPES, CA TO WRING, CA MEA 8500. 1704051217-1711151217EST.

FDC 7/3925 ZLA CA..ROUTE ZLA. V372 KAYOH, CA MCA 8000 EASTBOUND. 1701121819-1708241819EST.

FDC 7/3924 ZLA CA..ROUTE ZLA. V283 KAYOH, CA MCA 8000 EASTBOUND. 1701121819-1708241819EST.

FDC 7/3923 ZLA CA..ROUTE ZLA. V64 COREL, CA MCA 8000 EASTBOUND. 1701121818-1708241818EST.

FDC 7/1379 ZLA CA..ROUTE ZLA. V64 TUSTI, CA MCA 5000 EASTBOUND. 1703071423-1710171423EST.

FDC 6/6330 ZLA CA..ROUTE ZLA. V197 KELEN, CA TO ARVIN, CA MEA 8500. 1609011806-1704131806EST.

FDC 6/6323 ZLA CA..ROUTE ZLA. V165 LOPES, CA TO ARVIN, CA MEA 8500. 1609011803-1704131803EST.

FDC 6/5996 ZLA STAR LONG BEACH/DAUGHERTY FIELD LONG BEACH,CA; JOHN WAYNE AIRPORT-ORANGE COUNTY SANTA ANA, CA TANDY THREE ARRIVAL ADD NOTE: FLW TRANSITION "RADAR REQUIRED". 1608011800-1708012359.

MEMPHIS ARTCC

FDC 7/9657 ZME KY..ROUTE ZME ZID. V52 CENTRAL CITY (CCT) VORTAC, KY TO BOWLING GREEN (BWG) VORTAC, KY COP AT BWG R-303 10NM. 1703011917-1710111917EST.

FDC 7/9449 ZME TN..ROUTE ZME. V49 NASHVILLE (BNA) VORTAC, TN TO BOWLING GREEN (BWG) VORTAC, KY COP BWG R-192 10NM. 1705031410-1712131410EST.

FDC 7/8828 ZME AR..ROUTE ZME ZFW. V573 MARKI, AR TO HOT SPRINGS (HOT) VOR/DME, AR MEA 3500NE 5500SW. PGO VORTAC RADIALS UNUSABLE BEYOND SERVICE VOLUME PGO RADIAL-110 AT MARKI UNUSABLE. 1702281341-1710101341EST.

FDC 7/8825 ZME AR..ROUTE ZME. V534 FORT SMITH (FSM) VORTAC, AR TO DRANO, AR MEA 2600W 4500E. V534 DRANO, AR TO SCRAN, AR MEA 3500W 4500E. PGO VORTAC RADIALS UNUSABLE BEYOND SERVICE VOLUME PGO RADIAL-037 NA AT DRANO, PGO RADIAL-049 NA AT SCRAN.. 1702281340-1710101340EST.

FDC 7/8797 ZME AR..ROUTE ZME. V74 FORT SMITH (FSM) VORTAC, AR TO CHARR, AR MEA 2500W 4500E. V74 CHARR, AR TO MAGGA, AR MEA 4000W 4500E. PGO VORTAC RADIALS UNUSABLE BEYOND SERVICE VOLUME PGO RADIAL-037 NA AT CHARR, PGO RADIAL-049 NA AT MAGGA. 1702281325-1710101325EST.

FDC 7/4961 ZME TN..ROUTE ZME ZTL. V243, V5 CHOO CHOO (GQO) VORTAC, TN R-331 UNUSABLE BEYOND 40NM. V243, V5 MCMIN, TN TO BOWLING GREEN (BWG) VORTAC, KY NA. 1701171632-1708291632EST.

FDC 7/2594 ZME TN..ROUTE ZME. V94 VALER, TN TO TEACH, TN NA. V94 TEACH, TN TO BOWLING GREEN (BWG) VORTAC, KY MEA 10000. 1703292112-1711082112EST.

FDC 7/2583 ZME KY..ROUTE ZME. V52 CENTRAL CITY (CCT) VORTAC, KY TO BOWLING GREEN (BWG) VORTAC, KY COP AT BWG R-303 9NM. 1703292107-1711082107EST.

FDC 7/2549 ZME KY..ROUTE ZME ZID. V49 BOWLING GREEN (BWG) VORTAC, KY TO OSINE, KY NA. V49 OSINE, KY TO MYSTIC (MYS) VOR, KY MEA 2700. 1703292046-1711082046EST.

FDC 7/1368 ZME AR..ROUTE ZME. V71 HAAWK, AR MCA 10000 NORTHBOUND. 1703071413-1710171413EST.

FDC 7/1175 ZME TN..ROUTE ZME. V140 NASHVILLE (BNA) VORTAC, TN TO HARME, TN DUAL MEA 6000 EASTBOUND 3000 WESTBOUND. 1704171422-1711271422EST.

FDC 7/0291 ZME ROUTE ZME ZID. J6 SOPIE, TN TO BOWLING GREEN (BWG) VORTAC, KY NA. J6 BOWLING GREEN (BWG) VORTAC, KY TO CHARLESTON (HVQ) VORTAC, WV NA. BWG VOR UNUSABLE BEYOND 10 NM ALL ALTITUDES. 1703260025-1711050025EST.

MIAMI ARTCC

FDC 7/6038 ZMA FL..ROUTE ZMA. V159 NITNY, FL MCA 3000 NORTHBOUND. 1702211516-1710031516EST.

FDC 7/4915 ZMA FL..ROUTE ZMA. V35 ST PETERSBURG (PIE) VORTAC, FL TO SABEE, FL MEA 3000 GNSS 2000. 1704031803-1711131803EST.

FDC 7/4246 ZMA FL..ROUTE ZMA. V529 SWAGS, FL TO LA BELLE (LBV) VORTAC, FL MEA 5700. 1703131514-1710231514EST.

FDC 7/3537 ZMA FL..ROUTE ZMA. V437 SUBER INT, FL TO HOTAR INT, FL MRA 8000 AT SUBER NORTHBOUND. 1702112016-1709232016EST.

FDC 7/2470 ZMA FL..ROUTE ZMA. V537 PRESK, FL MCA 4000 NORTHWESTBOUND. 1703291953-1711081953EST.

FDC 7/2109 ZMA FL..ROUTE ZMA. V7 DOLPHIN (DHP) VORTAC, FL TO LEE COUNTY (RSW) VORTAC, FL MEA 2300. 1702072209-1709192209EST.

FDC 6/1306 ZMA FL..ROUTE ZMA. V492, V97 LA BELLE (LBV) VORTAC, FL TO ST PETERSBURG (PIE) VORTAC, FL MEA 5000 GNSS 2000. 1611201610-1707021610EST.

MINNEAPOLIS ARTCC

FDC 7/9995 ZMP MI..ROUTE ZMP. V148 ALEEN, WI TO HAYWARD (HYR) VOR/DME, WI NA. 1704131738-1711231738EST.

FDC 7/9991 ZMP MI..ROUTE ZMP. V148 HAYWARD (HYR) VOR/DME, WI TO IRONWOOD (IWD) VORTAC, MI NA. 1704131736-1711231736EST.

FDC 7/7730 ZMP MN..ROUTE ZMP. V412 REDWOOD FALLS (RWF) VOR/DME, MN TO FLYING CLOUD (FCM) VOR/DME, MN MEA 4000. 1703212054-1710312054EST.

FDC 7/6983 ZMP MI..ROUTE ZMP ZAU. V450 RABEE, WI TO MOTAN, MI MEA 3500. MKG VOR MKG R-313 UNUSABLE BELOW 3500 BEYOND 25NM TO COP.. 1703201401-1710301401EST.

FDC 7/6909 ZMP IA..ROUTE ZMP. V175 SIOUX CITY (SUX) VORTAC, IA TO WORTHINGTON (OTG) VOR/DME, MN MEA 6000. 1704062100-1711162100EST.

FDC 7/5540 ZMP MN..ROUTE ZMP. V413 DAYLE, MN TO BRAINERD (BRD) VORTAC, MN MEA 7000. BRD R-171 UNUSABLE BLO 7000. V413 DAYLE, MN MCA 7000 NORTHBOUND. 1704051224-1711151224EST.

FDC 7/5436 ZMP NE..ROUTE ZMP ZKC. V307 PAWNEE CITY (PWE) VORTAC, NE R-189 TO ALMAS INT, KS MOCA 3000. 1702162120-1709282120EST.

FDC 7/4959 ZMP WI..ROUTE ZMP. V177 HAYWARD (HYR) VOR/DME, WI TO DULUTH (DLH) VORTAC, MN NA. 1701171630-1708291630EST.

FDC 7/4957 ZMP WI..ROUTE ZMP. V413 IRONWOOD (IWD) VORTAC, MI TO EAU CLAIRE (EAU) VORTAC, WI MEA 8000. 1701171629-1708291629EST.

FDC 7/2543 ZMP MN..ROUTE ZMP. V161, V82 BRAINERD (BRD) VORTAC, MN TO GOLLF, MN MEA 7000. V161, V82 GOLLF, MN TO GOPHER (GEP) VORTAC, MN MEA 3000. BRD R-156 UNUSABLE BLO 7000. V161, V82 GOLLF, MN MCA 7000 NORTHBOUND. 1703292039-1711082039EST.

FDC 7/1974 ZMP IL..ROUTE ZMP ZAU. J89 BADGER (BAE) VORTAC, WI TO DULUTH (DLH) VORTAC, MN NA EXCEPT FOR AIRCRAFT EQUIPPED WITH SUITABLE RNAV SYSTEM WITH GPS. BAE VORTAC UNUSABLE. 1704181627-1711281624EST.

FDC 7/1503 ZMP WI..ROUTE ZMP. V63 WAUSAU (AUW) VORTAC, WI TO RHINELANDER (RHI) VORTAC, WI NA. 1701052046-1708172046EST.

FDC 7/1369 ZMP WI..ROUTE ZMP. V345 EAU CLAIRE (EAU) VORTAC, WI TO HAYWARD (HYR) VOR/DME, WI MEA 8000. 1703071415-1710171415EST.

FDC 7/1128 ZMP WI..ROUTE ZMP. V177 WAUSAU (AUW) VORTAC, WI TO HAYWARD (HYR) VOR/DME, WI NA. 1703061957-1710161957EST.

FDC 6/4392 ZMP MI..ROUTE ZMP ZAU. V271 MUSKEGON (MKG) VORTAC, MI R-353 TO WELKO, MI NA. 1612211906-1708021906EST.

NEW YORK ARTCC

FDC 7/9293 ZNY VA..ROUTE ZNY ZDC. J227 ARMEL (AML) VOR/DME, VA R-009 UNUSEABLE BEYOND 74NM. 1703011543-1710111543EST.

FDC 7/9281 ZNY VA..ROUTE ZNY ZDC. J220 ARMEL (AML) VOR/DME, VA R-009 UNUSEABLE BEYOND 74NM. 1703011535-1710111535EST.

FDC 7/9111 ZNY ROUTE ZNY. V3, V419 HARRS, PA MRA 5000. 1704121458-1711221458EST.

FDC 7/9051 ZNY ROUTE ZNY. V3, V419 BIGGY, NJ MRA 5000. 1704121453-1711221453EST.

FDC 7/9028 ZNY ROUTE ZNY. V30, V405 LANNA, NJ MRA 5000. 1704121449-1711221449EST.

FDC 7/9020 ZNY ROUTE ZNY. V30 BOPLY, PA MRA 5000. 1704121440-1711221440EST.

FDC 7/9015 ZNY PA..ROUTE ZNY ZDC. V147 YARDLEY (ARD) VOR/DME, PA TO EAST TEXAS (ETX) VOR/DME, PA MEA 5000. ARD VOR/DME R-300 TO R-353 UNUSABLE BELOW 5000. 1704121438-1711221438EST.

FDC 7/8853 ZNY PA..ROUTE ZNY. V474 DELRO, PA TO MODENA (MXE) VORTAC, PA MOCA NA. 1701292130-1709102130EST.

FDC 7/8851 ZNY PA..ROUTE ZNY. V184 MODENA (MXE) VORTAC, PA MCA 10000 WESTBOUND. DELRO, PA MCA 10000 EASTBOUND. 1701292129-1709102129EST.

FDC 7/8849 ZNY PA..ROUTE ZNY. V474 MODENA (MXE) VORTAC, PA MCA 10000 WESTBOUND. DELRO, PA MCA 10000 EASTBOUND. 1701292128-1709102128EST.

FDC 7/8847 ZNY PA..ROUTE ZNY. V184 DELRO, PA TO MODENA (MXE) VORTAC, PA MOCA NA. 1701292126-1709102126EST.

FDC 7/8726 ZNY NY..ROUTE ZNY ZOB. V270 WOMAN, NY TO ELMIRA (ULW) VOR/DME, NY MEA 10000. 1704121145-1711221145EST.

FDC 7/8723 ZNY NY..ROUTE ZNY. V35 ELMIRA (ULW) VOR/DME, NY TO STONYFORK (SFK) VOR/DME, PA ULW R-229 UNUSABLE BLO 10000. USE SFK R-044. 1704121143-1711221143EST.

FDC 7/8662 ZNY PA..ROUTE ZNY. V12, V162 HARRISBURG (HAR) VORTAC, PA TO BOBSS, PA NA. V12 HARRISBURG (HAR) VORTAC, PA TO KUPPS, PA NA. HAR VOR R-097 - R-107 UNUSABLE BYD 10NM. 1704121139-1711221139EST.

FDC 7/8644 ZNY NY..ROUTE ZNY. V35 ELMIRA (ULW) VOR/DME, NY TO COP ULW R-041 MEA 10000. 1704121134-1711221134EST.

FDC 7/8166 ZNY NY..ROUTE ZNY. V270 ELMIRA (ULW) VOR/DME, NY TO BINGHAMTON (CFB) VORTAC, NY ULW R-096 UNUSABLE BLO 10000. USE CFB R-275. 1704111337-1711211337EST.

FDC 7/8164 ZNY NY..ROUTE ZNY. V147 ELMIRA (ULW) VOR/DME, NY TO COP ULW R-141 MEA 10000. 1704111335-1711211335EST.

FDC 7/8127 ZNY PA..ROUTE ZNY ZOB. V542 CAFKI, PA TO ELMIRA (ULW) VOR/DME, NY MEA 10000. 1704111304-1711211304EST.

FDC 7/3557 ZNY PA..ROUTE ZNY. V93 VINNY, PA TO LANCASTER (LRP) VOR/DME, PA MEA 9000. 1704202014-1711302014EST.

FDC 7/3555 ZNY PA..ROUTE ZNY. V457 VINNY, PA TO LANCASTER (LRP) VOR/DME, PA MEA 9000. 1704202014-1711302014EST.

FDC 7/3161 ZNY NY..ROUTE ZNY. V374 GAYEL, NY MCA 10000 NORTHWESTBOUND. 1704201510-1711301510EST.

FDC 7/1293 ZNY NY..ROUTE ZNY. V31 ELMIRA (ULW) VOR/DME, NY TO COP ULW R-178 UNUSABLE BLO 10000. 1704171553-1711271553EST.

FDC 7/1196 ZNY NY..ROUTE ZNY ZOB. V36 BURST, NY TO ELMIRA (ULW) VOR/DME, NY MEA 10000. 1704171453-1711271453EST.

FDC 7/1189 ZNY NY..ROUTE ZNY ZOB. V147 ROCHESTER (ROC) VOR/DME, NY TO COP ULW R-337 MEA 10000. 1704171446-1711271446EST.

FDC 7/1179 ZNY NY..ROUTE ZNY ZOB. V31 ELMIRA (ULW) VOR/DME, NY TO BEEPS, NY MEA 10000. 1704171443-1711271443EST.

OAKLAND ARTCC

FDC 7/6431 ZOA CA..ROUTE ZOA. V113, V28 KATSO, CA TO SPOOK, CA MEA 15000, MOCA 10500. 1704061441-1711161441EST.

FDC 7/5660 ZOA ROUTE ZOA. A222 POHNPEI (PNI) NDB/DME, UNDEFINED TO AXTEN, NA EXCEPT FOR AIRCRAFT EQUIPPED WITH SUITABLE RNAV SYSTEM WITH GPS. 1702171835-1709291835EST.

FDC 7/5092 ZOA CA..ROUTE ZOA. V244 NIKOL, CA TO COALDALE (OAL) VORTAC, NV MEA 13000. 1703142107-1710242107EST.

FDC 7/5091 ZOA CA..ROUTE ZOA. V230 NIKOL, CA TO MINA (MVA) VORTAC, NV MEA 13000. 1703142106-1710242106EST.

SALT LAKE CITY ARTCC

FDC 7/1699 ZLC OR..ROUTE ZLC. J153 ROME (REO) VOR/DME, OR TO BAKER CITY (BKE) VOR/DME, OR COP AT BKE R-161 15NM. 1704181239-1711281239EST.

FDC 7/1695 ZLC ROUTE ZLC. V231 MISSOULA (MSO) VOR/DME, MT TO ARLEE, MT MEA 9700. 1704181233-1711281233EST.

SEATTLE ARTCC

FDC 7/4513 ZSE WA..ROUTE ZSE. V4 BLAKO INT, WA MRA 8500. 1701141935-1708261935EST.

FDC 7/2058 ZSE OR..ROUTE ZSE. V121 NORTH BEND (OTH) VOR/DME, OR R-093 TO ROSEBURG (RBG) VOR/DME, OR MEA 6000. OTH VOR. 1703291258-1711081258EST.

WASHINGTON ARTCC

FDC 7/9852 ZDC WV..ROUTE ZDC ZOB ZTL. Q103 RICCS, WV TO PULASKI (PSK) VORTAC, VA SINGLE DIRECTION OPERATIONS, SOUTHBOUND ONLY. 1704131528-1711231528EST.

FDC 7/9279 ZDC VA..ROUTE ZDC ZNY. J220 ARMEL (AML) VOR/DME, VA R-009 UNUSEABLE BEYOND 74NM. 1703011533-1710111533EST.

FDC 7/9277 ZDC VA..ROUTE ZDC ZNY. J227 ARMEL (AML) VOR/DME, VA R-009 UNUSEABLE BEYOND 74NM. 1703011531-1710111531EST.

FDC 7/9009 ZDC PA..ROUTE ZDC ZNY. V147 YARDLEY (ARD) VOR/DME, PA TO EAST TEXAS (ETX) VOR/DME, PA MEA 5000. ARD VOR/DME R-300 TO R-353 UNUSABLE BELOW 5000. 1704121435-1711221435EST.

FDC 7/8926 ZDC SC..ROUTE ZDC ZJX. V213, V70 GRAND STRAND (CRE) VORTAC, SC TO WILMINGTON (ILM) VORTAC, NC NA. 1704121318-1711221318EST.

FDC 7/8910 ZDC SC..ROUTE ZDC ZJX. V1 INLET, SC TO WALLO, NC NA. 1704121310-1711221310EST.

FDC 7/7602 ZDC NC..ROUTE ZDC. V139 WILMINGTON (ILM) VORTAC, NC TO NEW BERN (EWN) VOR/DME, NC NA. 1704101305-1711201305EST.

FDC 7/5998 ZDC MD..ROUTE ZDC ZOB. V8 GRANTSVILLE (GRV) VOR/DME, MD TO MARTINSBURG (MRB) VORTAC, WV MEA 5500. 1703161305-1710261305EST.

FDC 7/5996 ZDC MD..ROUTE ZDC ZOB. V214 GRANTSVILLE (GRV) VOR/DME, MD TO MARTINSBURG (MRB) VORTAC, WV MEA 5500. 1703161304-1710261304EST.

FDC 7/4663 ZDC ROUTE ZDC. V70 WILMINGTON (ILM) VORTAC, NC TO BEULA, NC NA. 1704241801-1712041801EST.

FDC 7/4661 ZDC NC..ROUTE ZDC. V213 WILMINGTON (ILM) VORTAC, NC TO WALLO, NC NA. 1704241758-1712041758EST.

FDC 7/3162 ZDC NJ..ROUTE ZDC. V479 WILJR, NJ TO MENGE, NJ MEA 4000. 1704201511-1711301511EST.

FDC 7/2197 ZDC MD..ROUTE ZDC. V1 SALISBURY (SBY) VORTAC, MD R-039 UNUSABLE BYD 13NM BLO 5000. 1701091436-1708211436EST.

FDC 7/2059 ZDC VA..ROUTE ZDC. V376 GRUBY, VA TO IRONS, MD MEA 3000. 1704181827-1711281827EST.

FDC 7/1504 ZDC MD..ROUTE ZDC. V31 ARUYE, MD MCA 6000 NORTHWESTBOUND. 1701052048-1708172048EST.

FDC 7/1378 ZDC CO..ROUTE ZDC. V421 ZEANS, CO TO LAZON, CO MEA 16500. 1703071422-1710171422EST.

FDC 7/0499 ZDC NC..ROUTE ZDC. V56 WALLO, NC TO FONPO, NC NA. 1703021950-1710121950EST.

FDC 6/4155 ZDC WV..ROUTE ZDC ZID. V258 BECKLEY (BKW) VORTAC, WV TO ZOOMS, WV NA ; BKW VOR R-131 UNUSABLE. 1612202212-1708012211EST.

FDC 6/0512 ZDC NC..ROUTE ZDC. V296 RAEFO, NC TO FAYETTEVILLE (FAY) VOR/DME, NC DUAL MEA 2800 EASTBOUND 5000 WESTBOUND. 1612121433-1707241433EST.

FDC 6/0511 ZDC NC..ROUTE ZDC. V54 RAEFO, NC TO FAYETTEVILLE (FAY) VOR/DME, NC DUAL MEA 2800 EASTBOUND 5000 WESTBOUND. 1612121432-1707241432EST.

Part 1. FDC NOTAMs

Section 2. Airport, Facility and Procedural NOTAMs



Shaded text indicates new or revised NOTAMs.

Section 2

Content Criteria

All public use airports have distant NOTAM distribution.

Airport Data:	Abandonments (If currently listed in Airport/Facility Directory) Openings Closings
Airport Operating Restrictions:	ARFF ACR
Runway Data: (Hard Surface Only).	Openings Closings Commissionings Permanent Closures Ident Changes Length Width Surface Composition Changes Displaced Thresholds (Implementation and Changes)
Runway Edge Light Systems	Commissionings Changes Outages (with effective dates) Pilot Control (Commissionings/Decommissionings, Outages (with effective dates))
Approach Light Systems	Commissionings Changes Decommissionings Outages (with effective dates) Pilot Control (Commissionings/Decommissionings, Outages (with effective dates))

NAVAIDS, COMMUNICATIONS, OTHER SERVICES

Navigational Facilities	Commissionings (including Ident and Frequency) Decommissionings (including Ident and Frequency) Frequency changes Changes in monitoring facility and/or status Restrictions Outages (with effective dates)
Airport Traffic Control Towers	Commissionings (including frequencies) Hours of operation Decommissionings
Flight Service Stations	Commissionings Decommissionings Hours of operation Commissionings/Decommissionings of RCOs Changes in monitoring status of RCOs Outages of RCOs (with effective dates)
Weather	AWOS (system and frequency)

Section 2. AIRPORTS / FACILITIES / & PROCEDURAL NOTAMS

ALABAMA

ANNISTON

Anniston Rgnl

FDC 7/3723 ANB IAP ANNISTON RGNL, ANNISTON, AL. ILS OR LOC RWY 5, AMDT 3C...MISSED APPROACH: CLIMB TO 1400 THEN CLIMBING RIGHT TURN TO 4000 VIA HEADING 110 AND TDG VOR/DME R-085 TO KOCEY/TDG 18.00 DME AND HOLD, CONTINUE CLIMB-IN-HOLD TO 4000. (DME REQUIRED). BOGGA (AN) LOM OUT OF SERVICE. 1704211401-1712011401EST.

FDC 7/1784 ANB ODP ANNISTON RGNL, ANNISTON, AL. TAKEOFF MINIMUMS AND (OBSTACLE) DEPARTURE PROCEDURES AMDT 6A...TAKEOFF MINIMUMS: RWY 5, STANDARD WITH MINIMUM CLIMB OF 225 FEET PER NM TO 1300. ALL OTHER DATA REMAINS AS PUBLISHED. 1703282147-1711072147EST.

BIRMINGHAM

Birmingham-Shuttlesworth Intl

FDC 7/9653 BHM IAP BIRMINGHAM-SHUTTLESWORTH INTL, BIRMINGHAM, AL. RNAV (GPS) Y RWY 24, AMDT 3A...LPV DA 841. LNAV/VNAV DA 1195. LNAV HAT 659 ALL CATS. 1703020900-1710111914EST.

FDC 7/0397 BHM IAP BIRMINGHAM-SHUTTLESWORTH INTL, BIRMINGHAM, AL. RNAV (GPS) Y RWY 6, AMDT 1A...ALTERNATE MINS STANDARD EXCEPT: CAT D 900-2 1/4. 1701032123-1708152123EST.

FDC 6/8300 BHM IAP BIRMINGHAM-SHUTTLESWORTH INTL, BIRMINGHAM, AL. RNAV (RNP) Z RWY 6, ORIG-A...RNP 0.30 DA 1138 HAT 532. CHANGE TERMINAL ROUTE TO READ AYUCE (IF) TO CEWFA 196/2.5. CHANGE BARO-VNAV NOTE TO READ: FOR UNCOMPENSATED BARO-VNAV SYSTEMS, PROCEDURE NA BELOW -8C (17F) OR ABOVE 47C (117F). DISREGARD NOTE: NA WHEN LOCAL WEATHER NOT AVAILABLE. 1612071852-1707191852EST.

BRIDGEPORT

North Jackson Nursing Home

FDC 7/1465 10AL SPECIAL NORTH JACKSON NURSING HOME, BRIDGEPORT, AL. COPTER RNAV 244, ORIG...IFR DEPARTURE NA. 1704171825-1711271825EST.

COURTLAND

Courtland

FDC 7/8808 9A4 ODP COURTLAND, COURTLAND, AL. TAKEOFF MINIMUMS AND (OBSTACLE) DEPARTURE PROCEDURES AMDT 2...DEPARTURE PROCEDURE CHANGE ALL REFERENCES FROM RWY 17/35 TO RWY 18/36. ALL OTHER DATA REMAINS AS PUBLISHED. 1704121231-1711221231EST.

ENTERPRISE

Enterprise Muni

FDC 6/1525 EDN IAP ENTERPRISE MUNI, ENTERPRISE, AL. RNAV (GPS) RWY 5, AMDT 1A...NOTE: NIGHT LANDING: RWY 23 NA. 1611202044-1707022043EST.

FDC 6/1523 EDN IAP ENTERPRISE MUNI, ENTERPRISE, AL. VOR RWY 5, AMDT 4A...NOTE: NIGHT LANDING: RWY 23 NA. 1611202042-1707022042EST.

FORT PAYNE

Dekalb Rgnl Medical Center

FDC 7/1467 0AL4 SPECIAL DEKALB RGNL MEDICAL CENTER, FORT PAYNE, AL. COPTER RNAV 203, ORIG...IFR DEPARTURE NA. 1704171827-1711271827EST.

FDC 1/2867 0AL4 FI/T SPECIAL BAPTIST MEDICAL CENTER, FORT PAYNE, AL. (SPECIAL) COPTER RNAV 203, ORIG.MISSED APPROACH: CLIMBING RIGHT TURN TO 4000 DIRECT XOLEW WP AND HOLD.

GULF SHORES

Jack Edwards

FDC 7/7311 JKA IAP JACK EDWARDS, GULF SHORES, AL. RNAV (GPS) RWY 9, AMDT 3A...LNAV/VNAV DA 284/HAT 268, VIS 1 ALL CATS. 1701242147-1709052147EST.

FDC 7/0474 JKA IAP JACK EDWARDS, GULF SHORES, AL. ILS OR LOC RWY 27, AMDT 1A...RNAV (GPS) RWY 27, AMDT 2A...RNAV (GPS) RWY 9, AMDT 3A...NIGHT LANDING: RWY 17 NA. 1703021927-1710121927EST.

HEADLAND

Headland Muni

FDC 7/4288 0J6 IAP HEADLAND MUNI, HEADLAND, AL. RNAV (GPS) RWY 27, AMDT 1A...DISREGARD NOTE: NIGHT LANDING: RWY 17, 27, AND 35 NA. NOTE: NIGHT LANDING: RWY 27 NA. NOTE: CIRCLING NA TO RWYS 17 AND 35. 1701132120-1708252120EST.

FDC 7/4286 0J6 ODP HEADLAND MUNI, HEADLAND, AL. TAKEOFF MINIMUMS AND (OBSTACLE) DEPARTURE PROCEDURES ORIG...TAKEOFF MINIMUMS: RWY 17, 35 NA. RWY 9, 27 STANDARD. ALL OTHER DATA REMAINS AS PUBLISHED. 1701132119-1708252119EST.

FDC 7/4284 0J6 IAP HEADLAND MUNI, HEADLAND, AL. RNAV (GPS) RWY 9, AMDT 1A...DISREGARD NOTE: NIGHT LANDING: RWY 17, 27, AND 35 NA. NOTE: CIRCLING RWY 27 NA AT NIGHT. NOTE: CIRCLING NA TO RWYS 17 AND 35. 1701132118-1708252118EST.

HUNTSVILLE

Huntsville Intl-Carl T Jones Field

FDC 6/5470 HSV IAP HUNTSVILLE INTL-CARL T JONES FIELD, HUNTSVILLE, AL. RNAV (GPS) RWY 36R, AMDT 1A...LPV DA 820/HAT 225 ALL CATS. 1612291841-1708101841EST.

LANETT

Lanett Muni

FDC 7/0026 7A3 IAP LANETT MUNI, LANETT, AL. VOR/DME OR GPS-A, AMDT 2A...CIRCLING CAT B MDA 1260/HAA 636. TOWER 860 MSL 1.40 NM NE OF RWY 26. 1703241923-1711031923EST.

MOBILE

Mobile Downtown

FDC 7/2734 BFM CHART MOBILE DOWNTOWN, MOBILE, AL. ILS OR LOC RWY 32, AMDT 3...CORRECT PLANVIEW: CORRECT ROKGO INT HOLDING PATTERN TO SHOW 1 MIN INSTEAD OF 4 NM.. 1704191830-PERM.

Mobile Rgnl

FDC 7/4027 MOB ODP MOBILE RGNL, MOBILE, AL. TAKEOFF MINIMUMS AND (OBSTACLE) DEPARTURE PROCEDURES AMDT 1A...NOTE: RWY 18, TREE 1642 FT FROM DER, 507 FT LEFT OF CENTERLINE, 269 FT MSL. TREE 1681 FT FROM DER, 85 FT RIGHT OF CENTERLINE, 271 FT MSL. TREES, BEGINNING 1719 FT FROM DER, 204 FT RIGHT OF CENTERLINE, UP TO 278 FT MSL. TREE 1860 FT FROM DER, 642 FT LEFT OF CENTERLINE, 272 FT MSL. TREES, BEGINNING 1966 FT FROM DER, 128 FT LEFT OF CENTERLINE, UP TO 278 FT MSL. TREE 2074 FT FROM DER, 524 FT RIGHT OF CENTERLINE, 283 FT MSL. ALL OTHER DATA REMAINS AS PUBLISHED. 1701122340-1708242340EST.

MONROEVILLE

Monroe County

FDC 6/4767 MVC IAP MONROE COUNTY, MONROEVILLE, AL. VOR RWY 3, AMDT 10A...FONGU FIX MINIMUMS CIRCLING CAT A MDA 860/HAA 441. 1611301717-1707121717EST.

MUSCLE SHOALS

Northwest Alabama Rgnl

FDC 7/7498 MSL IAP NORTHWEST ALABAMA RGNL, MUSCLE SHOALS, AL. RNAV (GPS) RWY 18, AMDT 1A...DISREGARD NOTE: RWY 18 STRAIGHT-IN AND CIRCLING MINIMUMS NA AT NIGHT. CHANGE HELICOPTER VISIBILITY REDUCTION NOTE TO READ: RWY 18 HELICOPTER VISIBILITY REDUCTION BELOW 3/4 SM NA. 1702232152-1710052152EST.

FDC 7/7496 MSL IAP NORTHWEST ALABAMA RGNL, MUSCLE SHOALS, AL. VOR/DME RWY 11, AMDT 6A...DISREGARD NOTE: CIRCLING NA AT NIGHT TO RWY 18. 1702232151-1710052151EST.

FDC 7/7494 MSL IAP NORTHWEST ALABAMA RGNL, MUSCLE SHOALS, AL. ILS Y OR LOC/DME Y RWY 29, ORIG-A...ILS Z OR LOC/DME Z RWY 29, AMDT 6A...RNAV (GPS) RWY 11, AMDT 2A...RNAV (GPS) RWY 29, AMDT 2A...RNAV (GPS) RWY 36, AMDT 1A...DISREGARD NOTE: CIRCLING TO RWY 18 NA AT NIGHT. 1702232149-1710052149EST.

OZARK

Blackwell Field

FDC 7/4524 71J ODP BLACKWELL FIELD, OZARK, AL. TAKEOFF MINIMUMS AND (OBSTACLE) DEPARTURE PROCEDURES AMDT 2...NOTE: RWY 31, TRANSMISSION LINE 146 FT FROM DER, 454 FT LEFT OF CENTERLINE, 52 FT AGL/423 FT MSL. TRANSMISSION LINE 336 FT FROM DER, 480 FT LEFT OF CENTERLINE, 57 FT AGL/427 FT MSL. 1701141952-1708261952EST.

PRATTVILLE

Prattville - Grouby Field

FDC 7/7598 1A9 IAP PRATTVILLE - GROUBY FIELD, PRATTVILLE, AL. RNAV (GPS) RWY 9, AMDT 2D...DESCENT ANGLE 3.00/TCH 40 NA. 1704101302-1711201301EST.

FDC 7/2524 1A9 ODP PRATTVILLE - GROUBY FIELD, PRATTVILLE, AL. TAKEOFF MINIMUMS AND (OBSTACLE) DEPARTURE PROCEDURES AMDT 1...TAKEOFF MINIMUMS: RWY 27, 400-2 1/2. ALL OTHER DATA REMAINS AS PUBLISHED. 1703292030-1711082030EST.

SCOTTSBORO

Highland Medical Center

FDC 7/1471 03AL SPECIAL JACKSON COUNTY HOSPITAL, SCOTTSBORO, AL. COPTER RNAV 249, ORIG...IFR DEPARTURE NA. 1704171829-1711271829EST.

Scottsboro Muni-Word Field

FDC 7/9876 4A6 IAP SCOTTSBORO MUNI-WORD FIELD, SCOTTSBORO, AL. RNAV (GPS) RWY 4, ORIG...DESCENT ANGLE 3.05/TCH 40 NA.. 1703241542-1711031542EST.

FDC 7/9873 4A6 IAP SCOTTSBORO MUNI-WORD FIELD, SCOTTSBORO, AL. RNAV (GPS) RWY 22, ORIG...DESCENT ANGLE 3.05/TCH 40 NA.. 1703241535-1711031535EST.

THEODORE

Petroleum Helicopters Inc

FDC 7/4544 AL67 SPECIAL PETROLEUM HELICOPTERS INC, THEODORE, AL. TAKEOFF MINIMUMS AND (OBSTACLE) DEPARTURE PROCEDURES. ORIG...TEXTUAL DEPARTURE PROCEDURE NA. 1701142026-1708262026EST.

TUSCALOOSA

Tuscaloosa Rgnl

FDC 7/8815 TCL ODP TUSCALOOSA RGNL, TUSCALOOSA, AL. TAKEOFF MINIMUMS AND (OBSTACLE) DEPARTURE PROCEDURES AMDT 2A...NOTE: RWY 30, ANTENNA 3961 FT FROM DER, 1118 FT LEFT OF CENTERLINE, 139 FT AGL/301 FT MSL. ALL OTHER DATA REMAINS AS PUBLISHED. 1701291624-1709101624EST.

FDC 7/7150 TCL IAP TUSCALOOSA RGNL, TUSCALOOSA, AL. VOR OR TACAN RWY 22, AMDT 14E...VOR OR TACAN RWY 4, AMDT 11D...VOR PORTION NA, LDK VOR OUT OF SERVICE. 1704281344-1705261344EST.

FDC 7/7148 TCL IAP TUSCALOOSA RGNL, TUSCALOOSA, AL. ILS OR LOC RWY 4, AMDT 14F...RADAR OR ADF REQUIRED FOR PROCEDURE ENTRY EXCEPT FOR AIRCRAFT EQUIPPED WITH SUITABLE RNAV SYSTEM WITH GPS. MISSED APPROACH: CLIMB TO 800 THEN CLIMBING RIGHT TURN TO 2500 DIRECT OKW VORTAC AND HOLD, LDK VOR OUT OF SERVICE. 1704281344-1705261343EST.

FDC 7/3883 TCL IAP TUSCALOOSA RGNL, TUSCALOOSA, AL. ILS OR LOC RWY 4, AMDT 14F...TERMINAL ROUTE FROM MOVIL INT TO TC LOM NA. TERMINAL ROUTE FROM EUTAW INT TO TC LOM NA. 1703121727-1710221726EST.

VERNON

Lamar County

FDC 7/6633 M55 IAP LAMAR COUNTY, VERNON, AL. RNAV (GPS) RWY 35, ORIG...DESCENT ANGLE 3.04/TCH 40 NA. 1701222118-1709032118EST.

WETUMPKA

Wetumpka Muni

FDC 7/9275 08A IAP WETUMPKA MUNI, WETUMPKA, AL. RNAV (GPS) RWY 9, ORIG-A...DELETE: DESCENT ANGLE 3.05/TCH 40. PROFILE NOTE: VISUAL SEGMENT - OBSTACLES. 1703011529-1710111529EST.

ALASKA

ADAK ISLAND

Adak

FDC 7/1485 ADK SPECIAL ADAK, ADAK ISLAND, AK. ILS OR LOC/DME RWY 23, AMDT 2...S-ILS 23 NA. S-LOC 23 MDA 480/HAT 463 ALL CATS. 1704171836-1711271836EST.

AKIAK

Akiak

FDC 7/6826 AKI IAP AKIAK, AKIAK, AK. RNAV (GPS) RWY 21, ORIG-A...RNAV (GPS) RWY 3, ORIG-A...DELETE: DESCENT ANGLE 3.05/TCH 40. PROFILE NOTE: VISUAL SEGMENT - OBSTACLES. BETHEL ATIS 119.8, BETHEL ASOS 135.45. 1704061920-1711161920EST.

AMBLER

Ambler

FDC 7/0728 AFM IAP AMBLER, AMBLER, AK. RNAV (GPS) RWY 1, AMDT 1...MINIMUM ALTITUDE AT RONYE (IF/IAF) 3600.. NOTAM EFFECTIVE TIME: 1701050901Z. 1701041840-1708160300EST.

ANCHORAGE

Merrill Field

FDC 7/4298 MRI IAP MERRILL FIELD, ANCHORAGE, AK. RNAV (GPS)-A, AMDT 1...DISREGARD NOTE: WHEN VGSI INOP, PROCEDURE NA AT NIGHT. NOTE: RWY 16, HELICOPTER VISIBILITY REDUCTION BELOW 1 SM NA. DISREGARD NOTE: VISIBILITY REDUCTION BY HELICOPTERS NA.. 1701132127-1708252127EST.

Ted Stevens Anchorage Intl

FDC 7/9159 ANC IAP TED STEVENS ANCHORAGE INTL, ANCHORAGE, AK. ILS RWY 15, AMDT 6C...FOR INOPERATIVE ODALS, INCREASE ALL CATS VISIBILITY TO RVR 4500. 1703011353-1710111353EST.

FDC 7/7490 ANC STAR TED STEVEN ANCHORAGE INTERNATIONAL AIRPORT, ANCHORAGE AK. AMOTT ONE...NONDA TRANSITION: NOT AUTHORIZED 1702232145-1706232359.

FDC 7/2127 ANC IAP TED STEVENS ANCHORAGE INTL, ANCHORAGE, AK. RNAV (GPS) Y RWY 7R, AMDT 4C...NOTE: DISREGARD EXPANDED CIRCLING APPROACH MANEUVERING RADIUS ICON. 1702072240-1709192240EST.

FDC 7/2123 ANC IAP TED STEVENS ANCHORAGE INTL, ANCHORAGE, AK. RNAV (GPS) RWY 15, AMDT 2C...LNAV/VNAV DA 404/HAT 253 ALL CATS. 1702072237-1709192237EST.

FDC 6/2980 ANC STAR TED STEVENS ANCHORAGE INTERNATIONAL AIRPORT, ANCHORAGE, AK. NEELL FOUR...ADD CROSS NEELL AT OR ABOVE 5000FT. 1607082030-1707012045.

FDC 6/0291 ANC STAR TED STEVEN ANCHORAGE INTERNATIONAL AIRPORT, ANCHORAGE AK. WITTI TWO...ADD CROSS SILTY AT OR ABOVE 6500FT. 1607012045-1707012045.

ATQASUK

Atqasuk Edward Burnell Sr Memorial

FDC 6/8570 ATK IAP ATQASUK EDWARD BURNELL SR MEMORIAL, ATQASUK, AK. RNAV (GPS) RWY 6, AMDT 1A...TERMINAL ROUTE NUYIR (IAF) TO DUVFU (NO PT) (IF/IAF) MINIMUM ALTITUDE 3500. TERMINAL ROUTE FIBAK (IAF) TO DUVFU (NO PT) (IF/IAF) MINIMUM ALTITUDE 3500. HOLD-IN-LIEU MINIMUM ALTITUDE 3500. TAA LEFT BASE 151/30 CW 240/30 TO FIBAK MINIMUM ALTITUDE 3500. TAA RIGHT BASE 330/30 CCW 240/30 TO NUYIR MINIMUM ALTITUDE 3500. TAA STRAIGHT-IN 330/30 CW 151/30 TO DUVFU MINIMUM ALTITUDE 3500. MISSED APPROACH: CLIMB TO 3500 DIRECT ENSUW AND HOLD, CONTINUE CLIMB-IN-HOLD TO 3500. 1612072157-1707192157EST.

FDC 6/8568 ATK IAP ATQASUK EDWARD BURNELL SR MEMORIAL, ATQASUK, AK. RNAV (GPS) RWY 24, AMDT 1A...MISSED APPROACH: CLIMB TO 3500 DIRECT DUVFU AND HOLD, CONTINUE CLIMB-IN-HOLD TO 3500. TERMINAL ROUTE UVARE (IAF) TO ENSUW (NO PT) (IF/IAF) MINIMUM ALTITUDE 3500. TERMINAL ROUTE AXUNE (IAF) TO ENSUW (NO PT) (IF/IAF) MINIMUM ALTITUDE 3500. HOLD-IN-LIEU MINIMUM ALTITUDE 3500. TAA LEFT BASE 332/30 CW 062/30 TO UVARE MINIMUM ALTITUDE 3500. TAA RIGHT BASE 152/30 CCW 062/30 TO AXUNE MINIMUM ALTITUDE 3500. TAA STRAIGHT-IN 152/30 CW 332/30 TO ENSUW MINIMUM ALTITUDE 3500. 1612072156-1707192156EST.

FDC 6/8566 ATK IAP ATQASUK EDWARD BURNELL SR MEMORIAL, ATQASUK, AK. NDB RWY 6, AMDT 2B...PROFILE VIEW: PROCEDURE TURN OUTBOUND ATK NDB MINIMUM ALTITUDE 3500. TERMINAL ROUTE MEAD/BRW 40.00 DME TO ATK NDB MINIMUM ALTITUDE 3500. MISSED APPROACH: CLIMB TO 1600 THEN CLIMBING RIGHT TURN TO 3500 DIRECT ATK NDB AND HOLD, CONTINUE CLIMB-IN-HOLD TO 3500. 1612072154-1707192154EST.

BUCKLAND

Buckland

FDC 7/7141 BVK IAP BUCKLAND, BUCKLAND, AK. NDB/DME RWY 11, AMDT 1...NDB/DME RWY 29, AMDT 1...ALTERNATE MINIMUMS NA EXCEPT FOR AIRCRAFT EQUIPPED WITH SUITABLE RNAV SYSTEM WITH GPS, BVK NDB UNMONITORED. 1704281342-1705281342EST.

CHALKYITSIK

Chalkyitsik

FDC 7/9239 CIK IAP CHALKYITSIK, CHALKYITSIK, AK. RNAV (GPS) RWY 21, ORIG-A...RNAV (GPS) RWY 3, ORIG-A...LNAV MDA NA. NOTE: PROCEDURE NA AT NIGHT.. NOTE: HELICOPTER VISIBILITY REDUCTION BELOW 1 SM NA.. 1705031232-1712131232EST.

CLARKS POINT

Clarks Point

FDC 7/4096 CLP IAP CLARKS POINT, CLARKS POINT, AK. RNAV (GPS) RWY 18, ORIG-A...DELETE NOTE: USE DILLINGHAM ALTIMETER SETTING; WHEN NOT RECEIVED USE MANOKOTAK ALTIMETER SETTING AND INCREASE ALL MDA 20 FEET. DELETE NOTE VISIBILITY REDUCTION BY HELICOPTERS NA. CHART NOTE: WHEN LOCAL ALTIMETER SETTING NOT RECEIVED, USE DILLINGHAM ALTIMETER SETTING. CHART NOTE: RWY 18 HELICOPTER VISIBILITY REDUCTION BELOW 1 SM NOT AUTHORIZED. DELETE NOTE: INOPERATIVE TABLE DOES NOT APPLY. THIS IS RNAV (GPS) RWY 18, ORIG-B. 1703131326-PERM.

FDC 7/4095 CLP IAP CLARKS POINT, CLARKS POINT, AK. RNAV (GPS) RWY 36, ORIG-A...DELETE NOTE: USE DILLINGHAM ALTIMETER SETTING; WHEN NOT RECEIVED USE MANOKOTAK ALTIMETER SETTING AND INCREASE ALL MDA 20 FEET. DELETE NOTE VISIBILITY REDUCTION BY HELICOPTERS NA. CHART NOTE: WHEN LOCAL ALTIMETER SETTING NOT RECEIVED, USE DILLINGHAM ALTIMETER SETTING. CHART NOTE: RWY 36 HELICOPTER VISIBILITY REDUCTION BELOW 1 SM NOT AUTHORIZED. DELETE NOTE: INOPERATIVE TABLE DOES NOT APPLY. THIS IS RNAV (GPS) RWY 36, ORIG-B. 1703131326-PERM.

COLD BAY

Cold Bay

FDC 7/4938 CDB IAP COLD BAY, COLD BAY, AK. RNAV (GPS) RWY 33, AMDT 2B...LPV DA VIS 1, LNAV/VNAV DA VIS 1, LNAV MDA CATS A/B VIS 1, CATS C/D VIS 1 1/8. THIS IS RNAV (GPS) RWY 33, AMDT 2C. 1704031859-PERM.

FDC 7/4937 CDB IAP COLD BAY, COLD BAY, AK. LOC/DME BC RWY 33, AMDT 10B...S-33 VIS 1 3/4 ALL CATS. CHART PLANVIEW NOTE: DME REQUIRED. THIS IS LOC BC RWY 33, AMDT 10C 1704031855-PERM.

FDC 7/0375 CDB ODP COLD BAY, COLD BAY, AK. TAKEOFF MINIMUMS AND (OBSTACLE) DEPARTURE PROCEDURES AMDT 7...TEXTUAL DEPARTURE PROCEDURE TAKEOFF MINIMUMS: RWY 26, 900-2 3/4. CHANGE NOTE: RWY 26, RISING TERRAIN BEGINNING 1.6 NM FROM DER, 1808 FT LEFT OF CENTERLINE, UP TO 942 FT MSL. ALL OTHER DATA REMAINS AS PUBLISHED. 1701032109-1708152109EST.

CORDOVA

Merle K (Mudhole) Smith

FDC 6/4083 CDV ODP MERLE K (MUDHOLE) SMITH, CORDOVA, AK. TAKEOFF MINIMUMS AND (OBSTACLE) DEPARTURE PROCEDURES AMDT 7...TAKEOFF MINIMUMS: RWY 27, STANDARD WITH CLIMB OF 283 FT PER NM TO 4300. NOTE: RWY 27 ADF REQUIRED AND DO NOT EXCEED 210 KIAS UNTIL ESTABLISHED ON 202.30 BEARING FROM GCR NDB. NOTE: RWY 9 DME REQUIRED. ALL OTHER DATA REMAINS THE SAME. 1612202116-1708012116EST.

DILLINGHAM

Dillingham

FDC 7/4296 DLG IAP DILLINGHAM, DILLINGHAM, AK. RNAV (GPS) RWY 1, AMDT 2C...VOR RWY 1, AMDT 9C...DISREGARD NOTE: CIRCLING TO RWY 19 NA AT NIGHT. 1701132126-1708252126EST.

EEK

Eek

FDC 7/8734 EEK IAP EEK, EEK, AK. RNAV (GPS) RWY 17, ORIG-A...RNAV (GPS) RWY 35, ORIG-A...LNAV MINIMA NA. 1704121155-1711221155EST.

ELIM

Elim

FDC 7/4077 ELI IAP ELIM, ELIM, AK. RNAV (GPS) RWY 19, ORIG-A...DELETE NOTE: USE KOYUK ALTIMETER SETTING, WHEN NOT RECEIVED, USE UNALAKLEET ALTIMETER SETTING AND INCREASE ALL MDA 360 FEET. CHART NOTE: WHEN LOCAL ALTIMETER SETTING NOT RECEIVED, USE KOYUK ALTIMETER SETTING. THIS IS RNAV (GPS) RWY 19, ORIG-B. 1703131226-PERM.

FDC 7/4069 ELI IAP ELIM, ELIM, AK. RNAV (GPS) RWY 1, ORIG...DELETE NOTE: USE KOYUK ALTIMETER SETTING, WHEN NOT RECEIVED, USE UNALAKLEET ALTIMETER SETTING AND INCREASE ALL DA 344 FEET AND ALL MDA 360 FEET, INCREASE LPV ALL CATS VISIBILITY 1 1/4 MILE AND LNAV/VNAV ALL CATS VISIBILITY 1 MILE. CHART NOTE: WHEN LOCAL ALTIMETER SETTING NOT RECEIVED, USE KOYUK ALTIMETER SETTING. THIS IS RNAV (GPS) RWY 1, ORIG-A. 1703131226-PERM.

FAIRBANKS

Fairbanks Intl

FDC 7/9717 FAI IAP FAIRBANKS INTL, FAIRBANKS, AK. VOR/DME OR TACAN RWY 20R, ORIG...S-20R MDA 1060/ HAT 621 ALL CATS, VISIBILITY CATS D/E 2. CIRCLING CATS A/B/C/D MDA 1060/ HAA 621, VISIBILITY CAT C 1 3/4. VDP AT FAI 6.37 DME; DISTANCE VDP TO THLD 1.76 MILES. TEMPORARY CRANE 756 MSL 1.65NM NORTHEAST OF RWY 20R (2016-AAL-416-OE). 1702011532-1709131532EST.

FDC 7/9716 FAI IAP FAIRBANKS INTL, FAIRBANKS, AK. RNAV (GPS) Y RWY 20R, AMDT 1A...LNAV/VNAV DA 1206/ HAT 767 ALL CATS, VISIBILITY ALL CATS 2 1/4. LNAV MDA 1060/ HAT 621 ALL CATS, VISIBILITY CATS C/D 1 3/8. CIRCLING MDA 1060/ HAA 621 ALL CATS. VDP 1.71NM TO RW20R. TEMPORARY CRANE 756 MSL 1.65NM NORTHEAST OF RWY 20R (2016-AAL-416-OE). 1702011532-1709131532EST.

FDC 7/9715 FAI ODP FAIRBANKS INTL, FAIRBANKS, AK. TAKEOFF MINIMUMS AND (OBSTACLE) DEPARTURE PROCEDURES AMDT 6...TAKEOFF MINIMUMS: RWY 2L, 400-2 OR STANDARD WITH A MINIMUM CLIMB OF 306FT PER NM TO 2600. ADD NOTE: RWY 2L, TEMPORARY CRANE 1.57NM FROM DER, 3018FT LEFT OF CENTERLINE, 310FT AGL/ 756FT MSL (2016-AAL-416-OE). ALL OTHER DATA REMAINS AS PUBLISHED. 1702011532-1709131532EST.

FDC 7/9714 FAI IAP FAIRBANKS INTL, FAIRBANKS, AK. RNAV (RNP) Z RWY 20R, ORIG-A...RNP 0.30 DA 1140/ HAT 701 ALL CATS, VISIBILITY ALL CATS 2. CHANGE INOP NOTE TO READ: FOR INOPERATIVE MALSR, INCREASE RNP 0.10 ALL CATS VISIBILITY TO 7/8 MILE, INCREASE RNP 0.22 ALL CATS VISIBILITY TO 1 1/8 MILE, AND INCREASE RNP 0.30 ALL CATS VISIBILITY TO 2 1/2 MILE. TEMPORARY CRANE 756 MSL 1.65NM NORTHEAST OF RWY 20R (2016-AAL-416-OE). 1702011532-1709131532EST.

FDC 7/9713 FAI SID FAIRBANKS INTL, FAIRBANKS, AK. MCKINLEY ONE DEPARTURE...TAKEOFF MINIMUMS: RWY 2L, 400-2 OR STANDARD WITH A MINIMUM CLIMB OF 306FT PER NM TO 2000. ADD TAKEOFF OBSTACLE NOTE: RWY 2L, TEMPORARY CRANE 1.57NM FROM DER, 3018FT LEFT OF CENTERLINE, 310FT AGL/ 756FT MSL (2016-AAL-416-OE). ALL OTHER DATA REMAINS AS PUBLISHED. 1702011532-1709131532EST.

FDC 7/5668 FAI IAP FAIRBANKS INTL, FAIRBANKS, AK. RNAV (RNP) Z RWY 20R, ORIG-A...RNAV (RNP) Z RWY 2L, ORIG-A...PROCEDURE NA. 1702171842-1709291842EST.

FDC 7/0288 FAI SID FAIRBANKS INTL, FAIRBANKS, AK. GALENA FIVE DEPARTURE...TAKEOFF MINIMUMS: RWY 2L, 400-2 OR STANDARD WITH A MINIMUM CLIMB OF 306FT PER NM TO 2200. ADD TAKEOFF OBSTACLE NOTE: RWY 2L, TEMPORARY CRANE 1.57NM FROM DER, 3018FT LEFT OF CENTERLINE, 310FT AGL/ 756FT MSL (2016-AAL-416-OE). ALL OTHER DATA REMAINS AS PUBLISHED. 1701031702-1708151702EST.

FDC 6/2979 FAI STAR FAIRBANKS INTERNATIONAL AIRPORT, FAIRBANKS, AK. LIBER TWO...ADD CROSS LIBER AT OR ABOVE 8900FT. 1607082030-1707012045.

FDC 6/1241 FAI STAR FAIRBANKS INTERNATIONAL AIRPORT, FAIRBANKS, AK. LIBER TWO CHANGE LOST COMMUNICATIONS RWY 02L. AFTER CILAX FLY HEADING 020 TO JOIN RWY 02L LOCALIZER, CLEARED ILS OR LOC RWY 02L. IF UNABLE, PROCEED DIRECT FAI VORTAC AND HOLD, MAINTAIN 5000FT. 1605261710-PERM.

HAINES

Haines

FDC 7/7513 HNS SPECIAL HAINES, HAINES, AK. GUMLE THREE DEPARTURE (RNAV)...MINIMUM HOLDING ALTITUDE AT GUMLE 4000. 1704101201-1711201201EST.

HOLY CROSS

Holy Cross

FDC 7/9231 HCA IAP HOLY CROSS, HOLY CROSS, AK. RNAV (GPS) RWY 1, ORIG-B...RNAV (GPS) RWY 19, ORIG-B...NOTE: PROCEDURE NA AT NIGHT.. 1705031230-1712131230EST.

HOOPER BAY

Hooper Bay

FDC 6/9148 HPB IAP HOOPER BAY, HOOPER BAY, AK. RNAV (GPS) RWY 13, AMDT 1B...NOTE: CIRCLING RWY 31 NA AT NIGHT. DISREGARD NOTE: PROCEDURE NA AT NIGHT. 1612081633-1707201633EST.

FDC 6/9146 HPB IAP HOOPER BAY, HOOPER BAY, AK. VOR/DME RWY 31, ORIG-C...NOTE: STRAIGHT-IN RWY 31 NA AT NIGHT. DISREGARD NOTE: PROCEDURE NA AT NIGHT. 1612081633-1707201633EST.

FDC 6/9144 HPB IAP HOOPER BAY, HOOPER BAY, AK. RNAV (GPS) RWY 31, AMDT 1B...NOTE: STRAIGHT-IN RWY 31 NA AT NIGHT. DISREGARD NOTE: WHEN VGSI INOP, STRAIGHT-IN/CIRCLING RWY 31 NA AT NIGHT. DISREGARD NOTE: PROCEDURE NA AT NIGHT. 1612081633-1707201633EST.

JUNEAU

Juneau Intl

FDC 6/4085 JNU SID JUNEAU INTL, JUNEAU, AK. JUNEAU (OBSTACLE) FIVE DEPARTURE...LEVEL ISLAND TRANSITION, SUMNER STRAIT TRANSITION NA EXCEPT FOR AIRCRAFT EQUIPPED WITH SUITABLE RNAV SYSTEM WITH GPS. ALL OTHER DATA REMAINS AS PUBLISHED. 1612202119-1708012119EST.

KAKE

Kake

FDC 7/0619 AFE IAP KAKE, KAKE, AK. NDB/DME RWY 11, AMDT 1...RNAV (GPS) RWY 11, ORIG...NOTE: CIRCLING RWY 29 NA AT NIGHT. NOTE: HELICOPTER VISIBILITY REDUCTION BELOW 1 SM NA. DISREGARD NOTE: WHEN VGSI INOPERATIVE, PROCEDURE NA AT NIGHT. DISREGARD NOTE: VISIBILITY REDUCTION BY HELICOPTERS NA.. 1701041604-1708161603EST.

KASIGLUK

Kasigluk

FDC 7/5506 Z09 IAP KASIGLUK, KASIGLUK, AK. RNAV (GPS) RWY 35, ORIG-A...DELETE NOTE: USE BETHEL ALTIMETER SETTING, WHEN NOT RECEIVED PROCEDURE NA. CHART NOTE: USE NUNAPITCHUK ALTIMETER SETTING, WHEN NOT RECEIVED USE BETHEL ALTIMETER SETTING. CHART NUNAPITCHUK AWOS-3P. THIS IS RNAV (GPS) RWY 35, ORIG-B. 1703151513-PERM.

FDC 7/5505 Z09 IAP KASIGLUK, KASIGLUK, AK. RNAV (GPS) RWY 17, ORIG-A...DELETE NOTE: USE BETHEL ALTIMETER SETTING, WHEN NOT RECEIVED PROCEDURE NA. CHART NOTE: USE NUNAPITCHUK ALTIMETER SETTING, WHEN NOT RECEIVED USE BETHEL ALTIMETER SETTING. CHART NUNAPITCHUK AWOS-3P. THIS IS RNAV (GPS) RWY 17, ORIG-B. 1703151513-PERM.

KENAI

Kenai Muni

FDC 7/3709 ENA IAP KENAI MUNI, KENAI, AK. ILS OR LOC RWY 20R, AMDT 5...VOR RWY 20R, AMDT 20...DME REQUIRED EXCEPT FOR AIRCRAFT EQUIPPED WITH SUITABLE RNAV SYSTEM WITH GPS, OLT NDB OUT OF SERVICE. 1703311352-1711101352EST.

KIANA

Bob Baker Memorial

FDC 6/8688 IAN IAP BOB BAKER MEMORIAL, KIANA, AK. RNAV (GPS) RWY 24, ORIG-A...CHANGE ALTIMETER SETTING NOTE TO READ: WHEN LOCAL ALTIMETER SETTING NOT RECEIVED, USE SELAWIK ALTIMETER SETTING. 1612072304-1707192304EST.

FDC 6/8686 IAN IAP BOB BAKER MEMORIAL, KIANA, AK. RNAV (GPS) RWY 6, ORIG-C...CHANGE ALTIMETER SETTING NOTE TO READ: WHEN LOCAL ALTIMETER SETTING NOT RECEIVED, USE SELAWIK ALTIMETER SETTING. 1612072303-1707192303EST.

KING SALMON

King Salmon

FDC 6/1532 AKN IAP KING SALMON, KING SALMON, AK. ILS OR LOC/DME RWY 12, AMDT 18A...CHANGE AUTOPILOT NOTE TO READ: AUTOPILOT COUPLED APPROACH NA BELOW 700. 1611202049-1707022049EST.

KLAWOCK

Klawock

FDC 6/8452 AKW IAP KLAWOCK, KLAWOCK, AK. NDB/DME RWY 2, AMDT 1C...NOTE: CIRCLING RWY 20 NA AT NIGHT. NOTE: RWY 20 HELICOPTER VISIBILITY REDUCTION BELOW 1 SM NOT AUTHORIZED.. 1612072124-1707192124EST.

FDC 6/8450 AKW IAP KLAWOCK, KLAWOCK, AK.
RNAV (GPS) RWY 2, ORIG-C...NOTE: CIRCLING RWY
20 NA AT NIGHT. NOTE: RWY 20 HELICOPTER
VISIBILITY REDUCTION BELOW 1 SM NOT
AUTHORIZED. . DISREGARD NOTE: HELICOPTER
VISIBILITY REDUCTION BELOW 3/4 SM NA..
1612072122-1707192122EST.

KOTLIK

Kotlik

FDC 7/4300 2A9 IAP KOTLIK, KOTLIK, AK. RNAV
(GPS) RWY 2, ORIG-C...NOTE: CIRCLING RWY 20 NA
AT NIGHT. NOTE: RWY 20: HELICOPTER VISIBILITY
REDUCTION BELOW 1 SM NOT AUTHORIZED..
1701132129-1708252129EST.

KWETHLUK

Kwethluk

FDC 7/5561 KWT IAP KWETHLUK, KWETHLUK, AK.
RNAV (GPS) RWY 18, ORIG-A...LNAV MDA 620/HAT
595 ALL CATS. LNAV CAT C VISIBILITY 1 3/4.
CIRCLING MDA CATS A AND B 680/HAA 655. DELETE
NOTE: USE BETHEL ALTIMETER SETTING; WHEN
NOT RECEIVED PROCEDURE NA. CHART NOTE:
WHEN LOCAL ALTIMETER SETTING NOT
RECEIVED, USE BETHEL ALTIMETER SETTING.
DELETE NOTE: NIGHT LANDING RWY 36 CAT C AND
D NA. DELETE NOTE VISIBILITY REDUCTION BY
HELICOPTERS NA. THIS IS RNAV (GPS) RWY 18,
ORIG-B. 1703151631-PERM.

FDC 7/5560 KWT IAP KWETHLUK, KWETHLUK, AK.
RNAV (GPS) RWY 36, ORIG-A...CIRCLING MDA CATS
A AND B 680/HAA 655. DELETE NOTE: USE BETHEL
ALTIMETER SETTING, WHEN NOT RECEIVED;
PROCEDURE NA. CHART NOTE: WHEN LOCAL
ALTIMETER SETTING NOT RECEIVED USE BETHEL
ALTIMETER SETTING. DELETE NOTE: NIGHT
LANDING RWY 36 CAT C AND D NA. DELETE NOTE:
VISIBILITY REDUCTION BY HELICOPTERS NA.
CHART NOTE: RWY 36 HELICOPTER VISIBILITY
REDUCTION BELOW 3/4 SM NOT AUTHORIZED.
THIS IS RNAV (GPS) RWY 36, ORIG - B.
1703151631-PERM.

MANOKOTAK

Manokotak

FDC 6/1501 MBA IAP MANOKOTAK, MANOKOTAK,
AK. RNAV (GPS) RWY 21, ORIG...RNAV (GPS) RWY 3,
ORIG...LNAV MINIMA NA CIRCLING CAT A MDA
540/HAA 433, CATS B/C/D MDA 820/HAA 713,
VISIBILITY CAT C 2, CAT D 2 1/4. AIRPORT
ELEVATION, 107. 1611202031-1707022031EST.

MEKORYUK

Mekoryuk

FDC 6/1534 MYU IAP MEKORYUK, MEKORYUK, AK.
RNAV (GPS) RWY 23, ORIG...PROFILE NOTE: VGSI
AND RNAV GLIDEPATH NOT COINCIDENT (VGSI
ANGLE 3.00/TCH 28). 1611202051-1707022051EST.

MOUNTAIN VILLAGE

Mountain Village

FDC 7/8117 MOU IAP MOUNTAIN VILLAGE,
MOUNTAIN VILLAGE, AK. RNAV (GPS) RWY 2,
AMDT 1A...DELETE DESCENT ANGLE 3.00/TCH 30.
PROFILE NOTE: VISUAL SEGMENT OBSTACLES.
1704111255-1711211255EST.

NOATAK

Noatak

FDC 7/9950 WTK IAP NOATAK, NOATAK, AK.
NDB/DME RWY 1, AMDT 2...PROCEDURE NA
EXCEPT FOR AIRCRAFT EQUIPPED WITH SUITABLE
RNAV SYSTEM WITH GPS. OQK DME OUT OF
SERVICE. 1705032301-1706032301EST.

PALMER

Palmer Muni

FDC 6/2780 PAQ IAP PALMER MUNI, PALMER, AK.
RNAV (GPS)-A, ORIG-A...CIRCLING CAT B MDA
900/HAA 652, CAT C MDA 940/HAA 692, CAT D MDA
960/HAA 712. CHANGE LOCAL ALTIMETER SETTING
NOTE TO READ: WHEN LOCAL ALTIMETER SETTING
NOT RECEIVED, USE WASILLA ALTIMETER
SETTING; INCREASE CIRCLING CAT C/D VISIBILITY
1/4 SM. 1612152140-1707132140EST.

FDC 6/2779 PAQ IAP PALMER MUNI, PALMER, AK.
RNAV (GPS) RWY 9, AMDT 1B...CIRCLING CAT B
MDA 900/HAA 652, CAT C MDA 940/HAA 692, CAT D
MDA 960/HAA 712. CHANGE LOCAL ALTIMETER
SETTING NOTE TO READ: WHEN LOCAL ALTIMETER
SETTING NOT RECEIVED, USE WASILLA ALTIMETER
SETTING; INCREASE ALL MDAS 60 FEET AND
INCREASE LP AND LNAV CAT C AND D VISIBILITY
1/8 SM AND CIRCLING CAT C AND D VISIBILITY 1/4
SM. CHANGE HELICOPTER VISIBILITY REDUCTION
NOTE TO READ: RWY 9 HELICOPTER VISIBILITY
REDUCTION BELOW 1 SM NOT AUTHORIZED.
1612152140-1707132140EST.

PERRYVILLE

Perryville

FDC 7/6054 PEV IAP PERRYVILLE, PERRYVILLE,
AK. RNAV (GPS) RWY 2, ORIG-B...PROCEDURE NA.
1704051938-1711151938EST.

PLATINUM

Platinum

FDC 7/9377 PTU IAP PLATINUM, PLATINUM, AK. RNAV (GPS) RWY 14, AMDT 1A...LNAV MDA NA. 1703231913-1708171913EST.

RUSSIAN MISSION

Russian Mission

FDC 7/3879 RSH IAP RUSSIAN MISSION, RUSSIAN MISSION, AK. RNAV (GPS) RWY 17, ORIG-A...NOTE: PROCEDURE NA AT NIGHT. NOTE: RWY 17, 35, HELICOPTER VISIBILITY REDUCTION BELOW 1 SM NOT AUTHORIZED. DISREGARD NOTE: CIRCLING RWY 35 NA AT NIGHT.. 1703121715-1710221715EST.

FDC 7/2390 RSH IAP RUSSIAN MISSION, RUSSIAN MISSION, AK. RNAV (GPS) RWY 35, ORIG-B...NOTE: PROCEDURE NA AT NIGHT. DISREGARD NOTE: NIGHT LANDING, RWY 35 NA AT NIGHT.. 1703081600-1710181600EST.

SCAMMON BAY

Scammon Bay

FDC 7/2785 SCM IAP SCAMMON BAY, SCAMMON BAY, AK. RNAV (GPS) RWY 28, AMDT 1A...LP MDA NA. 1702091344-1709211344EST.

SELAWIK

Selawik

FDC 6/8427 WLK IAP SELAWIK, SELAWIK, AK. RNAV (GPS) RWY 27, ORIG-A...RNAV (GPS) RWY 4, ORIG-C...RNAV (GPS) Y RWY 22, ORIG-C...RNAV (GPS) Z RWY 22, ORIG-B...VOR RWY 22, AMDT 1B...VOR RWY 4, AMDT 1B...NOTE: NIGHT LANDING RWY 9, 27 NA. NOTE: RWY 9, 27 HELICOPTER VISIBILITY REDUCTION BELOW 1 SM NOT AUTHORIZED. 1612072113-1707192113EST.

FDC 6/0784 WLK IAP SELAWIK, SELAWIK, AK. VOR RWY 4, AMDT 1B...EXUME FIX MINIMUMS NA.. 1612122135-1707242135EST.

SHEMYA

Eareckson As

FDC 7/2072 SYA IAP U.S. DOD EARECKSON AS, SHEMYA, AK. ILS OR LOC/DME RWY 28, AMDT 4...AUTOPILOT COUPLED APPROACH NA BELOW 300. 1702072125-1709192125EST.

SHISHMAREF

Shishmaref

FDC 7/6257 SHH IAP SHISHMAREF, SHISHMAREF, AK. RNAV (GPS) RWY 23, ORIG...RNAV (GPS) RWY 5, ORIG...CIRCLING CAT A MDA 440/ HAA 428. WIND TURBINE 71 MSL 5346FT NORTHEAST OF PASH AIRPORT (2016-WTW-3156-OE). 1704061250-1711161250EST.

SHUNGNAK

Shungnak

FDC 7/8858 SHG IAP SHUNGNAK, SHUNGNAK, AK. RNAV (GPS) RWY 9, AMDT 2A...LNAV MINIMA NA. 1704121254-1711221254EST.

FDC 7/4508 SHG IAP SHUNGNAK, SHUNGNAK, AK. RNAV (GPS) RWY 27, AMDT 2A...RNAV (GPS) RWY 9, AMDT 2A...NIGHT LANDING RWY 27 NA. HELICOPTER VISIBILITY REDUCTION BELOW 1 SM NA.. 1704241457-1712041457EST.

SOLDOTNA

Soldotna

FDC 7/3761 SXQ IAP SOLDOTNA, SOLDOTNA, AK. NDB RWY 25, AMDT 3D...JOSKI FIX MINIMUMS NA EXCEPT FOR AIRCRAFT EQUIPPED WITH SUITABLE RNAV SYSTEM WITH GPS, OLT DME OUT OF SERVICE. 1703311411-1711101411EST.

FDC 7/0422 SXQ IAP SOLDOTNA, SOLDOTNA, AK. VOR/DME-A, AMDT 7F...ALTERNATE MINIMUMS: CATS A/B 1000-2, CAT C 1000-2 3/4, CAT D 1000-3.. 1701032143-1708152143EST.

SOUTH NAKNEK

South Naknek Nr 2

FDC 7/4305 WSN IAP SOUTH NAKNEK NR 2, SOUTH NAKNEK, AK. RNAV (GPS) RWY 13, ORIG...NOTE: CIRCLING RWY 5 NA AT NIGHT. NOTE: RWY 5 HELICOPTER VISIBILITY REDUCTION BELOW 1 SM NOT AUTHORIZED. DISREGARD NOTE: PROCEDURE NA AT NIGHT. DISREGARD NOTE: HELICOPTER VISIBILITY REDUCTION BELOW 1 SM NA.. 1701132133-1708252133EST.

FDC 7/4303 WSN IAP SOUTH NAKNEK NR 2, SOUTH NAKNEK, AK. RNAV (GPS) RWY 31, ORIG...NOTE: CIRCLING RWY 5 NA AT NIGHT. NOTE: RWY 5 HELICOPTER VISIBILITY REDUCTION BELOW 1 SM NOT AUTHORIZED. DISREGARD NOTE: NIGHT LANDING: RWY 5, 13 NA.. 1701132131-1708252131EST.

ST MARY'S

St Mary's

FDC 7/5593 KSM ODP ST MARY S, ST MARY S, AK. TAKEOFF MINIMUMS AND (OBSTACLE) DEPARTURE PROCEDURES AMDT 1...RWY 06, 500-1 1/2. RWY 17, 24, 35 200-1... 1704051250-1711151250EST.

ST PAUL ISLAND

St Paul Island

FDC 7/0899 SNP IAP ST PAUL ISLAND, ST PAUL ISLAND, AK. ILS OR LOC/DME RWY 36, AMDT 3B...LOC/DME BC RWY 18, AMDT 4B...ALTERNATE MINIMUMS NA, SPY NDB UNMONITORED. 1704170830-1705170830EST.

TALKEETNA

Talkeetna

FDC 7/5532 TKA IAP TALKEETNA, TALKEETNA, AK. VOR/DME RWY 36, AMDT 2...S-36 MDA NA. 1704051212-1711151212EST.

FDC 7/4942 TKA ODP TALKEETNA, TALKEETNA, AK. TAKEOFF MINIMUMS AND (OBSTACLE) DEPARTURE PROCEDURES AMDT 2.RWY 18, 300-2. CHANGE TAKEOFF OBSTACLE NOTES TO: RWY 18, BUSH 82 FT FROM DER, 272 FT RIGHT OF CENTERLINE, 358 FT MSL. WINDSOCK 100 FT FROM DER, 207 FT RIGHT OF CENTERLINE, 11 FT AGL/361 FT MSL. TREE 124 FT FROM DER, 500 FT LEFT OF CENTERLINE, 23 FT AGL/374 FT MSL. TREES BEGINNING 130 FT FROM DER, 477 FT LEFT OF CENTERLINE, UP TO 63 FT AGL/412 FT MSL. TREE, POLE BEGINNING 266 FT FROM DER, 145 FT LEFT OF CENTERLINE, UP TO 75 FT AGL/425 FT MSL. TREES BEGINNING 1345 FT FROM DER, 167 FT RIGHT OF CENTERLINE, UP TO 83 FT AGL/432 FT MSL. TREES BEGINNING 1692 FT FROM DER, 14 FT LEFT OF CENTERLINE, UP TO 85 FT AGL/434 FT MSL. TREES BEGINNING 2008 FT FROM DER, 622 FT RIGHT OF CENTERLINE, UP TO 96 FT AGL/440 FT MSL. TREES BEGINNING 2064 FT FROM DER, 376 FT RIGHT OF CENTERLINE, UP TO 90 FT AGL/485 FT MSL. TREES BEGINNING 2193 FT FROM DER, 349 FT RIGHT OF CENTERLINE, UP TO 76 FT AGL/520 FT MSL. TREES BEGINNING 2305 FT FROM DER, 193 FT RIGHT OF CENTERLINE, UP TO 80 FT AGL/527 FT MSL. TREE 2848 FT FROM DER, 1000 FT LEFT OF CENTERLINE, 77 FT AGL/535 FT MSL. TREES BEGINNING 2895 FT FROM DER, 776 FT LEFT OF CENTERLINE, UP TO 83 FT AGL/542 FT MSL. TREES BEGINNING 2945 FT FROM DER, 684 FT LEFT OF CENTERLINE, UP TO 94 FT AGL/549 FT MSL. TREES BEGINNING 5674 FT FROM DER, 1529 FT LEFT OF CENTERLINE, UP TO 80 FT AGL/556 FT MSL. TREES BEGINNING 5790 FT FROM DER, 1486 FT LEFT OF CENTERLINE, UP TO 82 FT AGL/558 FT MSL. TREE, RD (N), FENCE, SATELLITE DISH, ANT, BLDG, LT POLE, VOR/DME BEGINNING 5964 FT FROM DER, 1383 FT LEFT OF CENTERLINE, UP TO 77 FT AGL/595 FT MSL. TREE, FENCE BEGINNING 1.1 NM FROM DER, 1379 FT LEFT OF CENTERLINE, UP TO 70 FT AGL/600 FT MSL. TREES BEGINNING 1.1 NM FROM DER, 1339 FT LEFT OF CENTERLINE, UP TO 78 FT AGL/602 FT MSL. TREE 1.3 NM FROM DER, 1921 FT LEFT OF CENTERLINE, 90 FT AGL/575 FT MSL TREES BEGINNING 37 FT FROM DER, 495 FT LEFT OF CENTERLINE, UP TO

TANANA

Ralph M Calhoun Memorial

FDC 6/4090 TAL ODP RALPH M CALHOUN MEMORIAL, TANANA, AK. TAKEOFF MINIMUMS AND (OBSTACLE) DEPARTURE PROCEDURES AMDT 1...TAKE-OFF MINIMUMS: RWY 25 - STANDARD WITH MINIMUM CLIMB OF 249 FEET PER NM TO 600, OR 1200- 2 1/2 FOR CLIMB IN VISUAL CONDITIONS. NOTE: TREE LOCATED 6581 FEET FROM DER, 2088 FEET RIGHT OF CENTERLINE, 440 FEET MSL/57 FEET AGL.. 1612202121-1708012121EST.

TOGIAK VILLAGE

Togiak

FDC 7/4504 TOG IAP TOGIK, TOGIK VILLAGE, AK. RNAV (GPS) RWY 21, ORIG-A...LNAV MDA 460/HAT 439 ALL CATS. VIS CAT C 1 1/4. VDP 0.8 NM TO FEKVU. 1704241453-1712041453EST.

UNALAKLEET

Unalakleet

FDC 6/0765 UNK IAP UNALAKLEET, UNALAKLEET, AK. RNAV (GPS)-A, ORIG-A...VOR/DME-D, AMDT 5A...CIRCLING MDA 660/HAA 633, VIS CAT C 1 3/4. CHANGE LOCAL ALTIMETER SETTING NOTE TO READ: WHEN LOCAL ALTIMETER SETTING NOT RECEIVED, USE ST MICHAEL ALTIMETER SETTING AND INCREASE ALL MDA 120 FEET; INCREASE CIRCLING CAT C/D VISIBILITY 1/2 MILE. 1612122127-1707242127EST.

FDC 6/0763 UNK IAP UNALAKLEET, UNALAKLEET, AK. LOC/DME RWY 15, AMDT 4A...CIRCLING MDA 660/HAA 633, VIS CAT C 1 3/4. CHANGE LOCAL ALTIMETER SETTING NOTE TO READ: WHEN LOCAL ALTIMETER SETTING NOT RECEIVED, USE ST MICHAEL ALTIMETER SETTING AND INCREASE ALL MDA 120 FEET; INCREASE S-15 CAT C/D AND CIRCLING CAT C/D VISIBILITY 1/2 MILE. 1612122126-1707242126EST.

FDC 6/0761 UNK ODP UNALAKLEET, UNALAKLEET, AK. TAKEOFF MINIMUMS AND (OBSTACLE) DEPARTURE PROCEDURES AMDT 1A...TAKEOFF MINIMUMS: RWY 15 NA - OBSTACLES. ALL OTHER DATA REMAINS AS PUBLISHED. 1612122124-1707242124EST.

FDC 6/0759 UNK IAP UNALAKLEET, UNALAKLEET, AK. RNAV (GPS) Y RWY 33, ORIG-B...LNAV MDA 600/HAT 575 ALL CATS, VIS CAT C/D 1 5/8. CIRCLING MDA 660/HAA 633, VIS CAT C 1 3/4. CHANGE LOCAL ALTIMETER SETTING NOTE TO READ: WHEN LOCAL ALTIMETER SETTING NOT RECEIVED, USE ST MICHAEL ALTIMETER SETTING AND INCREASE ALL MDA 120 FEET; INCREASE LNAV CAT C/D AND CIRCLING CAT C/D VISIBILITIES 1/2 MILE. 1612122122-1707242122EST.

FDC 6/0756 UNK IAP UNALAKLEET, UNALAKLEET, AK. RNAV (GPS) Z RWY 33, ORIG-A...LP MDA 600/HAT 575 ALL CATS, VIS CAT C/D 1 5/8. CIRCLING MDA 660/HAA 633 ALL CATS, VIS CAT C 1 3/4. CHANGE LOCAL ALTIMETER SETTING NOTE TO READ: WHEN LOCAL ALTIMETER SETTING NOT RECEIVED, USE ST MICHAEL ALTIMETER SETTING AND INCREASE ALL MDA 120 FEET; INCREASE LP CAT C/D AND CIRCLING CAT C/D VISIBILITY 1/2 MILE. 1612122120-1707242120EST.

UNALASKA

Unalaska

FDC 7/6176 DUT SPECIAL UNALASKA, UNALASKA, AK. GPS RWY 13, ORIG...PROCEDURE NA...SEE REPLACEMENT PROCEDURE: SPECIAL UNALASKA RNAV (GPS) RWY 13, ORIG 1704271210-1712071210EST.

FDC 7/6175 DUT SPECIAL UNALASKA, UNALASKA, AK. GPS RWY 31, ORIG...PROCEDURE NA...SEE REPLACEMENT PROCEDURE: SPECIAL UNALASKA RNAV (GPS) RWY 31, ORIG 1704271210-1712071210EST.

FDC 7/6174 DUT SPECIAL UNALASKA, UNALASKA, AK. SPECIAL UNALASKA NDB OR GPS-C, AMDT 2...PROCEDURE NA...SEE REPLACEMENT PROCEDURES: SPECIAL UNALASKA NDB RWY 13, ORIG AND SPECIAL UNALASKA NDB RWY 31, ORIG 1704271210-1712071210EST.

FDC 7/6173 DUT SPECIAL UNALASKA, UNALASKA, AK. NDB OR GPS-D, ORIG...PROCEDURE NA...SEE REPLACEMENT PROCEDURES: SPECIAL UNALASKA NDB RWY 13, ORIG. AND SPECIAL UNALASKA NDB RWY 31, ORIG 1704271210-1712071210EST.

FDC 7/5852 DUT SPECIAL UNALASKA, UNALASKA, AK. RNAV (GPS) RWY 31, ORIG...IN PLANVIEW, CHART IAF AT FIX ROFZU. 1704270901-1712061847EST.

VALDEZ

Valdez Pioneer Field

FDC 7/4312 Vdz IAP VALDEZ PIONEER FIELD, VALDEZ, AK. LDA/DME-H, AMDT 2A...DISREGARD NOTE: PROCEDURE NA AT NIGHT.. 1701132143-1708252143EST.

WRANGELL

Wrangell

FDC 6/5867 WRG ODP WRANGELL, WRANGELL, AK. LEVEL ISLAND TWO DEPARTURE...HOLDING AT LVD VOR/DME, HOLD SE, RT 308.29, INBOUND. ALL OTHER DATA REMAINS AS PUBLISHED. 1612021749-1707141749EST.

FDC 6/5864 WRG IAP WRANGELL, WRANGELL, AK. LDA/DME-C, AMDT 8...LDA/DME-D, AMDT 7...NOTE: MISSED APPROACH HOLDING: HOLD SE, RT, 308.29, INBOUND. 1612021749-1707141749EST.

ARIZONA

BULLHEAD CITY

Laughlin/Bullhead Intl

FDC 7/3821 IFP IAP LAUGHLIN/BULLHEAD INTL, BULLHEAD CITY, AZ. RNAV (GPS) RWY 16, AMDT 2A...LP HAT 1213 ALL CATS. LNAV HAT 1213 ALL CATS. CHART TDZE 647, DELETE THRE 625. CHART NOTE: RWY 16 HELICOPTER VISIBILITY REDUCTION BELOW 1 SM NOT AUTHORIZED. DELETE NOTE: VISIBILITY REDUCTION BY HELICOPTERS NA. THIS IS RNAV (GPS) RWY 16, AMDT 2B. 1703121527-PERM.

CHANDLER

Chandler Muni

FDC 7/3316 CHD IAP CHANDLER MUNI, CHANDLER, AZ. VOR RWY 4R, ORIG-A...S-4R MDA 1700/ HAT 460 ALL CATS. VDP 1.42NM TO RW04R. TEMPORARY CRANE 1400 MSL 3.96NM WEST OF RWY 4R (2015-AWP-11036-OE). 1704201726-1709171726EST.

FDC 7/0430 CHD SID CHANDLER MUNI, CHANDLER, AZ. BNYRD FIVE DEPARTURE (RNAV)...FTHLS FIVE DEPARTURE (RNAV)...IZZZO FIVE DEPARTURE (RNAV)...JUDTH FIVE DEPARTURE (RNAV)...KATMN FIVE DEPARTURE (RNAV)...LALUZ FIVE DEPARTURE (RNAV)...MAYSA FIVE DEPARTURE (RNAV)...SNOBL FIVE DEPARTURE (RNAV)...YOTES FIVE DEPARTURE (RNAV)...NOTE: TOP ALTITUDE TO BE AS ASSIGNED BY ATC. ALL OTHER DATA REMAINS AS PUBLISHED. 1701032149-1708152148EST.

FDC 6/9456 CHD STAR CHANDLER MUNI AIRPORT, CHANDLER, AZ. JCOBS TWO ARRIVAL...PROCEDURE NA. 1610311300-1710311259.

DOUGLAS BISBEE

Bisbee Douglas Intl

FDC 7/0040 DUG IAP BISBEE DOUGLAS INTL, DOUGLAS BISBEE, AZ. VOR RWY 17, AMDT 3A...VOR/DME RWY 17, AMDT 6A...MISSED APPROACH: CLIMBING RIGHT TURN TO 8000 IN DUG VORTAC HOLDING PATTERN, DO NOT EXCEED 230 KIAS. 1704131806-1711231806EST.

FLAGSTAFF

Flagstaff Pulliam

FDC 6/2880 FLG IAP FLAGSTAFF PULLIAM, FLAGSTAFF, AZ. RNAV (GPS) RWY 3, ORIG-A...DISREGARD NOTE: HELICOPTER VISIBILITY REDUCTION BELOW 3/4 SM NA. 1611271606-1707091606EST.

FDC 6/2878 FLG IAP FLAGSTAFF PULLIAM, FLAGSTAFF, AZ. RNAV (GPS) Z RWY 21, ORIG...DISREGARD NOTE: VISIBILITY REDUCTION BY HELICOPTERS NA. 1611271604-1707091604EST.

FORT HUACHUCA SIERRA VISTA

Sierra Vista Muni-Libby AAF

FDC 7/4606 FHU IAP U.S. DOD SIERRA VISTA MUNI-LIBBY AAF, FORT HUACHUCA SIERRA VISTA, AZ. RADAR 1, ORIG...DISREGARD NOTE: CIRCLING RWYS 12-21 NA AT NIGHT. 1704241648-1712041648EST.

FDC 7/4602 FHU IAP U.S. DOD SIERRA VISTA MUNI-LIBBY AAF, FORT HUACHUCA SIERRA VISTA, AZ. RADAR 2, ORIG-A...DISREGARD NOTE: CIRCLING RWYS 12-21 NA AT NIGHT. 1704241646-1712041646EST.

FDC 7/2977 FHU IAP SIERRA VISTA MUNI-LIBBY AAF, FORT HUACHUCA SIERRA VISTA, AZ. RNAV (GPS) RWY 26, ORIG...MISSED APPROACH: CLIMBING RIGHT TURN TO 9500 DIRECT TOMBS AND HOLD, CONTINUE CLIMB-IN-HOLD TO 9500. PROFILE NOTE: VGSI AND DESCENT ANGLES NOT COINCIDENT (VGSI ANGLE {3.00}/TCH {80}). 1704201218-1711301218EST.

FDC 7/2973 FHU IAP SIERRA VISTA MUNI-LIBBY AAF, FORT HUACHUCA SIERRA VISTA, AZ. RNAV (GPS) RWY 8, AMDT 1B...LNAV/VNAV DA 5067/HAT 348 ALL CATS. PROFILE NOTE: VGSI AND RNAV GLIDEPATH NOT COINCIDENT (VGSI ANGLE {3.00}/TCH {50}). 1704201208-1711301208EST.

GLENDALE

Glendale Muni

FDC 7/0424 GEU SID GLENDALE MUNI, GLENDALE, AZ. BNYRD THREE DEPARTURE (RNAV)...FTHLS FOUR DEPARTURE (RNAV)...IZZO FOUR DEPARTURE (RNAV)...JUDTH FOUR DEPARTURE (RNAV)...KATMN FOUR DEPARTURE (RNAV)...LALUZ FOUR DEPARTURE (RNAV)...MAYSA FOUR DEPARTURE (RNAV)...YOTES FOUR DEPARTURE (RNAV)...NOTE: TOP ALTITUDE TO BE AS ASSIGNED BY ATC. ALL OTHER DATA REMAINS AS PUBLISHED. 1701032145-1708152145EST.

FDC 6/9489 GEU STAR GLENDALE AIRPORT, GLENDALE, AZ, JCOBS TWO ARRIVAL...PROCEDURE NA 1610311300-1710311259.

GLOBE

San Carlos Apache

FDC 7/5601 P13 IAP SAN CARLOS APACHE, GLOBE, AZ. GPS RWY 27, ORIG-B...VISUAL SEGMENT - OBSTACLES. 1704051252-1711151252EST.

GOODYEAR

Phoenix Goodyear

FDC 7/0426 GYR SID PHOENIX GOODYEAR, GOODYEAR, AZ. BNYRD FOUR DEPARTURE (RNAV)...FTHLS FOUR DEPARTURE (RNAV)...IZZZO FOUR DEPARTURE (RNAV)...JUDTH FOUR DEPARTURE (RNAV)...KATMN FOUR DEPARTURE (RNAV)...LALUZ FOUR DEPARTURE (RNAV)...MAYSA FOUR DEPARTURE (RNAV)...SNOBL FOUR DEPARTURE (RNAV)...YOTES FOUR DEPARTURE (RNAV)...NOTE: TOP ALTITUDE TO BE AS ASSIGNED BY ATC. ALL OTHER DATA REMAINS AS PUBLISHED. 1701032146-1708152146EST.

FDC 6/9461 GYR STAR PHOENIX GOODYEAR AIRPORT, GOODYEAR, AZ. JCOPS TWO ARRIVAL...PROCEDURE NA. 1610311300-1710311259.

GRAND CANYON

Grand Canyon National Park

FDC 7/5144 GCN ODP GRAND CANYON NATIONAL PARK, GRAND CANYON, AZ. GRAND THREE DEPARTURE...DEPARTURE PROCEDURE DME REQUIRED EXCEPT FOR AIRCRAFT EQUIPPED WITH SUITABLE RNAV SYSTEM WITH GPS, PGS VOR/DME OUT OF SERVICE. 1704251554-1712051554EST.

FDC 7/3609 GCN SID GRAND CANYON NATIONAL PARK, GRAND CANYON, AZ. PARKS THREE DEPARTURE...DEPARTURE PROCEDURE NA EXCEPT FOR AIRCRAFT EQUIPPED WITH SUITABLE RNAV SYSTEM WITH GPS, PGS VOR OUT OF SERVICE. 1704210612-1712010612EST.

Valle

FDC 7/6437 40G IAP VALLE, GRAND CANYON, AZ. GPS RWY 01, ORIG-B...GPS RWY 19, ORIG-A...VOR/DME RWY 19, ORIG...NOTE: PROCEDURE NA AT NIGHT. 1703171317-1710271317EST.

KAYENTA

Kayenta

FDC 7/1799 0V7 SPECIAL KAYENTA, KAYENTA, AZ. RNAV (GPS) RWY 23, ORIG...CHANGE ALTIMETER SETTING NOTE TO READ: WHEN LOCAL ALTIMETER SETTING NOT RECEIVED, PROCEDURE NA. 1703282159-1711072159EST.

KINGMAN

Kingman

FDC 7/2227 IGM ODP KINGMAN, KINGMAN, AZ. TAKEOFF MINIMUMS AND (OBSTACLE) DEPARTURE PROCEDURES ORIG...ADD NOTES: RWY 3, TERRAIN AND BUSH BEGINNING 171 FT FROM DER, 264 FT RIGHT OF CENTERLINE, UP TO 3402 FT MSL. RWY 17, TERRAIN BEGINNING 52 FT FROM DER, 200 FT LEFT OF CENTERLINE, UP TO 3458 FT MSL. FENCE BEGINNING 393 FT FROM DER, LEFT AND RIGHT OF CENTERLINE, UP TO 3462 FT MSL. BUSHES AND ROAD BEGINNING 1025 FT FROM DER, 1 FT LEFT OF CENTERLINE UP TO 3489 FT MSL. RWY 21, TERRAIN 3 FEET FROM DER, 249 FT LEFT OF CENTERLINE, UP TO 3414 FT MSL. TERRAIN AND BUSH BEGINNING 203 FT FROM DER, 287 FT LEFT OF CENTERLINE, UP TO 3418 FT MSL. RWY 35, TERRAIN BEGINNING 32 FT FROM DER, 172 FT RIGHT OF CENTERLINE, UP TO 3363 FT MSL. FENCE AND ROAD BEGINNING 306 FT FROM DER, 392 FT RIGHT OF CENTERLINE UP TO 15 FT AGL/ 3372 FT MSL. ALL OTHER DATA REMAINS AS PUBLISHED. 1702072336-1709192336EST.

MESA

Falcon Fld

FDC 7/0056 FFZ IAP FALCON FLD, MESA, AZ. RNAV (GPS) RWY 4L, AMDT 1A...DISREGARD NOTE: CIRCLING TO RWY 22 NA AT NIGHT. DISREGARD NOTE: WHEN VGSI INOPERATIVE, STRAIGHT-IN/CIRCLING RWY 4L PROCEDURE NA AT NIGHT.. 1704131814-1711231814EST.

FDC 6/9457 FFZ STAR FALCON FIELD AIRPORT, MESA, AZ. JCOPS TWO ARRIVAL...PROCEDURE NA. 1610311300-1710311259.

PARKER

Avi Suquilla

FDC 7/9534 P20 IAP AVI SUQUILLA, PARKER, AZ. VOR/DME-A, AMDT 3...PROCEDURE NA EXCEPT FOR AIRCRAFT EQUIPPED WITH SUITABLE RNAV SYSTEM WITH GPS, PKE TACAN OUT OF SERVICE. 1704130037-1705120037EST.

PHOENIX

Phoenix Deer Valley

FDC 7/1054 DVT IAP PHOENIX DEER VALLEY, PHOENIX, AZ. RNAV (GPS) RWY 7R, AMDT 1...LPV DA 1795/HAT 335, VIS 1-1/8 ALL CATS. 1703281233-1711071233EST.

FDC 7/0428 DVT SID PHOENIX DEER VALLEY, PHOENIX, AZ. BNYRD FOUR DEPARTURE (RNAV)...FTHLS FOUR DEPARTURE (RNAV)...IZZO FOUR DEPARTURE (RNAV)...JUDTH FOUR DEPARTURE (RNAV)...KATMN FOUR DEPARTURE (RNAV)...LALUZ FOUR DEPARTURE (RNAV)...MAYSA FOUR DEPARTURE (RNAV)...SNOBL FOUR DEPARTURE (RNAV)...YOTES FOUR DEPARTURE (RNAV)...NOTE: TOP ALTITUDE TO BE AS ASSIGNED BY ATC. ALL OTHER DATA REMAINS AS PUBLISHED. 1701032147-1708152147EST.

FDC 6/9490 DVT STAR DEER VALLEY AIRPORT, PHOENIX, AZ, JCOBS TWO ARRIVAL...PROCEDURE NA 1610311300-1710311259.

Phoenix Sky Harbor Intl

FDC 7/5752 PHX ODP PHOENIX SKY HARBOR INTL, PHOENIX, AZ. TAKEOFF MINIMUMS AND (OBSTACLE) DEPARTURE PROCEDURES AMDT 6...TAKEOFF MINIMUMS: RWY 07L, 300-1 3/4 OR STANDARD WITH A MINIMUM CLIMB OF 275FT PER NM TO 1500. RWY 8, 200 -1 1/4 OR STANDARD WITH A MINIMUM CLIMB OF 322FT PER NM TO 1500. ADD NOTE: RWY 07L, TEMPORARY CRANE 1.36NM FROM DER, 935FT LEFT OF CENTERLINE, 220FT AGL/ 1359FT MSL (2016-AWP-9858-OE). RWY 8, TEMPORARY CRANE 1 NM FROM DER, 1407FT LEFT OF CENTERLINE, 150FT AGL/ 1330FT MSL (2017-AWP-3277-OE). ALL OTHER DATA REMAINS AS PUBLISHED. 1704261513-1705161513EST.

FDC 7/2230 PHX SID PHOENIX SKY HARBOR INTL, PHOENIX, AZ. SILOW FOUR DEPARTURE...PROCEDURE NA. 1702072338-1709192338EST.

FDC 7/0534 PHX IAP PHOENIX SKY HARBOR INTL, PHOENIX, AZ. RNAV (GPS) Y RWY 26, AMDT 2A...LNAV/VNAV DA 1816/ HAT 681 ALL CATS, VISIBILITY ALL CATS 2 1/2. TEMPORARY CRANE 1359 MSL 1.37NM SOUTHEAST OF RWY 26 (2016-AWP-9858-OE). 1704141614-1705221614EST.

FDC 7/0533 PHX IAP PHOENIX SKY HARBOR INTL, PHOENIX, AZ. RNAV (RNP) Z RWY 26, ORIG-C...RNP 0.20 DA 1688/ HAT 553 ALL CATS, VISIBILITY ALL CATS 1 7/8. RNP 0.30 DA 1798/ HAT 663 ALL CATS, VISIBILITY ALL CATS 2 1/4. TEMPORARY CRANE 1359 MSL 1.37NM SOUTHEAST OF RWY 26 (2016-AWP-9858-OE). 1704141614-1705221614EST.

FDC 7/0532 PHX IAP PHOENIX SKY HARBOR INTL, PHOENIX, AZ. RNAV (GPS) Y RWY 25R, AMDT 2B...LNAV/VNAV DA 1725/ HAT 591 ALL CATS, VISIBILITY ALL CATS 2. LNAV MDA 1720/ HAT 586 ALL CATS, VISIBILITY CATS C/D 1 3/4. CIRCLING CATS B/C MDA 1800/ HAA 665. VDP NA. TEMPORARY CRANE 1359 MSL 1.37NM EAST OF RWY 25R (2016-AWP-9858-OE). 1704141614-1705221614EST.

FDC 7/0531 PHX IAP PHOENIX SKY HARBOR INTL, PHOENIX, AZ. ILS OR LOC RWY 25L, AMDT 1G...S-LOC 25L MDA 1660/ HAT 534 ALL CATS, VISIBILITY CATS A/B 3/4, CATS C/D 1. TEMPORARY CRANE 1389 MSL 1.80 NM EAST OF RWY 25L (2016-AWP-9858-OE). 1704141614-1705221614EST.

FDC 7/0530 PHX IAP PHOENIX SKY HARBOR INTL, PHOENIX, AZ. RNAV (RNP) Z RWY 25R, ORIG-C...RNP 0.20 DA 1684/ HAT 550 ALL CATS, VISIBILITY ALL CATS 1 7/8. RNP 0.30 DA 1722/ HAT 588 ALL CATS, VISIBILITY ALL CATS 2. TEMPORARY CRANE 1359 MSL 1.37 NM EAST OF RWY 25R (2016-AWP-9858-OE). 1704141614-1705221614EST.

FDC 6/9454 PHX STAR PHOENIX SKY HARBOR INTL, PHOENIX, AZ. BUNTR TWO ARRIVAL...CHANGE EXPECT ALTITUDE NOTE AT HOMRR ON BUNTR TWO ARRIVAL TO READ LANDING WEST: TURBOJETS EXPECT TO CROSS HOMRR AT 12000FT. LANDING EAST: TURBOJETS EXPECT TO CROSS HOMRR AT 14000FT. EXPECT CLEARANCE TO CROSS SLIDR AT OR BELOW FL360. 1610311300-1710311259.

FDC 6/9453 PHX STAR PHOENIX SKY HARBOR INTL, PHOENIX, AZ. JESSE ONE ARRIVAL...CHANGE NOTE ON JESSE ONE ARRIVAL TO READ NOTE: JESSE STAR IS FOR TURBOPROP AIRCRAFT AND ATC ASSIGNED TURBOJET AIRCRAFT. 1610311300-1710311259.

FDC 6/9440 PHX STAR PHOENIX SKY HARBOR INTL, PHOENIX, AZ. ARLIN 3 ARRIVAL...CHANGE EXPECT ALTITUDE NOTE AT PAYNT ON ARLIN 3 ARRIVAL TO READ LANDING WEST: TURBOJETS EXPECT TO CROSS PAYNT AT 14000FT. LANDING EAST: TURBOJETS EXPECT TO CROSS PAYNT AT 12000FT. 1610311300-1710311259.

FDC 6/9437 PHX STAR PHOENIX SKY HARBOR INTL, PHOENIX, AZ. SUNSS SEVEN ARRIVAL...CHANGE NOTE ON SUNSS SEVEN ARRIVAL TO READ DELETE NOTE AT SUNSS. ADD NOTE AT SQUEZ: TURBOJETS CROSS AT 250K IAS. VERTICAL NAVIGATION PLANNING INFORMATION: TURBOPROPS EXPECT TO CROSS SQUEZ AT 10000FT SATELLITE AIRPORTS EXPECT TO CROSS SQUEZ AT 9000FT. 1610311300-1710311259.

FDC 6/9435 PHX STAR PHOENIX SKY HARBOR INTL, PHOENIX, AZ. BLYTHE FOUR ARRIVAL...CHANGE EXPECT ALTITUDE NOTE AT PAYNT ON BLYTHE FOUR ARRIVAL TO READ LANDING WEST: TURBOJETS EXPECT TO CROSS PAYNT AT 14000FT. LANDING EAST: TURBOJETS EXPECT TO CROSS PAYNT AT 12000FT. 1610311300-1710311259.

Phoenix-Mesa Gateway

FDC 7/7060 IWA IAP PHOENIX-MESA GATEWAY, PHOENIX, AZ. RNAV (RNP) Z RWY 30C, ORIG-A...RNP 0.30 DA 1711/HAT 331, VIS 1 1/8 ALL CATS. 1702231344-1710051343EST.

FDC 7/6004 IWA IAP PHOENIX-MESA GATEWAY, PHOENIX, AZ. RNAV (GPS) RWY 12R, AMDT 1B...RNAV (GPS) RWY 30L, AMDT 1B...PROFILE NOTE: VGSI AND DESCENT ANGLES NOT COINCIDENT. 1703161315-1710261315EST.

FDC 6/9460 IWA STAR PHOENIX-MESA GATEWAY AIRPORT, PHOENIX, AZ. JCOPS TWO ARRIVAL...PROCEDURE NA. 1610311300-1710311259.

PRESCOTT

Ernest A Love Field

FDC 7/2702 PRC IAP ERNEST A LOVE FIELD, PRESCOTT, AZ. RNAV (GPS) RWY 21L, AMDT 2B...CHANGE #MISSED APPROACH REQUIRES A MINIMUM CLIMB NOTE TO READ: #MISSED APPROACH REQUIRES A MINIMUM CLIMB OF 365 FEET PER NM TO 7300. 1703301132-1711091132EST.

FDC 7/2064 PRC IAP ERNEST A LOVE FIELD, PRESCOTT, AZ. VOR RWY 12, AMDT 2B...CIRCLING CAT B MDA 5620/HAA 575. 1703291300-1711081300EST.

FDC 7/0999 PRC IAP ERNEST A LOVE FIELD, PRESCOTT, AZ. RNAV (GPS) RWY 12, ORIG-A...PROFILE NOTE: VGSI AND RNAV GLIDEPATH NOT COINCIDENT. 1704171238-1711271238EST.

SCOTTSDALE

Scottsdale

FDC 7/6348 SDL SID SCOTTSDALE, SCOTTSDALE, AZ. JONHH ONE DEPARTURE...BRYCE CANYON TRANSITION NA. DOVE CREEK TRANSITION NA. FLAGSTAFF TRANSITION NA. RATTLESNAKE TRANSITION NA. 1701201841-1709011841EST.

FDC 7/0432 SDL SID SCOTTSDALE, SCOTTSDALE, AZ. BNYRD FOUR DEPARTURE (RNAV)...FTHLS FOUR DEPARTURE (RNAV)...IZZO FOUR DEPARTURE (RNAV)...JUDTH FOUR DEPARTURE (RNAV)...KATMN FOUR DEPARTURE (RNAV)...LALUZ FOUR DEPARTURE (RNAV)...MAYSA FOUR DEPARTURE (RNAV)...SNOBL FOUR DEPARTURE (RNAV)...YOTES FOUR DEPARTURE (RNAV)...NOTE: TOP ALTITUDE TO BE AS ASSIGNED BY ATC. ALL OTHER DATA REMAINS AS PUBLISHED. 1701032150-1708152150EST.

FDC 6/9459 SDL STAR SCOTTSDALE AIRPORT, SCOTTSDALE, AZ, JCOPS TWO ARRIVAL...PROCEDURE NA 1610311300-1710311259.

ST JOHNS

St Johns Industrial Air Park

FDC 7/2233 SJN IAP ST JOHNS INDUSTRIAL AIR PARK, ST JOHNS, AZ. RNAV (GPS) RWY 32, ORIG-A...LNAV/VNAV MINIMA NA.. 1702072339-1709192339EST.

TUCSON

Ryan Field

FDC 7/7659 RYN IAP RYAN FIELD, TUCSON, AZ. NDB/DME OR GPS RWY 6R, AMDT 1A...PROCEDURE NA. 1704101344-1711201344EST.

Tucson Intl

FDC 7/9135 TUS IAP TUCSON INTL, TUCSON, AZ. LOC/DME BC RWY 29R, AMDT 8...VOR OR TACAN RWY 11L, AMDT 1A...VOR/DME OR TACAN RWY 29R, AMDT 2D...CIRCLING CAT A MDA 3160/HAA 517. 2848 MSL CONTROL TOWER 2296 FEET SOUTHWEST OF TUS AIRPORT. 1704121511-1711221511EST.

FDC 7/7534 TUS IAP TUCSON INTL, TUCSON, AZ. RNAV (RNP) Y RWY 29R, ORIG-D...RNP 0.30 DA 3059/ HAT 416 ALL CATS. 1702232218-1710052218EST.

FDC 7/4940 TUS IAP TUCSON INTL, TUCSON, AZ. RNAV (GPS) Z RWY 29R, AMDT 2C...DISREGARD NOTE: WHEN VGSI INOPERATIVE, PROCEDURE NA AT NIGHT.. 1704251236-1712051236EST.

FDC 6/1495 TUS IAP TUCSON INTL, TUCSON, AZ. ILS OR LOC RWY 11L, AMDT 14...PARCS FIX MINIMUMS: CIRCLING CAT A MDA 3200/ HAA 557. CONTROL TOWER 2850 MSL 2296FT SOUTHWEST OF TUS AIRPORT (2010-AWP-153-NRA). 1611202026-1707022026EST.

FDC 6/1492 TUS IAP TUCSON INTL, TUCSON, AZ. RNAV (GPS) Z RWY 11L, AMDT 1A...TERMINAL ROUTE FROM WASON TO CALLS MINIMUM ALTITUDE 5100. MINIMUM ALTITUDE AT CALLS 5100. ALL OTHER DATA REMAINS AS PUBLISHED. 1611202025-1707022025EST.

FDC 6/1488 TUS SID TUCSON INTL, TUCSON, AZ. TUCSON EIGHT DEPARTURE...MESCA TRANSITION: MINIMUM ALTITUDE MESCA INT TO SAN SIMON VORTAC (SSO), 10500 FT. REDDY TRANSITION: NA EXCEPT FOR AIRCRAFT EQUIPPED WITH SUITABLE RNAV SYSTEMS, WITH GPS. SSO VORTAC UNUSABLE BELOW 14000 FT. 1611202023-1707022023EST.

ARKANSAS

ASH FLAT

Sharp County Rgnl

FDC 7/9971 CVK IAP SHARP COUNTY RGNL, ASH FLAT, AR. RNAV (GPS) RWY 4, ORIG...DESCENT ANGLE 3.05 / TCH 40 NA. 1704131719-1711231719EST.

BLYTHEVILLE

Arkansas Intl

FDC 7/9702 BYH IAP ARKANSAS INTL, BLYTHEVILLE, AR. ILS OR LOC/DME RWY 18, AMDT 2...MSA KBYH 355751.60N/0895638.20W WITHIN 30 NM 2500.. 1704131348-1711231348EST.

CAMDEN

Harrell Field

FDC 7/4405 CDH IAP HARRELL FIELD, CAMDEN, AR. VOR/DME RWY 1, AMDT 10B...DISREGARD NOTE: WHEN VGSI INOP, STRAIGHT-IN/CIRCLING RWY 1 PROCEDURE NA AT NIGHT. DISREGARD NOTE: WHEN VGSI INOP, CIRCLING RWY 19 NA AT NIGHT. NOTE: NIGHT LANDING: RWY 1 NA. 1704241400-1712041400EST.

CLARKSVILLE

Clarksville Muni

FDC 7/6581 H35 IAP CLARKSVILLE MUNI, CLARKSVILLE, AR. RNAV (GPS) RWY 27, ORIG...RNAV (GPS) RWY 9, ORIG-A...DISREGARD NOTE: WHEN VGSI INOPERATIVE, PROCEDURE NA AT NIGHT. NOTE: PROCEDURE NA AT NIGHT. NOTE: HELICOPTER VISIBILITY REDUCTION BELOW 1 SM NOT AUTHORIZED. 1701222043-1709032043EST.

FDC 7/0258 H35 IAP CLARKSVILLE MUNI, CLARKSVILLE, AR. RNAV (GPS) RWY 9, ORIG-A...DESCENT ANGLE 3.05/TCH 41 NA. 1703252344-1711042344EST.

FDC 7/0255 H35 IAP CLARKSVILLE MUNI, CLARKSVILLE, AR. RNAV (GPS) RWY 27, ORIG...DESCENT ANGLE 3.06/TCH 34 NA. 1703252342-1711042342EST.

CORNING

Corning Muni

FDC 7/4438 4M9 IAP CORNING MUNI, CORNING, AR. RNAV (GPS) RWY 18, ORIG-A...RNAV (GPS) RWY 36, ORIG-A...VOR/DME-A, AMDT 2A...DISREGARD NOTE: PROCEDURE NA AT NIGHT. DISREGARD NOTE: HELICOPTER VISIBILITY REDUCTION BELOW 1 SM NA. 1701141836-1708261836EST.

CROSSETT

Z M Jack Stell Field

FDC 7/4481 CRT IAP Z M JACK STELL FIELD, CROSSETT, AR. RNAV (GPS) RWY 23, ORIG...VOR/DME-A, ORIG-C...NOTE: HELICOPTER VISIBILITY REDUCTION BELOW 1SM NOT AUTHORIZED. NOTE: NIGHT LANDING: RWY 23 NA. 1701141911-1708261911EST.

DE QUEEN

J Lynn Helms Sevier County

FDC 7/6363 DEQ IAP J LYNN HELMS SEVIER COUNTY, DE QUEEN, AR. RNAV (GPS) RWY 8, ORIG-A...DISREGARD NOTE: WHEN VGSI INOPERATIVE, PROCEDURE NA AT NIGHT. DISREGARD NOTE: VISIBILITY REDUCTION BY HELICOPTERS NA. NOTE: RWY 8 HELICOPTER VISIBILITY REDUCTION BELOW 3/4 SM NOT AUTHORIZED. NOTE: 34:1 IS NOT CLEAR. 1704061422-1711161422EST.

DECATUR

Crystal Lake

FDC 7/6517 5M5 IAP CRYSTAL LAKE, DECATUR, AR. RNAV (GPS) RWY 13, ORIG...LNAV HAT CATS A/B/C 542 ALL CATS. CIRCLING HAA CATS A/B 642. CIRCLING CAT C MDA 1880/HAA 702. CHART TDZE: 1178. CHART AIRPORT ELEVATION: 1178. CHART NOTE: PROCEDURE NA AT NIGHT. CHART NOTE: RWY 13, 31 HELICOPTER VISIBILITY REDUCTION BELOW 1 SM NOT AUTHORIZED. THIS IS RNAV (GPS) RWY 13, ORIG-A. 1703171508-PERM.

FDC 7/6516 5M5 IAP CRYSTAL LAKE, DECATUR, AR. VOR/DME RWY 13, AMDT 9...S-13 CATS A/B/C MDA 1820/HAT 642. VIS CAT C 1 7/8. CIRCLING CATS A/B HAA 642. CIRCLING CAT C MDA 1880/HAA 702. CHART NOTE: DME REQUIRED. CHART TDZE 1178, DELETE THRE 1176. CHART AIRPORT ELEVATION: 1178. CHART NOTE: PROCEDURE NA AT NIGHT. CHART NOTE: RWY 13, 31 HELICOPTER VISIBILITY REDUCTION BELOW 1 SM NOT AUTHORIZED. THIS IS VOR RWY 13, AMDT 9A 1703171508-PERM.

DUMAS

Billy Free Muni

FDC 6/0771 0M0 ODP BILLY FREE MUNI, DUMAS, AR. TAKEOFF MINIMUMS AND (OBSTACLE) DEPARTURE PROCEDURES ORIG...TAKEOFF OBSTACLE NOTES: NOTE RWY 18: ROAD AND TREES 71 FEET FROM DER, 510 FEET LEFT OF CENTERLINE, UP TO 63 FEET AGL/222 FEET MSL. ROAD 163 FEET FROM DER, 502 FEET RIGHT OF CENTERLINE, UP TO 17 FEET AGL/176 FEET MSL. TREES BEGINNING 1415 FEET FROM DER, 422 FEET RIGHT OF CENTERLINE, UP TO 66 FEET AGL/225 FEET MSL. NOTE: RWY 36: ROAD AND TREES 83 FEET FROM DER, 237 FEET LEFT OF CENTERLINE, UP TO 48 FEET AGL/210 FEET MSL. TREES 263 FEET FROM DER, 408 FEET RIGHT OF CENTERLINE, UP TO 52 FEET AGL/216 FEET MSL. TREES BEGINNING 1216 FEET FROM DER, 335 FEET LEFT OF CENTERLINE, UP TO 53 FEET AGL/217 FEET MSL. TREES BEGINNING 1611 FEET FROM DER, 228 FEET RIGHT OF CENTERLINE, UP TO 74 FEET AGL/239 FEET MSL. TREES BEGINNING 1960 FEET FROM DER, 428 FEET LEFT OF CENTERLINE, UP TO 82 FEET AGL/246 FEET MSL. ALL OTHER DATA REMAINS AS PUBLISHED. 1612122130-1707242130EST.

EL DORADO

South Arkansas Rgnl At Goodwin Field

FDC 7/4417 ELD IAP SOUTH ARKANSAS RGNL AT GOODWIN FIELD, EL DORADO, AR. RNAV (GPS) RWY 4, ORIG-B...DISREGARD NOTE: NIGHT LANDING: RWY 4, 13, 17, 31, 35 NA. NOTE: NIGHT LANDING: RWY 13 NA. 1704241408-1712041408EST.

FDC 7/4415 ELD IAP SOUTH ARKANSAS RGNL AT GOODWIN FIELD, EL DORADO, AR. ILS OR LOC RWY 22, AMDT 2D...DISREGARD NOTE: NIGHT LANDING: RWY 4, 13, 17, 31, 35 NA. NOTE: NIGHT LANDING: RWY 13 NA. 1704241406-1712041406EST.

FDC 7/4411 ELD IAP SOUTH ARKANSAS RGNL AT GOODWIN FIELD, EL DORADO, AR. VOR/DME RWY 4, AMDT 10B...DISREGARD NOTE: NIGHT LANDING: RWY 4, 13, 17, 31, 35 NA. NOTE: NIGHT LANDING: RWY 13 NA. 1704241404-1712041404EST.

FDC 7/4409 ELD IAP SOUTH ARKANSAS RGNL AT GOODWIN FIELD, EL DORADO, AR. RNAV (GPS) RWY 22, ORIG-B...DISREGARD NOTE: NIGHT LANDING: RWY 4, 13, 17, 31, 35 NA. NOTE: NIGHT LANDING: RWY 13 NA. 1704241402-1712041402EST.

FORT SMITH

Fort Smith Rgnl

FDC 7/9283 FSM ODP FORT SMITH RGNL, FORT SMITH, AR. TAKEOFF MINIMUMS AND (OBSTACLE) DEPARTURE PROCEDURES AMDT 4A...NOTE: RWY 25, MCDONALDS SIGN, 2688 FT FROM DEPARTURE END OF RWY, 1124 FT RIGHT OF CENTERLINE, 40 FT AGL/ 553 FT MSL. ALL OTHER DATA REMAINS AS PUBLISHED. 1705031249-1712131249EST.

FDC 7/8488 FSM IAP U.S. DOD FORT SMITH RGNL, FORT SMITH, AR. HI - VOR/DME OR TACAN RWY 7, AMDT 7...VOR/DME OR TACAN RWY 7, AMDT 11C...VOR/DME PORTION NA. 1705021220-1712121220EST.

HELENA/WEST HELENA

Thompson-Robbins

FDC 7/2488 HEE ODP THOMPSON-ROBBINS, HELENA/WEST HELENA, AR. TAKEOFF MINIMUMS AND (OBSTACLE) DEPARTURE PROCEDURES ORIG...TAKE-OFF MINIMUMS RWY 8: 400 - 2 1/2 OR STANDARD WITH MINIMUM CLIMB OF 250 FT PER NM TO 700. NOTE: RWY 17: TERRAIN 23 FT FROM DER, 494 FT LEFT OF CENTERLINE, 240 MSL. TREE 1017 FT FROM DER, 547 FT LEFT OF CENTERLINE, UP TO 50 FT AGL/287 FT MSL. TREE 1885 FT FROM DER, 804 FT FIGHT OF CENTERLINE, UP TO 103 FT AGL/316 FT MSL. TREES BEGINNING 1953 FT FROM DER, 777 FT LEFT OF CENTERLINE, UP TO 83 FT AGL/315 FT MSL.. NOTE RWY 26: TREES BEGINNING 702 FT FROM DER, 310 FT LEFT OF CENTERLINE, UP TO 59 FT AGL/287 FT MSL. TREE 3402 FT FROM DER, 234 FT RIGHT OF CENTERLINE, UP TO 122 FT AGL/332 FT MSL.. NOTE: RWY 35: TERRAIN 194 FT FROM DER, 490 FT RIGHT OF CENTERLINE, 256 MSL. TREES BEGINNING 214 FT FROM DER, 546 LEFT OF CENTERLINE, UP TO 69 FT AGL/303 FT MSL. TREES BEGINNING 932 FT FROM DER, 665 FT RIGHT OF CENTERLINE, UP TO 66 FT AGL/307 FT MSL. TREES BEGINNING 1920 FT FROM DER, 923 FT LEFT OF CENTERLINE, UP TO 86 FT AGL/319 FT MSL. TREES BEGINNING 2252 FT FROM DER, 1102 FT RIGHT OF CENTERLINE, UP TO 106 FT AGL/347 FT MSL. TREES 3132 FT FROM DER, 80 LEFT OF CENTERLINE, UP TO 104 FT AGL/330 FT MSL.. ALL OTHER DATA REMAINS AS PUBLISHED. 1703081702-1710181702EST.

HOPE

Hope Muni

FDC 7/4443 M18 IAP HOPE MUNI, HOPE, AR. NDB RWY 16, AMDT 5...DISREGARD VDA 3.03/TCH 42.00. PROFILE NOTE: VISUAL SEGMENT - OBSTACLES. 1702142037-1709262037EST.

HOT SPRINGS

Memorial Field

FDC 7/8846 HOT IAP MEMORIAL FIELD, HOT SPRINGS, AR. ILS OR LOC RWY 5, AMDT 15A...S-ILS 5 DA 732/HAT 230 ALL CATS. 1703231322-1711021322EST.

FDC 7/8258 HOT IAP MEMORIAL FIELD, HOT SPRINGS, AR. VOR Z RWY 5, AMDT 4C...S-5 MDA 960/HAT 444. ADAMS FIELD ALTIMETER SETTING MINIMUMS S-5 MDA 1120/HAT 604. DISTANCE VDP TO THLD 1.27 NM. 1702262014-1710082014EST.

JONESBORO

Jonesboro Muni

FDC 7/7558 JBR IAP JONESBORO MUNI, JONESBORO, AR. RNAV (GPS) RWY 31, AMDT 1A...DISREGARD NOTE: RWY 31 STRAIGHT-IN AND CIRCLING AND CIRCLING TO RWY 13 NA AT NIGHT. NOTE: NIGHT LANDING: RWY 31 NA. NOTE: CIRCLING NA TO RWY 13. 1704101230-1711201229EST.

FDC 6/8615 JBR IAP JONESBORO MUNI, JONESBORO, AR. ILS OR LOC RWY 23, AMDT 2A...RNAV (GPS) RWY 23, AMDT 1A...RNAV (GPS) RWY 5, AMDT 1A...VOR RWY 23, AMDT 11A...DISREGARD NOTE: CIRCLING TO RWY 13-31 NA AT NIGHT. NOTE: NIGHT LANDING: RWY 31 NA. NOTE: CIRCLING NA TO RWY 13. 1612072224-1707192224EST.

LITTLE ROCK

Bill And Hillary Clinton National/Adams Field

FDC 7/8833 LIT IAP BILL AND HILLARY CLINTON NATIONAL/ADAMS FIELD, LITTLE ROCK, AR. RNAV (GPS) RWY 36, ORIG-B...DESCENT ANGLE 3.00/TCH 50 NOT AUTHORIZED. 1703231313-1711021313EST.

FDC 6/5724 LIT IAP BILL AND HILLARY CLINTON NATIONAL/ADAMS FIELD, LITTLE ROCK, AR. ILS OR LOC RWY 4L, AMDT 26...DME UNUSABLE WITHIN 0.50 NM OF THRESHOLD. 1612301923-1708111923EST.

MENA

Mena Intermountain Muni

FDC 7/6565 MEZ IAP MENA INTERMOUNTAIN MUNI, MENA, AR. NDB RWY 27, AMDT 1...TERMINAL ROUTE: PGO VORTAC, OK TO FENCH (VM) LOM, AR NA. PGO VOR RADIALS 090-145 UNUSABLE. NOTE: CIRCLING RWY 17 NA AT NIGHT. 1701222031-1709032031EST.

FDC 7/6563 MEZ IAP MENA INTERMOUNTAIN MUNI, MENA, AR. ILS OR LOC RWY 27, AMDT 1A...TERMINAL ROUTE: PGO VORTAC, OK TO FENCH (VM) LOM, AR NA. PGO VOR RADIALS 090-145 UNUSABLE. NOTE: CIRCLING RWY 17 NA AT NIGHT. 1701222029-1709032029EST.

FDC 7/6561 MEZ IAP MENA INTERMOUNTAIN MUNI, MENA, AR. RNAV (GPS) RWY 17, ORIG-A...NOTE: PROCEDURE NA AT NIGHT. NOTE: RWY 17 HELICOPTER VISIBILITY REDUCTION BELOW 1 SM NOT AUTHORIZED. DISREGARD SYMBOL DEPICTING 34:1 VISUAL SLOPE IS CLEAR. VDP NA. 1701222027-1709032027EST.

FDC 7/0939 MEZ IAP MENA INTERMOUNTAIN MUNI, MENA, AR. VOR/DME-A, AMDT 10...PROCEDURE NA, PGO VOR RADIALS 090-145 UNUSABLE. 1704171156-1711271156EST.

MONTICELLO

Monticello Muni/Ellis Field

FDC 7/6605 LLQ IAP MONTICELLO MUNI/ELLIS FIELD, MONTICELLO, AR. RNAV (GPS) RWY 21, ORIG-A...DISREGARD NOTE: WHEN VGSI INOP, STRAIGHT-IN/CIRCLING RWY 21 NA AT NIGHT. DISREGARD NOTE: WHEN VGSI INOP, CIRCLING RWY 3 NA AT NIGHT. DISREGARD NOTE: VISIBILITY REDUCTION BY HELICOPTERS NA. NOTE: PROCEDURE NA AT NIGHT. NOTE: HELICOPTER VISIBILITY REDUCTION BELOW 1 SM NOT AUTHORIZED. 1701222059-1709032059EST.

FDC 7/6603 LLQ IAP MONTICELLO MUNI/ELLIS FIELD, MONTICELLO, AR. RNAV (GPS) RWY 3, AMDT 1B...DISREGARD NOTE: VISIBILITY REDUCTION BY HELICOPTERS NA. DISREGARD NOTE: WHEN VGSI INOP, STRAIGHT-IN/CIRCLING RWY 3 PROCEDURE NA AT NIGHT. DISREGARD NOTE: WHEN VGSI INOP, CIRCLING RWY 21 NA AT NIGHT. NOTE: PROCEDURE NA AT NIGHT. NOTE: HELICOPTER VISIBILITY REDUCTION BELOW 1 SM NOT AUTHORIZED. 1701222058-1709032058EST.

FDC 7/6601 LLQ IAP MONTICELLO MUNI/ELLIS FIELD, MONTICELLO, AR. VOR-A, AMDT 6A...DISREGARD NOTE: WHEN VGSI INOP, CIRCLING RWY 3/21 NA AT NIGHT. DISREGARD NOTE: VISIBILITY REDUCTION BY HELICOPTERS NA. NOTE: PROCEDURE NA AT NIGHT. NOTE: HELICOPTER VISIBILITY REDUCTION BELOW 1 SM NOT AUTHORIZED. 1701222057-1709032057EST.

MORRILTON

Petit Jean Park

FDC 7/1828 MPJ ODP PETIT JEAN PARK, MORRILTON, AR. TAKEOFF MINIMUMS AND (OBSTACLE) DEPARTURE PROCEDURES AMDT 1...TAKE-OFF MINIMUMS RWY 3: 300-1 OR STANDARD WITH MINIMUM CLIMB OF 326 PER NM TO 1300 BEFORE TURNING.. ALL OTHER DATA REMAINS AS PUBLISHED. 1703282232-1711072231EST.

MOUNTAIN VIEW

Mountain View Wilcox Memorial Field

FDC 7/6313 7M2 IAP MOUNTAIN VIEW WILCOX MEMORIAL FIELD, MOUNTAIN VIEW, AR. RNAV (GPS) RWY 27, ORIG...DESCENT ANGLE 3.05/TCH 40 NA. 1703162112-1710262112EST.

PINE BLUFF

Grider Field

FDC 7/5464 PBF IAP GRIDER FIELD, PINE BLUFF, AR. VOR/DME RWY 36, AMDT 12A...S-36 MINIMUMS NA. 1702162141-1709282140EST.

POCAHONTAS

Pocahontas Muni

FDC 7/8754 M70 IAP POCAHONTAS MUNI, POCAHONTAS, AR. VOR OR GPS RWY 36, AMDT 6...S-36: CAT A/B MDA 860/HAT 589. CIRCLING: CAT A/B MDA 900/HAA 629. JONESBORO ALTIMETER SETTING MINIMUMS S-36: CAT A/B MDA 960/HAT 689. MISSED APPROACH: CLIMB TO 2100, THEN LEFT TURN DIRECT ARG VORTAC AND HOLD. NOTE: HELICOPTER VISIBILITY REDUCTION BELOW 3/4 SM NOT AUTHORIZED. 1704121212-1711221212EST.

ROGERS

Rogers Executive - Carter Field

FDC 7/8268 ROG IAP ROGERS EXECUTIVE - CARTER FIELD, ROGERS, AR. VOR RWY 2, AMDT 13D...NOTE: RWY 2 HELICOPTER VISIBILITY REDUCTION BELOW 3/4 SM NOT AUTHORIZED. 1702262022-1710082022EST.

FDC 7/8260 ROG IAP ROGERS EXECUTIVE - CARTER FIELD, ROGERS, AR. RNAV (GPS) RWY 2, ORIG-A...NOTE: RWY 2 HELICOPTER VISIBILITY REDUCTION BELOW 3/4 SM NOT AUTHORIZED. PLANVIEW NOTE: PROCEDURE NA FOR ARRIVALS AT ZOSEN ON V140 WESTBOUND, AND ARRIVALS AT YUGUN ON V527 SOUTHEAST BOUND. 1702262016-1710082016EST.

RUSSELLVILLE

Russellville Rgnl

FDC 7/2006 RUE ODP RUSSELLVILLE RGNL, RUSSELLVILLE, AR. TAKEOFF MINIMUMS AND (OBSTACLE) DEPARTURE PROCEDURES AMDT 1...TAKE-OFF MINIMUMS: RWY 7: STANDARD WITH MINIMUM CLIMB OF 490 FT PER NM TO 900. RWY 25: STANDARD WITH MINIMUM CLIMB OF 260 FT PER NM TO 2500.. ALL OTHER DATA REMAINS AS PUBLISHED. 1703291232-1711081232EST.

SPRINGDALE

Springdale Muni

FDC 7/5658 ASG IAP SPRINGDALE MUNI, SPRINGDALE, AR. ILS OR LOC RWY 18, AMDT 8D...CHANGE NOTE TO READ: AUTOPILOT COUPLED APPROACH NA BELOW 1900.. 1702171832-1709291832EST.

WALNUT RIDGE

Walnut Ridge Rgnl

FDC 7/8626 ARG IAP WALNUT RIDGE RGNL, WALNUT RIDGE, AR. LOC RWY 18, AMDT 3B...PROCEDURE NA EXCEPT FOR AIRCRAFT EQUIPPED WITH SUITABLE RNAV SYSTEM WITH GPS, TNZ NDB OUT OF SERVICE. 1705021450-1707061450EST.

WEST MEMPHIS

West Memphis Muni

FDC 6/1440 AWM IAP WEST MEMPHIS MUNI, WEST MEMPHIS, AR. RNAV (GPS) RWY 35, ORIG...VOR/DME-A, AMDT 6...CIRCLING CATS A/B/C MDA 720/HAA 508. CRANE, 367 MSL, 1.47 NM NORTH OF KAWM, 2015-ASW-7584-OE. 1609301924-1705121924EST.

FDC 6/1439 AWM IAP WEST MEMPHIS MUNI, WEST MEMPHIS, AR. RNAV (GPS) RWY 17, ORIG...LNAV/VNAV DA 714/HAT 502 ALL CATS. VIS 1 1/4 ALL CATS. LNAV MDA 680/HAT 468 ALL CATS. VIS CATS C/D 1. CIRCLING CATS A/B/C MDA 720/HAA 508. VDP 1.31 NM TO RWY 17. FOR INOPERATIVE MALSR, INCREASE LNAV CAT D VISIBILITY TO 1 3/8 MILE. CRANE, 367 MSL, 1.47 NM NORTH OF KAWM, 2015-ASW-7584-OE. 1609301924-1705121924EST.

FDC 6/1438 AWM ODP WEST MEMPHIS MUNI, WEST MEMPHIS, AR. TAKEOFF MINIMUMS AND (OBSTACLE) DEPARTURE PROCEDURES AMDT 1...TAKE-OFF MINIMUMS RWY 17, 200 - 1 1/4 OR STANDARD WITH MINIMUM CLIMB OF 291 FT PER NM TO 500. NOTE: RWY 17, TEMPORARY CRANE, 5882 FT FROM DEPARTURE END OF RWY, 828 FT RIGHT OF CENTERLINE, 150 AGL/367 MSL, 2015-ASW-7584-OE. ALL OTHER DATA REMAINS AS PUBLISHED. 1609301924-1705121924EST.

CALIFORNIA

APPLE VALLEY

Apple Valley

FDC 7/1033 APV IAP APPLE VALLEY, APPLE VALLEY, CA. RNAV (GPS) Z RWY 18, ORIG-B...PROCEDURE NA. 1704171252-1711271252EST.

ARCATA/EUREKA

Arcata

FDC 7/6442 ACV IAP ARCATA, ARCATA/EUREKA, CA. ILS Y OR LOC/DME RWY 32, AMDT 2C...MISSED APPROACH: CLIMB TO 1600 THEN CLIMBING LEFT TURN TO 3000 DIRECT ACV VOR/DME AND HOLD. ALTERNATE MINIMUMS: NA. 1704061444-1711161444EST.

FDC 7/1813 ACV SID ARCATA, ARCATA/EUREKA, CA. HOCUT FOUR DEPARTURE...TAKEOFF MINIMUMS: RWY 1, STANDARD WITH MINIMUM CLIMB OF 360 FT PER NM TO 2600. RWY 14, STANDARD WITH MINIMUM CLIMB OF 445 FT PER NM TO 2300. RWY 19, STANDARD WITH MINIMUM CLIMB OF 370 FT PER NM TO 3000. RWY 32, STANDARD WITH MINIMUM CLIMB OF 370 FT PER NM TO 3000. CHANGE CRESCENT CITY (CEC) VORTAC TO TRIAL INT FROM CEC R-161 TO CEC R-166. ALL OTHER DATA REMAINS AS PUBLISHED. 1703282216-1711072216EST.

FDC 7/1811 ACV ODP ARCATA, ARCATA/EUREKA, CA. TAKEOFF MINIMUMS AND (OBSTACLE) DEPARTURE PROCEDURES AMDT 7...TAKEOFF MINIMUMS: RWY 1, STANDARD WITH MINIMUM CLIMB OF 360 FT PER NM TO 2600 OR 1400-2 ? FOR CLIMB IN VISUAL CONDITIONS. RWY 14, STANDARD WITH MINIMUM CLIMB OF 445 FT PER NM TO 2300. RWY 19, STANDARD WITH MINIMUM CLIMB OF 370 FT PER NM TO 3000. RWY 32, STANDARD WITH MINIMUM CLIMB OF 370 FT PER NM TO 3000. DEPARTURE PROCEDURE: RWY 1 ? CLIMBING LEFT TURN THENCE?OR CLIMB IN VISUAL CONDITIONS: CROSS ARCATA AIRPORT WESTBOUND AT OR ABOVE 1500, WHEN EXECUTING VCOA, NOTIFY ATC PRIOR TO DEPARTURE THENCE...ALL OTHER DATA REMAINS AS PUBLISHED. 1703282214-1711072214EST.

FDC 6/1465 ACV IAP ARCATA, ARCATA/EUREKA, CA. ILS Z RWY 32, AMDT 30B...PROCEDURE NA. 1611202012-1707022012EST.

ATWATER

Castle

FDC 7/3559 MER IAP CASTLE, ATWATER, CA. ILS OR LOC/DME RWY 31, AMDT 2E...VOR/DME RWY 31, AMDT 1B...ALTERNATE MINIMUMS NA, HYP VOR/DME UNMONITORED. 1704202028-1705202028EST.

AVALON

Catalina

FDC 7/1693 AVX IAP CATALINA, AVALON, CA. VOR OR GPS-A, AMDT 4B...CIRCLING CAT B MDA 2580/HAA 978. 1704181230-1711281230EST.

BAKERSFIELD

Meadows Field

FDC 6/1183 BFL IAP MEADOWS FIELD, BAKERSFIELD, CA. ILS OR LOC RWY 30R, AMDT 31...VOR-A, ORIG-A...ALTERNATE MINIMUMS NA, EHF VORTAC UNMONITORED. 1611021352-1706141352EST.

BISHOP

Bishop

FDC 7/8962 BIH IAP BISHOP, BISHOP, CA. LDA/DME RWY 16, ORIG-B...CHANGE ALL REFERENCE FROM RWY 16/34 TO RWY 17/35 AND RWY 7/25 TO RWY 8/26. 1701292346-1709102346EST.

FDC 7/8900 BIH ODP BISHOP, BISHOP, CA. TAKEOFF MINIMUMS AND (OBSTACLE) DEPARTURE PROCEDURES AMDT 3B...CHANGE ALL REFERENCE FROM RWY 7/25 TO RWY 8/26. ALL OTHER DATA REMAINS AS PUBLISHED. 1702281403-1710101403EST.

FDC 7/4596 BIH IAP BISHOP, BISHOP, CA. RNAV (RNP) RWY 30, ORIG-C...RNP 0.30 DA 4465/HAT 364 ALL CATS. CHART NOTE: HELICOPTER VISIBILITY REDUCTION BELOW 3/4 SM NA.. 1704241644-1712041644EST.

BURBANK

Bob Hope

FDC 7/9847 BUR STAR BOB HOPE AIRPORT BURBANK, CA. CEEME5 ARRIVAL.. PROCEDURE NA. 1703021400-1803022359.

FDC 7/4206 BUR IAP BOB HOPE, BURBANK, CA. RNAV (RNP) Y RWY 8, AMDT 2...DISREGARD NOTE: WHEN CIRCLING TO RWY 8 AT NIGHT, OPERATIONAL VGSI REQUIRED, REMAIN ON OR ABOVE VGSI GLIDEPATH UNTIL THRESHOLD. ADD NOTE: STRAIGHT-IN RWY 8 AT NIGHT, OPERATIONAL VGSI REQUIRED, REMAIN ON OR ABOVE VGSI GLIDEPATH UNTIL THRESHOLD. 1704241236-1712041236EST.

FDC 7/4098 BUR SID BOB HOPE, BURBANK, CA. VVERA ONE DEPARTURE (RNAV)...DISREGARD NOTE: THIS DEPARTURE NOT AUTHORIZED FOR TURBOJET AIRCRAFT. NOTE: THIS DEPARTURE AUTHORIZED FOR TURBOPROP AIRCRAFT ONLY. ALL OTHER DATA REMAINS AS PUBLISHED. 1703311852-1711101852EST.

FDC 7/4018 BUR IAP BOB HOPE, BURBANK, CA. ILS Y OR LOC Y RWY 8, AMDT 6...NOTE: CIRCLING RWY 33 AT NIGHT NA FOR CAT D. NOTE: AUTOPILOT COUPLED APPROACH NA BELOW 1400. DISREGARD NOTE: AUTOPILOT COUPLED APPROACH NA BELOW 1027. 1703311625-1711101625EST.

FDC 7/4016 BUR IAP BOB HOPE, BURBANK, CA. RNAV (GPS) Z RWY 8, AMDT 2...RNAV (GPS)-A, ORIG...VOR RWY 8, AMDT 12...NOTE: CIRCLING RWY 33 AT NIGHT NA FOR CAT D. 1703311625-1711101625EST.

FDC 7/4005 BUR IAP BOB HOPE, BURBANK, CA. ILS Z OR LOC Z RWY 8, AMDT 39...NOTE: AUTOPILOT COUPLED APPROACH NA BELOW 1400. DISREGARD NOTE: AUTOPILOT COUPLED APPROACH NA BELOW 1027. 1703311622-1711101620EST.

CARLSBAD

Mc Clellan-Palomar

FDC 7/9861 CRQ STAR MCCLELLAN-PALOMAR AIRPORT CARLSBAD, CA. FODRR2 ARRIVAL... PROCEDURE NA. 1703021400-1803022359.

CHICO

Chico Muni

FDC 7/7699 CIC SID CHICO MUNI, CHICO, CA. CHICO TWO DEPARTURE...TAKE-OFF MINIMUMS: RWY 13L,13R STANDARD WITH CLIMB OF 305 FT PER NM TO 2000. 1703211915-1707221915EST.

FDC 7/5468 CIC SID CHICO MUNI, CHICO, CA. CHICO TWO DEPARTURE...NOTE: RADAR REQUIRED. ALL OTHER DATA REMAINS AS PUBLISHED. 1702162143-1709282143EST.

CLOVERDALE

Cloverdale Muni

FDC 7/9298 O60 IAP CLOVERDALE MUNI, CLOVERDALE, CA. RNAV (GPS) RWY 32, ORIG-A...LNAV MINIMUMS NA. NOTE: HELICOPTER VISIBILITY REDUCTION BELOW 1 SM NOT AUTHORIZED. 1705031305-1712131305EST.

CONCORD

Buchanan Field

FDC 7/9176 CCR IAP BUCHANAN FIELD, CONCORD, CA. LDA RWY 19R, AMDT 7E...DESCENT ANGLE KANAN LOM TO RW19R: 3.51/TCH 28. 1705031209-1712131209EST.

FDC 7/6344 CCR ODP BUCHANAN FIELD, CONCORD, CA. TAKEOFF MINIMUMS AND (OBSTACLE) DEPARTURE PROCEDURES AMDT 2...TAKE-OFF MINIMUMS RWY 32L/R: STANDARD WITH MINIMUM CLIMB OF 320 TO 1400, OR 2200 - 3 FOR CLIMB IN VISUAL CONDITIONS.. TEXTUAL DEPARTURE PROCEDURE: FOR AIRCRAFT DEPARTING ALL RWYS AND USING THE CLIMB IN VISUAL CONDITIONS TO CROSS BUCHANAN AIRPORT NORTHBOUND AT OR ABOVE 2100 ON CCR R-173 TO CCR VOR/DME. WHEN EXECUTING VCOA, NOTIFY ATC PRIOR TO DEPARTURE, THENCE....TEXTUAL DEPARTURE PROCEDURE: CHANGE...AIRCRAFT DEPARTING CCR VOR/DME NOTE TO READ:...AIRCRAFT DEPARTING CCR VOR/DME R-150 CLOCKWISE R-110 CLIMB ON COURSE. ALL OTHERS CLIMB IN CCR VOR/DME HOLDING PATTERN (HOLD N, LEFT TURNS, 191.00 INBOUND) TO CROSS CCR VOR/DME AT OR ABOVE 3400 FEET BEFORE PROCEEDING ON COURSE.. ALL OTHER DATA REMAINS AS PUBLISHED. 1701201837-1709011837EST.

DAGGETT

Barstow-Daggett

FDC 6/8398 DAG IAP BARSTOW-DAGGETT, DAGGETT, CA. RNAV (GPS) RWY 22, AMDT 2A...VOR OR TACAN RWY 22, AMDT 10A...NOTE: RWY 22 HELICOPTER VISIBILITY REDUCTION BELOW 3/4 SM NOT AUTHORIZED. 1612071955-1707191955EST.

EL MONTE

San Gabriel Valley

FDC 7/9180 EMT ODP SAN GABRIEL VALLEY, EL MONTE, CA. TAKEOFF MINIMUMS AND (OBSTACLE) DEPARTURE PROCEDURES AMDT 5...CHANGE ALL REFERENCES EL MONTE TO READ SAN GABRIEL VALLEY. ALL OTHER DATA REMAINS AS PUBLISHED. 1705031212-1712131212EST.

FRESNO

Fresno Yosemite Intl

FDC 7/3333 FAT IAP FRESNO YOSEMITE INTL, FRESNO, CA. VOR/DME OR TACAN RWY 11L, AMDT 2A...VOR/DME OR TACAN RWY 29R, AMDT 2A...TACAN PORTION NA, CZQ TACAN AZIMUTH OUT OF SERVICE. 1702101505-1709221505EST.

FDC 6/1588 FAT SID FRESNO YOSEMITE INTL, FRESNO, CA. BULLDOG ONE DEPARTURE...YOSEMITE ONE DEPARTURE...DEPARTURE PROCEDURE: THENCE...CLIMB TO 10,000 (OR AS ASSIGNED BY ATC), EXPECT RADAR VECTORS TO ASSIGNED ROUTE. EXPECT FILED ALTITUDE FIVE MINUTES AFTER DEPARTURE. ALL OTHER DATA REMAINS AS PUBLISHED. 1611202307-1707022307EST.

GRASS VALLEY

Nevada County Air Park

FDC 7/4350 GOO IAP NEVADA COUNTY AIR PARK, GRASS VALLEY, CA. GPS RWY 7, ORIG-A...PROCEDURE NA. 1704241319-1712041318EST.

FDC 6/4715 GOO ODP NEVADA COUNTY AIR PARK, GRASS VALLEY, CA. TAKEOFF MINIMUMS AND (OBSTACLE) DEPARTURE PROCEDURES AMDT 1...NOTE: RWY 25, TREE, BUSH BEGINNING 40 FT FROM DER, 78 FT RIGHT OF CENTERLINE, UP TO 3087 FT MSL. TREES BEGINNING 68 FT FROM DER, 312 FT LEFT OF CENTERLINE, UP TO 3137 FT MSL. TREES BEGINNING 593 FT FROM DER, 149 FT RIGHT OF CENTERLINE, UP TO 3088 FT MSL. TREE 648 FT FROM DER, 176 FT RIGHT OF CENTERLINE, 3093 FT MSL. TREES BEGINNING 698 FT FROM DER, 175 FT RIGHT OF CENTERLINE, UP TO 3094 FT MSL. TREE 748 FT FROM DER, 138 FT RIGHT OF CENTERLINE, 3096 FT MSL. TREE 773 FT FROM DER, 167 FT RIGHT OF CENTERLINE, 3102 FT MSL. ALL OTHER DATA REMAINS AS PUBLISHED. 1612231809-1708041809EST.

FDC 6/4714 GOO IAP NEVADA COUNTY AIR PARK, GRASS VALLEY, CA. VOR OR GPS-A, AMDT 1A...MISSED APPROACH: CLIMBING RIGHT TURN TO 5100 ON MYV R-058 TO BINNT INT/MYV 13.00 DME AND HOLD. MSA FROM MYV VOR/DME: 330-140 5600, 140-330 3400. 1612231807-1708041807EST.

GROVELAND

Pine Mountain Lake

FDC 7/2249 E45 IAP PINE MOUNTAIN LAKE, GROVELAND, CA. GPS RWY 27, ORIG-A...RNAV (GPS) RWY 9, ORIG-A...DISREGARD NOTE: PROCEDURE NA AT NIGHT.. 1702072353-1709192353EST.

GUALALA

Redwood Coast Medical Services

FDC 7/3521 85CA SPECIAL REDWOOD COAST MEDICAL SERVICES, GUALALA, CA. COPTER RNAV (GPS) 015, ORIG...MSA FROM ILJEP 4800.. 1702112002-1709232002EST.

LA VERNE

Brackett Field

FDC 6/1479 POC ODP BRACKETT FIELD, LA VERNE, CA. TAKEOFF MINIMUMS AND (OBSTACLE) DEPARTURE PROCEDURES AMDT 5.TAKEOFF MINIMUMS: RWY 8L, 8R: STANDARD WITH MINIMUM CLIMB OF 230 FT PER NM TO 7300. RWY 26L, 26R: 300-1 WITH MINIMUM CLIMB OF 230 FT PER NM TO 7300. DEPARTURE PROCEDURE: CHANGE AIRCRAFT DEPARTING PRADO INT TO READ: AIRCRAFT DEPARTING PRADO INT HEADING 141 CW 290 CLIMB ON COURSE. ALL OTHERS CLIMB IN PRADO INT HOLDING PATTERN (HOLD N, RT, 164 INBOUND) TO DEPART PRADO INT AT OR ABOVE: 291 CW 340. 6600; 341 CW 050, 7900; 051 CW 090, 5200; 091 CW 140, 4200. TAKEOFF OBSTACLES: NOTE: RWY 8L, SIGN 23 FT FROM DER, 98 FT LEFT OF CENTERLINE, UP TO 2 FT AGL/1015 FT MSL. ROAD BEGINNING 46 FT FROM DER, LEFT AND RIGHT OF CENTERLINE, UP TO 15 FT AGL/1033 FT MSL. BUILDINGS BEGINNING 394 FT FROM DER, 576 FT LEFT OF CENTERLINE, UP TO 42 FT AGL/1062 FT MSL. POLES BEGINNING 875 FT FROM DER, LEFT AND RIGHT OF CENTERLINE, UP TO 47 FT AGL/1069 FT MSL. TREES AND POLES BEGINNING 1803 FT FROM DER, LEFT AND RIGHT OF CENTERLINE, UP TO 72 FT AGL/1094 FT MSL. NOTE: RWY 8R, SIGN 42 FT FROM DER, 239 RIGHT OF CENTERLINE, UP TO 6 AGL/1016 FT MSL. ROAD BEGINNING 118 FT FROM DER, LEFT AND RIGHT OF CENTERLINE, UP TO 15 FT AGL/1034 FT MSL. POLES BEGINNING 900 FT FROM DER, LEFT AND RIGHT OF CENTERLINE, UP TO 58 FT AGL/1058 FT ALL OTHER DATA REMAINS AS PUBLISHED. MSL. POLES BEGINNING 1325 FT FROM DER, LEFT AND RIGHT OF CENTERLINE, UP TO 69 FT AGL/1069 FT MSL. POLES AND TREES BEGINNIG 1727 FT FROM DER, LEFT AND RIGHT OF CENTERLINE, UP TO 72 FT AGL/1094 FT MSL. TOWER AND TREES BEGINIING 3447 FT FROM DER, LEFT AND RIGHT OF CENTERLINE, UP TO 94 FT AGL/1114 FT MSL. ALL OTHER DATA REMAINS AS PUBLISHED. 1611202020-1707022019EST

LANCASTER

General Wm J Fox Airfield

FDC 7/1387 WJF IAP GENERAL WM J FOX AIRFIELD, LANCASTER, CA. RNAV (GPS) RWY 6, ORIG...LPV MINIMUMS NA. LNAV/VNAV MINIMUMS NA. LNAV MINIMUMS NA.. 1704171711-1711271711EST.

LIVERMORE

Livermore Muni

FDC 7/9892 LVK IAP LIVERMORE MUNI, LIVERMORE, CA. ILS RWY 25R, AMDT 7A...S-LOC 25R MDA 1020/HAT 623 ALL CATS, VIS CAT C/D 1-3/8. CIRCLING CAT A/B/C MDA 1020/HAA 623, VIS CAT C 1-3/4. NOTE: FOR INOPERATIVE ALS, INCREASE S-LOC 25R CAT C/D VISIBILITY TO 1 3/4 SM. ALTERNATE MINIMUMS: NA WHEN CONTROL TOWER CLOSED. 1704131601-1711231601EST.

LONG BEACH

Long Beach /Daugherty Field/

FDC 7/9911 LGB SID LONG BEACH /DAUGHERTY FIELD/, LONG BEACH, CA. SENIC TWO DEPARTURE (RNAV)...DEPARTURE PROCEDURE NA. 1703020930-1710120910EST.

FDC 7/5887 LGB SID LONG BEACH /DAUGHERTY FIELD/, LONG BEACH, CA. TOPMM ONE DEPARTURE...CHART NOTE: IKAYE TRANSITION, ATC ASSIGNED ONLY. ALL OTHER DATA REMAINS UNCHANGED. 1704270901-1712061908EST.

FDC 6/5618 LGB STAR LONG BEACH/DAUGHERTY FIELD, LONG BEACH, CA. TANDY FOUR ARRIVAL: FLW TRANSITION NA EXCEPT FOR AIRCRAFT EQUIPPED WITH SUITABLE RNAV SYSTEM WITH GPS. 1611100800-1711092359.

Star Long Beach/Daugherty Field

FDC 7/5867 LGB STAR LONG BEACH/DAUGHERTY FIELD, LONG BEACH, CA. PCIFC ONE ARRIVAL CHANGE NOTE: TURBOJETS AND TURBOPROPS ONLY TO READ NOTE: TURBOJET AND HIGH PERFORMANCE TURBOPROP AIRCRAFT ONLY ADD NOTE: REESR TRANSITION ATC ASSIGNED ONLY. 1704270800-1804272359.

LOS ANGELES

Los Angeles Intl

FDC 7/9857 LAX STAR LOS ANGELES INTERNATIONAL AIRPORT LOS ANGELES, CA. RIIVR3 ARRIVAL...PROCEDURE NA. 1703021400-1803022359.

FDC 7/9851 LAX IAP LOS ANGELES INTL, LOS ANGELES, CA. RNAV (RNP) Z RWY 24L, AMDT 1D...RNAV (RNP) Z RWY 24R, AMDT 1...RNAV (RNP) Z RWY 25L, AMDT 2...PROCEDURE NA. 1705031959-1712131959EST.

FDC 7/8893 LAX SID LOS ANGELES INTL, LOS ANGELES, CA. CASTA SEVEN DEPARTURE (RNAV)...GABRE ONE DEPARTURE...HOLTZ TWO DEPARTURE (RNAV)...KARVR FIVE DEPARTURE (RNAV)...LOOP NINE DEPARTURE...DEPARTURE PROCEDURE NA. 1705021735-1712121735EST.

FDC 7/7346 LAX STAR LOS ANGELES INTL AIRPORT LOS ANGELES, CA LEENA SIX ARRIVAL FICKY TRANSITION AUTH MCKEY TRANSITION AUTH CYPRS TRANSITION NOT AUTH DAISY TRANSITION NOT AUTH FIM TRANSITION NOT AUTH FLW TRANSITION NOT AUTH MALIT TRANSITION NOT AUTH ROSIN TRANSITION NOT AUTH GOATZ TRANSITION NOT AUTH 1704281840-1804282359.

FDC 7/5891 LAX SID LOS ANGELES INTL, LOS ANGELES, CA. FIXIT FOUR DEPARTURE (RNAV)...DEPARTURE PROCEDURE ASSIGNED BY ATC ONLY. ALL OTHER DATA REMAINS AS PUBLISHED. 1704270901-1712061915EST.

FDC 7/5889 LAX SID LOS ANGELES INTL, LOS ANGELES, CA. TRTON ONE DEPARTURE...DELETE NOTE: FICKY TRANSITION: ATC ASSIGNED ONLY. ALL OTHER DATA REMAINS UNCHANGED. 1704270901-1712061911EST.

FDC 7/5883 LAX STAR LOS ANGELES INTL AIRPORT, LOS ANGELES, CA. RYDDR ONE ARRIVAL... ADD NOTE: EXPECT RWY 24R UNLESS OTHERWISE ASSIGNED BY ATC LOST COMMUNICATION: IN THE EVENT OF LOST COMMUNICATIONS PROCEED ON THE RNAV (RNP) Z RWY 24R OR THE ILS LOC RWY 24R. 1704270800-1804272359.

FDC 7/5865 LAX STAR LOS ANGELES INTL AIRPORT, LOS ANGELES, CA. ZUUMA ONE ARRIVAL CHANGE NOTE: TURBOJETS AND TURBOPROPS ONLY TO READ NOTE: TURBOJET AIRCRAFT ONLY CHANGE NOTE: ZUUMA STAR IS FOR LOS ANGELES LANDING EAST TRAFFIC ONLT TO READ NOTE: ZUUMA STAR USED DURING LAX EAST TRAFFIC OPERATIONS AND NOISE ABATEMENT CONFIGURATIONS 0000-0630 LCL. 1704270830-1804272359.

FDC 7/5864 LAX STAR LOS ANGELES INTL AIRPORT, LOS ANGELES, CA. SNSTT ONE ARRIVAL ADD NOTE: SNSTT STAR ATC ASSIGNED ONLY. 1704270830-1804272359.

FDC 7/5863 LAX STAR LOS ANGELES INTL AIRPORT, LOS ANGELES, CA. IRNMN ONE ARRIVAL CHANGE NOTE: TURBOJETS AND TURBOPROPS ONLY TO READ NOTE: TURBOJET AIRCRAFT ONLY ADD NOTE: FRASR TRANSITION ATC ASSIGNED ONLY ADD NOTE: MUPTT TRANSITION ATC ASSIGNED ONLY ADD NOTE: EXPECT RUNWAY 24R UNLESS OTHERWISE ASSIGNED BY ATC LOST COMMUNICATION: IN THE EVENT OF LOST COMMUNICATIONS PROCEED ON THE RNAV (RNP) Z RWY 24R OR THE ILS OR LOC RWY 24R. 1704270830-1804272359.

FDC 7/5858 LAX SID LOS ANGELES INTL, LOS ANGELES, CA. WNNDY ONE DEPARTURE...NOTE: FOR TURBOJET AIRCRAFT ONLY. ALL OTHER DATA REMAINS AS PUBLISHED. 1704270901-1712061850EST.

FDC 7/5857 LAX STAR LOS ANGELES INTL AIRPORT, LOS ANGELES, CA. MDNYT ONE ARRIVAL ADD NOTE: CGNEY TRANSITION ATC ASSIGNED ONLY. 1704270830-1804272359.

FDC 7/5855 LAX STAR LOS ANGELES INTL AIRPORT, LOS ANGELES, CA. BIGBR ONE ARRIVAL ADD NOTE: CGNEY TRANSITION ATC ASSIGNED ONLY. 1704270830-1804272359.

FDC 7/5854 LAX STAR LOS ANGELES INTL AIRPORT, LOS ANGELES, CA. ANJLL ONE ARRIVAL ADD NOTE: CGNEY TRANSITION ATC ASSIGNED ONLY. 1704270830-1804272359.

FDC 7/5853 LAX STAR LOS ANGELES INTL AIRPORT, LOS ANGELES, CA. BUFIGE FOUR ARRIVAL PROCEDURE NOT AUTH. 1704270830-1804272359.

FDC 7/5851 LAX ODP LOS ANGELES INTL, LOS ANGELES, CA. TAKEOFF MINIMUMS AND (OBSTACLE) DEPARTURE PROCEDURES AMDT 13...RWY 07L,25R NA. DIVERSE VECTOR AREA (RADAR VECTORS) AMDT 5...RWY 07L,25R NA. ALL OTHER DATA REMAINS AS PUBLISHED. 1704270901-1712061842EST.

FDC 7/4437 LAX IAP LOS ANGELES INTL, LOS ANGELES, CA. ILS OR LOC RWY 25R, AMDT 18...ILS OR LOC RWY 7L, AMDT 8...RNAV (GPS) RWY 25R, AMDT 2C...RNAV (GPS) Y RWY 7L, AMDT 3...RNAV (RNP) Z RWY 7L, AMDT 1...PROCEDURE NA. 1704241427-1712041427EST.

FDC 7/4200 LAX IAP LOS ANGELES INTL, LOS ANGELES, CA. ILS OR LOC RWY 7L, AMDT 8...DISREGARD NOTE: FOR INOP ALS, INCREASE S-LOC 7L CAT C/D VISIBILITY TO RVR 5500. 1704241229-1712041229EST.

FDC 7/2981 LAX IAP LOS ANGELES INTL, LOS ANGELES, CA. RNAV (GPS) RWY 25R, AMDT 2C...LNAV MDA 700/ HAT 596 ALL CATS. VDP NA. TEMPORARY CRANES 440 MSL BEGINNING 2.42 NM NORTHEAST OF RWY 25R (2016-AWP-11309-OE THROUGH 2016-AWP-11315-OE). 1702101500-1710311500EST.

FDC 7/2979 LAX IAP LOS ANGELES INTL, LOS ANGELES, CA. ILS OR LOC RWY 25R, AMDT 18...S-LOC 25R MDA 700/ HAT 596 ALL CATS. VDP NA. TEMPORARY CRANES 440 MSL BEGINNING 2.42 NM NORTHEAST OF RWY 25R (2016-AWP-11309-OE THROUGH 2016-AWP-11315-OE). 1702101500-1710311500EST.

FDC 7/2767 LAX IAP LOS ANGELES INTL, LOS ANGELES, CA. RNAV (GPS) RWY 25R, AMDT 2C...SEAL BEACH (SLI) TRANSITION NA. 1703301214-1711091214EST.

FDC 7/0809 LAX STAR LOS ANGELES INTERNATIONAL AIRPORT LOS ANGELES, CA. OLDEE1 ARRIVAL.. PROCEDURE NA. 1703272300-1803022359.

FDC 7/0763 LAX STAR LOS ANGELES INTL., LOS ANGELES, CA. BRUEN ONE ARRIVAL...IN THE EVENT OF LOST COMMUNICATION PROCEED ON THE RNAV (RNP) RWY 07R OR THE ILS OR LOC RWY 07R 1703031730-1803022359.

FDC 7/0762 LAX STAR LOS ANGELES INTL., LOS ANGELES, CA. BIGBR ONE ARRIVAL...IN THE EVENT OF LOST COMMUNICATION PROCEED ON THE RNAV (RNP) RWY 07R OR THE ILS OR LOC RWY 07R 1703031735-1803022359.

FDC 7/0573 LAX IAP LOS ANGELES INTL, LOS ANGELES, CA. ILS OR LOC RWY 24R, AMDT 25...ILS RWY 24R (CAT II AND III), AMDT 25...MISSED APPROACH: CLIMB TO 2000 ON HEADING 251 AND LAX R-260 TO RAFFS INT/LAX 15.1 DME AND HOLD. 1703022230-1710122230EST.

FDC 7/0157 LAX IAP LOS ANGELES INTL, LOS ANGELES, CA. RNAV (GPS) Y RWY 24R, AMDT 2...LNAV MDA 720/ HAT 598 ALL CATS. VDP 1.65 NM TO RW24R. TEMPORARY CRANES 440 MSL BEGINNING 2.97 NM EAST OF RWY 24R (2016-AWP-11309-OE THROUGH 2016-AWP-11315-OE). 1703021424-1710121424EST.

MERCED

Merced Rgnl/Macready Field

FDC 7/5453 MCE IAP MERCED RGNL/MACREADY FIELD, MERCED, CA. RNAV (GPS) RWY 12, ORIG-A...NOTE: BARO-VNAV NA WHEN USING CASTLE ALTIMETER SETTING. NOTE: LNAV/VNAV NA WHEN BELOW -15C (5F) OR ABOVE 48C (118F). PROFILE NOTE: VGSI AND RNAV GLIDEPATH NOT COINCIDENT (VGSI ANGLE 3.00/TCH 53). 1702162135-1709282135EST.

FDC 7/4031 MCE IAP MERCED RGNL/MACREADY FIELD, MERCED, CA. ILS OR LOC RWY 30, AMDT 14E...DISREGARD NOTE: NOTE: AUTOPILOT COUPLED APPROACH NA BELOW 585. 1701122343-1708242343EST.

FDC 7/3562 MCE IAP MERCED RGNL/MACREADY FIELD, MERCED, CA. ILS OR LOC RWY 30, AMDT 14E...LOC BC RWY 12, AMDT 10F...VOR RWY 30, ORIG-B...ALTERNATE MINIMUMS NA, HYP VOR/DME UNMONITORED. 1704202028-1705202028EST.

MODESTO

Modesto City-Co-Harry Sham Fld

FDC 7/5682 MOD IAP MODESTO CITY-CO-HARRY SHAM FLD, MODESTO, CA. ILS OR LOC/DME RWY 28R, AMDT 14B...CHANGE NOTE TO READ: AUTOPILOT COUPLED APPROACH NA BELOW 1080. 1702171900-1709291900EST.

FDC 6/1431 MOD IAP MODESTO CITY-CO-HARRY SHAM FLD, MODESTO, CA. ILS OR LOC/DME RWY 28R, AMDT 14B...S-LOC 28R: MDA 460/HAT 372 ALL CATS, VISIBILITY CAT C 3/4. 1611201954-1707021954EST.

FDC 6/1426 MOD IAP MODESTO CITY-CO-HARRY SHAM FLD, MODESTO, CA. VOR/DME RWY 28R, ORIG-A...S-28R MDA 500/ HAT 412 ALL CATS, VISIBILITY CAT C 3/4. VDP AT MOD 1.92 DME; DISTANCE VDP TO THLD 1.11 MILES. TOWER 234 MSL 4.18 NM SOUTHEAST OF RWY 28R.. 1611201952-1707021952EST.

MONTEREY

Monterey Rgnl

FDC 7/3126 MRY IAP MONTEREY RGNL, MONTEREY, CA. RNAV (RNP) Z RWY 28L, AMDT 1...RNP 0.10 DA 759/ HAT 502 ALL CATS, VISIBILITY ALL CATS 1 3/8. TEMPORARY CRANE 450 MSL 5148FT SOUTHEAST OF RWY 28L (2017-AWP-928-OE). 1703311400-1706031400EST.

MOUNTAIN VIEW

Moffett Federal Afld

FDC 7/7875 NUQ IAP U.S. DOD MOFFETT FEDERAL AFLD, MOUNTAIN VIEW, CA. TACAN RWY 32R, ORIG-A...S-32R MDA 880/ HAT 849 ALL CATS, VISIBILITY CATS C/D/E 1 7/8. CIRCLING CATS A/B/C/D MDA 860/ HAA 823, CAT E MDA 920/ HAA 883, VISIBILITY CAT B 1 1/4, CAT C 2 1/2, CAT D 2 3/4, CAT E 3. VDP AT NUQ 4.16 DME; DISTANCE VDP TO THLD 2.40 MILES. CHANGE INOP NOTE TO READ: FOR INOPERATIVE ALSF, INCREASE S-32R CAT A VISIBILITY TO RVR 5000, CAT B TO RVR 6000, CATS C/D/E TO 2 1/2. TEMPORARY CRANE 569 MSL 4.54 NM SOUTHEAST OF RWY 32R (2016-AWP-5022-OE). 1704101849-1711161849EST.

FDC 7/7874 NUQ IAP U.S. DOD MOFFETT FEDERAL AFLD, MOUNTAIN VIEW, CA. TACAN RWY 32L, ORIG-A...S-32L MDA 880/ HAT 844 ALL CATS, VISIBILITY CAT B 1 1/4, CATS C/D/E 2 1/2. CIRCLING CATS A/B/C/D MDA 840/ HAA 804, CAT E MDA 920/ HAA 884, VISIBILITY CAT B 1 1/4, CAT C 2 1/2, CAT D 2 3/4, CAT E 3. TEMPORARY CRANE 569 MSL 4.53 NM SOUTHEAST OF RWY 32L (2016-AWP-5022-OE). 1704101849-1711161849EST.

FDC 7/7873 NUQ IAP U.S. DOD MOFFETT FEDERAL AFLD, MOUNTAIN VIEW, CA. ILS OR LOC/DME RWY 32R, ORIG-A...S-LOC 32R MDA 880/ HAT 849 ALL CATS, VISIBILITY CATS C/D/E 1 7/8. CIRCLING CATS A/B/C/D MDA 860/ HAA 823, CAT E MDA 920/ HAA 883, VISIBILITY CAT B 1 1/4, CAT C 2 1/2, CAT D 2 3/4, CAT E 3. CHANGE INOP NOTE TO READ: FOR INOPERATIVE ALSF, INCREASE S-LOC 32R CAT A VISIBILITY TO RVR 5000, CAT B TO RVR 6000, CATS C/D/E TO 2 1/2 MILES. TEMPORARY CRANE 569 MSL 4.54 NM SOUTHEAST OF RWY 32R (2016-AWP-5022-OE). 1704101849-1711161849EST.

FDC 6/9141 NUQ STAR MOFFETT FEDERAL AIRFIELD, MOFFETT, CA. POINT REYES TWO ARRIVAL...SAC VORTAC TO POPES INT, MEA 5100. 1611162330-1711152359EST.

MURRIETA/TEMECULA

French Valley

FDC 7/7475 F70 IAP FRENCH VALLEY, MURRIETA/TEMECULA, CA. RNAV (GPS) RWY 18, AMDT 2...LNAV MDA 1940/ HAT 590 ALL CATS, VISIBILITY CAT C 1 3/4. VDP 1.72NM TO RW18. TEMPORARY CRANE 1623 MSL 1970FT EAST OF RWY 18 (2016-AWP-4790-OE). 1704101300-1706051300EST.

NAPA

Napa County

FDC 7/4944 APC IAP NAPA COUNTY, NAPA, CA. RNAV (GPS) RWY 6, ORIG-A...PROCEDURE NA. 1704251240-1712051240EST.

FDC 7/4594 APC IAP NAPA COUNTY, NAPA, CA. ILS OR LOC RWY 36L, ORIG-B...RNAV (GPS) Y RWY 36L, AMDT 2A...NOTE: NIGHT LANDING: RWY 6 NA. HELICOPTER VISIBILITY REDUCTION BELOW 1 SM NOT AUTHORIZED. 1704241642-1712041642EST.

OAKLAND

Children's Hospital Oakland

FDC 7/5856 7CL1 IAP CHILDRENS HOSPITAL OAKLAND, OAKLAND, CA. COPTER GPS 066, ORIG MDA 760/HAT 626, VIS . TEMPORARY CRANE 408 MSL, 4040 FT NORTHWEST OF PATUF. (2016-AWP-7067-OE) REASON: TEMP CRANE FOR 200 DAYS. 2016-AWP-7067-OE 1701191415-1708062359.

FDC 7/0216 7CL1 IAP CHILDRENS HOSPITAL OAKLAND, OAKLAND, CA. COPTER GPS 066, ORIG AFIVA INITIAL ALTITUDE 2400. TEMPORARY CRANE 1317 MSL, 1.59 MILES NORTHWEST OF AFIVA WAYPOINT. (2014-AWP-4322-OE) REASON: TEMP CRANE FOR 90 DAYS. 2014-AWP-4322-OE 1703251530-1707012359.

Metropolitan Oakland Intl

FDC 7/8731 OAK IAP METROPOLITAN OAKLAND INTL, OAKLAND, CA. ILS RWY 12 (SA CAT I), AMDT 8A...S-ILS 12 VISIBILITY RVR 1400 ALL CATS. 1702281301-1710101301EST.

FDC 6/7390 OAK SID METROPOLITAN OAKLAND INTL, OAKLAND, CA. CNDEL THREE DEPARTURE (RNAV)...DEPARTURE ROUTE DESCRIPTION: YYUNG TRANSITION NA.. ALL OTHER DATA REMAINS AS PUBLISHED. 1612061955-1707181954EST.

FDC 6/2833 OAK IAP METROPOLITAN OAKLAND INTL, OAKLAND, CA. ILS OR LOC RWY 30, AMDT 29A...ILS OR LOC/DME RWY 28R, AMDT 37A...ILS RWY 30 (SA CAT I), AMDT 28...ILS RWY 30 (CAT II & III), AMDT 28...CHANGE PLANVIEW NOTE TO READ: GPS OR RADAR REQUIRED. 1611261518-1707081518EST.

OCEANSIDE

Bob Maxwell Memorial Airfield

FDC 7/2247 OKB ODP BOB MAXWELL MEMORIAL AIRFIELD, OCEANSIDE, CA. TAKEOFF MINIMUMS AND (OBSTACLE) DEPARTURE PROCEDURES AMDT 4A...TAKE-OFF MINIMUMS: RWY 6, 400 - 1 1/2 OR STANDARD WITH MINIMUM CLIMB OF 420 FEET PER NM TO 500. RWY 24, 300 - 1 OR NA. NOTE: RWY 6, BUSH 170 FT FROM DER, 203 FT RIGHT OF CENTERLINE, 44 FT MSL. MOVIE SCREEN 2500 FT FROM DER, 445 FT LEFT OF CENTERLINE, 97 FT MSL. T-L TWR 2772 FT FROM DER, 334 FT LEFT OF CENTERLINE, 60 FT AGL/98 FT MSL. POLE 2776 FT FROM DER, 95 FT LEFT OF CENTERLINE, 113 FT MSL. POLE AND BUILDING BEGINNING 4662 FT FROM DER, 681 FT RIGHT OF CENTERLINE, UP TO 32 FT AGL/277 FT MSL. TREE 5057 FT FROM DER, 1213 FT RIGHT OF CENTERLINE, 294 FT MSL. TREES BEGINNING 5276 FT FROM DER, 383 FT LEFT OF CENTERLINE, UP TO 303 FT MSL. TREE 1 NM FROM DER, 1445 FT RIGHT OF CENTERLINE, 359 FT MSL. BUSH 1.1 NM FROM DER, 704 FT LEFT OF CENTERLINE, 279 FT MSL. NOTE: RWY 24, TREE AND ROAD BEGINNING 126 FT FROM DER, 2 FT RIGHT OF CENTERLINE, UP TO 58 FT MSL. TREES BEGINNING 457 FT FROM DER, 139 FT LEFT OF CENTERLINE, UP TO 72 FT MSL. POLE 1921 FT FROM DER, 14 FT RIGHT OF CENTERLINE, 89 FT MSL. TREE 2039 FT FROM DER, 347 FT RIGHT OF CENTERLINE, 115 FT MSL. MONUMENT AND TREE BEGINNING 2092 FT FROM DER, 720 FT RIGHT OF CENTERLINE, UP TO 42 FT AGL/259 FT MSL. POLE 4731 FT FROM DER, 362 FT RIGHT OF CENTERLINE, 33 FT AGL/194 FT MSL. ALL OTHER DATA REMAINS AS PUBLISHED. 1702072351-1709192351EST.

ONTARIO

Ontario Intl

FDC 7/9908 ONT SID ONTARIO INTL, ONTARIO, CA. HASSA EIGHT DEPARTURE...ONTARIO SIX DEPARTURE...DEPARTURE PROCEDURE NA. 1703020930-1710120906EST.

FDC 7/9526 ONT SID ONTARIO INTL, ONTARIO, CA. POMONA NINE DEPARTURE...SHAFTER TRANSITION: TOOBD TO EHF VORTAC COURSE 317 (EHF R-137). ALL OTHER DATA REMAINS AS PUBLISHED. 1705031448-1712131448EST.

FDC 7/6416 ONT IAP ONTARIO INTL, ONTARIO, CA. RNAV (GPS) Y RWY 26L, AMDT 2...TERMINAL ROUTE ACINS (IAF) TO EYIRA (IF) MINIMUM ALTITUDE 4800. 1704271404-1712071404EST.

OXNARD

Oxnard

FDC 7/0816 OXR IAP OXNARD, OXNARD, CA. VOR RWY 25, AMDT 10B...CMA 5.3 DME FIX NA. 1703032016-1710132016EST.

FDC 4/1864 OXR SPECIAL OXNARD AIRPORT, OXNARD, CA. FOR AFTER HOURS IFR FLT PLANS...CONTACT LOS ANGELES CENTER 661 575-2052. 1408081900-1712312359.

PALM SPRINGS

Bermuda Dunes

FDC 7/2253 UDD IAP BERMUDA DUNES, PALM SPRINGS, CA. RNAV (GPS) RWY 28, ORIG...NOTE: HELICOPTER VISIBILITY REDUCTION BELOW 3/4 SM NA. 34:1 IS NOT CLEAR.. 1702072357-1709192357EST.

FDC 7/2251 UDD IAP BERMUDA DUNES, PALM SPRINGS, CA. VOR-C, ORIG-A...CIRCLING MDA 960/HAA 887 ALL CATS, CIRCLING VISIBILITY CAT A 1 1/4, CAT C 2 3/4. 1702072356-1709192355EST.

Jacqueline Cochran Rgnl

FDC 7/7784 TRM IAP JACQUELINE COCHRAN RGNL, PALM SPRINGS, CA. VOR-A, ORIG-A...ALTERNATE MINIMUMS NA, TRM VORTAC UNMONITORED. 1705010401-1705300401EST.

Palm Springs Intl

FDC 7/7783 PSP IAP PALM SPRINGS INTL, PALM SPRINGS, CA. VOR OR GPS-B, AMDT 3...VOR PORTION: ALTERNATE MINIMUMS NA, TRM VORTAC UNMONITORED. 1705010401-1705300401EST.

PALMDALE

Palmdale Usaf Plant 42

FDC 6/0839 PMD IAP U.S. DOD PALMDALE USAF PLANT 42, PALMDALE, CA. HI ILS OR LOC/DME RWY 25, AMDT 3...CIRCLING NA SOUTH OF RWY 7-25 NA FOR CAT D AND E AIRCRAFT. CIRCLING MDA CAT C 3020/HAA 477. LANCASTER ALTIMETER SETTING MINIMUMS: CIRCLING MDA CAT C 3080/HAA 537.. 1612122151-1707242151EST.

FDC 6/0835 PMD IAP PALMDALE USAF PLANT 42, PALMDALE, CA. VOR/DME OR TACAN RWY 25, AMDT 7...CIRCLING NA SOUTH OF RWY 7-25 NA FOR CAT D AND E AIRCRAFT. CIRCLING MDA CAT A/B/C 3020/HAA 477.. 1612122148-1707242147EST.

FDC 6/0833 PMD IAP PALMDALE USAF PLANT 42, PALMDALE, CA. RNAV (GPS) RWY 25, AMDT 1A...CIRCLING NA SOUTH OF RWY 7-25 NA FOR CAT D. CIRCLING MDA CAT A/B/C 3020/HAA 477.. 1612122145-1707242145EST.

FDC 6/0831 PMD IAP PALMDALE USAF PLANT 42, PALMDALE, CA. ILS OR LOC RWY 25, AMDT 9A...CIRCLING NA SOUTH OF RWY 7-25 NA FOR CAT D AND E AIRCRAFT. SKKEE FIX MINIMUMS: CIRCLING MDA CAT A/B/C 3020/HAA 477.. 1612122144-1707242143EST.

PALO ALTO

Palo Alto

FDC 7/9668 PAO IAP PALO ALTO, PALO ALTO, CA. VOR/DME RWY 31, ORIG-F...S-31 MDA 560/ HAT 553 ALL CATS. CIRCLING MDA 560/ HAA 553 ALL CATS. NORMAN Y MINETA SAN JOSE INTL ALTIMETER SETTING MINIMUMS: S-31 MDA 600/ HAT 593 ALL CATS. CIRCLING MDA 600/ HAA 593 ALL CATS. TEMPORARY CRANE 323 MSL 2.91 NM SOUTHEAST OF RWY 31 (2017-AWP-1155-OE). 1703241258-1707161258EST.

FDC 7/9667 PAO IAP PALO ALTO, PALO ALTO, CA. GPS RWY 31, AMDT 1C...S-31 MDA 640/ HAT 637 ALL CATS. CIRCLING MDA 640/ HAA 637 ALL CATS. NORMAN Y MINETA SAN JOSE INTL ALTIMETER SETTING MINIMUMS: S-31 MDA 660/ HAT 657 ALL CATS. CIRCLING MDA 660/ HAA 657 ALL CATS. TEMPORARY CRANE 323 MSL 2.91 NM SOUTHEAST OF RWY 31 (2017-AWP-1155-OE). 1703241258-1707161258EST.

FDC 6/9142 PAO STAR PALO ALTO AIRPORT, PALO ALTO, CA. POINT REYES TWO ARRIVAL SAC VORTAC TO POPES INT, MEA 5100. 1611162045-1711152359EST.

PASO ROBLES

Paso Robles Muni

FDC 7/9143 PRB IAP PASO ROBLES MUNI, PASO ROBLES, CA. VOR RWY 19, AMDT 4C...VDP AT 1.80 DME; DISTANCE VDP TO THLD 1.30. 1703011345-1710111345EST.

PORTERVILLE

Porterville Muni

FDC 7/1691 PTV ODP PORTERVILLE MUNI, PORTERVILLE, CA. TAKEOFF MINIMUMS AND (OBSTACLE) DEPARTURE PROCEDURES AMDT...TAKEOFF OBSTACLE NOTES: NOTE: RWY 12, TREES BEGINNING 618 FT FROM DER, 241 FT RIGHT OF CENTERLINE, 460 FT MSL. TREES BEGINNING 776 FT FROM DER, 192 FT LEFT OF CENTERLINE, 467 FT MSL. POLES 906 FT FROM DER, 587 FT LEFT OF CENTERLINE, UP TO 43 FT AGL/491 FT MSL. NOTE: RWY 30, FENCE 177 FT FROM DER, 499 FT RIGHT OF CENTERLINE, UP TO 6 FT AGL/436 FT MSL.. ALL OTHER DATA REMAINS AS PUBLISHED. 1704181225-1711281225EST.

RAMONA

Ramona

FDC 7/9604 RNM IAP RAMONA, RAMONA, CA. VOR/DME-A, AMDT 2...PROCEDURE NA EXCEPT FOR AIRCRAFT EQUIPPED WITH SUITABLE RNAV SYSTEM WITH GPS, PGY VORTAC OUT OF SERVICE. 1705031607-1705101607EST.

RED BLUFF

Red Bluff Muni

FDC 7/5718 RBL IAP RED BLUFF MUNI, RED BLUFF, CA. RNAV (GPS) RWY 33, ORIG...LNAV/VNAV DA 746/HAT 394, VIS 1 1/2 ALL CATS. CIRCLING CATS A/B/C MDA 860/HAA 508...1704051343-1711151343EST.

RIO VISTA

Rio Vista Muni

FDC 6/4096 O88 ODP RIO VISTA MUNI, RIO VISTA, CA. TAKEOFF MINIMUMS AND (OBSTACLE) DEPARTURE PROCEDURES AMDT 1A...TAKEOFF MINIMUMS: RWY 25, STANDARD WITH MINIMUM CLIMB OF 270 FT PER NM TO 800.. ALL OTHER DATA REMAINS AS PUBLISHED. 1612202124-1708012124EST.

RIVERSIDE

Riverside Muni

FDC 7/5470 RAL ODP RIVERSIDE MUNI, RIVERSIDE, CA. TAKEOFF MINIMUMS AND (OBSTACLE) DEPARTURE PROCEDURES AMDT 10...TEXTUAL DEPARTURE PROCEDURE : CHANGE RWY 34 TO READ: CLIMB HEADING 345 TO 1800 THEN CLIMBING LEFT TURN DIRECT PDZ VORTAC, THENCE...ALL OTHER DATA REMAINS AS PUBLISHED. 1702162145-1709282145EST.

RIVERSIDE/RUBIDOUX/

Flabob

FDC 7/5724 RIR IAP FLABOB, RIVERSIDE/RUBIDOUX/, CA. RNAV (GPS)-A, ORIG...DISREGARD NOTE: VISIBILITY REDUCTION BY HELICOPTERS NA. ADD NOTE: HELICOPTER VISIBILITY REDUCTION BELOW 1 SM NOT AUTHORIZED. 1704051349-1711151349EST.

FDC 7/1477 RIR IAP FLABOB, RIVERSIDE/RUBIDOUX/, CA. RNAV (GPS)-A, ORIG...DELETE: DESCENT ANGLE 3.05/TCH 30 PROFILE NOTE: VISUAL SEGMENT- OBSTACLES. 1704171831-1711271831EST.

SACRAMENTO

Mc Clellan Airfield

FDC 7/0484 MCC IAP MC CLELLAN AIRFIELD, SACRAMENTO, CA. VOR/DME RWY 34, ORIG-C...S-34 MDA 600/ HAT 528 ALL CATS, VISIBILITY CAT C 1 1/2. VDP NA. TEMPORARY CRANE 274 MSL 3570FT SOUTHWEST OF RWY 34 (2016-AWP-9056-OE). 1703281400-1710151400EST.

Sacramento Intl

FDC 7/1689 SMF IAP SACRAMENTO INTL, SACRAMENTO, CA. ILS OR LOC RWY 34L, AMDT 7D...S-ILS 34L VISIBILITY RVR 2400 ALL CATS. NOTE: (ASTERISK) RVR 1800 AUTHORIZED WITH THE USE OF FD OR AP OR HUD TO DA. 1704181221-1711281221EST.

Uc Davis Medical Center Tower Ii

FDC 7/7399 3CL0 IAP UC DAVIS MEDICAL CENTER TOWER II, SACRAMENTO, CA. COPTER RNAV (GPS) 165, ORIG PROCEED VISUAL SEGMENT NA. PROCEED VFR FROM TETVE OR CONDUCTED THE SPECIFIED MISSED APPROACH. TEMPORARY CRANE 250 MSL, 2818FT SOUTHEAST OF TETVE. REASON: TEMP CRANE FOR 49 DAYS. 2017-AWP-1587-OE 1704092359-1706012359.

SALINAS

Salinas Muni

FDC 7/4039 SNS SID SALINAS MUNI, SALINAS, CA. CHALONE THREE DEPARTURE...DEPARTURE PROCEDURE DME REQUIRED EXCEPT FOR AIRCRAFT EQUIPPED WITH SUITABLE RNAV SYSTEM WITH GPS, ROM VOR OUT OF SERVICE. 1704212330-1705212330EST.

FDC 7/3682 SNS IAP SALINAS MUNI, SALINAS, CA. ILS RWY 31, AMDT 5E...MSA FROM SNS VORTAC 100-220 MINIMUM ALTITUDE 6300, 220-310 MINIMUM ALTITUDE 4200, 310-100 MINIMUM ALTITUDE 5200. UAD NDB DECOMMISSIONED.. DME REQUIRED. 1703311335-1711101335EST.

SAN ANDREAS

Calaveras Co-Maury Rasmussen Field

FDC 7/7656 CPU SPECIAL CALAVERAS CO-MAURY RASMUSSEN FIELD, SAN ANDREAS, CA. COPTER GPS RWY 31, ORIG...PROCEDURE NA. 1704101342-1711201342EST.

SAN BERNARDINO

San Bernardino Intl

FDC 6/5132 SBD IAP SAN BERNARDINO INTL, SAN BERNARDINO, CA. ILS OR LOC Z RWY 6, AMDT 2B...S-LOC 6 VIS CAT C 1 5/8. CIRCLING CAT C MDA 1720/HAA 561. VIS CAT C 1 5/8. CHANGE ALTIMETER NOTE TO READ: WHEN LOCAL ALTIMETER SETTING NOT RECEIVED, USE ONTARIO INTL ALTIMETER SETTING AND INCREASE ALL DA TO 1662 FEET AND ALL VISIBILITIES 1/4 MILE, INCREASE ALL MDA 80 FEET AND S-LOC CAT C VISIBILITY 1/8 MILE AND CIRCLING CAT C 1/8 MILE AND CAT D 1/2 MILE. CHANGE HELICOPTER VISIBILITY REDUCTION NOTE TO READ: RWY 6 HELICOPTER VISIBILITY REDUCTION BELOW 3/4 SM NOT AUTHORIZED. 1612272105-1708082105EST.

SAN CARLOS

San Carlos

FDC 7/6386 SQL IAP SAN CARLOS, SAN CARLOS, CA. RNAV (GPS) Z RWY 30, AMDT 1B...LNAV MDA 960/HAT 955 ALL CATS, VISIBILITY CAT A 1 1/4 SM, CAT B 1 1/2 SM, CIRCLING MDA 1280/HAA 1275 ALL CATS, VISIBILITY CAT A 1 1/4 SM, CAT B 1 1/2 SM. MISSED APPROACH: CLIMBING LEFT TURN TO 4300 DIRECT AMEBY AND HOLD. CHANGE MISSED APPROACH CLIMB GRADIENT NOTE TO READ: MISSED APPROACH REQUIRES MINIMUM CLIMB OF 330 FEET PER NM TO 4300.. 1704271346-1712071346EST.

FDC 6/9140 SQL STAR SAN CARLOS AIRPORT, SAN CARLOS, CA. POINT REYES TWO ARRIVAL SAC VORTAC TO POPES INT, MEA 5100. 1611162330-1711152359EST.

SAN DIEGO

Brown Field Muni

FDC 7/9609 SDM IAP BROWN FIELD MUNI, SAN DIEGO, CA. VOR OR GPS-A, AMDT 4...VOR PORTION NA, PGY VORTAC OUT OF SERVICE. 1705031607-1705101607EST.

Montgomery-Gibbs Executive

FDC 7/4004 MYF ODP MONTGOMERY-GIBBS EXECUTIVE, SAN DIEGO, CA. TAKEOFF MINIMUMS AND (OBSTACLE) DEPARTURE PROCEDURES AMDT 3A...TAKE-OFF MINIMUMS: RWY 5 STANDARD WITH MINIMUM CLIMB OF 350 FT PER NM TO 2200. ALL OTHER DATA REMAINS AS PUBLISHED. 1704211922-1712011922EST.

FDC 7/3176 MYF IAP MONTGOMERY-GIBBS EXECUTIVE, SAN DIEGO, CA. ILS OR LOC RWY 28R, AMDT 4B...RNAV (GPS) RWY 28R, AMDT 1B...CIRCLING CATS A/B MDA 1020/ HAA 593. TEMPORARY CRANE 652 MSL 1.33 NM NORTHEAST OF MYF AIRPORT (2016-AWP-10045-OE). 1704201533-1705211533EST.

San Diego Intl

FDC 7/9867 SAN SID SAN DIEGO INTL, SAN DIEGO, CA. CWARD ONE (RNAV)...PROCEDURE NA. 1703020136-1710120135EST.

FDC 7/9846 SAN STAR SAN DIEGO INTERNATIONAL AIRPORT SAN DIEGO, CA. BAYVU5 ARRIVAL...PROCEDURE NA. 1703021400-1803022359.

FDC 7/9607 SAN IAP SAN DIEGO INTL, SAN DIEGO, CA. LOC RWY 27, AMDT 6...DME REQUIRED EXCEPT FOR AIRCRAFT EQUIPPED WITH SUITABLE RNAV SYSTEM WITH GPS, PGY VORTAC OUT OF SERVICE. 1705031607-1705101607EST.

FDC 7/9606 SAN IAP SAN DIEGO INTL, SAN DIEGO, CA. ILS OR LOC RWY 9, AMDT 2...MISSED APPROACH: CLIMB TO 4000 ON HEADING 094.99 FOR RADAR VECTORS, PGY VORTAC OUT OF SERVICE. 1705031607-1705101607EST.

FDC 7/9603 SAN SID SAN DIEGO INTL, SAN DIEGO, CA. POGGI FIVE DEPARTURE (RNAV)...IMPERIAL TRANSITION, JULIAN TRANSITION: GPS REQUIRED, PGY VORTAC OUT OF SERVICE. 1705031600-1705101600EST.

FDC 7/9602 SAN SID SAN DIEGO INTL, SAN DIEGO, CA. BORDER SEVEN DEPARTURE...TAKEOFF RUNWAY 27 NA EXCEPT FOR AIRCRAFT EQUIPPED WITH SUITABLE RNAV SYSTEMS WITH GPS, PGY VORTAC OUT OF SERVICE. 1705031600-1705101600EST.

FDC 7/7026 SAN ODP SAN DIEGO INTL, SAN DIEGO, CA. TAKEOFF MINIMUMS AND (OBSTACLE) DEPARTURE PROCEDURES AMDT 9...ADD NOTE: RWY 9, TEMPORARY CRANE 1666FT FROM DER, 744FT RIGHT OF CENTERLINE, 120FT AGL/ 157FT MSL (2016-AWP-8334-OE). ALL OTHER DATA REMAINS AS PUBLISHED. 1703201528-1706221528EST.

FDC 7/4237 SAN SID SAN DIEGO INTL, SAN DIEGO, CA. POGGI FIVE DEPARTURE (RNAV)...DEPARTURE PROCEDURE NA. 1704241248-1712041248EST.

FDC 6/5628 SAN SID SAN DIEGO INTL. AIRPORT, SAN DIEGO, CA. LNSAY FIVE DEPARTURE: NOT AUTHORIZED 1611100800-1711092359.

FDC 6/5627 SAN STAR SAN DIEGO INTL. AIRPORT, SAN DIEGO, CA. LYNDI FOUR ARRIVAL: NOT AUTHORIZED 1611100800-1711092359.

SAN DIEGO/EL CAJON

Gillespie Field

FDC 7/2315 SEE IAP GILLESPIE FIELD, SAN DIEGO/EL CAJON, CA. LOC-D, AMDT 11C...DISREGARD NOTE: NIGHT LANDING: RWY 9L, 17, 27L, 27R, 35 NA. NOTE: NIGHT LANDING: RWY 9L, 27L, 27R, 35 NA. 1703081537-1710181537EST.

SAN FRANCISCO

San Francisco Intl

FDC 7/9012 SFO IAP SAN FRANCISCO INTL, SAN FRANCISCO, CA. ILS OR LOC RWY 28L, AMDT 25A...ILS RWY 28L (SA CAT II), AMDT 25A...TERMINAL ROUTE ARCHI (IAF) TO PONKE/I-SFO 21.6 DME MINIMUM ALTITUDE 6000 1702282122-1710102119EST.

FDC 7/5705 SFO IAP SAN FRANCISCO INTL, SAN FRANCISCO, CA. RNAV (RNP) Z RWY 10R, AMDT 2A...RNP 0.20 DA 409/ HAT 399 ALL CATS. TEMPORARY CRANES UP TO 131 MSL BEGINNING 3980FT NORTHWEST OF RWY 10R (2015-AWP-1790-NRA, 2015-AWP-1839 THROUGH 1842-NRA). 1704051332-1707301332EST.

FDC 7/5704 SFO SID SAN FRANCISCO INTL, SAN FRANCISCO, CA. AFIVA ONE DEPARTURE (RNAV)...GNNRR TWO DEPARTURE (RNAV)...NIITE THREE DEPARTURE (RNAV)...OFFSHORE ONE DEPARTURE...SAN FRANCISCO FOUR DEPARTURE...SNTNA TWO DEPARTURE (RNAV)...TRUKN TWO DEPARTURE (RNAV)...WESLA THREE DEPARTURE (RNAV)...ADD TAKEOFF OBSTACLE NOTE: RWY 28R, TEMPORARY CRANES BEGINNING 3043FT FROM DER, 762FT RIGHT OF CENTERLINE, UP TO 120FT AGL/ 131FT MSL (2015-AWP-1790-NRA, 2015-AWP-1839 THROUGH 1842-NRA). ALL OTHER DATA REMAINS AS PUBLISHED. 1704051331-1707301331EST.

FDC 7/5661 SFO SID SAN FRANCISCO INTL, SAN FRANCISCO, CA. SSTIK THREE DEPARTURE (RNAV)...WESLA THREE DEPARTURE (RNAV)...YYUNG TRANSITION NA. ALL OTHER DATA REMAINS AS PUBLISHED. 1704051317-1711151317EST.

FDC 7/2077 SFO SID SAN FRANCISCO INTL, SAN FRANCISCO, CA. GAP SEVEN DEPARTURE...MOLEN EIGHT DEPARTURE...OFFSHORE ONE DEPARTURE...SAN FRANCISCO FOUR DEPARTURE...TAKEOFF MINIMUMS: RWY 28L, 28R, STANDARD WITH A MINIMUM CLIMB OF 415FT PER NM TO 1300. ADD TAKEOFF OBSTACLE NOTE: RWY 19R, TEMPORARY CRANE 935FT FROM DER, 609FT RIGHT OF CENTERLINE, 125FT AGL/ 135FT MSL (2016-AWP-2003-NRA). RWY 28L, TEMPORARY CRANE 1.39 NM FROM DER, 2831FT LEFT OF CENTERLINE, 350FT AGL/ 448FT MSL (2016-AWP-10862-OE). RWY 28R, TEMPORARY CRANES BEGINNING 3043FT FROM DER, 762FT RIGHT OF CENTERLINE, UP TO 120FT AGL/ 131FT MSL (2015-AWP-1790-NRA, 2015-AWP-1839 THROUGH 1842-NRA). TEMPORARY CRANE 1.31 NM FROM DER, 3581FT LEFT OF CENTERLINE, 350FT AGL/ 448FT MSL (2016-AWP-10862-OE). ALL OTHER DATA REMAINS AS PUBLISHED. 1703291326-1711081326EST.

FDC 7/2076 SFO ODP SAN FRANCISCO INTL, SAN FRANCISCO, CA. TAKEOFF MINIMUMS AND (OBSTACLE) DEPARTURE PROCEDURES AMDT 9...TAKEOFF MINIMUMS: RWY 28L, 28R, STANDARD WITH A MINIMUM CLIMB OF 415FT PER NM TO 1300. ADD NOTE: RWY 19R, TEMPORARY CRANE 935FT FROM DER, 609FT RIGHT OF CENTERLINE, 125FT AGL/ 135FT MSL (2016-AWP-2003-NRA). RWY 28L, TEMPORARY CRANE 1.39 NM FROM DER, 2831FT LEFT OF CENTERLINE, 350FT AGL/ 448FT MSL (2016-AWP-10862-OE). RWY 28R, TEMPORARY CRANES BEGINNING 3043FT FROM DER, 762FT RIGHT OF CENTERLINE, UP TO 120FT AGL/ 131FT MSL (2015-AWP-1790-NRA, 2015-AWP-1839 THROUGH 1842-NRA). TEMPORARY CRANE 1.31 NM FROM DER, 3581FT LEFT OF CENTERLINE, 350FT AGL/ 448FT MSL (2016-AWP-10862-OE). ALL OTHER DATA REMAINS AS PUBLISHED. 1703291326-1711081326EST.

FDC 6/9115 SFO STAR SAN FRANCISCO INTL., SAN FRANCISCO, CA. POINT REYES TWO ARRIVAL SAC VORTAC TO POPES INT, MEA 5100. 1611162030-1711152359EST.

FDC 6/9114 SFO STAR SAN FRANCISCO INTL, SAN FRANCISCO, RISTI FOUR ARRIVAL ADD NOTE TO READ: PROPS AND TURBO PROPS ONLY. 1611162030-1711152359.

FDC 6/7361 SFO STAR SAN FRANCISCO INTL., SAN FRANCISCO, CA. BIG SUR THREE ARRIVAL...FROM OVER BSR VORTAC TO CARMIE, THENCE FROM OVER CARMIE TO ANJEE INT REVISE MINIMUM EN ROUTE ALTITUDE TO READ: 11000FT. 1612061900-1712052359EST.

FDC 6/7354 SFO STAR SAN FRANCISCO INTL., SAN FRANCISCO, CA. BIG SUR THREE ARRIVAL...FROM OVER ANJEE INT CHANGE MINIMUM HOLDING ALTITUDE TO READ: 11000FT. 1612061900-1712052359EST.

FDC 6/2791 SFO CA..SPECIAL NOTICE..SAN FRANCISCO INTERNATIONAL, CALIFORNIA, RWY STATUS LGTS ARE IN AN OPR TEST ON RWY 10L/28R, RWY 10R/28L, RWY 01L/19R, RWY 01R/19L AND MUST BE COMPLIED WITH. RWY STATUS LGT ARRAYS MAY BE OFFLINE INTERMITTENTLY THROUGHOUT THE TEST PHASE. RWY STATUS LGTS ARE RED IN-PAVEMENT LGTS THAT SERVE AS WARNING LGTS ON RWYS AND TWYS INDICATING THAT IT IS UNSAFE TO ENTER, CROSS, OR BEGIN TKOF ON A RWY. NOTE: RWY STATUS LGTS INDICATE RWY STATUS ONLY. THEY DO NOT INDICATE CLEARANCE. PILOTS AND VEHICLE OPRS MUST STILL RECEIVE A CLEARANCE FROM AIR TRAFFIC CONTROL BEFORE PROCEEDING. FOR ADDITIONAL INFORMATION VISIT: [HTTP://WWW.FAA.GOV/AIR_TRAFFIC/TECHNOLOGY/RWSL](http://WWW.FAA.GOV/AIR_TRAFFIC/TECHNOLOGY/RWSL) 1611301600-1705311600.

SAN JOSE

Norman Y Mineta San Jose Intl

FDC 7/8636 SJC SID NORMAN Y MINETA SAN JOSE INTL, SAN JOSE, CA. SAN JOSE TWO DEPARTURE...SUNOL EIGHT DEPARTURE...TAKE-OFF MINIMUMS: RWY 30L,30R, STANDARD WITH A MINIMUM CLIMB OF 480 FEET PER NM TO 4000. ALL OTHER DATA REMAINS AS PUBLISHED. 1702272122-1710092122EST.

FDC 7/6863 SJC ODP NORMAN Y MINETA SAN JOSE INTL, SAN JOSE, CA. TAKEOFF MINIMUMS AND (OBSTACLE) DEPARTURE PROCEDURES AMDT 6C...TAKEOFF MINIMUMS: RWY 12L/R, 400-2 1/2 OR STANDARD WITH A MINIMUM CLIMB OF 315FT PER NM TO 500. ADD NOTE: RWY 12L, TEMPORARY CRANE 1.28NM FROM DER, 722FT LEFT OF CENTERLINE, 284FT AGL/ 368FT MSL (2016-AWP-1614-OE). RWY 12R, TEMPORARY CRANE 1.28NM FROM DER, 1472FT LEFT OF CENTERLINE, 284FT AGL/ 368FT MSL (2016-AWP-1614-OE). ALL OTHER DATA REMAINS AS PUBLISHED. 1703191928-1708021928EST.

FDC 7/6862 SJC IAP NORMAN Y MINETA SAN JOSE INTL, SAN JOSE, CA. RNAV (GPS) Y RWY 30L, AMDT 3A...LNAV/VNAV DA 689/ HAT 632 ALL CATS, VISIBILITY ALL CATS 1 3/4. TEMPORARY CRANE 368 MSL 1.31NM SOUTHEAST OF RWY 30L (2016-AWP-1614-OE). 1703191928-1708021928EST.

FDC 7/1990 SJC IAP NORMAN Y MINETA SAN JOSE INTL, SAN JOSE, CA. RNAV (GPS) Y RWY 12R, AMDT 3A...LNAV/VNAV DA 435/ HAT 389 ALL CATS, VIS CATS A/B 7/8. LNAV MDA 640/ HAT 594 ALL CATS, VIS CATS C/D 1 3/8. SIDESTEP 12L MDA 640/ HAT 596 ALL CATS. VDP 1.65NM TO RW12R. CHANGE INOP NOTE TO READ: FOR INOPERATIVE MALSR, INCREASE LNAV/VNAV ALL CATS VISIBILITY TO 1 1/8 MILE AND LNAV CATS C/D VISIBILITY TO 1 3/4 MILE. TEMP CRANE 334 MSL 1.51 NM NW OF RWY 12R (2017-AWP-1426-OE). 1703291223-1711081223EST.

FDC 7/1989 SJC IAP NORMAN Y MINETA SAN JOSE INTL, SAN JOSE, CA. RNAV (GPS) Y RWY 12L, AMDT 3A...LNAV/VNAV DA 435/ HAT 391, VIS 1 1/8 ALL CATS. LNAV MDA 640/ HAT 596 ALL CATS, VIS CATS C/D 1 3/4. VDP 1.65NM TO RW12L. TEMP CRANE 334 MSL 1.54 NM NW OF RWY 12L (2017-AWP-1426-OE). 1703291223-1711081223EST.

FDC 7/1988 SJC IAP NORMAN Y MINETA SAN JOSE INTL, SAN JOSE, CA. RNAV (RNP) Z RWY 12R, AMDT 3A...RNP 0.15 DA 471/ HAT 425, VIS 7/8 ALL CATS. RNP 0.30 DA 721/ HAT 675, VIS 1 7/8 ALL CATS. TEMP CRANE 334 MSL 1.51 NM NW OF RWY 12R (2017-AWP-1426-OE). 1703291223-1711081223EST.

FDC 7/1987 SJC IAP NORMAN Y MINETA SAN JOSE INTL, SAN JOSE, CA. RNAV (RNP) Z RWY 12L, AMDT 2A...RNP 0.18 DA 445/ HAT 401, VIS 1 1/4 ALL CATS. RNP 0.30 DA 720/ HAT 676, VIS 2 1/4 ALL CATS. TEMP CRANE 334 MSL 1.54 NM NW OF RWY 12L (2017-AWP-1426-OE). 1703291223-1711081223EST.

FDC 7/1986 SJC IAP NORMAN Y MINETA SAN JOSE INTL, SAN JOSE, CA. ILS OR LOC RWY 12R, AMDT 8A...S-LOC 12R MDA 640/ HAT 594 ALL CATS, VIS CATS C/D 1 3/8. SIDESTEP 12L MDA 640/ HAT 596 ALL CATS. DISREGARD JUJGE STEPDOWN FIX IN PROFILE AND PROCEDURE VIEW. CHANGE INOP NOTE TO READ: FOR INOPERATIVE MALSR, INCREASE S-LOC 12R CAT C/D VISIBILITY TO 1 3/4 MILES. TEMP CRANE 334 MSL 1.51 NM NW OF RWY 12R (2017-AWP-1426-OE). 1703291223-1711081223EST.

FDC 7/1083 SJC SID NORMAN Y MINETA SAN JOSE INTL, SAN JOSE, CA. ALMDN THREE DEPARTURE (RNAV)...TEXTUAL DEPARTURE PROCEDURE. CHANGE DEPARTURE ROUTE DESCRIPTION FROM:...ON (TRANSITION) MAINTAIN FL 190 OR LOWER FILED ALTITUDE TO READ:...ON (TRANSITION) MAINTAIN 15,000 OR LOWER FILED ALTITUDE, EXPECT HIGHER 10 MINUTES AFTER DEPARTURE. ALL OTHER DATA REMAINS AS PUBLISHED. 1704171342-1711271341EST.

FDC 7/0481 SJC IAP NORMAN Y MINETA SAN JOSE INTL, SAN JOSE, CA. RNAV (GPS) Y RWY 30R, AMDT 3A...LPV DA 760/ HAT 705 ALL CATS, VISIBILITY ALL CATS 2 1/2. LNAV/VNAV DA 689/ HAT 634 ALL CATS, VISIBILITY ALL CATS 2 1/4. CIRCLING CAT C/D MDA 760/ HAA 698, VISIBILITY CAT C 2, CAT D 2 1/4. TEMPORARY CRANE 368 MSL 1.29NM SOUTHEAST OF RWY 30R (2016-AWP-1614-OE), TEMPORARY CRANE 403 MSL 2.42NM SOUTHWEST OF SJC AIRPORT (2016-AWP-12119-OE). 1703271312-1710151312EST.

FDC 6/9120 SJC STAR NORMAN Y. MINETA, SAN JOSE INTL, SAN JOSE CA. POINT REYES TWO ARRIVAL SAC VORTAC TO POPES INT, MEA 5100. 1611162030-1711152359EST.

Reid-Hillview Of Santa Clara County

FDC 6/9139 RHV STAR REID-HILLVIEW AIRPORT, REID-HILLVIEW, CA. POINT REYES TWO ARRIVAL SAC VORTAC TO POPES INT, MEA 5100. 1611162330-1711152359EST.

SAN LUIS OBISPO

San Luis County Rgnl

FDC 7/9324 SBP SID SAN LUIS COUNTY RGNL, SAN LUIS OBISPO, CA. CREPE THREE DEPARTURE...NOTE: RWY 29, TREES BEGINNING 69 FT FROM DER, 463 FT RIGHT OF CENTERLINE, UP TO 26 FT AGL/176 FT MSL. FENCE 2.2 NM FROM DER, 2713 FT RIGHT OF CENTERLINE, 3 FT AGL/565 FT MSL. ALL OTHER DATA REMAINS AS PUBLISHED. 1703231856-1711021855EST.

FDC 7/4441 SBP SID SAN LUIS COUNTY RGNL, SAN LUIS OBISPO, CA. WYNNR THREE DEPARTURE TAKE-OFF MINIMUMS: RWY 11, STANDARD WITH MINIMUM CLIMB OF 320 FT PER NM TO 3000. NOTE: RWY 11, FENCE 14 FT FROM DER, 492 FT LEFT OF CENTERLINE, 6 FT AGL/214 FT MSL. TREE 295 FT FROM DER, 565 FT LEFT OF CENTERLINE, 27 FT AGL/235 FT MSL. RD 397 FT FROM DER, 389 FT RIGHT OF CENTERLINE, 223 FT MSL. TREES BEGINNING 498 FT FROM DER, 383 FT LEFT OF CENTERLINE, UP TO 34 FT AGL/240 FT MSL. RD 599 FT FROM DER, 507 FT RIGHT OF CENTERLINE, 240 FT MSL. RD, BLDG, BEGINNING 621 FT FROM DER, 269 FT RIGHT OF CENTERLINE, UP TO 247 FT MSL. TREE, GRD BEGINNING 994 FT FROM DER, 596 FT RIGHT OF CENTERLINE, UP TO 10 FT AGL/262 FT MSL. TREES BEGINNING 1059 FT FROM DER, 80 FT LEFT OF CENTERLINE, UP TO 30 FT AGL/246 FT MSL. TREE 1060 FT FROM DER, 751 FT RIGHT OF CENTERLINE, 54 FT AGL/311 FT MSL. POLE, GRD BEGINNING 1101 FT FROM DER, 34 FT LEFT OF CENTERLINE, UP TO 27 FT AGL/253 FT MSL. TREE, POLE, TRAFFIC LIGHTS/SI, GRD, BLDG, RD BEGINNING 1106 FT FROM DER, ON CENTERLINE, UP TO 56 FT AGL/316 FT MSL. GRD 1696 FT FROM DER, 96 FT LEFT OF CENTERLINE, 256 FT MSL. GRD BEGINNING 1883 FT FROM DER, 13 FT LEFT OF CENTERLINE, UP TO 261 FT MSL. RD 1980 FT FROM DER, 561 FT LEFT OF CENTERLINE, 264 FT MSL. TREE, GRD ALL OTHER DATA REMAINS AS PUBLISHED. FDC 7/4441 SBP SID SAN LUIS COUNTY RGNL, San Luis Obispo, CA. BEGINNING 1989 FT FROM DER, 3 FT LEFT OF CENTERLINE, UP TO 25 FT AGL/284 FT MSL. TREE, GRD, BLDG, POLE, RD, LT POLE BEGINNING 2099 FT FROM DER, 3 FT LEFT OF CENTERLINE, UP TO 35 FT AGL/290 FT MSL. BLDG, RD BEGINNING 2245 FT FROM DER, 592 FT LEFT OF CENTERLINE, UP TO 30 FT AGL/291 FT MSL. EQUIP ON BLDG, RD BEGINNING 2400 FT FROM DER, 6 FT LEFT OF CENTERLINE, UP TO 44 FT AGL/294 FT MSL. ALL OTHER DATA REMAINS AS PUBLISHED. 1704241429-1712041429EST

FDC 7/2057 SBP ODP SAN LUIS COUNTY RGNL, SAN LUIS OBISPO, CA. TAKEOFF MINIMUMS AND (OBSTACLE) DEPARTURE PROCEDURES AMDT 6 TAKE-OFF MINIMUMS: RWY 29, STANDARD WITH MINIMUM CLIMB OF 415 FT PER NM TO 1700. NOTE: RWY 11, FENCE 14 FT FROM DER, 492 FT LEFT OF CENTERLINE, 6 FT AGL/214 FT MSL. TREE 295 FT FROM DER, 565 FT LEFT OF CENTERLINE, 27 FT AGL/235 FT MSL. RD 397 FT FROM DER, 389 FT RIGHT OF CENTERLINE, 223 FT MSL. TREES BEGINNING 498 FT FROM DER, 383 FT LEFT OF CENTERLINE, UP TO 34 FT AGL/240 FT MSL. RD 599 FT FROM DER, 507 FT RIGHT OF CENTERLINE, 240 FT MSL. RD, BLDG, BEGINNING 621 FT FROM DER, 269 FT RIGHT OF CENTERLINE, UP TO 247 FT MSL. TREE, GRD BEGINNING 994 FT FROM DER, 596 FT RIGHT OF CENTERLINE, UP TO 10 FT AGL/262 FT MSL. TREES BEGINNING 1059 FT FROM DER, 80 FT LEFT OF CENTERLINE, UP TO 30 FT AGL/246 FT MSL. TREE 1060 FT FROM DER, 751 FT RIGHT OF CENTERLINE, 54 FT AGL/311 FT MSL. POLE, GRD BEGINNING 1101 FT FROM DER, 34 FT LEFT OF CENTERLINE, UP TO 27 FT AGL/253 FT MSL. TREE, POLE, TRAFFIC LIGHTS/SI, GRD, BLDG, RD BEGINNING 1106 FT FROM DER, ON CENTERLINE, UP TO 56 FT AGL/316 FT MSL. GRD 1696 FT FROM DER, 96 FT LEFT OF CENTERLINE, 256 FT MSL. GRD BEGINNING 1883 FT FROM DER, 13 FT LEFT OF CENTERLINE, UP TO 261 FT MSL. RD 1980 FT FROM DER, 561 FT LEFT OF CENTERLINE, 264 FT MSL. TREE, GRD ALL OTHER DATA REMAINS AS PUBLISHED. FDC 7/2057 SBP ODP SAN LUIS COUNTY RGNL, SAN LUIS OBISPO, CA. BEGINNING 1989 FT FROM DER, 3 FT LEFT OF CENTERLINE, UP TO 25 FT AGL/284 FT MSL. TREE, GRD, BLDG, POLE, RD, LT POLE BEGINNING 2099 FT FROM DER, 3 FT LEFT OF CENTERLINE, UP TO 35 FT AGL/290 FT MSL. BLDG, RD BEGINNING 2245 FT FROM DER, 592 FT LEFT OF CENTERLINE, UP TO 30 FT AGL/291 FT MSL. EQUIP ON BLDG, RD BEGINNING 2400 FT FROM DER, 6 FT LEFT OF CENTERLINE, UP TO 44 FT AGL/294 FT MSL. NOTE: RWY 29, TREES BEGINNING 69 FT FROM DER, 463 FT RIGHT OF CENTERLINE, UP TO 26 FT AGL/176 FT MSL. ALL OTHER DATA REMAINS AS PUBLISHED. 1702072114-1709192114EST

FDC 7/2055 SBP SID SAN LUIS COUNTY RGNL, SAN LUIS OBISPO, CA. AVILA THREE DEPARTURE.NOTE: RWY 11, FENCE 14 FT FROM DER, 492 FT LEFT OF CENTERLINE, 6 FT AGL/214 FT MSL. TREE 295 FT FROM DER, 565 FT LEFT OF CENTERLINE, 27 FT AGL/235 FT MSL. RD 397 FT FROM DER, 389 FT RIGHT OF CENTERLINE, 223 FT MSL. TREES BEGINNING 498 FT FROM DER, 383 FT LEFT OF CENTERLINE, UP TO 34 FT AGL/240 FT MSL. RD 599 FT FROM DER, 507 FT RIGHT OF CENTERLINE, 240 FT MSL. RD, BLDG. BEGINNING 621 FT FROM DER, 269 FT RIGHT OF CENTERLINE, UP TO 247 FT MSL. TREE, GRD BEGINNING 994 FT FROM DER, 596 FT RIGHT OF CENTERLINE, UP TO 10 FT AGL/262 FT MSL. TREES BEGINNING 1059 FT FROM DER, 80 FT LEFT OF CENTERLINE, UP TO 30 FT AGL/246 FT MSL. TREE 1060 FT FROM DER, 751 FT RIGHT OF CENTERLINE, 54 FT AGL/311 FT MSL. POLE, GRD BEGINNING 1101 FT FROM DER, 34 FT LEFT OF CENTERLINE, UP TO 27 FT AGL/253 FT MSL. TREE, POLE, TRAFFIC LIGHTS/SI, GRD, BLDG, RD BEGINNING 1106 FT FROM DER, ON CENTERLINE, UP TO 56 FT AGL/316 FT MSL. GRD 1696 FT FROM DER, 96 FT LEFT OF CENTERLINE, 256 FT MSL. GRD BEGINNING 1883 FT FROM DER, 13 FT LEFT OF CENTERLINE, UP TO 261 FT MSL. RD 1980 FT FROM DER, 561 FT LEFT OF CENTERLINE, 264 FT MSL. TREE, GRD BEGINNING 1989 FT FROM DER, 3 FT LEFT OF CENTERLINE, UP TO 25 FT AGL/284 FT MSL. TREE, GRD, BLDG, POLE, RD, LT POLE BEGINNING 2099 ALL OTHER DATA REMAINS AS PUBLISHED. FDC 7/2055 SBP SID SAN LUIS COUNTY RGNL, SAN LUIS OBISPO, CA. FT FROM DER, 3 FT LEFT OF CENTERLINE, UP TO 35 FT AGL/290 FT MSL. BLDG, RD BEGINNING 2245 FT FROM DER, 592 FT LEFT OF CENTERLINE, UP TO 30 FT AGL/291 FT MSL. EQUIP ON BLDG, RD BEGINNING 2400 FT FROM DER, 6 FT LEFT OF CENTERLINE, UP TO 44 FT AGL/294 FT MSL. ALL OTHER DATA REMAINS AS PUBLISHED. 1702072112-1709192112EST

FDC 7/2052 SBP IAP SAN LUIS COUNTY RGNL, SAN LUIS OBISPO, CA. RNAV (GPS) RWY 11, AMDT 1A...MISSED APPROACH: CLIMB TO 1000 THEN CLIMBING RIGHT TURN TO 4500 DIRECT FABEG AND HOLD, CONTINUE CLIMB-IN-HOLD TO 4500. 1702072111-1709192111EST.

SANTA ANA

John Wayne Airport-Orange County

FDC 7/9940 SNA SID JOHN WAYNE AIRPORT-ORANGE COUNTY, SANTA ANA, CA. PLZZA ONE DEPARTURE (RNAV)...DISREGARD NOTE: THIS DEPARTURE PROCEDURE NOT AUTHORIZED FOR TURBO-PROP OR TURBO-JET AIRCRAFT. NOTE: THIS DEPARTURE PROCEDURE NOT AUTHORIZED FOR TURBO-JET AIRCRAFT. NOTE: LHS TRANSITION NOT AUTHORIZED FOR TURBO-PROP AIRCRAFT 1703021158-1710121158EST.

FDC 7/9912 SNA SID JOHN WAYNE AIRPORT-ORANGE COUNTY, SANTA ANA, CA. STREL FOUR DEPARTURE (RNAV)...DEPARTURE PROCEDURE NA. 1703020930-1710120912EST.

FDC 7/9848 SNA STAR JOHN WAYNE AIRPORT-ORANGE COUNTY AIRPORT SANTA ANA, CA. KEFFR4 ARIIVAL..PROCEDURE NA. 1703021400-1803022359.

FDC 7/8171 SNA IAP JOHN WAYNE AIRPORT-ORANGE COUNTY, SANTA ANA, CA. RNAV (RNP) Z RWY 20R, AMDT 2...RNP 0.11 DA 402/ HAT 347 ALL CATS, VISIBILITY ALL CATS RVR 5000. TEMPORARY CRANE 200 MSL 1788FT NORTHWEST OF RWY 20R (2016-AWP-2458-OE). 1705011607-1707271607EST.

FDC 7/7564 SNA SID JOHN WAYNE AIRPORT-ORANGE COUNTY, SANTA ANA, CA. IRVINE FOUR DEPARTURE...DEPARTURE PROCEDURE NA. 1704292116-1712092116EST.

FDC 7/7315 SNA SID JOHN WAYNE AIRPORT-ORANGE COUNTY, SANTA ANA, CA. FINZZ ONE DEPARTURE (RNAV)...CHANGE NOTE: TURBOJETS AND TURBOPROPS ONLY TO TURBOJET AIRCRAFT ONLY DELETE TOP ALTITUDE □ TURBOPROPS 16000. LAS VEGAS TRANSITION: ATC ASSIGNED ONLY 1704281800-1712081758EST.

FDC 7/7314 SNA SID JOHN WAYNE AIRPORT-ORANGE COUNTY, SANTA ANA, CA. HOBOW ONE DEPARTURE (RNAV)...CHANGE NOTE: TURBOJETS AND TURBOPROPS ONLY TO TURBOJET AIRCRAFT ONLY. DELETE TOP ALTITUDE - TURBOPROPS 16000. 1704281756-1712081751EST.

FDC 6/5619 SNA STAR JOHN WAYNE/ORANGE COUNTY AIRPORT, SANTA ANA, CA. TANDY FOUR ARRIVAL: FLW TRANSITION NA EXCEPT FOR AIRCRAFT EQUIPPED WITH SUITABLE RNAV SYSTEM WITH GPS. 1611100800-1711092359.

SANTA BARBARA

Santa Barbara Muni

FDC 7/4220 SBA ODP SANTA BARBARA MUNI, SANTA BARBARA, CA. TAKEOFF MINIMUMS AND (OBSTACLE) DEPARTURE PROCEDURES AMDT 8...NOTE: RWY 25, NAVAID 2 FT FROM DER, 253 FT LEFT OF CENTERLINE, 13 FT MSL. TREE 13 FT FROM DER, 486 FT LEFT OF CENTERLINE, 12 FT AGL/21 FT MSL. VEHICLE ON ROAD, 489 FT FROM DER, 593 FT RIGHT OF CENTERLINE, 27 FT MSL. TREES BEGINNING 1612 FT FROM DER, 799 FT LEFT OF CENTERLINE, UP TO 65 FT MSL. TREES BEGINNING 2299 FT FROM DER, 312 FT LEFT OF CENTERLINE, UP TO 61 FT AGL/88 FT MSL. TREE AND A POLE BEGINNING 2487 FT FROM DER, 128 FT RIGHT OF CENTERLINE, UP TO 100 FT MSL. TREES BEGINNING 3141 FT FROM DER, 183 FT RIGHT OF CENTERLINE, UP TO 110 FT MSL. TREE 3979 FT FROM DER, 1144 FT RIGHT OF CENTERLINE, 117 FT MSL.. ALL OTHER DATA REMAINS AS PUBLISHED. 1704241244-1712041244EST.

FDC 7/3578 SBA IAP SANTA BARBARA MUNI, SANTA BARBARA, CA. VOR OR GPS RWY 25, AMDT 6C...S-25 MDA 1000/HAT 990 ALL CATS. VIS CAT B 1 1/2. CIRCLING MDA 1000/HAA 987 ALL CATS. VIS CAT B 1 1/2, CAT C 3. ALL OTHER DATA REMAINS AS PUBLISHED. 1704202153-1711302153EST.

SANTA MARIA

Santa Maria Pub/Capt G Allan Hancock Fld

FDC 7/2384 SMX IAP SANTA MARIA PUB/CAPT G ALLAN HANCOCK FLD, SANTA MARIA, CA. RNAV (GPS) RWY 30, ORIG-C...NOTE: STRAIGHT-IN RWY 30 AND CIRCLING RWY 30 NA AT NIGHT. NOTE: RWY 30 HELICOPTER VISIBILITY REDUCTION BELOW 1 SM NOT AUTHORIZED. DISREGARD NOTE: HELICOPTER VISIBILITY REDUCTION BELOW 3/4 SM NOT AUTHORIZED.. 1703081556-1710181556EST.

SANTA MONICA

Santa Monica Muni

FDC 7/9909 SMO SID SANTA MONICA MUNI, SANTA MONICA, CA. PEEER THREE DEPARTURE (RNAV)...DEPARTURE PROCEDURE NA. 1703020930-1710120908EST.

FDC 7/9190 SMO IAP SANTA MONICA MUNI, SANTA MONICA, CA. VOR-A, AMDT 11...NOTE: CIRCLING RWY 3 NA AT NIGHT. NOTE: RWY 3 HELICOPTER VISIBILITY REDUCTION BELOW 1 SM NOT AUTHORIZED. DISREGARD NOTE: HELICOPTER VISIBILITY REDUCTION BELOW 1 SM NA. DISREGARD NOTE: PROCEDURE NA AT NIGHT. 1705031219-1712131219EST.

FDC 7/4697 SMO SID SANTA MONICA MUNI, SANTA MONICA, CA. SANTA MONICA ONE DEPARTURE (RNAV)...NOTE: THIS DEPARTURE PROCEDURE AUTHORIZED FOR TURBO-PROP AIRCRAFT ONLY. DISREGARD NOTE: THIS DEPARTURE PROCEDURE NA FOR TURBO-JET AIRCRAFT. 1703141359-1710241359EST.

FDC 7/0635 SMO SID SANTA MONICA MUNI, SANTA MONICA, CA. CTRUS ONE DEPARTURE (RNAV)...NOTE: TURBOPROP ONLY ON IKAYE TRANSITION (CTRUS - WOPPR - IKAYE). NOTE: TURBOJET ONLY ON STOKD AND SCTRR TRANSITIONS (CTRUS - DARRK - FIXIT - IKAYE...). 1704142122-1711242117EST.

SANTA ROSA

Charles M Schulz - Sonoma County

FDC 7/6322 STS IAP CHARLES M SCHULZ - SONOMA COUNTY, SANTA ROSA, CA. ILS OR LOC/DME RWY 32, AMDT 19A...RNAV (GPS) RWY 2, ORIG-D...RNAV (GPS) RWY 32, AMDT 1B...NOTE: CIRCLING RWY 14, 20 NA AT NIGHT. 1703162128-1710262128EST.

FDC 7/6320 STS IAP CHARLES M SCHULZ - SONOMA COUNTY, SANTA ROSA, CA. RNAV (GPS) RWY 14, AMDT 2A...VOR/DME RWY 14, AMDT 3B...NOTE: STRAIGHT-IN MINIMUMS NA AT NIGHT. NOTE: CIRCLING RWY 20 NA AT NIGHT. 1703162127-1710262126EST.

SOUTH LAKE TAHOE

Lake Tahoe

FDC 6/4093 TVL ODP LAKE TAHOE, SOUTH LAKE TAHOE, CA. TAKEOFF MINIMUMS AND (OBSTACLE) DEPARTURE PROCEDURES AMDT 7...TAKE-OFF MINIMUMS: RWY 18, STANDARD WITH MINIMUM CLIMB OF 832 FEET PER NM TO 11500, OR 1700 - 3 WITH MINIMUM CLIMB OF 715 FEET PER NM TO 11500, 6200-6 FOR CLIMB IN VISUAL CONDITIONS. RWY 36, 300 - 2 OR STANDARD WITH MINIMUM OF 269 FEET PER NM TO 6500, 6200-6 FOR CLIMB IN VISUAL CONDITIONS. DEPARTURE PROCEDURE: RWY 18, CLIMB HEADING 177 TO 7900 THEN CLIMBING RIGHT TURN TO INTERCEPT SWR R-133 TO SWR VOR/DME...RWY 36, CLIMB HEADING 357 TO INTERCEPT SWR R-113 TO SWR VOR/DME.....THEN PROCEED ON COURSE. RWY 18,36, FOR CLIMB IN VISUAL CONDITIONS: REMAIN WITHIN 3NM, CROSS SOUTH LAKE TAHOE AIRPORT AT OR ABOVE 12400 FT MSL THEN PROCEED ON SWR R-127 TO SWR VOR/DME, INFORM ATC WHEN VCOA WILL BE FLOWN. ALL OTHER DATA REMAINS AS PUBLISHED. 1612202122-1708012122EST.

FDC 6/2829 TVL IAP LAKE TAHOE, SOUTH LAKE TAHOE, CA. LDA/DME 1 RWY 18, AMDT 7B...LDA/DME 2 RWY 18, AMDT 1B...S-18 VIS 6 ALL CATS. CIRCLING VIS 6 ALL CATS. FLY VISUAL 172 DEGREES - 4.5NM. 1611261514-1707081514EST.

FDC 6/2827 TVL IAP LAKE TAHOE, SOUTH LAKE TAHOE, CA. GPS RWY 18, ORIG-A...S-18 VIS 4 ALL CATS. CIRCLING VIS 4 ALL CATS. FLY VISUAL 172 DEGREES - 2.7 NM.. 1611261512-1707081512EST.

SUSANVILLE

Susanville Muni

FDC 7/4553 SVE IAP SUSANVILLE MUNI, SUSANVILLE, CA. RNAV (GPS)-A, AMDT 1...PROCEDURE NA. 1703140731-1709130731EST.

UKIAH

Ukiah Muni

FDC 6/9449 UKI IAP UKIAH MUNI, UKIAH, CA. LOC RWY 15, AMDT 5C...DME REQUIRED EXCEPT FOR AIRCRAFT EQUIPPED WITH SUITABLE RNAV SYSTEM WITH GPS, KEARN (UK) LOM OUT OF SERVICE. 1611171434-1706291434EST.

UPLAND

Cable

FDC 7/4535 CCB ODP CABLE, UPLAND, CA. TAKEOFF MINIMUMS AND (OBSTACLE) DEPARTURE PROCEDURES AMDT 3...TAKEOFF MINIMUMS: RWY 6, 300-1 3/4 OR STANDARD WITH MINIMUM CLIMB OF 325 FT PER NM TO 1900. ALL OTHER DATA REMAINS AS PUBLISHED. 1704241509-1712041509EST.

FDC 7/2545 CCB IAP CABLE, UPLAND, CA. RNAV (GPS) RWY 6, AMDT 1A...LP MDA 2580/HAT 1150 ALL CATS, VISIBILITY CAT A 1 1/4, CAT B 1 1/2, CAT C 3. LNAV MDA 2620/HAT 1190 ALL CATS, VISIBILITY CAT A 1 1/4, CAT B 1 1/2, CAT C 3. CIRCLING MDA 2620/HAA 1176 ALL CATS, VISIBILITY CAT A 1 1/4, CAT B 1 1/2, CAT C 3. CHANGE MISSED APPROACH TO READ: CLIMB TO 1900, THEN CLIMBING RIGHT TURN TO 5900 DIRECT ADAMM AND HOLD, CONTINUE CLIMB-IN-HOLD TO 5900 DISREGARD NOTE: PROCEDURE NA AT NIGHT. DISREGARD NOTE: HELICOPTER VISIBILITY REDUCTION BELOW 1 SM NA. NOTE: NIGHT LANDING: RWY 24 NA. NOTE: HELICOPTER VISIBILITY REDUCTION BELOW 3/4 SM NA.. 1703292042-1711082041EST.

VACAVILLE

Nut Tree

FDC 7/5720 VCB ODP NUT TREE, VACAVILLE, CA. TAKEOFF MINIMUMS AND (OBSTACLE) DEPARTURE PROCEDURES AMDT 4...DEPARTURE PROCEDURE NA. 1704051346-1711151346EST.

FDC 7/5716 VCB IAP NUT TREE, VACAVILLE, CA. RNAV (GPS) Y RWY 20, ORIG-A...RNAV (GPS) Z RWY 20, ORIG-B...PROCEDURE NA. 1704051341-1711151341EST.

VAN NUYS

Van Nuys

FDC 7/6436 VNY CHART VAN NUYS, VAN NUYS, CA. HARYS ONE DEPARTURE (RNAV) (HARYS1.HARYS)...ROSCOE ONE DEPARTURE (RNAV) (RSCO1.VVERA)...WLKKR ONE DEPARTURE (RNAV) (WLKKR1.WLKKR)...CORRECT PLANVIEW: CHARTS SHOW INCORRECT PLACEMENT OF FATKO WPT. SEE 17-07 TERM SAFETY ALERT AT [HTTPS://WWW.FAA.GOV/AIR_TRAFFIC/FLIGHT_INFO/AERONAV/SAFETY_ALERTS/](https://www.faa.gov/air_traffic/flight_info/aeronav/safety_alerts/) FOR CORRECTED CHARTS. 1704271416-PERM.

FDC 7/4358 VNY IAP VAN NUYS, VAN NUYS, CA. VOR-B AMDT 3...PROCEDURE NA. 1704241325-1712041325EST.

FDC 7/4235 VNY IAP VAN NUYS, VAN NUYS, CA. VOR-B, AMDT 4...ALTERNATE MINIMUMS: CAT A/B 900-2, CAT C 900-2 1/2, CAT D 1000-3. 1704241246-1712041246EST.

FDC 7/4029 VNY IAP VAN NUYS, VAN NUYS, CA. ILS Y RWY 16R, AMDT 6...RADAR REQUIRED. SANTA MONICA VOR/DME (SMO) 110.8/CHANNEL 45. DISREGARD NOTE: AUTOPILOT COUPLED APPROACH NA BELOW 1990. 1701122342-1708242342EST.

FDC 7/2752 VNY STAR VAN NUYS AIRPORT VAN NUYS, CA. ROKKR1 ARRIVAL.. AMEND ARRIVAL ROUTE DESCRIPTION FOR AIRCRAFT LANDING KVNYY TO BE AS FOLLOWS: LANDING VNY: FROM ROKRR ON TRACK 131 TO CROSS ZEPPE BETWEEN 9000 AND 10000 THEN ON TRACK 129 TO CROSS IVINS AT OR ABOVE 8000. VNY RWY 16R: FROM IVINS ON TRACK 063 TO CROSS HNTUN AT 7000, THEN ON TRACK 063. EXPECT RADAR VECTORS TO FINAL APPROACH COURSE. VNY RWY 34L: FROM IVINS ON TRACK 126 TO CROSS MIKEI AT 7000, THEN ON TRACK 126 TO CROSS EHUNT AT 6000, THEN ON TRACK 126. EXPECT RADAR VECTORS TO FINAL APPROACH COURSE. 1703090000-1803022359.

VICTORVILLE

Southern California Logistics

FDC 6/5582 VCV IAP SOUTHERN CALIFORNIA LOGISTICS, VICTORVILLE, CA. VOR/DME RWY 17, AMDT 1...PROCEDURE NA.. VICTORVILLE (VCV) DME OUT OF SERVICE. 1610241619-1706051619EST.

VISALIA

Visalia Muni

FDC 7/8730 VIS IAP VISALIA MUNI, VISALIA, CA. RNAV (GPS) RWY 30, AMDT 1A...LPV DA 545/HAT 250, VIS 3/4 ALL CATS. LNAV/VNAV VIS 3/4 ALL CATS. LNAV MDA 660/HAT 365, VIS 3/4 ALL CATS. CIRCLING CAT A MDA 740/HAA 445. NOTE: HELICOPTER VISIBILITY REDUCTION BELOW 3/4 SM NOT AUTHORIZED. 34:1 IS NOT CLEAR. NOTE: INOPERATIVE DOES NOT APPLY TO LPV AND LNAV/VNAV. CHANGE FOR INOPERATIVE MALSR, INCREASE LNAV/VNAV ALL CATS NOTE TO READ: FOR INOPERATIVE MALSR, INCREASE LNAV ALL CATS VISIBILITY TO 1 MILE. CHANGE FOR INOPERATIVE MALSR WHEN USING HANFORD ALTIMETER SETTING NOTE TO READ: FOR INOPERATIVE MALSR WHEN USING HANFORD ALTIMETER SETTING, INCREASE LPV AND LNAV/VNAV ALL CATS VISIBILITY TO 7/8 MILE, LNAV CAT A/B TO 1 MILE AND CAT C/D TO 1 1/8 MILE. 1704121152-1711221152EST.

FDC 7/8154 VIS IAP VISALIA MUNI, VISALIA, CA. RNAV (GPS) RWY 12, AMDT 1B...CIRCLING CAT A MDA 740/HAA 445. CHANGE LOCAL ALTIMETER SETTING NOTE TO READ: WHEN LOCAL ALTIMETER SETTING NOT RECEIVED, USE HANFORD ALTIMETER SETTING: INCREASE ALL DA 34 FT AND ALL VISIBILITIES 1/8 MILE; INCREASE ALL MDA 40 FT AND LNAV CAT C/D VISIBILITY 1/8 MILE. 1704111325-1711211325EST.

FDC 7/8150 VIS IAP VISALIA MUNI, VISALIA, CA. ILS OR LOC/DME RWY 30, AMDT 7A...S-ILS 30 DA 545/HAT 250, VIS 3/4 ALL CATS. S-LOC 30 MDA 640/HAT 345, VIS 3/4 ALL CATS. CIRCLING CAT A MDA 740/HAA 445. NOTE: HELICOPTER VISIBILITY REDUCTION BELOW 3/4 SM NOT AUTHORIZED. NOTE: INOPERATIVE TABLE DOES NOT APPLY TO S-ILS 30. NOTE: FOR INOPERATIVE MALSR, INCREASE S-LOC 30 ALL CATS VISIBILITY TO 1 MILE. NOTE: FOR INOPERATIVE MALSR WHEN USING HANFORD ALTIMETER SETTING, INCREASE S-ILS 30 ALL CATS VISIBILITY TO 7/8 MILE, S-LOC 30 CAT A/B TO 1 MILE AND CAT C/D TO 1 1/8 MILE. CHANGE LOCAL ALTIMETER SETTING NOTE TO READ: WHEN LOCAL ALTIMETER SETTING NOT RECEIVED, USE HANFORD ALTIMETER SETTING AND INCREASE ALL DA 34 FT AND ALL MDA 40 FT. 1704111324-1711211324EST.

WATSONVILLE

Watsonville Muni

FDC 6/5703 WVI IAP WATSONVILLE MUNI, WATSONVILLE, CA. VOR/DME-A, AMDT 1...NOTE: RWY 9, 27 CIRCLING NA AT NIGHT. NOTE: RWY 2 HELICOPTER VISIBILITY REDUCTION BELOW 3/4 SM NA. NOTE: RWY 9, 27 HELICOPTER VISIBILITY REDUCTION BELOW 1 SM NA. DISREGARD NOTE: VISIBILITY REDUCTION BY HELICOPTERS NA.. 1612301732-1708111732EST.

FDC 6/5702 WVI IAP WATSONVILLE MUNI, WATSONVILLE, CA. LOC RWY 2, AMDT 4A...NOTE CIRCLING RWY 9, 27 NA AT NIGHT. NOTE: RWY 9, 27 HELICOPTER VISIBILITY REDUCTION BELOW 1 SM NA. NOTE: RWY 2 HELICOPTER VISIBILITY REDUCTION BELOW 3/4 SM NA. DISREGARD NOTE: CIRCLING NA AT NIGHT. DISREGARD NOTE: HELICOPTER VISIBILITY BELOW 1 SM NOT AUTHORIZED.. 1612301732-1708111732EST.

FDC 6/5701 WVI IAP WATSONVILLE MUNI, WATSONVILLE, CA. RNAV (GPS) RWY 2, AMDT 1B...NOTE CIRCLING RWY 9, 27 NA AT NIGHT. NOTE: RWY 9, 27 HELICOPTER VISIBILITY REDUCTION BELOW 1 SM NA. NOTE: RWY 2 HELICOPTER VISIBILITY REDUCTION BELOW 3/4 SM NA. DISREGARD NOTE: CIRCLING NA AT NIGHT. DISREGARD NOTE: HELICOPTER VISIBILITY BELOW 1 SM NOT AUTHORIZED.. 1612301732-1708111732EST.

WILLITS

Ells Field-Willits Muni

FDC 7/6338 O28 IAP ELLS FIELD-WILLITS MUNI, WILLITS, CA. RNAV (GPS) RWY 34, AMDT 1B...STRAIGHT-IN MINIMUMS NA. 1701201832-1709011832EST.

COLORADO

CORTEZ

Cortez Muni

FDC 7/5476 CEZ IAP CORTEZ MUNI, CORTEZ, CO. VOR RWY 21, AMDT 5A...S-21 MDA 6660 /HAT 747 ALL CATS, VISIBILITY CAT B 1 1/4. CIRCLING MDA CATS A/B/C 6660 /HAA 742, VISIBILITY CAT B 1 1/4, CAT C 2 1/4. ADD NOTE: HELICOPTER VISIBILITY REDUCTION BELOW 3/4 SM NOT AUTHORIZED. 1702162150-1709282150EST.

CRAIG

Craig-Moffat

FDC 7/4272 CAG IAP CRAIG-MOFFAT, CRAIG, CO. VOR/DME RWY 7, AMDT 2C...CIRCLING CAT A MDA 7220/HAA 1022, CAT B MDA 7320/HAA 1122, CAT C/D MDA 7420/HAA 1222. AIRPORT ELEVATION 6198. NOTE: CIRCLING RWY 25 NA AT NIGHT. NOTE: RWY 7 HELICOPTER VISIBILITY REDUCTION BELOW 3/4 SM NOT AUTHORIZED. 1701132058-1708252058EST.

FDC 7/4270 CAG IAP CRAIG-MOFFAT, CRAIG, CO. GPS RWY 7, ORIG...S-7 MDA 6940/HAT 747 ALL CATS. CIRCLING CAT A MDA 7220/HAA 1022, CAT B MDA 7320/HAA 1122, CAT C/D MDA 7420/HAA 1222. AIRPORT ELEVATION 6198. TDZE 6193. NOTE: CIRCLING RWY 25 NA AT NIGHT. NOTE: RWY 7 HELICOPTER VISIBILITY REDUCTION BELOW 3/4 SM NOT AUTHORIZED. 1701132057-1708252057EST.

FDC 7/4268 CAG IAP CRAIG-MOFFAT, CRAIG, CO. GPS RWY 25, ORIG...S-25 MDA 7380/HAT 1182 ALL CATS, CIRCLING CATS A/B MDA 7380/HAA 1182, CATS C/D MDA 7420/HAA 1222. AIRPORT ELEVATION 6198. TDZE 6198. NOTE: STRAIGHT-IN RWY 25 NA AT NIGHT, CIRCLING RWY 25 NA AT NIGHT. NOTE: RWY 25 HELICOPTER VISIBILITY REDUCTION BELOW 1 SM NOT AUTHORIZED. 1701132054-1708252054EST.

FDC 7/4266 CAG IAP CRAIG-MOFFAT, CRAIG, CO. VOR RWY 25, AMDT 3A...S-25 MDA 7820/HAT 1622 ALL CATS. CIRCLING MDA 7820/HAA 1622 ALL CATS. DME MINIMA: S-25 MDA 7380/HAT 1182 ALL CATS. CIRCLING CATS A/B MDA 7380/HAA 1182, CATS C/D MDA 7420/HAA 1222.. AIRPORT ELEVATION 6198. TDZE 6198. NOTE: STRAIGHT-IN RWY 25 NA AT NIGHT, CIRCLING RWY 25 NA AT NIGHT. NOTE: RWY 25 HELICOPTER VISIBILITY REDUCTION BELOW 1 SM NOT AUTHORIZED. 1701132051-1708252051EST.

DENVER

Centennial

FDC 7/8939 APA IAP CENTENNIAL, DENVER, CO. ILS OR LOC/DME RWY 35R, AMDT 10...CHANGE MISSED APPROACH TO READ: CLIMB TO 7400 THEN CLIMBING RIGHT TURN TO 9200 ON HEADING 160 AND FQF R-197 TO HOHUM INT/BJC R-146.80 AND HOLD. 1703231340-1711021340EST.

FDC 7/2007 APA IAP CENTENNIAL, DENVER, CO. RNAV (GPS) RWY 28, AMDT 1B...LNAV MDA 6320/HAT 507 ALL CATS, VISIBILITY CATS C/D 1 1/2. VDP 1.52 NM TO RY28. TOWER 6012 MSL 2.50 NM EAST OF RWY 28 (2013-ANM-2875-OE). 1704181717-1711281717EST.

Denver Intl

FDC 7/8832 DEN IAP DENVER INTL, DENVER, CO. RNAV (RNP) Z RWY 25, ORIG-B...RNP 0.30 DA 5792/HAT 437 ALL CATS.. 1704121244-1711221244EST.

FDC 7/7823 DEN SID DENVER INTL, DENVER, CO. JMPRS TWO DEPARTURE (RNAV)...PROCEDURE NA. 1701251918-1709061918EST.

FDC 7/4985 DEN IAP DENVER INTL, DENVER, CO. ILS OR LOC RWY 7, AMDT 3B...S-LOC 7 SUNKE FIX MINIMUMS MDA 5660/HAT 308 ALL CATS. 1704251304-1712051304EST.

EAGLE

Eagle County Rgnl

FDC 7/5730 EGE SPECIAL EAGLE COUNTY RGNL, EAGLE, CO. ILS OR LOC/DME RWY 25, ORIG...DISREGARD FIX NAME ZUXAS. MISSED APPROACH POINT I-EGE 1.5 DME OR RWY 25 THRESHOLD 3938.670N-10654.007W....1704051354-1711151354EST.

FDC 7/5478 EGE SPECIAL EAGLE COUNTY RGNL, EAGLE, CO. RNAV-E, AMDT 1...NOTE: NIGHT LANDING RWY 7 NA. NOTE: HELICOPTER VISIBILITY REDUCTION BELOW 1 SM NOT AUTHORIZED. 1702162152-1709282152EST.

FDC 7/3174 EGE SPECIAL EAGLE COUNTY RGNL, EAGLE, CO. LOC FMS RWY 25, ORIG...NOTE: FAA AUTHORIZATION IS REQUIRED TO FLY THIS PROCEDURE. PROCEDURE HAS A CODED ENGINE-OUT PATH AND MANUAL PILOT INTERVENTION IS REQUIRED TO FLY THE CORRECT CLEARED FLIGHT PATH. 1703091825-1710191825EST.

FDC 7/3173 EGE SPECIAL EAGLE COUNTY RGNL, EAGLE, CO. COTTONWOOD TWO RNAV DEPARTURE...NOTE: FAA AUTHORIZATION IS REQUIRED TO FLY THIS PROCEDURE. PROCEDURE HAS A CODED ENGINE-OUT PATH AND MANUAL PILOT INTERVENTION IS REQUIRED TO FLY THE CORRECT CLEARED FLIGHT PATH. 1703091825-1710191825EST.

ERIE

Erie Muni

FDC 7/4987 EIK IAP ERIE MUNI, ERIE, CO. VOR/DME OR GPS-A, ORIG-A...MISSED APPROACH: CLIMBING RIGHT TURN TO 7300 VIA BJC R-023 TO SHATZ/13.5 DME AND HOLD. MSA FROM JEFFCO (BJC) VOR/DME 360-090 MINIMUM ALTITUDE 7600, 090-180 MINIMUM ALTITUDE 10600, 180-360 MINIMUM ALTITUDE 14800. CHANGE MINIMUM HOLDING ALTITUDE AT SHATZ/BJC 13.5 DME (IAF) TO 7300. MINIMUM ALTITUDE AT SHATZ/BJC 13.5 DME (FAF) 7200. 1704251306-1712051306EST.

FORT MORGAN

Fort Morgan Muni

FDC 6/2656 FMM IAP FORT MORGAN MUNI, FORT MORGAN, CO. RNAV (GPS) RWY 14, AMDT 1...RNAV MDA NA. 1611232114-1707052113EST.

GRAND JUNCTION

Grand Junction Regional

FDC 7/5632 GJT SID GRAND JUNCTION REGIONAL, GRAND JUNCTION, CO. GRAND JUNCTION SEVEN DEPARTURE...DISREGARD NOTE: TOP ALTITUDE: 6000. NOTE: TOP ALTITUDE: 14000. ALL OTHER DATA REMAINS AS PUBLISHED. 1701181941-1708301941EST.

FDC 7/4531 GJT IAP GRAND JUNCTION REGIONAL, GRAND JUNCTION, CO. ILS OR LOC RWY 11, AMDT 16B...LDA/DME RWY 29, ORIG-C...NOTE: ALTERNATE MINIMUMS: NA WHEN CONTROL TOWER CLOSED. 1704241507-1712041507EST.

GREELEY

Greeley-Weld County

FDC 7/3149 GXY IAP GREELEY-WELD COUNTY, GREELEY, CO. VOR-A, AMDT 10...CHART: WESAR FIX MINIMUMS: (DME REQUIRED). DELETE: WESAR FIX MINIMUMS: (DME OR RADAR REQUIRED). CHART NOTE: DME REQUIRED. DELETE ALL REFERENCE TO RADAR AT WESAR AND YURUK. THIS IS VOR-A, AMDT 10A. 1702092017-PERM.

FDC 6/0420 GXY IAP GREELEY-WELD COUNTY, GREELEY, CO. ILS OR LOC/DME RWY 35, AMDT 3...RNAV (GPS) RWY 10, AMDT 1A...RNAV (GPS) RWY 17, AMDT 1...RNAV (GPS) RWY 28, AMDT 1...RNAV (GPS) RWY 35, AMDT 1...CIRCLING CATS B/C MDA 5320/ HAA 623, VISIBILITY CAT C 1 3/4. TEMPORARY CRANE 4954 MSL 2.33NM SOUTHWEST OF GXY AIRPORT (2016-ANM-1583-OE). 1611181300-1706301300EST.

FDC 6/0418 GXY IAP GREELEY-WELD COUNTY, GREELEY, CO. VOR-A, AMDT 10...CIRCLING CATS B/C MDA 5320/ HAA 623. WESAR FIX MINIMUMS (DME OR RADAR REQUIRED) CIRCLING CATS B/C MDA 5320/ HAA 623, VISIBILITY CAT C 1 3/4. TEMPORARY CRANE 4954 MSL 2.33NM SOUTHWEST OF GXY AIRPORT (2016-ANM-1583-OE). 1611181300-1706301300EST.

GUNNISON

Gunnison-Crested Butte Rgnl

FDC 7/5474 GUC SPECIAL GUNNISON-CRESTED BUTTE RGNL, GUNNISON, CO. ILS/DME (FMS) RWY 6, ORIG...CHANGE KEEZR FROM I-GUC 15.8 DME TO I-GUC 16.11 DME. CHANGE PLATO FROM I-GUC 7.7 DME TO I-GUC 7.89 DME. TERMINAL ROUTE FROM I-GUC 20.9 DME TO KEEZR: MINIMUM ALTITUDE 11400. TERMINAL ROUTE FROM KEEZR TO GS INCPT: MINIMUM ALTITUDE 10300. MIN GS INCPT 10300. TCH 49 FT. S-LOC 6 NA. 1702162148-1709282148EST.

HAYDEN

Yampa Valley

FDC 7/0824 HDN IAP YAMPA VALLEY, HAYDEN, CO. RNAV (GPS) RWY 28, AMDT 3...PLANVIEW NOTE: FINAL APPROACH COURSE OFFSET 19.35 DEGREES. DISREGARD PLANVIEW NOTE: FINAL APPROACH COURSE OFFSET 19.46 DEGREES. 1701042339-1708162339EST.

KREMMLING

Mc Elroy Airfield

FDC 7/9954 20V IAP MC ELROY AIRFIELD, KREMMLING, CO. VOR/DME-A, AMDT 3A...NOTE: CIRCLING SOUTH OF AIRFIELD NOT AUTHORIZED. 1705032343-1712132343EST.

FDC 7/9919 20V IAP MC ELROY AIRFIELD, KREMMLING, CO. RNAV (GPS)-B, ORIG-A...CIRCLING NA S OF AIRFIELD, PER FLIGHT CHECK. 1705032143-1712132143EST.

MONTE VISTA

Monte Vista Muni

FDC 7/4527 MVI ODP MONTE VISTA MUNI, MONTE VISTA, CO. TAKEOFF MINIMUMS AND (OBSTACLE) DEPARTURE PROCEDURES AMDT 3...CHANGE DEPARTURE PROCEDURE TO READ: RWY 2, CLIMBING RIGHT TURN, THENCE...RWY 20, CLIMBING LEFT TURN, THENCE.....DIRECT ALS VORTAC. CONTINUE CLIMB IN ALS VORTAC HOLDING PATTERN (SE, RIGHT TURNS, 301 INBOUND) TO DEPART ALS VORTAC AT AIRWAY MEA/MCA, ALL OTHERS CLIMB TO 16000.ALL OTHER DATA REMAINS AS PUBLISHED. 1704241505-1712041505EST.

MONTROSE

Montrose Rgnl

FDC 7/4314 MTJ IAP MONTROSE RGNL, MONTROSE, CO. ILS OR LOC/DME RWY 17, AMDT 2D...RNAV (GPS) Y RWY 17, ORIG-C...RNAV (GPS) Z RWY 17, ORIG-C...VOR RWY 13, AMDT 9C...CIRCLING CAT B MDA 6420/HAA 661. 1704241302-1712041302EST.

PUEBLO

Pueblo Memorial

FDC 7/0604 PUB IAP PUEBLO MEMORIAL, PUEBLO, CO. ILS OR LOC RWY 8R, AMDT 1...CHANGE NOTE: AUTOPILOT COUPLED APPROACH NA BELOW 4950.. 1704141931-1711241929EST.

RIFLE

Garfield County Rgnl

FDC 7/5472 RIL IAP GARFIELD COUNTY RGNL, RIFLE, CO. RNAV (RNP) Z RWY 8, AMDT 1A...RNP 0.10 DA* NA. 1702162146-1709282146EST.

WRAY

Wray Muni

FDC 7/6420 2V5 IAP WRAY MUNI, WRAY, CO. RNAV (GPS) RWY 17, AMDT 1A...PROFILE NOTE: VGSI AND RNAV GLIDEPATH NOT COINCIDENT (VGSI ANGLE 3.00/TCH 44.6).. 1701202116-1709012116EST.

CONNECTICUT

BRIDGEPORT

Igor I Sikorsky Memorial

FDC 7/9131 BDR IAP IGOR I SIKORSKY MEMORIAL, BRIDGEPORT, CT. VOR RWY 24, AMDT 16...TERMINAL ROUTE FROM CMK VOR/DME TO BDR VOR/DME NA EXCEPT FOR AIRCRAFT EQUIPPED WITH SUITABLE RNAV SYSTEM WITH GPS EXCEPT FOR AIRCRAFT EQUIPPED WITH SUITABLE RNAV SYSTEM WITH GPS. NOTE: DME REQUIRED EXCEPT FOR AIRCRAFT EQUIPPED WITH SUITABLE RNAV SYSTEM WITH GPS. NOTE: CIRCLING RWY 11 NA AT NIGHT. 1703011336-1710111336EST.

FDC 7/9066 BDR IAP IGOR I SIKORSKY MEMORIAL, BRIDGEPORT, CT. RNAV (GPS) RWY 24, ORIG-A...LNAV MDA NA. 1703011215-1710111215EST.

FDC 7/7583 BDR IAP IGOR I SIKORSKY MEMORIAL, BRIDGEPORT, CT. ILS RWY 6, AMDT 9A...TERMINAL ROUTE FROM CMK VOR/DME TO STANE INT NA EXCEPT FOR AIRCRAFT EQUIPPED WITH SUITABLE RNAV SYSTEM WITH GPS. S-LOC 6 DME REQUIRED EXCEPT FOR AIRCRAFT EQUIPPED WITH SUITABLE RNAV SYSTEM WITH GPS. PROFILE NOTE: AUTOPILOT COUPLED APPROACH NA BELOW 350 MSL NA. 1704101251-1711201251EST.

DANBURY

Danbury Muni

FDC 7/5653 DXR IAP DANBURY MUNI, DANBURY, CT. VOR OR GPS-A, AMDT 9B...VOR PORTION NA. CMK VOR RADIALS 001-141 UNUSABLE. 1702171743-1709291743EST.

FDC 7/5652 DXR IAP DANBURY MUNI, DANBURY, CT. LOC RWY 8, AMDT 5B...PROCEDURE NA EXCEPT FOR AIRCRAFT EQUIPPED WITH SUITABLE RNAV SYSTEM WITH GPS. CMK VOR RADIALS 001-141 UNUSABLE. 1702171743-1709291743EST.

FDC 7/4041 DXR ODP DANBURY MUNI, DANBURY, CT. TAKEOFF MINIMUMS AND (OBSTACLE) DEPARTURE PROCEDURES AMDT 4...NOTE: RWY 8, BUILDINGS BEGINNING 1910 FT FROM DER, 872 FT RIGHT OF CENTERLINE, UP TO 60 FT AGL/665 FT MSL. ALL OTHER DATA REMAINS AS PUBLISHED. 1701122353-1708242353EST.

DANIELSON

Danielson

FDC 7/4630 LZD ODP DANIELSON, DANIELSON, CT. TAKEOFF MINIMUMS AND (OBSTACLE) DEPARTURE PROCEDURES AMDT 3.TAKEOFF MINIMUMS: RWY 13, 700-2 1/4 WITH MINIMUM CLIMB OF 300 FT PER NM TO 1100. RWY 31, 300-1 1/4 WITH MINIMUM CLIMB OF 331 FT PER NM TO 900. NOTE: RWY 13, TREES, POLES AND BUILDINGS BEGINNING 14 FT FROM DER, 315 FT LEFT OF CENTERLINE, UP TO 64 FT AGL/304 FT MSL. TREES, POLES AND BUILDINGS BEGINNING 87 FT FROM DER, 175 FT RIGHT OF CENTERLINE, UP TO 98 FT AGL/338 FT MSL. TREES BEGINNING 333 FT FROM DER, 410 FT RIGHT OF CENTERLINE, UP TO 106 FT AGL/346 FT MSL. TREES BEGINNING 1040 FT FROM DER, 731 FT LEFT OF CENTERLINE, UP TO 103 FT AGL/343 FT MSL. TREE 5594 FT FROM DER, 1610 FT LEFT OF CENTERLINE, UP TO 81 FT AGL/381 FT MSL. NOTE: RWY 31, TREES BEGINNING 54 FT FROM DER, 502 FT LEFT OF CENTERLINE, UP TO 106 FT AGL/316 FT MSL. TREES BEGINNING 108 FT FROM DER, 272 FT RIGHT OF CENTERLINE, UP TO 46 FT AGL/286 FT MSL. TREES AND TOWERS BEGINNING 440 FT FROM DER, 367 FT LEFT OF CENTERLINE, UP TO 97 FT AGL/327 FT MSL. TREES AND TOWERS BEGINNING 2057 FT FROM DER, 488 FT RIGHT OF CENTERLINE, UP TO 82 FT AGL/382 FT MSL. TREES BEGINNING 3013 FT FROM DER, 467 FT LEFT OF ALL OTHER DATA REMAINS AS PUBLISHED. FDC 7/4630 LZD ODP DANIELSON, Danielson, CT. CENTERLINE, UP TO 106 FT AGL/376 FT MSL. TREES AND TOWERS BEGINNING 3511 FT FROM DER, 1261 FT RIGHT OF CENTERLINE, UP TO 79 FT AGL/459 FT MSL. TREES BEGINNING 3739 FT FROM DER, 51 FT LEFT OF CENTERLINE, UP TO 87 FT AGL/417 FT MSL. ALL OTHER DATA REMAINS AS PUBLISHED. 1704241735-1712041735EST

HARTFORD

Hartford-Brainard

FDC 7/9386 HFD ODP HARTFORD-BRAINARD, HARTFORD, CT. TAKEOFF MINIMUMS AND (OBSTACLE) DEPARTURE PROCEDURES AMDT 5...NOTE: RWY 20, TEMP CRANES BEGINNING 221 FT FROM DER, 377 FT RIGHT OF CENTERLINE, UP TO 116 FT AGL/127 FT MSL (2015-ANE-1742 THRU 1752/1802 THRU 1811/2027 THRU 2037-OE, 2016-ANE-167 THRU 177-OE). ALL OTHER DATA REMAINS AS PUBLISHED. 1704121921-1711221921EST.

FDC 7/6250 HFD IAP HARTFORD-BRAINARD, HARTFORD, CT. LDA RWY 2, AMDT 2B...DANNS FIX MINIMUMS (DUAL VOR RECEIVERS REQUIRED) CIRCLING CATS A/B MDA 660/HAT 642. TEMP CRANE 298 MSL 5788 FT NE OF RWY 20 (2016-ANE-4419-OE). 1701201251-1709011251EST.

FDC 7/6249 HFD IAP HARTFORD-BRAINARD, HARTFORD, CT. RNAV (GPS) RWY 2, ORIG-B...CIRCLING CATS A/B MDA 660/HAT 642. TEMP CRANE 298 MSL 5788 FT NE OF RWY 20 (2016-ANE-4419-OE). 1701201251-1709011251EST.

FDC 7/0813 HFD IAP HARTFORD-BRAINARD, HARTFORD, CT. VOR-A, AMDT 10A...PROCEDURE NA. 1701042211-1708162211EST.

FDC 6/3993 HFD SID HARTFORD-BRAINARD, HARTFORD, CT. COASTAL SIX DEPARTURE...TAKEOFF OBSTACLES NOTES: RWY 20: TEMP CRANES BEGINNING 221 FT FROM DER, 377 FT RIGHT OF CENTERLINE, UP TO 116 FT AGL/127 FT MSL (2015-ANE-1742 THRU 1752/1802 THRU 1811/2027 THRU 2037-OE, 2016-ANE-167 THRU 177-OE). ALL OTHER DATA REMAINS AS PUBLISHED. 1610201427-1706011427EST.

OXFORD

Waterbury-Oxford

FDC 6/4621 OXC IAP WATERBURY-OXFORD, OXFORD, CT. ILS OR LOC RWY 36, AMDT 14A...CIRCLING MDA 1420/694 ALL CATS. VIS CAT C 2, CAT D 2 1/4. HUMOM FIX MINIMUMS CIRCLING MDA 1420/694 ALL CATS. VIS CAT C 2, CAT D 2 1/4. TEMP CRANE 1110 MSL 4267 FT E OF RWY 18 (2016-ANE-2664-OE). 1610210405-1706020405EST.

FDC 6/4620 OXC IAP WATERBURY-OXFORD, OXFORD, CT. RNAV (GPS) RWY 18, AMDT 2...LNAV/VNAV DA 1223/HAT 498, VIS 1 3/4 ALL CATS. LNAV MDA 1320/HAT 595 ALL CATS. VIS CATS C/D 1 3/4. CIRCLING MDA 1420/694 ALL CATS. VIS CAT C 2, CAT D 2 1/4. VDP 1.72 NM TO RWY 18. TEMP CRANE 1110 MSL 4267 FT E OF RWY 18 (2016-ANE-2664-OE). 1610210405-1706020405EST.

FDC 6/4615 OXC IAP WATERBURY-OXFORD, OXFORD, CT. RNAV (GPS) RWY 36, AMDT 2A...LNAV/VNAV DA 1115/HAT 429, VIS 1 3/8 ALL CATS. LNAV MDA 1220/HAT 534 ALL CATS. VIS CATS C/D 1 1/2. CIRCLING MDA 1420/694 ALL CATS. VIS CAT C 2, CAT D 2 1/4. VDP NA. TEMP CRANE 1110 MSL 4267 FT E OF RWY 18 (2016-ANE-2664-OE). 1610210405-1706020405EST.

STRATFORD

Sikorsky

FDC 7/2691 JSD SPECIAL SIKORSKY, STRATFORD, CT. INPAH ONE DEPARTURE...DEPARTURE PROCEDURE NA. 1703082010-1710182010EST.

FDC 7/1415 JSD SPECIAL SIKORSKY, STRATFORD, CT. COPTER GPS 029, AMDT 1...COPTER GPS 209, AMDT 1...PROCEDURE NA. 1703071443-1710171443EST.

WILLIMANTIC

Windham

FDC 7/7585 IJD IAP WINDHAM, WILLIMANTIC, CT. RNAV (GPS) RWY 27, AMDT 1A...PROCEDURE NA AT NIGHT DISREGARD NOTE: WHEN VGSI INOP, STRAIGHT-IN/CIRCLING RWY 27 PROCEDURE NA AT NIGHT. DISREGARD NOTE: CIRCLING TO RWY 09, 18, 36 NA AT NIGHT. DISREGARD NOTE: DESCENT ANGLE 3.00/TCH 40. DISREGARD NOTE: VGSI AND DESCENT ANGLES NOT COINCIDENT. PROFILE NOTE: VISUAL SEGMENT - OBSTACLES. 1704101253-1711201253EST.

FDC 7/4444 IJD IAP WINDHAM, WILLIMANTIC, CT. RNAV (GPS) RWY 9, AMDT 1A...PROCEDURE NA AT NIGHT DISREGARD NOTE: WHEN VGSI INOP, CIRCLING RWY 27 NA AT NIGHT. DISREGARD NOTE: CIRCLING TO RWY 09, 18, 36 NA AT NIGHT.. 1701141841-1708261841EST.

WINDSOR LOCKS

Bradley Intl

FDC 7/9997 BDL ODP BRADLEY INTL, WINDSOR LOCKS, CT. TAKEOFF MINIMUMS AND (OBSTACLE) DEPARTURE PROCEDURES AMDT 3...TAKEOFF MINIMUMS: RWY 19 NA. DEPARTURE PROCEDURES: RWY 33, ADD NOTE: WHEN EXECUTING VCOA, NOTIFY ATC PRIOR TO DEPARTURE.. ALL OTHER DATA REMAINS AS PUBLISHED. 1704131740-1711231740EST.

FDC 7/9997 BDL ODP BRADLEY INTL, WINDSOR LOCKS, CT. TAKEOFF MINIMUMS AND (OBSTACLE) DEPARTURE PROCEDURES AMDT 3...TAKEOFF MINIMUMS: RWY 19 NA. DEPARTURE PROCEDURES: RWY 33, ADD NOTE: WHEN EXECUTING VCOA, NOTIFY ATC PRIOR TO DEPARTURE.. ALL OTHER DATA REMAINS AS PUBLISHED. 1704131740-1711231740EST.

FDC 7/9166 BDL IAP BRADLEY INTL, WINDSOR LOCKS, CT. ILS OR LOC RWY 33, AMDT 10B...PROCEDURE NA EXCEPT FOR AIRCRAFT EQUIPPED WITH SUITABLE RNAV SYSTEM WITH GPS. BAF VORTAC OUT OF SERVICE AND CEF VOR UNUSABLE. 1705031157-1705101157EST.

DELAWARE

DOVER/CHESWOLD

Delaware Airpark

FDC 7/0777 33N IAP DELAWARE AIRPARK, DOVER/CHESWOLD, DE. RNAV (GPS) RWY 9, AMDT 2A...LNAV MDA 520/HAT 465 ALL CATS. VISIBILITY CAT C 1 3/8. CHANGE HELICOPTER VISIBILITY REDUCTION NOTE TO READ: RWY 9 HELICOPTER VISIBILITY REDUCTION BELOW 1 SM NOT AUTHORIZED. 1701042042-1708162042EST.

MIDDLETOWN

Summit

FDC 7/9249 EVY ODP SUMMIT, MIDDLETOWN, DE. TAKEOFF MINIMUMS AND (OBSTACLE) DEPARTURE PROCEDURES AMDT 2...TAKEOFF MINIMUMS: RWY 35, 200-1 1/4 OR STANDARD WITH MINIMUM CLIMB GRADIENT OF 298 FT PER NM TO 400. ALL OTHER DATA REMAINS AS PUBLISHED. 1705031237-1712131237EST.

WILMINGTON

New Castle

FDC 7/9620 ILG IAP NEW CASTLE, WILMINGTON, DE. VOR RWY 9, AMDT 7A...S-9 MDA 860/HAT 780 ALL CATS. VIS CATS C/D 2 1/2. CIRCLING MDA 860/HAA 780 ALL CATS. VIS CAT C 2 1/4, CAT D 2 1/2. QWOTE FIX MINIMUMS NA. DISREGARD MINIMUM ALTITUDE AT QUOTE *620. DISREGARD *620 WHEN USING PHILADELPHIA INTL ALTIMETER SETTING. ALTERNATE MINIMUMS: CATS C/D 800-2 1/2. 1704131247-1711231247EST.

FDC 7/9412 ILG IAP NEW CASTLE, WILMINGTON, DE. VOR RWY 27, AMDT 4B...WIROL FIX MINIMUMS (DME REQUIRED) S-27 MDA 680/HAT 608 ALL CATS. VIS CATS C/D 1 3/4. CIRCLING MDA 720/HAA 640 ALL CATS. VIS CAT C 1 3/4. TEMP CRANE 364 MSL 1.20 NM NE OF RWY 27 (2016-AEA-4169-OE). 1701311948-1709121948EST.

FDC 7/9411 ILG IAP NEW CASTLE, WILMINGTON, DE. RNAV (GPS) RWY 1, ORIG...RNAV (GPS) RWY 19, ORIG...RNAV (GPS) RWY 9, ORIG-A...CIRCLING MDA 720/HAA 640 ALL CATS. VIS CAT C 1 3/4. TEMP CRANE 364 MSL 1.20 NM NE OF RWY 27 (2016-AEA-4169-OE). 1701311948-1709121948EST.

FDC 7/9410 ILG IAP NEW CASTLE, WILMINGTON, DE. RNAV (GPS) RWY 27, ORIG-B...LNAV/VNAV DA 774/HAT 702, VIS 2 1/4 ALL CATS. LNAV MDA 680/HAT 608 ALL CATS. VIS CATS C/D 1 3/4. CIRCLING MDA 720/HAA 640 ALL CATS. VIS CAT C 1 3/4. TEMP CRANE 364 MSL 1.20 NM NE OF RWY 27 (2016-AEA-4169-OE). 1701311948-1709121948EST.

FDC 6/1755 ILG STAR NEW CASTLE, WILMINGTON, DE., CEDAR LAKE 8 ARRIVAL MINIMUM ENROUTE ALTITUDE (MEA) IS REVISED BTN ROUTE SEGMENTS. THE MEA BTN BRIGS INT AND CEDAR LAKE VOR (VCN) AND BTN VCN AND WOODSTOWN VOR (OOD) IS REVISED FR 1900FT MSL TO 2100FT MSL. 1605101755-PERM.

FDC 4/0374 ILG STAR NEWCASTLE, WILMINGTON, DE. BUNTS ONE ARRIVAL UNUSABLE 1) BELOW 5000FT MSL BETWEEN PSB AND HAR 2) BELOW 4000FT MSL BETWEEN HAR AND BOUHN 1403261400-PERM.

DISTRICT OF COLUMBIA

WASHINGTON

Manassas Rgnl/Harry P Davis Field

FDC 7/3211 HEF IAP MANASSAS RGNL/HARRY P DAVIS FIELD, WASHINGTON, DC. ILS OR LOC RWY 16L, ORIG-A...S-LOC 16L MDA 760/ HAT 568 ALL CATS, VISIBILITY CATS A/B 3/4, CATS C/D 1 1/4. CIRCLING CATS A/B MDA 760/ HAA 568. TEMPORARY CRANE 455 MSL 3.29 NM NORTHWEST OF RWY 16L (2016-AEA-11454-OE). 1704201549-1711301539EST.

Ronald Reagan Washington National

FDC 7/7617 DCA IAP RONALD REAGAN WASHINGTON NATIONAL, WASHINGTON, DC. RNAV (RNP) RWY 1, AMDT 1A...RNP 0.30 DA 651/HAT 637, VIS 1 3/4 ALL CATS. MISSED APPROACH: CLIMB TO 2200 LEFT TURN TO FIVUD AND ON TRACK 325 TO HESLO AND ON TRACK 325 TO GTN NDB AND HOLD. NOTE: FOR INOPERATIVE ALSF-2, INCREASE RNP 0.30 ALL CATS VISIBILITY TO 2 1/2 MILES. 1704101311-1711201311EST.

FDC 7/5420 DCA SID RONALD REAGAN WASHINGTON NATIONAL, WASHINGTON, DC. NATIONAL SEVEN DEPARTURE...TAKEOFF MINIMUMS: RWY 4: 400-2 OR STANDARD WITH MINIMUM CLIMB OF 365 FT PER NM TO 500. TAKEOFF OBSTACLE NOTES: RWY 4: TEMP CRANE 1.35 NM FROM DER, 2683 FT RIGHT OF CENTERLINE, 300 FT AGL/319 FT MSL (2015-AEA-6081/6082-OE). ALL OTHER DATA REMAINS AS PUBLISHED. 1704261152-1706051152EST.

FDC 7/5419 DCA ODP RONALD REAGAN WASHINGTON NATIONAL, WASHINGTON, DC. TAKEOFF MINIMUMS AND (OBSTACLE) DEPARTURE PROCEDURES AMDT 8...TAKEOFF MINIMUMS: RWY 4, 400-2 OR STANDARD WITH MINIMUM CLIMB OF 365 FT PER NM TO 500. NOTE: RWY 4, TEMP CRANE 1.35 NM FROM DER, 2683 FT RIGHT OF CENTERLINE, 300 FT AGL/319 FT MSL (2015-AEA-6081/6082-OE). ALL OTHER DATA REMAINS AS PUBLISHED. 1704261152-1706051152EST.

FDC 7/2427 DCA IAP RONALD REAGAN WASHINGTON NATIONAL, WASHINGTON, DC. LDA Y RWY 19, ORIG-A...LDA Z RWY 19, AMDT 3A...NOTE: CIRCLING RWY 4 NA AT NIGHT. DISREGARD NOTE: NIGHT LANDING RWY 4, 15 NA.. 1703081633-1710181633EST.

FDC 7/2397 DCA IAP RONALD REAGAN WASHINGTON NATIONAL, WASHINGTON, DC. ILS OR LOC/DME RWY 1, AMDT 41B...ILS RWY 1 (SA CAT I), AMDT 41B...ILS RWY 1 (CAT II), AMDT 41B.. NOTE: CIRCLING RWY 4 NA AT NIGHT. DISREGARD NOTE: NIGHT LANDING RWY 4, 15 NA.. MISSED APPROACH: CLIMB TO 420 THEN CLIMBING LEFT TURN TO 2200 ON DCA VOR/DME R-325 TO GTN NDB/INT/DCA 5.9 DME AND HOLD. 1703081610-1710181610EST.

FDC 7/0483 DCA IAP RONALD REAGAN WASHINGTON NATIONAL, WASHINGTON, DC. COPTER ILS OR LOC/DME RWY 1, AMDT 1A...MISSED APPROACH: CLIMB TO 420 THEN CLIMBING LEFT TURN TO 2200 ON DCA VOR/DME R-325 TO GTN NDB/INT/DCA 5.9 DME AND HOLD. 1703021932-1710121932EST.

Washington Dulles Intl

FDC 7/7609 IAD IAP WASHINGTON DULLES INTL, WASHINGTON, DC. RNAV (GPS) RWY 19R, ORIG-A...LNAV/VNAV DA 810/HAT 532, VIS 1 3/8 ALL CATS. LNAV MDA 740/HAT 462 ALL CATS. VIS CATS A/B RVR 4000, CATS C/D RVR 5500. VDP 1.23 NM TO RWY 19R. TEMP CRANE 488 MSL 1.05 NM NE OF RWY 19R (2016-AEA-1907-NRA). 1704101309-1711201309EST.

FDC 7/2961 IAD IAP WASHINGTON DULLES INTL, WASHINGTON, DC. RNAV (GPS) Y RWY 19C, AMDT 3C...LNAV/VNAV DA 842/HAT 573, VIS 1 1/2 ALL CATS. LNAV MDA 780/HAT 511 ALL CATS. VIS CATS A/B RVR 4000, CATS C/D RVR 5500. VDP 1.37 NM TO RWY 19C. TEMP CRANE 464 MSL 1.22 NM N OF RWY 19C (2016-AEA-362/363-NRA). 1702091623-1709211623EST.

FDC 7/2960 IAD ODP WASHINGTON DULLES INTL, WASHINGTON, DC. TAKEOFF MINIMUMS AND (OBSTACLE) DEPARTURE PROCEDURES AMDT 2...TAKEOFF MINIMUMS: RWY 1C, 300-1 1/2 OR STANDARD WITH MINIMUM CLIMB OF 362 FT PER NM TO 600. RWY 1L, 300-1 OR STANDARD WITH MINIMUM CLIMB OF 243 FT PER NM TO 500. NOTE: RWY 1C, TEMP CRANE 5018 FT FROM DER, 1267 FT RIGHT OF CENTERLINE, 187 FT AGL/448 FT MSL (2016-AEA-362-NRA). TEMP CRANE 1.21 NM FROM DER, 24 FT RIGHT OF CENTERLINE, 187 FT AGL/464 FT MSL (2016-AEA-363-NRA). RWY 01L, TEMP CRANES BEGINNING 4147 FT FROM FROM DER, 84 FT RIGHT OF CENTERLINE, UP TO 137 FT AGL/400 FT MSL (2015-AEA-808-NRA) (2015-AEA-1031/1032/1033/1034/1035-NRA). TEMP CRANE 5230 FT FROM DER, 1640 FT RIGHT OF CENTERLINE, 170 FT AGL/439 FT MSL (2016-AEA-946-NRA). ALL OTHER DATA REMAINS AS PUBLISHED. 1702091623-1709211623EST.

FDC 7/2959 IAD SID WASHINGTON DULLES INTL, WASHINGTON, DC. CAPITAL NINE DEPARTURE...TAKEOFF MINIMUMS: RWY 1C, 300-1 1/2 OR STANDARD WITH MINIMUM CLIMB OF 362 FT PER NM TO 600. TAKE-OFF OBSTACLES NOTES: RWY 1C: TEMP CRANE 5018 FT FROM DER, 1267 FT RIGHT OF CENTERLINE, 187 FT AGL/448 FT MSL (2016-AEA-362-NRA). TEMP CRANE 1.21 NM FROM DER, 24 FT RIGHT OF CENTERLINE, 187 FT AGL/464 FT MSL (2016-AEA-363-NRA). ALL OTHER DATA REMAINS AS PUBLISHED. 1702091623-1709211623EST.

FDC 7/2958 IAD IAP WASHINGTON DULLES INTL, WASHINGTON, DC. RNAV (RNP) Z RWY 19C, ORIG-D...RNP 0.30 DA 802/HAT 530, VIS 1 3/8 ALL CATS. TEMP CRANE 464 MSL 1.22 NM N OF RWY 19C (2016-AEA-362/363-NRA). 1702091623-1709211623EST.

FDC 7/2957 IAD IAP WASHINGTON DULLES INTL, WASHINGTON, DC. ILS OR LOC/DME RWY 19C, AMDT 25A...S-LOC MDA 780/HAT 511 ALL CATS. VIS CATS A/B RVR 4000, CATS C/D RVR 5500. TEMP CRANE 464 MSL 1.22 NM N OF RWY 19C (2016-AEA-362/363-NRA). 1702091623-1709211623EST.

FDC 7/2468 IAD SID WASHINGTON DULLES INTL, WASHINGTON, DC. JCOBY THREE DEPARTURE (RNAV)...CHANGE NOTE: PART 121 AIRCRAFT ONLY TO READ, COLIN TRANSITION: PART 121 AIRCRAFT ONLY. CHANGE NOTE: PART 129 AIRCRAFT ATC ASSIGNED ONLY TO READ, AGARD/SWANN TRANSITION: PART 121 AND PART 129 AIRCRAFT ONLY. ALL OTHER DATA REMAINS AS PUBLISHED. 1703291951-1711081951EST.

FDC 7/2133 IAD IAP WASHINGTON DULLES INTL, WASHINGTON, DC. ILS OR LOC RWY 1R, AMDT 24B...S-LOC 1R MDA 820/HAT 508 ALL CATS. VIS CATS C/D RVR 5500. VDP 1.13 DME FROM I-IAD OR 1.37 NM TO RW01R. TOWER 514 MSL 5.20 NM SOUTH OF RWY 1R. 1702072244-1709192244EST.

FDC 6/9402 IAD IAP WASHINGTON DULLES INTL, WASHINGTON, DC. ILS OR LOC/DME RWY 1L, AMDT 1B...S-LOC 1L MDA 680/HAT 384 ALL CATS, VIS CATS A/B 1/2, CATS C/D 5/8. VDP: 2.70 DME FROM OIU LOC. TEMP CRANES 478 MSL 4.12 NM S OF RWY 1L (2016-AEA-6216/6219-OE). 1610311242-1706121242EST.

FDC 6/4399 IAD SID WASHINGTON DULLES INTL, WASHINGTON, DC. BUNZZ THREE DEPARTURE (RNAV)...CAPITAL NINE DEPARTURE...JCOBY THREE DEPARTURE (RNAV)...JERES TWO DEPARTURE (RNAV)...MCRAY TWO DEPARTURE (RNAV)...RNLDI FOUR DEPARTURE (RNAV)...TAKEOFF OBSTACLE NOTES: RWY 01L, TEMP CRANES BEGINNING 4147 FT FROM FROM DER, 84 FT RIGHT OF CENTERLINE, UP TO 137 FT AGL/400 FT MSL, (2015-AEA-808-NRA) (2015-AEA-1031/1032/1033/1034/1035-NRA). ALL OTHER DATA REMAINS AS PUBLISHED. 1610201738-1706011738EST.

FLORIDA

AVON PARK

Avon Park Executive

FDC 7/2707 AVO IAP AVON PARK EXECUTIVE, AVON PARK, FL. RNAV (GPS) RWY 5, ORIG-A...CIRCLING CAT B MDA 840/HAA 680. CHART NOTE: RWY 5,10,23, 28 HELICOPTER VISIBILITY REDUCTION BELOW 1 SM NOT AUTHORIZED. DELETE NOTE: HELICOPTER VISIBILITY REDUCTION BELOW 1 SM NOT AUTHORIZED. THIS IS RNAV (GPS) RWY 5, ORIG-B. 1704191743-PERM.

FDC 7/2706 AVO IAP AVON PARK EXECUTIVE, AVON PARK, FL. RNAV (GPS) RWY 10, ORIG-A...CIRCLING CAT B MDA 840/HAA 680. CHART NOTE: RWY 5,10, 23, 28 HELICOPTER VISIBILITY REDUCTION BELOW 1 SM NOT AUTHORIZED. THIS IS RNAV (GPS) RWY 10, ORIG-B. 1704191743-PERM.

BOCA RATON

Boca Raton

FDC 7/4448 BCT IAP BOCA RATON, BOCA RATON, FL. RNAV (GPS) Y RWY 23, AMDT 1...CHANGE TERMINAL ROUTE TO READ: FROM MRLIN (IAF) (NOPT) TO KISEC (IF/IAF) . CHANGE TERMINAL ROUTE TO READ: FROM SOBPO (IAF) (NOPT) TO KISEC (IF/IAF). 1701141845-1708261845EST.

FDC 7/2365 BCT IAP BOCA RATON, BOCA RATON, FL. VOR/DME-A, AMDT 1A...CIRCLING MDA 820/HAA 807 ALL CATS, VIS CAT C 2-1/4, CAT D 2-1/2. 1704191236-1711291236EST.

BROOKSVILLE

Brooksville-Tampa Bay Rgnl

FDC 7/4628 BKV IAP BROOKSVILLE-TAMPA BAY RGNL, BROOKSVILLE, FL. ILS OR LOC RWY 9, AMDT 2E...DISREGARD NOTE: CIRCLING TO RWY 3/21/27 NA AT NIGHT. NOTE: VGSI AND ILS GLIDEPATH NOT COINCIDENT (VGSI ANGLE 2.91/TCH 58). 1704241733-1712041733EST.

FDC 7/4626 BKV IAP BROOKSVILLE-TAMPA BAY RGNL, BROOKSVILLE, FL. RNAV (GPS) RWY 9, AMDT 1C...DISREGARD NOTE: CIRCLING RWY 3/21/27 NA AT NIGHT. NOTE: VGSI AND RNAV GLIDEPATH NOT COINCIDENT (VGSI ANGLE 2.91/TCH 58). 1704241730-1712041730EST.

FDC 7/4624 BKV IAP BROOKSVILLE-TAMPA BAY RGNL, BROOKSVILLE, FL. RNAV (GPS) RWY 27, AMDT 1C...DISREGARD NOTE: RWY 27 STRAIGHT-IN/CIRCLING AND CIRCLING RWY 3/21 NA AT NIGHT. DISREGARD NOTE: HELICOPTER VISIBILITY REDUCTION BELOW 1 SM NA. NOTE: VGSI AND RNAV GLIDEPATH NOT COINCIDENT (VGSI ANGLE 2.96/TCH 57). 1704241725-1712041725EST.

CROSS CITY

Cross City

FDC 7/0066 CTY IAP CROSS CITY, CROSS CITY, FL. VOR RWY 31, AMDT 19A...PROCEDURE NA. 1703241958-1711031958EST.

DAYTONA BEACH

Daytona Beach Intl

FDC 7/8467 DAB IAP DAYTONA BEACH INTL, DAYTONA BEACH, FL. RNAV (GPS) RWY 16, AMDT 1C...LNAV/VNAV DA 636/HAT 603, VIS 1 5/8 ALL CATS. CIRCLING MDA 780/HAA 746 ALL CATS, VISIBILITY CAT B 1 1/4, CAT C 2 1/4, CAT D 2 1/2. TEMP CRANE 350 MSL 1123FT N OF RWY 25R (2016-ASO-24131-OE), TEMP CRANE 425 MSL 4277FT NE OF RWY 16 (2017-ASO-8006-OE). 1705021125-1705281125EST.

FDC 7/8466 DAB IAP DAYTONA BEACH INTL, DAYTONA BEACH, FL. RNAV (GPS) RWY 25R, AMDT 4...LNAV MDA 600/HAT 566, VIS 1 ALL CATS. CIRCLING MDA 780/HAA 746 ALL CATS, VISIBILITY CAT B 1 1/4, CAT C 2 1/4, CAT D 2 1/2. TEMP CRANE 350 MSL 1123FT N OF RWY 25R (2016-ASO-24131-OE), TEMP CRANE 425 MSL 4277FT NE OF RWY 16 (2017-ASO-8006-OE). 1705021125-1705281125EST.

FDC 7/8465 DAB IAP DAYTONA BEACH INTL, DAYTONA BEACH, FL. ILS OR LOC RWY 25R, AMDT 1...BANNR FIX MINIMUMS (DUAL VOR RECEIVERS OR DME REQUIRED). CIRCLING MDA 780/HAA 746 ALL CATS, VISIBILITY CAT B 1 1/4, CAT C 2 1/4, CAT D 2 1/2. TEMP CRANE 350 MSL 1123 FT N OF RWY 25R (2016-ASO-24131-OE), TEMP CRANE 425 MSL 4277FT NE OF RWY 16 (2017-ASO-8006-OE). 1705021125-1705281125EST.

FDC 7/8464 DAB IAP DAYTONA BEACH INTL, DAYTONA BEACH, FL. ILS OR LOC RWY 7L, AMDT 32...ZOPRI FIX MINIMUMS (DUAL VOR RECEIVERS REQUIRED): CIRCLING MDA 780/HAA 746 ALL CATS, VISIBILITY CAT B 1 1/4, CAT C 2 1/4, CAT D 2 1/2. TEMP CRANE 350 MSL 1123FT N OF RWY 25R (2016-ASO-24131-OE), TEMP CRANE 425 MSL 4277FT NE OF RWY 16 (2017-ASO-8006-OE). 1705021125-1705281125EST.

FDC 7/8463 DAB IAP DAYTONA BEACH INTL, DAYTONA BEACH, FL. RNAV (GPS) RWY 34, AMDT 2D...RNAV (GPS) RWY 7L, AMDT 1B...CIRCLING MDA 780/HAA 746 ALL CATS, VISIBILITY CAT B 1 1/4, CAT C 2 1/4, CAT D 2 1/2. TEMP CRANE 350 MSL 1123FT N OF RWY 25R (2016-ASO-24131-OE), TEMP CRANE 425 MSL 4277FT NE OF RWY 16 (2016-ASO-24131-OE). 1705021125-1705281125EST.

FDC 7/8462 DAB IAP DAYTONA BEACH INTL, DAYTONA BEACH, FL. VOR RWY 16, AMDT 18C...S-16 MDA 800/ HAT 767 ALL CATS, VISIBILITY CAT B 1 1/4, CAT C 2 1/4, CAT D 2 1/2. CIRCLING MDA 800/HAA 766 ALL CATS, VISIBILITY CAT B 1 1/4, CAT C 2 1/4, CAT D 2 1/2. VDP NA. TEMP CRANE 425 MSL 4277FT NE OF RWY 16 (2017-ASO-8006-OE). 1705021125-1705281125EST.

FDC 7/8461 DAB IAP DAYTONA BEACH INTL, DAYTONA BEACH, FL. RNAV (GPS) RWY 25L, AMDT 1B...RNAV (GPS) RWY 7R, ORIG-E...CIRCLING MDA CATS A/B/C 780/HAA 746, VISIBILITY CAT B 1 1/4, CAT C 2 1/4. TEMP CRANE 350 MSL 1123FT N OF RWY 25R (2016-ASO-24131-OE), TEMP CRANE 425 MSL 4277FT NE OF RWY 16 (2017-ASO-8006-OE). 1705021125-1705281125EST.

FDC 7/2526 DAB IAP DAYTONA BEACH INTL, DAYTONA BEACH, FL. VOR RWY 16, AMDT 18C...PROCEDURE NA. 1703292032-1711082032EST.

Spruce Creek

FDC 7/1187 7FL6 SPECIAL SPRUCE CREEK, DAYTONA BEACH, FL. RNAV (GPS) RWY 05, AMDT 1...CIRCLING CAT A MDA 580/HAA 556. 1701051606-1708171606EST.

DEFUNIAK SPRINGS

Defuniak Springs

FDC 7/3543 54J ODP DEFUNIAK SPRINGS, DEFUNIAK SPRINGS, FL. TAKEOFF MINIMUMS AND (OBSTACLE) DEPARTURE PROCEDURES ORIG...TAKEOFF MINIMUMS: RWY 9, STANDARD WITH MINIMUM CLIMB OF 254 FT PER NM TO 1000. ALL OTHER DATA REMAINS AS PUBLISHED. 1702112019-1709232019EST.

DELAND

Deland Muni-Sidney H Taylor Field

FDC 7/2681 DED ODP DELAND MUNI-SIDNEY H TAYLOR FIELD, DELAND, FL. TAKEOFF MINIMUMS AND (OBSTACLE) DEPARTURE PROCEDURES AMDT 3...TAKEOFF MINIMUMS: RWY 23, 300-1. NOTE: RWY 23, TEMP CRANES BEGINNING 2817 FT FROM DER, 497 FT LEFT OF CENTERLINE, UP TO 165 FT AGL/251 FT MSL (2016-ASO-27220/22/23/25-OE). ALL OTHER DATA REMAINS AS PUBLISHED. 1702082053-1707212053EST.

FDC 6/2822 DED IAP DELAND MUNI-SIDNEY H TAYLOR FIELD, DELAND, FL. VOR/DME RWY 23, ORIG-A...NOTE: STRAIGHT-IN RWY 23 NA AT NIGHT. DISREGARD NOTE: STRAIGHT-IN/CIRCLING RWY 23 AND CIRCLING TO RWY 12 NA AT NIGHT. 1612152218-1707272217EST.

FDC 6/2815 DED IAP DELAND MUNI-SIDNEY H TAYLOR FIELD, DELAND, FL. RNAV (GPS) RWY 23, ORIG...CIRCLING CAT A/B/C MDA 600/HAA 520. CHANGE WHEN LOCAL ALTIMETER SETTING NOTE TO READ: WHEN LOCAL ALTIMETER SETTING NOT RECEIVED, USE DAYTONA BEACH INTL ALTIMETER SETTING AND INCREASE ALL DA 38 FEET AND ALL MDA 40 FEET; INCREASE LPV ALL CATS VISIBILITY 1/4 MILE. NOTE: HELICOPTER VISIBILITY REDUCTION BELOW 3/4 SM NOT AUTHORIZED. CHANGE BARO-VNAV NA BELOW NOTE TO READ: FOR UNCOMPENSATED BARO-VNAV SYSTEMS, LNAV-VNAV NA BELOW -15C (5F) OR ABOVE 54C (130F). 1612152213-1707272213EST.

FDC 6/2813 DED IAP DELAND MUNI-SIDNEY H TAYLOR FIELD, DELAND, FL. RNAV (GPS) RWY 12, ORIG...LNAV MDA 600/HAT 526 ALL CATS, VIS CAT C 1 1/2, CAT D 1 3/4. CIRCLING CAT A/B/C MDA 600/HAA 520. NOTE: HELICOPTER VISIBILITY REDUCTION BELOW 3/4 SM NOT AUTHORIZED. CHANGE BARO-VNAV NA BELOW NOTE TO READ: FOR UNCOMPENSATED BARO-VNAV SYSTEMS, LNAV-VNAV NA BELOW -15C (5F) OR ABOVE 54C (130F). CHANGE IF LOCAL ALTIMETER SETTING NOTE TO READ: WHEN LOCAL ALTIMETER SETTING NOT RECEIVED, USE DAYTONA BEACH INTL ALTIMETER SETTING AND INCREASE ALL DAS 38 FEET AND ALL MDAS 40 FEET; INCREASE LNAV/VNAV ALL CATS VISIBILITY 1/4 MILE. 1612152213-1707272213EST.

FDC 6/2811 DED IAP DELAND MUNI-SIDNEY H TAYLOR FIELD, DELAND, FL. RNAV (GPS) RWY 30, ORIG...LPV DA NA. LNAV/VNAV DA NA. CIRCLING CAT A/B/C MDA 600/HAA 520. NOTE: HELICOPTER VISIBILITY REDUCTION BELOW 3/4 SM NOT AUTHORIZED. CHANGE BARO-VNAV NA BELOW NOTE TO READ: FOR UNCOMPENSATED BARO-VNAV SYSTEMS, LNAV/VNAV NA BELOW -15C (5F) OR ABOVE 54C (130F). 1612152213-1707272213EST.

FDC 6/2807 DED IAP DELAND MUNI-SIDNEY H TAYLOR FIELD, DELAND, FL. RNAV (GPS) RWY 5, ORIG-A...CIRCLING CAT A/B/C MDA 600/HAA 520. CHANGE HELICOPTER VISIBILITY REDUCTION NOTE TO READ: HELICOPTER VISIBILITY REDUCTION BELOW 3/4 SM NOT AUTHORIZED. CHANGE BARO-VNAV NA BELOW NOTE TO READ: FOR UNCOMPENSATED BARO-VNAV SYSTEMS, LNAV-VNAV NA BELOW -15C (5F) OR ABOVE 54C (130F). DISREGARD NOTE: WHEN VGSI INOPERATIVE, STRAIGHT-IN/CIRCLING RWY 5 NA AT NIGHT. 1612152213-1707272213EST.

DESTIN

Destin Executive

FDC 7/7440 DTS IAP DESTIN EXECUTIVE, DESTIN, FL. RNAV (GPS) RWY 14, AMDT 2B...LPV VISIBILITY 1 ALL CATS. 1703211517-1710311517EST.

FERNANDINA BEACH

Fernandina Beach Muni

FDC 7/2693 FHB IAP FERNANDINA BEACH MUNI, FERNANDINA BEACH, FL. RNAV (GPS) RWY 13, AMDT 2A...RNAV (GPS) RWY 22, AMDT 1B...NIGHT LANDING RWY 22 NA.. 1703301121-1711091121EST.

FORT LAUDERDALE

Fort Lauderdale Executive

FDC 6/5804 FXE STAR FT. LAUDERDALE EXECUTIVE, FT. LAUDERDALE, FLORIDA BLUF1 THREE ARRIVAL...MLB TRANSITION UNUSBL MLB VORTAC U/S 1601221600-PERM.

FDC 6/5800 FXE STAR FT. LAUDERDALE EXECUTIVE AIRPORT, FT. LAUDERDALE, FLORIDA GISSH FOUR ARRIVAL...MLB TRANSITION UNUSBL MLB VORTAC U/S 1601221600-PERM.

Fort Lauderdale/Hollywood Intl

FDC 7/9981 FLL IAP FORT LAUDERDALE/HOLLYWOOD INTL, FORT LAUDERDALE, FL. ILS OR LOC RWY 28L, AMDT 1...RNAV (GPS) RWY 10R, AMDT 1...RNAV (GPS) Z RWY 10L, AMDT 4...CIRCLING CATS A/B MDA 680/HAA 615, CATS C/D MDA 900/HAA 835. VIS CAT C 2 1/2, CAT D 2 3/4. TEMP CRANES 595 MSL NM 2.5 NM N OF RWY 28R (2014-ASO-12468/12469-OE). STACK 364 MSL 5298 FT NE OF RWY 28R. 1703021249-1710121248EST.

FDC 7/9977 FLL IAP FORT LAUDERDALE/HOLLYWOOD INTL, FORT LAUDERDALE, FL. RNAV (GPS) RWY 28L, AMDT 1...CIRCLING CATS A/B MDA 680/HAA 615, CATS C/D MDA 900/HAA 835. VIS CAT C 2 1/2, CAT D 2 3/4. TEMP CRANES 595 MSL NM 2.5 NM N OF RWY 28R (2014-ASO-12468/12469-OE). STACK 364 MSL 5298 FT NE OF RWY 28R (KFLLT006136). 1703021242-1710121242EST.

FDC 7/7956 FLL IAP FORT LAUDERDALE/HOLLYWOOD INTL, FORT LAUDERDALE, FL. ILS OR LOC RWY 28R, AMDT 11...CIRCLING CATS A/B MDA 680/HAA 615, CATS C/D MDA 900/HAA 835. VIS CAT C 2 1/2, CAT D 2 3/4. TEMP CRANES 595 MSL NM 2.5 NM N OF RWY 28R (2014-ASO-12468/12469-OE). STACK 364 MSL 5298 FT NE OF RWY 28R (KFLLT006136). 1702242131-1710062130EST.

FDC 7/7954 FLL IAP FORT LAUDERDALE/HOLLYWOOD INTL, FORT LAUDERDALE, FL. RNAV (GPS) Y RWY 28R, AMDT 4...CIRCLING CATS A/B MDA 680/HAA 615, CATS C/D MDA 900/HAA 835. VIS CAT C 2 1/2, CAT D 2 3/4. TEMP CRANES 595 MSL NM 2.5 NM N OF RWY 28R (2014-ASO-12468/12469-OE). STACK 364 MSL 5298 FT NE OF RWY 28R. 1702242129-1710062129EST.

FDC 7/7940 FLL IAP FORT LAUDERDALE/HOLLYWOOD INTL, FORT LAUDERDALE, FL. ILS OR LOC RWY 10L, AMDT 24...CIRCLING CATS A/B MDA 680/HAA 615, CATS C/D MDA 900/HAA 835. VIS CAT C 2 1/2, CAT D 2 3/4. PAKEE FIX MINIMUMS NA. TEMP CRANES 595 MSL NM 2.5 NM N OF RWY 28R (2014-ASO-12468/12469-OE). STACK 364 MSL 5298 FT NE OF RWY 28R (KFLLT006136). 1702242106-1710062105EST.

FDC 7/7545 FLL IAP FORT LAUDERDALE/HOLLYWOOD INTL, FORT LAUDERDALE, FL. ILS OR LOC RWY 10R, AMDT 1...S-ILS 10R DA 373/HAT 359, VIS RVR 5000 ALL CATS. CIRCLING CATS A/B MDA 680/HAA 615, CATS C/D MDA 900/HAA 835. VIS CAT C 2 1/2, CAT D 2 3/4. ZALAL FIX MINIMUMS NA. TEMP CRANE 175 MSL 3471 FT W OF RWY 10R (2016-ASO-23284-OE). TEMP CRANES 595 MSL NM 2.5 NM N OF RWY 28R (2014-ASO-12468/12469-OE). STACK 364 MSL 5298 FT NE OF RWY 28R (KFLLT006136). 1703211703-1710311703EST.

FDC 7/7543 FLL SID FORT LAUDERDALE/HOLLYWOOD INTL, FORT LAUDERDALE, FL. FORT LAUDERDALE SIX DEPARTURE...TAKEOFF MINIMUMS: RWY 28L: 300-1 OR STANDARD WITH MINIMUM CLIMB OF 389 FT PER NM TO 300. TAKEOFF OBSTACLE NOTES: RWY 28L: TEMP CRANE 3382 FT FROM DER, 781 FT RIGHT OF CENTERLINE, 160 FT AGL/175 FT MSL (2016-ASO-23284-OE). ALL OTHER DATA REMAINS AS PUBLISHED. 1703211701-1710311701EST.

FDC 7/7541 FLL ODP FORT LAUDERDALE/HOLLYWOOD INTL, FORT LAUDERDALE, FL. TAKEOFF MINIMUMS AND (OBSTACLE) DEPARTURE PROCEDURES AMDT 6A...TAKEOFF MINIMUMS: RWY 28L, 300-1 OR STANDARD WITH MINIMUM CLIMB OF 389 FT PER NM TO 300. NOTE: RWY 28L, TEMP CRANE 3382 FT FROM DER, 781 FT RIGHT OF CENTERLINE, 160 FT AGL/175 FT MSL (2016-ASO-23284-OE). ALL OTHER DATA REMAINS AS PUBLISHED. 1703211701-1710311701EST.

FDC 6/5803 FLL STAR FT. LAUDERDALE INTL, FT. LAUDERDALE, FLORIDA BLUFI THREE ARRIVAL...MLB TRANSITION UNUSBL MLB VORTAC U/S 1601221600-PERM.

FDC 6/5798 FLL STAR FT. LAUDERDALE INTL, FT. LAUDERDALE, FLORIDA GISSH FOUR ARRIVAL...MLB TRANSITION UNUSBL MLB VORTAC U/S 1601221600-PERM.

FORT MYERS

Southwest Florida Intl

FDC 7/8369 RSW IAP SOUTHWEST FLORIDA INTL, FORT MYERS, FL. ILS OR LOC/DME RWY 6, AMDT 7A...CIRCLING CAT E MDA 680/HAA 650. TEMP CRANE 375 MSL 3.06 NM E OF RWY 24 (2017-ASO-1077-OE). 1705011935-1705261932EST.

FDC 7/2119 RSW IAP SOUTHWEST FLORIDA INTL, FORT MYERS, FL. ILS OR LOC/DME RWY 6, AMDT 7A...AUTO COUPLED APPROACH NA. 1702072235-1709192234EST.

HOLLYWOOD

North Perry

FDC 7/8771 HWO SID NORTH PERRY, HOLLYWOOD, FL. MIAMI FIVE DEPARTURE...DISREGARD NOTE: TURBOJETS ACCELERATE TO 250K AS RAPIDLY AS FEASIBLE UNTIL REACHING 10000 MSL, UNLESS REQUESTED BY ATC TO DO OTHERWISE. 1701291537-1709101537EST.

FDC 6/8697 HWO IAP NORTH PERRY, HOLLYWOOD, FL. RNAV (GPS) RWY 10R, ORIG-B...STRAIGHT IN MINIMUMS NA AT NIGHT.. 1612072310-1707192310EST.

FDC 6/5806 HWO STAR NORTH PERRY AIRPORT, HOLLYWOOD, FLORIDA BLUFI THREE ARRIVAL...MLB TRANSITION UNUSABLE MLB VORTAC U/S 1601221600-PERM.

FDC 6/5801 HWO STAR NORTH PERRY AIRPORT, HOLLYWOOD, FLORIDA GISSH FOUR ARRIVAL...MLB TRANSITION UNUSBL MLB VORTAC U/S 1601221600-PERM.

HOMESTEAD

Homestead Arb

FDC 6/5807 HST STAR HOMESTEAD AIR RESERVE BASE, HOMESTEAD, FLORIDA BLUFI THREE ARRIVAL...MLB TRANSITION UNUSBL MLB VORTAC U/S 1601221600-PERM.

FDC 6/5795 HST STAR HOMESTEAD AIR RESERVE BASE, HOMESTEAD, FLORIDA ANNEY THREE ARRIVAL...MLB TRANSITION UNUSBL MLB VORTAC U/S 1601221600-PERM.

Miami Homestead General Aviation

FDC 6/5810 X51 STAR HOMESTEAD GENERAL AVIATION AIRPORT, HOMESTEAD, FLORIDA BLUFI THREE ARRIVAL...MLB TRANSITION UNUSBL MLB VORTAC U/S 1601221600-PERM.

FDC 6/5796 X51 STAR HOMESTEAD GENERAL AVIATION AIRPORT, HOMESTEAD, FL ANNEY THREE ARRIVAL...MLB TRANSITION UNUSBL MLB VORTAC U/S 1601221600-PERM.

IMMOKALEE

Immokalee Rgnl

FDC 7/9670 IMM IAP IMMOKALEE RGNL, IMMOKALEE, FL. RNAV (GPS) RWY 27, ORIG-B...RNAV (GPS) RWY 9, ORIG-B...PROCEDURE NA. 1703011934-1710111934EST.

FDC 6/1742 IMM IAP IMMOKALEE RGNL, IMMOKALEE, FL. RNAV (GPS) RWY 18, ORIG-B...PROCEDURE NA. 1612141612-1707261612EST.

FDC 6/1741 IMM ODP IMMOKALEE RGNL, IMMOKALEE, FL. TAKEOFF MINIMUMS AND (OBSTACLE) DEPARTURE PROCEDURES AMDT 1...DEPARTURE PROCEDURE RWY 09,18,27 NA. ALL OTHER DATA REMAINS AS PUBLISHED. 1612141612-1707261612EST.

JACKSONVILLE

Cecil

FDC 7/7406 VQQ IAP CECIL, JACKSONVILLE, FL. ILS OR LOC RWY 36R, AMDT 3A...LOCALIZER UNSABLE BEYOND 25 DEGREES RIGHT OF CENTERLINE.. 1703211442-1710311441EST.

FDC 7/0408 VQQ IAP CECIL, JACKSONVILLE, FL. TACAN RWY 9R, ORIG-A...PROCEDURE NA. 1701032131-1708152131EST.

Jacksonville Executive At Craig

FDC 7/3674 CRG IAP JACKSONVILLE EXECUTIVE AT CRAIG, JACKSONVILLE, FL. ILS OR LOC RWY 32, AMDT 5A...VOR RWY 14, AMDT 5A...RADAR REQUIRED EXCEPT FOR AIRCRAFT EQUIPPED WITH SUITABLE RNAV SYSTEM WITH GPS, CRG TACAN OUT OF SERVICE. 1704211341-1706151341EST.

Jacksonville Intl

FDC 7/3676 JAX IAP JACKSONVILLE INTL, JACKSONVILLE, FL. VOR/DME RWY 32, AMDT 2B...PROCEDURE NA EXCEPT FOR AIRCRAFT EQUIPPED WITH SUITABLE RNAV SYSTEM WITH GPS, CRG TACAN OUT OF SERVICE. 1704211341-1706151341EST.

FDC 7/3018 JAX IAP JACKSONVILLE INTL, JACKSONVILLE, FL. ILS OR LOC RWY 26, AMDT 2A...ZETRI FIX MINIMUMS: S-LOC 26 MDA 400/HAT 373 ALL CATS. VIS CAT C/D RVR 3500. CHANGE FOR INOPERATIVE MALSR NOTE TO READ: FOR INOPERATIVE MALSR, INCREASE S-LOC 26 CATS C/D VISIBILITY TO 1 3/8 MILE, ZETRI FIX MINIMUMS: INCREASE S-LOC 26 CATS C/D VISIBILITY TO RVR 5500. 1704201242-1711301242EST.

FDC 7/3016 JAX IAP U.S. DOD JACKSONVILLE INTL, JACKSONVILLE, FL. HI - ILS OR LOC RWY 26, AMDT 2...S-LOC 26 MDA 400/HATH 374, VIS RVR 3500 ALL CATS. 1704201242-1711301242EST.

FDC 7/3011 JAX IAP U.S. DOD JACKSONVILLE INTL, JACKSONVILLE, FL. HI - TACAN RWY 14, AMDT 4...S-14 MDA 400/HATH 373 ALL CATS. 1704201237-1711301237EST.

Shands Jacksonville Hospital

FDC 7/1818 FA61 SPECIAL SHANDS JACKSONVILLE HOSPITAL, JACKSONVILLE, FL. COPTER RNAV (GPS) 055, ORIG...H-055 MDA 520/HAL 390. ANTENNA 191 MSL 1 NM WEST OF HELIPORT. 1704181346-1711281345EST.

JUPITER

William P Gwinn

FDC 7/4550 06FA SPECIAL WILLIAM P GWINN, JUPITER, FL. COPTER GPS 095, ORIG...PROCEDURE NA. 1701142036-1708262036EST.

FDC 7/2392 06FA SPECIAL WILLIAM P GWINN, JUPITER, FL. TAKEOFF MINIMUMS AND OBSTACLE (ODP) DEPARTURE PROCEDURE...PROCEDURE NA 1703081605-1710181605EST.

KEY LARGO

Ocean Reef Club

FDC 6/5808 07FA STAR OCEAN REEF CLUB AIRPORT, KEY LARGO, FLORIDA BLUFI THREE ARRIVAL...MLB TRANSITION UNUSBL MLB VORTAC U/S 1601221600-PERM.

FDC 6/5797 07FA STAR OCEAN REEF CLUB AIRPORT, KEY LARGO, FLORIDA ANNEY THREE ARRIVAL...MLB TRANSITION UNUSBL MLB VORTAC U/S 1601221600-PERM.

LADY LAKE

Village Of Homewood Lady Lake

FDC 7/1792 FL20 SPECIAL VILLAGE OF HOMEWOOD LADY LAKE, LADY LAKE, FL. COPTER RNAV (GPS) 195, ORIG...PROCEED VFR FROM PEMIE OR CONDUCT THE SPECIFIED MISSED APPROACH. DISREGARD ALL VISUAL SEGMENT REFERENCES. 1703282155-1711072155EST.

LAKE WALES

Lake Wales Muni

FDC 7/0680 X07 IAP LAKE WALES MUNI, LAKE WALES, FL. RNAV (GPS) RWY 6, ORIG-A...LP HAT 373 ALL CATS. LNAV HAT 393 ALL CATS. CHART TDZE 127, DELETE THRE 126. CHART NOTE: RWY 6, 24 HELICOPTER VISIBILITY REDUCTION BELOW 1 SM NOT AUTHORIZED. DELETE NOTE: VISIBILITY REDUCTION BY HELICOPTERS NA. THIS IS RNAV (GPS) RWY 6, ORIG-B. 1702022025-PERM.

FDC 7/0679 X07 IAP LAKE WALES MUNI, LAKE WALES, FL. RNAV (GPS) RWY 24, ORIG...LP HAT 453 ALL CATS. LNAV HAT 453 ALL CATS. CHART TDZE 127, DELETE THRE 122. CHART NOTE: RWY 6, 24 HELICOPTER VISIBILITY REDUCTION BELOW 1 SM NOT AUTHORIZED. DELETE NOTE: VISIBILITY REDUCTION BY HELICOPTERS NA. THIS IS RNAV (GPS) RWY 24, ORIG-A. 1702022025-PERM.

LAKELAND

Lakeland Linder Rgnl

FDC 6/9026 LAL IAP LAKELAND LINDER RGNL, LAKELAND, FL. RNAV (GPS) RWY 27, AMDT 2A...LNAV/VNAV DA 455/HAT 313, VIS 1 ALL CATS. LNAV MDA 560/HAT 418 ALL CATS, VIS CAT C/D 1 1/8. NOTE: CIRCLING RWY 8, 26 NA. 1612081519-1707201519EST.

FDC 6/9025 LAL IAP LAKELAND LINDER RGNL, LAKELAND, FL. ILS OR LOC/DME RWY 9, ORIG-A...VOR RWY 27, AMDT 7F...VOR RWY 9, AMDT 4C...NOTE: CIRCLING RWY 8, 26 NA. MSA FROM LAKELAND (LAL) VORTAC 310 - 080 MINIMUM ALTITUDE 2200, 080 - 310 MINIMUM ALTITUDE 2700. 1612081519-1707201519EST.

FDC 6/9023 LAL IAP LAKELAND LINDER RGNL, LAKELAND, FL. RNAV (GPS) RWY 23, ORIG-B...RNAV (GPS) RWY 5, ORIG-D...RNAV (GPS) RWY 9, AMDT 2B...NOTE: CIRCLING RWY 8, 26 NA. 1612081519-1707201519EST.

LEESBURG

Leesburg Intl

FDC 6/5831 LEE STAR LEESBURG INTERNATIONAL AIRPORT, LEESBURG, FLORIDA GOOFY SIX ARRIVAL...MLB TRANSITION UNUSABLE MLB VORTAC U/S 1601221600-PERM.

MELBOURNE

Melbourne Intl

FDC 7/4243 MLB IAP MELBOURNE INTL, MELBOURNE, FL. ILS OR LOC RWY 9R, AMDT 12A...S-ILS 9R DA 282/HAT 250, VIS RVR 4000 ALL CATS. S-LOC 9R MDA 420/HAT 388, VIS RVR 4000 ALL CATS. CIRCLING CATS A/B/C MDA 600/HAA 567. NOTE: RWY 09R HELICOPTER VISIBILITY REDUCTION BELOW 3/4 SM NA. TEMP CRANE 237 MSL 3600 FT W OF RWY 5 (2016-ASO-2987-NRA). 1703131450-1710231450EST.

FDC 7/4242 MLB IAP MELBOURNE INTL, MELBOURNE, FL. RNAV (GPS) RWY 9R, AMDT 1A...LPV DA 282/HAT 250, VIS RVR 4000 ALL CATS. LNAV MDA 460/HAT 428, VIS RVR 4000 ALL CATS. CIRCLING CATS A/B/C MDA 600/HAA 567. VDP 1.08 NM TO RWY 09R. TEMP CRANE 156 MSL 964 FT S OF RWY 9R (2016-ASO-306-NRA). TEMP CRANE 237 MSL 3600 FT W OF RWY 5 (2016-ASO-2987-NRA). 1703131450-1710231450EST.

FDC 7/4241 MLB IAP MELBOURNE INTL, MELBOURNE, FL. LOC BC RWY 27L, AMDT 10A...RNAV (GPS) RWY 27L, AMDT 1A...RNAV (GPS) RWY 27R, AMDT 1A...RNAV (GPS) RWY 9L, AMDT 1A...CIRCLING CATS A/B/C MDA 600/HAA 567. TEMP CRANE 237 MSL 3600 FT W OF RWY 5 (2016-ASO-2987-NRA). 1703131450-1710231450EST.

FDC 7/4240 MLB IAP MELBOURNE INTL, MELBOURNE, FL. VOR RWY 9R, AMDT 21A...CIRCLING CATS A/B/C MDA 600/HAA 567. JEMDO FIX MINIMUMS CIRCLING CATS A/B/C MDA 600/HAA 567. TEMP CRANE 237 MSL 3600 FT W OF RWY 5 (2016-ASO-2987-NRA). 1703131450-1710231450EST.

MERRITT ISLAND

Merritt Island

FDC 6/5828 COI STAR MERRITT ISLAND AIRPORT, MERRITT ISLAND, FLORIDA GOOFY SIX ARRIVAL...MLB TRANSITION UNUSABLE MLB VORTAC U/S 1601221600-PERM.

MIAMI

Dade-Collier Training And Transition

FDC 7/4155 TNT IAP DADE-COLLIER TRAINING AND TRANSITION, MIAMI, FL. ILS OR LOC RWY 9, AMDT 15A...S-LOC 9: NA EXCEPT FOR AIRCRAFT EQUIPPED WITH SUITABLE RNAV SYSTEM WITH GPS. MISSED APPROACH: CLIMB TO 1000 THEN CLIMBING LEFT TURN TO 1800 ON HEADING 240 AND DHP VORTAC R-284 TO WORPP/DHP 34.30 DME AND HOLD (DME REQUIRED). MONRY (TN) LOM OUT OF SERVICE. 1701131532-1708251532EST.

Miami Executive

FDC 7/3769 TMB IAP MIAMI EXECUTIVE, MIAMI, FL. RNAV (GPS) RWY 27L, AMDT 2B...CHART TDZE 8, DELETE THRE 8. CHART NOTE: CIRCLING RWY 13 NA AT NIGHT. DELETE NOTE: CIRCLING RWY 13, 31 NA AT NIGHT. THIS IS RNAV (GPS) RWY 27L, AMDT 2C. 1703121326-PERM.

FDC 7/3768 TMB IAP MIAMI EXECUTIVE, MIAMI, FL. RNAV (GPS) RWY 9R, AMDT 2B...CHART TDZE 10, DELETE THRE 10. CHART NOTE: CIRCLING RWY 13 NA AT NIGHT. DELETE NOTE: CIRCLING RWY 13, 31 NA AT NIGHT. THIS IS RNAV (GPS) RWY 9R, AMDT 2C. 1703121326-PERM.

FDC 7/3767 TMB IAP MIAMI EXECUTIVE, MIAMI, FL. ILS OR LOC RWY 9R, AMDT 11B...CHART TDZE 10, DELETE THRE 10. CHART NOTE: CIRCLING RWY 13 NA AT NIGHT. DELETE NOTE: CIRCLING RWY 13, 31 NA AT NIGHT. THIS IS ILS OR LOC RWY 9R, AMDT 11C. 1703121326-PERM.

FDC 7/0980 TMB SID MIAMI EXECUTIVE, MIAMI, FL. MIAMI FIVE DEPARTURE...TAKEOFF OBSTACLE NOTES: RWY 13: TEMP CRANES BEGINNING 3386 FT FROM DER, 1139 FT LEFT OF CENTERLINE, UP TO 107 FT AGL/118 FT MSL (2016-ASO-26626/26627/26628/26629-OE). ALL OTHER DATA REMAINS AS PUBLISHED. 1703061454-1710161454EST.

FDC 7/0979 TMB ODP MIAMI EXECUTIVE, MIAMI, FL. TAKEOFF MINIMUMS AND (OBSTACLE) DEPARTURE PROCEDURES AMDT 8A...NOTE: RWY 13, TEMP CRANES BEGINNING 3386 FT FROM DER, 1139 FT LEFT OF CENTERLINE, UP TO 107 FT AGL/118 FT MSL (2016-ASO-26626/26627/26628/26629-OE). ALL OTHER DATA REMAINS AS PUBLISHED. 1703061454-1710161454EST.

FDC 6/5811 TMB STAR MIAMI EXECUTIVE, MIAMI, FLORIDA BLUF THREE ARRIVAL...MLB TRANSITION UNUSABLE MLB VORTAC U/S 1601221600-PERM.

FDC 6/5794 TMB STAR MIAMI EXECUTIVE AIRPORT, MIAMI, FLORIDA ANNEY THREE ARRIVAL...MLB TRANSITION UNUSABLE MLB VORTAC U/S 1601221600-PERM.

Miami Intl

FDC 7/8196 MIA IAP MIAMI INTL, MIAMI, FL. ILS OR LOC RWY 30, AMDT 1A...S-ILS 30 DA 258/HAT 250 ALL CATS. VIS ALL CATS RVR 4000. S-LOC 30 NA. DCX LOCALIZER UNUSABLE AT 0.5 NM PRIOR TO THRESHOLD. 1703221608-1711011604EST.

FDC 7/6827 MIA IAP MIAMI INTL, MIAMI, FL. RNAV (GPS) RWY 9, AMDT 1A...LNAV MDA 500/HAT 493 ALL CATS. VIS CATS C/D RVR 5000. TEMP CRANES 191 MSL 1.32 NM W OF RWY 9 (2016-ASO-11728/11729/11730/11731-OE). 1701231901-1709041901EST.

FDC 7/4893 MIA IAP MIAMI INTL, MIAMI, FL. ILS OR LOC RWY 9, AMDT 10A...S-LOC 9 MDA 500/HAT 493 ALL CATS. VIS CATS A/B RVR 4000, CAT C RVR 5000. TEMP CRANES 191 MSL 1.32 NM W OF RWY 9 (2016-ASO-11728/11729/11730/11731-OE). 1704031731-1711131731EST.

FDC 7/4105 MIA SID MIAMI INTL, MIAMI, FL. EONNS TWO DEPARTURE (RNAV)...GPS REQUIRED FOR TAKEOFF RWYS 26R, 26L, 27, 30. ZBV TACAN OUT OF SERVICE. 1704230927-1705230927EST.

FDC 7/3507 MIA SID MIAMI INTL, MIAMI, FL. BSTER TWO DEPARTURE (RNAV)...DEEEP TWO DEPARTURE (RNAV)...EONNS TWO DEPARTURE (RNAV)...HEDLY TWO DEPARTURE (RNAV)...HITAG TWO DEPARTURE (RNAV)...JONZI TWO DEPARTURE (RNAV)...MNATE TWO DEPARTURE (RNAV)...PADUS TWO DEPARTURE (RNAV)...SKIPS TWO DEPARTURE (RNAV)...VALLY TWO DEPARTURE (RNAV)...WINCO TWO DEPARTURE (RNAV)...TAKEOFF OBSTACLE NOTES: RWY 27: TEMP CRANES BEGINNING 1.14 NM FROM DER, 873 FT LEFT OF CENTERLINE, UP TO 180 FT AGL/191 FT MSL (2016-ASO-11728/11729/11730/11731-OE). RWY 8R: TEMP CRANE 4381 FT FROM DER, 1165 FT RIGHT OF CENTERLINE, 151 FT AGL/158 FT MSL (2016-ASO-24569-OE). ALL OTHER DATA REMAINS AS PUBLISHED. 1704201942-1711301942EST.

FDC 7/3506 MIA ODP MIAMI INTL, MIAMI, FL. TAKEOFF MINIMUMS AND (OBSTACLE) DEPARTURE PROCEDURES AMDT 17A...TAKEOFF MINIMUMS: RWY 8L, 300-1 1/2 OR STANDARD WITH MINIMUM CLIMB OF 382 FT PER NM TO 1100. RWY 9, STANDARD WITH MINIMUM CLIMB OF 286 FT PER NM TO 1400. RWY 27, 300-1 1/2 OR STANDARD WITH MINIMUM CLIMB OF 280 FT PER NM TO 400. DEPARTURE PROCEDURE: RWY 8R CLIMB HEADING 092 TO 1200 BEFORE TURNING RIGHT. RWY 8L, CLIMB HEADING 092 TO 1100 BEFORE TURNING RIGHT. NOTE: RWY 8L, TEMP CRANE 1.20 NM FROM DER, 1249 FT LEFT OF CENTERLINE, 197 FT AGL/206 FT MSL (2016-ASO-15645-OE). RWY 27, TEMP CRANES BEGINNING 1.14 NM FROM DER, 873 FT LEFT OF CENTERLINE, UP TO 180 FT AGL/191 FT MSL (2016-ASO-11728/11729/11730/11731-OE). RWY 8R, TEMP CRANE 4381 FT FROM DER, 1165 FT RIGHT OF CENTERLINE, 151 FT AGL/158 FT MSL (2016-ASO-24569-OE). ALL OTHER DATA REMAINS AS PUBLISHED. 1704201942-1711301942EST.

FDC 7/3505 MIA SID MIAMI INTL, MIAMI, FL. MIAMI FIVE DEPARTURE...TAKEOFF MINIMUMS: RWY 27: 300-1 1/2 OR STANDARD WITH MINIMUM CLIMB OF 280 FT PER NM TO 400. TAKEOFF OBSTACLE NOTES: RWY 27: TEMP CRANES BEGINNING 1.14 NM FROM DER, 873 FT LEFT OF CENTERLINE, UP TO 180 FT AGL/191 FT MSL (2016-ASO-11728/11729/11730/11731-OE). RWY 8R: TEMP CRANE 4381 FT FROM DER, 1165 FT RIGHT OF CENTERLINE, 151 FT AGL/158 FT MSL (2016-ASO-24569-OE). ALL OTHER DATA REMAINS AS PUBLISHED. 1704201942-1711301942EST.

FDC 7/3504 MIA SID MIAMI INTL, MIAMI, FL. POTTR SIX DEPARTURE...SOUBY FIVE DEPARTURE...TAKEOFF OBSTACLE NOTES: RWY 8R: TEMP CRANE 4381 FT FROM DER, 1165 FT RIGHT OF CENTERLINE, 151 FT AGL/158 FT MSL (2016-ASO-24569-OE). ALL OTHER DATA REMAINS AS PUBLISHED. 1704201942-1711301942EST.

FDC 7/1511 MIA IAP MIAMI INTL, MIAMI, FL. RNAV (RNP) Y RWY 27, AMDT 2A...RNP 0.30 DA 452/HAT 444, VIS RVR 5000 ALL CATS. TEMP CRANE 145 MSL 3887 FT SE OF RWY 26L (2016-ASO-21117-OE). 1704171926-1705171925EST.

FDC 6/5825 MIA STAR MIAMI INTL, MIAMI, FLORIDA BLUFI THREE ARRIVAL...MLB TRANSITION UNUSBL MLB VORTAC U/S 1601221600-PERM.

FDC 6/5792 MIA STAR MIAMI INTL AIRPORT, MIAMI, FLORIDA ANNEY THREE ARRIVAL...MLB TRANSITION UNUSABLE MLB VORTAC U/S 1601221600-PERM.

FDC 6/1444 MIA IAP MIAMI INTL, MIAMI, FL. RNAV (GPS) Z RWY 26L, AMDT 2...LPV DA NA. LNAV/VNAV DA 506/HAT 498, VIS 1 3/4 ALL CATS. 1611021553-1706141553EST.

Opa-Locka Executive

FDC 7/6886 OPF SID OPA-LOCKA EXECUTIVE, MIAMI, FL. MIAMI FIVE DEPARTURE...TAKEOFF OBSTACLE NOTES: RWY 9R: TEMP CRANES BEGINNING 1292 FT FROM DER, 454 FT RIGHT OF CENTERLINE, UP TO 34 FT AGL/42 FT MSL (2017-ASO-74/75-NRA). TEMP CRANES BEGINNING 1345 FT FROM DER, 312 FT LEFT OF CENTERLINE, UP TO 34 FT AGL/42 FT MSL (2017-ASO-79/80-NRA). RWY 12: BEGINNING 860 FT FROM DER, 542 FT LEFT OF CENTERLINE, UP TO 34 FT AGL/42 FT MSL (2017-ASO-79/80/81-NRA). TEMP CRANES BEGINNING 1287 FT FROM DER, 113 FT RIGHT OF CENTERLINE, UP TO 34 FT AGL/42 FT MSL (2017-ASO-74/75-NRA). ALL OTHER DATA REMAINS AS PUBLISHED. 1703201151-1710301151EST.

FDC 7/6885 OPF ODP OPA-LOCKA EXECUTIVE, MIAMI, FL. TAKEOFF MINIMUMS AND (OBSTACLE) DEPARTURE PROCEDURES AMDT 9...NOTE: RWY 9R, TEMP CRANES BEGINNING 1292 FT FROM DER, 454 FT RIGHT OF CENTERLINE, UP TO 34 FT AGL/42 FT MSL (2017-ASO-74/75-NRA). TEMP CRANES BEGINNING 1345 FT FROM DER, 312 FT LEFT OF CENTERLINE, UP TO 34 FT AGL/42 FT MSL (2017-ASO-79/80-NRA). RWY 12, BEGINNING 860 FT FROM DER, 542 FT LEFT OF CENTERLINE, UP TO 34 FT AGL/42 FT MSL (2017-ASO-79/80/81-NRA). TEMP CRANES BEGINNING 1287 FT FROM DER, 113 FT RIGHT OF CENTERLINE, UP TO 34 FT AGL/42 FT MSL (2017-ASO-74/75-NRA). ALL OTHER DATA REMAINS AS PUBLISHED. 1703201151-1710301151EST.

FDC 6/5824 OPF STAR OPA LOCKA EXECUTIVE AIRPORT, MIAMI, FLORIDA BLUFI THREE ARRIVAL...MLB TRANSITION UNUSABLE MLB VORTAC U/S 1601221600-PERM.

FDC 6/5799 OPF STAR OPA-LOCKA EXECUTIVE AIRPORT, MIAMI, FLORIDA GISSH FOUR ARRIVAL...MLB TRANSITION UNUSBL MLB VORTAC U/S 1601221600-PERM.

NEW SMYRNA BEACH

Massey Ranch Airpark

FDC 7/6577 X50 IAP MASSEY RANCH AIRPARK, NEW SMYRNA BEACH, FL. RNAV (GPS) RWY 36, ORIG...LNAV MINIMUMS: NA. 1701222039-1709032039EST.

FDC 7/6575 X50 IAP MASSEY RANCH AIRPARK, NEW SMYRNA BEACH, FL. RNAV (GPS) RWY 18, ORIG...LP MINIMUMS: NA. LNAV MINIMUMS: NA. 1701222037-1709032037EST.

New Smyrna Beach Muni

FDC 7/6331 EVB IAP NEW SMYRNA BEACH MUNI, NEW SMYRNA BEACH, FL. RNAV (GPS) RWY 29, ORIG-A...NOTE: CIRCLING RWY 7, 11, 20, 25 NA AT NIGHT. DISREGARD NOTE: NIGHT LANDING: RWY 29 CATS C AND D, 7, 11, 25 NA. 1701201819-1709011819EST.

FDC 7/6330 EVB IAP NEW SMYRNA BEACH MUNI, NEW SMYRNA BEACH, FL. RNAV (GPS) RWY 25, ORIG-A...NOTE: STRAIGHT-IN RWY 25 NA AT NIGHT. NOTE: CIRCLING RWY 7,11, 20 NA AT NIGHT. DISREGARD NOTE: NIGHT LANDING: RWY 7, 11, 25 NA. 1701201819-1709011819EST.

FDC 7/6329 EVB IAP NEW SMYRNA BEACH MUNI, NEW SMYRNA BEACH, FL. RNAV (GPS) RWY 7, ORIG-A...NOTE: STRAIGHT-IN RWY 7 NA AT NIGHT. NOTE: CIRCLING RWY 11, 20, 25 NA AT NIGHT. DISREGARD NOTE: NIGHT LANDING: RWY 7, 11, 25 NA. 1701201819-1709011819EST.

FDC 7/6328 EVB IAP NEW SMYRNA BEACH MUNI, NEW SMYRNA BEACH, FL. RNAV (GPS) RWY 2, ORIG-A...DISREGARD NOTE: NIGHT LANDING: RWY 2 CATS C AND D, 7, 11, 25 NA. NOTE: CIRCLING RWY 7,11, 20, 25 NA AT NIGHT. 1701201819-1709011819EST.

ORLANDO

Executive

FDC 6/5827 ORL STAR ORLANDO EXECUTIVE AIRPORT, ORLANDO, FLORIDA GOOFY SIX ARRIVAL...MLB TRANSITION UNUSABLE MLB VORTAC U/S 1601221600-PERM.

Kissimmee Gateway

FDC 7/8992 ISM IAP KISSIMMEE GATEWAY, ORLANDO, FL. RNAV (GPS) RWY 33, AMDT 2B...LPV DA 442/HAT 360 ALL CATS, VIS 1 1/4. LNAV/VNAV DA 427/HAT 345 ALL CATS, VIS 1 1/8. LNAV MDA 520/HAT 438 ALL CATS, VIS CATS C/D 1 3/8. TEMP CRANE 215 MSL 2697 FT SE OF RWY 33 (2016-ASO-15246-OE). 1705021918-1705271918EST.

FDC 7/8991 ISM ODP KISSIMMEE GATEWAY, ORLANDO, FL. TAKEOFF MINIMUMS AND (OBSTACLE) DEPARTURE PROCEDURES ORIG...NOTE: RWY 15, TEMP CRANE 2624 FT FROM DER, 625 FT LEFT OF CENTERLINE, 150 FT AGL/215 FT MSL (2016-ASO-15246-OE). ALL OTHER DATA REMAINS AS PUBLISHED. 1705021918-1705271918EST.

FDC 6/5832 ISM STAR KISSIMMEE GATEWAY AIRPORT, ORLANDO, FLORIDA GOOFY SIX ARRIVAL...MLB TRANSITION UNUSABLE MLB VORTAC U/S 1601221600-PERM.

Orlando Intl

FDC 7/4910 MCO IAP ORLANDO INTL, ORLANDO, FL. RNAV (GPS) RWY 36R, AMDT 1...LNAV/VNAV DA 583/HAT 491, VIS 1 1/8 ALL CATS. LNAV MDA 680/HAT 588 ALL CATS. VIS CATS A/B 1, CATS C/D 1 1/4. VDP 1.62 NM TO RWY 36R. TEMP CRANES 372 MSL 3713 FT SE OF RWY 36R THRU 1 NM NE OF RWY 36R (2014-ASO-3057/58/59/60-NRA). 1704031752-1711131752EST.

FDC 7/4909 MCO IAP ORLANDO INTL, ORLANDO, FL. RNAV (GPS) RWY 35L, AMDT 1...LNAV MDA 680/HAT 592 ALL CATS. VIS CATS C/D 1 1/4. DISREGARD LNAV ONLY AMICI AND ALTITUDE 540. DISREGARD INOP TABLE NOTE. TEMP CRANES 372 MSL 3713 FT SE OF RWY 36R THRU 1 NM NE OF RWY 36R (2014-ASO-3057/58/59/60-NRA). 1704031752-1711131752EST.

FDC 7/4908 MCO IAP ORLANDO INTL, ORLANDO, FL. RNAV (GPS) RWY 36L, AMDT 1...LNAV/VNAV DA 536/HAT 443, VIS 1 1/2 ALL CATS. LNAV MDA 580/HAT 487 ALL CATS. VIS CATS C/D 1 3/8. VDP 1.32 NM TO RWY 36L. TEMP CRANES 372 MSL 3713 FT SE OF RWY 36R THRU 1 NM NE OF RWY 36R (2014-ASO-3057/58/59/60-NRA). 1704031749-1711131749EST.

FDC 7/2108 MCO CHART ORLANDO INTL, ORLANDO, FL. RNAV (GPS) RWY 35R, AMDT 1...CORRECT PLANVIEW: CHANGE MISSED APPROACH HOLDING PATTERN TO HOLD NORTHWEST OF PRESK WPT, RIGHT TURN, INBOUND BEARING 140 DEGREES AND OUTBOUND BEARING 320 DEGREES WITH LEG LENGTH OF 4 NM. 1704181918-PERM.

FDC 6/7226 MCO SID ORLANDO INTL, ORLANDO, FL. JAGUAR FIVE DEPARTURE...CHANGE NOTE TO READ CECIL TRANSITION FOR ATL AND ATL TERMINAL AREA ARRIVALS OR AS ASSIGNED BY ATC. 1611150900-PERM.

FDC 6/5833 MCO STAR ORLANDO INTL, ORLANDO, FLORIDA GOOFY SIX ARRIVAL...MLB TRANSITION UNUSBL MLB VORTAC U/S 1601221600-PERM.

FDC 5/9788 MCO STAR ORLANDO INTL, ORLANDO, FL. PIGLT FOUR STAR...HKUNA VERTICAL PALNNGING INFORMATION...CHANGE TO READ: EXPECT FL290. 1511062000-PERM.

Orlando Sanford Intl

FDC 6/5830 SFB STAR ORLANDO SANFORD INTERNATIONAL AIRPORT, ORLANDO, FLORIDA GOOFY SIX ARRIVAL...MLB TRANSITION UNUSABLE MLB VORTAC U/S 1601221600-PERM.

ORMOND BEACH

Ormond Beach Muni

FDC 7/0268 OMN ODP ORMOND BEACH MUNI, ORMOND BEACH, FL. TAKEOFF MINIMUMS AND (OBSTACLE) DEPARTURE PROCEDURES ORIG...TAKEOFF MINIMUMS: RWY 8, STANDARD WITH MINIMUM CLIMB OF 235 FT PER NM TO 300, OR ALTERNATIVELY, WITH STANDARD TAKEOFF MINIMUMS AND A NORMAL 200 FT PER NM CLIMB GRADIENT, TAKEOFF MUST OCCUR NO LATER THAN 1900 FT PRIOR TO DER. 1703252355-1711042355EST.

PALM COAST

Flagler Executive

FDC 6/2830 FIN IAP FLAGLER EXECUTIVE, PALM COAST, FL. RNAV (GPS) RWY 11, AMDT 1C...DISREGARD NOTE: HELICOPTER VISIBILITY REDUCTION BELOW 1 SM NA. DISREGARD NOTE: NIGHT LANDING: RWY 11 NA. NOTE: HELICOPTER VISIBILITY REDUCTION BELOW 3/4 SM NA. 1612152246-1707272245EST.

POMPANO BEACH

Pompano Beach Airpark

FDC 6/5805 PMP STAR POMPANO BEACH AIRPARK, POMPANO BEACH, FLORIDA BLUFI THREE ARRIVAL...MLB TRANSITION UNUSBL MLB VORTAC U/S 1601221600-PERM.

FDC 6/5802 PMP STAR POMPANO BEACH AIRPARK, POMPANO BEACH, FLORIDA GISSH FOUR ARRIVAL...MLB TRANSITION UNUSBL MLB VORTAC U/S 1601221600-PERM.

SARASOTA/BRADENTON

Sarasota/Bradenton Intl

FDC 7/3909 SRQ IAP SARASOTA/BRADENTON INTL, SARASOTA/BRADENTON, FL. RNAV (GPS) RWY 22, AMDT 2A...LNAV/VNAV DA 371/HAT 347, VIS 1 1/8 ALL CATS. LNAV MDA 460/HAT 436 ALL CATS, VIS CATS C/D 1 1/4. TEMP CRANE 160 MSL 2748 FT N OF RWY 22 (2017-ASO-4269-OE). 1704211621-1705101617EST.

FDC 7/3901 SRQ ODP SARASOTA/BRADENTON INTL, SARASOTA/BRADENTON, FL. TAKEOFF MINIMUMS AND (OBSTACLE) DEPARTURE PROCEDURES AMDT 2A...NOTE: RWY 4, TEMP CRANE 2661 FT FROM DER, 686 FT LEFT OF CENTERLINE, 135 FT AGL/160 FT MSL (2017-ASO-4269-OE). RWY 22, TEMP CRANE 2204 FT FROM DER, 1025 FT LEFT OF CENTERLINE, 110 FT AGL/133 FT MSL (2016-ASO-11978-OE). ALL OTHER DATA REMAINS AS PUBLISHED. 1704211608-1705101606EST.

FDC 7/2502 SRQ IAP SARASOTA/BRADENTON INTL, SARASOTA/BRADENTON, FL. RNAV (GPS) RWY 4, AMDT 2B...LPV DA NA. LNAV/VNAV DA NA. LNAV MDA 440/HAT 417 ALL CATS. VIS CATS C/D 1 1/2. TEMP CRANE 133 MSL 2431 FT S OF RWY 4 (2016-ASO-11978-OE). 1703292004-1711082004EST.

FDC 7/2501 SRQ SID SARASOTA/BRADENTON INTL, SARASOTA/BRADENTON, FL. SRKUS TWO DEPARTURE (RNAV)...TAKEOFF OBSTACLE NOTES: RWY 22, TEMP CRANE 2204 FT FROM DER, 1025 FT LEFT OF CENTERLINE, 110 FT AGL/133 FT MSL (2016-ASO-11978-OE). ALL OTHER DATA REMAINS AS PUBLISHED. 1703292004-1711082004EST.

SEBASTIAN

Sebastian Muni

FDC 7/9002 X26 IAP SEBASTIAN MUNI, SEBASTIAN, FL. RNAV (GPS) RWY 5, ORIG-C...RNAV (GPS) RWY 23, ORIG-C...LP MDA NA, LNAV MDA NA 1702281955-1710101955EST.

FDC 7/0048 X26 ODP SEBASTIAN MUNI, SEBASTIAN, FL. TAKEOFF MINIMUMS AND (OBSTACLE) DEPARTURE PROCEDURES ORIG-A...TAKEOFF MINIMUMS: RWY 10, 300-1 OR STANDARD WITH MINIMUM CLIMB OF 285 FEET PER NM TO 300. NOTE: RWY 10, ANTENNA 5232 FEET FROM DER, 1708 FEET LEFT OF CENTERLINE, 187 FEET AGL/212 FEET MSL.. ALL OTHER DATA REMAINS AS PUBLISHED. 1703241943-1711031943EST.

ST AUGUSTINE

Northeast Florida Rgnl

FDC 7/3678 SGJ IAP NORTHEAST FLORIDA RGNL, ST AUGUSTINE, FL. ILS OR LOC/DME RWY 31, ORIG-C...PROCEDURE NA EXCEPT FOR AIRCRAFT EQUIPPED WITH SUITABLE RNAV SYSTEM WITH GPS, CRG TACAN OUT OF SERVICE. 1704211341-1706151341EST.

ST PETERSBURG

Albert Whitted

FDC 7/9069 SPG IAP ALBERT WHITTED, ST PETERSBURG, FL. RNAV (GPS) RWY 36, AMDT 1...CIRCLING CATS A/B MDA 900/HAA 893. VIS CATS A/B 1 1/4. TEMP CRANE 585 MSL 3387 FT W OF RWY 18 (2016-ASO-3905-OE). 1701301655-1709301655EST.

FDC 7/9067 SPG IAP ALBERT WHITTED, ST PETERSBURG, FL. RNAV (GPS) RWY 18, ORIG-D...LNAV CATS A/B MDA 840/HAT 835. VIS CAT B 1 1/4. CIRCLING CATS A/B MDA 900/HAA 893. VIS CATS A/B 1 1/4. VDP NA. NOTE: DESCENT ANGLE 4.00/TCH 37 NA. TEMP CRANE 585 MSL 3387 FT W OF RWY 18 (2016-ASO-3905-OE). 1701301654-1709301653EST.

FDC 7/9065 SPG ODP ALBERT WHITTED, ST PETERSBURG, FL. TAKEOFF MINIMUMS AND (OBSTACLE) DEPARTURE PROCEDURES AMDT 2...DEPARTURE PROCEDURE: RWY 36, CLIMB HEADING TO 700. ALL OTHER DATA REMAINS AS PUBLISHED. 1701301653-1709301652EST.

FDC 7/9062 SPG IAP ALBERT WHITTED, ST PETERSBURG, FL. VOR RWY 18, AMDT 9A...S-18 CATS A/B MDA 1000/HAT 995. VIS CAT A 1 1/4, CAT B 1 1/2. CIRCLING CATS A/B MDA 1000/HAA 993. VIS CAT B 1 1/2. VDP NA. WUXUT FIX MINIMUMS (DME REQUIRED) NA. TEMP CRANE 585 MSL 3387 FT W OF RWY 18 (2016-ASO-3905-OE). 1701301651-1709301651EST.

FDC 7/4543 SPG IAP ALBERT WHITTED, ST PETERSBURG, FL. RNAV (GPS) RWY 7, AMDT 3D...CIRCLING CATS A/B/C MDA 900/HAA 893. VIS CATS A/B 1 1/4. TEMP CRANE 585 MSL 3387 FT W OF RWY 18 (2016-ASO-3905-OE). 1704241517-1709301516EST.

FDC 6/5571 SPG STAR ALBERT WHITTED, ST PETERSBURG, FL. DARBS THREE ARRIVAL...ARRIVAL PROCEDURE NA EXCEPT FOR AIRCRAFT EQUIPPED WITH SUITABLE RNAV SYSTEMS. PIE VORTAC R-336 UNUSABLE BEYOND 40 NM. 1607141200-PERM.

ST PETERSBURG-CLEARWATER

St Pete-Clearwater Intl

FDC 7/6870 PIE IAP ST PETE-CLEARWATER INTL, ST PETERSBURG-CLEARWATER, FL. ILS OR LOC RWY 36, ORIG...SAWGA FIX MINIMUMS DME REQUIRED. 1704272018-1712072018EST.

FDC 7/6398 PIE IAP ST PETE-CLEARWATER INTL, ST PETERSBURG-CLEARWATER, FL. ILS OR LOC RWY 36, ORIG...DISREGARD NOTE: PROCEDURE NA WHEN CONTROL TOWER CLOSED. 1701202057-1709012057EST.

FDC 7/6394 PIE IAP ST PETE-CLEARWATER INTL, ST PETERSBURG-CLEARWATER, FL. ILS OR LOC RWY 18, ORIG...DISREGARD NOTE: S-ILS 18 NA WHEN CONTROL TOWER CLOSED. 1701202053-1709012053EST.

FDC 7/4364 PIE VFP ST PETE-CLEARWATER INTL, ST PETERSBURG-CLEARWATER, FL. NORTH BAY VISUAL RWY 18L, AMDT 5...CHANGE ALL REFERENCES FROM RWY 18L TO READ RWY 18. CHANGE REFERENCE FROM RWY 36R TO RWY 36. ALL OTHER DATA REMAINS AS PUBLISHED. 1701132226-1708252226EST.

FDC 7/3264 PIE STAR ST PETE CLEARWATER INTL, ST PETE CLEARWATER, FL. FOOXX FOUR ARRIVAL...LANDING ALL SATELLITE AIRPORTS: EXPECT RADAR VECTORS PRIOR TO DIPAY. 1703092000-PERM.

FDC 6/5563 PIE STAR ST PETE CLEARWATER INTL, ST PETERSBURG CLEARWATER FL. DARBS THREE ARRIVAL...ARRIVAL PROCEDURE NA EXCEPT FOR AIRCRAFT EQUIPPED WITH SUITABLE RNAV SYSTEMS. PIE VORTAC R-336 UNUSABLE BEYOND 40 NM. 1607141200-PERM.

TAMPA

Macdill AFB

FDC 7/3262 MCF STAR MACDILL AFB, TAMPA, FL. FOOXX FOUR ARRIVAL...LANDING ALL SATELLITE AIRPORTS: EXPECT RADAR VECTORS PRIOR TO DIPAY. 1703092000-PERM.

FDC 6/5562 MCF STAR MACDILL AIR FORCE BASE, TAMPA, FL. DARBS THREE ARRIVAL...ARRIVAL PROCEDURE NA EXCEPT FOR AIRCRAFT EQUIPPED WITH SUITABLE RNAV SYSTEMS. PIE VORTAC R-336 UNUSABLE BEYOND 40 NM. 1607141200-PERM.

Peter O Knight

FDC 7/9928 FDC 7/9928 TPF ODP PETER O KNIGHT, TAMPA, FL. TAKEOFF MINIMUMS AND (OBSTACLE) DEPARTURE PROCEDURES AMDT 7. NOTE: RWY 18, SIGN 19 FT FROM DEPARTURE END OF RWY, 104 FT RIGHT OF CENTERLINE, 8 FT MSL. BLDG, POLE, BUSH BEGINNING 35 FT FROM DEPARTURE END OF RWY, 189 FT RIGHT OF CENTERLINE, UP TO 32 FT AGL/37 FT MSL. SIGN 62 FT FROM DEPARTURE END OF RWY, 161 FT LEFT OF CENTERLINE, 15 FT MSL. TREE 100 FT FROM DEPARTURE END OF RWY, 217 FT LEFT OF CENTERLINE, 27 FT MSL. TREE, POLE, BUSH BEGINNING 103 FT FROM DEPARTURE END OF RWY, 93 FT LEFT OF CENTERLINE, UP TO 28 FT MSL. SMALL BOATS BEGINNING 250 FT FROM DEPARTURE END OF RWY, LEFT AND RIGHT OF CENTERLINE, UP TO 30 FT MSL. TREE 926 FT FROM DEPARTURE END OF RWY, 334 FT LEFT OF CENTERLINE, 33 FT MSL. TREE 1050 FT FROM DEPARTURE END OF RWY, 293 FT LEFT OF CENTERLINE, 36 FT MSL. TREES BEGINNING 1695 FT FROM DEPARTURE END OF RWY, 531 FT RIGHT OF CENTERLINE, UP TO 52 FT MSL. TREE 1792 FT FROM DEPARTURE END OF RWY, 969 FT RIGHT OF CENTERLINE, TAKEOFF MINIMUMS AND (OBSTACLE) DEPARTURE PROCEDURES AMDT 7. NOTE: RWY 18, SIGN 19 FT FROM DEPARTURE END OF RWY, 104 FT RIGHT OF CENTERLINE, 8 FT MSL. BLDG, POLE, BUSH BEGINNING 35 FT FROM DEPARTURE END OF RWY, 189 FT RIGHT OF CENTERLINE, UP TO 32 FT AGL/37 FT MSL. SIGN 62 FT FROM DEPARTURE END OF RWY, 161 FT LEFT OF CENTERLINE, 15 FT MSL. TREE 100 FT FROM DEPARTURE END OF RWY, 217 FT LEFT OF CENTERLINE, 27 FT MSL. TREE, POLE, BUSH BEGINNING 103 FT FROM DEPARTURE END OF RWY, 93 FT LEFT OF CENTERLINE, UP TO 28 FT MSL. SMALL BOATS BEGINNING 250 FT FROM DEPARTURE END OF RWY, LEFT AND RIGHT OF CENTERLINE, UP TO 30 FT MSL. TREE 926 FT FROM DEPARTURE END OF RWY, 334 FT LEFT OF CENTERLINE, 33 FT MSL. TREE 1050 FT FROM DEPARTURE END OF RWY, 293 FT LEFT OF CENTERLINE, 36 FT MSL. TREES BEGINNING 1695 FT FROM DEPARTURE END OF RWY, 531 FT RIGHT OF CENTERLINE, UP TO 52 FT MSL. TREE 1792 FT FROM DEPARTURE END OF RWY, 969 FT RIGHT OF CENTERLINE, 62 FT MSL. NOTE: RWY 22, FENCE 4 FT FROM D

FDC 6/5573 TPF STAR PETER O KNIGHT, TAMPA, FL. DARBS THREE ARRIVAL...ARRIVAL PROCEDURE NA EXCEPT FOR AIRCRAFT EQUIPPED WITH SUITABLE RNAV SYSTEMS. PIE VORTAC R-336 UNUSABLE BEYOND 40 NM. 1607141200-PERM.

Tampa Executive

FDC 7/4341 VDF IAP TAMPA EXECUTIVE, TAMPA, FL. ILS OR LOC RWY 23, AMDT 1C...RNAV (GPS) RWY 18, AMDT 1A...RNAV (GPS) RWY 23, AMDT 1C...CIRCLING CAT A MDA 660/HAA 639. TEMP CRANE 309 MSL 1.64 NM SW OF RWY 5 (2017-ASO-487-OE). 1704241312-1705221312EST.

FDC 7/4339 VDF ODP TAMPA EXECUTIVE, TAMPA, FL. TAKEOFF MINIMUMS AND (OBSTACLE) DEPARTURE PROCEDURES AMDT 1...TAKEOFF MINIMUMS: RWY 23, 400-1 1/2 OR STANDARD WITH MINIMUM CLIMB OF 281 FT PER NM TO 500. NOTE: RWY 23, TEMP CRANE 1.62 NM FROM DER, 1376 FT RIGHT OF CENTERLINE, 275 FT AGL/309 FT MSL (2017-ASO-487-OE). ALL OTHER DATA REMAINS AS PUBLISHED. 1704241312-1705221312EST.

FDC 7/4337 VDF IAP TAMPA EXECUTIVE, TAMPA, FL. RNAV (GPS) RWY 5, ORIG-C...LNAV/VNAV CATS A/B/C DA 658/HAT 637, VIS CATS A/B/C 2 1/4. LNAV CATS A/B/C MDA 620/HAT 599, VIS CAT C 1 3/4. CIRCLING CAT A MDA 660/HAA 639. VDP NA. TEMP CRANE 309 MSL 1.64 NM SW OF RWY 5 (2017-ASO-487-OE). 1704241312-1705221312EST.

FDC 7/4317 VDF IAP TAMPA EXECUTIVE, TAMPA, FL. RNAV (GPS) RWY 5, ORIG-C...VGSi NOT COINCIDENT WITH RNAV (GPS) GLIDEPATH. 1704241304-1712041304EST.

FDC 7/3263 VDF STAR TAMPA EXECUTIVE, TAMPA, FL. FOXXX FOUR ARRIVAL...LANDING ALL SATELLITE AIRPORTS: EXPECT RADAR VECTORS PRIOR TO DIPAY. 1703092000-PERM.

Tampa Intl

FDC 7/6318 TPA IAP TAMPA INTL, TAMPA, FL. ILS OR LOC RWY 19L, AMDT 40C...ILS RWY 19L (SA CAT I), AMDT 40C...ILS RWY 19L (CAT II), AMDT 40C...MISSED APPROACH: CLIMB TO 3000 ON SRQ VORTAC R-007 TO CARIR INT/SRQ 16.8 DME AND HOLD. 1704061350-1711161350EST.

FDC 7/2148 TPA CHART TAMPA INTL, TAMPA, FL. RNAV (GPS) RWY 1R, AMDT 3...CORRECT PLANVIEW: CHANGE MISSED APPROACH LEG LENGTH AT COBOX WP TO 6 NM INSTEAD OF 4 NM. 1704182033-PERM.

FDC 6/5302 TPA STAR TAMPA INTL, TAMPA, FL. DARBS THREE ARRIVAL...ARRIVAL PROCEDURE NA EXCEPT FOR AIRCRAFT EQUIPPED WITH SUITABLE RNAV SYSTEMS. PIE VORTAC R-336 UNUSABLE BEYOND 40NM. 1607132000-PERM.

TITUSVILLE

Arthur Dunn Air Park

FDC 6/2221 X21 IAP ARTHUR DUNN AIR PARK, TITUSVILLE, FL. RNAV (GPS) RWY 15, ORIG-B...RNAV (GPS) RWY 33, ORIG-B...LNAV MDA NA. 1611222115-1707042115EST.

Nasa Shuttle Landing Facility

FDC 7/0684 TTS IAP NASA SHUTTLE LANDING FACILITY, TITUSVILLE, FL. RNAV (GPS) RWY 15, AMDT 1...CHART TDZE 8, DELETE THRE 8. THIS IS RNAV (GPS) RWY 15, AMDT 1A. 1702022033-PERM.

Space Coast Rgnl

FDC 7/3805 TIX IAP SPACE COAST RGNL, TITUSVILLE, FL. ILS OR LOC RWY 36, AMDT 12A...CHART TDZE 34, DELETE THRE 34. DELETE NOTE: CIRCLING TO RWY 9 AND 27 NA AT NIGHT. CHART CIRCLING ICON. THIS IS ILS OR LOC RWY 36, AMDT 12B. 1702131538-PERM.

FDC 6/5829 TIX STAR SPACE COAST REGIONAL AIRPORT, TITUSVILLE, FLORIDA GOOFY SIX ARRIVAL...MLB TRANSITION UNUSABLE MLB VORTAC U/S 1601221600-PERM.

UMATILLA

Umatilla Muni

FDC 7/7083 X23 IAP UMATILLA MUNI, UMATILLA, FL. RNAV (GPS) RWY 19, ORIG-B...LP MDA NA. LNAV MDA NA. 1704281222-1712081222EST.

FDC 7/7081 X23 IAP UMATILLA MUNI, UMATILLA, FL. RNAV (GPS) RWY 1, ORIG-A...LNAV MDA NA. 1704281218-1712081218EST.

VERO BEACH

Vero Beach Muni

FDC 7/1151 VRB IAP VERO BEACH MUNI, VERO BEACH, FL. VOR RWY 12R, AMDT 14C...PROCEDURE NA. 1704171406-1711271406EST.

WEST PALM BEACH

North Palm Beach County General Aviation

FDC 7/6693 F45 IAP NORTH PALM BEACH COUNTY GENERAL AVIATION, WEST PALM BEACH, FL. VOR RWY 8R, AMDT 1C...CHART CIRCLING ICON. CIRCLING CAT D MDA 720/HAA 698. CHART NOTE: RWY 8 HELICOPTER VISIBILITY REDUCTION BELOW 3/4 SM NOT AUTHORIZED. CHART NOTE: CIRCLING NA TO RWYS 8L AND 26R. THIS IS VOR RWY 8R, AMDT 1D. 1704271721-PERM.

FDC 7/4347 F45 IAP NORTH PALM BEACH COUNTY GENERAL AVIATION, WEST PALM BEACH, FL. RNAV (GPS) RWY 26L, AMDT 1...LNAV MDA 400/ HAT 378 ALL CATS. 1704241316-1712041316EST.

Palm Beach Intl

FDC 7/3624 PBI IAP PALM BEACH INTL, WEST PALM BEACH, FL. RNAV (GPS) Y RWY 10L, AMDT 3A...RNAV (GPS) Y RWY 14, AMDT 2A...RNAV (GPS) Y RWY 32, AMDT 2A...CIRCLING CATS C/D MDA 760/HAA 740. VIS CAT C 2. TEMP CRANE 250 MSL 1.63 NM E OF RWY 28R (2017-ASO-1316-OE). TEMP CRANE 407 MSL 2.11 NM NE OF RWY 28R (2016-ASO-25684-OE). 1704211154-1710171154EST.

FDC 7/3623 PBI IAP PALM BEACH INTL, WEST PALM BEACH, FL. ILS OR LOC RWY 10L, AMDT 27...CIRCLING CAT B 600/HAA 580, CAT C MDA 760/HAA 740. VIS CAT C 2. PASTE DME FIX MINIMUMS CIRCLING CAT B MDA 600/HAA 580, CAT C MDA 760/HAA 740. VIS CAT C 2. TEMP CRANE 250 MSL 1.63 NM E OF RWY 28R (2017-ASO-1316-OE). TEMP CRANE 407 MSL 2.11 NM NE OF RWY 28R (2016-ASO-25684-OE). 1704211154-1710171154EST.

FDC 7/3622 PBI IAP PALM BEACH INTL, WEST PALM BEACH, FL. RNAV (GPS) Y RWY 28R, AMDT 2A...LNAV MDA 560/HAT 542 ALL CATS, VIS CATS A/B RVR 5500, CATS C/D 1 5/8. CIRCLING CAT B 600/HAA 580, CATS C/D MDA 760/HAA 740. VIS CAT C 2. VDP 1.47 NM TO RWY 28R. TEMP CRANE 250 MSL 1.63 NM E OF RWY 28R (2017-ASO-1316-OE). TEMP CRANE 407 MSL 2.11 NM NE OF RWY 28R (2016-ASO-25684-OE). 1704211154-1710171154EST.

FDC 7/3621 PBI IAP PALM BEACH INTL, WEST PALM BEACH, FL. ILS OR LOC RWY 28R, AMDT 3A...S-LOC 28R MDA 560/HAT 542 ALL CATS, VIS CATS A/B RVR 5500, CATS C/D 1 5/8. CIRCLING CAT B 600/HAA 580, CATS C/D MDA 760/HAA 740. VIS CAT C 2. TEMP CRANE 250 MSL 1.63 NM E OF RWY 28R (2017-ASO-1316-OE). TEMP CRANE 407 MSL 2.11 NM NE OF RWY 28R (2016-ASO-25684-OE). 1704211154-1710171154EST.

FDC 6/2673 PBI IAP PALM BEACH INTL, WEST PALM BEACH, FL. RNAV (RNP) Z RWY 10L, AMDT 1A...RNP 0.11 DA 342/HAT 322, RVR 3000. RNP 0.30 DA 440/HAT 420, RVR 5000. FOR INOPERATIVE MALSR, INCREASE RNP 0.11 ALL CATS VISIBILITY TO RVR 5000 AND RNP 0.30 ALL CATS VISIBILITY TO 1 3/8 SM. 1611232125-1707052125EST.

WINTER HAVEN

Winter Haven's Gilbert

FDC 7/8879 GIF ODP WINTER HAVEN S GILBERT, WINTER HAVEN, FL. TAKEOFF MINIMUMS AND (OBSTACLE) DEPARTURE PROCEDURES AMDT 1...NOTE: RWY 29, BUILDING 20 FT FROM DER, 500 FT LEFT OF CENTERLINE, 20 FT AGL/158 FT MSL (2016-ASO-12755-OE). LIGHT POLE 920 FT FROM DER, 308 FT RIGHT OF CENTERLINE, 25 FT AGL/170 FT MSL (2016-ASO-12738-OE). ALL OTHER DATA REMAINS AS PUBLISHED. 1701292150-1709102150EST.

ZEPHYRHILLS

Zephyrhills Muni

FDC 7/0137 ZPH IAP ZEPHYRHILLS MUNI, ZEPHYRHILLS, FL. RNAV (GPS) RWY 19, AMDT 1...LNAV MDA 480/HAT 390 ALL CATS. NOTE: HELICOPTER VISIBILITY REDUCTION BELOW 3/4 SM NOT AUTHORIZED. 1703250106-1711040106EST.

FDC 7/0135 ZPH IAP ZEPHYRHILLS MUNI, ZEPHYRHILLS, FL. RNAV (GPS) RWY 23, ORIG...RNAV (GPS) RWY 5, ORIG...CHANGE HELICOPTER VISIBILITY REDUCTION NOTE TO READ: HELICOPTER VISIBILITY REDUCTION BELOW 3/4 SM NOT AUTHORIZED. 1703250104-1711040104EST.

FDC 7/0078 ZPH IAP ZEPHYRHILLS MUNI, ZEPHYRHILLS, FL. RNAV (GPS) RWY 1, AMDT 1...LNAV MDA 460/HAT 373 ALL CATS. CHANGE HELICOPTER VISIBILITY REDUCTION NOTE TO READ: HELICOPTER VISIBILITY REDUCTION BELOW 3/4 SM NOT AUTHORIZED. 1703242112-1711032112EST.

GEORGIA

ADEL

Cook County

FDC 7/8629 15J IAP COOK COUNTY, ADEL, GA. RNAV (GPS) RWY 23, AMDT 1...CHART TDZE 235, DELETE THRE 235. CHART NOTE: RWY 15, 33 HELICOPTER VISIBILITY REDUCTION BELOW 1 SM NOT AUTHORIZED. CHART NOTE: CIRCLING RWY 15, 33 NA AT NIGHT. THIS IS RNAV (GPS) RWY 23, AMDT 1A. 1701272055-PERM.

FDC 7/8628 15J IAP COOK COUNTY, ADEL, GA. RNAV (GPS) RWY 5, AMDT 1...LPV DA 536. LNAV/VNAV DA 720. LNAV HAT 605 ALL CATS. CHART TDZE 235, DELETE THRE 233. CHART NOTE: RWY 15, 33 HELICOPTER VISIBILITY REDUCTION BELOW 1 SM NOT AUTHORIZED. CHART NOTE: CIRCLING RWY 15, 33 NA AT NIGHT. THIS IS RNAV (GPS) RWY 5, AMDT 1A. 1701272055-PERM.

ALBANY

Southwest Georgia Rgnl

FDC 7/1793 ABY IAP SOUTHWEST GEORGIA RGNL, ALBANY, GA. ILS OR LOC RWY 4, AMDT 12...MISSED APPROACH: CLIMB TO 1000 THEN CLIMBING LEFT TURN TO 2200 DIRECT PUTNY LOM/I-7.15 DME AND HOLD SW, RT, 044.00 INBOUND. (ADF REQUIRED). ALTERNATE MINIMUMS NA. PZD VORTAC OUT OF SERVICE AND PUTNY LOM UNMONITORED.. 1701061630-1708181630EST.

FDC 6/3996 ABY IAP SOUTHWEST GEORGIA RGNL, ALBANY, GA. LOC BC RWY 22, AMDT 8A...PROCEDURE NA EXCEPT FOR AIRCRAFT EQUIPPED WITH SUITABLE RNAV SYSTEM WITH GPS, PZD VORTAC OUT OF SERVICE. 1612201514-1708011514EST.

AMERICUS

Jimmy Carter Rgnl

FDC 6/4437 ACJ IAP JIMMY CARTER RGNL, AMERICUS, GA. RNAV (GPS) RWY 5, AMDT 1A...DISREGARD NOTE: STRAIGHT-IN/CIRCLING RWY 5 NA AT NIGHT. 1612211931-1708021931EST.

FDC 6/4435 ACJ IAP JIMMY CARTER RGNL, AMERICUS, GA. RNAV (GPS) RWY 23, AMDT 1A...DISREGARD NOTE: CIRCLING RWY 5 NA AT NIGHT. 1612211931-1708021931EST.

ATLANTA

Atlanta Rgnl Falcon Field

FDC 7/9813 FFC IAP ATLANTA RGNL FALCON FIELD, ATLANTA, GA. NDB RWY 31, AMDT 3B...NOTE: CIRCLING RWY 13 NA AT NIGHT. 1704131502-1711231501EST.

FDC 7/9809 FFC IAP ATLANTA RGNL FALCON FIELD, ATLANTA, GA. ILS OR LOC RWY 31, AMDT 2B...AGEHO FIX MINIMUMS: CIRCLING CAT A/B/C MDA 1340/HAA 532. NOTE: CIRCLING RWY 13 NA AT NIGHT. 1704131500-1711231459EST.

FDC 7/9806 FFC IAP ATLANTA RGNL FALCON FIELD, ATLANTA, GA. RNAV (GPS) RWY 13, AMDT 2A...LPV AND LNAV/VNAV DA NA. CIRCLING CAT A/B/C MDA 1340/HAA 532. NOTE: STRAIGHT-IN RWY 13 NA AT NIGHT.. NOTE: CIRCLING RWY 13 NA AT NIGHT. 1704131456-1711231456EST.

FDC 7/9804 FFC IAP ATLANTA RGNL FALCON FIELD, ATLANTA, GA. RNAV (GPS) RWY 31, AMDT 2B...LNAV/VNAV DA 1189/HAT 381 ALL CATS. CIRCLING CAT A/B/C MDA 1340/HAA 532. NOTE: CIRCLING RWY 13 NA AT NIGHT. 1704131455-1711231454EST.

FDC 6/7186 FFC STAR ATLANTA REGIONAL AIRPORT-FALCON FIELD, ATLANTA, GA. AWSON THREE ARRIVAL...ATC ASSIGNED ONLY. 1611150901-1711150900.

Cobb County Intl-McCollum Field

FDC 6/8129 RYY STAR COBB COUNTY INTERNATIONAL AIRPORT-MCCOLLUM FIELD, ATLANTA, GA. DIFFI THREE ARRIVAL TURBO PROPS EXPECT TO CROSS BUZZ AT 9000FT OR 7000FT; RECIPROCATING EXPECT TO CROSS BUZZ AT 7000FT OR 5000FT. 1611151810-1711150900.

FDC 6/8115 RYY STAR COBB COUNTY INTERNATIONAL AIRPORT-MCCOLLUM FIELD, ATLANTA, GA. BOKRT ONE ARRIVAL TURBO PROPS EXPECT TO CROSS BOKRT AT 9000FT OR 7000FT; RECIPROCATING EXPECT TO CROSS BOKRT AT 7000FT OR 5000FT. 1611151810-1711150900.

FDC 6/7189 RYY STAR COBB COUNTY INTERNATIONAL AIRPORT-MCCOLLUM FIELD, ATLANTA, GA. BUNNI FOUR ARRIVAL...ATC ASSIGNED ONLY. 1611150901-1711150900.

FDC 6/7173 RYY STAR COBB COUNTY INTERNATIONAL AIRPORT-MCCOLLUM FIELD, ATLANTA, GA. AWSON THREE ARRIVAL...ATC ASSIGNED ONLY. 1611150901-1711150900.

FDC 6/7165 RYY STAR COBB COUNTY INTERNATIONAL AIRPORT-MCCOLLUM FIELD, ATLANTA, GA. JRAMS FOUR ARRIVAL...ATC ASSIGNED ONLY. 1611150901-1711150900.

Covington Muni

FDC 7/2730 CVC IAP COVINGTON MUNI, ATLANTA, GA. NDB RWY 28, AMDT 3B...RNAV (GPS) RWY 10, AMDT 1A...RNAV (GPS) RWY 28, AMDT 1C...VOR/DME RWY 10, AMDT 5B...CIRCLING CATS B/C/D MDA 1400/HAA 591. TEMP CRANE 1036 MSL 1.41 NM N OF RWY 28 (2017-ASO-3602-OE). 1703301148-1711091148EST.

FDC 6/7202 CVC STAR COVINGTON MUNICIPAL AIRPORT, ATLANTA, GA. BUNNI FOUR ARRIVAL...ATC ASSIGNED ONLY. 1611150901-1711150900.

FDC 6/7184 CVC STAR COVINGTON MUNICIPAL AIRPORT, ATLANTA, GA. AWSON THREE ARRIVAL...ATC ASSIGNED ONLY. 1611150901-1711150900.

Dekalb-Peachtree

FDC 7/7684 PDK IAP DEKALB-PEACHTREE, ATLANTA, GA. ILS OR LOC RWY 21L, AMDT 8C...ALTERNATE MINIMUMS NA. 1702241358-1710061358EST.

FDC 7/1051 PDK ODP DEKALB-PEACHTREE, ATLANTA, GA. TAKEOFF MINIMUMS AND (OBSTACLE) DEPARTURE PROCEDURES AMDT 2...NOTE: RWY 03L, TEMP CRANES BEGINNING 70 FT FROM DER, 251 FT RIGHT OF CENTERLINE, UP TO 28 FT AGL/1006 FT MSL (2016-ASO-741/744-NRA). TEMP CRANES BEGINNING 280 FT FROM DER, 141 FT LEFT OF CENTERLINE, UP TO 28 FT AGL/1010 FT MSL (2016-ASO-740/743-NRA). TEMP CRANE 1810 FT FROM DER, 410 FT LEFT OF CENTERLINE, 90 AGL/1076 MSL (2015-ASO-1374-NRA). RWY 34, BUILDINGS, SIGNS, POLES AND TREES BEGINNING 121 FT FROM DER, 284 FT LEFT OF CENTERLINE, UP TO 43 FT AGL/1098 FT MSL (2015-ASO-9117-OE). ALL OTHER DATA REMAINS AS PUBLISHED. 1703061756-1710161752EST.

FDC 6/8263 PDK STAR DEKALB-PEACHTREE AIRPORT, ATLANTA, GA. BOKRT ONE ARRIVAL TURBO PROPS EXPECT TO CROSS BOKRT AT 9000FT OR 7000FT; RECIPROCATING EXPECT TO CROSS BOKRT AT 7000 OR 5000. 1611152000-1711150900.

FDC 6/8156 PDK STAR DEKALB-PEACHTREE AIRPORT, ATLANTA, GA. DIFFI THREE ARRIVAL TURBO PROPS EXPECT TO CROSS BUZZ AT 9000FT OR 7000FT; RECIPROCATING EXPECT TO CROSS BUZZ AT 7000FT OR 5000FT. 1611151810-1711150900.

FDC 6/7195 PDK STAR DEKALB-PEACHTREE AIRPORT, ATLANTA, GA. BUNNI FOUR ARRIVAL...ATC ASSIGNED ONLY. 1611150901-1711150900.

FDC 6/7178 PDK STAR DEKALB-PEACHTREE AIRPORT, ATLANTA, GA. AWSON THREE ARRIVAL...ATC ASSIGNED ONLY. 1611150901-1711150900.

FDC 6/7168 PDK STAR DEKALB-PEACHTREE AIRPORT, ATLANTA, GA. JRAMS FOUR ARRIVAL...ATC ASSIGNED ONLY. 1611150901-1711150900.

Fulton County Airport-Brown Field

FDC 7/2491 FTY ODP FULTON COUNTY AIRPORT-BROWN FIELD, ATLANTA, GA. TAKEOFF MINIMUMS AND (OBSTACLE) DEPARTURE PROCEDURES AMDT 7...TAKE-OFF MINIMUMS: RWY 8, 300-1 1/2 OR STANDARD WITH MINIMUM CLIMB OF 326 FT PER NM TO 1300. RWY 9, 300-2 OR STANDARD WITH MINIMUM CLIMB OF 296 FT PER NM TO 1300. RWY 26, 500-3 WITH MINIMUM CLIMB OF 203 FT PER NM TO 1500 OR STANDARD WITH MINIMUM CLIMB OF 300 FT PER NM TO 1400. ALL OTHER DATA REMAINS AS PUBLISHED. 1703292003-1711082003EST.

FDC 7/1099 FTY IAP FULTON COUNTY
AIRPORT-BROWN FIELD, ATLANTA, GA. RNAV (GPS)
Y RWY 8, AMDT 1A...LNAV/VNAV DA 1645/HATH 845,
VIS 2 1/2 ALL CATS. LNAV MDA 1540/HATH 740, VIS
CAT C/D 1 5/8. CHANGE INOPERATIVE NOTE TO
READ: FOR INOPERATIVE MALS, INCREASE LNAV
CAT A/B VIS TO 1 MILE CATS C/D TO 2 MILES.
DISREGARD NOTE: CIRCLING TO RWYS 9, 27 AND
32 NA AT NIGHT. NOTE: NIGHT LANDING: RWY 9, 14,
27, 32 NA. CHANGE HELICOPTER VISIBILITY
REDUCTION NOTE TO READ: HELICOPTER
VISIBILITY REDUCTION BELOW 3/4 SM NOT
AUTHORIZED. DISREGARD NOTE: WHEN VGSI INOP
CIRCLING RWY 14 AND 26 NA AT NIGHT.
1703061934-1710161934EST.

FDC 6/8157 FTY STAR FULTON COUNTY
AIRPORT-BROWN FIELD, ATLANTA, GA. DIFFI
THREE ARRIVAL TURBO PROPS EXPECT TO CROSS
BUZZ AT 9000FT OR 7000FT; RECIPROCATING
EXPECT TO CROSS BUZZ AT 7000FT OR 5000FT.
1611151810-1711150900.

FDC 6/8120 FTY STAR FULTON COUNTY
AIRPORT-BROWN FIELD, ATLANTA, GA. BOKRT ONE
ARRIVAL TURBOPROPS EXPECT TO CROSS BOKRT
AT 9000FT OR 7000FT; RECIPROCATING EXPECT TO
CROSS BOKRT AT 7000FT OR 5000FT.
1611151810-1711150900.

FDC 6/7199 FTY STAR FULTON COUNTY
AIRPORT-BROWN FIELD, ATLANTA, GA. BUNNI
FOUR ARRIVAL...ATC ASSIGNED ONLY.
1611150901-1711150900.

FDC 6/7180 FTY STAR FULTON COUNTY
AIRPORT-BROWN FIELD, ATLANTA, GA. AWSON
THREE ARRIVAL...ATC ASSIGNED ONLY.
1611150901-1711150900.

FDC 6/7169 FTY STAR FULTON COUNTY
AIRPORT-BROWN FIELD, ATLANTA, GA. JRAMS
FOUR ARRIVAL...ATC ASSIGNED ONLY.
1611150901-1711150900.

FDC 6/5097 FTY ODP FULTON COUNTY
AIRPORT-BROWN FIELD, ATLANTA, GA. TAKEOFF
MINIMUMS AND (OBSTACLE) DEPARTURE
PROCEDURES AMDT 7...NOTE: RWY 9, TEMP CRANE
799 FT FROM DER, 380 FT LEFT OF CENTERLINE, 100
FT AGL/900 FT MSL (2016-ASO-4028/4238-NRA). ALL
OTHER DATA REMAINS AS PUBLISHED.
1612281300-1708081710EST.

Hartsfield - Jackson Atlanta Intl

FDC 7/7046 ATL IAP HARTSFIELD - JACKSON
ATLANTA INTL, ATLANTA, GA. ILS OR LOC RWY 9L,
AMDT 10A...ILS PRM RWY 9L (SIMULTANEOUS
CLOSE PARALLEL), AMDT 2...MISSED APPROACH:
CLIMB TO 1500 THEN CLIMBING LEFT TURN TO
4000 VIA RADAR VECTORS AND AHN VORTAC R-235
TO CONNI/AHN 30.23DME/RADAR AND HOLD, ATL
VOR OUT OF SERVICE. 1704280534-1712080534EST.

FDC 7/7045 ATL IAP HARTSFIELD - JACKSON
ATLANTA INTL, ATLANTA, GA. ILS OR LOC RWY 10,
AMDT 4...ILS RWY 10 (SA CAT I), AMDT 4...ILS RWY
10 (CAT II AND III), AMDT 4...ILS PRM RWY 10
(SIMULTANEOUS CLOSE PARALLEL), AMDT 4...ILS
PRM RWY 10 (SA CAT I) (SIMULTANEOUS CLOSE
PARALLEL), AMDT 4...ILS PRM RWY 10 (CAT II AND
III) (SIMULTANEOUS CLOSE PARALLEL), AMDT
4...MISSED APPROACH: CLIMB TO 1400 THEN
CLIMBING RIGHT TURN TO 3000 ON HEADING 180
AND PDK VOR/DME R-198 TO SCARR INT/PDK 30.54
DME AND HOLD, ATL VOR OUT OF SERVICE.
1704280534-1712080534EST.

FDC 7/7043 ATL IAP HARTSFIELD - JACKSON
ATLANTA INTL, ATLANTA, GA. ILS OR LOC RWY 26R,
AMDT 7...ILS RWY 26R (SA CAT I AND II), AMDT
7...ILS PRM RWY 26R (SIMULTANEOUS CLOSE
PARALLEL), AMDT 3...ILS PRM RWY 26R (SA CAT I
AND II) (SIMULTANEOUS CLOSE PARALLEL), AMDT
3...MISSED APPROACH: CLIMB TO 1400 THEN
CLIMBING RIGHT TURN TO 3500 DIRECT PDK
VOR/DME AND HOLD, ATL VOR OUT OF SERVICE.
1704280534-1712080534EST.

FDC 7/7042 ATL IAP HARTSFIELD - JACKSON
ATLANTA INTL, ATLANTA, GA. ILS OR LOC RWY 27R,
AMDT 6...ILS PRM RWY 27R (SIMULTANEOUS CLOSE
PARALLEL), AMDT 2...MISSED APPROACH: CLIMB
TO 1400 THEN CLIMBING LEFT TURN TO 4000 VIA
RADAR VECTORS AND LGC VORTAC R-013 TO
TEMPO/LGC 34.71 DME/RADAR AND HOLD, ATL
VOR OUT OF SERVICE. 1704280534-1712080534EST.

FDC 7/7041 ATL IAP HARTSFIELD - JACKSON
ATLANTA INTL, ATLANTA, GA. ILS OR LOC RWY 28,
AMDT 4...ILS RWY 28 (SA CAT I), AMDT 4...ILS RWY
28 (CAT II), AMDT 4...ILS PRM RWY 28
(SIMULTANEOUS CLOSE PARALLEL), AMDT 4...ILS
PRM RWY 28 (SA CAT I)(SIMULTANEOUS CLOSE
PARALLEL), AMDT 4...ILS PRM RWY 28 (CAT II)
(SIMULTANEOUS CLOSE PARALLEL), AMDT
4...MISSED APPROACH: CLIMB TO 1400 THEN
CLIMBING LEFT TURN TO 3000 ON HEADING 180
AND PDK VOR/DME R-198 TO SCARR INT/PDK 30.54
DME AND HOLD, ATL VOR OUT OF SERVICE.
1704280534-1712080534EST.

FDC 6/7161 ATL STAR HARTSFIELD JACKSON
ATLANTA INTERNATIONAL AIRPORT, ATLANTA, GA.
KOLTT ONE ARRIVAL...ATC ASSIGNED ONLY.
1611150901-1711150900.

FDC 6/7158 ATL STAR HARTSFIELD JACKSON
ATLANTA INTERNATIONAL AIRPORT, ATLANTA, GA.
ONYON ONE ARRIVAL...ATC ASSIGNED ONLY.
1611150901-1711150900.

FDC 6/7157 ATL STAR HARTSFIELD JACKSON
ATLANTA INTERNATIONAL AIRPORT, ATLANTA, GA.
WARRR ONE ARRIVAL.. ATC ASSIGNED ONLY.
1611150901-1711150900.

FDC 6/7155 ATL STAR HARTSFIELD JACKSON
ATLANTA INTERNATIONAL AIRPORT, ATLANTA, GA.
DIRTY THREE ARRIVAL ATC ASSIGNED ONLY.
1611150901-1711150900.

FDC 6/4607 ATL STAR HARTSFIELD JACKSON
ATLANTA INTERNATIONAL AIRPORT, ATLANTA GA.
VYPPR ONE ARRIVAL : DISREGARD ALL PUBLISHED
SPEEDS AND ALTITUDES INCLUDING THE MACH TO
AIRSPEED TRANSITION.. ATC WILL ISSUE SPEEDS
AND ALTITUDES. EFFECTIVE
1612231000-1708171000.

FDC 6/4606 ATL STAR HARTSFIELD JACKSON
ATLANTA INTERNATIONAL AIRPORT, ATLANTA GA.
RAGGZ ONE ARRIVAL : DISREGARD ALL
PUBLISHED SPEEDS AND ALTITUDES INCLUDING
THE MACH TO AIRSPEED TRANSITION.. ATC WILL
ISSUE SPEEDS AND ALTITUDES.
1612231000-1708171000.

FDC 6/4605 ATL STAR HARTSFIELD JACKSON
ATLANTA INTERNATIONAL AIRPORT, ATLANTA GA.
SMOOV ONE ARRIVAL : DISREGARD ALL
PUBLISHED SPEEDS AND ALTITUDES INCLUDING
THE MACH TO AIRSPEED TRANSITION.. ATC WILL
ISSUE SPEEDS AND ALTITUDES. EFFECTIVE
1612231000-1708171000.

FDC 6/4604 ATL STAR HARTSFIELD JACKSON
ATLANTA INTERNATIONAL AIRPORT, ATLANTA GA.
CHOPI ONE ARRIVAL: DISREGARD ALL PUBLISHED
SPEEDS AND ALTITUDES INCLUDING THE MACH TO
AIRSPEED TRANSITION. ATC WILL ISSUE SPEEDS
AND ALTITUDES. 1612231000-1708171000.

FDC 6/4603 ATL STAR HARTSFIELD JACKSON
ATLANTA INTERNATIONAL AIRPORT, ATLANTA GA.
WINNG ONE ARRIVAL : DISREGARD ALL
PUBLISHED SPEEDS AND ALTITUDES INCLUDING
THE MACH TO AIRSPEED TRANSITION. ATC WILL
ISSUE SPEEDS AND ALTITUDES. EFFECTIVE
1612231000-1708171000.

FDC 6/4601 ATL STAR HARTSFIELD JACKSON
ATLANTA INTERNATIONAL AIRPORT, ATLANTA GA.
PECHY ONE ARRIVAL : DISREGARD ALL PUBLISHED
SPEEDS AND ALTITUDES INCLUDING THE MACH TO
AIRSPEED TRANSITION. ATC WILL ISSUE SPEEDS
AND ALTITUDES. 1612231000-1708171000.

FDC 6/4598 ATL STAR HARTSFIELD JACKSON
ATLANTA INTERNATIONAL AIRPORT, ATLANTA GA.
STOWL ONE ARRIVAL : DISREGARD ALL
PUBLISHED SPEEDS AND ALTITUDES INCLUDING
THE MACH TO AIRSPEED TRANSITION. ATC WILL
ISSUE SPEEDS AND ALTITUDES. EFFECTIVE
1612231000-1708171000.

FDC 6/4595 ATL STAR HARTSFIELD JACKSON
ATLANTA INTERNATIONAL AIRPORT, ATLANTA GA.
DRMMM ONE ARRIVAL: DISREGARD ALL
PUBLISHED SPEEDS AND ALTITUDES INCLUDING
THE MACH TO AIRSPEED TRANSITION. ATC WILL
ISSUE SPEEDS AND ALTITUDES.
1612231000-1708171000.

FDC 6/3876 ATL IAP HARTSFIELD - JACKSON
ATLANTA INTL, ATLANTA, GA. RNAV (GPS) PRM
RWY 8R (SIMULTANEOUS CLOSE PARALLEL),
ORIG...RNAV (GPS) RWY 8R, AMDT 4...LNAV/VNAV
DA 1440 / HAT 416 VISIBILITY 1 3/8 ALL CATS.
1612192035-1707312035EST.

FDC 6/3038 ATL IAP HARTSFIELD - JACKSON
ATLANTA INTL, ATLANTA, GA. RNAV (GPS) Y RWY
08L, AMDT 4...LNAV/VNAV DA 1417/HAT 402 ALL
CATS. LNAV MDA 1520/HAT 505 ALL CATS. VIS CATS
C/D RVR 5500. VDP 1.36 NM TO RW08L. TEMPORARY
CRANE 1256 MSL 2271 FT SE OF RWY 8R
(2015-ASO-594-NRA). 1610191650-1705311650EST.

FDC 6/3034 ATL IAP HARTSFIELD - JACKSON
ATLANTA INTL, ATLANTA, GA. RNAV (GPS) PRM Y
RWY 8L (SIMULTANEOUS CLOSE PARALLEL),
ORIG...LNAV/VNAV DA 1417/HAT 402 ALL CATS.
TEMPORARY CRANE 1256 MSL 2271 FT SE OF RWY
8R (2015-ASO-594-NRA). 1610191648-1705311647EST.

FDC 6/2008 ATL STAR HARTSFIELD-JACKSON
ATLANTA INTL, ATLANTA, GA. RPTOR THREE
ARRIVAL NOTE: EXPECT RWY 09R
1609150901-1709150900.

Newnan Coweta County

FDC 7/0054 CCO IAP NEWNAN COWETA COUNTY,
ATLANTA, GA. ILS OR LOC/NDB RWY 32,
ORIG...S-ILS 32 VIS 3/4. S-LOC 32 VIS 3/4 ALL CATS.
CIRCLING CATS A/B MDA 1420/HAA 450. CHANGE
ALL REFERENCE OF MALSR TO MALSF. CHANGE
NOTE TO READ: WHEN LOCAL ALTIMETER SETTING
NOT RECEIVED, USE ATLANTA RGNL FALCON
FIELD ALTIMETER SETTING AND INCREASE DA TO
1249 AND ALL MDA 60 FEET, INCREASE CIRCLING
CATS C/D VISIBILITY 1/4 MILE. DISREGARD NOTE:
NIGHT LANDING: RWY 32 NA. CHANGE
HELICOPTER VISIBILITY REDUCTION NOTE TO
READ: HELICOPTER VISIBILITY REDUCTION
BELOW 3/4 SM NOT AUTHORIZED.
1704131812-1711231812EST.

FDC 6/7185 CCO STAR NEWNAN COWETA COUNTY AIRPORT, ATLANTA, GA. AWSON THREE ARRIVALATC ASSIGNED ONLY.
1611150901-1711150900.

Paulding Northwest Atlanta

FDC 7/2129 PUJ IAP PAULDING NORTHWEST ATLANTA, ATLANTA, GA. RNAV (GPS) RWY 13, AMDT 1...LPV DA NA LNAV/VNAV DA NA LNAV MDA NA. 1702072241-1709192241EST.

FDC 6/8128 PUJ STAR PAULDING NORTHWEST ATLANTA AIRPORT, ATLANTA, GA. DIFFI THREE ARRIVALTURBO PROPS EXPECT TO CROSS BUZZ AT 9000FT OR 7000FT; RECIPROCATING EXPECT TO CROSS BUZZ AT 7000FT OR 5000FT.
1611151810-1711150900.

FDC 6/8113 PUJ STAR PAULDING NORTHWEST ATLANTA AIRPORT, ATLANTA, GA. BOKRT ONE ARRIVAL TURBOPROPS EXPECT TO CROSS BOKRT AT 9000FT OR 7000FT; RECIPROCATING EXPECT TO CROSS BOKRT AT 7000FT OR 5000FT.
1611151810-1711150900.

FDC 6/7188 PUJ STAR PAULDING NORTHWEST ATLANTA AIRPORT, ATLANTA, GA. BUNNI FOUR ARRIVAL... ATC ASSIGNED ONLY.
1611150901-1711150900EST.

FDC 6/7172 PUJ STAR PAULDING NORTHWEST ATLANTA AIRPORT, ATLANTA, GA. AWSON THREE ARRIVAL...ATC ASSIGNED ONLY.
1611150901-1711150900.

FDC 6/7164 PUJ STAR PAULDING NORTHWEST ATLANTA AIRPORT, ATLANTA, GA. JRAMS FOUR ARRIVAL...ATC ASSIGNED ONLY.
1611150901-1711150900.

AUGUSTA

Augusta Rgnl At Bush Field

FDC 7/9651 AGS SID AUGUSTA RGNL AT BUSH FIELD, AUGUSTA, GA. DOVER THREE DEPARTURE (RNAV)...JUNPR THREE DEPARTURE (RNAV)...KAOLN FOUR DEPARTURE (RNAV)...RDBUD TWO DEPARTURE (RNAV)...DEPARTURE PROCEDURE TAKEOFF MINIMUMS: RWY 17: STANDARD WITH MINIMUM CLIMB OF 267 FT PER NM TO 2400. RWY 26: STANDARD WITH MINIMUM CLIMB OF 324 FT PER NM TO 2000. RWY 35: STANDARD WITH MINIMUM CLIMB OF 305 FT PER NM TO 2500.. ALL OTHER DATA REMAINS AS PUBLISHED.
1703011912-1710111912EST.

FDC 7/5451 AGS IAP AUGUSTA RGNL AT BUSH FIELD, AUGUSTA, GA. RNAV (GPS) Z RWY 8, ORIG-A...LPV DA 672/HAT 535. CHANGE LOCAL ALTIMETER SETTING NOTE TO READ: WHEN LOCAL ALTIMETER SETTING NOT RECEIVED, USE DANIEL ALTIMETER SETTING: INCREASE LPV DA TO 727 AND LNAV/VNAV DA TO 829 AND ALL MDA 60 FEET; INCREASE LPV ALL CATS VISIBILITY AND LNAV/VNAV ALL CATS VISIBILITY AND CIRCLING CATS C/D VISIBILITY 1/4 MILE AND LNAV CATS C/D VISIBILITY 1/8 MILE. 1702162133-1709282133EST.

FDC 7/5449 AGS IAP AUGUSTA RGNL AT BUSH FIELD, AUGUSTA, GA. ILS OR LOC RWY 35, AMDT 28B...S-ILS 35 DA 386/HAT 250 ALL CATS.
1702162131-1709282131EST.

FDC 7/5446 AGS IAP AUGUSTA RGNL AT BUSH FIELD, AUGUSTA, GA. RNAV (GPS) RWY 35, AMDT 2A...LPV DA 386/HAT 250 ALL CATS.
1702162129-1709282129EST.

Daniel Field

FDC 7/1506 DNL ODP DANIEL FIELD, AUGUSTA, GA. TAKEOFF MINIMUMS AND (OBSTACLE) DEPARTURE PROCEDURES AMDT 6...NOTE: RWY 23, TEMP CRANES BEGINNING 261 FT FROM DER, 6 FT RIGHT OF CENTERLINE, UP TO 15 FT AGL/380 FT MSL (2016-ASO-4066-NRA). ALL OTHER DATA REMAINS AS PUBLISHED. 1704171918-1705181918EST.

FDC 7/1505 DNL SID DANIEL FIELD, AUGUSTA, GA. AZALA THREE DEPARTURE (RNAV)...CHATT FIVE DEPARTURE (RNAV)...MISTY FIVE DEPARTURE (RNAV)...NDINA FOUR DEPARTURE (RNAV)...SAMMI THREE DEPARTURE (RNAV)...TAKEOFF OBSTACLE NOTES: RWY 23: TEMP CRANES BEGINNING 261 FT FROM DER, 6 FT RIGHT OF CENTERLINE, UP TO 15 FT AGL/380 FT MSL (2016-ASO-4066-NRA). ALL OTHER DATA REMAINS AS PUBLISHED.
1704171918-1705181918EST.

BLAKELY

Early County

FDC 6/4107 BIJ IAP EARLY COUNTY, BLAKELY, GA. RNAV (GPS) RWY 23, AMDT 2...TAA FROM 143/30 CW 323/30 (NOPT) TO PARGE 3000. TAA FROM 323/30 CW 053/30 TO STRKE 3000. TAA FROM 053/30 CW 143/30 TO VIPRR 3000. MINIMUM ALTITUDE FIX VIPRR, PARGE, STRKE 3000. NOTE: NIGHT LANDING: RWY 23 NA. CHANGE HELICOPTER RESTRICTION NOTE TO READ: VISIBILITY REDUCTION BELOW 1 SM NOT AUTHORIZED. 1612202129-1708012129EST.

FDC 6/4080 BIJ IAP EARLY COUNTY, BLAKELY, GA. RNAV (GPS) RWY 5, AMDT 2...MISSED APPROACH: CLIMB TO 3000 DIRECT PARGE AND HOLD.. NOTE: NIGHT LANDING: RWY 5 NA. CHANGE HELICOPTER RESTRICTION NOTE TO READ: VISIBILITY REDUCTION BELOW 1 SM NOT AUTHORIZED. 1612202114-1708012114EST.

FDC 6/3995 BIJ IAP EARLY COUNTY, BLAKELY, GA. LOC/NDB RWY 23, AMDT 1B...RADAR REQUIRED FOR PROCEDURE ENTRY EXCEPT FOR AIRCRAFT EQUIPPED WITH SUITABLE RNAV SYSTEM WITH GPS, PZD VORTAC OUT OF SERVICE. 1612201514-1708011514EST.

CALHOUN

Gordon Hospital

FDC 7/4522 GE02 SPECIAL GORDON HOSPITAL, CALHOUN, GA. COPTER RNAV (GPS) 139, ORIG...PROCEDURE NA. 1701141950-1708261950EST.

FDC 7/1833 GE02 SPECIAL GORDON HOSPITAL, CALHOUN, GA. COPTER RNAV (GPS) 139, ORIG...IFR DEPARTURE NA. 1704181349-1711281349EST.

CANTON

Cherokee County

FDC 7/4479 CNI IAP CHEROKEE COUNTY, CANTON, GA. RNAV (GPS) RWY 23, AMDT 1A...PROCEDURE NA AT NIGHT. DISREGARD NOTE: STRAIGHT-IN/CIRCLING RWY 23. 1701141909-1708261909EST.

FDC 6/8125 CNI STAR CHEROKEE COUNTY AIRPORT, CANTON, GA. DIFFI THREE ARRIVAL TURBO PROPS EXPECT TO CROSS BUZZ AT 9000FT OR 7000FT; RECIPROCATING EXPECT TO CROSS BUZZ AT 7000FT OR 5000FT. 1611151810-1711150900.

FDC 6/8108 CNI STAR CHEROKEE COUNTY AIRPORT, CANTON, GA. BOKRT ONE ARRIVAL TURBOPROPS EXPECT TO CROSS BOKRT AT 9000FT OR 7000FT; RECIPROCATING EXPECT TO CROSS BOKRT AT 7000FT OR 5000FT. 1611151810-1711150900.

FDC 6/7162 CNI STAR CHEROKEE COUNTY AIRPORT, CANTON, GA. JRAMS FOUR ARRIVAL...ATC ASSIGNED ONLY. 1611150901-1711150900.

CARROLLTON

West Georgia Rgnl - O V Gray Field

FDC 7/1399 CTJ ODP WEST GEORGIA RGNL - O V GRAY FIELD, CARROLLTON, GA. TAKEOFF MINIMUMS AND (OBSTACLE) DEPARTURE PROCEDURES ORIG...TAKEOFF MINIMUMS: RWY 35, 300-1 OR STANDARD WITH A MINIMUM CLIMB OF 276 FT PER NM TO 1700. ALL OTHER DATA REMAINS AS PUBLISHED. 1704171720-1711271720EST.

FDC 6/7181 CTJ STAR WEST GEORGIA REGIONAL AIRPORT-O V GRAY FIELD, CARROLLTON, GA. AWSON THREE ARRIVAL ATC ASSIGNED ONLY. 1611150901-1711150900.

CARTERSVILLE

Cartersville

FDC 7/2203 VPC IAP CARTERSVILLE, CARTERSVILLE, GA. RNAV (GPS) RWY 1, AMDT 1A...DISREGARD NOTE: CIRCLING TO RWY 19 NA AT NIGHT. DISREGARD NOTE: WHEN VGSI INOP, STRAIGHT-IN/CIRCLING RWY 1 PROCEDURE NA AT NIGHT. CHANGE HELICOPTER VISIBILITY NOTE TO READ: HELICOPTER VISIBILITY REDUCTION BELOW 3/4 SM NOT AUTHORIZED. 1702072316-1709192316EST.

FDC 7/2201 VPC IAP CARTERSVILLE, CARTERSVILLE, GA. LOC RWY 19, AMDT 3A...RNAV (GPS) RWY 19, AMDT 1A...CHANGE HELICOPTER VISIBILITY NOTE TO READ: HELICOPTER VISIBILITY BELOW 3/4 SM NOT AUTHORIZED. DISREGARD NOTE: RWY 19 STRAIGHT-IN AND CIRCLING MINIMUMS NA AT NIGHT:. 1702072315-1709192315EST.

FDC 7/2199 VPC IAP CARTERSVILLE, CARTERSVILLE, GA. VOR/DME-A, AMDT 2B...DISREGARD NOTE: CIRCLING TO RWY 19 NA AT NIGHT. CHANGE HELICOPTER VISIBILITY REDUCTION NOTE TO READ: HELICOPTER VISIBILITY REDUCTION BELOW 3/4 SM NOT AUTHORIZED. 1702072314-1709192314EST.

FDC 6/8126 VPC STAR CARTERSVILLE AIRPORT, CARTERSVILLE, GA. DIFFI THREE ARRIVAL TURBO PROPS EXPECT TO CROSS BUZZ AT 9000FT OR 7000FT; RECIPROCATING EXPECT TO CROSS BUZZ AT 7000FT OR 5000FT. 1611151810-1711150900.

FDC 6/8109 VPC STAR CARTERSVILLE AIRPORT, CARTERSVILLE, GA. BOKRT ONE ARRIVAL TURBOPROPS EXPECT TO CROSS BOKRT AT 9000FT OR 7000FT; RECIPROCATING EXPECT TO CROSS BOKRT AT 7000FT OR 5000FT. 1611151810-1711150900.

FDC 6/7171 VPC STAR CARTERSVILLE AIRPORT, CARTERSVILLE, GA. AWSON THREE ARRIVAL...ATC ASSIGNED ONLY. 1611150901-1711150900.

FDC 6/7163 VPC STAR CARTERSVILLE AIRPORT, CARTERSVILLE, GA. JRAMS FOUR ARRIVAL...ATC ASSIGNED ONLY. 1611150901-1711150900.

CLAXTON

Claxton-Evans County

FDC 7/3908 CWV IAP CLAXTON-EVANS COUNTY, CLAXTON, GA. RNAV (GPS) RWY 27, ORIG...RNAV (GPS) RWY 9, AMDT 1...CIRCLING CATS B/C MDA 660/HAA 548. DISREGARD VISIBILITY REDUCTION BY HELICOPTERS NA NOTE. 1703121803-1710221803EST.

FDC 7/3902 CWV IAP CLAXTON-EVANS COUNTY, CLAXTON, GA. NDB RWY 9, ORIG...S-9 MDA 780/HAT 668 ALL CATS. VIS CAT C 1 7/8. CIRCLING CATS A, B, C MDA 780/HAA 668. VIS CAT C 1 7/8. STRAIGHT-IN MINIMUMS NA AT NIGHT. HELICOPTER VISIBILITY REDUCTION BELOW 1 SM NA. 1703121754-1710221754EST.

COLUMBUS

Columbus

FDC 7/0030 CSG IAP COLUMBUS, COLUMBUS, GA. VOR-A, AMDT 23A...DISREGARD NOTE: CIRCLING TO RWY 13/24/31 NA AT NIGHT. NOTE: NIGHT LANDING: RWY 13, 31 NA. 1703021326-1710121326EST.

CORDELE

Crisp County-Cordele

FDC 7/9700 CKF IAP CRISP COUNTY-CORDELE, CORDELE, GA. LOC RWY 10, ORIG-D...CHANGE HELICOPTER NOTE TO READ: HELICOPTER VISIBILITY REDUCTION BELOW 1 SM NOT AUTHORIZED. 1704131346-1711231346EST.

FDC 7/7134 CKF IAP CRISP COUNTY-CORDELE, CORDELE, GA. LOC RWY 10, ORIG-D...PROCEDURE NA EXCEPT FOR AIRCRAFT EQUIPPED WITH SUITABLE RNAV SYSTEM WITH GPS, VNA VORTAC OUT OF SERVICE. 1704281340-1712081340EST.

CORNELIA

Habersham County

FDC 7/0995 AJR IAP HABERSHAM COUNTY, CORNELIA, GA. VOR/DME RWY 6, AMDT 6A...CHART NOTE: CIRCLING RWY 24 NA AT NIGHT. CHART NOTE: RWY 6 HELICOPTER VISIBILITY REDUCTION BELOW 3/4 SM NOT AUTHORIZED. CHART NOTE: RWY 24 HELICOPTER VISIBILITY REDUCTION BELOW 1 SM NOT AUTHORIZED. DELETE NOTE: HELICOPTER VISIBILITY REDUCTION BELOW 3/4 SM NOT AUTHORIZED. CHART NOTE: DME REQUIRED. CHART PLANVIEW NOTE: DME REQUIRED. THIS IS VOR RWY 6, AMDT 6B 1702032055-PERM.

FDC 7/0994 AJR IAP HABERSHAM COUNTY, CORNELIA, GA. RNAV (GPS) RWY 24, AMDT 1...LPV DA 1852. LNAV/VNAV DA 2154. LNAV HAT 612 ALL CATS. CHART TDZE 1448, DELETE THRE 1447. CHART NOTE: RWY 24 HELICOPTER VISIBILITY REDUCTION BELOW 1 SM NOT AUTHORIZED. DELETE NOTE: VISIBILITY REDUCTION BY HELICOPTERS NA. THIS IS RNAV (GPS) RWY 24, AMDT 1A. 1702032055-PERM.

FDC 7/0993 AJR IAP HABERSHAM COUNTY, CORNELIA, GA. RNAV (GPS) RWY 6, AMDT 1...LPV DA 1740. LNAV/VNAV DA 1798. LNAV HAT 394 ALL CATS. CHART TDZE 1446, DELETE THRE 1408. CHART NOTE: RWY 6 HELICOPTER VISIBILITY REDUCTION BELOW 3/4 SM NOT AUTHORIZED. CHART NOTE: RWY 24 HELICOPTER VISIBILITY REDUCTION BELOW 1 SM NOT AUTHORIZED. CHART NOTE: CIRCLING RWY 24 NA AT NIGHT. DELETE NOTE: VISIBILITY REDUCTION BY HELICOPTERS NA. THIS IS RNAV (GPS) RWY 6, AMDT 1A. 1702032055-PERM.

DALTON

Dalton Muni

FDC 7/6371 DNN IAP DALTON MUNI, DALTON, GA. ILS OR LOC RWY 14, AMDT 1...CHART NOTE: AUTOPILOT COUPLED APPROACH NA BELOW 1200 MSL. THIS IS ILS OR LOC RWY 14, AMDT 1A. 1704271321-PERM.

EASTMAN

Heart Of Georgia Rgnl

FDC 7/4225 EZM IAP HEART OF GEORGIA RGNL, EASTMAN, GA. ILS OR LOC RWY 2, AMDT 2A...ALTERNATE MINIMUMS NA, VNA VORTAC UNMONITORED. 1704241245-1712041245EST.

FDC 7/0700 EZM IAP HEART OF GEORGIA RGNL, EASTMAN, GA. RNAV (GPS) RWY 20, AMDT 2...LPV DA 602. LNAV/VNAV DA 722. LNAV HAT 417 ALL CATS. DELETE THRE 298. CHART TDZE 303. THIS IS RNAV (GPS) RWY 20, AMDT 2A. 1702022101-PERM.

FITZGERALD

Fitzgerald Muni

FDC 7/9830 FZG IAP FITZGERALD MUNI, FITZGERALD, GA. RNAV (GPS) RWY 2, AMDT 1A...DISREGARD NOTE: NIGHT LANDING: RWY 2 NA. CHANGE HELICOPTER VISIBILITY REDUCTION NOTE TO READ: HELICOPTER VISIBILITY REDUCTION BELOW 3/4 SM NOT AUTHORIZED. 1704131514-1711231514EST.

FDC 7/8210 FZG IAP FITZGERALD MUNI, FITZGERALD, GA. LOC RWY 2, AMDT 1A...DISREGARD NOTE: NIGHT LANDING: RWY 2 NA. CHANGE HELICOPTER VISIBILITY REDUCTION NOTE TO READ: HELICOPTER VISIBILITY REDUCTION BELOW 3/4 SM NOT AUTHORIZED. 1702261922-1710081922EST.

FDC 7/8208 FZG IAP FITZGERALD MUNI, FITZGERALD, GA. NDB RWY 2, AMDT 1...DISREGARD NOTE: NIGHT LANDING: RWY 2 NA. CHANGE HELICOPTER VISIBILITY REDUCTION NOTE TO READ: HELICOPTER VISIBILITY REDUCTION BELOW 3/4 SM NOT AUTHORIZED. 1702261919-1710081919EST.

FORT STEWART(HINESVILLE)

Wright AAF (Fort Stewart)/Midcoast Rgnl

FDC 7/8553 LHW IAP WRIGHT AAF (FORT STEWART)/MIDCOAST RGNL, FORT STEWART(HINESVILLE), GA. NDB RWY 33R, ORIG-B...RNAV (GPS) RWY 33R, ORIG-B...CIRCLING RWY 6L / 24R NOT AUTHORIZED AT NIGHT. 1701271842-1709081842EST.

FDC 7/8552 LHW IAP WRIGHT AAF (FORT STEWART)/MIDCOAST RGNL, FORT STEWART(HINESVILLE), GA. RNAV (GPS) RWY 6L, ORIG-C...LNAV MDA NA. NOTE: PROCEDURE NA AT NIGHT. 1701271842-1709081842EST.

GAINESVILLE

Lee Gilmer Memorial

FDC 6/8121 GVL STAR LEE GILMER MEMORIAL AIRPORT, GAINESVILLE, GA. DIFFI THREE ARRIVALTURBO PROPS EXPECT TO CROSS BUZZ AT 9000FT OR 7000FT; RECIPROCATING EXPECT TO CROSS BUZZ AT 7000FT OR 5000FT. 1611151810-1711150900.

FDC 6/8104 GVL STAR LEE GILMER MEMORIAL AIRPORT, GAINESVILLE, GA. BOKRT ONE ARRIVAL TURBOPROPS EXPECT TO CROSS BOKRT AT 9000FT OR 7000FT; RECIPROCATING EXPECT TO CROSS BOKRT AT 7000FT OR 5000FT. 1611151810-1711150900.

GREENSBORO

Greene County Rgnl

FDC 7/7688 3J7 IAP GREENE COUNTY RGNL, GREENSBORO, GA. LOC RWY 25, AMDT 3C...CHART TDZE 689, DELETE THRE 689. CHART NOTE: CIRCLING RWY 7 NA AT NIGHT. CHART NOTE: RWY 25 HELICOPTER VISIBILITY REDUCTION BELOW 3/4 SM NOT AUTHORIZED. CHART NOTE: RWY 7 HELICOPTER VISIBILITY REDUCTION BELOW 1 SM NOT AUTHORIZED. DELETE NOTE: RWY 25 STRAIGHT-IN AND CIRCLING MINIMUMS NA AT NIGHT. DELETE NOTE: HELICOPTER VISIBILITY REDUCTION BELOW 1 SM NOT AUTHORIZED. THIS IS LOC RWY 25, AMDT 3D. 1702241408-PERM.

FDC 7/5412 3J7 IAP GREENE COUNTY RGNL, GREENSBORO, GA. RNAV (GPS) RWY 25, AMDT 2...NOTE: RWY 7 HELICOPTER VISIBILITY REDUCTION BELOW 1 SM NA. CHANGE VGSI AND RNAV GLIDEPATH NOT COINCIDENT PROFILE NOTE TO READ: VGSI AND RNAV GLIDEPATH NOT COINCIDENT (VGSI ANGLE {3.00}/TCH {30}). 1701181429-1708301429EST.

FDC 7/5397 3J7 IAP GREENE COUNTY RGNL, GREENSBORO, GA. VOR-B, AMDT 3...NOTE: RWY 7 HELICOPTER VISIBILITY REDUCTION BELOW 1 SM NOT AUTHORIZED. NOTE: RWY 25 HELICOPTER VISIBILITY REDUCTION BELOW 3/4 SM NOT AUTHORIZED. 1701181417-1708301417EST.

FDC 7/5218 3J7 IAP GREENE COUNTY RGNL, GREENSBORO, GA. RNAV (GPS) RWY 7, AMDT 1C...NOTE: STRAIGHT-IN RWY 7 NA AT NIGHT. NOTE: RWY 7 HELICOPTER VISIBILITY REDUCTION BELOW 1 SM NOT AUTHORIZED. NOTE: RWY 25 HELICOPTER VISIBILITY REDUCTION BELOW 3/4 SM NOT AUTHORIZED. 1701172154-1708292154EST.

GRIFFIN

Griffin-Spalding County

FDC 7/4265 6A2 IAP GRIFFIN-SPALDING COUNTY, GRIFFIN, GA. RNAV (GPS) RWY 14, ORIG-D...NOTE: RWY 14 HELICOPTER VISIBILITY REDUCTION BELOW 1 SM NOT AUTHORIZED. DISREGARD NOTE: WHEN VGSI INOP, CIRCLING RWY 32 NA AT NIGHT. 1701132021-1708252021EST.

FDC 6/7179 6A2 STAR GRIFFIN-SPALDING COUNTY AIRPORT, GRIFFIN, GA. AWSON THREE ARRIVALATC ASSIGNED ONLY. 1611150901-1711150900.

HAMPTON

Henry County Airport

FDC 6/7183 HMP STAR HENRY COUNTY AIRPORT, HAMPTON, GA. AWSON THREE ARRIVALATC ASSIGNED ONLY. 1611150901-1711150900.

HAZLEHURST

Hazlehurst

FDC 7/5696 AZE IAP HAZLEHURST, HAZLEHURST, GA. RNAV (GPS) RWY 14, ORIG...LNAV MDA NA. NOTE: PROCEDURE NA AT NIGHT. CHANGE HELICOPTER VISIBILITY NOTE TO READ: HELICOPTER VISIBILITY REDUCTION BELOW 1 SM NOT AUTHORIZED. 1704261419-1712061419EST.

FDC 7/5693 AZE IAP HAZLEHURST, HAZLEHURST, GA. NDB RWY 14, AMDT 4...NOTE: PROCEDURE NA AT NIGHT. CHANGE HELICOPTER VISIBILITY NOTE TO READ: HELICOPTER VISIBILITY REDUCTION BELOW 1 SM NOT AUTHORIZED. 1704261417-1712061417EST.

JEKYLL ISLAND

Jekyll Island

FDC 7/2513 09J ODP JEKYLL ISLAND, JEKYLL ISLAND, GA. TAKEOFF MINIMUMS AND (OBSTACLE) DEPARTURE PROCEDURES ORIG...NOTE: RWY 18 . NA. 1703292020-1711082020EST.

FDC 7/1772 09J IAP JEKYLL ISLAND, JEKYLL ISLAND, GA. RNAV (GPS) RWY 18, ORIG-A...NOTE: NIGHT LANDING: RWY 36 NA AT NIGHT. DISREGARD NOTE: WHEN VGSI INOP, CIRCLING RWY 36 NA AT NIGHT. 1704181323-1711281323EST.

FDC 7/1769 09J IAP JEKYLL ISLAND, JEKYLL ISLAND, GA. RNAV (GPS) RWY 36, AMDT 1A...VOR-A, AMDT 10A...PROCEDURE NA. 1704181320-1711281320EST.

LAGRANGE

Lagrange-Callaway

FDC 7/8874 LGC IAP LAGRANGE-CALLAWAY, LAGRANGE, GA. ILS OR LOC RWY 31, AMDT 2A...VGSI AND ILS GLIDEPATH NOT COINCIDENT. 1703231327-1711021327EST.

LAWRENCEVILLE

Gwinnett County - Briscoe Field

FDC 7/3791 LZU IAP GWINNETT COUNTY - BRISCOE FIELD, LAWRENCEVILLE, GA. RNAV (GPS) RWY 7, ORIG-B...CHART TDZE 1061, DELETE THRE 1061. CHART NOTE: RWY 7 HELICOPTER VISIBILITY REDUCTION BELOW 3/4 SM NOT AUTHORIZED. DELETE NOTE: HELICOPTER VISIBILITY REDUCTION BELOW 3/4 SM NOT AUTHORIZED. THIS IS RNAV (GPS) RWY 7, ORIG-C. 1703121430-PERM.

FDC 7/3790 LZU IAP GWINNETT COUNTY - BRISCOE FIELD, LAWRENCEVILLE, GA. VOR/DME RWY 7, AMDT 2A...CHART TDZE 1061, DELETE THRE 1061. CHART NOTE: DME REQUIRED. CHART NOTE: RWY 7 HELICOPTER VISIBILITY REDUCTION BELOW 3/4 SM NOT AUTHORIZED. DELETE NOTE: HELICOPTER VISIBILITY REDUCTION BELOW 1 SM NOT AUTHORIZED. DELETE NOTE: WHEN VGSI INOPERATIVE, STRAIGHT-IN/CIRCLING RWY 7 PROCEDURE NA AT NIGHT. THIS IS VOR RWY 7, AMDT 2B 1703121430-1710221430EST.

FDC 6/8131 LZU STAR GWINNETT COUNTY AIRPORT-BRISCOE FIELD, ATLANTA, GA. DIFFI THREE ARRIVALTURBO PROPS EXPECT TO CROSS BUZZ AT 9000FT OR 7000FT; RECIPROCATING EXPECT TO CROSS BUZZ AT 7000FT OR 5000FT. 1611151810-1711150900.

FDC 6/8117 LZU STAR GWINNETT COUNTY AIRPORT-BRISCOE FIELD, ATLANTA, GA. BOKRT ONE ARRIVAL TURBOPROPS EXPECT TO CROSS BOKRT AT 9000FT OR 7000FT; RECIPROCATING EXPECT TO CROSS BOKRT AT 7000FT OR 5000FT. 1611151810-1711150900.

FDC 6/7190 LZU STAR GWINNETT COUNTY AIRPORT-BRISCOE FIELD, ATLANTA, GA. BUNNI FOUR ARRIVAL...ATC ASSIGNED ONLY. 1611150901-1711150900.

FDC 6/7174 LZU STAR GWINNETT COUNTY AIRPORT-BRISCOE FIELD, ATLANTA, GA. AWSON THREE ARRIVAL...ATC ASSIGNED ONLY. 1611150901-1711150900.

FDC 6/7166 LZU STAR GWINNETT COUNTY AIRPORT-BRISCOE FIELD, ATLANTA, GA. JRAMS FOUR ARRIVAL...ATC ASSIGNED ONLY. 1611150901-1711150900.

MACON

Middle Georgia Rgnl

FDC 7/0405 MCN IAP MIDDLE GEORGIA RGNL, MACON, GA. RNAV (GPS) RWY 32, AMDT 1D...LP MDA 800/HAT 449 ALL CATS. LNAV MDA 800/HAT 449 ALL CATS. TEMP CRANE 484 MSL 2524 FT SE OF RWY 32 (2016-ASO-23957-OE). 1703271238-1706301238EST.

FDC 6/0589 MCN ODP MIDDLE GEORGIA RGNL, MACON, GA. TAKEOFF MINIMUMS AND (OBSTACLE) DEPARTURE PROCEDURES AMDT 3B...NOTE: RWY 14, TEMP CRANE 2436 FT FROM DER, 660 FT RIGHT OF CENTERLINE, 125 FT AGL/484 FT MSL (2016-ASO-23957-OE). ALL OTHER DATA REMAINS AS PUBLISHED. 1611190200-1706301604EST.

MARIETTA

Dobbins Air Reserve Base

FDC 6/8155 MGE STAR DOBBINS AIR RESERVE BASE, MARIETTA, GA. DIFFI THREE ARRIVAL TURBO PROPS EXPECT TO CROSS BUZZ AT 9000FT OR 7000FT; RECIPROCATING EXPECT TO CROSS BUZZ AT 7000FT OR 5000FT. 1611151810-1711150900.

FDC 6/8119 MGE STAR DOBBINS AIR RESERVE BASE, MARIETTA, GA. BOKRT ONE ARRIVAL TURBOPROPS EXPECT TO CROSS BOKRT AT 9000FT OR 7000FT; RECIPROCATING EXPECT TO CROSS BOKRT AT 7000FT OR 5000FT. 1611151810-1711150900.

FDC 6/7191 MGE STAR DOBBINS AIR RESERVE BASE, MARIETTA, GA. BUNNI FOUR ARRIVAL...ATC ASSIGNED ONLY. 1611150901-1711150900.

FDC 6/7177 MGE STAR DOBBINS AIR RESERVE BASE, MARIETTA, GA. AWSON THREE ARRIVAL...ATC ASSIGNED ONLY. 1611150901-1711150900.

FDC 6/7167 MGE STAR DOBBINS AIR RESERVE BASE, MARIETTA, GA. JRAMS FOUR ARRIVAL...ATC ASSIGNED ONLY. 1611150901-1711150900.

MC RAE

Telfair-Wheeler

FDC 7/0037 MQW IAP TELFAIR-WHEELER, MC RAE, GA. NDB RWY 21, AMDT 10...NOTE: NIGHT LANDING: RWY 21 NA. CHANGE HELICOPTER VISIBILITY REDUCTION NOTE TO READ: HELICOPTER VISIBILITY REDUCTION BELOW 1 SM NOT AUTHORIZED. 1703241934-1711031934EST.

FDC 7/0031 MQW IAP TELFAIR-WHEELER, MC RAE, GA. RNAV (GPS) RWY 3, ORIG...NOTE: PROCEDURE NA AT NIGHT. CHANGE HELICOPTER VISIBILITY NOTE TO READ: HELICOPTER VISIBILITY REDUCTION BELOW 1 SM NOT AUTHORIZED. 1703241927-1711031927EST.

METTER

Metter Muni

FDC 7/5662 MHP ODP METTER MUNI, METTER, GA. TAKEOFF MINIMUMS AND (OBSTACLE) DEPARTURE PROCEDURES ORIG...NOTE: RWY 10, LIGHT POLES BEGINNING 741 FT FROM DER, 48 FT LEFT OF CENTERLINE, UP TO 33 FT AGL/244 FT MSL. LIGHT POLES BEGINNING 844 FT FROM DER, 78 FT RIGHT OF CENTERLINE, UP TO 53 FT AGL/245 FT MSL. ALL OTHER DATA REMAINS AS PUBLISHED. 1702171837-1709291837EST.

FDC 7/0080 MHP IAP METTER MUNI, METTER, GA. RNAV (GPS) RWY 28, AMDT 1...MSA RW28 25 NM 2600. 1703242114-1711032114EST.

MILLEDGEVILLE

Baldwin County

FDC 7/6631 MLJ IAP BALDWIN COUNTY, MILLEDGEVILLE, GA. RNAV (GPS) RWY 10, AMDT 1...LNAV MDA 1000/HAT 615 ALL CATS. CIRCLING MDA 1000/HAA 615 ALL CATS CHANGE VISIBILITY REDUCTION BY HELICOPTERS NA NOTE TO READ: RWY 10 HELICOPTER VISIBILITY REDUCTION BELOW 3/4 SM NOT AUTHORIZED. 1701222116-1709032116EST.

FDC 7/6629 MLJ IAP BALDWIN COUNTY, MILLEDGEVILLE, GA. RNAV (GPS) RWY 28, AMDT 1...LPV DA 673/HAT 294 ALL CATS. CHANGE VISIBILITY REDUCTION BY HELICOPTERS NA NOTE TO READ: RWY 28 HELICOPTER VISIBILITY REDUCTION BELOW 3/4 SM NOT AUTHORIZED. CHANGE WHEN LOCAL ALTIMETER SETTING NOT RECEIVED NOTE TO READ: WHEN LOCAL ALTIMETER SETTING NOT RECEIVED, USE MIDDLE GEORGIA RGNL ALTIMETER SETTING; INCREASE LPV DA TO 757 AND LNAV/VNAV DA TO 1081 AND ALL MDA 100 FEET; INCREASE LPV ALL CATS VISIBILITY 3/8 SM AND LNAV/VNAV ALL CATS VISIBILITY 1/4 SM. 1701222115-1709032115EST.

MONROE

Monroe-Walton County

FDC 7/8827 D73 ODP MONROE-WALTON COUNTY, MONROE, GA. TAKEOFF MINIMUMS AND (OBSTACLE) DEPARTURE PROCEDURES AMDT 1...NOTE: RWY 3, TRANSMISSION LINE BEGINNING 1900 FT FROM DER, 92 FT RIGHT OF CENTERLINE, UP TO 83 FT AGL/917 FT MSL. TRANSMISSION LINE BEGINNING 2435 FT FROM DER, 91 FT LEFT OF CENTERLINE, UP TO 83 FT AGL/917 FT MSL. ALL OTHER DATA REMAINS AS PUBLISHED. 1704121242-1711221242EST.

FDC 7/0969 D73 IAP MONROE-WALTON COUNTY, MONROE, GA. RNAV (GPS) RWY 3, AMDT 2A...CHART TDZE 875, DELETE THRE 875. CHART NOTE: RWY 3, 21 HELICOPTER VISIBILITY REDUCTION BELOW 1 SM NOT AUTHORIZED. DELETE NOTE: HELICOPTER VISIBILITY REDUCTION BELOW 1 SM NOT AUTHORIZED. CHART PROFILE NOTE: VGSI AND DESCENT ANGLES NOT COINCIDENT (VGSI {4.00}/TCH {51}). DELETE PROFILE NOTE VGSI AND DESCENT ANGLES NOT COINCIDENT. THIS IS RNAV (GPS) RWY 3, AMDT 2B. 1702031937-PERM.

FDC 6/7200 D73 STAR MONROE-WALTON COUNTY AIRPORT, MONROE, GA. BUNNI FOUR ARRIVAL...ATC ASSIGNED ONLY. 1611150901-1711150900.

FDC 6/7182 D73 STAR MONROE-WALTON COUNTY AIRPORT, MONROE, GA. AWSON THREE ARRIVAL...ATC ASSIGNED ONLY. 1611150901-1711150900.

FDC 6/7170 D73 STAR MONROE-WALTON COUNTY AIRPORT, MONROE, GA. JRAMS FOUR ARRIVAL...ATC ASSIGNED ONLY. 1611150901-1711150900.

PERRY

Perry-Houston County

FDC 7/7133 PXE IAP PERRY-HOUSTON COUNTY, PERRY, GA. ILS OR LOC RWY 36, ORIG...S-LOC 36: NA EXCEPT FOR AIRCRAFT EQUIPPED WITH SUITABLE RNAV SYSTEM WITH GPS, VNA VORTAC OUT OF SERVICE. 1704281340-1712081340EST.

FDC 7/7089 PXE IAP PERRY-HOUSTON COUNTY, PERRY, GA. ILS OR LOC RWY 36, ORIG...AUTOPILOT COUPLED APPROACH NA BELOW 900 MSL. 1703201959-1710301959EST.

SANDERSVILLE

Kaolin Field

FDC 7/1435 OKZ IAP KAOLIN FIELD, SANDERSVILLE, GA. RNAV (GPS) RWY 31, AMDT 2...LNAV MDA 1020/HAT 583 CAT A/B/C. 1703281709-1711071709EST.

SAVANNAH

Hunter AAF

FDC 7/7855 SVN IAP U.S. DOD HUNTER AAF, SAVANNAH, GA. VOR RWY 28, AMDT 8...OLDEN FIX MINIMA CIRCLING CATS B/C MDA 560/HAA 519. TEMP CRANE 248 MSL 1.67 NM N OF RWY 28 (2017-ASO-3227-OE). 1705011225-1712111225EST.

FDC 7/7854 SVN IAP U.S. DOD HUNTER AAF, SAVANNAH, GA. ILS OR LOC RWY 28, AMDT 3...RNAV (GPS) RWY 10, AMDT 1...VOR/DME RWY 28, AMDT 1...CIRCLING CATS B/C MDA 560/HAA 519. TEMP CRANE 248 MSL 1.67 NM N OF RWY 28 (2017-ASO-3227-OE). 1705011225-1712111225EST.

Savannah/Hilton Head Intl

FDC 7/9350 SAV IAP U.S. DOD SAVANNAH/HILTON HEAD INTL, SAVANNAH, GA. HI - ILS OR LOC RWY 10, AMDT 7A...PROCEDURE NA. 1701311726-1709121726EST.

FDC 7/4534 SAV ODP SAVANNAH/HILTON HEAD INTL, SAVANNAH, GA. TAKEOFF MINIMUMS AND (OBSTACLE) DEPARTURE PROCEDURES AMDT 6...TAKE-OFF MINIMUMS: RWY 10, 400 - 2 3/4 OR STANDARD WITH MINIMUM CLIMB OF 240 FT PER NM TO 600. NOTE: RWY 10: CRANES 2.32 NM FROM DER, FROM 1661 FT LEFT OF CENTERLINE TO 2832 FT LEFT OF CENTERLINE, UP TO 394 FT AGL/405 FT MSL. ALL OTHER DATA REMAINS AS PUBLISHED. 1701142012-1708262012EST.

FDC 7/3974 SAV IAP SAVANNAH/HILTON HEAD INTL, SAVANNAH, GA. RNAV (GPS) Z RWY 28, AMDT 2A...LNAV MDA 720/HAT 670 ALL CATS, VIS CAT C/D 1 7/8. CIRCLING MDA 720/HAA 670 ALL CATS, VIS CAT C 1 7/8. VDP AT 1.94 NM TO RW28*. CHANGE LOCAL ALTIMETER SETTING NOTE TO READ: WHEN LOCAL ALTIMETER SETTING NOT RECEIVED, USE HILTON HEAD ISLAND, SC ALTIMETER SETTING: INCREASE LPV ALL CATS DA TO 372 FEET, LNAV/VNAV ALL CATS DA TO 496 FEET, LNAV/VNAV ALL CATS VISIBILITY 1/4 SM; INCREASE ALL MDAS 80 FEET AND VISIBILITY CATS B/C/D 1/2 SM. 1701122250-1708242250EST.

FDC 7/1265 SAV IAP SAVANNAH/HILTON HEAD INTL, SAVANNAH, GA. RNAV (GPS) RWY 10, AMDT 2...LNAV MDA 500/HAT 470 ALL CATS. VIS CAT C RVR 5000. VDP 1.30 NM TO RW 10. ANTENNA 188 MSL 2.75 NM W OF RWY 10 (2016-ASO-20116-OE). 1703071328-1710171328EST.

FDC 7/1259 SAV IAP SAVANNAH/HILTON HEAD INTL, SAVANNAH, GA. ILS OR LOC RWY 10, AMDT 27A...S-LOC MDA 500/HAT 470 ALL CATS. VIS CATS C/D RVR 5000. ANTENNA 188 MSL 2.75 NM W OF RWY 10 (2016-ASO-20116-OE). 1703071323-1710171323EST.

FDC 6/8643 SAV IAP SAVANNAH/HILTON HEAD INTL, SAVANNAH, GA. RNAV (GPS) RWY 1, AMDT 2...LNAV MDA 520/HAT 491 ALL CATS. VIS CATS A/B RVR 5500, CATS C/D 1 3/8. VDP 1.31 NM TO RW01. 1612072237-1707192237EST.

FDC 6/8636 SAV IAP SAVANNAH/HILTON HEAD INTL, SAVANNAH, GA. VOR/DME OR TACAN RWY 1, ORIG-C...S-1 MDA 520/HAT 491 ALL CATS. VIS CATS A/B RVR 5500, CAT C 1 3/8. VDP: 3.09 DME FROM SAV VORTAC OR 1.31 NM TO RW01. 1612072232-1707192232EST.

THOMASTON

Thomaston-Upson County

FDC 7/5896 OPN IAP THOMASTON-UPSON COUNTY, THOMASTON, GA. ILS OR LOC RWY 30, AMDT 2A...CIRCLING CATS A/B/C MDA 1300 /HAA 502. 1701191454-1708311449EST.

THOMASVILLE

Thomasville Rgnl

FDC 6/8583 TVI IAP THOMASVILLE RGNL, THOMASVILLE, GA. ILS OR LOC RWY 22, ORIG-B...NDB RWY 22, AMDT 6A...RNAV (GPS) RWY 22, ORIG-A...NIGHT LANDING: RWY 4, 14, 32 NA. 1612072204-1707192204EST.

THOMSON

Thomson-Mcduffie County

FDC 7/4698 HQU SID THOMSON-MCDUFFIE COUNTY, THOMSON, GA. AZALA THREE DEPARTURE (RNAV)...CHATT FIVE DEPARTURE (RNAV)...MISTY FIVE DEPARTURE (RNAV)...NDINA FOUR DEPARTURE (RNAV)...SAMMI THREE DEPARTURE (RNAV)...CHANGE NOTES TO READ: RWY 10, 28 DO NOT EXCEED 250K UNTIL ADVISED BY ATC. ALL OTHER DATA REMAINS AS PUBLISHED. 1704031122-1711131122EST.

FDC 7/4230 HQU IAP THOMSON-MCDUFFIE COUNTY, THOMSON, GA. RNAV (GPS) RWY 28, ORIG-A...LPV DA NA. LNAV/VNAV DA NA. 1703131446-1710231446EST.

TIFTON

Henry Tift Myers

FDC 7/4019 TMA IAP HENRY TIFT MYERS, TIFTON, GA. ILS OR LOC RWY 33, AMDT 2...RNAV (GPS) RWY 33, AMDT 1...CHANGE ALL REFERENCE FROM RWY 15/33 TO RWY 16/34. 1701122334-1708242334EST.

FDC 7/4017 TMA ODP HENRY TIFT MYERS, TIFTON, GA. TAKEOFF MINIMUMS AND (OBSTACLE) DEPARTURE PROCEDURES AMDT 6...CHANGE ALL REFERENCE FROM RWY 15/33 TO RWY 16/34. TAKEOFF MINIMUMS: RWY 3, 21, NA RWY CLOSED. NOTE: RWY 16, NUMEROUS TREES AND POLE BEGINNING 50 FT FROM DER, 316 FT RIGHT OF CENTERLINE, UP TO 84 FT AGL/403 FT MSL. TREE 1072 FT FROM DER, 765 FT LEFT OF CENTERLINE, 55 FT AGL/374 FT MSL. ALL OTHER DATA REMAINS AS PUBLISHED. 1701122332-1708242332EST.

VALDOSTA

Valdosta Rgnl

FDC 7/6415 VLD IAP VALDOSTA RGNL, VALDOSTA, GA. RNAV (GPS) RWY 4, AMDT 1A...LNAV HAT 358 ALL CATS. CHART TDZE 202. DELETE THRE 199. CHART NOTE: RWY 4 HELICOPTER VISIBILITY REDUCTION BELOW 1 SM NOT AUTHORIZED. DELETE NOTE: HELICOPTER VISIBILITY REDUCTION BELOW 1 SM NA. CHART NOTE: CIRCLING RWY 13, 31 NA AT NIGHT. DELETE NOTE: RWY 4 STRAIGHT-IN AND CIRCLING AND CIRCLING RWY 13/31 NA AT NIGHT. CHART NOTE: STRAIGHT-IN RWY 4 NA AT NIGHT. THIS IS RNAV (GPS) RWY 4, AMDT 1B. 1701202111-PERM.

VILLA RICA

Earl L Small Jr Field/Stockmar

FDC 7/1401 20GA IAP EARL L SMALL JR FIELD/STOCKMAR, VILLA RICA, GA. RNAV (GPS) RWY 10, ORIG...DESCENT ANGLE 3.08/TCH 40 NA. 1704171723-1711271723EST.

WASHINGTON

Washington-Wilkes County

FDC 6/7574 ILY IAP WASHINGTON-WILKES COUNTY, WASHINGTON, GA. VOR/DME RWY 13, AMDT 3A...S-13 CATS A/B/C MDA 1200/HAT 555, VIS CAT C 1 5/8 . CIRCLING CATS A/B/C MDA 1200/HAA 555, VIS CAT C 1 5/8. 1612062220-1707182220EST.

HAWAII

HILO

Hilo Intl

FDC 6/5877 ITO IAP HILO INTL, HILO, HI. ILS OR LOC RWY 26, AMDT 13A...RNAV (GPS) RWY 21, ORIG-B...RNAV (GPS) RWY 26, ORIG-D...VOR-B, ORIG-C...VOR/DME OR TACAN RWY 26, AMDT 5D...VOR/DME OR TACAN-A, AMDT 7C...CIRCLING CATS A/B/C MDA 560/ HAA 522. TEMPORARY CRANE 195 MSL 3877 FEET NORTHWEST OF PHTO AIRPORT (2015-AWP-9039-OE). 1611101249-1706221249EST.

HONOLULU

Daniel K Inouye Intl

FDC 7/1008 HNL SID HONOLULU INTL, HONOLULU, HI. KEOLA TWO DEPARTURE...MOLOKAI FOUR DEPARTURE...OPIHI TWO DEPARTURE...PALAY TWO DEPARTURE...TAKEOFF MINIMUMS: RWYS 8L/8R, 400-2 1/2 OR STANDARD WITH A MINIMUM CLIMB OF 300FT PER NM TO 500. ADD TAKEOFF OBSTACLE NOTE: RWY 8R, CRANES BEGINNING 1.36 NM FROM DER, 954FT LEFT OF CENTERLINE, UP TO 309FT AGL/ 317FT MSL. ALL OTHER DATA REMAINS AS PUBLISHED. 1702032119-1709152119EST.

FDC 7/1007 HNL ODP HONOLULU INTL, HONOLULU, HI. HONOLULU ONE DEPARTURE...TAKEOFF MINIMUMS: RWY 8R, 400-2 1/2 WITH A MINIMUM CLIMB OF 270FT PER NM TO 1000, OR 1700-2 1/2 FOR CLIMB IN VISUAL CONDITIONS. ADD TAKEOFF OBSTACLE NOTE: RWY 8R, CRANES BEGINNING 1.36NM FROM DER, 954FT LEFT OF CENTERLINE, UP TO 309FT AGL/ 317FT MSL. ALL OTHER DATA REMAINS AS PUBLISHED. 1702032119-1709152119EST.

FDC 4/3255 HNL STAR HONOLULU INTL, HONOLULU, HI. REEF FOUR ARRIVAL (RNAV): NA 1407212200-PERM.

FDC 4/3252 HNL STAR HONOLULU INTL, HONOLULU, HI. FRTZI TWO ARRIVAL (RNAV): NA 1407212200-PERM.

FDC 4/3251 HNL STAR HONOLULU INTL, HONOLULU, HI. HAABR ONE ARRIVAL (RNAV): NA 1407212200-PERM.

KALAUPAPA

Kalaupapa

FDC 7/5732 LUP IAP KALAUPAPA, KALAUPAPA, HI. RNAV (GPS)-A, ORIG...MISSED APPROACH: CLIMBING RIGHT TURN TO 5000 DIRECT WEPGU AND HOLD, CONTINUE CLIMB-IN-HOLD TO 5000. 1704051356-1711151356EST.

KAMUELA

Waimea-Kohala

FDC 7/1089 MUE IAP WAIMEA-KOHALA, KAMUELA, HI. RNAV (GPS) RWY 22, ORIG-B...NOTE: FAS OBST: 3445 TREE 200251N/1553800W. 1703061922-1710161922EST.

KAUNAKAKAI

Molokai

FDC 7/7977 MKK IAP MOLOKAI, KAUNAKAKAI, HI. VOR OR TACAN-A, AMDT 16...TACAN PORTION NA, MKK TACAN AZIMUTH OUT OF SERVICE. 1704110555-1705110555EST.

LIHUE

Lihue

FDC 7/4532 LIH IAP LIHUE, LIHUE, HI. ILS OR LOC RWY 35, AMDT 6A...I-LIH LOCALIZER UNUSABLE BEYOND 20 LEFT OF CENTERLINE. I-LIH DME UNUSABLE BEYOND 20 LEFT OF CENTERLINE. 1701142007-1708262007EST.

FDC 6/1407 LIH ODP LIHUE, LIHUE, HI. DIANE ONE DEPARTURE...DEPARTURE PROCEDURE NA. 1611201941-1707021941EST.

FDC 6/1405 LIH ODP LIHUE, LIHUE, HI. TAKEOFF MINIMUMS AND (OBSTACLE) DEPARTURE PROCEDURES AMDT 8...DEPARTURE PROCEDURE RWY 21, NA. 1611201939-1707021939EST.

FDC 6/1395 LIH SID LIHUE, LIHUE, HI. LIHUE FIVE DEPARTURE...NOTE: RADAR REQUIRED. 1611201932-1707021932EST.

FDC 6/1379 LIH SID LIHUE, LIHUE, HI. RICHE TWO DEPARTURE...DEPARTURE PROCEDURE RWY 21 NA. NOTE: RADAR REQUIRED. ALL OTHER DATA REMAINS AS PUBLISHED.. 1611201931-1707021931EST.

IDAHO

BOISE

Boise Air Terminal/Gowen Fld

FDC 7/2591 BOI IAP BOISE AIR TERMINAL/GOWEN FLD, BOISE, ID. ILS OR LOC/DME RWY 28R, ORIG...S-ILS 28R VIS 3/4 ALL CATS, S-LOC 28R VIS CAT A/B 1 1/4, C/D 2 1/2. 1701101444-1708221444EST.

FDC 7/2588 BOI IAP BOISE AIR TERMINAL/GOWEN FLD, BOISE, ID. RNAV (GPS) Y RWY 28R, AMDT 6...LPV VIS 3/4 ALL CATS, LNAV/VNAV VIS 1 ALL CATS, LNAV VIS CATS A/B 1 1/4, C/D 2 1/2. 1701101441-1708221441EST.

BONNERS FERRY

Boundary County

FDC 7/2225 65S ODP BOUNDARY COUNTY, BONNERS FERRY, ID. KARPS ONE DEPARTURE (RNAV)...NOTE: RWY 20: TERRAIN 138 FT FROM DER, 356 FT RIGHT OF CENTERLINE, 2324 FT MSL. BUILDING 582 FT FROM DER, 522 FT RIGHT OF CENTERLINE, 52 FT AGL/2362 FT MSL. TREE 741 FT FROM DER, 267 FT LEFT OF CENTERLINE, UP TO 111 FT AGL/2417 FT MSL. CRANE 854 FT FROM DER, 585 FT RIGHT OF CENTERLINE, 61 FT AGL/2368 FT MSL. CRANE 860 FT FROM DER, 712 FT RIGHT OF CENTERLINE, 72 FT AGL/2377 FT MSL. TREE 930 FT FROM DER, 459 FT RIGHT OF CENTERLINE, 92 FT AGL/2397 FT MSL. TREE 2023 FT FROM DER, 1 FT RIGHT OF CENTERLINE, 107 FT AGL/2399 FT MSL. TREE 2174 FT FROM DER, 181 FT RIGHT OF CENTERLINE, 113 FT AGL/2403 FT MSL. TREES AND POLE BEGINNING 2227 FT FROM DER, 267 FT LEFT OF CENTERLINE, 2404 FT MSL. ALL OTHER DATA REMAINS AS PUBLISHED. 1702072334-1709192334EST.

FDC 7/0434 65S IAP BOUNDARY COUNTY, BONNERS FERRY, ID. RNAV (GPS) RWY 2, ORIG-E...CHANGE MISSED APPROACH CLIMB GRADIENT NOTE TO READ: * MISSED APPROACH REQUIRES MINIMUM CLIMB OF 415 FEET PER NM TO 6700. # MISSED APPROACH REQUIRES MINIMUM CLIMB OF 315 FEET PER NM TO 6500...1701032152-1708152151EST.

BURLEY

Burley Muni

FDC 6/6294 BYI IAP BURLEY MUNI, BURLEY, ID. VOR-A, AMDT 4D...NOTE: PROCEDURE TURN NA. 1612051548-1707171548EST.

COEUR D'ALENE

Coeur D'Alene - Pappy Boyington Field

FDC 7/9770 COE IAP COEUR D ALENE - PAPPY BOYINGTON FIELD, COEUR D ALENE, ID. ILS OR LOC/DME RWY 6, AMDT 5D...CHANGE AUTOPILOT COUPLED APPROACH NOTE TO READ: AUTOPILOT COUPLED APPROACH NA BELOW 2840. 1703241357-1711031357EST.

LEWISTON

Lewiston-Nez Perce County

FDC 6/5177 LWS IAP LEWISTON-NEZ PERCE COUNTY, LEWISTON, ID. RNAV (RNP) Z RWY 26, ORIG-A...RNP 0.20 DA 1806/HAT 364, VIS 3/4 ALL CATS. CHANGE INOPERATIVE MALSR NOTE TO READ: FOR INOPERATIVE MALSR, INCREASE RNP 0.30 VISIBILITY ALL CATS TO 1 7/8 SM. 1612272218-1708082217EST.

FDC 6/5173 LWS IAP LEWISTON-NEZ PERCE COUNTY, LEWISTON, ID. RNAV (GPS) Y RWY 26, ORIG-A...LNAV CAT A/B MDA 1940/HAT 498, VIS CAT C 1. CIRCLING CAT A/B MDA 1940/HAA 498. DISREGARD NOTE: WHEN LOCAL ALTIMETER SETTING NOT RECEIVED, PROCEDURE NA. 1612272215-1708082215EST.

FDC 6/2129 LWS IAP LEWISTON-NEZ PERCE COUNTY, LEWISTON, ID. RNAV (RNP) RWY 30, ORIG-B...RNP 0.30 DA 1778/336 HAT, VIS 1 1/8 ALL CATS.. 1611221904-1707041904EST.

NAMPA

Nampa Muni

FDC 7/9798 MAN ODP NAMPA MUNI, NAMPA, ID. TAKEOFF MINIMUMS AND (OBSTACLE) DEPARTURE PROCEDURES AMDT 2...TAKEOFF OBSTACLE NOTES: NOTE: RWY 11, TREE, FENCE, BLDG, POLE, VEHICLE ON ROAD, BEGINNING 77 FT FROM DEP END OF RWY, 81 FT LEFT OF CENTERLINE, UP TO 71 FT AGL/2611 FT MSL. POLE 477 FT FROM DEP END OF RWY, 298 FT RIGHT OF CENTERLINE, 27 FT AGL/2548 FT MSL. POLE 1042 FT FROM DEP END OF RWY, 341 FT RIGHT OF CENTERLINE, 35 FT AGL/2557 FT MSL. NOTE: RWY 29, POLE 38 FT FROM DEP END OF RWY, 298 FT LEFT OF CENTERLINE, 32 FT AGL/2561 FT MSL. BLDG, VEHICLE ON ROAD BEGINNING 83 FT FROM DEP END OF RWY, 289 FT RIGHT OF CENTERLINE, UP TO 25 FT AGL/2561 FT MSL. POLE BEGINNING 212 FT FROM DEP END OF RWY, 270 FT LEFT OF CENTERLINE, UP TO 38 FT AGL/2565 FT MSL. TREE, POLE BEGINNING 560 FT FROM DEP END OF RWY, 456 FT RIGHT OF CENTERLINE, UP TO 56 FT AGL/2592 FT MSL. BLDG, POLE BEGINNING 1050 FT FROM DEP END OF RWY, 154 FT LEFT OF CENTERLINE, UP TO 48 FT AGL/2575 FT MSL. TREE 1209 FT FROM DEP END OF RWY, 372 FT LEFT OF CENTERLINE, 72 FT AGL/2600 FT MSL. TREE 1721 FT FROM DEP END OF RWY, 454 FT RIGHT OF CENTERLINE, 68 FT AGL/2599 FT MSL. ELEVATOR, HOPPER BEGINNING 1875 FT FROM DEP END OF RWY, 328 FT LEFT OF CENTERLINE, UP TO 81 FT AGL/2602 FT MSL. ALL OTHER DATA REMAINS AS PUBLISHED. 1704131449-1711231449EST.

FDC 7/9796 MAN IAP NAMPA MUNI, NAMPA, ID. RNAV (GPS) RWY 11, AMDT 2A...LNAV MDA 2880/HAT 343 ALL CATS. CHANGE VGSI NOTE TO READ: WHEN CIRCLING TO RWY 29 AT NIGHT, OPERATIONAL VGSI REQUIRED, REMAIN ON OR ABOVE VGSI GLIDEPATH UNTIL THRESHOLD. CHANGE HELICOPTER NOTE TO READ: RWY 11 HELICOPTER VISIBILITY REDUCTION BELOW 3/4 SM NOT AUTHORIZED. RWY 29 HELICOPTER VISIBILITY REDUCTION BELOW 1 SM NOT AUTHORIZED. 1704131446-1711231446EST.

REXBURG

Rexburg-Madison County

FDC 7/2025 RXE IAP REXBURG-MADISON COUNTY, REXBURG, ID. VOR RWY 35, AMDT 4A...APT ELEV: 4862. TDZE: 4862. S-35 MDA 5680/HAT 818 ALL CATS, CAT C VIS 2 1/2. CIRCLING CAT A-C HAA 782, CAT C VIS 2 1/2, CAT D MDA 5680/HAA 818. 1703291244-1711081244EST.

FDC 7/2021 RXE IAP REXBURG-MADISON COUNTY, REXBURG, ID. RNAV (GPS) RWY 35, AMDT 1B...APT ELEV: 4862. TDZE: 4862. LNAV HAT 398, CAT C/D VIS 1 1/8 CIRCLING CAT A HAA 518, CAT B-C HAA 718, CAT D MDA 5680/HAA 818. 1703291242-1711081242EST.

ILLINOIS

ALTON/ST LOUIS

St Louis Rgnl

FDC 7/9466 ALN IAP ST LOUIS RGNL, ALTON/ST LOUIS, IL. ILS OR LOC RWY 29, AMDT 12A...RNAV (GPS) RWY 11, AMDT 2A...RNAV (GPS) RWY 29, AMDT 1A...CIRCLING CAT A MDA 1000/HAA 455. 1704121949-1711221949EST.

FDC 7/3729 ALN SID ST LOUIS RGNL, ALTON/ST LOUIS, IL. LINDBERGH FIVE DEPARTURE... VICHY TRANSITION NA EXCEPT FOR AIRCRAFT EQUIPPED WITH SUITABLE RNAV SYSTEM WITH GPS, VIH VOR/DME OUT OF SERVICE. 1704211402-1706151402EST.

FDC 7/1971 ALN IAP ST LOUIS RGNL, ALTON/ST LOUIS, IL. RNAV (GPS) RWY 35, AMDT 1A...DESCENT ANGLE 3.00 / TCH 43 NA. 1703291216-1711081216EST.

FDC 7/0091 ALN IAP ST LOUIS RGNL, ALTON/ST LOUIS, IL. RNAV (GPS) RWY 17, AMDT 1A...LNAV MDA 940/HAT 397 ALL CATS. CIRCLING CAT A MDA 1000/HAA 455. 1704131827-1711231827EST.

FDC 6/2362 ALN STAR ST. LOUIS REGIONAL, ALTON/ST. LOUIS, ILLINOIS, FARMR TWO ARRIVAL...CHANGE VERITICAL NAVIGATION PLANNING INFORMATION TO READ EXPECT 13000. 1601112230-PERM.

FDC 6/2347 ALN STAR ST. LOUIS REGIONAL ALTON/ST. LOUIS, MISSOURI, DELMA TWO ARRIVAL...CHANGE VERITICAL NAVIGATION PLANNING INFORMATION TO READ EXPECT 13000. 1601112200-PERM.

BELLEVILLE

Scott AFB/Midamerica

FDC 7/3728 BLV SID SCOTT AFB/MIDAMERICA, BELLEVILLE, IL. LINDBERGH FIVE DEPARTURE...VICHY TRANSITION NA EXCEPT FOR AIRCRAFT EQUIPPED WITH SUITABLE RNAV SYSTEM WITH GPS, VIH VOR/DME OUT OF SERVICE. 1704211402-1706151402EST.

FDC 6/2357 BLV STAR SCOTT AFB/MIDAMERICA, BELLEVILLE, ILLINOIS, DIXEE TWO ARRIVAL...CHANGE VERITICAL NAVIGATION PLANNING INFORMATION TO READ EXPECT 13000. 1601112200-PERM.

FDC 6/2354 BLV STAR SCOTT AFB/MIDAMERICA, BELLEVILLE, ILLINOIS, FARMR TWO ARRIVAL...CHANGE VERITICAL NAVIGATION PLANNING INFORMATION TO READ EXPECT 13000. 1601112200-PERM.

FDC 6/2349 BLV STAR SCOTT AFB/MIDAMERICA, BELLEVILLE, ILLINOIS, DELMA TWO ARRIVAL...CHANGE VERITICAL NAVIGATION PLANNING INFORMATION TO READ EXPECT 13000. 1601112200-PERM.

BLOOMINGTON/NORMAL

Central Il Rgnl Arpt At Bloomington-Normal

FDC 7/9540 BMI IAP CENTRAL IL RGNL ARPT AT BLOOMINGTON-NORMAL, BLOOMINGTON/NORMAL, IL. ILS OR LOC RWY 20, AMDT 3A...ILS OR LOC RWY 29, AMDT 11A...ILS OR LOC/DME RWY 2, ORIG-B...LOC BC RWY 11, AMDT 11...ILS RWY 20 (CAT II), AMDT 3A...ALTERNATE MINIMUMS NA, PNT VOR/DME UNMONITORED. 1705031519-1706031519EST.

FDC 7/4981 BMI IAP CENTRAL IL RGNL ARPT AT BLOOMINGTON-NORMAL, BLOOMINGTON/NORMAL, IL. ILS OR LOC/DME RWY 2, ORIG-B...S-ILS 2 VISIBILITY RVR 4000 ALL CATS. S-LOC 2 VISIBILITY RVR 4000 ALL CATS. ADD NOTES: FOR INOPERATIVE MALSR, INCREASE S-LOC VISIBILITY CATS A/B TO RVR 5500. INOPERATIVE TABLE DOES NOT APPLY TO S-ILS 2 WHEN USING LOCAL ALTIMETER SETTING. NOTE: AUTOPILOT COUPLED APPROACH NA BELOW 1050. 1704251300-1712051300EST.

FDC 7/4501 BMI ODP CENTRAL IL RGNL ARPT AT BLOOMINGTON-NORMAL, BLOOMINGTON/NORMAL, IL. TAKEOFF MINIMUMS AND (OBSTACLE) DEPARTURE PROCEDURES ORIG-A...NOTE: RWY 29, ANTENNA TOWER, 4486 FT FROM DEPARTURE END OF RWY, 597 FT LEFT OF CENTERLINE, 133 FT AGL/988 FT MSL, 2016-AGL-5596-OE. ALL OTHER DATA REMAINS AS PUBLISHED. 1701141926-1708261926EST.

FDC 7/0834 BMI ODP CENTRAL IL RGNL ARPT AT BLOOMINGTON-NORMAL, BLOOMINGTON/NORMAL, IL. TAKEOFF MINIMUMS AND (OBSTACLE) DEPARTURE PROCEDURES ORIG-A...NOTE: RWY 02, CRANE 4900 FT FROM DEPARTURE END OF RWY, 1324 FT LEFT OF CENTERLINE, 150 AGL/1003 MSL, (2016-AGL-16735-OE). ALL OTHER DATA REMAINS AS PUBLISHED. 1702031247-1707011247EST.

CAHOKIA/ST LOUIS

St Louis Downtown

FDC 7/3727 CPS SID ST LOUIS DOWNTOWN, CAHOKIA/ST LOUIS, IL. LINDBERGH FIVE DEPARTURE...VICHY TRANSITION NA EXCEPT FOR AIRCRAFT EQUIPPED WITH SUITABLE RNAV SYSTEM WITH GPS, VIH VOR/DME OUT OF SERVICE. 1704211402-1706151402EST.

FDC 6/2361 CPS STAR ST. LOUIS DOWNTOWN, CAHOKIA/ST. LOUIS, ILLINOIS, FARMR TWO ARRIVAL...CHANGE VERITICAL NAVIGATION PLANNING INFORMATION TO READ EXPECT 13000. 1601112230-PERM.

FDC 6/2360 CPS STAR ST. LOUIS DOWNTOWN, CAHOKIA/ST. LOUIS, ILLINOIS, DIXEE TWO ARRIVAL...CHANGE VERITICAL NAVIGATION PLANNING INFORMATION TO READ EXPECT 13000. 1601112230-PERM.

FDC 6/2348 CPS STAR ST. LOUIS DOWNTOWN, CAHOKIA/ST. LOUIS, ILLINOIS, DELMA TWO ARRIVAL...CHANGE VERITICAL NAVIGATION PLANNING INFORMATION TO READ EXPECT 13000. 1601112200-PERM.

CARBONDALE/MURPHYSBORO

Southern Illinois

FDC 7/9746 MDH IAP SOUTHERN ILLINOIS, CARBONDALE/MURPHYSBORO, IL. ILS OR LOC RWY 18L, AMDT 13...S-LOC 18L MDA 800/HAT 393 ALL CATS. VIS CAT C 3/4, CAT D 1. DISREGARD NOTE: FOR INOPERATIVE MALSR, INCREASE S-LOC 18L CAT D VISIBILITY TO 1 MILE. NOTE: NIGHT LANDING: RWY 6, 36L NA. 1703012008-1710112008EST.

FDC 7/9741 MDH IAP SOUTHERN ILLINOIS, CARBONDALE/MURPHYSBORO, IL. RNAV (GPS) RWY 36R, ORIG...TDZE 406. LNAV MDA 860/HAT 454. VISIBILITY CAT D 1 1/2. VDP 0.92 NM TO RW36R. NOTE: NIGHT LANDING: RWY 6, 36L NA. 1703012006-1710112006EST.

FDC 7/9724 MDH IAP SOUTHERN ILLINOIS, CARBONDALE/MURPHYSBORO, IL. NDB RWY 18L, AMDT 13...S-18L MDA 860/HAT 453 ALL CATS. VIS CAT D 1 1/4. CHANGE ALTIMETER NOTE TO READ: WHEN LOCAL ALTIMETER SETTING NOT RECEIVED, USE WILLIAMSON CO RGNL ALTIMETER SETTING AND INCREASE ALL MDA 40 FEET. NOTE: NIGHT LANDING: RWY 6, 36L NA. 1703012004-1710112004EST.

FDC 7/9721 MDH IAP SOUTHERN ILLINOIS, CARBONDALE/MURPHYSBORO, IL. RNAV (GPS) RWY 18L, ORIG...LNAV/VNAV DA 801/HAT 394 ALL CATS. LNAV MDA 800/HAT 393 ALL CATS. NOTE: NIGHT LANDING: RWY 6, 36L NA. 1703012002-1710112002EST.

CENTRALIA

Centralia Muni

FDC 6/3287 ENL IAP CENTRALIA MUNI, CENTRALIA, IL. RNAV (GPS) RWY 18, AMDT 1A...RNAV (GPS) RWY 36, AMDT 1A...CHANGE HELICOPTER VISIBILITY REDUCTION NOTE TO READ: RWY 18/36 HELICOPTER VISIBILITY REDUCTION BELOW 3/4 SM NA. DISREGARD NOTE: WHEN VGSI INOP, PROCEDURE NA AT NIGHT. 1611282007-1707102007EST.

CHAMPAIGN/URBANA

University Of Illinois-Willard

FDC 7/9289 CMI IAP UNIVERSITY OF ILLINOIS-WILLARD, CHAMPAIGN/URBANA, IL. VOR RWY 4, AMDT 12...VOR/DME RWY 14L, ORIG...VOR/DME RWY 22, AMDT 8...CIRCLING CATS A/B/C MDA 1240/HAA 486. 1705031258-1712131258EST.

FDC 7/9085 CMI IAP UNIVERSITY OF ILLINOIS-WILLARD, CHAMPAIGN/URBANA, IL. VOR RWY 4, AMDT 12...S-4 BARRW FIX MINIMUMS NA. 1703011302-1710111302EST.

CHICAGO

Chicago Midway Intl

FDC 7/8013 MDW SPECIAL CHICAGO MIDWAY INTL, CHICAGO, IL. ILS Z RWY 31C, AMDT 2...ILS VISIBILITY 1/2. 1701261409-1709071409EST.

FDC 7/7153 MDW IAP CHICAGO MIDWAY INTL, CHICAGO, IL. ILS OR LOC/DME RWY 13C, ORIG-D...ILS OR LOC/DME RWY 31C, AMDT 3...ILS OR LOC/DME RWY 4R, AMDT 1C...DME REQUIRED EXCEPT FOR AIRCRAFT EQUIPPED WITH SUITABLE RNAV SYSTEM WITH GPS, CGT VORTAC OUT OF SERVICE. 1704281347-1706011347EST.

FDC 7/6426 MDW IAP CHICAGO MIDWAY INTL, CHICAGO, IL. RNAV (RNP) Y RWY 31C, ORIG-A...RNP 0.30 DA 1043/HAT 430 ALL CATS. VIS 1 1/2 ALL CATS. TOWER, 703 MSL, 4096 FT SE OF APPROACH END RWY 31C, 17-029757. 1701202122-1709012122EST.

FDC 7/3260 MDW IAP CHICAGO MIDWAY INTL, CHICAGO, IL. ILS OR LOC/DME RWY 31C, AMDT 3...MISSED APPROACH: CLIMB TO 1100, THEN CLIMBING LEFT TURN TO 2300 DIRECT CGT VORTAC AND HOLD, EON VOR OUT OF SERVICE. 1704201601-1705201601EST.

FDC 7/3259 MDW IAP CHICAGO MIDWAY INTL, CHICAGO, IL. ILS OR LOC/DME RWY 13C, ORIG-D...PROCEDURE NA EXCEPT FOR AIRCRAFT EQUIPPED WITH SUITABLE RNAV SYSTEM WITH GPS, EON VOR OUT OF SERVICE. 1704201601-1705201601EST.

FDC 7/3258 MDW IAP CHICAGO MIDWAY INTL, CHICAGO, IL. ILS OR LOC/DME RWY 4R, AMDT 1C...MISSED APPROACH: CLIMB TO 1100 THEN CLIMBING RIGHT TURN TO 2300 DIRECT CGT VORTAC AND HOLD, EON VOR OUT OF SERVICE. 1704201601-1705201601EST.

Chicago O'Hare Intl

FDC 7/7157 ORD IAP CHICAGO O HARE INTL, CHICAGO, IL. ILS OR LOC RWY 10C, AMDT 1...ILS PRM RWY 10C (CLOSE PARALLEL), ORIG...ILS RWY 10C (SA CAT I), AMDT 1...ILS RWY 10C (SA CAT II AND III), AMDT 1...ILS PRM RWY 10C (SA CAT I) (CLOSE PARALLEL), ORIG...ILS PRM RWY 10C (CAT II AND III) (CLOSE PARALLEL), ORIG...S-LOC 10C RADAR OR DME REQUIRED EXCEPT FOR AIRCRAFT EQUIPPED WITH SUITABLE RNAV SYSTEM WITH GPS. MISSED APPROACH: CLIMB TO 4000 ON ORD VOR/DME R-091 TO BLUTO/ORD 20.75 DME/RADAR AND HOLD.. ZURSO FIX MINIMUMS DME REQUIRED EXCEPT FOR AIRCRAFT EQUIPPED WITH SUITABLE RNAV SYSTEM WITH GPS, CGT VORTAC OUT OF SERVICE. 1704281347-1706011347EST.

FDC 7/7156 ORD IAP CHICAGO O HARE INTL, CHICAGO, IL. ILS OR LOC RWY 10L, AMDT 18...ILS RWY 10L (SA CAT I), AMDT 18...ILS RWY 10L (SA CAT II AND III), AMDT 18...MISSED APPROACH: CLIMB TO 4000 ON HEADING 138 AND DPA VOR/DME R-099 TO NILES/DPA 35.01 DME/RADAR AND HOLD E, RT, 278.82 INBOUND, CGT VORTAC OUT OF SERVICE. 1704281347-1706011347EST.

FDC 7/7155 ORD IAP CHICAGO O HARE INTL, CHICAGO, IL. ILS OR LOC RWY 28L, ORIG...ILS RWY 28L (SA CAT I), ORIG...ILS RWY 28L (CAT II AND III), ORIG...MISSED APPROACH: CLIMB TO 1200 THEN CLIMBING LEFT TURN TO 4000 DIRECT JOT VORTAC AND HOLD, CGT VORTAC OUT OF SERVICE. 1704281347-1706011347EST.

FDC 7/6547 ORD ODP CHICAGO O HARE INTL, CHICAGO, IL. TAKEOFF MINIMUMS AND (OBSTACLE) DEPARTURE PROCEDURES AMDT 20A...ADD NOTE: RWY 04L, CONSTRUCTION EQUIPMENT, 310FT FROM DEPARTURE END OF RWY, 568FT RIGHT OF CENTERLINE, UP TO 20FT AGL/662FT MSL (2015-AGL-6622,6647,6648,6655-NRA). SIGN, 3278FT FROM DEPARTURE END OF RWY, 1231FT RIGHT OF CENTERLINE, 92FT AGL/734FT MSL (2016-AGL-3015-OE). RWY 10C, MULTIPLE CRANES, BEGINNING 2962FT FROM DEPARTURE END OF RWY, 645FT RIGHT OF CENTERLINE, 120FT AGL/UP TO 770FT MSL, (2016-AGL-10047 THRU 10056-NRA). ALL OTHER DATA REMAINS AS PUBLISHED. 1703171601-1707171601EST.

FDC 7/6546 ORD SID CHICAGO O HARE INTL, CHICAGO, IL. O HARE TWO DEPARTURE...ADD TAKEOFF OBSTACLE NOTE: RWY 04L, CONSTRUCTION EQUIPMENT, 310FT FROM DEPARTURE END OF RWY, 568FT RIGHT OF CENTERLINE, UP TO 20FT AGL/662FT MSL (2015-AGL-6622,6647,6648,6655-NRA). SIGN, 3278FT FROM DEPARTURE END OF RWY, 1231FT RIGHT OF CENTERLINE, 92FT AGL/734FT MSL (2016-AGL-3015-OE). RWY 10C, MULTIPLE CRANES, BEGINNING 2962FT FROM DEPARTURE END OF RWY, 645FT RIGHT OF CENTERLINE, 120FT AGL/UP TO 770FT MSL, (2016-AGL-10047 THRU 10056-NRA). ALL OTHER DATA REMAINS AS PUBLISHED. 1703171601-1707171601EST.

FDC 7/4921 ORD IAP CHICAGO O HARE INTL, CHICAGO, IL. RNAV (GPS) RWY 27R, AMDT 3...LNAV/VNAV DA 994/HAT 330 ALL CATS. VIS RVR 3000 ALL CATS. MULTIPLE CRANES, 2497 FT SE OF APPROACH END RWY 27R, UP TO 833 MSL, 2015-AGL-2417 THRU 2420-NRA, 2015-AGL-2433/2434-NRA, 2015-AGL-2481 THRU 2484/2487-NRA, 2015-AGL-2491/2492-NRA. 1704031826-1705181826EST.

FDC 7/4920 ORD IAP CHICAGO O HARE INTL, CHICAGO, IL. ILS OR LOC RWY 22R, AMDT 9A...S-ILS 22R DA 948/HAT 296 ALL CATS. VIS RVR 2200 ALL CATS. PALIE FIX MINIMUMS: S-LOC 22R MDA 1100/HAT 448 ALL CATS. VIS CATS C/D RVR 4500. MULTIPLE CRANES, 1088 FT EAST OF APPROACH END RWY 22R, UP TO 833 MSL, 2015-AGL-2417 THRU 2420-NRA, 2015-AGL-2433/2434-NRA, 2015-AGL-2481 THRU 2484/2487-NRA, 2015-AGL-2491/2492-NRA. 1704031826-1705181826EST.

FDC 7/3393 ORD IAP CHICAGO O HARE INTL, CHICAGO, IL. ILS OR LOC RWY 9L, AMDT 3...S-LOC 9L AT (FAF) ZENAH INT, RADAR OR DME REQUIRED EXCEPT FOR AIRCRAFT EQUIPPED WITH SUITABLE RNAV SYSTEM WITH GPS, OBK R-194 UNUSABLE. 1703101338-1710201338EST.

FDC 7/3392 ORD IAP CHICAGO O HARE INTL, CHICAGO, IL. ILS OR LOC RWY 28R, AMDT 17...S-LOC 28R AT (FAF) WILLT INT, RADAR OR DME REQUIRED EXCEPT FOR AIRCRAFT EQUIPPED WITH SUITABLE RNAV SYSTEM WITH GPS, OBK R-151 UNUSABLE. 1703101336-1710201336EST.

FDC 7/1600 ORD IAP CHICAGO O HARE INTL, CHICAGO, IL. RNAV (GPS) RWY 22R, AMDT 2A...LPV DA 949/HAT 297 ALL CATS. LNAV/VNAV DA 994/HAT342 ALL CATS. LNAV MDA 1100/HAT 448 ALL CATS. VIS CATS C/D RVR 4500. VDP 1.19 NM TO RW22R. MULTIPLE CRANES, 1088 FT EAST OF APPROACH END RWY 22R, UP TO 833 MSL, 2015-AGL-2417 THRU 2420-NRA, 2015-AGL-2433/2434-NRA, 2015-AGL-2481 THRU 2484/2487-NRA, 2015-AGL-2491/2492-NRA. 1703071638-1710171637EST.

Lansing Muni

FDC 7/7241 IGQ ODP LANSING MUNI, CHICAGO, IL. TAKEOFF MINIMUMS AND (OBSTACLE) DEPARTURE PROCEDURES AMDT 5...NOTE: RWY 27, VEHICLES AND EQUIPMENT, 308 FT FROM DEPARTURE END OF RWY, 557 FT RIGHT OF CENTERLINE, 25 AGL/635 MSL (2017-AGL-3414-NRA). ALL OTHER DATA REMAINS AS PUBLISHED. 1704291200-1705131543EST.

FDC 7/7154 IGQ IAP LANSING MUNI, CHICAGO, IL. LOC RWY 36, ORIG-A...PROCEDURE NA EXCEPT FOR AIRCRAFT EQUIPPED WITH SUITABLE RNAV SYSTEM WITH GPS, CGT VORTAC OUT OF SERVICE. 1704281347-1706011347EST.

CHICAGO/LAKE IN THE HILLS

Lake In The Hills

FDC 7/8189 3CK IAP LAKE IN THE HILLS, CHICAGO/LAKE IN THE HILLS, IL. VOR RWY 26, AMDT 4...S-26 MDA 1460/HAT 575 ALL CATS, CAT C VISIBILITY 1 5/8. CIRCLING MDA 1460/HAA 573 ALL CATS, CAT C VISIBILITY 1 5/8. CHICAGO DUPAGE ALTIMETER SETTING: S-26 MDA 1540/HAT 655 ALL CATS, CAT C VISIBILITY 1 7/8. CIRCLING MDA 1540/HAA 653 ALL CATS, CAT C VISIBILITY 1 7/8.. 1702261905-1710081905EST.

FDC 7/3964 3CK IAP LAKE IN THE HILLS, CHICAGO/LAKE IN THE HILLS, IL. RNAV (GPS) RWY 26, ORIG...NOTE: HELICOPTER VISIBILITY REDUCTION BELOW 3/4 SM NOT AUTHORIZED. 1703121930-1710221930EST.

FDC 7/3939 3CK IAP LAKE IN THE HILLS, CHICAGO/LAKE IN THE HILLS, IL. RNAV (GPS) RWY 8, ORIG...LNAV MDA 1340/HAT 453 ALL CATS. VIS CAT C 1 1/4. CHICAGO DU PAGE ALTIMETER SETTING MINIMUMS: LNAV MDA 1400/HAT 513 ALL CATS. VIS CAT C 1 1/2. NOTE: HELICOPTER VISIBILITY REDUCTION BELOW 3/4 SM NOT AUTHORIZED. PROFILE NOTE: VGSI AND RNAV GLIDEPATH NOT COINCIDENT. 1703121846-1710221846EST.

CHICAGO/ROCKFORD

Chicago/Rockford Intl

FDC 7/6453 RFD IAP CHICAGO/ROCKFORD INTL, CHICAGO/ROCKFORD, IL. RNAV (GPS) RWY 7, AMDT 1B...LNAV/VNAV DA 1172 / HAT 430, VISIBILITY ALL CATS RVR 5000. NOTE: FOR INOPERATIVE ALSF, INCREASE LNAV/VNAV ALL CATS VISIBILITY TO 1 3/8 MILE. 1704061454-1711161454EST.

FDC 7/6451 RFD IAP CHICAGO/ROCKFORD INTL, CHICAGO/ROCKFORD, IL. RNAV (GPS) RWY 19, AMDT 2A...LNAV MDA 1220 /HAT 484 VISIBILITY CATS C/D 1 3/8. NOTE: VDP 1.36 NM TO RW 19. 1704061452-1711161452EST.

FDC 7/6449 RFD IAP CHICAGO/ROCKFORD INTL, CHICAGO/ROCKFORD, IL. RNAV (GPS) RWY 25, AMDT 1A...LNAV/VNAV DA 1191/HAT 455 VISIBILITY 1 1/2 ALL CATS. 1704061449-1711161449EST.

FDC 7/6321 RFD IAP CHICAGO/ROCKFORD INTL, CHICAGO/ROCKFORD, IL. LOC BC RWY 19, AMDT 15B...CIRCLING CAT A/B/C MDA 1240/HAA 498, CAT D MDA 1320/HAA 578. POPEE INT/DME MINIMUMS: CIRCLING CAT A MDA 1220/HAA 478, CAT B/C MDA 1240/HAA 498, CAT D MDA 1320/HAA 578. 1704061352-1711161352EST.

FDC 7/4359 RFD IAP CHICAGO/ROCKFORD INTL, CHICAGO/ROCKFORD, IL. ILS OR LOC RWY 1, AMDT 28C...S-LOC 1 MDA 1200/HAT 471 ALL CATS. VIS CATS C/D RVR 5000. TRANSMISSION LINE, 900 MSL, 3.48 NM SOUTH OF APPROACH END RWY 1, 2016-AGL-8932-OE. 1703131630-1710231630EST.

FDC 7/1093 RFD IAP CHICAGO/ROCKFORD INTL, CHICAGO/ROCKFORD, IL. NDB RWY 1, AMDT 25D...PT MINIMUM ALTITUDE 2500 FT. NOTE: HELICOPTER VISIBILITY REDUCTION BELOW 3/4 SM NA. 1703061926-1710161925EST.

FDC 6/6213 RFD IAP CHICAGO/ROCKFORD INTL, CHICAGO/ROCKFORD, IL. ILS OR LOC RWY 1, AMDT 28C...S-ILS 1 DA 963/HAT 234. CIRCLING CAT A MDA 1240/HAA 498. TEMPORARY CRANES, 925 MSL 2292 FT NW OF RWY 1. APT ELEV 742. 1610100114-1705220114EST.

CHICAGO/ROMEOVILLE

Lewis University

FDC 7/9107 LOT SID LEWIS UNIVERSITY, CHICAGO/ROMEOVILLE, IL. ADELL FOUR DEPARTURE (RNAV)...BLOKR FOUR DEPARTURE (RNAV)...CARYN FOUR DEPARTURE (RNAV)...DARCY FOUR DEPARTURE (RNAV)...ELANR FOUR DEPARTURE (RNAV)...OBENE TWO DEPARTURE (RNAV)...ALL OTHER DATA REMAINS AS PUBLISHED. 1705031106-1705251106EST.

FDC 7/9105 LOT ODP LEWIS UNIVERSITY, CHICAGO/ROMEOVILLE, IL. TAKEOFF MINIMUMS AND (OBSTACLE) DEPARTURE PROCEDURES AMDT 1...NOTE: RWY 02, CRANE, 3533 FT FROM DEPARTURE END OF RWY, 860 FT LEFT OF CENTERLINE, 150 AGL/788 MSL (2016-AGL-12644-OE). ALL OTHER DATA REMAINS AS PUBLISHED. 1705031106-1705251106EST.

CHICAGO/WAUKEGAN

Waukegan Rgnl

FDC 7/0156 UGN IAP WAUKEGAN RGNL, CHICAGO/WAUKEGAN, IL. ILS RWY 23, AMDT 4...NOTE: NIGHT LANDING: RWY 14, 32 NA. 1703250128-1711040128EST.

CHICAGO/WEST CHICAGO

Dupage

FDC 7/0120 DPA ODP DUPAGE, CHICAGO/WEST CHICAGO, IL. TAKEOFF MINIMUMS AND (OBSTACLE) DEPARTURE PROCEDURES AMDT 1A...NOTE: RWY 10, 2 LIGHT POLES, 1224 FT FROM DEPARTURE END OF RWY, 37 FT LEFT OF CENTERLINE, 33 FT AGL, UP TO 789 FT MSL. ALL OTHER DATA REMAINS AS PUBLISHED. 1704131836-1711231836EST.

FDC 7/0101 DPA SID DUPAGE, CHICAGO/WEST CHICAGO, IL. ADELL FOUR DEPARTURE (RNAV)...BLOKR FOUR DEPARTURE (RNAV)...CARYN FOUR DEPARTURE (RNAV)...DARCY FOUR DEPARTURE (RNAV)...ELANR FOUR DEPARTURE (RNAV)...OBENE TWO DEPARTURE (RNAV)...NOTE: RWY 10, 2 LIGHT POLES, 1224 FT FROM DEPARTURE END OF RWY, 37 FT LEFT OF CENTERLINE, 33 FT AGL, UP TO 789 FT MSL. ALL OTHER DATA REMAINS AS PUBLISHED. 1704131834-1711231834EST.

DOWNERS GROVE

Brookeridge Air Park

FDC 6/7204 LL22 SPECIAL BROOKERIDGE AIR PARK, DOWNERS GROVE, IL. VOR/DME OR GPS A, AMDT 1...NOTE: NIGHT LANDING: RWY 9 NA. NOTE: HELICOPTER VISIBILITY REDUCTION BELOW 1 SM NOT AUTHORIZED. TAKEOFF MINIMUMS NOT STANDARD. TAKEOFF MINIMUMS: RWY 9, STANDARD WITH MINIMUM CLIMB OF 378 FT PER NM TO 1200. NOTE: RWY 27, TREE 622 FT FROM DER, 68 FT LEFT OF CENTERLINE, 62 FT AGL/812 FT MSL. 1612061705-1707181704EST.

EFFINGHAM

Effingham County Memorial

FDC 7/2257 1H2 IAP EFFINGHAM COUNTY MEMORIAL, EFFINGHAM, IL. RNAV (GPS) RWY 1, ORIG-C...RNAV (GPS) RWY 11, ORIG...RNAV (GPS) RWY 29, ORIG-B...VOR RWY 1, AMDT 10C...CIRCLING CAT B MDA 1160/HAA 575. CRANE 848 MSL, 1.99 NM NW OF K1H2, (2016-AGL-13994-OE). 1701091738-1707081738EST.

FLORA

Flora Muni

FDC 7/0997 FOA IAP FLORA MUNI, FLORA, IL. RNAV (GPS) RWY 3, AMDT 2A...NOTE: NIGHT LANDING: RWY 21 NA. DISREGARD NOTE: WHEN VGSI INOP, CIRCLING RWY 21 NA AT NIGHT. 1704171236-1711271236EST.

FDC 7/0989 FOA IAP FLORA MUNI, FLORA, IL. LOC/DME RWY 21, ORIG-C...NOTE: NIGHT LANDING: RWY 21 NA. 1704171233-1711271233EST.

GRAYSLAKE

Campbell

FDC 7/8835 C81 ODP CAMPBELL, GRAYSLAKE, IL. TAKEOFF MINIMUMS AND (OBSTACLE) DEPARTURE PROCEDURES AMDT 1...TAKE-OFF MINIMUMS: RWY 24, 300-1 OR STANDARD WITH MINIMUM CLIMB OF 280 FT PER NM TO 1100. NOTE: RWY 24, TOWER 5132 FT FROM DER, 1033 FT LEFT OF CENTERLINE, 154 AGL/959 MSL. ALL OTHER DATA REMAINS AS PUBLISHED. 1703231316-1711021315EST.

HAMPSHIRE

Casa De Aero Park

FDC 7/6343 68IS SPECIAL CASA DE AERO PARK, HAMPSHIRE, IL. VOR-A, AMDT 5...NOTE: PROCEDURE NA AT NIGHT. NOTE: HELICOPTER VISIBILITY REDUCTION BELOW 1 SM NOT AUTHORIZED. 1703162159-1710262159EST.

JACKSONVILLE

Jacksonville Muni

FDC 7/5674 IJX IAP JACKSONVILLE MUNI, JACKSONVILLE, IL. VOR RWY 13, AMDT 1...S-13 MDA 1180/HAT 558 ALL CATS. VIS CAT C/D 1 5/8. CIRCLING CATS A/B/C MDA 1180/HAA 556. VIS CAT C 1 5/8. VDP NA. 1702171849-1709291849EST.

LINCOLN

Logan County

FDC 7/6597 AAA IAP LOGAN COUNTY, LINCOLN, IL. RNAV (GPS) RWY 21, ORIG...DISREGARD NOTE: CIRCLING TO RWY 14/32 NA AT NIGHT. NOTE: CIRCLING TO RWY 14, 32 NA. NOTE: HELICOPTER VISIBILITY REDUCTION BELOW 3/4 SM NOT AUTHORIZED. 1701222054-1709032054EST.

FDC 7/6595 AAA IAP LOGAN COUNTY, LINCOLN, IL. NDB RWY 21, AMDT 2...DISREGARD NOTE: CIRCLING TO RWY 14/32 NA AT NIGHT. NOTE: CIRCLING TO RWY 14, 32 NA. NOTE: HELICOPTER VISIBILITY REDUCTION BELOW 3/4 SM NOT AUTHORIZED. 1701222053-1709032053EST.

FDC 7/6593 AAA IAP LOGAN COUNTY, LINCOLN, IL.
RNAV (GPS) RWY 3, ORIG...VOR RWY 3, AMDT
7...DISREGARD NOTE: CIRCLING TO RWY 14/32 NA
AT NIGHT. NOTE: CIRCLING TO RWY 14, 32 NA.
1701222051-1709032051EST.

LITCHFIELD

Litchfield Muni

FDC 7/8222 3LF IAP LITCHFIELD MUNI,
LITCHFIELD, IL. RNAV (GPS) RWY 27, ORIG...LNAV
MDA 1120/HAT 430 ALL CATS. NOTE: HELICOPTER
VISIBILITY REDUCTION BELOW 3/4 SM NOT
AUTHORIZED. 34:1 IS NOT CLEAR. CHANGE LOCAL
ALTIMETER SETTING NOTE TO READ: WHEN
LOCAL ALTIMETER SETTING NOT RECEIVED, USE
TAYLORVILLE ALTIMETER SETTING AND INCREASE
ALL MDA 80 FT AND LNAV CAT C VISIBILITY 1/8
MILE. ALTERNATE MINIMUMS STANDARD EXCEPT
NA WHEN LOCAL WEATHER NOT AVAILABLE.
NOTE: NIGHT LANDING: RWY 27 NA.
1702261940-1710081940EST.

FDC 7/8220 3LF IAP LITCHFIELD MUNI,
LITCHFIELD, IL. RNAV (GPS) RWY 9, ORIG...LNAV
CAT C VIS 1 3/8. NOTE: HELICOPTER VISIBILITY
REDUCTION BELOW 3/4 SM NOT AUTHORIZED. 34:1
IS NOT CLEAR. CHANGE LOCAL ALTIMETER
SETTING NOTE TO READ: WHEN LOCAL ALTIMETER
SETTING NOT RECEIVED, USE TAYLORVILLE
ALTIMETER SETTING AND INCREASE ALL MDA 80
FT AND LNAV CAT C VISIBILITY 1/8 MILE.
ALTERNATE MINIMUMS STANDARD EXCEPT NA
WHEN LOCAL WEATHER NOT AVAILABLE. NOTE:
NIGHT LANDING: RWY 27 NA.
1702261938-1710081938EST.

FDC 7/8119 3LF IAP LITCHFIELD MUNI,
LITCHFIELD, IL. RNAV (GPS) RWY 18, ORIG-A...LNAV
MDA 1120/HAT 435 ALL CATS. NOTE: HELICOPTER
VISIBILITY REDUCTION BELOW 1 SM NOT
AUTHORIZED. 34:1 IS NOT CLEAR. CHANGE LOCAL
ALTIMETER SETTING NOTE TO READ: WHEN
LOCAL ALTIMETER SETTING NOT RECEIVED, USE
TAYLORVILLE ALTIMETER SETTING: INCREASE ALL
DA 73 FT AND ALL VISIBILITIES 1/4 MILE;
INCREASE ALL MDA 80 FT AND LNAV CAT C
VISIBILITY 1/8 MILE. NOTE: NIGHT LANDING: RWY
27 NA. 1704111257-1711211257EST.

FDC 7/1165 3LF IAP LITCHFIELD MUNI,
LITCHFIELD, IL. RNAV (GPS) RWY 36, ORIG-A...LNAV
CAT C VIS 1 5/8. CHANGE LOCAL ALTIMETER
SETTING NOTE TO READ: WHEN LOCAL ALTIMETER
SETTING NOT RECEIVED, USE TAYLORVILLE
ALTIMETER SETTING: INCREASE ALL DA 73 FT AND
ALL VISIBILITIES 1/8 MILE; INCREASE ALL MDA 80
FT AND CAT C VISIBILITY 1/4 MILE. NOTE: NIGHT
LANDING: RWY 27 NA. 1704171415-1711271415EST.

FDC 7/1163 3LF ODP LITCHFIELD MUNI,
LITCHFIELD, IL. TAKEOFF MINIMUMS AND
(OBSTACLE) DEPARTURE PROCEDURES AMDT
3...NOTE: RWY 18, TREE 494 FT FROM DER, 610 FT
LEFT OF CENTERLINE, 746 MSL. NOTE: RWY 27,
REIL 10 FT FROM DER, 115 FT LEFT OF
CENTERLINE, UP TO 2 FT AGL/683 FT MSL. RD
BEGINNING 13 FT FROM DER, 483 FT RIGHT OF
CENTERLINE, UP TO 15 FT AGL/693 FT MSL. RD
BEGINNING 46 FT FROM DER, 48 FT LEFT OF
CENTERLINE, UP TO 15 FT AGL/693 FT MSL. RD
BEGINNING 303 FT FROM DER, 128 FT RIGHT OF
CENTERLINE, UP TO 15 FT AGL/694 FT MSL. RD
BEGINNING 344 FT FROM DER, 77 FT RIGHT OF
CENTERLINE, UP TO 17 FT AGL/698 FT MSL. TREES
BEGINNING 689 FT FROM DER, 441 FT RIGHT OF
CENTERLINE, UP TO 717 FT MSL. TREE 777 FT FROM
DER, 445 FT LEFT OF CENTERLINE, 702 FT MSL.
POLE, T-L TWR AND TREES BEGINNING 900 FT
FROM DER, 436 FT RIGHT OF CENTERLINE, UP TO
718 FT MSL. NOTE: RWY 36, TWR, TV POLE AND
TREES BEGINNING 2186 FT FROM DER, 75 FT LEFT
OF CENTERLINE, UP TO 56 FT AGL/748 FT MSL.
TREES AND SIGNS BEGINNING 2272 FT FROM DER,
116 FT RIGHT OF CENTERLINE, UP TO 752 FT MSL.
T-L TWR AND POLE BEGINNING 2681 FT FROM DER,
71 FT RIGHT OF CENTERLINE, UP TO 61 FT AGL/753
FT MSL. TANK 2735 FT FROM DER, 1122 FT LEFT OF
CENTERLINE, UP TO 71 FT AGL/763 FT MSL. ALL
OTHER DATA REMAINS AS PUBLISHED.
1704171413-1711271413EST.

MOLINE

Quad City Intl

FDC 7/2046 MLI ODP QUAD CITY INTL, MOLINE, IL.
TAKEOFF MINIMUMS AND (OBSTACLE) DEPARTURE
PROCEDURES AMDT 1A...TAKE-OFF MINIMUMS:
RWY 5, STANDARD WITH MINIMUM CLIMB OF 240
FT PER NM TO 2600. RWY 9, 200-1 1/4 OR STANDARD
WITH MINIMUM CLIMB OF 307 FT PER NM TO 900.
RWY 13, 200- 1 1/2 OR STANDARD WITH MINIMUM
CLIMB OF 336 FT PER NM TO 900. RWY 23, 300-1 3/4.
RWY 31, STANDARD WITH MINIMUM CLIMB OF 230
FT PER MN TO 1600. ALL OTHER DATA REMAINS AS
PUBLISHED. 1703081353-1710181353EST.

FDC 7/2035 MLI IAP QUAD CITY INTL, MOLINE, IL.
RNAV (GPS) RWY 27, AMDT 1B...LNAV MDA
1100/HAT 519 ALL CATS. 1703081350-1710181350EST.

MORRIS

Morris Muni - James R Washburn Field

FDC 7/3261 C09 IAP MORRIS MUNI - JAMES R
WASHBURN FIELD, MORRIS, IL. VOR-A,
ORIG-C...DME REQUIRED EXCEPT FOR AIRCRAFT
EQUIPPED WITH SUITABLE RNAV SYSTEM WITH
GPS, EON VOR OUT OF SERVICE.
1704201601-1705201601EST.

MOUNT CARMEL

Mount Carmel Muni

FDC 7/6350 AJG IAP MOUNT CARMEL MUNI, MOUNT CARMEL, IL. RNAV (GPS) RWY 4, ORIG-A...CHANGE LOCAL ALTIMETER SETTING
NOTE TO READ: WHEN LOCAL ALTIMETER SETTING NOT RECEIVED, USE LAWRENCEVILLE ALTIMETER SETTING AND INCREASE ALL DA 26 FEET AND ALL MDA 40 FEET, AND INCREASE LNAV/VNAV ALL CATS AND LNAV CAT C VISIBILITY 1/4 MILE.
1703162204-1710262204EST.

MOUNT VERNON

Mount Vernon

FDC 7/1830 MVN IAP MOUNT VERNON, MOUNT VERNON, IL. VOR RWY 5, AMDT 16C...DME MINIMUMS NA. 1703282234-1711072234EST.

NAPERVILLE

Naper Aero Club

FDC 7/4528 LL10 SPECIAL NAPER AERO CLUB, NAPERVILLE, IL. TAKEOFF MINIMUMS AND (OBSTACLE) DEPARTURE PROCEDURES
ORIG...TAKE-OFF MINIMUMS: RWY 36, 200-1 OR STANDARD WITH MINIMUM CLIMB OF 322 FT PER NM TO 1000. NOTE: RWY 36, TOWER 5047 FT FROM DER, 745 FT LEFT OF CENTERLINE, 125 FT AGL/855 FT MSL. ALL OTHER DATA REMAINS AS PUBLISHED
1701142001-1708262001EST.

OLNEY-NOBLE

Olney-Noble

FDC 6/3191 OLY IAP OLNEY-NOBLE, OLNEY-NOBLE, IL. LOC RWY 11, AMDT 5A.S-11 MDA 920/HAT 438 ALL CATS, VISIBILITY CAT A/B 1, CAT C/D 1 1/4. CIRCLING CAT A MDA 960/HAA 478, VISIBILITY 1, CAT B MDA 960/HAA 478, VISIBILITY 1, CAT C MDA 960/HAA 478, VISIBILITY 1 1/2, CAT D MDA 1180/HAA 698, VISIBILITY 2. VDP AT 2.10 DME I-LZW. CHANGE FINAL APPROACH COURSE FROM 107 TO 110 CHANGED HOLDING AT ALAKE INT/I-LZW 14.8 DME FROM 107 INBOUND TO 110 AND 287 OUTBOUND TO 290. CHANGE MISSED APPROACH INSTRUCTION TO READ: CLIMBING RIGHT TURN TO 2400 ON HEADING 290 AND ON SAM VOR/DME R-313 TO ALAKE INT/I-LZW 14.8 DME AND HOLD. NOTE: WHEN LOCAL ALTIMETER SETTING NOT RECEIVED, USE EVANSVILLE ALTIMETER SETTING AND INCREASE ALL MDA 140 FEET, INCREASE S-11 VISIBILITY CAT C/D AND CIRCLING CAT C TO 1 5/8, CIRCLING CAT D TO 2 3/4. NOTE: VDP NA WITH EVANSVILLE ALTIMETER SETTING. NOTE: NIGHT LANDING RWY 3, 21, 29 NA. NOTE: DME REQUIRED FOR PROCEDURE ENTRY AT SAM VOR/DME. DISREGARD NOTE: PROCEDURE NA AT NIGHT. FDC 6/3191 OLY IAP OLNEY-NOBLE, OLNEY-NOBLE, IL. DISREGARD NOTE: HELICOPTER VISIBILITY REDUCTION BELOW 1 SM NA. DISREGARD NOTE: WHEN LOCAL ALTIMETER SETTING NOT RECEIVED, USE EVANSVILLE ALTIMETER SETTING AND INCREASE ALL MDA 140 FEET AND INCREASE S-11 CAT C VISIBILITY 1/4 MILE AND CAT D 1/2 MILE, INCREASE CIRCLING CAT C/D VISIBILITY 1/4 MILE.
1611281812-1707101812EST

PARIS

Edgar County

FDC 7/8685 PRG IAP EDGAR COUNTY, PARIS, IL. VOR/DME-A, AMDT 8...PROCEDURE NA.
1703231244-1711021244EST.

PEORIA

General Downing - Peoria Intl

FDC 7/9473 PIA IAP U.S. DOD GENERAL DOWNING - PEORIA INTL, PEORIA, IL. HI - ILS OR LOC RWY 31, AMDT 7C...PROCEDURE NA.
1704121957-1711221957EST.

FDC 7/7546 PIA IAP U.S. DOD GENERAL DOWNING - PEORIA INTL, PEORIA, IL. HI VOR/DME OR TACAN RWY 31, AMDT 1A...NOTE: NIGHT LANDING: RWY 13 NA. VDP NA. VISUAL 34:1 SLOPE IS NOT CLEAR.
1702232228-1710052228EST.

OsF Saint Francis Medical Center

FDC 7/1312 LL37 SPECIAL OSF SAINT FRANCIS MEDICAL CENTER, PEORIA, IL. COPTER RNAV (GPS) 113, ORIG...IFR DEPARTURE NA.
1701051659-1708171659EST.

FDC 7/0124 LL37 SPECIAL OSF SAINT FRANCIS MEDICAL CENTER, PEORIA, IL. COPTER RNAV (GPS) 113, ORIG...PROCEED VISUALLY NA. PROCEED VFR FROM ZIKAV OR CONDUCT THE SPECIFIED MISSED APPROACH. 1704131838-1711231838EST.

PINCKNEYVILLE

Pinckneyville-Du Quoin

FDC 7/5566 PJY IAP PINCKNEYVILLE-DU QUOIN, PINCKNEYVILLE, IL. RNAV (GPS) RWY 18, AMDT 1A...LNAV/VNAV DA 789/HAT 389, VISIBILITY ALL CATS 1 1/4 MILE. LNAV MDA 940/HAT 540, VISIBILITY CATS C/D 1 1/2 MILE. CIRCLING MDA 940/HAA 540 CATS A/B/C. USE CARBONDALE-MURPHYSBORO ALTIMETER SETTING; WHEN NOT RECEIVED, USE SPARTA ALTIMETER SETTING AND INCREASE ALL DA 32 FEET AND ALL MDA 40 FEET; INCREASE LNAV/VNAV VISIBILITY TO 1 3/8 ALL CATS, INCREASE LNAV CATS C/D AND CIRCLING CAT C VISIBILITY TO 1 5/8 MILE.. 1704051240-1711151240EST.

PONTIAC

Pontiac Muni

FDC 7/9541 PNT IAP PONTIAC MUNI, PONTIAC, IL. VOR RWY 24, AMDT 2...ALTERNATE MINIMUMS NA, PNT VOR/DME UNMONITORED. 1705031519-1706031519EST.

RANTOUL

Rantoul Natl Avn Cntr-Frank Elliott Fld

FDC 7/6307 TIP IAP RANTOUL NATL AVN CNTR-FRANK ELLIOTT FLD, RANTOUL, IL. VOR RWY 27, AMDT 1...DME MINIMUMS S-27 MDA 1200/HAT 467 ALL CATS, VIS CATS C/D 1 3/8. 1703162101-1710262101EST.

ROCKFORD

St Anthony Medical Center

FDC 6/3249 LL84 SPECIAL ST ANTHONY MEDICAL CENTER, ROCKFORD, IL COPTER RNAV (GPS) 072, ORIG...VISUAL SEGMENT NA; PROCEED VFR FROM UKOCI OR CONDUCT THE SPECIFIED MISSED APPROACH 1611041800-1706161800.

FDC 6/3248 LL84 SPECIAL ST ANTHONY MEDICAL CENTER, ROCKFORD, IL COPTER RNAV (GPS) 072, ORIG...CRANES WITHIN LANDING AREA OF HOSPITAL CONSTRUCTION. 1611041800-1706161800.

SHELBYVILLE

Shelby County

FDC 7/8831 2H0 IAP SHELBY COUNTY, SHELBYVILLE, IL. NDB-A, AMDT 2A...NOTE: NIGHT LANDING: RWY 36 NA. NOTE: HELICOPTER VISIBILITY REDUCTION BELOW 1 SM NOT AUTHORIZED. 1703231312-1711021311EST.

FDC 7/8829 2H0 IAP SHELBY COUNTY, SHELBYVILLE, IL. RNAV (GPS) RWY 36, ORIG-A...NOTE: NIGHT LANDING: RWY 36 NA. 1703231310-1711021310EST.

SPRINGFIELD

Abraham Lincoln Capital

FDC 7/9580 SPI IAP ABRAHAM LINCOLN CAPITAL, SPRINGFIELD, IL. ILS OR LOC RWY 31, AMDT 2A...PROFILE NOTE: AUTOPILOT COUPLED APPROACHES NA BELOW 850 MSL.. 1704131213-1711231213EST.

FDC 7/1975 SPI IAP U.S. DOD ABRAHAM LINCOLN CAPITAL, SPRINGFIELD, IL. HI ILS OR LOC/DME RWY 4, AMDT 4A...TDZE 592. S-ILS 4 DA 792/HAT 200 ALL CATS, S-LOC MDA 1020/HAT 428 ALL CATS, VISIBILITY CAT C-E RVR 4000. LOGAN COUNTY ALTIMETER SETTING: S-ILS 4 DA 849/HAT 257 ALL CATS, S-LOC 4 MDA 1080/HAT 488 ALL CATS, VISIBILITY CAT C-E RVR 5000. ** WHEN ALS INOP, INCREASE CAT CDE VIS TO 1 1/4. 1703291220-1711081220EST.

STERLING/ROCKFALLS

Whiteside Co Arpt-Jos H Bittorf Fld

FDC 7/1043 SQI IAP WHITESIDE CO ARPT-JOS H BITTORF FLD, STERLING/ROCKFALLS, IL. ILS RWY 25, AMDT 10...LOC BC RWY 7, AMDT 5A...NDB RWY 7, AMDT 6...RNAV (GPS) RWY 25, ORIG...RNAV (GPS) RWY 7, ORIG...NOTE: CIRCLING TO RWY 36 NA AT NIGHT. 1704171257-1711271257EST.

URBANA

Frasca Field

FDC 6/8702 C16 IAP FRASCA FIELD, URBANA, IL. VOR OR GPS-A, AMDT 11A...DME MINIMUMS: CIRCLING CATS A/B/C MDA 1300/HAA 565. DISREGARD NOTE: CIRCLING TO RWY 36 NA AT NIGHT. NOTE: CIRCLING TO RWY 18/36 NA. 1612072313-1707192313EST.

INDIANA

ANDERSON

Anderson Muni-Darlington Field

FDC 7/6710 AID IAP ANDERSON MUNI-DARLINGTON FIELD, ANDERSON, IN. ILS OR LOC RWY 30, AMDT 2...S-LOC 30 MINIMUMS NA. MISSED APPROACH: CLIMB TO 2000 THEN CLIMBING RIGHT TURN TO 2800 DIRECT MIE VOR/DME AND HOLD.. CIRCLING MINIMUMS NA. 1704271732-1712071731EST.

FDC 7/6699 AID IAP ANDERSON MUNI-DARLINGTON FIELD, ANDERSON, IN. NDB RWY 30, AMDT 7...PROCEDURE NA. 1704271722-1712071722EST.

BATESVILLE

Batesville

FDC 7/7682 HLB SPECIAL BATESVILLE, BATESVILLE, IN. RNAV (GPS) RWY 36, AMDT 1...DELETE: DESCENT ANGLE 3.00/TCH 30. PROFILE NOTE: VISUAL SEGMENT - OBSTACLES. 1704101400-1711201400EST.

BLOOMINGTON

Monroe County

FDC 7/1091 BMG IAP MONROE COUNTY, BLOOMINGTON, IN. RNAV (GPS) RWY 6, ORIG-B...DESCENT ANGLE 3.06/TCH 35 NA. 1703061924-1710161924EST.

COLUMBUS

Columbus Muni

FDC 7/1094 BAK IAP COLUMBUS MUNI, COLUMBUS, IN. RNAV (GPS) RWY 32, ORIG...LNAV MDA 1080/HAT 427 ALL CATS. VIS CAT C 1 1/4. CIRCLING CATS A/B MDA 1140/HAA 484. VDP 1.2 NM TO RWY 32. HELICOPTER VISIBILITY REDUCTION BELOW 3/4 SM NOT AUTHORIZED. TOWER, 824 MSL, 1.52 NM EAST OF AIRPORT. 1704171346-1711271346EST.

FDC 7/1003 BAK IAP COLUMBUS MUNI, COLUMBUS, IN. ILS RWY 23, AMDT 7A...RNAV (GPS) RWY 5, ORIG...CIRCLING CAT A/B MDA 1140/HAA 484. TOWER, 824 MSL, 1.52 NM EAST OF AIRPORT. 1701051308-1708171308EST.

FDC 7/0598 BAK IAP COLUMBUS MUNI, COLUMBUS, IN. RNAV (GPS) RWY 23, ORIG-A...CIRCLING CAT A/B MDA 1140/ HAA 484. NOTE: WHEN LOCAL ALTIMETER SETTING NOT RECEIVED, USE INDIANAPOLIS INTL ALTIMETER SETTING AND INCREASE ALL DA/MDA 100 FEET. DISREGARD NOTE: IF LOCAL ALTIMETER NOT RECEIVED, USE INDIANAPOLIS ALTIMETER SETTING AND INCREASE ALL DA/MDA 100 FEET. 1704141849-1711241849EST.

FDC 7/0597 BAK IAP COLUMBUS MUNI, COLUMBUS, IN. RNAV (GPS) RWY 14, AMDT 1A...CIRCLING CAT A/B MDA 1140/HAA 484. 1704141849-1711241849EST.

CRAWFORDSVILLE

Crawfordsville Muni

FDC 6/3181 CFJ IAP CRAWFORDSVILLE MUNI, CRAWFORDSVILLE, IN. RNAV (GPS) RWY 22, AMDT 1...LPV VISIBILITY 1 ALL CATS. LNAV/VNAV VISIBILITY 1 ALL CATS.. 1611281734-1707101733EST.

ELKHART

Elkhart Muni

FDC 7/1429 EKM IAP ELKHART MUNI, ELKHART, IN. ILS OR LOC RWY 27, AMDT 2B...S-ILS 27 DA 1064/HAT 286 ALL CATS, VIS RVR 4000 ALL CATS. S-LOC 27 MDA 1220/HAT 443 ALL CATS, VIS CAT A/B RVR 4000, CAT C/D RVR 5000. CIRCLING CAT A MDA 1240/ HAA 462. NOTE: FOR INOPERATIVE MALSR, INCREASE S-LOC 27 CAT A/B VISIBILITY TO RVR 5000. FOR INOPERATIVE MALSR WHEN USING SOUTH BEND ALTIMETER SETTING, INCREASE S-ILS 27 VISIBILITY TO RVR 6000 ALL CATS, INCREASE S- LOC 27 CATS A/B VISIBILITY TO RVR 5000. NOTE: NIGHT LANDING: RWY 36 NA. NOTE: HELICOPTER VISIBILITY REDUCTION BELOW RVR 4000 NA. DISREGARD NOTE: * RVR 1800 AUTHORIZED WITH THE USE OF FD OR AP OR HUD TO DA. NOTE: CIRCLING NA TO RWYS 8 AND 26. 1703281656-1711071656EST.

FDC 7/0308 EKM IAP ELKHART MUNI, ELKHART, IN. RNAV (GPS) RWY 18, ORIG-A...RNAV (GPS) RWY 9, ORIG...VOR RWY 9, AMDT 6...NOTE: NIGHT LANDING: RWY 36 NA. NOTE: HELICOPTER VISIBILITY REDUCTION BELOW 3/4 SM NOT AUTHORIZED. NOTE: CIRCLING NA TO RWYS 8 AND 26. 1703260441-1711050441EST.

FDC 7/0306 EKM IAP ELKHART MUNI, ELKHART, IN. RNAV (GPS) RWY 27, ORIG-A...LPV VIS RVR 4000 ALL CATS. LNAV CAT A/B VIS RVR 4000. CHANGE ALTIMETER SETTING NOTE TO READ: WHEN LOCAL ALTIMETER SETTING NOT RECEIVED, USE SOUTH BEND ALTIMETER SETTING AND INCREASE ALL DA/MDA 40 FEET, INCREASE LNAV/VNAV ALL CATS, AND LNAV CAT D VISIBILITY TO RVR 6000, INCREASE LNAV CAT C VISIBILITY TO RVR 5000. CHANGE INOP NOTE TO READ: FOR INOPERATIVE MALSR, INCREASE LNAV CAT A AND B VISIBILITY TO RVR 6000. FOR INOPERATIVE MALSR WHEN USING SOUTH BEND ALTIMETER SETTING, INCREASE LPV ALL CATS VISIBILITY TO RVR 6000, AND LNAV CAT A AND B VISIBILITY TO RVR 5000. NOTE: NIGHT LANDING: RWY 36 NA. NOTE: HELICOPTER VISIBILITY REDUCTION BELOW RVR 4000 NOT AUTHORIZED. NOTE: CIRCLING NA TO RWYS 8 AND 26. 1703260439-1711050439EST.

EVANSVILLE

Evansville Rgnl

FDC 7/0027 EVV IAP EVANSVILLE RGNL, EVANSVILLE, IN. RADAR 1, AMDT 7...ASR 36 MDA 940/HAT 556 ALL CATS. VIS CAT C/D 1 5/8. CIRCLING CAT A MDA 940/HAA 518, CATS B/C MDA 1040HAA 618. VIS CAT C 1 3/4. 1704131752-1711231752EST.

FDC 7/0021 EVV IAP EVANSVILLE RGNL, EVANSVILLE, IN. VOR RWY 4, AMDT 7...S-4 MDA 1000/HAT 611 ALL CATS. VIS CATS C/D 1 3/4. CIRCLING CAT A MDA 1000/HAA 578, CATC B/C 1040/HAA 618. VIS CAT C 1 3/4. VDP AT PXV VORTAC 11.01 DME; DISTANCE VDP TO THLD 1.74 MILES. 1704131750-1711231750EST.

FDC 7/0018 EVV ODP EVANSVILLE RGNL, EVANSVILLE, IN. TAKEOFF MINIMUMS AND (OBSTACLE) DEPARTURE PROCEDURES AMDT 9...NOTE: RWY 27, TOWERS BEGINNING 1.3 NM FROM DER, 1157 FT LEFT OF CENTERLINE, UP TO 181 FT AGL/688 FT MSL. ALL OTHER DATA REMAINS AS PUBLISHED. 1704131748-1711231748EST.

FDC 6/1892 EVV IAP EVANSVILLE RGNL, EVANSVILLE, IN. VOR RWY 4, AMDT 7...PROCEDURE NA. 1611212146-1707032145EST.

FORT WAYNE

Fort Wayne Intl

FDC 7/6016 FWA IAP FORT WAYNE INTL, FORT WAYNE, IN. VOR OR TACAN RWY 14, AMDT 17...VOR OR TACAN RWY 5, AMDT 20...ADD SIX DEGREES TO THE FWA VORTAC PUBLISHED HEADINGS, COURSES AND RADIALS. 1704262203-1712062203EST.

Parkview Memorial Hospital

FDC 7/9737 11I7 SPECIAL PARKVIEW MEMORIAL HOSPITAL, FORT WAYNE, IN. COPTER RNAV (GPS) 205, ORIG...IFR DEPARTURE NA. 1703241343-1711031343EST.

FDC 7/1425 11I7 SPECIAL PARKVIEW MEMORIAL HOSPITAL, FORT WAYNE, IN. COPTER RNAV (GPS) 205, ORIG...PROCEED VFR FROM EDBIY OR CONDUCT THE SPECIFIED MISSED APPROACH. 1704171748-1711271748EST.

Smith Field

FDC 6/1573 SMD IAP SMITH FIELD, FORT WAYNE, IN. RNAV (GPS) RWY 13, ORIG...RNAV (GPS) RWY 23, AMDT 1...VOR RWY 13, AMDT 10...NOTE: PROCEDURE NA AT NIGHT. 1611202256-1707022256EST.

FDC 6/1569 SMD IAP SMITH FIELD, FORT WAYNE, IN. RNAV (GPS) RWY 5, ORIG...DISREGARD NOTE: DESCENT ANGLE 3.04/TCH 40. PROFILE NOTE: VISUAL SEGMENT - OBSTACLES. NOTE: PROCEDURE NA AT NIGHT. 1611202252-1707022252EST.

FRENCH LICK

French Lick Muni

FDC 7/1992 FRH IAP FRENCH LICK MUNI, FRENCH LICK, IN. RNAV (GPS) RWY 8, AMDT 1B...TERMINAL ROUTE PXV VORTAC (IAF) TO JIKPI (IF/IAF) MINIMUM ALTITUDE 4000 (NOPT). TERMINAL ROUTE CLOWN (IAF) TO JIKPI (IF/IAF) MINIMUM ALTITUDE 4000 (NOPT). MINIMUM HOLDING AT JIKPI (IF/IAF) 4000. ALL OTHER DATA REMAINS AS PUBLISHED. 1703291230-1711081230EST.

FDC 7/1983 FRH IAP FRENCH LICK MUNI, FRENCH LICK, IN. RNAV (GPS) RWY 26, ORIG-B...TERMINAL ROUTE MAIZE (IAF) TO WITAM (IF/IAF) MINIMUM ALTITUDE 4000 (NOPT). TERMINAL ROUTE STREP (IAF) TO WITAM (IF/IAF) MINIMUM ALTITUDE 4000 (NOPT). MINIMUM HOLDING AT WITAM (IF/IAF) 4000. ALL OTHER DATA REMAINS AS PUBLISHED. 1703291222-1711081222EST.

GARY

Gary/Chicago Intl

FDC 7/7152 GYY IAP GARY/CHICAGO INTL, GARY, IN. COPTER ILS OR LOC RWY 30, AMDT 1...ILS OR LOC RWY 30, AMDT 6...S-LOC 30 DME OR RADAR REQUIRED EXCEPT FOR AIRCRAFT EQUIPPED WITH SUITABLE RNAV SYSTEM WITH GPS. MISSED APPROACH: CLIMB TO 1500 THEN CLIMBING LEFT TURN TO 2600 DIRECT EON VORTAC AND HOLD N, RT, 181.00 INBOUND, CGT VORTAC OUT OF SERVICE. 1704281347-1706011347EST.

GOSHEN

Goshen Muni

FDC 7/7520 GSH ODP GOSHEN MUNI, GOSHEN, IN. TAKEOFF MINIMUMS AND (OBSTACLE) DEPARTURE PROCEDURES ORIG...TAKE-OFF MINIMUMS: RWY 5, 23: NA - ENVIRONMENTAL. ALL OTHER DATA REMAINS AS PUBLISHED. 1702232208-1710052208EST.

FDC 7/7518 GSH IAP GOSHEN MUNI, GOSHEN, IN. VOR RWY 9, AMDT 12B...NOTE: CIRCLING NA TO RWYS 5 AND 23. NOTE: HELICOPTER VISIBILITY REDUCTION BELOW 3/4 SM NOT AUTHORIZED. 1702232207-1710052207EST.

FDC 7/7516 GSH IAP GOSHEN MUNI, GOSHEN, IN. RNAV (GPS) RWY 27, ORIG...LPV DA 1238/ HAT 411, VIS 1-3/8 ALL CATS. NOTE: CIRCLING NA TO RWYS 5 AND 23. 1702232205-1710052205EST.

FDC 7/7514 GSH IAP GOSHEN MUNI, GOSHEN, IN. ILS OR LOC RWY 27, AMDT 1...S-ILS 27 DA 1233/HAT 406, VIS 1-3/8 ALL CATS. NOTE: CIRCLING NA TO RWYS 5 AND 23. CHANGE LOCAL ALTIMETER SETTING NOTE TO READ: WHEN LOCAL ALTIMETER SETTING NOT RECEIVED, USE WARSAW ALTIMETER SETTING: INCREASE DA TO 1273 FEET AND ALL VISIBILITIES 1/8 SM; INCREASE ALL MDAS 40 FEET AND CEDOB FIX MINIMUMS VISIBILITY CAT C AND D 1/4 SM. 1702232203-1710052203EST.

GREENSBURG

Greensburg Municipal

FDC 7/7680 I34 IAP GREENSBURG MUNICIPAL, GREENSBURG, IN. RNAV (GPS) RWY 36, ORIG-A...DELETE: DESCENT ANGLE 3.02/TCH 40. PROFILE NOTE: VISUAL SEGMENT - OBSTACLES. 1704101358-1711201358EST.

GRIFFITH

Griffith-Merrillville

FDC 7/3564 05C IAP GRIFFITH-MERRILLVILLE, GRIFFITH, IN. RNAV (GPS) RWY 26, ORIG...RNAV (GPS) RWY 8, ORIG...VOR RWY 8, AMDT 8A...NOTE: PROCEDURE NA AT NIGHT. 1702112035-1709232035EST.

HUNTINGTON

Huntington Muni

FDC 7/4351 HHG ODP HUNTINGTON MUNI, HUNTINGTON, IN. TAKEOFF MINIMUMS AND (OBSTACLE) DEPARTURE PROCEDURES AMDT 1.TAKEOFF OBSTCALE NOTES: RWY 9: TREES BEGINNING 2 FT FROM DER, 3 FT RIGHT OF CENTERLINE, UP TO 100 FT AGL/854 FT MSL. TREES BEGINNING 291 FT FROM DER, 10 FT LEFT OF CENTERLINE, UP TO 100 FT AGL/882 FT MSL. POLE AND NAVAID 47 FT FROM DER, 198 FT LEFT OF CENTERLINE, UP TO 23 FT AGL/812 FT MSL. TREES BEGINNING 1006 FT FROM DER, 190 FT LEFT OF CENTERLINE, UP TO 100 FT AGL/892 FT MSL. TREES BEGINNING 1142 FT FROM DER, 36 FT RIGHT OF CENTERLINE, UP TO 100 FT AGL/872 FT MSL. RWY 27: TREES BEGINNING 113 FT FROM DER, 498 FT LEFT OF CENTERLINE, UP TO 100 FT AGL/875 FT MSL. NAVAID, BLDG, POLES BEGINNING 268 FT FROM DER, 82 FT RIGHT OF CENTERLINE, 41 FT AGL/846 FT MSL. BUSH 444 FT FROM DER, 21 FT LEFT OF CENTERLINE, 16 FT AGL/816 FT MSL. ROAD AND TELEPHONE POLES BEGINNING 561 FT FROM DER, 26 FT LEFT OF CENTERLINE, UP TO 24 FT AGL/824 FT MSL. TREES BEGINNING 671 FT FROM DER, 26 FT RIGHT OF CENTERLINE, UP TO 100 FT AGL/831 FT MSL. TREES BEGINNING 794 FT FROM DER, 57 FT LEFT OF CENTERLINE, UP TO 100 FT AGL/839 FT MSL. POLES AND POWER TRANSMISSION LINES BEGINNING 886 FT FROM DER, 115 FT LEFT OF CENTERLINE, UP TO 60 FT AGL/858 FT MSL. POLES AND MISCELLANEOUS 946 FT FROM DER, 342 FT RIGHT OF ALL OTHER DATA REMAINS AS PUBLISHED. FDC 7/4351 HHG ODP HUNTINGTON MUNI, HUNTINGTON, IN. CENTERLINE,UP TO 35 FT AGL/839 FT MSL. ALL OTHER DATA REMAINS AS PUBLISHED. 1701132214-1708252214EST

INDIANAPOLIS

Eagle Creek Airpark

FDC 7/6836 EYE SID EAGLE CREEK AIRPARK, INDIANAPOLIS, IN. MEARZ FIVE DEPARTURE...KOKOMO TRANSITION NA EXCEPT FOR AIRCRAFT EQUIPPED WITH SUITABLE RNAV SYSTEM WITH GPS,, OKK VOR OUT OF SERVICE. 1704271957-1705101957EST.

FDC 6/5560 EYE SID EAGLE CREEK AIRPARK, INDIANAPOLIS, IN. DAWN NINE DEPARTURE...BOWLING GREEN TRANSITION NA EXCEPT FOR AIRCRAFT EQUIPPED WITH SUITABLE RNAV SYSTEM WITH GPS. BWG VORTAC UNUSABLE. 1610241612-1706051612EST.

Greenwood Muni

FDC 7/9689 HFY IAP GREENWOOD MUNI, INDIANAPOLIS, IN. RNAV (GPS) RWY 1, AMDT 1...ADD NOTE: VGSI AND RNAV GLIDEPATH NOT COINCIDENT. 1705031818-1712131818EST.

FDC 7/7470 HFY IAP GREENWOOD MUNI,
INDIANAPOLIS, IN. RNAV (GPS) RWY 19, AMDT
1A...VGS1 AND DESCENT ANGLES NOT
COINCIDENT. 1702232045-1710052045EST.

FDC 7/6839 HFY SID GREENWOOD MUNI,
INDIANAPOLIS, IN. MEARZ FIVE
DEPARTURE...KOKOMO TRANSITION NA EXCEPT
FOR AIRCRAFT EQUIPPED WITH SUITABLE RNAV
SYSTEM WITH GPS,, OKK VOR OUT OF SERVICE.
1704271957-1705101957EST.

FDC 6/5564 HFY SID GREENWOOD MUNI,
INDIANAPOLIS, IN. DAWN NINE
DEPARTURE...BOWLING GREEN TRANSITION NA
EXCEPT FOR AIRCRAFT EQUIPPED WITH SUITABLE
RNAV SYSTEM WITH GPS, BWG VORTAC
UNUSABLE.. 1610241613-1706051613EST.

Indianapolis Executive

FDC 7/6834 TYQ SID INDIANAPOLIS EXECUTIVE,
INDIANAPOLIS, IN. MEARZ FIVE
DEPARTURE...KOKOMO TRANSITION NA EXCEPT
FOR AIRCRAFT EQUIPPED WITH SUITABLE RNAV
SYSTEM WITH GPS,, OKK VOR OUT OF SERVICE.
1704271957-1705101957EST.

FDC 6/5558 TYQ SID INDIANAPOLIS EXECUTIVE,
INDIANAPOLIS, IN. DAWN NINE
DEPARTURE...BOWLING GREEN TRANSITION NA
EXCEPT FOR AIRCRAFT EQUIPPED WITH SUITABLE
RNAV SYSTEM WITH GPS. BWG VORTAC
UNUSABLE. 1610241612-1706051612EST.

Indianapolis Intl

FDC 7/6833 IND SID INDIANAPOLIS INTL,
INDIANAPOLIS, IN. MEARZ FIVE
DEPARTURE...KOKOMO TRANSITION NA EXCEPT
FOR AIRCRAFT EQUIPPED WITH SUITABLE RNAV
SYSTEM WITH GPS, OKK VOR OUT OF SERVICE.
1704271957-1705101957EST.

FDC 7/6163 IND IAP INDIANAPOLIS INTL,
INDIANAPOLIS, IN. ILS OR LOC RWY 5R, AMDT
7...ILS RWY 5R (SA CAT I), AMDT 7...ILS RWY 5R (CAT
II AND III), AMDT 7...CHANGE DISTANCE KELLY
(IAF) TO (CFVBC) FROM 5.4 TO 4.6 NM AND (CFVBC)
TO IIUUU (IF) FROM 5.8 TO 6.6 NM
1704271205-1712071205EST.

FDC 7/4299 IND IAP INDIANAPOLIS INTL,
INDIANAPOLIS, IN. ILS OR LOC RWY 32, AMDT
21...CIRCLING CAT D HAA 764.
1704241254-1712041254EST.

FDC 7/4293 IND IAP INDIANAPOLIS INTL,
INDIANAPOLIS, IN. RNAV (RNP) Z RWY 5R, AMDT
2...PROCEDURE NA. 1704241250-1712041250EST.

FDC 7/4208 IND IAP INDIANAPOLIS INTL,
INDIANAPOLIS, IN. ILS OR LOC RWY 5L, AMDT
5...ILS RWY 5L (SA CAT I), AMDT 5...ILS RWY 5L (SA
CAT II AND III), AMDT 5...DISREGARD OM
INDICATIONS AT OINKK INT/I-IND 6.1 DME
1704241239-1712041239EST.

FDC 6/5578 IND SID INDIANAPOLIS INTL,
INDIANAPOLIS, IN. DAWN NINE
DEPARTURE...BOWLING GREEN TRANSITION NA
EXCEPT FOR AIRCRAFT EQUIPPED WITH SUITABLE
RNAV SYSTEM WITH GPS. BWG VORTAC
UNUSABLE. 1610241616-1706051616EST.

FDC 6/4337 IND IAP INDIANAPOLIS INTL,
INDIANAPOLIS, IN. ILS OR LOC RWY 5L, AMDT
4...OSCRR FIX MINIMUMS (DUAL VOR RECEIVERS
OR DME REQUIRED) NA. CRANE, 903 MSL, 1.66 NM
SW OF APPROACH END RWY 5L, 2016-AGL-12828
THRU 12831-OE. 1611081212-1706201212EST.

Indianapolis Metropolitan

FDC 7/6837 UMP SID INDIANAPOLIS
METROPOLITAN, INDIANAPOLIS, IN. MEARZ FIVE
DEPARTURE...KOKOMO TRANSITION NA EXCEPT
FOR AIRCRAFT EQUIPPED WITH SUITABLE RNAV
SYSTEM WITH GPS,, OKK VOR OUT OF SERVICE.
1704271957-1705101957EST.

FDC 7/1967 UMP IAP INDIANAPOLIS
METROPOLITAN, INDIANAPOLIS, IN. RNAV (GPS)
RWY 33, AMDT 1...NOTE: HELICOPTER VISIBILITY
REDUCTION BELOW 3/4 SM NOT AUTHORIZED.
1703291213-1711081213EST.

FDC 6/5555 UMP SID INDIANAPOLIS
METROPOLITAN, INDIANAPOLIS, IN. DAWN NINE
DEPARTURE...BOWLING GREEN TRANSITION NA
EXCEPT FOR AIRCRAFT EQUIPPED WITH SUITABLE
RNAV SYSTEM WITH GPS. BWG VORTAC
UNUSABLE. 1610241611-1706051610EST.

Indianapolis Rgnl

FDC 7/6838 MQJ SID INDIANAPOLIS RGNL,
INDIANAPOLIS, IN. MEARZ FIVE
DEPARTURE...KOKOMO TRANSITION NA EXCEPT
FOR AIRCRAFT EQUIPPED WITH SUITABLE RNAV
SYSTEM WITH GPS,, OKK VOR OUT OF SERVICE.
1704271957-1705101957EST.

FDC 7/4650 MQJ IAP INDIANAPOLIS RGNL,
INDIANAPOLIS, IN. VOR RWY 34, AMDT
2C...CHANGE WHEN LOCAL ALTIMETER SETTING
NOT RECEIVED NOTE TO READ: WHEN LOCAL
ALTIMETER SETTING NOT RECEIVED, USE
INDIANAPOLIS INTL ALTIMETER SETTING AND
INCREASE ALL MDA 60 FEET, AND INCREASE
CIRCLING CAT D VISIBILITY 1/4 MILE.
1704241753-1712041753EST.

FDC 7/1697 MQJ IAP INDIANAPOLIS RGNL, INDIANAPOLIS, IN. RNAV (GPS) RWY 16, AMDT 1A...DELETE: DESCENT ANGLE 3.00/TCH 31. PROFILE NOTE: VISUAL SEGMENT - OBSTACLES. 1704181236-1711281236EST.

FDC 6/5544 MQJ SID INDIANAPOLIS RGNL, INDIANAPOLIS, IN. DAWNN NINE DEPARTURE...BOWLING GREEN TRANSITION NA EXCEPT FOR AIRCRAFT EQUIPPED WITH SUITABLE RNAV SYSTEM WITH GPS. BWG VORTAC UNUSABLE. 1610241553-1706051553EST.

JEFFERSONVILLE

Clark Rgnl

FDC 7/7079 JVY IAP CLARK RGNL, JEFFERSONVILLE, IN. ILS OR LOC RWY 18, AMDT 3...CHANGE NOTE TO READ: AUTOPILOT COUPLED APPROACH NA BELOW 1193. 1704281206-1712081206EST.

FDC 6/5180 JVY IAP CLARK RGNL, JEFFERSONVILLE, IN. RNAV (GPS) RWY 18, ORIG-A...LNAV/VNAV DA 846/HAT 372 ALL CATS. VIS 5/8 ALL CATS. LNAV MDA 860/HAT 386 ALL CATS. VIS CAT C/D 3/4. CHANGE INOPERATIVE MALSR NOTE TO READ: FOR INOPERATIVE ALS, INCREASE LNAV/VNAV ALL CATS VISIBILITY TO 1 SM AND LNAV CAT C/D VISIBILITY TO 1 1/8 SM. 1612011408-1707131408EST.

KENDALLVILLE

Kendallville Muni

FDC 7/1139 C62 IAP KENDALLVILLE MUNI, KENDALLVILLE, IN. RNAV (GPS) RWY 28, AMDT 1A...CHANGE PROFILE NOTE TO READ: VGSI AND RNAV GLIDEPATH NOT COINCIDENT (VGSI ANGLE {3.50}/TCH {31}). 1701051513-1708171513EST.

KENTLAND

Kentland Muni

FDC 7/7737 50I IAP KENTLAND MUNI, KENTLAND, IN. VOR/DME RNAV OR GPS RWY 27, ORIG-A...VOR/DME RNAV PORTION NA. 1704101452-1708241452EST.

FDC 7/7735 50I IAP KENTLAND MUNI, KENTLAND, IN. VOR OR GPS-A, AMDT 3...VOR PORTION NA. 1704101451-1708241451EST.

FDC 7/3265 50I IAP KENTLAND MUNI, KENTLAND, IN. VOR OR GPS-A, AMDT 3...VOR PORTION. DME REQUIRED EXCEPT FOR AIRCRAFT EQUIPPED WITH SUITABLE RNAV SYSTEM WITH GPS, EON VOR OUT OF SERVICE. 1704201601-1705201601EST.

KOKOMO

Kokomo Muni

FDC 7/6843 OKK IAP KOKOMO MUNI, KOKOMO, IN. ILS OR LOC RWY 23, AMDT 10B...MISSED APPROACH: CLIMB TO 1400 THEN CLIMBING LEFT TURN TO 2600 DIRECT MZZ VOR/DME AND HOLD, OKK VOR OUT OF SERVICE. 1704271957-1705101957EST.

LAFAYETTE

Indiana University Health Arnett

FDC 7/9942 8IN1 SPECIAL INDIANA UNIVERSITY HEALTH ARNETT, LAFAYETTE, IN. COPTER RNAV (GPS) 024, ORIG...MDA 1180. 1704131701-1711231701EST.

Purdue University

FDC 7/8930 LAF ODP PURDUE UNIVERSITY, LAFAYETTE, IN. TAKEOFF MINIMUMS AND (OBSTACLE) DEPARTURE PROCEDURES AMDT 1...NOTE: RWY 05, 5 BUILDINGS, 2031 FT FROM DEPARTURE END OF RWY, 778 FT LEFT OF CENTERLINE, UP TO 68 FT AGL/685 FT MSL, 2015-AGL-15476 THRU 15480-OE. ALL OTHER DATA REMAINS AS PUBLISHED. 1701292231-1709102231EST.

FDC 7/1676 LAF ODP PURDUE UNIVERSITY, LAFAYETTE, IN. TAKEOFF MINIMUMS AND (OBSTACLE) DEPARTURE PROCEDURES AMDT 1...NOTE: RWY 05, TEMPORARY CRANE, 3478 FT FROM DEPARTURE END OF RWY, 549 FT LEFT OF CENTERLINE, 120 AGL/741 MSL (2017-AGL-2587-OE). ALL OTHER DATA REMAINS AS PUBLISHED. 1704181130-1705161124EST.

MADISON

Madison Muni

FDC 7/0146 IMS IAP MADISON MUNI, MADISON, IN. RNAV (GPS) RWY 3, AMDT 1C...MINIMUM ALTITUDE/HOLDING AT KOYGE (IF/IAF) 4000. NOTE: PROCEDURE NA WHEN R-3403A IS ACTIVE. 1703021414-1710121414EST.

MARION

Marion Muni

FDC 7/7187 MZZ IAP MARION MUNI, MARION, IN. ILS OR LOC RWY 4, AMDT 7D...RNAV (GPS) RWY 22, ORIG-B...RNAV (GPS) RWY 33, ORIG-C...RNAV (GPS) RWY 4, ORIG-B...DISREGARD NOTE: NIGHT LANDING: RWY 15 NA. 1704281431-1712081431EST.

FDC 7/4446 MZZ ODP MARION MUNI, MARION, IN. TAKEOFF MINIMUMS AND (OBSTACLE) DEPARTURE PROCEDURES ORIG.NOTE: RWY 4, GRD AND LT SUPPORT STRUCTURE BEGINNING 0 FT FROM DER, 125 FT LEFT OF CENTERLINE, UP TO 854 FT MSL. LT SUPPORT STRUCTURE 34 FT FROM DER, 123 FT RIGHT OF CENTERLINE, 852 FT MSL. GRD BEGINNING 68 FT FROM DER, 412 FT RIGHT OF CENTERLINE, UP TO 856 FT MSL. TREE 534 FT FROM DER, 613 FT LEFT OF CENTERLINE, 890 FT MSL. TREES BEGINNING 775 FT FROM DER, 435 FT LEFT OF CENTERLINE, UP TO 895 FT MSL. TREE 914 FT FROM DER, 683 FT RIGHT OF CENTERLINE, 908 FT MSL. TREES BEGINNING 930 FT FROM DER, 693 FT RIGHT OF CENTERLINE, UP TO 65 FT AGL/914 FT MSL. TREES BEGINNING 1082 FT FROM DER, 13 FT LEFT OF CENTERLINE, UP TO 915 FT MSL. TREES BEGINNING 1283 FT FROM DER, 8 FT RIGHT OF CENTERLINE, UP TO 921 FT MSL. TREES BEGINNING 1672 FT FROM DER, 108 FT LEFT OF CENTERLINE, UP TO 927 FT MSL. TREES BEGINNING 1852 FT FROM DER, 210 FT LEFT OF CENTERLINE, UP TO 936 FT MSL. 958 FT MSL. 1701141843-17082 TREE 3145 FT FROM DER, 1200 FT RIGHT OF CENTERLINE, 937 FT MSL. NOTE: RWY 15, TREES BEGINNING 77 FT FROM DER, 225 FT LEFT OF CENTERLINE, UP TO 921 FT MSL. GRD 116 FT FROM DER, 462 FT RIGHT OF CENTERLINE, 855 FT MSL. BUSH 161 FT FROM DER, 282 FT RIGHT OF CENTERLINE, 858 FT MSL. TREES BEGINNING 431 FT FROM DER, 240 FT LEFT OF CENTERLINE, UP TO 925 FT MSL. TREE 539 FT FROM DER, 269 FT RIGHT OF CENTERLINE, 51 FT AGL/901 FT MSL. VEHICLE ON ROAD AND POLES 568 FT FROM DER, LEFT TO RIGHT OF CENTERLINE, UP TO 926 FT MSL. TREE 676 FT FROM DER, 392 FT RIGHT OF CENTERLINE, 904 FT MSL. TREE 701 FT FROM DER, 331 FT RIGHT OF CENTERLINE, 73 FT AGL/914 FT MSL. 958 FT MSL. 1701141843-1708 TREE 3145 FT FROM DER, 1200 FT RIGHT OF CENTERLINE, 937 FT MSL. NOTE: RWY 15, TREES BEGINNING 77 FT FROM DER, 225 FT LEFT OF CENTERLINE, UP TO 921 FT MSL. GRD 116 FT FROM DER, 462 FT RIGHT OF CENTERLINE, 855 FT MSL. BUSH 161 FT FROM DER, 282 FT RIGHT OF CENTERLINE, 858 FT MSL. TREES BEGINNING 431 FT FROM DE

FDC 7/0633 MZZ IAP MARION MUNI, MARION, IN. RNAV (GPS) RWY 15, ORIG-C...VOR RWY 15, AMDT 10D...NOTE: RWY 15 HELICOPTER VISIBILITY REDUCTION BELOW 3/4 SM NOT AUTHORIZED. DISREGARD NOTE: NIGHT LANDING: RWY 15 NA. DISREGARD NOTE: HELICOPTER VISIBILITY REDUCTION BELOW 1 SM NA. 1704142050-1711242050EST.

MARTINSVILLE

Morgan Hospital

FDC 7/9938 IN84 SPECIAL MORGAN HOSPITAL, MARTINSVILLE, IN. COPTER RNAV (GPS) 094, ORIG...MISSED APPROACH REQUIRES A MINIMUM CLIMB OF 420 FT PER NM TO 3000. 1704131659-1711231659EST.

MONTICELLO

White County

FDC 7/4295 MCX IAP WHITE COUNTY, MONTICELLO, IN. RNAV (GPS) RWY 18, AMDT 1...PROCEDURE NA. 1704241253-1712041252EST.

MUNCIE

Delaware County Rgnl

FDC 7/5000 MIE IAP DELAWARE COUNTY RGNL, MUNCIE, IN. ILS OR LOC RWY 32, AMDT 9C...TERMINAL ROUTE WAMBO INT TO BALL LOM/MIE4.77 DME (NOPT) NA. NOTE: FOR INOPERATIVE MALSR WHEN USING FORT WAYNE ALTIMETER SETTING MINIMUMS, INCREASE S-ILS 32 VISIBILITY TO 1 MILE. 1704251327-1712051327EST.

FDC 7/2421 MIE IAP DELAWARE COUNTY RGNL, MUNCIE, IN. RNAV (GPS) RWY 32, ORIG-A...NOTE: FOR INOPERATIVE MALSR WHEN USING FORT WAYNE INTL ALTIMETER SETTING, INCREASE LPV ALL CATS VISIBILITY TO 1 1/2 MILE. 1703081619-1710181619EST.

PERU

Peru Muni

FDC 7/6078 I76 IAP PERU MUNI, PERU, IN. RNAV (GPS) RWY 19, AMDT 1...DISREGARD NOTE: PROCEDURE NA AT NIGHT. DISREGARD NOTE: HELICOPTER VISIBILITY REDUCTION BELOW 1 SM NA. NOTE: HELICOPTER VISIBILITY REDUCTION BELOW 3/4 SM NA. 1701191943-1708311943EST.

FDC 7/6077 I76 IAP PERU MUNI, PERU, IN. RNAV (GPS) RWY 1, ORIG-A...DISREGARD NOTE: NIGHT LANDING: RWY 19 NA. DISREGARD NOTE: HELICOPTER VISIBILITY REDUCTION BELOW 1 SM NA. NOTE: HELICOPTER VISIBILITY REDUCTION BELOW 3/4 SM NA. 1701191943-1708311943EST.

RICHMOND

Reid Hospital

FDC 7/9944 IN68 SPECIAL REID HOSPITAL, RICHMOND, IN. COPTER RNAV (GPS) 155, ORIG...MDA 1640. 1704131703-1711231703EST.

SHELBYVILLE

Shelbyville Muni

FDC 7/6842 GEZ SID SHELBYVILLE MUNI, SHELBYVILLE, IN. MEARZ FIVE DEPARTURE...KOKOMO TRANSITION NA EXCEPT FOR AIRCRAFT EQUIPPED WITH SUITABLE RNAV SYSTEM WITH GPS,, OKK VOR OUT OF SERVICE. 1704271957-1705101957EST.

FDC 6/5580 GEZ SID SHELBYVILLE MUNI, SHELBYVILLE, IN. DAWN NINE DEPARTURE...BOWLING GREEN TRANSITION NA EXCEPT FOR AIRCRAFT EQUIPPED WITH SUITABLE RNAV SYSTEM WITH GPS. BWG VORTAC UNUSABLE. 1610241617-1706051617EST.

SHERIDAN

Sheridan

FDC 7/9538 514 IAP SHERIDAN, SHERIDAN, IN. VOR/DME-A, AMDT 6...PROCEDURE NA. 1705031456-1706031456EST.

TERRE HAUTE

Terre Haute Intl-Hulman Field

FDC 6/8432 HUF IAP TERRE HAUTE INTL-HULMAN FIELD, TERRE HAUTE, IN. RADAR 1, AMDT 5...S-32 MDA 960/HAT 371 ALL CATS. 1612072117-1707192117EST.

FDC 6/2831 HUF IAP TERRE HAUTE INTL-HULMAN FIELD, TERRE HAUTE, IN. RNAV (GPS) RWY 32, ORIG-B...LNAV MDA 960/HAT 371, VISIBILITY 1 ALL CATS. CHANGE ALTIMETER SETTING NOTE TO READ: WHEN LOCAL ALTIMETER SETTING NOT RECEIVED, USE PARIS ALTIMETER SETTING AND INCREASE ALL MDA 80 FT AND LNAV CAT C/D VISIBILITY TO 1 3/8. 1611261516-1707081516EST.

VALPARAISO

Porter County Rgnl

FDC 6/5258 VPZ IAP PORTER COUNTY RGNL, VALPARAISO, IN. ILS RWY 27, AMDT 3...TERMINAL ROUTE FROM NOMES (IAF) TO SILMS INT NA EXCEPT FOR AIRCRAFT EQUIPPED WITH SUITABLE RNAV SYSTEM WITH GPS. 1612011535-1707131534EST.

WARSAW

Warsaw Muni

FDC 7/2403 ASW IAP WARSAW MUNI, WARSAW, IN. ILS OR LOC/DME RWY 27, AMDT 1...S-LOC 27 MINIMUMS NA EXCEPT FOR AIRCRAFT EQUIPPED WITH SUITABLE RNAV SYSTEM WITH GPS. 1703291741-1711081739EST.

FDC 6/3805 ASW IAP WARSAW MUNI, WARSAW, IN. RNAV (GPS) RWY 9, ORIG...LNAV MDA 1260/HAT 415 ALL CATS. VDP 1.09 NM TO RW09. CRANE, 941MSL, 1687 FT SW OF APPROACH END RWY 9, (2016-AGL-14875-OE). 1612201200-1707311200EST.

FDC 6/3800 ASW ODP WARSAW MUNI, WARSAW, IN. TAKEOFF MINIMUMS AND (OBSTACLE) DEPARTURE PROCEDURES AMDT 2...NOTE: RWY 18, CRANE, 3631 FT FROM DEPARTURE END OF RWY, 1053 FT RIGHT OF CENTERLINE, 120 AGL/934 MSL, (2016-AGL-14873-OE). ALL OTHER DATA REMAINS AS PUBLISHED. 1612201200-1707311200EST.

WINAMAC

Arens Field

FDC 7/1154 RWN ODP ARENS FIELD, WINAMAC, IN. TAKEOFF MINIMUMS AND (OBSTACLE) DEPARTURE PROCEDURES ORIG...NOTE: RWY 27, FENCE 6 FEET FROM DER, 203 FEET LEFT OF CENTERLINE, 2 FEET AGL/707 FEET MSL. BUSH 99 FEET FROM DER, 190 FEET LEFT OF CENTERLINE, 12 FEET AGL/715 MSL. TREE 1660 FEET FROM DER, 852 FEET RIGHT OF CENTERLINE, 49 FEET AGL/757 FEET MSL. ALL OTHER DATA REMAINS AS PUBLISHED. 1704171408-1711271408EST.

IOWA

ALBIA

Albia Muni

FDC 7/4489 4C8 IAP ALBIA MUNI, ALBIA, IA. RNAV (GPS) RWY 13, ORIG-A...LNAV MDA CATS A/B 1680/HAT 716. CIRCLING CAT A MDA 1680/HAA 716. DISREGARD WUZGA FIX. 1704241442-1712041442EST.

FDC 7/4488 4C8 ODP ALBIA MUNI, ALBIA, IA. TAKEOFF MINIMUMS AND (OBSTACLE) DEPARTURE PROCEDURES AMDT 3...TAKE-OFF MINIMUMS RWY 31: 400 - 2 1/2 OR STANDARD WITH MINIMUM CLIMB OF 205 FT PER NM TO 2000.. ALL OTHER DATA REMAINS AS PUBLISHED. 1704241442-1712041442EST.

ALGONA

Algona Muni

FDC 7/1084 AXA IAP ALGONA MUNI, ALGONA, IA. RNAV (GPS) RWY 30, AMDT 1B...NOTE: NIGHT LANDING: RWY 12 NA. 1703061914-1710161914EST.

AMES

Ames Muni

FDC 6/5823 AMW IAP AMES MUNI, AMES, IA. RNAV (GPS) RWY 19, AMDT 1...LPV CATS A/B/C DA 1211/ HAT 274. LNAV/VNAV CATS A/B/C DA 1365/ HAT 428.. NOTE: VGSI AND RNAV GLIDEPATH NOT COINCIDENT (VGSI ANGLE 4.00/TCH 41FT). 1612021650-1707141650EST.

AUDUBON

Audubon County

FDC 7/8894 ADU ODP AUDUBON COUNTY, AUDUBON, IA. TAKEOFF MINIMUMS AND (OBSTACLE) DEPARTURE PROCEDURES AMDT 1.TAKE-OFF MINIMUMS: RWY 14, 300-1 1/4 OR STANDARD WITH MINIMUM CLIMB 240 FEET PER NM TO 1600. TAKE-OFF MINIMUMS: RWY 32, 300-1 1/4 OR STANDARD WITH MINIMUM CLIMB 360 FEET PER NM TO 1700. NOTE: RWY 14,BUILDING, BUSH, PARKING LOT AND TERRAIN BEGINNING 22 FEET FROM DER, 326 LEFT OF CENTERLINE, UP TO 16 FEET AGL/1315 FEET MSL. POLES AND ROADS BEGINNING 439 FEET FROM DER, 253 FEET RIGHT OF CENTERLINE, UP TO 39 FEET AGL/1318 FEET MSL. POLES, BUILDINGS AND PARKING LOTS BEGINNING 492 FEET FROM DER, 388 FEET LEFT OF CENTERLINE, UP TO 31 FEET AGL/1332 FEET MSL. TREES AND POLE BEGINNING 710 FEET FROM DER, 149 FEET RIGHT OF CETERLINE, UP TO 33 AGL/1311 FEET MSL. PARKING LOTS, TREES, POLES, ROAD AND TERRAIN BEGINNING 934 FEET FROM DER, 281 FEET LEFT OF CENTERLINE, UP TO 31 FEET AGL/ 1349 FEET MSL. TREES BEGINNING 1596 FEET FROM DER, 631 FEET RIGHT OF CENTERLINE, UP TO 65 FEET AGL/1321 FEET MSL. TREES, BUSHES AND TERRAIN BEGINNING 1716 FEET FROM DER, 56 FEET LEFT OF CENTERLINE, UP TO 59 FEET AGL/1406 FEET MSL. TREES BEGINNING 3491 FEET FROM DER, 17 FEET RIGHT OF CENTERLINE, UP TO 73 FEET AGL/1396 FEET MSL. TREES, POLES AND ROAD BEGINNING 5038 FEET FROM DER, 1574 FDC 7/8894 ADU ODP AUDUBON COUNTY, AUDUBON, IA. FEET LEFT OF CENTERLINE, UP TO 71 FEET AGL/1465 FEET MSL. NOTE: RWY 32, LIGHT POLES BEGINNING 9 FEET FROM DER, LEFT AND RIGHT OF CENTERLINE, UP TO 3 FEET AGL/1289 FEET MSL. POLES, BUSHES, BUILDINGS, PARKING LOTS AND TERRAIN BEGINNING 31 FEET FROM DER, 14 LEFT OF CENTERLINE, UP TO 36 FEET AGL/1334 FEET MSL. BUSHES, POLES, BUILDINGS, PARKING LOTS, GRAIN ELEVATOR AND TERRAIN BEGINNING 64 FEET FROM DER, 75 FEET RIGHT OF CENTERLINE, UP TO 30 FEET AGL/1318 FEET MSL. 1701292202-1709102202EST

FDC 6/8640 ADU IAP AUDUBON COUNTY, AUDUBON, IA. RNAV (GPS) RWY 32, ORIG...NOTE: CIRCLING RWY 14 NA AT NIGHT. 1612072236-1707192235EST.

BELLE PLAINE

Belle Plaine Muni

FDC 7/8048 TZT IAP BELLE PLAINE MUNI, BELLE PLAINE, IA. RNAV (GPS) RWY 36, ORIG-A...DISREGARD NOTE: NIGHT LANDING RWY 18 NA. 1704111230-1711211230EST.

FDC 7/8046 TZT IAP BELLE PLAINE MUNI, BELLE PLAINE, IA. VOR/DME-A, AMDT 1...DISREGARD NOTE: CIRCLING TO RWY 18 NA AT NIGHT. 1704111228-1711211228EST.

FDC 7/8044 TZT IAP BELLE PLAINE MUNI, BELLE PLAINE, IA. RNAV (GPS) RWY 18, ORIG-A...DISREGARD NOTE: NIGHT LANDING RWY 18 NA. DISREGARD NOTE: HELICOPTER VISIBILITY REDUCTION BELOW 1 SM NA. NOTE: HELICOPTER VISIBILITY REDUCTION BELOW 3/4 SM NA. 1704111226-1711211226EST.

BOONE

Boone Muni

FDC 7/9690 BNW ODP BOONE MUNI, BOONE, IA. TAKEOFF MINIMUMS AND (OBSTACLE) DEPARTURE PROCEDURES AMDT 5...TAKE-OFF MINIMUMS: RWY 33, 300 - 1 3/4 OR STANDARD WITH MINIMUM CLIMB OF 405 FT PER NM TO 1400. ALL OTHER DATA REMAINS AS PUBLISHED. 1704131338-1711231338EST.

CEDAR RAPIDS

The Eastern Iowa

FDC 7/8478 CID IAP THE EASTERN IOWA, CEDAR RAPIDS, IA. ILS OR LOC RWY 27, AMDT 6D...S-LOC 27: DME REQUIRED EXCEPT FOR AIRCRAFT EQUIPPED WITH SUITABLE RNAV SYSTEM WITH GPS, IOW VORTAC OUT OF SERVICE. 1705021153-1705091153EST.

FDC 7/8477 CID IAP THE EASTERN IOWA, CEDAR RAPIDS, IA. ILS OR LOC RWY 9, AMDT 18B...DME REQUIRED EXCEPT FOR AIRCRAFT EQUIPPED WITH SUITABLE RNAV SYSTEM WITH GPS, IOW VORTAC OUT OF SERVICE. 1705021153-1705091153EST.

CHARITON

Chariton Muni

FDC 7/8042 CNC IAP CHARITON MUNI, CHARITON, IA. RNAV (GPS) RWY 10, ORIG-A...CIRCLING MDA 1540/HAA 489 ALL CATS.. 1704111224-1711211224EST.

CLARINDA

Schenck Field

FDC 7/9194 ICL ODP SCHENCK FIELD, CLARINDA, IA. TAKEOFF MINIMUMS AND (OBSTACLE) DEPARTURE PROCEDURES AMDT 1...DEPARTURE PROCEDURE: RWY 2, CLIMB HEADING 020 TO 2400 BEFORE TURNING. ALL OTHER DATA REMAINS AS PUBLISHED. 1703011450-1710111450EST.

FDC 7/0284 ICL IAP SCHENCK FIELD, CLARINDA, IA. RNAV (GPS) RWY 2, ORIG-B...RNAV (GPS) RWY 20, ORIG-B...ADD NOTE: CIRCLING NA TO RWYS 13 AND 31. 1703260016-1711050016EST.

COUNCIL BLUFFS

Council Bluffs Muni

FDC 7/6411 CBF IAP COUNCIL BLUFFS MUNI, COUNCIL BLUFFS, IA. RNAV (GPS) RWY 18, AMDT 1...RNAV (GPS) RWY 36, AMDT 2...CIRCLING CAT A MDA 1780/HAA 535. 1701202109-1709012109EST.

FDC 7/6407 CBF IAP COUNCIL BLUFFS MUNI, COUNCIL BLUFFS, IA. ILS OR LOC RWY 36, AMDT 1...CIRCLING CAT A MDA 1780/HAA 535. 1701202105-1709012105EST.

FDC 7/6404 CBF IAP COUNCIL BLUFFS MUNI, COUNCIL BLUFFS, IA. RNAV (GPS) RWY 32, ORIG-A...VOR-A, AMDT 5...CIRCLING CATS A/B MDA 1780/HAA 535. 1701202103-1709012103EST.

DAVENPORT

Davenport Muni

FDC 7/9418 DVN IAP DAVENPORT MUNI, DAVENPORT, IA. RNAV (GPS) RWY 15, AMDT 2B...LNAV MDA 1220/HAT 470 ALL CATS. VIS CATS C/D 1. CRANE, 902 MSL, 4145 FT WEST OF APPROACH END RWY 15, (2016-ACE-2724-OE). 1701312004-1709122004EST.

FDC 7/9258 DVN IAP DAVENPORT MUNI, DAVENPORT, IA. VOR RWY 21, AMDT 8B...DISREGARD NOTE: WHEN RWY 21 VGSI INOP, STRAIGHT-IN AND CIRCLING MINIMUMS NA AT NIGHT. DISREGARD NOTE: HELICOPTER VISIBILITY REDUCTION BELOW 1 SM NA. 1703011513-1710111513EST.

FDC 7/8198 DVN IAP DAVENPORT MUNI, DAVENPORT, IA. ILS OR LOC RWY 15, AMDT 1B...RNAV (GPS) RWY 33, AMDT 1C...DISREGARD NOTE: WHEN RWY 21 VGSI INOP, CIRCLING RWY 21 NA AT NIGHT. 1702261911-1710081911EST.

FDC 7/8195 DVN IAP DAVENPORT MUNI, DAVENPORT, IA. RNAV (GPS) RWY 3, AMDT 1C...VOR RWY 3, AMDT 9A...DISREGARD NOTE: WHEN RWY 3 VGSI INOP, STRAIGHT-IN AND CIRCLING AND CIRCLING TO RWY 21 NA AT NIGHT. DISREGARD NOTE: HELICOPTER VISIBILITY REDUCTION BELOW 1 SM NA. NOTE: HELICOPTER VISIBILITY REDUCTION BELOW 3/4 SM NOT AUTHORIZED. 1702261910-1710081910EST.

FDC 7/8193 DVN IAP DAVENPORT MUNI, DAVENPORT, IA. RNAV (GPS) RWY 15, AMDT 2B...DISREGARD NOTE: WHEN VGSI INOP, CIRCLING TO RWY 21 NA AT NIGHT. 1702261908-1710081908EST.

FDC 7/8191 DVN IAP DAVENPORT MUNI, DAVENPORT, IA. RNAV (GPS) RWY 21, AMDT 1D...DISREGARD NOTE: WHEN VGSI INOP, STRAIGHT-IN AND CIRCLING TO RWY 21 NA AT NIGHT. 1702261907-1710081906EST.

DECORAH

Decorah Muni

FDC 7/8050 DEH IAP DECORAH MUNI, DECORAH, IA. RNAV (GPS) RWY 29, ORIG-A...NOTE: HELICOPTER VISIBILITY REDUCTION BELOW 3/4 SM NOT AUTHORIZED. DISREGARD NOTE: VDP NA WHEN USING PRESTON, MN ALTIMETER SETTING. DISREGARD SYMBOL INDICATING 34:1 IS CLEAR. DELETE VDP. DELETE DESCENT ANGLE 3.04/TCH 40. DISREGARD PROFILE NOTE: VGSI AND DESCENT ANGLES NOT COINCIDENT. PROFILE NOTE: VISUAL SEGMENT - OBSTACLES. 1704111232-1711211232EST.

DES MOINES

Des Moines Intl

FDC 7/9864 DSM IAP DES MOINES INTL, DES MOINES, IA. ILS RWY 31 (SA CAT I), AMDT 23C...REQUIRES SPECIFIC OPSPEC, MSPEC, OR LOA APPROVAL AND USE OF HUD TO DH. 1703020040-1710120039EST.

FDC 7/7829 DSM IAP DES MOINES INTL, DES MOINES, IA. ILS OR LOC RWY 5, ORIG-B...AUTOPILOT COUPLED APPROACH NA BELOW 1256 MSL. 1702241648-1710061648EST.

FDC 7/0643 DSM IAP U.S. DOD DES MOINES INTL, DES MOINES, IA. HI - ILS OR LOC RWY 31, AMDT 7...PROCEDURE NA. THIS IS A MILITARY NOTAM. 1703031347-1710131346EST.

FDC 6/7815 DSM IAP U.S. DOD DES MOINES INTL, DES MOINES, IA. HI ILS OR LOC RWY 31, AMDT 7...DISREGARD MM INDICATIONS. 1610121440-1705241440EST.

DUBUQUE

Dubuque Rgnl

FDC 7/8895 DBQ IAP DUBUQUE RGNL, DUBUQUE, IA. RNAV (GPS) RWY 13, ORIG...LNAV MDA 1440/HAT 363 ALL CATS.. 1704121302-1711221301EST.

FDC 7/4468 DBQ IAP DUBUQUE RGNL, DUBUQUE, IA. ILS OR LOC RWY 36, ORIG-D...LOC/DME BC RWY 13, AMDT 5C...RNAV (GPS) RWY 13, ORIG...RNAV (GPS) RWY 18, ORIG-A...RNAV (GPS) RWY 31, ORIG...RNAV (GPS) RWY 36, ORIG...CIRCLING CAT D MDA 1660/HAA 583. SIDE MOUNT ANTENNA, 1292 MSL, 2.35 NM WEST OF KDBQ (2016-ACE-4023-OE). 1704241438-1712041438EST.

FDC 7/4466 DBQ IAP DUBUQUE RGNL, DUBUQUE, IA. VOR RWY 13, AMDT 10...CIRCLING CAT D MDA 1660/HAA 583. SIDE MOUNT ANTENNA, 1292 MSL, 2.35 NM WEST OF KDBQ (2016-ACE-4023-OE). 1704241438-1712041438EST.

FDC 7/4465 DBQ IAP DUBUQUE RGNL, DUBUQUE, IA. VOR RWY 31, AMDT 12...CIRCLING CAT D MDA 1660/HAA 583. SIDE MOUNT ANTENNA, 1292 MSL, 2.35 NM WEST OF KDBQ (2016-ACE-4023-OE). 1704241438-1712041438EST.

FDC 7/1140 DBQ IAP DUBUQUE RGNL, DUBUQUE, IA. LOC/DME BC RWY 13, AMDT 5C...PROCEDURE NA. 1704171359-1711271359EST.

FAIRFIELD

Fairfield Muni

FDC 6/1377 FFL IAP FAIRFIELD MUNI, FAIRFIELD, IA. RNAV (GPS) RWY 18, AMDT 2...RNAV (GPS) RWY 36, AMDT 1A...LPV DA NA. CIRCLING NA TO RWY 8/26. 1611201929-1707021928EST.

FOREST CITY

Forest City Muni

FDC 7/9818 FXY IAP FOREST CITY MUNI, FOREST CITY, IA. RNAV (GPS) RWY 15, ORIG-A...NOTE: NIGHT LANDING: RWY 9, 27, 33 NA. DISREGARD NOTE: WHEN VGSI INOP, CIRCLING RWY 33 NA AT NIGHT. DISREGARD NOTE: WHEN VGSI INOP STRAIGHT-IN/CIRCLING RWY 15 PROCEDURE NA AT NIGHT. DISREGARD NOTE: CIRCLING TO RWY 9/27 NA AT NIGHT. 1703241443-1711031443EST.

FDC 7/8881 FXY ODP FOREST CITY MUNI, FOREST CITY, IA. TAKEOFF MINIMUMS AND (OBSTACLE) DEPARTURE PROCEDURES, AMDT 2...CHANGE: DEPARTURE PROCEDURE: RWY 33, CLIMB HEADING 332 TO 1900 FT BEFORE TURNING RIGHT. NOTE: RWY 33, TOWER 2.55 NM FROM DER, 1721 FT MSL / 410 AGL. ALL OTHER DATA REMAINS AS PUBLISHED. 1701292151-1709102151EST.

FDC 7/4425 FXY IAP FOREST CITY MUNI, FOREST CITY, IA. VOR/DME-A, AMDT 3A...NOTE: NIGHT LANDING: RWY 9, 27, 33 NA. DISREGARD NOTE: CIRCLING TO RWY 9-27 NA AT NIGHT. DISREGARD NOTE: WHEN VGSI INOP, PROCEDURE NA AT NIGHT. NOTE: HELICOPTER VISIBILITY REDUCTION BELOW 1 SM NOT AUTHORIZED. 1704241415-1712041415EST.

FDC 7/4423 FXY IAP FOREST CITY MUNI, FOREST CITY, IA. NDB RWY 33, AMDT 2B...NOTE: NIGHT LANDING: RWY 9, 27, 33 NA. DISREGARD NOTE: WHEN VGSI INOP, STRAIGHT-IN/CIRCLING RWY 33 PROCEDURE NA AT NIGHT. DISREGARD NOTE: WHEN VGSI INOP, CIRCLING RWY 15 NA AT NIGHT. DISREGARD NOTE: CIRCLING TO RWY 9/27 NA AT NIGHT. 1704241413-1712041413EST.

FDC 7/4421 FXY IAP FOREST CITY MUNI, FOREST CITY, IA. RNAV (GPS) RWY 33, ORIG-A...NOTE: NIGHT LANDING: RWY 9, 27, 33 NA. DISREGARD NOTE: CIRCLING TO RWY 9-27 NA AT NIGHT. DISREGARD NOTE: WHEN VGSI INOP, PROCEDURE NA AT NIGHT. 1704241411-1712041411EST.

FORT MADISON

Fort Madison Muni

FDC 7/4427 FSW IAP FORT MADISON MUNI, FORT MADISON, IA. RNAV (GPS) RWY 17, ORIG-A...RNAV (GPS) RWY 35, ORIG-B...CIRCLING CATS A/B/C MDA 1200/HAA 476. 1704241417-1712041417EST.

IOWA CITY

Iowa City Muni

FDC 7/8470 IOW ODP IOWA CITY MUNI, IOWA CITY, IA. TAKEOFF MINIMUMS AND (OBSTACLE) DEPARTURE PROCEDURES AMDT 3A...DEPARTURE PROCEDURE RWY 7 NA EXCEPT FOR AIRCRAFT EQUIPPED WITH SUITABLE RNAV SYSTEM WITH GPS, IOW VORTAC OUT OF SERVICE. 1705021147-1705091147EST.

FDC 6/8577 IOW IAP IOWA CITY MUNI, IOWA CITY, IA. RNAV (GPS) RWY 25, ORIG-B...LNAV CATS A/B MDA 1240/HAT 583. CRANE, 930 MSL, 5129 FT NE OF APPROACH END RWY 25, 2016-ACE-4165-OE. 1610281203-1706091203EST.

FDC 6/0767 IOW ODP IOWA CITY MUNI, IOWA CITY, IA. TAKEOFF MINIMUMS AND (OBSTACLE) DEPARTURE PROCEDURES AMDT 3A...TAKE-OFF MINIMUMS RWY 30, 300-2 OR STANDARD WITH MINIMUM CLIMB OF 470 FEET PER NM TO 1100. DEPARTURE PROCEDURE RWY 30, CLIMB TO 1200 ON HEADING 303 BEFORE TURNING LEFT. ALL OTHER DATA REMAINS AS PUBLISHED. 1612122129-1707242129EST.

MAPLETON

James G Whiting Memorial Field

FDC 7/9823 MEY IAP JAMES G WHITING MEMORIAL FIELD, MAPLETON, IA. RNAV (GPS) RWY 20, ORIG...NOTE: STRAIGHT-IN RWY 20 NA AT NIGHT. NOTE: CIRCLING RWY 2 NA AT NIGHT. 1704131511-1711231511EST.

FDC 7/9817 MEY IAP JAMES G WHITING MEMORIAL FIELD, MAPLETON, IA. RNAV (GPS) RWY 2, ORIG...NOTE: STRAIGHT-IN RWY 2 NA AT NIGHT. NOTE: CIRCLING RWY 20 NA AT NIGHT. 1704131504-1711231504EST.

MAQUOKETA

Maquoketa Muni

FDC 7/9189 OQW ODP MAQUOKETA MUNI, MAQUOKETA, IA. TAKEOFF MINIMUMS AND (OBSTACLE) DEPARTURE PROCEDURES AMDT 1...TAKE-OFF MINIMUMS: RWY 33, STANDARD WITH A MINIMUM CLIMB OF 238 FEET PER NM TO 1000. NOTE: RWY 33, FENCE AND VEHICLES ON ROAD BEGINNING 2 FEET FROM DER, 3 FEET RIGHT OF CENTERLINE, UP TO 15 FEET AGL/788 FEET MSL. TREE 561 FEET FROM DER, 355 FEET LEFT OF CENTERLINE, UP TO 100 FEET AGL/796 FEET MSL. POLES, TOWERS, BLDGS AND TREES BEGINNING 1051 FEET FROM DER, 59 FEET RIGHT OF CENTERLINE, UP TO 100 FEET AGL/859 FEET MSL. POLE AND TOWER 1728 FEET FROM DER, 127 FEET LEFT OF CENTERLINE, 53 FEET AGL/825 FEET MSL. TREES BEGINNING 4199 FEET FROM DER, 835 FEET RIGHT OF CENTERLINE, UP TO 100 FEET AGL/925 FEET MSL. ALL OTHER DATA REMAINS AS PUBLISHED. 1703011444-1710111444EST.

MASON CITY

Mason City Muni

FDC 7/6623 MCW IAP MASON CITY MUNI, MASON CITY, IA. RNAV (GPS) RWY 18, AMDT 2A...LPV DA 1464/HAT 250. CIRCLING HAA CAT A 446, CAT B 466, CAT C 546, CAT D MDA 1780/HAA 566. CHANGE INOPERATIVE TABLE NOTE TO READ: INOPERATIVE TABLE DOES NOT APPLY TO LPV AND LNAV/VNAV. CHANGE LOCAL ALTIMETER NOTE TO READ: WHEN LOCAL ALTIMETER SETTING NOT RECEIVED, USE CHARLES CITY ALTIMETER SETTING AND INCREASE ALL DA TO 1551 FEET AND ALL VISIBILITIES 1/8 MILE; INCREASE ALL MDA 100 FT AND LNAV CATS C AND D AND CIRCLING CAT C VISIBILITY 1/4 MILE. CHANGE FOR INOPERATIVE MALS NOTE TO READ: FOR INOPERATIVE MALS WHEN USING CHARLES CITY ALTIMETER SETTING, INCREASE LPV, LNAV/VNAV CAT D VISIBILITY TO 1 1/8 MILE AND LNAV CATS C AND D TO 1 3/8 MILE. NOTE: FOR INOPERATIVE MALS, INCREASE LNAV CAT D VISIBILITY TO 1 MILE. APT EL 1214. 1701222111-1709032110EST.

MUSCATINE

Muscatine Muni

FDC 7/9593 MUT ODP MUSCATINE MUNI, MUSCATINE, IA. TAKEOFF MINIMUMS AND (OBSTACLE) DEPARTURE PROCEDURES AMDT 2.TAKE-OFF MINIMUMS: RWY 6, 12, STANDARD. RWY 24, STANDARD WITH MINIMUM CLIMB OF 213 FEET PER NM TO 1000. RWY 30, STANDARD WITH MINIMUM CLIMB OF 298 FEET PER NM TO 1000. NOTE: RWY 6, TREE 635 FT FROM DER, 549 FT RIGHT OF CENTERLINE, UP TO 60 FT AGL/560 FT MSL. TREE 1422 FT FROM DER, 640 FT RIGHT OF CENTERLINE, UP TO 60 FT AGL/582 FT MSL. NOTE: RWY 12, BUILDING 756 FT FROM DER, 643 FT RIGHT OF CENTERLINE, UP TO 40 FT AGL/577 FT MSL. BUILDING AND TREES BEGINING 811 FT FROM DER, 558 FT RIGHT OF CENTERLINE, UP TO 60 FT AGL/571 FT MSL. BUILDING 1095 FT FROM DER, 782 FT LEFT OF CENTERLINE, UP TO 40 FT AGL/580 FT MSL. NOTE: RWY 24, TREE 218 FT FROM DER, 531 FT LEFT OF CENTERLINE, UP TO 60 FT AGL/567 FT MSL. TREE 1949 FT FROM DER, 271 FT RIGHT OF CENTERLINE, UP TO 60 FT AGL/599 FT MSL. TREE 2566 FT FROM DER, 539 FT LEFT OF CENTERLINE, UP TO 60 FT AGL/616 FT MSL. TREES BEGINNING 1.4 MILES FROM DER, LEFT AND RIGHT OF CENTERLINE, UP TO 60 FT AGL/827 FT MSL. NOTE: RWY 30, FENCE, TREES AND POLES BEGINNING 28 FT FROM DER, LEFT AND RIGHT OF CENTERLINE, UP TO 60 FT AGL/593 FT MSL. TREES ALL OTHER DATA REMAINS AS PUBLISHED. FDC 7/9593 MUT ODP MUSCATINE MUNI, Muscatine, IA. BEGINNING 1.4 MILES FROM DER, LEFT AND RIGHT OF CENTERLINE, UP TO 60 FT AGL/861 FT MSL. CONTROLLING OBSTACLES: RWY 24: 789 FT MSL TREE 412051.04N-0911054.12W, 827 FT MSL TREE 412045.38N-0911118.41W. RWY 30: 846 FT MSL TREE 412250.43N-0911112.00W. ALL OTHER DATA REMAINS AS PUBLISHED. 1704131227-1711231227EST

FDC 7/8480 MUT IAP MUSCATINE MUNI, MUSCATINE, IA. VOR RWY 6, ORIG-D...RADAR REQUIRED FOR PROCEDURE ENTRY EXCEPT FOR AIRCRAFT EQUIPPED WITH SUITABLE RNAV SYSTEM WITH GPS, IOW VORTAC OUT OF SERVICE. 1705021153-1705091153EST.

OELWEIN

Oelwein Muni

FDC 7/4011 OLZ IAP OELWEIN MUNI, OELWEIN, IA. RNAV (GPS) RWY 13, ORIG...CIRCLING NA TO RWYS 18 AND 36. 1701122323-1708242323EST.

FDC 7/4009 OLZ IAP OELWEIN MUNI, OELWEIN, IA. VOR OR GPS-A, AMDT 3B...VOR PORTION NA. CIRCLING NA TO RWYS 18 AND 36. 1701122321-1708242321EST.

OSKALOOSA

Oskaloosa Muni

FDC 7/8903 OOA IAP OSKALOOSA MUNI, OSKALOOSA, IA. RNAV (GPS) RWY 31, AMDT 1...VOR/DME RWY 31, AMDT 3A...NOTE: NIGHT LANDING: RWY 4, 22 NA. 1701292208-1709102208EST.

FDC 7/8901 OOA IAP OSKALOOSA MUNI, OSKALOOSA, IA. RNAV (GPS) RWY 13, AMDT 1...DISREGARD NOTE: VISIBILITY REDUCTION BY HELICOPTERS NA. NOTE: NIGHT LANDING: RWY 4, 22 NA. NOTE: HELICOPTER VISIBILITY REDUCTION BELOW 3/4 SM NOT AUTHORIZED. 1701292206-1709102206EST.

FDC 7/8481 OOA IAP OSKALOOSA MUNI, OSKALOOSA, IA. VOR/DME RWY 31, AMDT 3A...PROCEDURE NA EXCEPT FOR AIRCRAFT EQUIPPED WITH SUITABLE RNAV SYSTEM WITH GPS, IOW VORTAC OUT OF SERVICE. 1705021153-1705091153EST.

OTTUMWA

Ottumwa Rgnl

FDC 7/4216 OTM IAP OTTUMWA RGNL, OTTUMWA, IA. RNAV (GPS) RWY 13, ORIG-A...LNAV/VNAV VISIBILITY 1 ALL CATS. LNAV VISIBILITY 1 ALL CATS. DISREGARD NOTE: INOPERATIVE TABLE DOES NOT APPLY TO LPV. 1704241243-1712041243EST.

FDC 7/4210 OTM IAP OTTUMWA RGNL, OTTUMWA, IA. VOR/DME RWY 13, AMDT 7A...S-13 VISIBILITY 1 ALL CATS. 1704241241-1712041241EST.

RED OAK

Red Oak Muni

FDC 7/4483 RDK IAP RED OAK MUNI, RED OAK, IA. RNAV (GPS) RWY 5, AMDT 1A...LPV DA ALL CATS 1305, HAT 262.. 1701141912-1708261912EST.

ROCK RAPIDS

Rock Rapids Muni

FDC 6/5135 RRQ IAP ROCK RAPIDS MUNI, ROCK RAPIDS, IA. GPS RWY 34, ORIG...NOTE: PROCEDURE NA AT NIGHT. NOTE: RWY 16 HELICOPTER VISIBILITY REDUCTION BELOW 1 SM NOT AUTHORIZED. NOTE: RWY 34 HELICOPTER VISIBILITY REDUCTION BELOW 1 SM NOT AUTHORIZED. 1612272119-1708082119EST.

FDC 6/5133 RRQ IAP ROCK RAPIDS MUNI, ROCK RAPIDS, IA. GPS RWY 16, ORIG...NOTE: PROCEDURE NA AT NIGHT. NOTE: RWY 16 HELICOPTER VISIBILITY REDUCTION BELOW 1 SM NOT AUTHORIZED. NOTE: RWY 34 HELICOPTER VISIBILITY REDUCTION BELOW 1 SM NOT AUTHORIZED. 1612272119-1708082119EST.

SHENANDOAH

Shenandoah Muni

FDC 7/9471 SDA ODP SHENANDOAH MUNI, SHENANDOAH, IA. TAKEOFF MINIMUMS AND (OBSTACLE) DEPARTURE PROCEDURES AMDT 1...TAKE-OFF MINIMUMS: RWY 30, 300 - 1 1/2 OR STANDARD WITH MINIMUM CLIMB OF 250 FEET PER NM TO 1300. NOTES: RWY 30, TREES 1.4 NM NORTHWEST OF AIRPORT. ALL OTHER DATA REMAINS AS PUBLISHED. 1704121954-1711221954EST.

FDC 7/1080 SDA IAP SHENANDOAH MUNI, SHENANDOAH, IA. RNAV (GPS) RWY 4, ORIG...NOTE: CIRCLING RWY 30 NA AT NIGHT. DISREGARD NOTE: VISIBILITY REDUCTION BY HELICOPTERS NA. NOTE: RWY 4 HELICOPTER VISIBILITY REDUCTION BELOW 3/4 SM NOT AUTHORIZED. 1703061910-1710161909EST.

FDC 7/1074 SDA IAP SHENANDOAH MUNI, SHENANDOAH, IA. NDB RWY 4, ORIG-B...NOTE: CIRCLING RWY 30 NA AT NIGHT. NOTE: VISIBILITY REDUCTION BY HELICOPTERS BELOW 3/4 SM NA. 1703061859-1710161859EST.

FDC 7/1070 SDA IAP SHENANDOAH MUNI, SHENANDOAH, IA. VOR/DME RWY 12, AMDT 4A...NOTE: RWY 12 HELICOPTER VISIBILITY REDUCTION BELOW 3/4 SM NOT AUTHORIZED. NOTE: CIRCLING RWY 30 NA AT NIGHT. DISREGARD NOTE: STRAIGHT-IN/CIRCLING RWY 12 PROCEDURE NA AT NIGHT. DISREGARD NOTE: CIRCLING RWY 22 NA AT NIGHT. DISREGARD NOTE: WHEN VGSI INOP, CIRCLING RWY 30 NA AT NIGHT. 1703061859-1710161859EST.

SPENCER

Spencer Muni Hospital

FDC 7/8864 11A3 SPECIAL SPENCER MUNI HOSPITAL, SPENCER, IA. COPTER RNAV (GPS) 285, ORIG...H-285 MDA 1760/HAS 418. TOWER, 1726 MSL, 5701 FT NORTH OF HELIPORT. 1703231325-1711021325EST.

STORM LAKE

Storm Lake Muni

FDC 7/8907 SLB ODP STORM LAKE MUNI, STORM LAKE, IA. TAKEOFF MINIMUMS AND (OBSTACLE) DEPARTURE PROCEDURES ORIG...TAKEOFF OBSTACLE NOTES: NOTE: RWY 35 : NAVAID 9 FT FROM DER, 26 FT LEFT OF CENTERLINE, 1480 FT MSL. TERRAIN 21 FT FROM DER, 429 FT LEFT OF CENTERLINE, 1482 FT MSL. TREES BEGINNING 43 FT FROM DER, LEFT AND RIGHT OF CENTERLINE, UP TO 100 FT AGL/1486 FT MSL. TREE 1411 FT FROM DER, 701 FT RIGHT OF CENTERLINE, 100 FT AGL/1537 FT MSL.. ALL OTHER DATA REMAINS AS PUBLISHED. 1701292211-1709102211EST.

TIPTON

Mathews Memorial

FDC 7/8479 8C4 IAP MATHEWS MEMORIAL, TIPTON, IA. VOR RWY 11, AMDT 3...DME REQUIRED EXCEPT FOR AIRCRAFT EQUIPPED WITH SUITABLE RNAV SYSTEM WITH GPS, IOW VORTAC OUT OF SERVICE. 1705021153-1705091153EST.

WATERLOO

Waterloo Rgnl

FDC 7/8822 ALO ODP WATERLOO RGNL, WATERLOO, IA. TAKEOFF MINIMUMS AND (OBSTACLE) DEPARTURE PROCEDURES ORIG...ADD NOTE: RWY 12, TEMPORARY CRANE 1.05 NM FROM DER, 36FT RIGHT OF CENTERLINE, 170FT AGL/ 1035FT MSL (2017-ACE-94-OE). ALL OTHER DATA REMAINS AS PUBLISHED. 1703231305-1705161305EST.

FDC 7/8820 ALO IAP WATERLOO RGNL, WATERLOO, IA. RNAV (GPS) RWY 30, ORIG...LNAV/VNAV DA 1384/ HAT 517 ALL CATS. LNAV MDA 1340/HAT 473 ALL CATS. VDP 1.32 NM TO RW30. TEMPORARY CRANE 1035 MSL 1.05 NM SE OF RWY 30 (2017-ACE-94-OE). 1703231305-1705161305EST.

FDC 7/0448 ALO IAP WATERLOO RGNL, WATERLOO, IA. VOR RWY 6, AMDT 3A...MSA WEST SECTOR 180 TO 360 2600 FT. 1701032203-1708152203EST.

FDC 7/0446 ALO IAP WATERLOO RGNL, WATERLOO, IA. VOR RWY 18, AMDT 8B...S-18 CAT A/B MDA 1580/HAT 709, CAT C/D NA. CIRCLING MDA 1580/HAA 707 ALL CATS. VISIBILITY CAT C 2, CAT D 2 1/4. TDZE 871. MSA WEST SECTOR 180 TO 360 2600 FT.. 1701032202-1708152202EST.

FDC 7/0444 ALO IAP WATERLOO RGNL, WATERLOO, IA. VOR RWY 12, AMDT 10A...S-12 MDA 1360/HAT 487 ALL CATS. VIS CAT A/B RVR 4000, CAT C RVR 5000. CHANGE LOCAL ALTIMETER SETTING NOTE TO READ: WHEN LOCAL ALTIMETER SETTING NOT RECEIVED, USE INDEPENDENCE ALTIMETER SETTING AND INCREASE ALL MDA 60 FT, S-12 VISIBILITY CAT C/D TO RVR 6000. 1701032200-1708152200EST.

WEST UNION

George L Scott Muni

FDC 7/0757 3Y2 IAP GEORGE L SCOTT MUNI, WEST UNION, IA. RNAV (GPS) RWY 17, AMDT 1...VGSI AND RNAV GLIDEPATH NOT COINCIDENT. 1703031710-1710131710EST.

KANSAS

ATWOOD

Atwood-Rawlins County City-County

FDC 7/7561 ADT IAP ATWOOD-RAWLINS COUNTY CITY-COUNTY, ATWOOD, KS. RNAV (GPS) RWY 16, ORIG...LPV DA NA. LNAV/VNAV DA NA. LNAV MDA 3540/HAT 549 ALL CATS, VISIBILITY CAT C AND D 1 5/8. NOTE: USE MCCOOK ALTIMETER SETTING; WHEN NOT RECEIVED, USE GOODLAND ALTIMETER SETTING AND INCREASE ALL MDA 80 FEET, INCREASE LNAV AND CIRCLING CAT C AND D VISIBILITY 1/4 MILE. 1704101231-1711201231EST.

BELOIT

Moritz Memorial

FDC 7/3731 K61 IAP MORITZ MEMORIAL, BELOIT, KS. RNAV (GPS) RWY 17, ORIG...VOR/DME RWY 17, AMDT 4...PROCEDURE NA. 1701121310-1708241310EST.

FDC 6/8423 K61 IAP MORITZ MEMORIAL, BELOIT, KS. RNAV (GPS) RWY 17, ORIG...RNAV (GPS) RWY 35, ORIG...VISUAL DESCENT ANGLE 3.04/TCH 40 NOT AUTHORIZED. DISREGARD NOTE: CIRCLING TO RWY 26 NA AT NIGHT. NOTE: CIRCLING TO RWYS 4, 8, 22, AND 26 NA. NOTE: HELICOPTER VISIBILITY REDUCTION BELOW 3/4 SM NOT AUTHORIZED. DISREGARD NOTE: VGSi AND DESCENT ANGLES NOT COINCIDENT. 1612072110-1707192110EST.

FDC 6/3005 K61 IAP MORITZ MEMORIAL, BELOIT, KS. VOR/DME RWY 17, AMDT 4...CHART NOTE: HELICOPTER VISIBILITY REDUCTION BELOW 1 SM NOT AUTHORIZED. CHART NOTE: CIRCLING RWY 4, 8, 17, 22, 26 NA AT NIGHT. DELETE NOTE: VGSi AND DESCENT ANGLES NOT COINCIDENT. THIS IS VOR/DME RWY 17, AMDT 4A. 1607082129-PERM.

BURLINGTON

Coffey County

FDC 7/9483 UKL IAP COFFEY COUNTY, BURLINGTON, KS. NDB RWY 36, AMDT 2...NOTE: NIGHT LANDING: RWY 18, 36 NA. 1705031433-1712131433EST.

FDC 7/9481 UKL IAP COFFEY COUNTY, BURLINGTON, KS. RNAV (GPS) RWY 18, ORIG-A...NOTE: NIGHT LANDING: RWY 18, 36 NA. DISREGARD NOTE: CIRCLING TO RWY 36 NA AT NIGHT. DISREGARD NOTE: WHEN VGSi INOPERATIVE, STRAIGHT-IN/CIRCLING RWY 18 PROCEDURE NA AT NIGHT. 1705031428-1712131426EST.

CHANUTE

Chanute Martin Johnson

FDC 6/5212 CNU IAP CHANUTE MARTIN JOHNSON, CHANUTE, KS. RNAV (GPS) RWY 36, ORIG...DISREGARD NOTE: VISIBILITY REDUCTION BY HELICOPTERS NA. NOTE: NIGHT LANDING: RWY 36 NA. NOTE: HELICOPTER VISIBILITY REDUCTION BELOW 1 SM NOT AUTHORIZED. 1612272237-1708082237EST.

CLAY CENTER

Clay Center Muni

FDC 7/9742 CYW IAP CLAY CENTER MUNI, CLAY CENTER, KS. NDB RWY 35, AMDT 2A...S-35 NA. 1703241349-1711031349EST.

FDC 7/9739 CYW IAP CLAY CENTER MUNI, CLAY CENTER, KS. RNAV (GPS) RWY 17, ORIG-A...RNAV (GPS) RWY 35, ORIG-A...LNAV MDA NA. 1703241347-1711031347EST.

COLBY

Shalz Field

FDC 7/2196 CBK IAP SHALZ FIELD, COLBY, KS. NDB RWY 17, AMDT 1...TDZE 3187. S-17 HAT 453 ALL CATS. S-17 VISIBILITY CAT C 1 3/8. APT ELEV 3187. CIRCLING HAA 453 ALL CATS. NOTE: CIRCLING NA TO RWYS 4, 12, 22, 30. NOTE: WHEN LOCAL ALTIMETER SETTING NOT RECEIVED, USE GOODLAND ALTIMETER SETTING AND INCREASE ALL MDA 140 FEET AND INCREASE S-17 CAT C VISIBILITY 3/8 MILE AND CIRCLING CAT C VISIBILITY 1/4 MILE. NOTE: HELICOPTER VISIBILITY REDUCTION BELOW 1 SM NOT AUTHORIZED. 1702072312-1709192312EST.

FDC 7/2194 CBK IAP SHALZ FIELD, COLBY, KS. RNAV (GPS) RWY 35, AMDT 1A...NOTE: CIRCLING NA TO RWYS 4, 12, 22, 30. 1702072311-1709192311EST.

FDC 7/2192 CBK IAP SHALZ FIELD, COLBY, KS. RNAV (GPS) RWY 17, AMDT 1...LNAV/VNAV DA NA. DISREGARD NOTE: BARO-VNAV NA WHEN USING GOODLAND ALTIMETER SETTING. DISREGARD NOTE: FOR UNCOMPENSATED BARO-VNAV SYSTEMS, LNAV/VNAV NA BELOW -21C (-5F) OR ABOVE 54C (130F). CHANGE ALTIMETER SETTING NOTE TO READ: WHEN LOCAL ALTIMETER SETTING NOT RECEIVED, USE GOODLAND ALTIMETER SETTING AND INCREASE ALL MDA 140 FEET AND INCREASE LNAV CAT C VISIBILITY 1/4 MILE. NOTE: CIRCLING NA TO RWYS 4, 12, 22, 30. DISREGARD PROFILE NOTE: GS 3.00/TCH 40. PROFILE NOTE: DESCENT ANGLE 3.04/TCH 40. PROFILE NOTE: VGSi AND DESCENT ANGLES NOT COINCIDENT (VGSi ANGLE 3.00/TCH 23). 1702072310-1709192310EST.

CONCORDIA

Blosser Muni

FDC 7/1973 CNK IAP BLOSSER MUNI, CONCORDIA, KS. RNAV (GPS) RWY 17, ORIG-A...NOTE: NIGHT LANDING: RWY 35 NA. DISREGARD NOTE: PROCEDURE NA AT NIGHT. 1703291218-1711081218EST.

FDC 7/0914 CNK ODP BLOSSER MUNI, CONCORDIA, KS. TAKEOFF MINIMUMS AND (OBSTACLE) DEPARTURE PROCEDURES AMDT 1...NOTE: RWY 17, TREES BEGINNING 454 FT FROM DER, 238 FT LEFT OF CENTERLINE TO 4337 FT FROM DER, 4 FT LEFT OF CENTERLINE, UP TO 46 FT AGL/1607 FT MSL. TREES AND POLES BEGINNING 444 FT FROM DER, 479 FT RIGHT OF CENTERLINE TO 4251 FT FROM DER, 12 FT RIGHT OF CENTERLINE, UP TO 53 FT AGL/1620 FT MSL. BUILDINGS BEGINNING 1219 FT FROM DER, 355 FT RIGHT OF CENTERLINE, UP TO 19 FT AGL/1559 FT MSL. TERRAIN BEGINNING 196 FT FROM DER, 141 FT RIGHT OF CENTERLINE, UP TO 1581 FT MSL. NOTE: RWY 35, WATER TOWER 2086 FT FROM DER, 1011 FT RIGHT OF CENTERLINE, 119 FT AGL/1585 FT MSL. TREES BEGINNING 399 FT FROM DER, 158 FT LEFT OF CENTERLINE, UP TO 25 FT AGL/1494 FT MSL. POLES BEGINNING 318 FT FROM DER, 561 FT LEFT OF CENTERLINE, UP TO 42 FT AGL/1512 FT MSL. TERRAIN 59 FT FROM DER, 351 FT LEFT OF CENTERLINE, 1475 FT MSL. ALL OTHER DATA REMAINS AS PUBLISHED. 1704171145-1711271145EST.

ELKHART

Elkhart-Morton County

FDC 7/2043 EHA IAP ELKHART-MORTON COUNTY, ELKHART, KS. RNAV (GPS) RWY 35, AMDT 1A...LPV DA NA. VDP AT 1.93 MILES TO RW35* *LNAV ONLY. 1702072102-1709192101EST.

EUREKA

Lt William M Milliken

FDC 6/8087 13K IAP LT WILLIAM M MILLIKEN, EUREKA, KS. RNAV (GPS) RWY 18, ORIG-A...CHANGE CIRCLING NA AT NIGHT NOTE TO READ: CIRCLING TO RWY 36 NA AT NIGHT. NOTE: CIRCLING NA TO RWYS 8 AND 26. 1612071538-1707191538EST.

FDC 6/8085 13K IAP LT WILLIAM M MILLIKEN, EUREKA, KS. VOR/DME RWY 18, AMDT 2B...NOTE: CIRCLING NA TO RWYS 8 AND 26. 1612071538-1707191538EST.

FDC 6/8083 13K ODP LT WILLIAM M MILLIKEN, EUREKA, KS. TAKEOFF MINIMUMS AND (OBSTACLE) DEPARTURE PROCEDURES ORIG...TAKE-OFF MINIMUMS: RWY 08, 26: NA - ENVIRONMENTAL. ALL OTHER DATA REMAINS AS PUBLISHED. 1612071538-1707191538EST.

FORT LEAVENWORTH

Sherman AAF

FDC 7/0013 FLV IAP U.S. DOD SHERMAN AAF, FORT LEAVENWORTH, KS. RNAV (GPS) RWY 33, ORIG-A...DESCENT ANGLE 3.04 /TCH 50 NA. 1704131744-1711231744EST.

GARDEN CITY

Garden City Rgnl

FDC 7/9198 GCK IAP GARDEN CITY RGNL, GARDEN CITY, KS. RNAV (GPS) RWY 30, ORIG...CIRCLING CAT A MDA 3320/HAA 429. MSA RW30 25 NM 5000. 1704121607-1711221607EST.

FDC 7/9183 GCK IAP GARDEN CITY RGNL, GARDEN CITY, KS. RNAV (GPS) RWY 12, ORIG...CIRCLING CAT A MDA 3320/HAA 429. MSA RW12 25 NM 5000. 1704121603-1711221603EST.

FDC 7/8204 GCK IAP GARDEN CITY RGNL, GARDEN CITY, KS. RNAV (GPS) RWY 35, ORIG...CIRCLING MDA CAT A 3320/HAA 429. MSA RW35 25 NM 5000. 1702261915-1710081915EST.

FDC 7/8202 GCK IAP GARDEN CITY RGNL, GARDEN CITY, KS. VOR/DME RWY 35, AMDT 2...S-35 MDA 3200/HAT 315 ALL CATS. CIRCLING CAT A MDA 3320/HAA 429. TERMINAL ROUTE LACKA VIA GCK 11 DME CCW ARC TO VODCU (NOPT) 5000. TERMINAL ROUTE GCK VORTAC TO IMGIZ 4800. PROCEDURE TURN COMPLETION ALTITUDE 5000. MSA GCK VORTAC 25 NM 045-315 5000. CHANGE ALTIMETER NOTE TO READ: WHEN LOCAL ALTIMETER SETTING NOT RECEIVED, USE DODGE CITY RGNL ALTIMETER SETTING AND INCREASE ALL MDA 140 FEET, INCREASE S-35 CAT C VISIBILITY 1/4 MILE. 1702261914-1710081914EST.

FDC 7/8200 GCK IAP GARDEN CITY RGNL, GARDEN CITY, KS. ILS RWY 35, AMDT 1...TDZE 2885. APT ELEV 2891. CIRCLING CAT A MDA 3320/HAA 429, CAT B/C MDA 3360/HAA 469, CAT D MDA 3460/HAA 569. TERMINAL ROUTE GCK VORTAC R-270/12 DME CCW ARC TO I-GCK LOCALIZER NORTH COURSE 352 (NOPT) 5000. TERMINAL ROUTE GCK VORTAC TO PIEVE LOM 4800. PROCEDURE TURN COMPLETION ALTITUDE 4800. MSA GC LOM 25 NM 045-315 5000. MISSED APPROACH: CLIMB TO 4000, THEN CLIMBING RIGHT TURN TO 4800 DIRECT PIEVE LOM AND HOLD. NOTE: ADF REQUIRED. 1702261913-1710081913EST.

FDC 7/0166 GCK IAP GARDEN CITY RGNL, GARDEN CITY, KS. RNAV (GPS) RWY 17, ORIG...CIRCLING CAT A MDA 3320/HAA 429. MSA RW17 25 NM 5000. 1704131840-1711231840EST.

HUTCHINSON

Hutchinson Rgnl

FDC 7/9582 HUT IAP HUTCHINSON RGNL, HUTCHINSON, KS. LOC BC RWY 31, AMDT 14C...CHANGE MISSED APPROACH TO READ: CLIMB TO 2200 THEN CLIMBING LEFT TURN TO 3100 DIRECT HUT VOR/DME AND HOLD. NOTE: NIGHT LANDING: RWY 22 NA. NOTE: HELICOPTER VISIBILITY REDUCTION BELOW 3/4 SM NOT AUTHORIZED. 1703011816-1710111816EST.

FDC 7/9575 HUT IAP HUTCHINSON RGNL, HUTCHINSON, KS. VOR RWY 4, AMDT 19D...TERMINAL ROUTE FROM R-123 HUT VOR/DME CW (IAF) TO HUT R-213/7.00 DME (NO PT) MINIMUM ALT 3100. TERMINAL ROUTE FROM R-287 HUT VOR/DME CCW (IAF) TO HUT R-213/7.00 DME (NO PT) MINIMUM ALT 3100. TERMINAL ROUTE FROM HUT R-213/7.00 DME TO HUT VOR/DME MINIMUM ALT 3100. HOLD-IN-LIEU AND FAF MINIMUM ALT 3100 NOTE: NIGHT LANDING: RWY 22 NA. NOTE: HELICOPTER VISIBILITY REDUCTION BELOW 3/4 SM NOT AUTHORIZED. 1703011804-1710111804EST.

FDC 7/9569 HUT IAP HUTCHINSON RGNL, HUTCHINSON, KS. VOR/DME RWY 22, AMDT 6B...CHANGE MISSED APPROACH TO READ: CLIMB TO 3100 DIRECT HUT VOR/DME AND HOLD. NOTE: NIGHT LANDING: RWY 22 NA. NOTE: HELICOPTER VISIBILITY REDUCTION BELOW 1 SM NOT AUTHORIZED. 1703011802-1710111802EST.

FDC 7/9567 HUT IAP HUTCHINSON RGNL, HUTCHINSON, KS. NDB RWY 13, AMDT 15C...NIGHT LANDING: RWY 22 NA. 1703011800-1710111800EST.

FDC 7/9559 HUT IAP HUTCHINSON RGNL, HUTCHINSON, KS. RNAV (GPS) RWY 31, AMDT 1C...NIGHT LANDING: RWY 22 NA. HELICOPTER VISIBILITY REDUCTION BELOW 3/4 SM NOT AUTHORIZED. DISREGARD NOTE WHEN VGSI INOP, STRAIGHT-IN/CIRCLING RWY 31 PROCEDURE NA AT NIGHT. DISREGARD NOTE WHEN VGSI INOP, CIRCLING TO RWY 17 AND 22 NA AT NIGHT. 1703011757-1710111757EST.

FDC 7/9557 HUT IAP HUTCHINSON RGNL, HUTCHINSON, KS. RNAV (GPS) RWY 22, ORIG-B...NIGHT LANDING: RWY 22 NA. DESCENT ANGLE 3.00/TCH 42 NA. HELICOPTER VISIBILITY REDUCTION BELOW 1 SM NOT AUTHORIZED. 1703011755-1710111755EST.

FDC 7/9496 HUT IAP HUTCHINSON RGNL, HUTCHINSON, KS. RNAV (GPS) RWY 4, ORIG-B...NIGHT LANDING: RWY 22 NA. DISREGARD NOTE VISIBILITY REDUCTION BY HELICOPTERS NA. 1703011654-1710111654EST.

FDC 7/9491 HUT IAP HUTCHINSON RGNL, HUTCHINSON, KS. RNAV (GPS) RWY 13, ORIG-C...NIGHT LANDING: RWY 22 NA. DISREGARD NOTE WHEN VGSI INOP, CIRCLING RWY 17, 22, AND 31 NA AT NIGHT. 1703011648-1710111648EST.

FDC 7/9364 HUT IAP HUTCHINSON RGNL, HUTCHINSON, KS. ILS OR LOC RWY 13, AMDT 16F...NIGHT LANDING: RWY 22 NA. DISREGARD NOTE WHEN VGSI INOP, CIRCLING RWY 17, 22, AND 31 NA AT NIGHT. 1703011559-1710111559EST.

FDC 7/8346 HUT IAP HUTCHINSON RGNL, HUTCHINSON, KS. LOC BC RWY 31, AMDT 14B...DISREGARD GLIDESLOPE INDICATION. 1701262131-1709072131EST.

INDEPENDENCE

Independence Muni

FDC 7/2353 IDP IAP INDEPENDENCE MUNI, INDEPENDENCE, KS. ILS OR LOC RWY 35, AMDT 1C...S-LOC 35: DME REQUIRED EXCEPT FOR AIRCRAFT EQUIPPED WITH SUITABLE RNAV SYSTEM WITH GPS, JEFFE (ID) LOM OUT OF SERVICE. 1701092017-1708212017EST.

KINGMAN

Kingman Airport - Clyde Cessna Field

FDC 7/8212 9K8 IAP KINGMAN AIRPORT - CLYDE CESSNA FIELD, KINGMAN, KS. VOR/DME RWY 18, AMDT 2...PROCEDURE NA. 1702261924-1710081924EST.

FDC 7/3951 9K8 IAP KINGMAN AIRPORT - CLYDE CESSNA FIELD, KINGMAN, KS. RNAV (GPS) RWY 18, ORIG-A...NOTE: NIGHT LANDING: RWY 11, 18, 29 NA. NOTE: HELICOPTER VISIBILITY REDUCTION BELOW 1 SM NOT AUTHORIZED. DISREGARD SYMBOL DEPICTING 34:1 VISUAL SLOPE IS CLEAR. 1703121912-1710221912EST.

FDC 7/3949 9K8 IAP KINGMAN AIRPORT - CLYDE CESSNA FIELD, KINGMAN, KS. RNAV (GPS) RWY 36, ORIG-A...NOTE: HELICOPTER VISIBILITY REDUCTION BELOW 3/4 SM NOT AUTHORIZED. 1703121910-1710221910EST.

LAWRENCE

Lawrence Muni

FDC 7/8854 LWC IAP LAWRENCE MUNI, LAWRENCE, KS. RNAV (GPS) RWY 15, ORIG-B...RIGHT BASE TAA 329/30 CW 059/30 TO HASES MINIMUM ALTITUDE 3600. REST OF TAA REMAINS AS PUBLISHED. 1704121251-1711221251EST.

MARYSVILLE

Marysville Muni

FDC 6/1437 MYZ IAP MARYSVILLE MUNI, MARYSVILLE, KS. RNAV (GPS) RWY 16, ORIG-A...DESCENT ANGLE 3.00/TCH 40 NA. PROFILE NOTE: VISUAL SEGMENT - OBSTACLES. 1611201958-1707021958EST.

MC PHERSON

Mc Pherson

FDC 7/2943 MPR IAP MC PHERSON, MC PHERSON, KS. RNAV (GPS) RWY 18, ORIG-A...RNAV (GPS) RWY 36, ORIG-A...VOR/DME RWY 36, AMDT 6A...CIRCLING CATS A/B/C MDA 2200/HAA 702. VIS CAT C 2. CRANE, 1837 MSL, 5044 FT SE OF KMPR (2017-ACE-244-OE). 1704201500-1707151142EST.

MEADE

Meade Muni

FDC 6/1609 MEJ IAP MEADE MUNI, MEADE, KS. RNAV (GPS) RWY 17, ORIG-A...RNAV (GPS) RWY 35, ORIG-A...NOTE: DESCENT ANGLE 3.00/40 TCH NA. NOTE: CIRCLING RWYS 8/26 NOT AUTHORIZED. 1611202328-1707022328EST.

NEWTON

Newton-City-County

FDC 7/8232 EWK IAP NEWTON-CITY-COUNTY, NEWTON, KS. ILS OR LOC RWY 17, AMDT 4A...NDB RWY 35, AMDT 3...RNAV (GPS) RWY 17, ORIG-A...RNAV (GPS) RWY 35, ORIG-A...NOTE: NIGHT LANDING RWY 8, 26 NA. 1702261948-1710081948EST.

FDC 7/8230 EWK IAP NEWTON-CITY-COUNTY, NEWTON, KS. VOR/DME-A, AMDT 3...MISSED APPROACH: CLIMBING RIGHT TURN TO 3600 ON ICT R-031 TO CHATE/19.3 DME AND HOLD, CONTINUE CLIMB-IN-HOLD TO 3600. NOTE: NIGHT LANDING RWY 8, 26 NA. 1702261946-1710081946EST.

OAKLEY

Oakley Muni

FDC 7/5142 OEL ODP OAKLEY MUNI, OAKLEY, KS. TAKEOFF MINIMUMS AND (OBSTACLE) DEPARTURE PROCEDURES ORIG...TAKE-OFF MINIMUMS RWY 08,26 NA - ENVIRONMENTAL. ALL OTHER DATA REMAINS AS PUBLISHED. 1702161422-1709281422EST.

FDC 7/5141 OEL IAP OAKLEY MUNI, OAKLEY, KS. NDB RWY 34, AMDT 3...RNAV (GPS) RWY 34, ORIG...NOTE: CIRCLING NA TO RWYS 8 AND 26. 1702161422-1709281422EST.

OBERLIN

Oberlin Muni

FDC 7/9776 OIN ODP OBERLIN MUNI, OBERLIN, KS. TAKEOFF MINIMUMS AND (OBSTACLE) DEPARTURE PROCEDURES AMDT 1...TAKE-OFF MINIMUMS RWY 17 NA. ALL OTHER DATA REMAINS AS PUBLISHED. 1704131443-1711231443EST.

OTTAWA

Ottawa Muni

FDC 7/0381 OWI IAP OTTAWA MUNI, OTTAWA, KS. RNAV (GPS) RWY 17, AMDT 1A...NOTE: CIRCLING NA TO RWYS 13 AND 31. NOTE: HELICOPTER VISIBILITY REDUCTION BELOW 3/4 SM NOT AUTHORIZED. 1701032113-1708152113EST.

FDC 7/0379 OWI IAP OTTAWA MUNI, OTTAWA, KS. RNAV (GPS) RWY 35, AMDT 1A...NOTE: CIRCLING NA TO RWYS 13 AND 31. 1701032111-1708152111EST.

SALINA

Salina Rgnl

FDC 7/4169 SLN IAP SALINA RGNL, SALINA, KS. ILS OR LOC RWY 35, AMDT 19A...S-LOC 35: DME REQUIRED EXCEPT FOR AIRCRAFT EQUIPPED WITH SUITABLE RNAV SYSTEM WITH GPS. HOLD-IN-LIEU OF PROCEDURE TURN DME REQUIRED EXCEPT FOR AIRCRAFT EQUIPPED WITH SUITABLE RNAV SYSTEM WITH GPS, FLORY (SL) LOM OUT OF SERVICE. 1704241146-1706011146EST.

FDC 7/4163 SLN IAP SALINA RGNL, SALINA, KS. VOR RWY 17, AMDT 2...PROCEDURE NA EXCEPT FOR AIRCRAFT EQUIPPED WITH SUITABLE RNAV SYSTEM WITH GPS, FLORY (SL) LOM OUT OF SERVICE. 1704241146-1706011146EST.

SMITH CENTER

Smith Center Muni

FDC 7/1176 K82 IAP SMITH CENTER MUNI, SMITH CENTER, KS. VOR/DME OR GPS-A, AMDT 2...PROCEDURE NA. 1704171428-1711271428EST.

TOPEKA

Philip Billard Muni

FDC 7/7592 TOP IAP PHILIP BILLARD MUNI, TOPEKA, KS. RNAV (GPS) RWY 31, AMDT 1A...CIRCLING CAT A MDA 1360/HAA 479, CAT B MDA 1400/HAA 519.. 1704101255-1711201255EST.

FDC 7/3976 TOP IAP PHILIP BILLARD MUNI,
TOPEKA, KS. LOC BC RWY 31, AMDT 19B...NOTE:
NIGHT LANDING: RWY 4 NA.
1703121946-1710221946EST.

FDC 7/3973 TOP IAP PHILIP BILLARD MUNI,
TOPEKA, KS. RNAV (GPS) RWY 22, AMDT
1...CIRCLING CAT A MDA 1360/HAA 479, CAT B MDA
1400/HAA 519. CHANGE NOTE: CIRCLING NA AT
NIGHT TO RWY 4 TO: NIGHT LANDING RWY 4 NA.
1703121942-1710221942EST.

FDC 7/3971 TOP IAP PHILIP BILLARD MUNI,
TOPEKA, KS. VOR RWY 22, AMDT 21...CIRCLING CAT
A MDA 1360/HAA 479, CAT B MDA 1400/HAA 519.
NOTE: NIGHT LANDING: RWY 4 NA. NOTE:
HELICOPTER VISIBILITY REDUCTION BELOW 3/4
SM NOT AUTHORIZED. 1703121940-1710221940EST.

FDC 6/8458 TOP IAP PHILIP BILLARD MUNI,
TOPEKA, KS. RNAV (GPS) RWY 13, AMDT 1A...LPV
DA 1083/HAT 203 ALL CATS. LNAV MDA 1300/HAT 420
ALL CATS, CAT C VISIBILITY 3/4 MILE. CIRCLING
CAT A MDA 1360/HAA 479, CAT B MDA 1400/HAA
519.. 1612072127-1707192126EST.

FDC 6/8456 TOP IAP PHILIP BILLARD MUNI,
TOPEKA, KS. ILS OR LOC RWY 13, AMDT 33...OGASY
FIX MINIMUMS CIRCLING CAT A MDA 1360/HAA 479,
CAT B MDA 1400/HAA 519..
1612072125-1707192125EST.

Topeka Rgnl

FDC 7/7576 FOE IAP U.S. DOD TOPEKA RGNL,
TOPEKA, KS. HI - TACAN RWY 31, AMDT
3A...CIRCLING CAT D MDA 1700/ HAA 622.
1704101247-1711201247EST.

TRIBUNE

Tribune Muni

FDC 7/0505 5K2 IAP TRIBUNE MUNI, TRIBUNE, KS.
RNAV (GPS) RWY 17, ORIG...DELETE: DESCENT
ANGLE 3.00/TCH 40. PROFILE NOTE: VISUAL
SEGMENT - OBSTACLES. 1703021958-1710121958EST.

WICHITA

Wichita Dwight D Eisenhower National

FDC 6/0016 ICT IAP WICHITA DWIGHT D
EISENHOWER NATIONAL, WICHITA, KS. RNAV (GPS)
Y RWY 19L, AMDT 2...LNAV/VNAV DA 1783/HAT 463
ALL CATS. VIS 1 1/8 ALL CATS. 2 CRANES, UP TO
1445 MSL, 1.06 NM NE OF APPROACH END RWY 19L,
2015-ACE-4367 AND 4371-OE.
1610312115-1706122115EST.

FDC 6/0014 ICT IAP WICHITA DWIGHT D
EISENHOWER NATIONAL, WICHITA, KS. RNAV (RNP)
Z RWY 19L, AMDT 1...RNP 0.30 DA 1797/HAT 477 ALL
CATS. VIS 1 1/8 ALL CATS. 2 CRANES, UP TO 1445
MSL, 1.06 NM NE OF APPROACH END RWY 19L,
2015-ACE-4367 AND 4371-OE.
1610312114-1706122114EST.

KENTUCKY

ASHLAND

Ashland Rgnl

FDC 7/9007 DWU ODP ASHLAND RGNL, ASHLAND,
KY. TAKEOFF MINIMUMS AND (OBSTACLE)
DEPARTURE PROCEDURES AMDT 5...TAKE-OFF
MINIMUMS: RWY 10, STANDARD WITH A MINIMUM
CLIMB OF 430 FT. PER NM TO 1300. DEPARTURE
PROCEDURE: RWY 28, CLIMB ON HEADING 283.13
TO 1300 BEFORE PROCEEDING ON COURSE. ALL
OTHER DATA REMAINS AS PUBLISHED.
1704121432-1711221432EST.

BARDSTOWN

Samuels Field

FDC 7/9671 BRY ODP SAMUELS FIELD, BARDSTOWN, KY. TAKEOFF MINIMUMS AND (OBSTACLE) DEPARTURE PROCEDURES AMDT 1.NOTE: RWY 2, RD, FENCE, BEGINNING 3 FT FROM DER, 250 FT LEFT OF CENTERLINE, UP TO 674 FT MSL. TREES, BEGINNING 321 FT FROM DER, 394 FT LEFT OF CENTERLINE, UP TO 68 FT AGL/699 FT MSL. TREES, BEGINNING 361 FT FROM DER, 365 FT LEFT OF CENTERLINE, UP TO 63 FT AGL/706 FT MSL. TREES, BEGINNING 385 FT FROM DER, 367 FT LEFT OF CENTERLINE, UP TO 84 FT AGL/709 FT MSL. TREES, BEGINNING 387 FT FROM DER, 373 FT LEFT OF CENTERLINE, UP TO 86 FT AGL/718 FT MSL. TREE 437 FT FROM DER, 574 FT RIGHT OF CENTERLINE, 72 FT AGL/702 FT MSL. TREES, BEGINNING 446 FT FROM DER, 319 FT LEFT OF CENTERLINE, UP TO 86 FT AGL/728 FT MSL. TREES, BEGINNING 470 FT FROM DER, 429 FT RIGHT OF CENTERLINE, UP TO 85 FT AGL/711 FT MSL. TREES, BEGINNING 556 FT FROM DER, 417 FT RIGHT OF CENTERLINE, UP TO 84 FT AGL/713 FT MSL. TREES, BEGINNING 569 FT FROM DER, 365 FT RIGHT OF CENTERLINE, UP TO 103 FT AGL/720 FT MSL. TREES, BEGINNING 722 FT FROM DER, 417 FT RIGHT OF CENTERLINE, UP TO 94 FT AGL/724 FT MSL. TREES, BEGINNING 748 FT FROM DER, 405 FT RIGHT OF CENTERLINE, UP TO 95 FT AGL/729 FT MSL. TREE 2339 FT FROM DER, 372 FT LEFT OF CENTERLINE, 74 FT AGL/733 FT MSL. TREE 2359 FT FROM DER, 319 FT LEFT OF CENTERLINE, 78 FT AGL/737 FT MSL. TREES, BEGINNING 3126 FT FROM DER, 799 FT LEFT OF CENTERLINE, UP TO 92 FT AGL/752 FT MSL. TREES, BEGINNING 3372 FT FROM DER, 605 FT LEFT OF CENTERLINE, UP TO 100 FT AGL/758 FT MSL. NOTE: RWY 20, CATENARY 4 FT FROM DER, 421 FT LEFT OF CENTERLINE, 28 FT AGL/650 FT MSL. GRD 42 FT FROM DER, 228 FT RIGHT OF CENTERLINE, 639 FT MSL. FENCE 89 FT FROM DER, 247 FT RIGHT OF CENTERLINE, 6 FT AGL/642 FT MSL. FENCE 107 FT FROM DER, 246 FT RIGHT OF CENTERLINE, 8 FT AGL/643 FT MSL. CATENARY 121 FT FROM DER, 496 FT LEFT OF CENTERLINE, 35 FT AGL/657 FT MSL. T-L TWR 251 FT FROM DER, 250 FT LEFT OF CENTERLINE, 24 FT AGL/647 FT MSL. POLE 254 FT FROM DER, 251 FT LEFT OF CENTERLINE, 26 FT

FDC 7/9666 BRY IAP SAMUELS FIELD, BARDSTOWN, KY. VOR/DME-A, ORIG-A...NOTE: NIGHT LANDING: RWY 2 NA. NOTE: HELICOPTER VISIBILITY REDUCTION BELOW 1 SM NOT AUTHORIZED. 1704131322-1711231322EST.

BOWLING GREEN

Bowling Green-Warren County Rgnl

FDC 7/7536 BWG IAP BOWLING GREEN-WARREN COUNTY RGNL, BOWLING GREEN, KY. RNAV (GPS) RWY 21, AMDT 1A...LPV DA NA. LNAV/VNAV DA NA. 1702232220-1710052220EST.

FDC 7/6637 BWG ODP BOWLING GREEN-WARREN COUNTY RGNL, BOWLING GREEN, KY. TAKEOFF MINIMUMS AND (OBSTACLE) DEPARTURE PROCEDURES AMDT 2...NOTE: RWY 30, BUILDING BEGINNING 1221 FT FROM DER, 55 FT RIGHT OF CENTERLINE, UP TO 27 FT AGL/567 FT MSL (2013-ASO-10421/10422/10423/10424-OE). ALL OTHER DATA REMAINS AS PUBLISHED. 1701222121-1709032121EST.

FDC 6/5328 BWG IAP BOWLING GREEN-WARREN COUNTY RGNL, BOWLING GREEN, KY. ILS OR LOC RWY 3, AMDT 1A...ZELUL MINIMUMS: S-LOC 3 MDA 920/HAT 373 ALL CATS. 1612011648-1707131648EST.

COVINGTON

Cincinnati/Northern Kentucky Intl

FDC 7/9529 CVG SID CINCINNATI/NORTHERN KENTUCKY INTL, COVINGTON, KY. RHOMM THREE DEPARTURE...CHARLESTON TRANSITION: JODUB TO HVQ VORTAC COURSE 118.47 (HVQ R-298). ALL OTHER DATA REMAINS AS PUBLISHED. 1705031451-1712131451EST.

FDC 7/5415 CVG SID CINCINNATI/NORTHERN KENTUCKY INTL, COVINGTON, KY. BLUEGRASS TWO DEPARTURE...BOWLING GREEN TRANSITION NA EXCEPT FOR AIRCRAFT EQUIPPED WITH SUITABLE RNAV SYSTEM WITH GPS. ALL OTHER DATA REMAINS AS PUBLISHED. 1702162114-1709282114EST.

FDC 7/4234 CVG SID CINCINNATI/NORTHERN KENTUCKY INTL, COVINGTON, KY. ROCKT EIGHT DEPARTURE (RNAV)...DISREGARD NOTE: DEPARTURE PROCEDURE LIMITED TO AIRCRAFT WITH THE FOLLOWING DESTINATION AIRPORTS AND DEPARTURE TIMES: ANYTIME - ABE, AGC, ALB, AVP, BDL, BKL, BOS, BWI, CAK, CGF, CLE, LNN, LPR, MDT, MHT PHL, PNE PVD, PWM, SWF, TTN, UNV AND OVERSEAS FLIGHTS. LGA BETWEEN 1000-1800 UTC. 1701131752-1708251752EST.

DANVILLE

Stuart Powell Field

FDC 7/8927 DVK IAP STUART POWELL FIELD, DANVILLE, KY. LOC/DME RWY 30, AMDT 1C...NDB-A, AMDT 8...NOTE: NIGHT LANDING: RWY 1, 19 NA. 1703231338-1711021338EST.

FDC 7/8924 DVK IAP STUART POWELL FIELD, DANVILLE, KY. RNAV (GPS) RWY 30, ORIG...NOTE: NIGHT LANDING: RWY 1, 19 NA. DISREGARD NOTE: VISIBILITY REDUCTION BY HELICOPTERS NA. 1703231335-1711021335EST.

FDC 7/8918 DVK IAP STUART POWELL FIELD, DANVILLE, KY. RNAV (GPS) RWY 12, ORIG...NOTE: NIGHT LANDING: RWY 1, 19 NA. CHANGE HELICOPTER NOTE TO READ: HELICOPTER VISIBILITY REDUCTION BELOW 3/4 SM NOT AUTHORIZED. 1703231334-1711021334EST.

FDC 6/4042 DVK IAP STUART POWELL FIELD, DANVILLE, KY. LOC/DME RWY 30, AMDT 1C...MISSED APPROACH: CLIMB TO 2000 THEN CLIMBING LEFT TURN TO 3000 VIA HEADING 260 DEGREES AND IIR-131 TO DARBY/IIU 40 DME. 1612201903-1708011859EST.

ELIZABETHTOWN

Addington Field

FDC 7/4349 EKX IAP ADDINGTON FIELD, ELIZABETHTOWN, KY. LOC RWY 5, ORIG...RNAV (GPS) RWY 5, ORIG...DISREGARD PROFILE NOTE: VGSI AND RNAV GLIDEPATH NOT COINCIDENT (VGSI ANGLE 3.00/TCH 45. PROFILE NOTE: VGSI AND RNAV GLIDEPATH NOT COINCIDENT:(VGSI 3.50/TCH 54). 1701132211-1708252211EST.

GLASGOW

Glasgow Muni

FDC 7/8845 GLW IAP GLASGOW MUNI, GLASGOW, KY. RNAV (GPS) RWY 8, AMDT 2...CHANGE CHART NOTE: HELICOPTER VISIBILITY REDUCTION BELOW 3/4 SM NOT AUTHORIZED. 1701292124-1709102124EST.

FDC 7/7554 GLW IAP GLASGOW MUNI, GLASGOW, KY. RNAV (GPS) RWY 8, AMDT 2...CHART TDZE 709, DELETE THRE 704. LPV DA 971. LNAV/VNAV DA 1125. LNAV HAT 431 ALL CATS. CHART NOTE: RWY 8 HELICOPTER VISIBILITY REDUCTION BELOW 3/4 SM NOT AUTHORIZED. DELETE NOTE: VISIBILITY REDUCTION BY HELICOPTERS NA. THIS IS RNAV (GPS) RWY 8, AMDT 2A. 1701251446-PERM.

GREENVILLE

Muhlenberg County

FDC 7/9256 M21 IAP MUHLENBERG COUNTY, GREENVILLE, KY. RNAV (GPS) RWY 24, AMDT 1C...VDA NA. 1705031241-1712131241EST.

HAZARD

Wendell H Ford

FDC 7/1761 CPF IAP WENDELL H FORD, HAZARD, KY. RNAV (GPS) RWY 32, ORIG-B...DELETE: DESCENT ANGLE 3.00/40 PROFILE NOTE: VISUAL SEGMENT-OBSTACLES. DISREGARD NOTE: CIRCLING RWY 24 NA AT NIGHT. DISREGARD NOTE: WHEN VGSI INOP, STRAIGHT-IN/CIRCLING RWY 32 PROCEDURE NA AT NIGHT. NOTE: NIGHT LANDING: RWY 24, 32 NA. 1703282121-1711072121EST.

FDC 7/1758 CPF IAP WENDELL H FORD, HAZARD, KY. LOC/DME RWY 14, ORIG-B...RNAV (GPS) RWY 14, AMDT 1B...VOR/DME RWY 14, AMDT 1C...DISREGARD NOTE: CIRCLING TO RWY 24 NA AT NIGHT. DISREGARD NOTE: WHEN VGSI INOP, CIRCLING RWY 32 NA AT NIGHT. NOTE: NIGHT LANDING: RWY 24, 32 NA. 1703282119-1711072119EST.

HOPKINSVILLE

Hopkinsville-Christian County

FDC 7/3517 HVC IAP HOPKINSVILLE-CHRISTIAN COUNTY, HOPKINSVILLE, KY. RNAV (GPS) RWY 8, ORIG-A...PROCEDURE NA AT NIGHT. 1702111956-1709231956EST.

JACKSON

Julian Carroll

FDC 6/8471 JKL IAP JULIAN CARROLL, JACKSON, KY. VOR/DME RWY 1, AMDT 2A...DELETE DESCENT ANGLE 3.17/TCH 40. PROFILE NOTE: VISUAL SEGMENT - OBSTACLES. 1612072129-1707192129EST.

LEWISPORT

Hancock Co-Ron Lewis Field

FDC 7/9218 KY8 IAP HANCOCK CO-RON LEWIS FIELD, LEWISPORT, KY. RNAV (GPS) RWY 23, AMDT 1A...LPV DA NA. LNAV/VNAV DA NA. 1705031226-1712131226EST.

FDC 7/3920 KY8 IAP HANCOCK CO-RON LEWIS FIELD, LEWISPORT, KY. RNAV (GPS) RWY 5, AMDT 1A...DESCENT ANGLE 3.00/TCH 35 NA. 1703121816-1710221816EST.

LEXINGTON

Saint Joseph Hospital

FDC 7/2169 88KY SPECIAL SAINT JOSEPH HOSPITAL, LEXINGTON, KY. COPTER RNAV 004, ORIG...PROCEDURE NA. 1702072255-1709192255EST.

FDC 7/1775 88KY IAP SAINT JOSEPH HOSPITAL, LEXINGTON, KY. (SPECIAL) COPTER RNAV 184 DEPARTURE ORIG...PROCEDURE NA. 1704181327-1711281327EST.

Uk Hospital

FDC 7/0470 37KY IAP UK HOSPITAL, LEXINGTON, KY. (SPECIAL) COPTER RNAV 004 ORIG...(SPECIAL) COPTER RNAV 184 ORIG...PROCEDURE NA 1703021918-1710121918EST.

LOUISVILLE

Bowman Field

FDC 7/7619 LOU IAP BOWMAN FIELD, LOUISVILLE, KY. RNAV (GPS) RWY 33, ORIG-A...LP MDA 980/HAT 453. 1704101313-1711201313EST.

FDC 7/7607 LOU IAP BOWMAN FIELD, LOUISVILLE, KY. NDB RWY 33, AMDT 16A...RNAV (GPS) RWY 33, ORIG-A...NOTE: RWY 33 STRAIGHT-IN AND CIRCLING AND CIRCLING TO RWY 15 NA AT NIGHT. 1704101307-1711201307EST.

Louisville Intl-Standiford Field

FDC 7/3941 SDF IAP LOUISVILLE INTL-STANDIFORD FIELD, LOUISVILLE, KY. RNAV (RNP) Z RWY 17R, ORIG-B...RNP 0.30 DA 974/HAT 489, VIS RVR 6000 ALL CATS. 1703121849-1710221849EST.

FDC 7/0039 SDF ODP LOUISVILLE INTL-STANDIFORD FIELD, LOUISVILLE, KY. TAKEOFF MINIMUMS AND (OBSTACLE) DEPARTURE PROCEDURES AMDT 5...NOTE: RWY 35L, ROLLER COASTER 2946 FT FROM DER, 239 FT RIGHT OF CENTERLINE, 100 FT AGL/571 FT MSL. ALL OTHER DATA REMAINS AS PUBLISHED. 1703241936-1711031936EST.

FDC 6/4180 SDF STAR LOUISVILLE INTL STANDIFORD FIELD, LOUISVILLE, KY. DARBY FOUR ARRIVAL DME OR RNAV REQUIRED FOR LOZ AND UNCKL TRANSITIONS, BWG VORTAC 066 RADIAL UNUSABLE BELOW FL230 UFA. 1603101411-2003101400.

MAYFIELD

Mayfield Graves County

FDC 7/4431 M25 IAP MAYFIELD GRAVES COUNTY, MAYFIELD, KY. RNAV (GPS) Y RWY 1, AMDT 1...LP HAT 358 ALL CATS. LNAV HAT 378 ALL CATS. CHART TDZE 522, DELETE THRE 519. CHART NOTE: RWY 1, 19 HELICOPTER VISIBILITY REDUCTION BELOW 1 SM NOT AUTHORIZED. DELETE NOTE: HELICOPTER VISIBILITY REDUCTION BELOW 1 SM NA. THIS IS RNAV (GPS) Y RWY 1, AMDT 1A. 1703131821-PERM.

FDC 7/4430 M25 IAP MAYFIELD GRAVES COUNTY, MAYFIELD, KY. RNAV (GPS) RWY 19, AMDT 1...CHART TDZE 522, DELETE THRE 522. CHART NOTE: RWY 1, 19 HELICOPTER VISIBILITY REDUCTION BELOW 1 SM NOT AUTHORIZED. DELETE NOTE: HELICOPTER VISIBILITY REDUCTION BELOW 1 SM NOT AUTHORIZED. THIS IS RNAV (GPS) RWY 19, AMDT 1A. 1703131821-PERM.

FDC 7/4429 M25 IAP MAYFIELD GRAVES COUNTY, MAYFIELD, KY. RNAV (GPS) Z RWY 1, ORIG...LPV DA 820. LNAV/VNAV DA 932. CHART TDZE 522, DELETE THRE 519. CHART NOTE: RWY 1, 19 HELICOPTER VISIBILITY REDUCTION BELOW 1 SM NOT AUTHORIZED. DELETE NOTE: HELICOPTER VISIBILITY REDUCTION BELOW 1 SM NA. THIS IS RNAV (GPS) Z RWY 1, ORIG-A. 1703131821-PERM.

MIDDLESBORO

Arh

FDC 7/4734 65KY SPECIAL ARH, MIDDLESBORO, KY. COPTER RNAV (GPS) 075 DEPARTURE (PILOT NAV)...PROCEDURE NA. 1704241852-1712041852EST.

FDC 7/1796 65KY SPECIAL ARH, MIDDLESBORO, KY. COPTER RNAV (GPS) 255, AMDT 1...H-255 MDA 2000/HAS 701. 1701061634-1708181634EST.

Middlesboro-Bell County

FDC 6/8638 1A6 IAP MIDDLESBORO-BELL COUNTY, MIDDLESBORO, KY. TAKEOFF MINIMUMS AND OBSTACLE DEPARTURE PROCEDURES (ODP), ORIG...RWY 10, STANDARD WITH MINIMUM CLIMB OF 736 FEET PER NM TO 3500 NA. ALL OTHER DATA REMAINS AS PUBLISHED. 1612072234-1707192234EST.

MURRAY

Murray Calloway County Hospital

FDC 7/1181 7KY0 SPECIAL MURRAY CALLOWAY COUNTY HOSPITAL, MURRAY, KY. COPTER RNAV (GPS) 090, ORIG...NOTE: MURRAY CALLOWAY COUNTY HOSPITAL ER FREQ: 155.340. NOTE: FOR NIGHT OPERATIONS, CONTACT MURRAY CALLOWAY COUNTY HOSPITAL ER ON 155.340 OR AT 270-752-2155/2111 TO TURN ON PAD LIGHTS. DISREGARD NOTE: CHART MURRAY CALLOWAY COUNTY HOSPITAL ER FREQ: 155.140. DISREGARD NOTE: FOR NIGHT OPERATIONS, CONTACT MURRAY CALLOWAY COUNTY HOSPITAL ER ON 155.140 OR AT 270-725-1155/2111 TO TURN ON PAD LIGHTS. 1704171443-1711271443EST.

RUSSELLVILLE

Russellville-Logan County

FDC 7/6641 4M7 IAP RUSSELLVILLE-LOGAN COUNTY, RUSSELLVILLE, KY. RNAV (GPS) RWY 6, ORIG-A...PROCEDURE NA 1701222125-1709032125EST.

FDC 7/6579 4M7 IAP RUSSELLVILLE-LOGAN COUNTY, RUSSELLVILLE, KY. RNAV (GPS) RWY 6, ORIG-A...NOTE: VGSI AND RNAV GLIDEPATH NOT COINCIDENT (VGSI ANGLE 3.00/TCH 39) 1701222041-1709032041EST.

TOMPKINSVILLE

Tompkinsville-Monroe County

FDC 7/0141 TZV IAP TOMPKINSVILLE-MONROE COUNTY, TOMPKINSVILLE, KY. RNAV (GPS) RWY 22, AMDT 1B...LPV DA 1385 DA/HAT 349, VISIBILITY CATS A/B/C 1 1/4. LNAV/VNAV DA CATS A/B/C 1593/HAT 557, VISIBILITY CATS A-C 2. LNAV MDA CATS A/B/C 1620 /HAT 584, VISIBILITY CAT C 1 3/4. CIRCLING MDA CATS A/B/C 1680/HAA 644, VISIBILITY CAT C 1 3/4. TERMINAL ROUTE CENUD (IAF) TO CAVAS (IF) 4000 NOPT. MINIMUM ALTITUDE/HOLDING AT CAVAS (IF/IAF) 4000. MISSED APPROACH: CLIMB TO 4000 DIRECT UCASO AND HOLD. DISREGARD NOTE: BARO-VNAV NA WHEN USING GLASGOW ALTIMETER SETTING. DISREGARD FOR UNCOMPENSATED BARO-VNAV SYSTEMS, PROCEDURE NA NOTE. CHANGE ALTIMETER SETTING NOTE TO READ: USE GLASGOW ALTIMETER SETTING, WHEN NOT RECEIVED, PROCEDURE NA. NOTE: BARO-VNAV NA. CHANGE CIRCLING TO RWY 4 NA AT NIGHT NOTE TO READ: NIGHT LANDING: RWY 4 NA. DISREGARD AWOS-AV CHARTED AS 123.050. VDP NA. DESCENT ANGLE 3.00/TCH 30 NA. CHART GLASGOW AWOS. 1703250111-1711040111EST.

WHITESBURG

Appalachian Rgnl Hospital

FDC 6/4069 51KY SPECIAL APPALACHIAN RGNL HOSPITAL, WHITESBURG, KY. COPTER RNAV 312 DEPARTURE ORIG...PROCEDURE NA. 1611291844-1707111842EST.

WILLIAMSBURG

Williamsburg-Whitley County

FDC 7/2472 BYL ODP WILLIAMSBURG-WHITLEY COUNTY, WILLIAMSBURG, KY. TAKEOFF MINIMUMS AND (OBSTACLE) DEPARTURE PROCEDURES AMDT 1...TAKEOFF MINIMUMS: RWY 2, 300-1 1/4 OR STANDARD WITH MINIMUM CLIMB OF 267 FT PER NM TO 1500. ALL OTHER DATA REMAINS AS PUBLISHED. 1703291955-1711081955EST.

ABBEVILLE

Abbeville Chris Crusta Memorial

FDC 6/4166 IYA IAP ABBEVILLE CHRIS CRUSTA MEMORIAL, ABBEVILLE, LA. RNAV (GPS) RWY 34, AMDT 1A...LPV AND LNAV/VNAV NA. 1612202221-1708012221EST.

BATON ROUGE

Baton Rouge Metropolitan, Ryan Field

FDC 7/9347 BTR IAP BATON ROUGE METROPOLITAN, RYAN FIELD, BATON ROUGE, LA. VOR RWY 4L, AMDT 18A...DME REQUIRED EXCEPT FOR AIRCRAFT EQUIPPED WITH SUITABLE RNAV SYSTEM WITH GPS, RQR VOR/DME OUT OF SERVICE, RQR VOR/DME OUT OF SERVICE. 1705031346-1705101346EST.

FDC 7/8053 BTR ODP BATON ROUGE METROPOLITAN, RYAN FIELD, BATON ROUGE, LA. TAKEOFF MINIMUMS AND (OBSTACLE) DEPARTURE PROCEDURES AMDT 1B...TAKE-OFF MINIMUMS: RWY 4L, 22R NA-ENVIRONMENTAL. ALL OTHER DATA REMAINS AS PUBLISHED. 1704111234-1711211234EST.

FDC 6/5168 BTR IAP BATON ROUGE METROPOLITAN, RYAN FIELD, BATON ROUGE, LA. RADAR 1, AMDT 11...ASR RWY 13 MINIMUMS NA. 1612272212-1708082212EST.

BOGALUSA

George R Carr Memorial Air Fld

FDC 7/7312 BXA IAP GEORGE R CARR MEMORIAL AIR FLD, BOGALUSA, LA. VOR/DME-A, AMDT 4...PROCEDURE NA EXCEPT FOR AIRCRAFT EQUIPPED WITH SUITABLE RNAV SYSTEM WITH GPS. 1701242149-1709052148EST.

FDC 7/0251 BXA IAP GEORGE R CARR MEMORIAL AIR FLD, BOGALUSA, LA. RNAV (GPS) RWY 36, AMDT 1A...LNAV MDA 840/HAT 723 ALL CATS. CIRCLING MDA 840/HAA 721 ALL CATS.. 1703252335-1711042335EST.

BOOTHVILLE

Boothville

FDC 7/9745 LS08 SPECIAL BOOTHVILLE, BOOTHVILLE, LA. COPTER RNAV (GPS) 116, ORIG...H-116 MDA 560/HAS 540. ANTENNA 370FT MSL 3345FT SE OF AIRPORT. 1703241352-1711031352EST.

LOUISIANA

FDC 7/0090 LS08 SPECIAL BOOTHVILLE, BOOTHVILLE, LA. COPTER RNAV (GPS) 331, ORIG...H-331 MDA 500/HAS 480. ANTENNA 370FT MSL 3345FT SE OF AIRPORT. 1703242133-1711032133EST.

FDC 7/0088 LS08 SPECIAL BOOTHVILLE, BOOTHVILLE, LA. COPTER RNAV (GPS) 116, ORIG...COPTER RNAV (GPS) 331, ORIG...IFR DEPARTURE NA. 1703242130-1711032130EST.

CAMERON

Cage Dock

FDC 7/1171 LA78 SPECIAL CAGC DOCK, CAMERON, LA. COPTER GPS 357, ORIG...H-357 MDA 820/HAS 816. LAKE CHARLES ALTIMETER SETTING: MDA 860/HAS 856. 1704171421-1711271421EST.

Era Helicopters Cameron Base

FDC 7/6303 24LA SPECIAL ERA HELICOPTERS CAMERON BASE, CAMERON, LA. COPTER GPS 087, ORIG...COPTER GPS 182, ORIG...COPTER GPS 357, ORIG...PROCEDURE NA. 1703162055-1710262055EST.

Evergreen

FDC 7/4328 13LA SPECIAL EVERGREEN, CAMERON, LA. COPTER GPS 087, ORIG...COPTER GPS 182, ORIG...COPTER GPS 357, ORIG...COPTER RNAV (GPS) 177, AMDT 1...IFR DEPARTURE NA. 1701132158-1708252158EST.

FDC 7/1173 13LA SPECIAL EVERGREEN, CAMERON, LA. COPTER GPS 357, ORIG...H-357 MDA 820/HAS 816. LAKE CHARLES ALTIMETER SETTING: MDA 860/HAS 856. 1704171422-1711271422EST.

Mobil Cameron

FDC 7/1826 81LA SPECIAL MOBIL CAMERON, CAMERON, LA. COPTER GPS 087, ORIG...COPTER GPS 182, ORIG...COPTER RNAV (GPS) 177, AMDT 1...NOTE: IFR DEPARTURE NA. 1703282229-1711072229EST.

FDC 7/1824 81LA SPECIAL MOBIL CAMERON, CAMERON, LA. COPTER GPS 357, ORIG...H-357 MDA 820/HAS 816. LAKE CHARLES ALTIMETER SETTING: MDA 860/HAS 856. NOTE: IFR DEPARTURE NA. 1703282226-1711072226EST.

Petroleum Helicopters Cameron

FDC 7/1169 7LA5 SPECIAL PETROLEUM HELICOPTERS CAMERON, CAMERON, LA. COPTER GPS 357, ORIG...H-357 MDA 820/HAS 816. LAKE CHARLES ALTIMETER SETTING: MDA 860/HAS 856. 1704171419-1711271419EST.

DE RIDDER

Beauregard Rgnl

FDC 6/4164 DRI ODP BEAUREGARD RGNL, DE RIDDER, LA. TAKEOFF MINIMUMS AND (OBSTACLE) DEPARTURE PROCEDURES AMDT 4...TAKE-OFF MINIMUMS: RWY 32, 300-2 1/4 OR STANDARD WITH MINIMUM CLIMB OF 211 FT PER NM TO 600. NOTE: RWY 32, TOWER 1.8NM FROM DER, 1400 FEET RIGHT OF CENTERLINE, 275 FEET AGL/479 FEET MSL. ALL OTHER DATA REMAINS AS PUBLISHED. 1612202219-1708012219EST.

EUNICE

Eunice

FDC 7/7610 4R7 IAP EUNICE, EUNICE, LA. RNAV (GPS) RWY 34, ORIG...DESCENT ANGLE 3.00/TCH 45 NA. 1704101309-1711201309EST.

GALLIANO

South Lafourche Leonard Miller Jr

FDC 7/1245 GAO IAP SOUTH LAFOURCHE LEONARD MILLER JR, GALLIANO, LA. ILS OR LOC/DME RWY 36, AMDT 1A...PROCEDURE NA EXCEPT FOR AIRCRAFT EQUIPPED WITH SUITABLE RNAV SYSTEM WITH GPS, LEV VORTAC OUT OF SERVICE. 1704171511-1705171511EST.

GRAND ISLE

Era Helicopters Fourchon Helibase

FDC 7/4530 09LA SPECIAL ERA HELICOPTERS FOURCHON HELIBASE, GRAND ISLE, LA. COPTER VOR/DME 094, AMDT 2...COPTER VOR/DME 274, AMDT 3...IFR DEPARTURE NA. 1701142005-1708262005EST.

Exxon

FDC 7/2095 0LA7 SPECIAL EXXON, GRAND ISLE, LA. COPTER GPS 117, ORIG...COPTER GPS 297, ORIG...IFR DEPARTURE NA. 1702072140-1709192140EST.

INTRACOASTAL CITY

Bristow (Intracoastal City)

FDC 7/9099 LA09 IAP BRISTOW (INTRACOASTAL CITY), INTRACOASTAL CITY, LA. COPTER GPS 299, ORIG...COPTER GPS 119, ORIG...COPTER RNAV (GPS) 180, AMDT 1...COPTER RNAV (GPS) 274, AMDT 1...IFR DEPARTURE NA. 1703011314-1710111313EST.

Chevron Intracoastal

FDC 7/9658 1LA9 SPECIAL CHEVRON INTRACOASTAL, INTRACOASTAL CITY, LA. COPTER GPS 119, ORIG...PROCEDURE NA. 1704131314-1711231314EST.

FDC 7/9655 1LA9 SPECIAL CHEVRON INTRACOASTAL, INTRACOASTAL CITY, LA. COPTER GPS 299, ORIG...IFR DEPARTURE NA. 1704131311-1711231311EST.

Petroleum Helicopters-Intracoastal City

FDC 7/8882 7LS4 SPECIAL PETROLEUM HELICOPTERS-INTRACOASTAL CITY, INTRACOASTAL CITY, LA. COPTER GPS 299, ORIG...COPTER GPS 119, ORIG...IFR DEPARTURE NA. 1702281354-1710101354EST.

LAFAYETTE

Lafayette Rgnl/Paul Fournet Field

FDC 7/2387 LFT IAP LAFAYETTE RGNL/PAUL FOURNET FIELD, LAFAYETTE, LA. RNAV (GPS) RWY 4R, AMDT 1B...LPV DA 316/HAT277 ALL CATS, VISIBILITY ALL CATS 7/8. LNAV/VNAV DA 512/HAT 473 ALL CATS, VISIBILITY ALL CATS 1 5/8. 1701092037-1708212037EST.

FDC 7/2386 LFT IAP LAFAYETTE RGNL/PAUL FOURNET FIELD, LAFAYETTE, LA. ILS OR LOC/DME RWY 4R, AMDT 2C...S-ILS 4R DA 316/HAT 277 ALL CATS, VISIBILITY ALL CATS 7/8. CHANGE INOP NOTE TO READ: WHEN LOCAL ALTIMETER SETTING NOT RECEIVED, USE ACADIANA RGNL ALTIMETER SETTING AND INCREASE ALL DA 29 FEET, ALL MDA 40 FEET, AND INCREASE ALL VISIBILITIES 1/8 MILE. DISREGARD NOTE: INCREASE S-ILS 4R ALL CATS VISIBILITY 1/8 MILE. 1701092037-1708212037EST.

LAKE CHARLES

Chennault Intl

FDC 7/9632 CWF IAP CHENNAULT INTL, LAKE CHARLES, LA. ILS OR LOC RWY 15, AMDT 5A...PROCEDURE NA EXCEPT FOR AIRCRAFT EQUIPPED WITH SUITABLE RNAV SYSTEM WITH GPS, LCH VOR OUT OF SERVICE. 1705031659-1706031659EST.

Lake Charles Rgnl

FDC 7/9631 LCH IAP LAKE CHARLES RGNL, LAKE CHARLES, LA. ILS OR LOC RWY 15, AMDT 22...LOC BC RWY 33, AMDT 20...PROCEDURE NA EXCEPT FOR AIRCRAFT EQUIPPED WITH SUITABLE RNAV SYSTEM WITH GPS, LCH VOR OUT OF SERVICE. 1705031659-1706031659EST.

FDC 7/7471 LCH IAP LAKE CHARLES RGNL, LAKE CHARLES, LA. ILS OR LOC RWY 15, AMDT 22...NOTE: FOR INOPERATIVE ALS, INCREASE S-LOC 15 CATS C AND D VISIBILITY TO 1 3/8 MILE AND INCREASE LYNCH FIX MINIMUMS S-LOC 15 CAT C AND D VISIBILITY TO RVR 5000. DISREGARD NOTE: **RVR 1800 AUTHORIZED WITH USE OF FD OR AP OR HUD TO DA. DISREGARD NOTE: FOR INOP MALSR, INCREASE S-LOC 15 CATS C AND D VISIBILITY TO 1 3/8 MILE. 1702232055-1710052055EST.

FDC 7/3944 LCH CHART LAKE CHARLES RGNL, LAKE CHARLES, LA. VOR/DME-B, AMDT 8...CORRECT PLANVIEW: ADD TEXT NEMBE LCH 6.5 DME AND LEADER LINE TO TIP OF LAST ARROW ON FINAL APPROACH COURSE TO INDICATE MISSED APPROACH POINT. 1704211741-PERM.

LEEVILLE

Chevron Usa Inc

FDC 7/9664 4LA4 SPECIAL CHEVRON USA INC, LEEVILLE, LA. COPTER VOR/DME 094, AMDT 2...COPTER VOR/DME 274, AMDT 3...IFR DEPARTURE NA. 1704131320-1711231320EST.

FDC 7/9660 4LA4 SPECIAL CHEVRON USA INC, LEEVILLE, LA. COPTER GPS 359, ORIG...PROCEDURE NA. 1704131318-1711231317EST.

FDC 7/0977 9LA3 SPECIAL , LEEVILLE, LA. COPTER RNAV (GPS) 180, AMDT 1...COPTER RNAV (GPS) 274, AMDT 1...PROCEDURE NA. IFR DEPARTURE NA. 1704171218-1711271218EST.

MANY

Hart

FDC 7/2838 3R4 IAP HART, MANY, LA. RNAV (GPS) RWY 30, ORIG...NOTE: RWY 30: HELICOPTER VISIBILITY REDUCTION BELOW 3/4 SM NOT AUTHORIZED. DISREGARD NOTE: PROCEDURE NA AT NIGHT. DISREGARD NOTE: VISIBILITY REDUCTION BY HELICOPTERS NA. 1704192055-1711292055EST.

FDC 7/2837 3R4 IAP HART, MANY, LA. RNAV (GPS) RWY 12, ORIG...NOTE: RWY 12: HELICOPTER VISIBILITY REDUCTION BELOW 3/4 SM NOT AUTHORIZED. DISREGARD NOTE: PROCEDURE NA AT NIGHT. DISREGARD NOTE: VISIBILITY REDUCTION BY HELICOPTERS NA. 1704192055-1711292055EST.

MINDEN

Minden

FDC 7/6317 MNE IAP MINDEN, MINDEN, LA. RNAV (GPS) RWY 19, ORIG-A...DESCENT ANGLE 3.00/TCH 40 NA. 1703162119-1710262118EST.

MONROE

Monroe Rgnl

FDC 7/0407 MLU IAP MONROE RGNL, MONROE, LA. VOR RWY 22, AMDT 5A...VOR/DME RWY 22, AMDT 9A...DISREGARD NOTE: VISIBILITY REDUCTION BY HELICOPTERS NA. NOTE: NIGHT LANDING: RWY 14 NA. NOTE: HELICOPTER VISIBILITY REDUCTION BELOW 3/4 SM NOT AUTHORIZED. 1703021834-1710121834EST.

FDC 7/0008 MLU IAP MONROE RGNL, MONROE, LA. VOR/DME RWY 32, AMDT 4A...VOR/DME RWY 4, AMDT 3A...NOTE: NIGHT LANDING: RWY 14 NA. DISREGARD NOTE: CIRCLING TO RWY 14 NA AT NIGHT. 1703021312-1710121311EST.

FDC 7/0005 MLU IAP MONROE RGNL, MONROE, LA. ILS OR LOC RWY 22, AMDT 4A...ILS OR LOC RWY 4, AMDT 23A...RADAR 1, AMDT 7...RNAV (GPS) RWY 22, AMDT 1A...RNAV (GPS) RWY 32, ORIG-B...RNAV (GPS) RWY 4, AMDT 1A...VOR RWY 4, AMDT 18A...NOTE: NIGHT LANDING: RWY 14 NA. 1703021308-1710121308EST.

MORGAN CITY

Mobil

FDC 7/1748 5LA2 SPECIAL MOBIL, MORGAN CITY, LA. COPTER RNAV (GPS) 092, ORIG...H-092 MDA 740/HAT 733. VISIBILITY 1. HARRY P. WILLIAMS MEMORIAL ALTIMETER SETTING MINIMUMS: H-92 MDA 780/HAT 773, VISIBILITY 1. 1704181302-1711281302EST.

Texaco

FDC 7/6301 9LA4 SPECIAL TEXACO, MORGAN CITY, LA. COPTER GPS 016, ORIG...COPTER GPS 196, ORIG...COPTER GPS 285, ORIG...COPTER RNAV (GPS) 092, ORIG...PROCEDURE NA. 1703162051-1710262051EST.

NATCHITOCHES

Natchitoches Rgnl

FDC 7/3060 IER IAP NATCHITOCHES RGNL, NATCHITOCHES, LA. RNAV (GPS) RWY 35, AMDT 1A...LNAV CATS A/B/C MDA 600/HAT 479, VISIBILITY CAT C 1 1/4. 1704201333-1711301333EST.

NEW ORLEANS

Lakefront

FDC 7/9355 NEW IAP LAKEFRONT, NEW ORLEANS, LA. ILS OR LOC RWY 18R, AMDT 1...VOR/DME RWY 36L, AMDT 9...PROCEDURE NA EXCEPT FOR AIRCRAFT EQUIPPED WITH SUITABLE RNAV SYSTEM WITH GPS, RQR VOR/DME OUT OF SERVICE. 1705031348-1705101348EST.

FDC 7/2364 NEW IAP LAKEFRONT, NEW ORLEANS, LA. ILS OR LOC RWY 18R, AMDT 1...VOR/DME RWY 36L, AMDT 9...CIRCLING CATS A/B/C MDA 560/HAA 552. CRANE, 208 MSL, 4314 FT SW OF KNEW (2016-ASW-11660-OE). 1704191236-1707011236EST.

Louis Armstrong New Orleans Intl

FDC 7/9349 MSY IAP LOUIS ARMSTRONG NEW ORLEANS INTL, NEW ORLEANS, LA. ILS OR LOC RWY 2, AMDT 18...MISSED APPROACH: CLIMB TO 1500, THEN CLIMBING RIGHT TURN TO 3000 ON HEADING 030 AND HRV R-339 TO WAVEZ/HRV 29.19 DME AND HOLD. (DME REQUIRED), RQR VOR/DME OUT OF SERVICE. 1705031346-1705101346EST.

FDC 7/9348 MSY IAP LOUIS ARMSTRONG NEW ORLEANS INTL, NEW ORLEANS, LA. LOC RWY 20, AMDT 3...MISSED APPROACH: CLIMB TO 2000 THEN CLIMBING LEFT TURN TO 2100 ON HEADING 074 AND HRV VORTAC R-016 TO SNAKI/HRV 18.88 DME AND HOLD (DME REQUIRED), RQR VOR/DME OUT OF SERVICE. 1705031346-1705101346EST.

FDC 7/9346 MSY IAP LOUIS ARMSTRONG NEW ORLEANS INTL, NEW ORLEANS, LA. ILS OR LOC RWY 29, AMDT 10...PROCEDURE NA EXCEPT FOR AIRCRAFT EQUIPPED WITH SUITABLE RNAV SYSTEM WITH GPS, RQR VOR/DME OUT OF SERVICE. 1705031346-1705101346EST.

FDC 7/8109 MSY IAP LOUIS ARMSTRONG NEW ORLEANS INTL, NEW ORLEANS, LA. ILS OR LOC RWY 2, AMDT 18...TERMINAL ROUTE OLEDD TO ROYUL: RADAR REQUIRED FOR PROCEDURE ENTRY EXCEPT FOR AIRCRAFT EQUIPPED WITH SUITABLE RNAV SYSTEM WITH GPS.. 1704111246-1711211245EST.

FDC 7/8054 MSY IAP LOUIS ARMSTRONG NEW ORLEANS INTL, NEW ORLEANS, LA. ILS RWY 11 (CAT II AND III), AMDT 3A...PROCEDURE NA. MULTIPLE CRANES, BEGINNING 1529 FEET NW OF APPROACH END RWY 29, 166 MSL, 2015-ASW-3598, 3605-NRA 1705011431-1906201431EST.

FDC 7/8051 MSY IAP LOUIS ARMSTRONG NEW ORLEANS INTL, NEW ORLEANS, LA. ILS RWY 11 (SA CAT I), AMDT 3A...PROCEDURE NA. MULTIPLE CRANES, BEGINNING 1529 FEET NW OF APPROACH END RWY 29, 166 MSL, 2015-ASW-3598, 3605-NRA 1705011431-1906201431EST.

FDC 7/8001 MSY IAP LOUIS ARMSTRONG NEW ORLEANS INTL, NEW ORLEANS, LA. ILS OR LOC RWY 29, AMDT 10...S-ILS 29 DA 296/HAT 294 ALL CATS. KENLE FIX MINIMUMS NA MULTIPLE CRANES, BEGINNING 1529 FEET NW OF APPROACH END RWY 29, 166 MSL, 2015-ASW-3598, 3605-NRA. 1705011412-1906201412EST.

FDC 7/4767 MSY IAP LOUIS ARMSTRONG NEW ORLEANS INTL, NEW ORLEANS, LA. LOC RWY 20, AMDT 3...SHORE FIX MINIMUMS S-20 MDA 500/HAT 501 ALL CATS. VIS CATS C/D 1 1/4. CIRCLING CAT B MDA 560/HAA 556. VDP AT 1.23 DME; DISTANCE VDP TO THLD 1.40 MILES. S-20 CRANES, UP TO 207 MSL, 3739 FT SW OF APPROACH END RWY 20, 2016-ASW-1437 THRU 1440-NRA, CIRCLING CAT B CRANES, UP TO 244 MSL, 1.91 NM SOUTH OF MSY, 2015-ASW-4345-OE AND 2014-ASW-8618-OE. 1701171323-1707171323EST.

FDC 7/3995 MSY IAP LOUIS ARMSTRONG NEW ORLEANS INTL, NEW ORLEANS, LA. VOR/DME RWY 11, AMDT 1A...TERMINAL ROUTE TBD VORDME TO HIVAP INT: NA EXCEPT FOR AIRCRAFT EQUIPPED WITH SUITABLE RNAV SYSTEM WITH GPS. 1701122310-1708242310EST.

FDC 7/3493 MSY IAP LOUIS ARMSTRONG NEW ORLEANS INTL, NEW ORLEANS, LA. RNAV (RNP) Z RWY 11, AMDT 1A...RNP 0.14 DA 351/HAT 347 ALL CATS. VIS RVR 3000 ALL CATS. RNP 0.30 DA 390/HAT 386 ALL CATS. FOR INOPERATIVE ALSF-2, INCREASE RNP 0.30 ALL CATS VISIBILITY TO 1 1/4 MILES. EXCEPT WHEN ADVISED BY ATCT THAT THIS CRANE IS DOWN. 2 TEMPORARY CRANES, 1421 FT NE OF APPROACH END RWY 11, 178 MSL, 2015-ASW-6333, 6334-NRA. 1703101825-1707251825EST.

FDC 7/3492 MSY IAP LOUIS ARMSTRONG NEW ORLEANS INTL, NEW ORLEANS, LA. RNAV (GPS) Y RWY 11, AMDT 2A...LPV DA 301/HAT 297 ALL CATS. LNAV/VNAV DA 389/HAT 385 ALL CATS. VIS RVR 4000 ALL CATS. LNAV MDA 500/HAT 496 ALL CATS. VIS CAT C/D RVR 5000. FOR INOPERATIVE ALSF-2, INCREASE LNAV/VNAV ALL CATS VISIBILITY TO 1 1/4 MILES. DISREGARD WEKTA FIX. EXCEPT WHEN ADVISED BY ATCT THAT THIS CRANE IS DOWN. 2 TEMPORARY CRANES, 1421 FT NE OF APPROACH END RWY 11, 178 MSL, 2015-ASW-6333, 6334-NRA. 1703101825-1707251825EST.

FDC 7/3491 MSY IAP LOUIS ARMSTRONG NEW ORLEANS INTL, NEW ORLEANS, LA. ILS OR LOC RWY 11, AMDT 3A...S-ILS 11 DA 291/HAT 287 ALL CATS. WENUP FIX MINIMUMS NA EXCEPT WHEN ADVISED BY ATCT THAT THIS CRANE IS DOWN. 2 TEMPORARY CRANES, 1421 FT NE OF APPROACH END RWY 11, 178 MSL, 2015-ASW-6333, 6334-NRA. 1703101825-1707251825EST.

FDC 7/1244 MSY IAP LOUIS ARMSTRONG NEW ORLEANS INTL, NEW ORLEANS, LA. ILS OR LOC RWY 11, AMDT 3A...ILS RWY 11 (SA CAT I), AMDT 3A...ILS RWY 11 (CAT II AND III), AMDT 3A...PROCEDURE NA EXCEPT FOR AIRCRAFT EQUIPPED WITH SUITABLE RNAV SYSTEM WITH GPS, LEV VORTAC OUT OF SERVICE. 1704171511-1705171511EST.

FDC 7/1243 MSY IAP LOUIS ARMSTRONG NEW ORLEANS INTL, NEW ORLEANS, LA. VOR/DME RWY 11, AMDT 1A...PROCEDURE NA EXCEPT FOR AIRCRAFT EQUIPPED WITH SUITABLE RNAV SYSTEM WITH GPS, LEV VORTAC OUT OF SERVICE. 1704171511-1705171511EST.

OPELOUSAS

St Landry Parish-Ahart Field

FDC 7/9597 OPL IAP ST LANDRY PARISH-AHART FIELD, OPELOUSAS, LA. VOR/DME RWY 36, AMDT 1...NOTE: NIGHT LANDING: RWY 6, 24 NA. 1704131230-1711231230EST.

FDC 6/4128 OPL IAP ST LANDRY PARISH-AHART FIELD, OPELOUSAS, LA. VOR/DME RWY 36, AMDT 1...PROCEDURE NA. 1612202139-1708012139EST.

PATTERSON

Harry P Williams Memorial

FDC 6/1424 PTN ODP HARRY P WILLIAMS MEMORIAL, PATTERSON, LA. TAKEOFF MINIMUMS AND (OBSTACLE) DEPARTURE PROCEDURES AMDT 1A...CHANGE RWY 6 TAKEOFF OBSTACLE NOTES TO RWY 24 OBSTACLES. CHANGE RWY 24 TAKEOFF OBSTACLE NOTES TO RWY 6 OBSTACLES. 1611201949-1707021949EST.

RUSTON

Ruston Rgnl

FDC 7/6747 RSN IAP RUSTON RGNL, RUSTON, LA. RNAV (GPS) RWY 36, ORIG-A...NOTE: RWY 36 HELICOPTER VISIBILITY REDUCTION BELOW 3/4 SM NOT AUTHORIZED. DISREGARD NOTE: WHEN VGSI INOP, STRAIGHT-IN AND CIRCLING TO RWY 36 NA AT NIGHT. DISREGARD NOTE: VISIBILITY REDUCTION BY HELICOPTERS NA. 1703172030-1710272030EST.

FDC 7/6746 RSN IAP RUSTON RGNL, RUSTON, LA. RNAV (GPS) RWY 18, ORIG-A...NOTE: RWY 18 HELICOPTER VISIBILITY REDUCTION BELOW 3/4 SM NOT AUTHORIZED. DISREGARD NOTE: WHEN VGSI INOP CIRCLING TO RWY 36 NA AT NIGHT. DISREGARD NOTE: VISIBILITY REDUCTION BY HELICOPTERS NA. 1703172030-1710272030EST.

SHREVEPORT

Shreveport Downtown

FDC 7/2371 DTN IAP SHREVEPORT DOWNTOWN, SHREVEPORT, LA. LOC RWY 14, AMDT 5...RNAV (GPS) RWY 14, AMDT 1...CIRCLING CATS A/B MDA 980/HAA 801. CRANE, 626 MSL, 1.55 NM SOUTH OF KNEW (2017-ASW-4124-OE). 1704191238-1707141238EST.

FDC 7/2370 DTN IAP SHREVEPORT DOWNTOWN, SHREVEPORT, LA. RNAV (GPS) RWY 14, AMDT 1...LNAV/VNAV DA 531/HAT 352 ALL CATS. VIS 1 1/4 ALL CATS. CRANE, 626 MSL, 1.96 NM SOUTH OF APPROACH END RWY 14 (2017-ASW-4124-OE). 1704191238-1707141238EST.

FDC 7/2369 DTN ODP SHREVEPORT DOWNTOWN, SHREVEPORT, LA. TAKEOFF MINIMUMS AND (OBSTACLE) DEPARTURE PROCEDURES AMDT 3B...TAKE-OFF MINIMUMS RWY 14, STANDARD . TEXTUAL DEPARTURE PROCEDURE: RWY 14, CLIMB HEADING 139 TO 800 BEFORE TURNING RIGHT (2017-ASW-4124-OE). ALL OTHER DATA REMAINS AS PUBLISHED. 1704191238-1707141238EST.

SLIDELL

Slidell

FDC 6/1474 ASD IAP SLIDELL, SLIDELL, LA. RNAV (GPS) RWY 36, ORIG-C...WHEN R-4403 AREAS B AND C ARE ACTIVE, TERMINAL ROUTE PCU VOR/DME TO DUFOS NA. 1611202017-1707022017EST.

SPRINGHILL

Springhill

FDC 7/9791 SPH IAP SPRINGHILL, SPRINGHILL, LA. RNAV (GPS) RWY 36, ORIG-A...LPV DA NA. LNAV/VNAV DA NA. 1703241424-1711031424EST.

SULPHUR

Southland Field

FDC 7/9633 UXL IAP SOUTHLAND FIELD, SULPHUR, LA. LOC RWY 15, AMDT 2...PROCEDURE NA EXCEPT FOR AIRCRAFT EQUIPPED WITH SUITABLE RNAV SYSTEM WITH GPS, LCH VOR OUT OF SERVICE. 1705031659-1706031659EST.

VENICE

Air Logistics (Venice) N

FDC 7/8878 45LA SPECIAL AIR LOGISTICS (VENICE) N, VENICE, LA. COPTER GPS 326, ORIG...COPTER GPS 146, ORIG...IFR DEPARTURE NA. 1702281352-1710101352EST.

Chevron Usa Inc

FDC 7/9087 8LA1 IAP CHEVRON USA INC, VENICE, LA. COPTER GPS 146, ORIG...COPTER GPS 326, ORIG...IFR DEPARTURE NA. 1703011304-1710111304EST.

Conoco Inc Venice

FDC 7/8886 8LA4 SPECIAL CONOCO INC VENICE, VENICE, LA. COPTER GPS 146, ORIG...IFR DEPARTURE NA. 1702281356-1710101356EST.

Era Helicopters Venice Base

FDC 7/8890 LS52 SPECIAL ERA HELICOPTERS VENICE BASE, VENICE, LA. COPTER GPS 326, ORIG...COPTER GPS 146, ORIG...IFR DEPARTURE NA. 1702281357-1710101357EST.

Phi Venice Heliport

FDC 7/8736 7LS1 SPECIAL PHI VENICE HELIPORT, VENICE, LA. COPTER GPS 326, ORIG...COPTER GPS 146, ORIG...IFR DEPARTURE NA. 1704121159-1711221159EST.

MAINE

AUBURN/LEWISTON

Auburn/Lewiston Muni

FDC 7/9675 LEW IAP AUBURN/LEWISTON MUNI, AUBURN/LEWISTON, ME. VOR/DME-A, AMDT 1A...PROCEDURE NA. 1703011936-1710111936EST.

FDC 7/1110 LEW ODP AUBURN/LEWISTON MUNI, AUBURN/LEWISTON, ME. TAKEOFF MINIMUMS AND (OBSTACLE) DEPARTURE PROCEDURES AMDT 5...TAKE-OFF MINIMUMS: RWY 22, STANDARD WITH MINIMUM CLIMB OF 312 FEET PER NM TO 1500, OR 1200-2 1/2 FOR CLIMB IN VISUAL CONDITIONS. DEPARTURE PROCEDURE: RWY 22, CLIMB TO 1500 DIRECT LE LOM. CROSS LE LOM AT 1500 OR ABOVE BEFORE TURNING SOUTHWEST. OBTAIN ATC APPROVAL FOR CLIMB IN VISUAL CONDITIONS WHEN REQUESTING IFR CLEARANCE. FOR CLIMB IN VISUAL CONDITIONS CROSS AUBURN/LEWISTON MUNI AT OR ABOVE 1500. ALL OTHER DATA REMAINS AS PUBLISHED. 1703061948-1710161948EST.

AUGUSTA

Augusta State

FDC 7/9881 AUG IAP AUGUSTA STATE, AUGUSTA, ME. RNAV (GPS) RWY 35, ORIG-A...CHANGE NOTE TO READ: IF LOCAL ALTIMETER SETTING NOT RECEIVED, USE AUBURN-LEWISTON ALTIMETER SETTING AND INCREASE ALL DAS 71 FT AND ALL MDAS 80 FT, AND INCREASE LPV AND LNAV/VNAV ALL CATS, AND LNAV CATS C AND D, AND CIRCLING CAT C AND D VISIBILITY 1/4 MILE. NOTES: NIGHT LANDING: RWY 26, 35 NA. HELICOPTER VISIBILITY REDUCTION BELOW 1 SM NA. 1703241554-1711031554EST.

FDC 7/6356 AUG IAP AUGUSTA STATE, AUGUSTA, ME. RNAV (GPS) RWY 8, AMDT 1...DESCENT ANGLE 3.00/TCH 40 NA. 1703162222-1710262222EST.

FDC 7/3799 AUG IAP AUGUSTA STATE, AUGUSTA, ME. ILS OR LOC RWY 17, AMDT 3...CHART TDZE 348, DELETE THRE 311. S-ILS 17 DA 548. S-LOC 17 HAT 552 ALL CATS. SHAW FIX MINIMUMS%: S-LOC 17 HAT 272 ALL CATS. CHART NOTE: RWY 8, 26 HELICOPTER VISIBILITY BELOW 1 SM NOT AUTHORIZED. THIS IS ILS OR LOC RWY 17, AMDT 3A. 1703121445-PERM.

FDC 7/3798 AUG IAP AUGUSTA STATE, AUGUSTA, ME. RNAV (GPS) RWY 17, ORIG...CHART TDZE 348, DELETE THRE 311. LPV DA 548. LNAV/VNAV DA 675. LNAV HAT 292 ALL CATS. CHART NOTE: RWY 8, 26 HELICOPTER VISIBILITY BELOW 1 SM NOT AUTHORIZED. CHART NOTE: CIRCLING RWY 8, 26 NA AT NIGHT. DELETE NOTE: CIRCLING TO RWY 8 AND 26 NA AT NIGHT. CHART PROFILE NOTE: VGSI AND RNAV GLIDEPATH NOT COINCIDENT (VGSI ANGLE {3.00}/TCH {53}). THIS IS RNAV (GPS) RWY 17, ORIG-A. 1703121445-PERM.

FDC 7/3797 AUG IAP AUGUSTA STATE, AUGUSTA, ME. VOR RWY 35, AMDT 6...CHART TDZE 350, DELETE THRE 347. S-35 HAT 750 ALL CATS. DACCI FIX MINIMUMS: S-35 HAT 490 ALL CATS. CHART NOTE: RWY 8, 26 HELICOPTER VISIBILITY BELOW 1 SM NOT AUTHORIZED. CHART NOTE: CIRCLING RWY 8, 26 NA AT NIGHT. DELETE NOTE: CIRCLING TO RWY 8 AND 26 NA AT NIGHT. THIS IS VOR RWY 35, AMDT 6A. 1703121445-PERM.

FDC 7/0035 AUG IAP AUGUSTA STATE, AUGUSTA, ME. RNAV (GPS)-B, ORIG-B...CHANGE ALTIMETER SETTING NOTE TO READ: WHEN LOCAL ALTIMETER SETTING NOT RECEIVED, USE AUBURN-LEWISTON ALTIMETER SETTING AND INCREASE ALL MDAS 80FT, AND INCREASE CIRCLING CAT C AND D VISIBILITY 1/4 MILE. NOTE: NIGHT LANDING: RWY 26 NA. NOTE: HELICOPTER VISIBILITY REDUCTION BELOW 1 SM NOT AUTHORIZED. 1703241932-1711031932EST.

BANGOR

Bangor Intl

FDC 7/7646 BGR IAP BANGOR INTL, BANGOR, ME. ILS OR LOC RWY 33, AMDT 13...ILS Y OR LOC Y RWY 15, AMDT 7...VOR-A, AMDT 3...ILS RWY 15 (CAT II AND III), AMDT 7...ILS RWY 33 (SA CAT I AND II), AMDT 13...ALTERNATE MINIMUMS NA, BGR VORTAC UNMONITORED. 1704300933-1705300933EST.

Eastern Maine Medical Center

FDC 7/4635 ME02 SPECIAL EASTERN MAINE MEDICAL CENTER, BANGOR, ME. COPTER RNAV (GPS) 151 DEPARTURE (PILOT NAV), ORIG...PROCEDURE NA 1704241740-1712041740EST.

FDC 6/1118 ME02 SPECIAL EASTERN MAINE MEDICAL CENTER, BANGOR, ME. COPTER RNAV (GPS) 331, ORIG...PROCEED VFR FROM ZOGLI OR CONDUCT THE SPECIFIED MISSED APPROACH. 1612131800-1707251800.

BAR HARBOR

Bar Harbor Heliport

FDC 7/4637 22ME SPECIAL BAR HARBOR HELIPORT, BAR HARBOR, ME. COPTER RNAV (GPS) 022 DEPARTURE (PILOT NAV), ORIG...PROCEDURE NA 1704241742-1712041742EST.

Hancock County-Bar Harbor

FDC 7/8148 BHB IAP HANCOCK COUNTY-BAR HARBOR, BAR HARBOR, ME. ILS OR LOC RWY 22, AMDT 6B...NOTE: DME OR RADAR REQUIRED. CHANGE DME REQUIRED PLANVIEW NOTE TO READ: DME OR RADAR REQUIRED. DISREGARD BGR VORTAC R-144 AT CDLAC INT/I-BHB 7.1 DME. CHANGE CDLAC INT/I-BHB 7.1 DME TO READ: CDLAC/I-BHB 7.1 DME. 1704111322-1711211322EST.

FDC 7/7648 BHB IAP HANCOCK COUNTY-BAR HARBOR, BAR HARBOR, ME. ILS OR LOC RWY 22, AMDT 6B...ALTERNATE MINIMUMS NA, BGR VORTAC UNMONITORED. 1704300933-1705300933EST.

BETHEL

Bethel Rgnl

FDC 7/4633 0B1 SPECIAL BETHEL RGNL, BETHEL, ME. COPTER RNAV (GPS) 137 DEPARTURE (PILOT NAV), ORIG...PROCEDURE NA 1704241738-1712041738EST.

BIDDEFORD

Biddeford Muni

FDC 7/2503 B19 IAP BIDDEFORD MUNI, BIDDEFORD, ME. RNAV (GPS) RWY 6, ORIG...VOR RWY 6, ORIG-A...PROCEDURE NA AT NIGHT. NOTE: HELICOPTER VISIBILITY REDUCTION BELOW 1 SM NOT AUTHORIZED. 1703292005-1711082005EST.

BLUE HILL

Blue Hill Memorial Hospital

FDC 7/9624 ME15 SPECIAL BLUE HILL MEMORIAL HOSPITAL, BLUE HILL, ME. COPTER RNAV (GPS) 352, ORIG...PROCEDURE NA. 1704131251-1711231251EST.

FDC 7/4693 ME15 SPECIAL BLUE HILL MEMORIAL HOSPITAL, BLUE HILL, ME. COPTER RNAV (GPS) 172 DEPARTURE (PILOT NAV), ORIG...PROCEDURE NA 1704241816-1712041816EST.

BOOTHBAY

St Andrews Hospital Heliport

FDC 7/9963 ME97 IAP ST ANDREWS HOSPITAL HELIPORT, BOOTHBAY, ME. COPTER RNAV (GPS) 320, ORIG...PROCEDURE NA. 1704131713-1711231713EST.

FDC 7/9006 ME97 IAP ST ANDREWS HOSPITAL HELIPORT, BOOTHBAY, ME. COPTER RNAV (GPS) 320, ORIG...PROCEDURE NA. 1704121430-1711221430EST.

FDC 6/9849 ME97 IAP ST ANDREWS HOSPITAL HELIPORT, BOOTHBAY, ME. COPTER RNAV (GPS) 320, ORIG...PROCEDURE NA. 1610311914-1706121914EST.

BRUNSWICK

Brunswick Executive

FDC 7/1088 BXM IAP BRUNSWICK EXECUTIVE, BRUNSWICK, ME. RNAV (GPS) RWY 19L, AMDT 1A...LNAV / VNAV DA 359 / HAT 285, VIS 7/8 SM ALL CATS. LNAV MDA 560 / HAT 386 ALL CATS, VIS CATS A/B 1, CATS C/D 1 1/8. DISREGARD NOTE: WHEN VGSI INOP, CIRCLING RWY 1L NA AT NIGHT. DISREGARD NOTE: WHEN LOCAL ALTIMETER SETTING NOT RECEIVED, USE PORTLAND ALTIMETER SETTING AND INCREASE ALL DA 51 FEET AND ALL MDA 60 FEET AND INCREASE LNAV CATS C AND D VISIBILITY 1/8 MILE. DISREGARD NOTE: FOR INOP ALSF-1, INCREASE LNAV/VNAV ALL CATS VISIBILITY TO 7/8, LNAV CATS A AND B VISIBILITY TO 1 AND LNAV CATS C AND D VISIBILITY TO 1 1/8. DISREGARD NOTE: FOR INOP ALSF-1 WHEN USING PORTLAND ALTIMETER SETTING INCREASE LNAV/VNAV ALL CATS VISIBILITY TO 1 1/8 AND LNAV CATS A AND B VISIBILITY TO 1. NOTE: WHEN LOCAL ALTIMETER SETTING NOT RECEIVED, USE PORTLAND ALTIMETER SETTING AND INCREASE ALL DA 51 FEET AND ALL MDA 60 FEET AND INCREASE LPV ALL CATS VISIBILITY TO 1 MILE, LNAV/VNAV ALL CATS VISIBILITY TO 1 1/8 MILE AND LNAV CATS A/B VISIBILITY TO 1 MILE, CATS C/D VISIBILITY TO 1 3/8 MILE. 1704171345-1711271345EST.

CARRABASSETT

Sugarloaf Rgnl

FDC 7/4704 B21 SPECIAL SUGARLOAF RGNL, CARRABASSETT, ME. COPTER RNAV (GPS) 092 DEPARTURE (PILOT NAV), ORIG...PROCEDURE NA 1704241831-1712041831EST.

CHEBEAGUE ISLAND

Chebeague Island

FDC 7/4933 ME21 SPECIAL CHEBEAGUE ISLAND, CHEBEAGUE ISLAND, ME. COPTER RNAV (GPS) 158 DEPARTURE (PILOT NAV), ORIG...PROCEDURE NA. 1704251234-1712051234EST.

FDC 7/4726 ME21 SPECIAL CHEBEAGUE ISLAND, CHEBEAGUE ISLAND, ME. COPTER RNAV (GPS) 158 DEPARTURE (PILOT NAV), ORIG...PROCEDURE NA 1704241846-1712041846EST.

FDC 6/0648 ME21 SPECIAL CHEBEAGUE ISLAND, CHEBEAGUE, ME. COPTER RNAV (GPS) 158 DEPARTURE (PILOT NAV), ORIG...PROCEDURE NA 1610141800-1705261800.

CRANBERRY ISLES

Cranberry Isles Heliport

FDC 7/7335 ME77 SPECIAL CRANBERRY ISLES HELIPORT, CRANBERRY ISLES, ME. COPTER RNAV (GPS) 129 DEPARTURE (PILOT NAV)...PROCEDURE NA 1702231730-1710051730.

DEXTER

Dexter Rgnl

FDC 7/1488 1B0 IAP DEXTER RGNL, DEXTER, ME. RNAV (GPS) RWY 34, ORIG...LP HAT CATS A/B 454. LNAV HAT CATS A/B 614. CHART TDZE 526, DELETE THRE 524. CHART NOTE: RWY 16, 34 HELICOPTER VISIBILITY REDUCTION BELOW 1 SM NOT AUTHORIZED. DELETE NOTE: VISIBILITY REDUCTION BY HELICOPTERS NA. CHART NOTE: CIRCLING NA TO RWYS 7 AND 25. THIS IS RNAV (GPS) RWY 34, ORIG-A. 1702062107-PERM.

FDC 7/1487 1B0 IAP DEXTER RGNL, DEXTER, ME. RNAV (GPS) RWY 16, ORIG...LP HAT CATS A/B 734. LNAV HAT CATS A/B 774. CHART TDZE 526, DELETE THRE 521. CHART NOTE: RWY 16, 34 HELICOPTER VISIBILITY REDUCTION BELOW 1 SM NOT AUTHORIZED. DELETE NOTE: VISIBILITY REDUCTION BY HELICOPTERS NA. CHART NOTE: CIRCLING NA TO RWYS 7 AND 25. THIS IS RNAV (GPS) RWY 16, ORIG-A. 1702062107-PERM.

DOVER-FOXCROFT

Mayo Rgnl Hospital

FDC 7/4732 ME43 SPECIAL MAYO RGNL HOSPITAL, DOVER-FOXCROFT, ME. COPTER RNAV (GPS) 300 DEPARTURE (PILOT NAV), ORIG...PROCEDURE NA 1704241850-1712041850EST.

FDC 7/1785 ME43 SPECIAL MAYO RGNL HOSPITAL, DOVER-FOXCROFT, ME. COPTER RNAV (GPS) 120, ORIG...TERMINAL ROUTE CAPDA (IAF) TO CUDAL (IF) 3000. TERMINAL ROUTE COTEK (IAF) TO CUDAL (IF) 3000. MISSED APPROACH: CLIMBING LEFT TURN TO 3000 DIRECT ZOBOV AND HOLD. 1701061623-1708181623EST.

EASTPORT

Eastport Muni

FDC 6/7782 EPM IAP EASTPORT MUNI, EASTPORT, ME. RNAV (GPS) RWY 33, ORIG-A...DISREGARD NOTES: PROCEDURE NA AT NIGHT. VGS1 AND DESCENT ANGLES NOT COINCIDENT. CHANGE HELICOPTER VISIBILITY NOTE TO READ: HELICOPTER VISIBILITY REDUCTION BELOW 3/4 SM NOT AUTHORIZED. CHART PROFILE NOTE: VISUAL SEGMENT - OBSTACLES. DESCENT ANGLE 3.32/TCH 40 NA. 1612071328-1707191324EST.

FDC 6/7779 EPM IAP EASTPORT MUNI, EASTPORT, ME. NDB RWY 33, AMDT 1A...DISREGARD NOTE: PROCEDURE NA AT NIGHT. CHANGE HELICOPTER VISIBILITY NOTE TO READ: HELICOPTER VISIBILITY REDUCTION BELOW 3/4 SM NOT AUTHORIZED. 1612071322-1707191320EST.

ELIOT

Littlebrook Air Park

FDC 7/2479 3B4 IAP LITTLEBROOK AIR PARK, ELIOT, ME. VOR-A, AMDT 2...PROCEDURE NA. 1703292001-1711082000EST.

FARMINGTON

Franklin Memorial Hospital

FDC 7/4722 ME23 SPECIAL FRANKLIN MEMORIAL HOSPITAL, FARMINGTON, ME. COPTER RNAV (GPS) 108 DEPARTURE (PILOT NAV), ORIG...PROCEDURE NA 1704241844-1712041844EST.

FORT KENT

Northern Maine Medical Center

FDC 7/4710 ME48 SPECIAL NORTHERN MAINE MEDICAL CENTER, FORT KENT, ME. COPTER RNAV (GPS) 181 DEPARTURE (PILOT NAV), ORIG...PROCEDURE NA 1704241838-1712041838EST.

FRYEBURG

Eastern Slopes Rgnl

FDC 7/3991 IZG IAP EASTERN SLOPES RGNL, FRYEBURG, ME. RNAV (GPS) RWY 32, AMDT 1...NIGHT LANDING RWY 14 NA.. 1701122306-1708242305EST.

GREENVILLE

C A Dean Memorial Hospital

FDC 7/4708 ME49 SPECIAL C A DEAN MEMORIAL HOSPITAL, GREENVILLE, ME. COPTER RNAV (GPS) 018 DEPARTURE (PILOT NAV), ORIG...PROCEDURE NA 1704241836-1712041836EST.

Greenville Muni

FDC 6/1455 3B1 ODP GREENVILLE MUNI, GREENVILLE, ME. TAKEOFF MINIMUMS AND (OBSTACLE) DEPARTURE PROCEDURES AMDT 1...TAKE-OFF MINIMUMS RWY 14, STANDARD WITH MINIMUM CLIMB OF 249 FT PER NM TO 3400. RWY 32, 700-2 OR STANDARD WITH MINIMUM CLIMB OF 425 FT PER NM TO 2300. NOTE: RWY 32, TOWER 70 FT FROM DER, 338 FT RIGHT OF CENTERLINE, 42 FT AGL/1422 MSL. ALL OTHER DATA REMAINS AS PUBLISHED. 1611202006-1707022006EST.

HOULTON

Houlton Intl

FDC 7/5093 HUL ODP HOULTON INTL, HOULTON, ME. TAKEOFF MINIMUMS AND (OBSTACLE) DEPARTURE PROCEDURES AMDT 2.TEXTUAL DEPARTURE PROCEDURE. TAKE-OFF MINIMUMS RWY 05: 400-1 7/8 OR STANDARD WITH MINIMUM CLIMB OF 460 FT PER NM TO 1100. NOTE: RWY 01, TREES BEGINNING 3960 FT FROM DER, 332 FT LEFT OF CENTERLINE, UP TO 652 FT MSL. TREES BEGINNING 4435 FT FROM DER, 58 FT RIGHT OF CENTERLINE, UP TO 652 FT MSL. TREES BEGINNING 5121 FT FROM DER, 120 FT LEFT OF CENTERLINE, UP TO 683 FT MSL. TREES BEGINNING 5544 FT FROM DER, 165 FT RIGHT OF CENTERLINE, UP TO 685 FT MSL. NOTE: RWY 05, SIGN 25 FT FROM DER, 111 FT RIGHT OF CENTERLINE, 491 FT MSL. TERRAIN AND TREES BEGINNING 35 FT FROM DER, 249 FT LEFT OF CENTERLINE, UP TO 497 FT MSL. TREES BEGINNING 113 FT FROM DER, 307 FT RIGHT OF CENTERLINE, UP TO 517 FT MSL. TREES BEGINNING 4857 FT FROM DER, 1563 FT RIGHT OF CENTERLINE, UP TO 662 FT MSL. TREES BEGINNING 1.2 NM FROM DER, 1429 FT RIGHT OF CENTERLINE, UP TO 764 FT MSL. TREES BEGINNING 1.3 NM FROM DER, 1578 FT RIGHT OF CENTERLINE, UP TO 790 FT MSL. NOTE: RWY 19, SIGN 19 FT FROM DER, 311 FT LEFT OF CENTERLINE, 481 FT MSL. TREES BEGINNING 31 FT FROM DER, 360 FT RIGHT OF CENTERLINE, UP TO 508 FT MSL. TREES BEGINNING 2507 FT FROM DER, 721 FT RIGHT OF CENTERLINE, UP TO 540 FT MSL. TREE 2903 FT FROM DER, 916 FT RIGHT OF CENTERLINE, 557 FT MSL. TREE 3484 FT FROM DER, 1020 FT LEFT OF CENTERLINE, 663 FT MSL. TREE 3907 FT FROM DER, 765 FT LEFT OF CENTERLINE, 690 FT MSL. TREES BEGINNING 4329 FT FROM DER, 677 FT LEFT OF CENTERLINE, UP TO 754 FT MSL. TREES BEGINNING 4857 FT FROM DER, 479 FT LEFT OF CENTERLINE, UP TO 800 FT MSL. TREES BEGINNING 5385 FT FROM DER, 869 FT LEFT OF CENTERLINE, UP TO 815 FT MSL. TREES BEGINNING 2.1 NM FROM DER, 1608 FT RIGHT OF CENTERLINE, UP TO 821 FT MSL. NOTE: RWY 23, POST 54 FT FROM DER, 210 FT LEFT OF CENTERLINE, 485 FT MSL. TREES BEGINNING 135 FT FROM DER, 295 FT LEFT OF CENTERLINE, UP TO 504 FT MSL. TREES BEGINNING 642 FT FROM DER, 256 FT RIGHT OF CENTERLI

ISLE AU HAUT

Isle Au Haut

FDC 6/0660 99ME SPECIAL ISLE AU HAUT, ISLE AU HAUT, ME. COPTER RNAV (GPS) 036 DEPARTURE (PILOT NAV), ORIG...PROCEDURE NA 1610141800-1705261800.

ISLESBORO

Islesboro

FDC 7/1525 57B SPECIAL ISLESBORO HELIPORT, ISLESBORO, ME. COPTER RNAV (GPS) 010 DEPARTURE (PILOT NAV)...PROCEDURE NA 1701052130-1708172130.

JACKMAN

Newton Field

FDC 7/4741 59B SPECIAL NEWTON FIELD, JACKMAN, ME. COPTER RNAV (GPS) 105 DEPARTURE (PILOT NAV), ORIG...PROCEDURE NA. 1704241858-1712041858EST.

LEWISTON

Cmmc Air Ambulance Landing Site

FDC 7/4930 ME95 SPECIAL CMMC AIR AMBULANCE LANDING SITE, LEWISTON, ME. COPTER RNAV (GPS) 342 DEPARTURE (PILOT NAV), ORIG...PROCEDURE NA 1704251228-1712051228EST.

LINCOLN

Lincoln Rgnl

FDC 7/8141 LRG IAP LINCOLN RGNL, LINCOLN, ME. RNAV (GPS) RWY 17, ORIG-A...DESCENT ANGLE 3.04/TCH 40 NA. 1704111316-1711211316EST.

FDC 7/8139 LRG IAP LINCOLN RGNL, LINCOLN, ME. RNAV (GPS) RWY 35, AMDT 1...DESCENT ANGLE 3.00/TCH 40 NA. 1704111315-1711211315EST.

LONG ISLAND

Long Island

FDC 7/4932 ME98 SPECIAL LONG ISLAND, LONG ISLAND, ME. COPTER RNAV (GPS) 306, ORIG...IFR DEPARTURE NA. 1704251231-1712051231EST.

FDC 6/0662 ME98 SPECIAL LONG ISLAND, LONG ISLAND, ME. COPTER RNAV (GPS) 306, ORIG...IFR DEPARTURE NA 1610141800-1705261800.

MACHIAS

Down East Community Hospital

FDC 7/1528 ME52 SPECIAL DOWNEAST COMMUNITY HOSPITAL, MACHIAS, ME. COPTER RNAV (GPS) 030 DEPARTURE (PILOT NAV)...PROCEDURE NA 1701052130-1708172130.

MATINICUS ISLAND

Matinicus Island

FDC 7/1522 35ME SPECIAL MATINICUS ISLAND AIRPORT, MATINICUS ISLAND, ME. COPTER RNAV (GPS) 358 DEPARTURE (PILOT NAV)...PROCEDURE NA 1701052130-1708172130.

MONHEGAN

Monhegan Island

FDC 6/0669 ME78 SPECIAL MONHEGAN ISLAND, MONHEGAN, ME. COPTER RNAV (GPS) 016 DEPARTURE (PILOT NAV), ORIG...PROCEDURE NA 1610141800-1705261800.

MONHEGAN ISLAND

Monhegan Island

FDC 7/9005 ME78 SPECIAL MONHEGAN ISLAND, MONHEGAN ISLAND, ME. COPTER RNAV (GPS) 196, ORIG...PROCEDURE NA. 1704121424-1711221424EST.

FDC 7/7858 ME78 SPECIAL MONHEGAN ISLAND, MONHEGAN ISLAND, ME. COPTER RNAV (GPS) 196, ORIG...PROCEDURE NA. 1705011236-1712111236EST.

FDC 6/3925 ME78 SPECIAL MONHEGAN ISLAND, MONHEGAN ISLAND, ME. COPTER RNAV (GPS) 196, ORIG...PROCEDURE NA. 1610201406-1706011406EST.

NORRIDGEWOCK

Central Maine Arpt Of Norridgewock

FDC 7/0501 OWK ODP CENTRAL MAINE ARPT OF NORRIDGEWOCK, NORRIDGEWOCK, ME. TAKEOFF MINIMUMS AND (OBSTACLE) DEPARTURE PROCEDURES AMDT 4...TAKE-OFF MINIMUMS RWY 15: 700-3 OR STANDARD WITH MINIMUM CLIMB OF 300 FT PER NM TO 1200 OR 1400-2 1/2 FOR CLIMB IN VISUAL CONDITIONS. TAKE-OFF MINIMUMS RWY 21: 700-3 OR STANDARD WITH MINIMUM CLIMB OF 300 FT PER NM TO 1100 OR 1400-2 1/2 FOR CLIMB IN VISUAL CONDITIONS. ALL OTHER DATA REMAINS AS PUBLISHED. 1703021953-1710121953EST.

FDC 6/1592 OWK IAP CENTRAL MAINE ARPT OF NORRIDGEWOCK, NORRIDGEWOCK, ME. RNAV (GPS) RWY 15, ORIG-A...NOTE: CIRCLING RWY 33 NA AT NIGHT. 1611202314-1707022314EST.

OLD TOWN

Dewitt Fld, Old Town Muni

FDC 7/8818 OLD ODP DEWITT FLD, OLD TOWN MUNI, OLD TOWN, ME. TAKEOFF MINIMUMS AND (OBSTACLE) DEPARTURE PROCEDURES ORIG...TAKEOFF MINIMUMS: RWY 4,12, NA. ALL OTHER DATA REMAINS AS PUBLISHED. 1704121238-1711221238EST.

FDC 7/8812 OLD IAP DEWITT FLD, OLD TOWN MUNI, OLD TOWN, ME. RNAV (GPS) RWY 22, ORIG-A...VOR/DME RWY 22, AMDT 5B...STRAIGHT-IN AND CIRCLING TO RWY 22 AND CIRCLING TO RWY 30 NA. 1704121234-1711221234EST.

PEAK ISLAND

Peak Island Heliport

FDC 7/3445 8ME2 SPECIAL PEAK ISLAND HELIPORT, PEAK ISLAND, ME. COPTER RNAV (GPS)175 DEPARTURE (PILOT NAV)...PROCEDURE NA 1703101700-1710201700.

PITTSFIELD

Pittsfield Muni

FDC 7/0280 2B7 IAP PITTSFIELD MUNI, PITTSFIELD, ME. NDB RWY 36, AMDT 4D...MSA FROM BUP NDB 25 NM 135-315 3100, 315-135 3200. WIND TURBINE 2028 MSL 28.22 NM NW OF BUP NDB (2015-WTE-5425-OE). WIND TURBINE 2106 MSL 28.62 NM NW OF BUP NDB (2015-WTE-5438-OE). 1703260011-1711050011EST.

FDC 6/0717 2B7 IAP PITTSFIELD MUNI, PITTSFIELD, ME. RNAV (GPS) RWY 18, ORIG-C...MSA RW18 25 NM 3300. WIND TURBINE 2260 MSL 25.99 NM NW OF RWY 18 (2016-WTE-6757-OE). 1612121856-1707241855EST.

PORTLAND

Portland Intl Jetport

FDC 7/0385 PWM SID PORTLAND INTL JETPORT, PORTLAND, ME. HSKEL TWO DEPARTURE (RNAV)...NUBLE THREE DEPARTURE (RNAV)...NOTE: TOP ALTITUDE 3000. ALL OTHER DATA REMAINS AS PUBLISHED. 1701032117-1708152117EST.

PRESQUE ISLE

Northern Maine Rgnl Arpt At Presque Is

FDC 7/4007 PQI IAP NORTHERN MAINE RGNL ARPT AT PRESQUE IS, PRESQUE ISLE, ME. ILS OR LOC RWY 1, AMDT 6...CIRCLING CAT A MDA 1140/HAA 606. HATEN FIX MINIMUM CIRCLING CAT A MDA 1140/HAA 606. 1701122318-1708242318EST.

FDC 7/3997 PQI IAP NORTHERN MAINE RGNL ARPT AT PRESQUE IS, PRESQUE ISLE, ME. RNAV (GPS) RWY 1, AMDT 1...CIRCLING CAT A MDA 1140/HAA 606. 1701122313-1708242313EST.

FDC 7/3993 PQI ODP NORTHERN MAINE RGNL ARPT AT PRESQUE IS, PRESQUE ISLE, ME. TAKEOFF MINIMUMS AND (OBSTACLE) DEPARTURE PROCEDURES AMDT 4A...TAKEOFF MINIMUMS: RWY 1, 300-1 1/2 OR STANDARD WITH MINIMUM CLIMB OF 460 FT PER NM TO 900. RWY 10, 300-1 3/4 OR STANDARD WITH MINIMUM CLIMB OF 265 FT PER NM TO 900. TEXTUAL DEPARTURE PROCEDURES: RWY 19, CLIMB HEADING 185.68 TO 900 BEFORE TURNING LEFT. TAKEOFF OBSTACLE NOTES: RWY 1, TREE AND POLE BEGINNING 2791 FT FROM DER, 12 FT RIGHT OF CENTERLINE, UP TO 51 FT AGL/694 FT MSL. TREE 1.2 NM FROM DER, 1849 FT RIGHT OF CENTERLINE, 70 FT AGL/749 FT MSL. RWY 10, TREE 1.4 NM FROM DER, 1660 FT RIGHT OF CENTERLINE, 67 FT AGL/760 FT MSL. TREE 1.4 NM FROM DER, 1668 FT RIGHT OF CENTERLINE, 76 FT AGL/764 FT MSL. ALL OTHER DATA REMAINS AS PUBLISHED. 1701122307-1708242307EST.

PRINCETON

Princeton Muni

FDC 7/8911 PNN IAP PRINCETON MUNI, PRINCETON, ME. RNAV (GPS) RWY 15, AMDT 1...DISREGARD DESCENT ANGLE 3.00/TCH 51. PROFILE NOTE: VISUAL SEGMENT-OBSTACLES. 1701292216-1709102216EST.

FDC 7/3115 PNN IAP PRINCETON MUNI, PRINCETON, ME. RNAV (GPS) RWY 15, AMDT 1...DISREGARD NOTE: PROCEDURE NA AT NIGHT. ADD NOTE: RWY 15 HELICOPTER VISIBILITY REDUCTION BELOW 3/4 SM NOT AUTHORIZED. DISREGARD NOTE: HELICOPTER VISIBILITY REDUCTION BELOW 1 SM NA. 1702091948-1709211948EST.

RANGELEY

Steven A Bean Muni

FDC 7/0082 8B0 ODP STEVEN A BEAN MUNI, RANGELEY, ME. TAKEOFF MINIMUMS AND (OBSTACLE) DEPARTURE PROCEDURES ORIG...TAKEOFF MINIMUMS: RWY 14, 600-2 WITH MINIMUM CLIMB OF 355 FT PER NM TO 4000. RWY 32, 600-2 WITH MINIMUM CLIMB OF 400 FT PER NM TO 4000. NOTE: RWY 14, TREE 22 FT FROM DER, 483 FT RIGHT OF CENTERLINE, 76 FT AGL/1856 FT MSL. TREES BEGINNING 230 FT FROM DER, 546 FT RIGHT OF CENTERLINE, UP TO 77 FT AGL/1857 FT MSL. TREES BEGINNING 340 FT FROM DER, 549 FT LEFT OF CENTERLINE, UP TO 99 FT AGL/1859 FT MSL. ALL OTHER DATA REMAINS AS PUBLISHED. 1703242116-1711032116EST.

ROCKLAND

Knox County Rgnl

FDC 7/4612 RKD IAP KNOX COUNTY RGNL, ROCKLAND, ME. ILS OR LOC RWY 13, AMDT 1C...S-LOC 13 MDA 580/HAT 526 ALL CATS. VIS CAT C 1, CAT D 1 1/4. DOSNE/I-RMZ 2.5 DME MINIMUM ALTITUDE 580* *LOC ONLY, 660 WHEN USING WISCASSET ALTIMETER SETTING. NOTE: FOR INOPERATIVE MALSR WHEN USING WISCASSET ALTIMETER SETTING, INCREASE S-ILS 13 ALL CATS VISIBILITY TO 1 MILE. NOTE:WHEN LOCAL ALTIMETER SETTING NOT RECEIVED, USE WISCASSET ALTIMETER SETTING AND INCREASE ALL DA 65 FEET AND ALL MDA 80 FEET, AND INCREASE S-LOC 13 CAT C/D AND CIRCLING CAT C AND DME MINIMUMS S-LOC 13 CAT C/D AND CIRCLING CAT C VISIBILITY 1/4 MILE. 1704241650-1712041650EST.

ROCKPORT

Penobscot Bay Medical Center

FDC 7/1529 ME76 SPECIAL PENOBSCOT BAY MEDICAL CENTER, ROCKPORT, ME. COPTER RNAV (GPS) 107 DEPARTURE (PILOT NAV)...PROCEDURE NA 1701052130-1708172130.

RUMFORD

Rumford Community Hospital

FDC 7/3446 ME63 SPECIAL RUMFORD COMMUNITY HOSPITAL, RUMFORD, ME. COPTER RNAV (GPS)161 DEPARTURE (PILOT NAV)...PROCEDURE NA 1703101700-1710201700.

SANFORD

Sanford Seacoast Rgnl

FDC 7/1491 SFM IAP SANFORD SEACOAST RGNL, SANFORD, ME. VOR RWY 25, AMDT 14A...S-25 HAT 405 ALL CATS. CHART TDZE 235, DELETE THRE 233. CHART NOTE: RWY 25 HELICOPTER VISIBILITY REDUCTION BELOW 3/4 SM NOT AUTHORIZED. CHART NOTE: RWY 32 HELICOPTER VISIBILITY REDUCTION BELOW 1 SM NOT AUTHORIZED. DELETE NOTE: HELICOPTER VISIBILITY REDUCTION BELOW 3/4 SM NOT AUTHORIZED. THIS IS VOR RWY 25, AMDT 14B. 1702062117-PERM.

SKOWHEGAN

Redington-Fairview General Hospital

FDC 7/1524 ME29 SPECIAL REDDINGTON-FAIRVIEW HOSPITAL HELIPORT, SKOWHEGAN, ME. COPTER RNAV (GPS) 060 DEPARTURE (PILOT NAV)...PROCEDURE NA 1701052130-1708172130.

SOUTHWEST HARBOR

Penetic School Heliport

FDC 7/4487 ME99 IAP PENETIC SCHOOL HELIPORT, SOUTHWEST HARBOR, ME. COPTER RNAV (GPS) 355, ORIG...PROCEDURE NA. 1704241442-1712041442EST.

FDC 7/1446 ME99 IAP PENETIC SCHOOL HELIPORT, SOUTHWEST HARBOR, ME. COPTER RNAV (GPS) 355, ORIG...PROCEDURE NA. 1704171807-1711271807EST.

FDC 6/1032 ME99 IAP PENETIC SCHOOL HELIPORT, SOUTHWEST HARBOR, ME. COPTER RNAV (GPS) 355, ORIG...PROCEDURE NA. 1612131619-1707251619EST.

STONINGTON

Stonington Muni

FDC 7/1523 93B SPECIAL STONINGTON MUNICIPAL, STONINGTON, ME COPTER RNAV (GPS) 250 DEPARTURE (PILOT NAV)...PROCEDURE NA 1701052130-1708172130.

VINALHAVEN

Vinalhaven

FDC 7/1520 ME55 SPECIAL MARY TALBOT MEMORIAL AIRFIELD, VINALHAVEN, ME. COPTER RNAV (GPS) 053 DEPARTURE (PILOT NAV)...PROCEDURE NA 1701052130-1708172130.

WATERVILLE

Waterville Robert Lafleur

FDC 7/0270 WVL ODP WATERVILLE ROBERT LAFLEUR, WATERVILLE, ME. TAKEOFF MINIMUMS AND (OBSTACLE) DEPARTURE PROCEDURES ORIG...TAKE-OFF MINIMUMS: RWY 32, STANDARD WITH A MINIMUM CLIMB OF 375 FEET PER NM TO 1000. NOTE : RWY 14, TREES BEGINNING 215 FEET FROM DER, LEFT AND RIGHT OF CENTERLINE, UP TO 77 FEET AGL/371 FEET MSL. RWY 32, TREES BEGINNING 590 FEET FROM DER, LEFT AND RIGHT OF CENTERLINE, UP TO 73 FEET AGL/340 FEET MSL. TREES BEGINNING 2121 FEET FROM DER, LEFT AND RIGHT OF CENTERLINE, UP TO 108 FEET AGL/501 FEET MSL. TANK 3618 FEET FROM DER, 656 FEET RIGHT OF CENTERLINE, UP TO 67 FEET AGL/477 FEET MSL. BUILDING 5517 FEET FROM DER, 826 FEET LEFT OF CENTERLINE, UP TO 32 FEET AGL/477 FEET MSL. ALL OTHER DATA REMAINS AS PUBLISHED. 1703252357-1711042357EST.

WISCASSET

Wiscasset

FDC 7/1764 IWI ODP WISCASSET, WISCASSET, ME. TAKEOFF MINIMUMS AND (OBSTACLE) DEPARTURE PROCEDURES AMDT 2...NOTE: RWY 7, POWERLINE 607 FT FROM DER, 410 FT RIGHT OF CENTERLINE, 45 AGL/85 MSL. ALL OTHER DATA REMAINS AS PUBLISHED. 1704181317-1711281317EST.

MARYLAND

ABERDEEN PROVING GROUNDS(ABERDEEN)

Phillips AAF

FDC 6/3228 APG IAP U.S. DOD PHILLIPS AAF, ABERDEEN PROVING GROUNDS(ABERDEEN), MD. NDB RWY 22, AMDT 2B...RNAV (GPS) RWY 22, AMDT 1A...NOTE: RWY 22 HELICOPTER VISIBILITY REDUCTION BELOW 3/4 SM NOT AUTHORIZED. 1612162001-1707282001EST.

ANNAPOLIS

Lee

FDC 7/2105 ANP IAP LEE, ANNAPOLIS, MD. RNAV (GPS)-A, ORIG...NOTE: PROCEDURE NA AT NIGHT. NOTE: HELICOPTER VISIBILITY REDUCTION BELOW 1 SM NOT AUTHORIZED. 1702072149-1709192149EST.

BALTIMORE

Baltimore/Washington Intl Thurgood Marshall

FDC 7/9162 BWI SID BALTIMORE/WASHINGTON INTL THURGOOD MARSHALL, BALTIMORE, MD. PALEO THREE DEPARTURE...ATLANTIC CITY TRANSITION NA EXCEPT FOR AIRCRAFT EQUIPPED WITH SUITABLE RNAV SYSTEM WITH GPS, ACY VOR OUT OF SERVICE. 1705031154-1705101154EST.

FDC 7/7630 BWI IAP BALTIMORE/WASHINGTON INTL THURGOOD MARSHALL, BALTIMORE, MD. ILS OR LOC RWY 33L, AMDT 12...RNAV (GPS) Y RWY 33L, AMDT 4...RNAV (RNP) Z RWY 33L, AMDT 3...CHART PROFILE NOTE: VGSI AND GLIDE SLOPE NOT COINCIDENT.. 1704101324-1711201324EST.

FDC 7/3081 BWI MD..SPECIAL NOTICE..BALTIMORE WASHINGTON INTERNATIONAL AIRPORT, BALTIMORE, MD, RWY STATUS LGTS (RWSL) ARE IN AN OPERATIONAL TEST ON RWY 15R/33L, RWY 15L/33R, RWY 10/28 AND MUST BE COMPLIED WITH. RWY STATUS LGT ARRAYS MAY BE OFFLINE INTERMITTENTLY THROUGHOUT THE TEST PHASE. RWY STATUS LGTS ARE RED IN-PAVEMENT LGTS THAT SERVE AS WARNING LGTS ON RWYS AND TWYS INDICATING THAT IT IS UNSAFE TO ENTER, CROSS, OR BEGIN TKOF ON A RWY. NOTE: RWY STATUS LGTS INDICATE RWY STATUS ONLY. THEY DO NOT INDICATE CLEARANCE. PILOTS AND VEHICLE OPERATORS MUST STILL RECEIVE A CLEARANCE FROM AIR TRAFFIC CONTROL BEFORE PROCEEDING. FOR ADDITIONAL INFORMATION VISIT:
[HTTP://WWW.FAA.GOV/AIR_TRAFFIC/TECHNOLOGY/RWSL](http://WWW.FAA.GOV/AIR_TRAFFIC/TECHNOLOGY/RWSL) 1703091700-1709082359.

Martin State

FDC 7/8817 MTN IAP MARTIN STATE, BALTIMORE, MD. RNAV (GPS) RWY 15, AMDT 1A...CIRCLING CATS A/B/C HAA 538, CAT D HAA 658. APT ELEV 22. DISREGARD NOTE: WHEN VGSI INOP, STRAIGHT-IN/CIRCLING RWY 15 PROCEDURE NA AT NIGHT. CHANGE HELICOPTER VISIBILITY REDUCTION NOTE TO READ: HELICOPTER VISIBILITY REDUCTION BELOW 3/4 SM NOT AUTHORIZED. 1701291626-1709101625EST.

University Of Maryland Shock Trauma Center

FDC 7/4538 MD71 SPECIAL UNIVERSITY OF MARYLAND SHOCK TRAUMA CENTER, BALTIMORE, MD. COPTER (GPS) 091, ORIG...PROCEDURE NA. 1701142017-1708262017EST.

FDC 7/1563 MD71 SPECIAL UNIVERSITY OF MARYLAND SHOCK TRAUMA CENTER, BALTIMORE, MD. DEMOY ONE DEPARTURE...DEPARTURE PROCEDURE NA. ALL OTHER DATA REMAINS AS PUBLISHED. 1701052210-1708172210EST.

BOWIE

Freeway

FDC 7/9910 W00 ODP FREEWAY, MITCHELLVILLE, MD. TAKEOFF MINIMUMS AND (OBSTACLE) DEPARTURE PROCEDURES AMDT 2...TAKE-OFF MINIMUMS: RWY 36, NA-OBSTACLES. ALL OTHER DATA REMAINS AS PUBLISHED. 1702011921-1709131921EST.

CHURCHVILLE

Harford County

FDC 7/4537 0W3 IAP HARFORD COUNTY, CHURCHVILLE, MD. RNAV (GPS) -B, ORIG...VDA NA. 1704241511-1712041511EST.

CLINTON

Washington Executive/Hyde Field

FDC 7/0393 W32 IAP WASHINGTON EXECUTIVE/HYDE FIELD, CLINTON, MD. RNAV (GPS) RWY 5, ORIG-A...LNAV CATS A/B MDA 720/HAT 471. CIRCLING CAT A MDA 720/HAA 471, CAT B MDA 860/HAA 611. 1701032120-1708152120EST.

COLLEGE PARK

College Park

FDC 7/0472 CGS IAP COLLEGE PARK, COLLEGE PARK, MD. RNAV (GPS) RWY 15, ORIG-D...LNAV MINIMUMS NA. 1703021920-1710121920EST.

FDC 6/8528 CGS ODP COLLEGE PARK, COLLEGE PARK, MD. TAKEOFF MINIMUMS AND (OBSTACLE) DEPARTURE PROCEDURES AMDT 3B...DEPARTURE PROCEDURE: RWY 33, CLIMB HEADING 329 TO 700 BEFORE PROCEEDING ON COURSE. NOTE: RWY 33, BUILDINGS BEGINNING 2759 FT FROM DER, 988 FT LEFT OF CENTERLINE, UP TO 126 FT AGL/198 FT MSL. ALL OTHER DATA REMAINS AS PUBLISHED. 1612072132-1707192132EST.

CUMBERLAND

Greater Cumberland Rgnl

FDC 7/3347 CBE IAP GREATER CUMBERLAND RGNL, CUMBERLAND, MD. LOC/DME RWY 23, AMDT 7...PROCEDURE NA EXCEPT FOR AIRCRAFT EQUIPPED WITH SUITABLE RNAV SYSTEM WITH GPS, ESL VOR/DME OUT OF SERVICE. 1702101512-1709221512EST.

EASTON

Easton/Newnam Field

FDC 7/1862 ESN IAP EASTON/NEWMAM FIELD, EASTON, MD. RNAV (GPS) RWY 15, ORIG-A...RNAV (GPS) RWY 33, ORIG-A...DESCENT ANGLE 3.04/TCH 45 NA. 1704181407-1711281407EST.

Memorial Hospital

FDC 7/9038 MD29 SPECIAL MEMORIAL HOSPITAL, EASTON, MD. COPTER RNAV (GPS) 036, ORIG...IFR DEPARTURE NA. 1701301433-1709111433EST.

FREDERICK

Frederick Muni

FDC 7/9229 FDK ODP FREDERICK MUNI, FREDERICK, MD. TAKEOFF MINIMUMS AND (OBSTACLE) DEPARTURE PROCEDURES AMDT 4...TAKEOFF MINIMUMS: RWY 30, 300-1 WITH MINIMUM CLIMB OF 285 FT PER NM TO 900 OR 1500-2 1/2 FOR VCOA. NOTE: RWY 30, TEMP CRANE 449 FT FROM DER, 414 FT RIGHT OF CENTERLINE, 50 FT AGL/322 FT MSL (2017-AEA-1416-OE). TEMP CRANES BEGINNING 833 FT FROM DER, 700 FT RIGHT OF CENTERLINE, UP TO 210 FT AGL/472 FT MSL (2015-AEA-4681/2821-OE). ALL OTHER DATA REMAINS AS PUBLISHED. 1705031228-1712131224EST.

FDC 7/9192 FDK SID FREDERICK MUNI, FREDERICK, MD. CONLE THREE DEPARTURE (RNAV)...TERPZ SIX DEPARTURE (RNAV)...TAKEOFF OBSTACLES: RWY 30: TEMP CRANE 449 FT FROM DER, 414 FT RIGHT OF CENTERLINE, 50 FT AGL/322 FT MSL (2017-AEA-1416-OE). ALL OTHER DATA REMAINS AS PUBLISHED. 1705031221-1712131221EST.

FRIENDLY

Potomac Airfield

FDC 7/9644 VKX IAP POTOMAC AIRFIELD, FRIENDLY, MD. RNAV (GPS) RWY 6, ORIG...USE JOINT BASE ANDREWS, MD ALTIMETER SETTING. LNAV MDA 720/HAT 602. CIRCLING MDA 780/HAA 662. DESCENT ANGLE 3.04/TCH 38 NA. 1703011908-1710111908EST.

GAITHERSBURG

Montgomery County Airpark

FDC 7/6470 GAI IAP MONTGOMERY COUNTY AIRPARK, GAITHERSBURG, MD. VOR RWY 14, AMDT 3A...PROCEDURE NA. 1703171357-1710271357EST.

FDC 7/1086 GAI IAP MONTGOMERY COUNTY AIRPARK, GAITHERSBURG, MD. RNAV (GPS)-A, ORIG-B...ALTERNATE MINIMUMS STANDARD: EXCEPT, NA WHEN LOCAL WEATHER NOT AVAILABLE. 1703061914-1710161914EST.

HAGERSTOWN

Hagerstown Rgnl-Richard A Henson Fld

FDC 7/4045 HGR ODP HAGERSTOWN RGNL-RICHARD A HENSON FLD, HAGERSTOWN, MD. TAKEOFF MINIMUMS AND (OBSTACLE) DEPARTURE PROCEDURES AMDT 6...DEPARTURE PROCEDURE: RWY 27, CLIMB HEADING 269 TO 1200 BEFORE TURNING NORTH. ALL OTHER DATA REMAINS AS PUBLISHED. 1701122356-1708242356EST.

FDC 7/3787 HGR IAP HAGERSTOWN RGNL-RICHARD A HENSON FLD, HAGERSTOWN, MD. COPTER RNAV (GPS) RWY 27, ORIG...LNAV HAT 359. CHART TDZE 701, DELETE THRE 686. THIS IS COPTER RNAV (GPS) RWY 27, ORIG-A. 1703121408-PERM.

FDC 7/3786 HGR IAP HAGERSTOWN RGNL-RICHARD A HENSON FLD, HAGERSTOWN, MD. COPTER RNAV (GPS) RWY 9, ORIG...LNAV HAT 325. CHART TDZE 695, DELETE THRE 664. THIS IS COPTER RNAV (GPS) RWY 9, ORIG-A. 1703121408-PERM.

FDC 7/3785 HGR IAP HAGERSTOWN RGNL-RICHARD A HENSON FLD, HAGERSTOWN, MD. RNAV (GPS) RWY 9, AMDT 1...LPV DA 895, LNAV/VNAV DA 954, LNAV HAT 325 ALL CATS. CHART TDZE 695, DELETE THRE 664. CHART NOTE: RWY 20 HELICOPTER VISIBILITY REDUCTION BELOW 1 SM NOT AUTHORIZED. CHART NOTE: CIRCLING RWY 20 NA AT NIGHT. DELETE NOTE: CIRCLING TO RWY 20 NA AT NIGHT. THIS IS RNAV (GPS) RWY 9, AMDT 1A. 1703121408-PERM.

FDC 7/3784 HGR IAP HAGERSTOWN RGNL-RICHARD A HENSON FLD, HAGERSTOWN, MD. RNAV (GPS) RWY 27, AMDT 1...LPV DA 901. LNAV/VNAV DA 1035. LNAV HAT 399 ALL CATS. CHART TDZE 701, DELETE THRE 686. CHART NOTE: RWY 20 HELICOPTER VISIBILITY REDUCTION BELOW 1 SM NOT AUTHORIZED. CHART NOTE: CIRCLING RWY 20 NA AT NIGHT. DELETE NOTE: CIRCLING TO RWY 20 NA AT NIGHT. THIS IS RNAV (GPS) RWY 27, AMDT 1A. 1703121408-PERM.

FDC 7/3783 HGR IAP HAGERSTOWN
RGNL-RICHARD A HENSON FLD, HAGERSTOWN,
MD. ILS OR LOC RWY 27, AMDT 11...S-ILS 27 DA 901.
S-LOC 27 HAT 619 ALL CATS. WORUL FIX
MINIMUMS: S-LOC 27 HAT 339 ALL CATS. CHART
TDZE 701, DELETE THRE 686. CHART NOTE: RWY 20
HELICOPTER VISIBILITY REDUCTION BELOW 1 SM
NOT AUTHORIZED. CHART NOTE: CIRCLING RWY 20
NA AT NIGHT. DELETE NOTE: CIRCLING TO RWY 20
NA AT NIGHT. THIS IS ILS OR LOC RWY 27, AMDT
11A. 1703121408-PERM.

FDC 7/3782 HGR IAP HAGERSTOWN
RGNL-RICHARD A HENSON FLD, HAGERSTOWN,
MD. ILS OR LOC RWY 9, AMDT 1...CHART TDZE 695,
DELETE THRE 664. S-ILS 9 DA 895. S-LOC 9 HAT 285
ALL CATS. CHART NOTE: RWY 20 HELICOPTER
VISIBILITY REDUCTION BELOW 1 SM NOT
AUTHORIZED. CHART NOTE: CIRCLING RWY 20 NA
AT NIGHT. DELETE NOTE: CIRCLING TO RWY 20 NA
AT NIGHT. THIS IS ILS OR LOC RWY 9, AMDT 1A.
1703121408-PERM.

OCEAN CITY

Ocean City Muni

FDC 7/9918 OXB IAP OCEAN CITY MUNI, OCEAN
CITY, MD. VOR-A, AMDT 3A...NOTE: CIRCLING RWY
14, 20 NA AT NIGHT. NOTE: RWY 14, 20 HELICOPTER
VISIBILITY REDUCTION BELOW 1 SM NOT
AUTHORIZED. DISREGARD NOTE: NIGHT LANDING:
RWY 2, 14, 20 NA. DISREGARD NOTE: HELICOPTER
VISIBILITY REDUCTION BELOW 1 SM NA.
1704131648-1711231648EST.

FDC 7/9916 OXB IAP OCEAN CITY MUNI, OCEAN
CITY, MD. LOC RWY 14, AMDT 2A...NOTE: CIRCLING
RWY 14, 20 NA AT NIGHT. NOTE: RWY 14, 20
HELICOPTER VISIBILITY REDUCTION BELOW 1 SM
NOT AUTHORIZED. DISREGARD NOTE: NIGHT
LANDING: RWY 2, 14, 20 NA. DISREGARD NOTE:
HELICOPTER VISIBILITY REDUCTION BELOW 1 SM
NA. 1704131646-1711231646EST.

RIDGELY

Ridgely Airpark

FDC 7/3795 RJD IAP RIDGELY AIRPARK, RIDGELY,
MD. RNAV (GPS) RWY 30, ORIG-A...CHART TDZE 64,
DELETE THRE 64. CHART NOTE: RWY 12, 30
HELICOPTER VISIBILITY REDUCTION BELOW 1 SM
NOT AUTHORIZED. THIS IS RNAV (GPS) RWY 30,
ORIG-B. 1703121440-PERM.

SALISBURY

Salisbury-Ocean City Wicomico Rgnl

FDC 7/1153 SBY IAP SALISBURY-OCEAN CITY
WICOMICO RGNL, SALISBURY, MD. ILS OR LOC
RWY 32, AMDT 8...MISSED APPROACH: CLIMB TO
700 THEN CLIMBING RIGHT TURN TO 2000 VIA
HEADING 170 AND I-SBY SE COURSE TO COLBE INT
AND HOLD, SBY VOR OUT OF SERVICE.
1703281305-1711071305EST.

WESTMINSTER

Clearview Airpark

FDC 7/0956 2W2 IAP CLEARVIEW AIRPARK,
WESTMINSTER, MD. RNAV (GPS) RWY 14, AMDT
1...LNAV HAT CAT A 561. CHART NOTE: RWY 14, 32
HELICOPTER VISIBILITY REDUCTION BELOW 1 SM
NOT AUTHORIZED. CHART TDZE 799, DELETE THRE
762. DELETE NOTE: VISIBILITY REDUCTION BY
HELICOPTERS NA. THIS IS RNAV (GPS) RWY 14,
AMDT 1A. 1702031844-PERM.

MASSACHUSETTS

BEDFORD

Laurence G Hanscom Fld

FDC 7/7801 BED IAP LAURENCE G HANSCOM FLD,
BEDFORD, MA. VOR RWY 23, AMDT 9A...CHART
TDZE 128, DELETE THRE 128. CHART NOTE: RWY 23
HELICOPTER VISIBILITY BELOW 3/4 SM NOT
AUTHORIZED. DELETE NOTE: VISIBILITY
REDUCTION BY HELICOPTERS NA. THIS IS VOR
RWY 23, AMDT 9B. 1702241556-PERM.

FDC 7/7800 BED IAP LAURENCE G HANSCOM FLD,
BEDFORD, MA. RNAV (GPS) RWY 23,
ORIG-A...CHART TDZE 128, DELETE THRE 128.
CHART NOTE: RWY 23 HELICOPTER VISIBILITY
BELOW 3/4 SM NOT AUTHORIZED. DELETE NOTE:
VISIBILITY REDUCTION BY HELICOPTERS NA. THIS
IS RNAV (GPS) RWY 23, ORIG-B. 1702241556-PERM.

FDC 7/7799 BED IAP LAURENCE G HANSCOM FLD,
BEDFORD, MA. RNAV (RNP) Y RWY 29,
ORIG...CHART TDZE 128, DELETE THRE 123. RNP
0.30 DA 651. THIS IS RNAV (RNP) Y RWY 29, ORIG-A.
1702241556-PERM.

FDC 7/7798 BED IAP LAURENCE G HANSCOM FLD,
BEDFORD, MA. RNAV (GPS) Z RWY 29, AMDT
1...CHART TDZE 128, DELETE THRE 123. LPV DA 328.
LNAV/VNAV DA 614. LNAV HAT 512 ALL CATS. THIS
IS RNAV (GPS) Z RWY 29, AMDT 1A.
1702241556-PERM.

FDC 7/7797 BED IAP LAURENCE G HANSCOM FLD,
BEDFORD, MA. ILS OR LOC RWY 29, AMDT
7...CHART TDZE 128, DELETE THRE 123. S-ILS 29 DA
328. S-LOC 29 HAT 792 ALL CATS. ROGGR FIX
MINIMUMS S-LOC 29 HAT 492 ALL CATS. THIS IS ILS
OR LOC RWY 29, AMDT 7A. 1702241556-PERM.

FDC 7/7796 BED IAP LAURENCE G HANSCOM FLD, BEDFORD, MA. RNAV (RNP) Y RWY 11, ORIG...CHART TDZE 132, DELETE THRE 132. THIS IS RNAV (RNP) Y RWY 11, ORIG-A. 1702241556-PERM.

FDC 7/7795 BED IAP LAURENCE G HANSCOM FLD, BEDFORD, MA. RNAV (GPS) Z RWY 11, AMDT 1...CHART TDZE 132, DELETE THRE 132. THIS IS RNAV (GPS) Z RWY 11, AMDT 1A. 1702241556-PERM.

FDC 7/7794 BED IAP LAURENCE G HANSCOM FLD, BEDFORD, MA. ILS OR LOC RWY 11, AMDT 26...CHART TDZE 132, DELETE THRE 132. THIS IS ILS OR LOC RWY 11, AMDT 26A. 1702241556-PERM.

FDC 7/2557 BED ODP LAURENCE G HANSCOM FLD, BEDFORD, MA. TAKEOFF MINIMUMS AND (OBSTACLE) DEPARTURE PROCEDURES AMDT 6...TAKEOFF MINIMUMS: RWY 11, 300-1 1/4. NOTE: RWY 11, TEMP CRANE 2472 FT FROM DER, 1098 FT RIGHT OF CENTERLINE, 170 FT AGL/305 FT MSL. ALL OTHER DATA REMAINS AS PUBLISHED. 1703081730-1707011730EST.

BEVERLY

Beverly Rgnl

FDC 7/9780 BVY IAP BEVERLY RGNL, BEVERLY, MA. RNAV (GPS) RWY 16, AMDT 1D...LNAV/VNAV DA 422/HAT 315. 1703241403-1711031403EST.

FDC 7/5495 BVY IAP BEVERLY MUNI, BEVERLY, MA. VOR RWY 16, AMDT 5C...NOTE: CIRCLING RWY 9 NA AT NIGHT. NOTE: RWY 16 HELICOPTER VISIBILITY REDUCTION BELOW 3/4 SM NOT AUTHORIZED. NOTE: RWY 9 HELICOPTER VISIBILITY REDUCTION BELOW 1 SM NOT AUTHORIZED. DISREGARD NOTE: HELICOPTER VISIBILITY REDUCTION BELOW 3/4 SM NA. DISREGARD NOTE: NIGHT LANDING: RWY 9, 27 NA. 1702162206-1709282206EST.

FDC 7/5494 BVY IAP BEVERLY MUNI, BEVERLY, MA. RNAV (GPS) RWY 34, ORIG-D...NOTE: CIRCLING RWY 9 NA AT NIGHT. NOTE: RWY 34 HELICOPTER VISIBILITY REDUCTION BELOW 3/4 SM NOT AUTHORIZED. NOTE: RWY 9 HELICOPTER VISIBILITY REDUCTION BELOW 1 SM NOT AUTHORIZED. DISREGARD NOTE: RWY 34 HELICOPTER VISIBILITY REDUCTION BELOW 3/4 SM NA. DISREGARD NOTE: CIRCLING RWY 9, 27 NA AT NIGHT. 1702162206-1709282206EST.

FDC 7/5493 BVY IAP BEVERLY MUNI, BEVERLY, MA. RNAV (GPS) RWY 27, AMDT 1...NOTE: CIRCLING RWY 9 NA AT NIGHT. NOTE: RWY 27 HELICOPTER VISIBILITY REDUCTION BELOW 3/4 SM NOT AUTHORIZED. NOTE: RWY 9 HELICOPTER VISIBILITY REDUCTION BELOW 1 SM NOT AUTHORIZED. DISREGARD NOTE: STRAIGHT-IN RWY 27 NA AT NIGHT. DISREGARD NOTE: CIRCLING RWY 9, 27 NA AT NIGHT. DISREGARD NOTE: RWY 27 HELICOPTER VISIBILITY REDUCTION BELOW 1 SM NA. 1702162206-1709282206EST.

FDC 7/5492 BVY IAP BEVERLY MUNI, BEVERLY, MA. RNAV (GPS) RWY 16, AMDT 1D...NOTE: CIRCLING RWY 9 NA AT NIGHT. NOTE: RWY 9 HELICOPTER VISIBILITY REDUCTION BELOW 1 SM NOT AUTHORIZED. NOTE: RWY 16 HELICOPTER VISIBILITY REDUCTION BELOW 3/4 SM NOT AUTHORIZED. DISREGARD NOTE: HELICOPTER VISIBILITY REDUCTION BELOW 3/4 SM NA. DISREGARD NOTE: NIGHT LANDING: RWY 9, 27 NA. 1702162206-1709282206EST.

FDC 7/5491 BVY IAP BEVERLY MUNI, BEVERLY, MA. RNAV (GPS) RWY 9, ORIG...NOTE: STRAIGHT-IN RWY 9 NA AT NIGHT, CIRCLING RWY 9 NA AT NIGHT. NOTE: RWY 9 HELICOPTER VISIBILITY REDUCTION BELOW 1 SM NOT AUTHORIZED. DISREGARD NOTE: NIGHT LANDING: RWY 9, 27 NA. DISREGARD NOTE: HELICOPTER VISIBILITY REDUCTION BELOW 1 SM NA. 1702162206-1709282206EST.

FDC 7/5490 BVY IAP BEVERLY MUNI, BEVERLY, MA. LOC RWY 16, AMDT 7C...NOTE: CIRCLING RWY 9 NA AT NIGHT. NOTE: RWY 16 HELICOPTER VISIBILITY REDUCTION BELOW 3/4 SM NOT AUTHORIZED. NOTE: RWY 9 HELICOPTER VISIBILITY REDUCTION BELOW 1 SM NOT AUTHORIZED. DISREGARD NOTE: HELICOPTER VISIBILITY REDUCTION BELOW 3/4 SM NA. DISREGARD NOTE: NIGHT LANDING: RWY 9, 27 NA. 1702162206-1709282206EST.

BOSTON

General Edward Lawrence Logan Intl

FDC 7/6835 BOS SPECIAL EDWARD LAWRENCE LOGAN INTL. BOSTON, MA. RNAV VISUAL RWY 04L ORIG PROCEDURE NA 1704062100-1710312359EST.

FDC 7/0780 BOS IAP GENERAL EDWARD LAWRENCE LOGAN INTL, BOSTON, MA. RNAV (GPS) RWY 22L, AMDT 1B...LNAV/VNAV DA 408/HAT 392 ALL CATS. 1703271946-1711061946EST.

FALMOUTH

Falmouth Hospital

FDC 7/4440 MA37 IAP FALMOUTH HOSPITAL, FALMOUTH, MA. COPTER RNAV (GPS) 214, ORIG...CHANGE CAPE APPROACH CONTROL FREQUENCY FROM 124.7 TO 118.2. 1701141838-1708261838EST.

FDC 7/0489 MA37 IAP FALMOUTH HOSPITAL, FALMOUTH, MA. COPTER RNAV (GPS) 214, ORIG...MINIMUM ALTITUDE AT 0.80 NM TO PEBME WP 860.. 1703021939-1710121939EST.

FDC 7/0414 MA37 IAP FALMOUTH HOSPITAL, FALMOUTH, MA. COPTER RNAV (GPS) 105, ORIG...CHANGE OTIS ANGB ALT WX FREQUENCY FROM 121.1 TO 120.475. CHANGE DISTANCE FROM HIGUT (FAF) TO HOTMI (MAP) FROM 2.0NM TO 1.8NM. 1701032137-1708152137EST.

FITCHBURG

Fitchburg Muni

FDC 7/4997 FIT ODP FITCHBURG MUNI, FITCHBURG, MA. TAKEOFF MINIMUMS AND (OBSTACLE) DEPARTURE PROCEDURES AMDT 5...TAKEOFF MINIMUMS: RWY 32, STANDARD WITH MINIMUM CLIMB OF 378 FT PER NM TO 1600 OR 1500-2 1/2 FOR CLIMB IN VISUAL CONDITIONS. NOTE: RWY 14, TEMP CRANE 797 FT FROM DER, 620 FT RIGHT OF CENTERLINE, 96 FT AGL/420 FT MSL (2017-ANE-422-OE). ALL OTHER DATA REMAINS AS PUBLISHED. 1704251319-1712051319EST.

GARDNER

Gardner Muni

FDC 7/9280 GDM IAP GARDNER MUNI, GARDNER, MA. RNAV (GPS)-B, ORIG-B...DESCENT ANGLE 3.05/TCH 45 NA. 1705031247-1712131247EST.

HYANNIS

Barnstable Muni-Boardman/Polando Field

FDC 7/9601 HYA ODP BARNSTABLE MUNI-BOARDMAN/POLANDO FIELD, HYANNIS, MA. TAKEOFF MINIMUMS AND (OBSTACLE) DEPARTURE PROCEDURES AMDT 3A...NOTE: RWY 24, TEMP CRANE 1082 FT FROM DER, 642 FT RIGHT OF CENTERLINE, 76 FT AGL/123 FT MSL (2016-ANE-2092-OE). ALL OTHER DATA REMAINS AS PUBLISHED. 1704131235-1705151234EST.

LAWRENCE

Lawrence Muni

FDC 7/9314 LWM IAP , , . RNAV (GPS) RWY 23, ORIG-A...DISREGARD NOTE: RWY 23 STRAIGHT-IN AND CIRCLING AND CIRCLING TO RWY 32 NA AT NIGHT. 1705031336-1712131336EST.

MONTAGUE

Turners Falls

FDC 7/1393 0B5 ODP TURNERS FALLS, MONTAGUE, MA. TAKEOFF MINIMUMS AND (OBSTACLE) DEPARTURE PROCEDURES AMDT 1...TAKEOFF MINIMUMS: RWY 16, 1200-2 3/8. RWY 34, 1300-2 3/8. ALL OTHER DATA REMAINS AS PUBLISHED. 1704171715-1711271715EST.

PITTSFIELD

Pittsfield Muni

FDC 7/8867 PSF ODP PITTSFIELD MUNI, PITTSFIELD, MA. TAKEOFF MINIMUMS AND (OBSTACLE) DEPARTURE PROCEDURES AMDT 2...NOTE: RWY 8, LIGHT POLE 796 FT FROM DER, 274 FT RIGHT OF CENTERLINE, 62 FT AGL/1237 FT MSL (2016-ANE-2564-OE). LIGHT POLES BEGINNING 1737 FT FROM DER, 342 FT LEFT OF CENTERLINE, UP TO 93 FT AGL/1292 FT MSL (2016-ANE-2560/2561/2562/2563-OE). ALL OTHER DATA REMAINS AS PUBLISHED. 1701292141-1709102141EST.

FDC 6/4267 PSF IAP PITTSFIELD MUNI, PITTSFIELD, MA. RNAV (GPS) RWY 26, AMDT 1A...DISREGARD NOTE: NIGHT LANDING RWY 8 NA. 1611291952-1707111952EST.

FDC 6/4266 PSF IAP PITTSFIELD MUNI, PITTSFIELD, MA. LOC/DME RWY 26, AMDT 9A...DISREGARD NOTE: NIGHT LANDING: RWY 8 NA. 1611291952-1707111952EST.

FDC 6/4265 PSF IAP PITTSFIELD MUNI, PITTSFIELD, MA. RNAV (GPS) RWY 8, AMDT 1A...DISREGARD NOTE: NIGHT LANDING: RWY 8 NA. 1611291952-1707111952EST.

PLYMOUTH

Plymouth Muni

FDC 7/7934 PYM ODP PLYMOUTH MUNI, PLYMOUTH, MA. TAKEOFF MINIMUMS AND (OBSTACLE) DEPARTURE PROCEDURES AMDT 2...NOTE: RWY 15, TEMP CRANE 2031 FT FROM DER, 551 FT RIGHT OF CENTERLINE, 66 FT AGL/200 FT MSL (2016-ANE-3470-OE). ALL OTHER DATA REMAINS AS PUBLISHED. 1705011246-1705231246EST.

FDC 7/4013 PYM IAP PLYMOUTH MUNI,
PLYMOUTH, MA. ILS OR LOC/DME RWY 6, AMDT
1E...NOTE: AUTO PILOT COUPLED APPROACH N/A
BELOW 610 MSL. 1701122327-1708242326EST.

PROVINCETOWN

Provincetown Muni

FDC 7/0159 PVC IAP PROVINCETOWN MUNI,
PROVINCETOWN, MA. ILS OR LOC RWY 7, AMDT
9...CHART NOTE: DME REQUIRED.. LFV VOR/DME
RADIAL 281-291 UNUSABLE.
1703250131-1711040131EST.

STOW

Minute Man Air Field

FDC 7/1470 6B6 IAP MINUTE MAN AIR FIELD, STOW,
MA. VOR/DME RWY 21, AMDT 3D...PROCEDURE NA.
1701051944-1708171944EST.

VINEYARD HAVEN

Martha's Vineyard

FDC 7/4866 MVB IAP MARTHA S VINEYARD,
VINEYARD HAVEN, MA. VOR RWY 6, AMDT
2A...DISREGARD ALL REFERENCE TO RADAR AT
JODLE. CHANGE NOTE: DME OR RADAR REQUIRED
TO READ DME REQUIRED.
1701171504-1708291504EST.

WESTFIELD/SPRINGFIELD

Westfield-Barnes Rgnl

FDC 6/1504 BAF ODP WESTFIELD-BARNES RGNL,
WESTFIELD/SPRINGFIELD, MA. TAKEOFF
MINIMUMS AND (OBSTACLE) DEPARTURE
PROCEDURES AMDT 4A...TAKEOFF MINIMUMS:
RWY 15, 400-2 OR STANDARD WITH MINIMUM
CLIMB OF 435 FT PER NM TO 800. ALL OTHER DATA
REMAINS AS PUBLISHED.
1611202032-1707022032EST.

WORCESTER

Worcester Rgnl

FDC 7/3408 ORH IAP WORCESTER RGNL,
WORCESTER, MA. RNAV (GPS) RWY 33,
ORIG-A...LNAV MDA 1480/HAT 481 ALL CATS. VIS
CATS C, D 1 3/8. 1703101429-1710201429EST.

FDC 7/0253 ORH IAP WORCESTER RGNL,
WORCESTER, MA. ILS OR LOC RWY 11, AMDT
23C...AUTOPILOT COUPLED APPROACHES NA
BELOW 1360 MSL. 1703252338-1711042338EST.

MICHIGAN

ALLEGAN

Padgham Field

FDC 7/6372 35D IAP PADGHAM FIELD, ALLEGAN,
MI. RNAV (GPS) RWY 11, ORIG-A...RNAV (GPS) RWY
29, ORIG...NOTE: CIRCLING NA TO RWYS 15 AND 33.
1704061427-1711161427EST.

FDC 7/6367 35D IAP PADGHAM FIELD, ALLEGAN,
MI. VOR RWY 29, AMDT 14...NOTE: CIRCLING NA TO
RWYS 15 AND 33. NOTE: NIGHT LANDING: RWY 29
NA. 1704061425-1711161425EST.

ALPENA

Alpena County Rgnl

FDC 7/5462 APN IAP ALPENA COUNTY RGNL,
ALPENA, MI. VOR RWY 19, AMDT 15...DAKRY FIX
MINIMUMS: S-19 CAT D MINIMUMS NA. CIRCLING
CAT A MDA 1140/HAA 450.
1702162140-1709282140EST.

FDC 7/5459 APN IAP ALPENA COUNTY RGNL,
ALPENA, MI. RNAV (GPS) RWY 19, ORIG...LNAV MDA
1080/HAT 397 ALL CATS. CIRCLING CAT A MDA
1140/HAA 450. VDP AT 1.12NM TO RW19*.
1702162139-1709282139EST.

ANN ARBOR

Ann Arbor Muni

FDC 7/5728 ARB IAP ANN ARBOR MUNI, ANN
ARBOR, MI. VOR RWY 6, AMDT 13D...CIRCLING NA
TO RWYS 12, 30. CHANGE HELICOPTER VISIBILITY
REDUCTION NOTE TO READ: HELICOPTER
VISIBILITY REDUCTION BELOW 3/4 SM NOT
AUTHORIZED. VDP AT SVM 14.9 DME. DISTANCE
VDP TO THLD 1.60 NM. VDP NA WHEN USING
WILLOW RUN ALTIMETER SETTING.
1704051353-1711151352EST.

FDC 7/5726 ARB IAP ANN ARBOR MUNI, ANN ARBOR, MI. VOR RWY 24, AMDT 13E...CIRCLING NA TO RWYS 12, 30. DISREGARD NOTE: INOPERATIVE TABLE DOES NOT APPLY. CHANGE BACK-UP ALTIMETER SETTING NOTE TO READ: WHEN LOCAL ALTIMETER SETTING NOT RECEIVED, USE WILLOW RUN ALTIMETER SETTING AND INCREASE ALL MDAS 40 FEET AND INCREASE S-24 CAT C/D VISIBILITY 1/8 MILE AND CIRCLING CAT C/D VISIBILITY 1/4 MILE. CHANGE HELICOPTER VISIBILITY REDUCTION NOTE TO READ: HELICOPTER VISIBILITY REDUCTION BELOW 3/4 SM NOT AUTHORIZED. VDP AT SVM 10.8 DME. DISTANCE VDP TO THLD 1.93 NM. VDP NA WHEN USING WILLOW RUN ALTIMETER SETTING. 1704051351-1711151351EST.

FDC 7/1855 ARB SID ANN ARBOR MUNI, ANN ARBOR, MI. PALACE NINE DEPARTURE...ST. CLAIR NINE DEPARTURE...NOTE: ATC ASSIGNED ONLY. 1703282254-1711072254EST.

BALDWIN

Baldwin Muni

FDC 7/2519 7D3 ODP BALDWIN MUNI, BALDWIN, MI. TAKEOFF MINIMUMS AND (OBSTACLE) DEPARTURE PROCEDURES ORIG...TAKEOFF MINIMUMS: RWY 5, 23 NA-ENVIRONMENTAL. ALL OTHER DATA REMAINS AS PUBLISHED. 1703292027-1711082027EST.

BATTLE CREEK

W K Kellogg

FDC 7/0925 BTL IAP W K KELLOGG, BATTLE CREEK, MI. RNAV (GPS) RWY 31, ORIG-A...LP MDA 1320/HAT 390 ALL CATS, VISIBILITY CAT C/D 1 1/8. CHANGE ALTIMETER NOTE TO READ: WHEN LOCAL ALTIMETER SETTING NOT RECEIVED, PROCEDURE NA. NOTE: NIGHT LANDING: RWY 31 NA. DISREGARD NOTE: WHEN VGSI INOP, STRAIGHT-IN/CIRCLING RWY 13-31 PROCEDURE NA AT NIGHT. 1704171147-1711271147EST.

FDC 7/0099 BTL IAP W K KELLOGG, BATTLE CREEK, MI. RNAV (GPS) RWY 23R, AMDT 1A...ILS OR LOC RWY 23R, AMDT 18A...NDB RWY 23R, AMDT 18A...NOTE: NIGHT LANDING: RWY 31 NA. DISREGARD NOTE: WHEN VGSI INOPERATIVE, CIRCLING RWYS 13/31 NA AT NIGHT. 1704131831-1711231831EST.

FDC 7/0097 BTL IAP W K KELLOGG, BATTLE CREEK, MI. RNAV (GPS) RWY 5L, AMDT 1A...NOTE: NIGHT LANDING: RWY 31 NA. NOTE: HELICOPTER VISIBILITY REDUCTION BELOW 3/4 SM NOT AUTHORIZED. DISREGARD NOTE: WHEN VGSI INOPERATIVE, CIRCLING RWYS 13/31 NA AT NIGHT. DISREGARD NOTE: VISIBILITY REDUCTION BY HELICOPTERS NA. 1704131829-1711231829EST.

BENTON HARBOR

Southwest Michigan Rgnl

FDC 7/6555 BEH IAP SOUTHWEST MICHIGAN RGNL, BENTON HARBOR, MI. RNAV (GPS) RWY 10, AMDT 1B...LNAV MDA 1100/HAT 469 ALL CATS. VIS CATS C/D 1 3/8. VDP 1.36 NM TO RWY 10. ANTENNA TOWER, 792 MSL, 5056 FT SW OF APPROACH END RWY 10, 2016-AGL-7149-OE. 1701222023-1709032023EST.

FDC 7/0423 BEH IAP SOUTHWEST MICHIGAN RGNL, BENTON HARBOR, MI. ILS OR LOC RWY 28, AMDT 8A...RNAV (GPS) RWY 10, AMDT 1B...RNAV (GPS) RWY 28, AMDT 2A...DISREGARD NOTE: WHEN VGSI INOP, CIRCLING RWY 14 AND 32 NA AT NIGHT. NOTE: NIGHT LANDING: RWY 14, 32 NA. 1703021844-1710121844EST.

FDC 7/0420 BEH IAP SOUTHWEST MICHIGAN RGNL, BENTON HARBOR, MI. VOR RWY 28, AMDT 19B...DISREGARD NOTE: WHEN VGSI INOPERATIVE, CIRCLING RWY 32 AND 14 NA AT NIGHT. DISREGARD NOTE: VISIBILITY REDUCTION BY HELICOPTERS NA. NOTE: NIGHT LANDING: RWY 14, 32 NA. NOTE: HELICOPTER VISIBILITY REDUCTION BELOW 3/4 SM NOT AUTHORIZED. 1703021841-1710121841EST.

BERRIEN SPRINGS

Andrews University Airpark

FDC 7/3572 C20 ODP ANDREWS UNIVERSITY AIRPARK, BERRIEN SPRINGS, MI. TAKEOFF MINIMUMS AND (OBSTACLE) DEPARTURE PROCEDURES ORIG...TAKEOFF MINIMUMS: RWY 31: STANDARD WITH MINIMUM CLIMB OF 323 FT PER NM TO 900. DISREGARD 700 - 1 1/2 CEILING AND VISIBILITY. NOTE: RWY 31: TREES BEGINNING 29 FEET FROM DER, LEFT AND RIGHT OF CENTERLINE, UP TO 100 FEET AGL/834 FEET MSL. TERRAIN BEGINNING 77 FEET FROM DER, 362 FEET LEFT OF CENTERLINE, UP TO 680 FEET MSL. VEHICLES ON ROAD BEGINNING 343 FEET FROM DER, LEFT AND RIGHT OF CENTERLINE, UP TO 17 FEET AGL/692 FEET MSL. SIGN 453 FEET FROM DER, 342 FEET LEFT OF CENTERLINE, 22 FEET AGL/692 FEET MSL. TERRAIN 664 FEET FROM DER, 386 FEET RIGHT OF CENTERLINE, UP TO 686 FEET MSL. SIGN 1306 FEET FROM DER, 543 FEET RIGHT OF CENTERLINE, 22 FEET AGL/702 FEET MSL. POLES BEGINNING 1501 FEET FROM DER, LEFT AND RIGHT OF CENTERLINE, UP TO 66 FEET AGL/799 FEET MSL. VEHICLES ON ROAD BEGINNING 2742 FEET FROM DER, 717 FEET RIGHT OF CENTERLINE, UP TO 15 FEET AGL/749 FEET MSL. BUILDINGS BEGINNING 3083 FEET FROM DER, 128 FEET LEFT OF CENTERLINE, UP TO 30 FEET AGL/778 FEET MSL. ALL OTHER DATA REMAINS AS PUBLISHED. 1702112042-1709232042EST.

BIG RAPIDS

Roben-Hood

FDC 7/2575 RQB IAP ROBEN-HOOD, BIG RAPIDS, MI. VOR/DME-A, AMDT 8...PROCEDURE NA. 1703292059-1711082059EST.

BOYNE CITY

Boyne City Muni

FDC 7/8898 N98 IAP BOYNE CITY MUNI, BOYNE CITY, MI. RNAV (GPS) RWY 27, ORIG-B...DELETE: DESCENT ANGLE 3.00/TCH 40. PROFILE NOTE: VISUAL SEGMENT - OBSTACLES. 1704121305-1711221304EST.

FDC 7/1421 N98 ODP BOYNE CITY MUNI, BOYNE CITY, MI. TAKEOFF MINIMUMS AND (OBSTACLE) DEPARTURE PROCEDURES ORIG...TAKE-OFF MINIMUMS RWY 9, 600-3 WITH MINIMUM CLIMB OF 430 FEET PER NM TO 1400.. ALL OTHER DATA REMAINS AS PUBLISHED. 1704171744-1711271744EST.

BOYNE FALLS

Boyne Mountain

FDC 7/6587 BFA IAP BOYNE MOUNTAIN, BOYNE FALLS, MI. RNAV (GPS) RWY 35, ORIG...NOTE: PROCEDURE NA AT NIGHT. NOTE: HELICOPTER VISIBILITY REDUCTION BELOW 1 SM NOT AUTHORIZED. DISREGARD NOTE: VISIBILITY REDUCTION BY HELICOPTERS NA. 1701222047-1709032047EST.

FDC 7/6585 BFA IAP BOYNE MOUNTAIN, BOYNE FALLS, MI. RNAV (GPS) RWY 17, ORIG...NOTE: PROCEDURE NA AT NIGHT. NOTE: HELICOPTER VISIBILITY REDUCTION BELOW 1 SM NOT AUTHORIZED. 1701222046-1709032046EST.

CHARLEVOIX

Charlevoix Muni

FDC 6/5930 CVX IAP CHARLEVOIX MUNI, CHARLEVOIX, MI. RNAV (GPS) RWY 27, ORIG-A...RNAV (GPS) RWY 9, AMDT 1...DISREGARD NOTE: CIRCLING TO RWY 4/22 NA AT NIGHT. NOTE: CIRCLING TO RWY 4 / 22 NOT AUTHORIZED. 1612022202-1707142200EST.

CHEBOYGAN

Cheboygan County

FDC 7/1617 SLH IAP CHEBOYGAN COUNTY, CHEBOYGAN, MI. RNAV (GPS) RWY 10, AMDT 3A...DISREGARD PROFILE NOTE: DESCENT ANGLE 3.00/TCH 40. PROFILE NOTE: VISUAL SEGMENT - OBSTACLES. 1702071347-1709191347EST.

CLARE

Clare Muni

FDC 7/8928 48D IAP CLARE MUNI, CLARE, MI. RNAV (GPS) RWY 4, ORIG-A...VOR-A, AMDT 2...DISREGARD NOTE: CIRCLING TO RWY 9/27 NA AT NIGHT. NOTE: NIGHT LANDING RWY 9, 27 NA. CHANGE AWOS-3 FREQUENCY TO READ 133.025. 1701292230-1709102230EST.

COLDWATER

Branch County Memorial

FDC 7/9778 OEB IAP BRANCH COUNTY MEMORIAL, COLDWATER, MI. VOR/DME RWY 25, ORIG...CIRCLING CAT B MDA 1440/HAA 481. NOTE: STRAIGHT-IN RWY 25 NA AT NIGHT. NOTE: CIRCLING RWY 4, 7, 22 NA AT NIGHT. NOTE: CIRCLING RWY 16, 34 NA. NOTE: RWY 4, 7, 22, 25 HELICOPTER VISIBILITY REDUCTION BELOW 1 SM NOT AUTHORIZED. DISREGARD NOTE: VISIBILITY REDUCTION BY HELICOPTERS NA. 1703012045-1710112044EST.

FDC 7/9774 OEB IAP BRANCH COUNTY MEMORIAL, COLDWATER, MI. VOR RWY 7, AMDT 5...CIRCLING CAT B MDA 1440/HAA 481. NOTE: STRAIGHT-IN RWY 7 NA AT NIGHT. NOTE: CIRCLING RWY 4, 22, 25 NA AT NIGHT. NOTE: CIRCLING RWY 16, 34 NA. NOTE: RWY 4, 7, 22, 25 HELICOPTER VISIBILITY REDUCTION BELOW 1 SM NOT AUTHORIZED. DISREGARD NOTE: VISIBILITY REDUCTION BY HELICOPTERS NA. 1703012043-1710112042EST.

FDC 7/9760 OEB IAP BRANCH COUNTY MEMORIAL, COLDWATER, MI. RNAV (GPS) RWY 7, AMDT 1...LPV MINIMUMS NA. LNAV/VNAV MINIMUMS NA. CIRCLING CAT B MDA 1440/HAA 481. NOTE: STRAIGHT-IN RWY 7 NA AT NIGHT. NOTE: CIRCLING RWY 4, 22, 25 NA AT NIGHT. NOTE: CIRCLING RWY 16, 34 NA. NOTE: RWY 4, 7, 22, 25 HELICOPTER VISIBILITY REDUCTION BELOW 1 SM NOT AUTHORIZED. DISREGARD NOTE: VISIBILITY REDUCTION BY HELICOPTERS NA. 1703012037-1710112036EST.

FDC 7/9757 OEB IAP BRANCH COUNTY MEMORIAL, COLDWATER, MI. RNAV (GPS) RWY 25, ORIG...LPV MINIMUMS NA. LNAV/VNAV MINIMUMS NA. CIRCLING CAT B MDA 1440/HAA 481. NOTE: STRAIGHT-IN RWY 25 NA AT NIGHT. NOTE: CIRCLING RWY 4, 7, 22 NA AT NIGHT. NOTE: CIRCLING RWY 16, 34 NA. NOTE: RWY 4, 7, 22, 25 HELICOPTER VISIBILITY REDUCTION BELOW 1 SM NOT AUTHORIZED. DISREGARD NOTE: VISIBILITY REDUCTION BY HELICOPTERS NA. 1703012034-1710112033EST.

DETROIT

Coleman A Young Muni

FDC 7/5147 DET IAP COLEMAN A YOUNG MUNI, DETROIT, MI. ILS OR LOC RWY 33, AMDT 14C...S-LOC 33 MDA 1260/HAT 634 ALL CATS, VIS CAT C/D 1 3/4 SM. 1701172033-1708292033EST.

FDC 7/1857 DET SID COLEMAN A YOUNG MUNI, DETROIT, MI. PALACE NINE DEPARTURE...ST. CLAIR NINE DEPARTURE...NOTE: ATC ASSIGNED ONLY. 1703282257-1711072257EST.

FDC 7/0049 DET IAP COLEMAN A YOUNG MUNI, DETROIT, MI. ILS OR LOC RWY 15, AMDT 10B...NDB RWY 15, AMDT 23A...RNAV (GPS) RWY 15, ORIG-A...RNAV (GPS) RWY 33, ORIG-B...VOR RWY 33, AMDT 28A...CHANGE NIGHT LANDING NOTE TO READ: NIGHT LANDING: RWY 7, 25 NA. 1704131808-1711231808EST.

Detroit Metropolitan Wayne County

FDC 7/7239 DTW SID DETROIT METROPOLITAN WAYNE COUNTY, DETROIT, MI. AKRON FIVE DEPARTURE...ERRTH SIX DEPARTURE...FORT WAYNE SEVEN DEPARTURE...MOONN EIGHT DEPARTURE...PALACE ONE DEPARTURE...RICHMOND EIGHT DEPARTURE...ROSEWOOD FIVE DEPARTURE...ST. CLAIR NINE DEPARTURE...DISREGARD METRO TOWER FREQUENCY. ALL OTHER DATA REMAINS AS PUBLISHED. 1704281542-1712081542EST.

Willow Run

FDC 7/8036 YIP IAP WILLOW RUN, DETROIT, MI. ILS OR LOC RWY 5R, AMDT 15...CIRCLING CATS A/B/C MDA 1220/HAA 504, CAT D MDA 1400/HAA 684, VISIBILITY 2 1/4. CHART CIRCLING ICON. THIS IS ILS OR LOC RWY 5R, AMDT 15A. 1705011429-PERM.

FLINT

Bishop Intl

FDC 7/1032 FNT IAP BISHOP INTL, FLINT, MI. ILS OR LOC RWY 27, AMDT 5...ILS OR LOC RWY 9, AMDT 22C...VOR RWY 18, ORIG-A...VOR RWY 36, ORIG...DME REQUIRED EXCEPT FOR AIRCRAFT EQUIPPED WITH SUITABLE RNAV SYSTEM WITH GPS, PSI VOR OUT OF SERVICE. 1701051324-1708171324EST.

FREMONT

Fremont Muni

FDC 6/1433 FFX IAP FREMONT MUNI, FREMONT, MI. VOR RWY 18, ORIG-A...PROCEDURE NA. 1611201956-1707021956EST.

FDC 6/1392 FFX IAP FREMONT MUNI, FREMONT, MI. VOR RWY 36, AMDT 7A...PROCEDURE NA. 1609301905-1705121905EST.

GLADWIN

Gladwin Zettel Memorial

FDC 7/3570 GDW IAP GLADWIN ZETTEL MEMORIAL, GLADWIN, MI. RNAV (GPS) RWY 9, ORIG-A...DISREGARD NOTE: VISIBILITY REDUCTION BY HELICOPTERS NA. DISREGARD NOTE: WHEN VGSI INOP, CIRCLING RWY 27 NA AT NIGHT. DISREGARD NOTE: WHEN VGSI INOP, STRAIGHT-IN/CIRCLING RWY 9 PROCEDURE NA AT NIGHT. NOTE: PROCEDURE NA AT NIGHT. NOTE: HELICOPTER VISIBILITY REDUCTION BELOW 1 SM NOT AUTHORIZED. NOTE: CIRCLING TO RWY 15, 33 NA. 1702112040-1709232040EST.

FDC 7/3568 GDW IAP GLADWIN ZETTEL MEMORIAL, GLADWIN, MI. RNAV (GPS) RWY 27, ORIG-A...DISREGARD NOTE: VISIBILITY REDUCTION BY HELICOPTERS NA. DISREGARD NOTE: WHEN VGSI INOP, CIRCLING RWY 9 NA AT NIGHT. DISREGARD NOTE: WHEN VGSI INOP, STRAIGHT-IN/CIRCLING RWY 27 PROCEDURE NA AT NIGHT. NOTE: PROCEDURE NA AT NIGHT. NOTE: HELICOPTER VISIBILITY REDUCTION BELOW 1 SM NOT AUTHORIZED. NOTE: CIRCLING TO RWY 15, 33 NA. 1702112039-1709232039EST.

GRAND HAVEN

Grand Haven Memorial Airpark

FDC 6/1393 3GM IAP GRAND HAVEN MEMORIAL AIRPARK, GRAND HAVEN, MI. VOR-A, AMDT 16A...PROCEDURE NA. 1609301905-1705121905EST.

GRAND LEDGE

Abrams Muni

FDC 7/8960 4D0 IAP U.S. DOD ABRAMS MUNI, GRAND LEDGE, MI. COPTER VOR 345, AMDT 6...NOTE: NIGHT LANDING: RWY 27 NA. H-345 VISIBILITY 1. 1701292345-1709102345EST.

GRAYLING

Grayling AAF

FDC 7/8218 GOV IAP GRAYLING AAF, GRAYLING, MI. NDB RWY 14, AMDT 8B...S-14 HAT 726 ALL CATS, CIRCLING HAA 722 ALL CATS. TDZE 1154. APT ELEV 1158. DISREGARD NOTE: PROCEDURE NA AT NIGHT FOR CAT C/D AIRCRAFT. NOTE: CIRCLING RWY 5, 23, 32 NA AT NIGHT. 1702261936-1710081936EST.

FDC 7/8214 GOV IAP GRAYLING AAF, GRAYLING, MI. RNAV (GPS) RWY 14, ORIG-B...LNAV HAT 546 ALL CATS, CIRCLING CAT A/B/C HAA 562, CAT C HAA 602. TDZE 1154. APT ELEV 1158. DISREGARD NOTE: PROCEDURE NA AT NIGHT FOR CAT C/D AIRCRAFT. NOTE: CIRCLING RWY 5, 23, 32 NA AT NIGHT. 1702261935-1710081934EST.

FDC 7/7574 GOV IAP GRAYLING AAF, GRAYLING, MI. VOR RWY 14, AMDT 2B...S-14 HAT 726 ALL CATS, CIRCLING HAA 722 ALL CATS. GORDN FIX MINIMUMS S-14 HAT 566 ALL CATS, CIRCLING CAT A/B/C HAA 562, CAT D HAA 602. TDZE 1154. APT ELEV 1158. DISREGARD NOTE: PROCEDURE NA AT NIGHT FOR CAT C/D AIRCRAFT. NOTE: PROCEDURE NA AT NIGHT. 1704101244-1711201244EST.

GREENVILLE

Greenville Muni

FDC 7/6979 6D6 IAP GREENVILLE MUNI, GREENVILLE, MI. VOR/DME-A, AMDT 2A...TERMINAL ROUTE FROM MKG VORTAC TO NESTR NA EXCEPT FOR AIRCRAFT EQUIPPED WITH SUITABLE RNAV SYSTEM WITH GPS. 1703201401-1710301401EST.

HANCOCK

Houghton County Memorial

FDC 7/3967 CMX ODP HOUGHTON COUNTY MEMORIAL, HANCOCK, MI. TAKEOFF MINIMUMS AND (OBSTACLE) DEPARTURE PROCEDURES AMDT 3...TAKE-OFF MINIMUMS RWY 25: 400 - 2 1/2 OR STANDARD WITH A MINIMUM CLIMB OF 215 FT PER NM TO 1600 OR ALTERNATIVELY, WITH STANDARD TAKEOFF MINIMUMS AND A NORMAL 200 FT PER NM CLIMB GRADIENT, TAKEOFF MUST OCCUR NO LATER THAN 1500 FT PRIOR TO DER. ALL OTHER DATA REMAINS AS PUBLISHED. 1701122202-1708242202EST.

HARBOR SPRINGS

Harbor Springs

FDC 7/0983 MGN ODP HARBOR SPRINGS, HARBOR SPRINGS, MI. TAKEOFF MINIMUMS AND (OBSTACLE) DEPARTURE PROCEDURES AMDT 2...NOTE: RWY 10, SILO, 1200 FT FROM DEPARTURE END OF RWY, 403 FT LEFT OF CENTERLINE, 59 AGL/739 MSL, (2016-AGL-2316-OE). ALL OTHER DATA REMAINS AS PUBLISHED. 1703061517-1710161517EST.

HOWELL

Livingston County Spencer J Hardy

FDC 6/6395 OZW IAP LIVINGSTON COUNTY SPENCER J HARDY, HOWELL, MI. VOR RWY 31, AMDT 11A...DME REQUIRED EXCEPT FOR AIRCRAFT EQUIPPED WITH SUITABLE RNAV SYSTEM WITH GPS, PSI VOR OUT OF SERVICE. 1612051912-1707171911EST.

IONIA

Ionia County

FDC 7/7466 Y70 IAP IONIA COUNTY, IONIA, MI. RNAV (GPS) RWY 27, ORIG-A...VGSI AND DESCENT ANGLES NOT COINCIDENT. 1702232038-1710052038EST.

FDC 7/6337 Y70 IAP IONIA COUNTY, IONIA, MI. VOR-A, AMDT 1...NOTE: CIRCLING NA TO RWYS 18 AND 36.. NOTE: HELICOPTER VISIBILITY REDUCTION BELOW 3/4 SM NOT AUTHORIZED. 1704061413-1711161413EST.

FDC 7/6335 Y70 IAP IONIA COUNTY, IONIA, MI. RNAV (GPS) RWY 27, ORIG-A...NOTE: CIRCLING NA TO RWYS 18 AND 36. NOTE: HELICOPTER VISIBILITY REDUCTION BELOW 3/4 SM NOT AUTHORIZED. 1704061411-1711161411EST.

FDC 7/2450 Y70 ODP IONIA COUNTY, IONIA, MI. TAKEOFF MINIMUMS AND (OBSTACLE) DEPARTURE PROCEDURES ORIG. TAKEOFF MINIMUMS: RWY 18, 36: NA - ENVIRONMENTAL. NOTE: RWY 9, TREES, BEGINNING 11 FT FROM DER, 320 FT LEFT OF CENTERLINE, UP TO 825 FT MSL. NAVAID 39 FT FROM DER, 77 FT RIGHT OF CENTERLINE, 804 FT MSL. GRD, BEGINNING 60 FT FROM DER, 276 FT RIGHT OF CENTERLINE, UP TO 810 FT MSL. TREES, BEGINNING 101 FT FROM DER, 344 FT LEFT OF CENTERLINE, UP TO 836 FT MSL. GRD 258 FT FROM DER, 333 FT RIGHT OF CENTERLINE, 811 FT MSL. TREES, BEGINNING 663 FT FROM DER, 521 FT RIGHT OF CENTERLINE, UP TO 872 FT MSL. TREES, BEGINNING 1011 FT FROM DER, 77 FT RIGHT OF CENTERLINE, UP TO 881 FT MSL. TREE 1530 FT FROM DER, 833 FT LEFT OF CENTERLINE, 845 FT MSL. TREES, BEGINNING 1538 FT FROM DER, 289 FT LEFT OF CENTERLINE, UP TO 848 FT MSL. TREE 1882 FT FROM DER, 844 FT LEFT OF CENTERLINE, 860 FT MSL. TREE 2507 FT FROM DER, 301 FT LEFT OF CENTERLINE, 870 FT MSL. TREE 2509 FT FROM DER, 259 FT LEFT OF CENTERLINE, 875 FT MSL. TREES, BEGINNING 2513 FT FROM DER, 201 FT LEFT OF CENTERLINE, UP TO 886 FT MSL. TREES, BEGINNING 2633 FT FROM DER, 233 FT LEFT OF CENTERLINE, UP TO 894 FT MSL. TREES, BEGINNING 2638 FT FROM DER, 220 FT LEFT OF CENTERLINE, UP TO 895 FT MSL. TREE 3036 FT FROM DER, 691 FT LEFT OF CENTERLINE, 898 FT MSL. NOTE: RWY 27, NAVAID 41 FT FROM DER, 77 FT FROM DER, 833 FT LEFT OF CENTERLINE, 845 FT MSL. BLDG 473 FT FROM DER, 547 FT RIGHT OF CENTERLINE, 837 FT MSL. POLES, BEGINNING 596 FT FROM DER, 513 FT LEFT OF CENTERLINE, UP TO 839 FT MSL. BLDG 780 FT FROM DER, 574 FT RIGHT OF CENTERLINE, 841 FT MSL. POLE 816 FT FROM DER, 680 FT RIGHT OF CENTERLINE, 845 FT MSL. TREE, BLDG, POLE, T-L TWR, BEGINNING 880 FT FROM DER, 137 FT LEFT OF CENTERLINE, UP TO 889 FT MSL. TREES, BEGINNING 1025 FT FROM DER, 144 FT RIGHT OF CENTERLINE, UP TO 850 FT MSL. TREE, T-L TWR, BEGINNING 1027 FT FROM DER, 79 FT RIGHT OF CENTERLINE, UP TO 851 FT MSL. TREE 1608 FT FROM DER, 6

JACKSON

Jackson County-Reynolds Field

FDC 7/8017 JXN IAP JACKSON COUNTY-REYNOLDS FIELD, JACKSON, MI. RNAV (GPS) RWY 6, ORIG...LNAV MDA 1480/HAT 481 ALL CATS. VISIBILITY CAT C 1 1/4, CAT D 1 1/2. 1704111206-1711211206EST.

FDC 7/8015 JXN IAP JACKSON COUNTY-REYNOLDS FIELD, JACKSON, MI. VOR RWY 6, AMDT 20...DIPFE MINIMUMS: S-6 MDA 1480/HAT 481 ALL CATS. 1704111202-1711211202EST.

KALAMAZOO

Kalamazoo/Battle Creek Intl

FDC 7/9241 AZO IAP KALAMAZOO/BATTLE CREEK INTL, KALAMAZOO, MI. RNAV (GPS) RWY 35, ORIG-B...LNAV/VNAV DA 1344/HAT 476 ALL CATS. VIS RVR 6000 ALL CATS. CRANE, 1002 MSL, 1.12 NM SOUTH OF APPROACH END RWY 35, (2016-AGL-3085-OE). 1705031232-1707021232EST.

FDC 7/4218 AZO IAP KALAMAZOO/BATTLE CREEK INTL, KALAMAZOO, MI. ILS OR LOC RWY 35, AMDT 23...VOR RWY 35, AMDT 18...DME REQUIRED EXCEPT FOR AIRCRAFT EQUIPPED WITH SUITABLE RNAV SYSTEM WITH GPS, BTL VORTAC OUT OF SERVICE. 1704241244-1712041243EST.

FDC 6/1536 AZO IAP KALAMAZOO/BATTLE CREEK INTL, KALAMAZOO, MI. RNAV (GPS) RWY 5, ORIG-A...LP MDA 1280/HAT 406 CATS A/B/C. 1611202052-1707022052EST.

LAKEVIEW

Lakeview-Griffith Field

FDC 7/5641 13C IAP LAKEVIEW-GRIFFITH FIELD, LAKEVIEW, MI. VOR/DME RWY 10, ORIG-B...PROCEDURE NA. 1704261405-1712061405EST.

LANSING

Capital Region Intl

FDC 7/6972 LAN IAP CAPITAL REGION INTL, LANSING, MI. ILS OR LOC RWY 10R, AMDT 11A...NOTE: VGSI AND ILS GLIDEPATH NOT COINCIDENT. 1703201355-1710301355EST.

FDC 7/1707 LAN IAP CAPITAL REGION INTL, LANSING, MI. RNAV (GPS) RWY 10R, ORIG...NOTE: VGSI AND RNAV GLIDEPATH NOT COINCIDENT. 1704181244-1711281244EST.

FDC 6/1404 LAN IAP CAPITAL REGION INTL, LANSING, MI. RADAR 1, AMDT 15...ASR 6 MINIMUMS NA. 1609301911-1705121910EST.

LAPEER

Dupont-Lapeer

FDC 7/5669 D95 IAP DUPONT-LAPEER, LAPEER, MI. VOR-A, ORIG-A...DME REQUIRED EXCEPT FOR AIRCRAFT EQUIPPED WITH SUITABLE RNAV SYSTEM WITH GPS, PSI VOR OUT OF SERVICE. 1704261413-1712061413EST.

LINDEN

Prices

FDC 7/8242 9G2 IAP PRICES, LINDEN, MI. RNAV (GPS) RWY 27, AMDT 1...RNAV (GPS) RWY 9, AMDT 1...VOR-A, ORIG-A...NOTE: PROCEDURE NA AT NIGHT. 1702261959-1710081959EST.

LUDINGTON

Mason County

FDC 7/9787 LDM ODP MASON COUNTY, LUDINGTON, MI. TAKEOFF MINIMUMS AND (OBSTACLE) DEPARTURE PROCEDURES AMDT 6...TAKEOFF MINIMUMS: RWY 26, 300-1 OR STANDARD WITH A MINIMUM CLIMB GRADIENT OF 310 FEET PER NM TO 900. NOTE: RWY 19, POLE 1087 FT FROM DER, 574 FT RIGHT OF CENTERLINE, 29 FT AGL/675 FT MSL. NOTE: RWY 26, BUILDING 463 FT FROM DER, 505 FT RIGH OF CENTERLINE, 27 FT AGL/ 668 FT MSL. FENCE 372 FT FROM DER, 306 FT RIGHT OF CENTERLINE, UP TO 17 FT AGL/ 658 FT MSL. ALL OTHER DATA REMAINS AS PUBLISHED. 1703241420-1711031420EST.

MARLETTE

Marlette

FDC 6/8082 77G IAP MARLETTE, MARLETTE, MI. RNAV (GPS) RWY 9, AMDT 1A...ADD NOTES: CIRCLING RWY 19 NA AT NIGHT. RWY 9 HELICOPTER VISIBILITY REDUCTION BELOW 3/4 SM NA. DISREGARD NOTES: WHEN VGSI INOP, STRAIGHT-IN AND CIRCLING RWY 1, 19, 27 NA AT NIGHT. VISIBILITY REDUCTION BY HELICOPTERS NA. 1612071533-1707191533EST.

FDC 6/8081 77G IAP MARLETTE, MARLETTE, MI. RNAV (GPS) RWY 19, ORIG-A...ADD NOTES: STRAIGHT-IN RWY 19 NA AT NIGHT, CIRCLING RWY 19 NA AT NIGHT. RWY 19 HELICOPTER VISIBILITY REDUCTION BELOW 1 SM NA. DISREGARD NOTES: WHEN VGSI INOP, STRAIGHT-IN AND CIRCLING RWY 1, 19, 27 NA AT NIGHT. VISIBILITY REDUCTION BY HELICOPTERS NA. 1612071533-1707191533EST.

FDC 6/8079 77G IAP MARLETTE, MARLETTE, MI. RNAV (GPS) RWY 27, AMDT 1A...ADD NOTES: CIRCLING RWY 19 NA AT NIGHT. RWY 27 HELICOPTER VISIBILITY REDUCTION BELOW 3/4 SM NA. DISREGARD NOTES: WHEN VGSI INOP, STRAIGHT-IN AND CIRCLING RWY 1, 19, 27 NA AT NIGHT. VISIBILITY REDUCTION BY HELICOPTERS NA. 1612071533-1707191533EST.

MARQUETTE

Sawyer Intl

FDC 7/9985 SAW ODP SAWYER INTL, MARQUETTE, MI. TAKEOFF MINIMUMS AND (OBSTACLE) DEPARTURE PROCEDURES ORIG...TAKEOFF OBSTACLE NOTES: RWY 1, NAVAID 40 FT FROM DER, 114 FT LEFT OF CENTERLINE, 2FT AGL/1225 FT MSL; NAVAID 40 FT FROM DER, 114 FT RIGHT OF CENTERLINE, 2FT AGL/1224 FT MSL. TREES BEGINNING 1529 FT FROM DER, 853 FT LEFT OF CENTERLINE, UP TO 75 FT AGL/1296 FT MSL; TREE 2749 FT FROM DER, 897 FT RIGHT OF CENTERLINE, 75 FT AGL/1295 FT MSL. DISREGARD RWY 19 TAKEOFF OBSTACLES.. 1704131731-1711231731EST.

MENOMINEE

Menominee-Marquette Twin County

FDC 7/8948 MNM IAP MENOMINEE-MARINETTE TWIN COUNTY, MENOMINEE, MI. ILS OR LOC RWY 3, AMDT 2B...AUTOPILOT COUPLED APPROACH NA BELOW 1574. 1701292335-1709102335EST.

FDC 6/2662 MNM IAP MENOMINEE-MARINETTE TWIN COUNTY, MENOMINEE, MI. ILS OR LOC RWY 3, AMDT 2B...RNAV (GPS) RWY 3, ORIG...NOTE: NIGHT LANDING: RWY 14, 32 NA. 1611232116-1707052116EST.

MONROE

Custer

FDC 7/9477 TTF IAP CUSTER, MONROE, MI. RNAV (GPS) RWY 3, ORIG...NOTE: NIGHT LANDING: RWY 3 NA. CHANGE HELICOPTER VISIBILITY REDUCTION NOTE TO READ: HELICOPTER VISIBILITY BELOW 1 SM NOT AUTHORIZED. 1704122002-1711222001EST.

FDC 7/9475 TTF IAP CUSTER, MONROE, MI. RNAV (GPS) RWY 21, ORIG...VOR RWY 21, AMDT 2...NOTE: NIGHT LANDING: RWY 3 NA. 1704122000-1711221959EST.

MUSKEGON

Muskegon County

FDC 7/3820 MKG IAP MUSKEGON COUNTY, MUSKEGON, MI. LOC BC RWY 14, AMDT 9A...CHART NOTE: RADAR OR GPS REQUIRED. CHART NOTE: RWY 14 HELICOPTER VISIBILITY REDUCTION BELOW 3/4 SM NOT AUTHORIZED. DELETE NOTE: HELICOPTER REDUCTION BY HELICOPTERS NA. THIS IS LOC BC RWY 14, AMDT 9B. 1703121522-PERM.

FDC 7/3819 MKG IAP MUSKEGON COUNTY, MUSKEGON, MI. ILS OR LOC RWY 32, AMDT 19...CHART TDZE 629, DELETE THRE 629. CHART NOTE: RADAR OR GPS REQUIRED. THIS IS ILS OR LOC RWY 32, AMDT 19A. 1703121522-PERM.

FDC 7/1481 MKG IAP MUSKEGON COUNTY, MUSKEGON, MI. ILS OR LOC RWY 24, AMDT 5...ILS OR LOC RWY 32, AMDT 19...LOC BC RWY 14, AMDT 9A...RADAR OR GPS REQUIRED.. MKG UNUSABLE R-071 - R-186 & HIC UNUSABLE R-052 - R-042. 1702062031-1709182029EST.

NEW HUDSON

Oakland Southwest

FDC 7/9213 Y47 ODP OAKLAND SOUTHWEST, NEW HUDSON, MI. TAKEOFF MINIMUMS AND (OBSTACLE) DEPARTURE PROCEDURES AMDT 2...CHANGE ALL RWY 7-25 REFERENCE TO RWY 8-26. ALL OTHER DATA REMAINS AS PUBLISHED. 1703011455-171011455EST.

FDC 7/1743 Y47 IAP OAKLAND SOUTHWEST, NEW HUDSON, MI. VOR OR GPS-A, AMDT 3B...CIRCLING CAT A/B MDA 1580/HAA 654. NOTE: PROCEDURE NA AT NIGHT. DISREGARD NOTE: NIGHT VISIBILITY MINIMUMS 2 MILES. DISREGARD NOTE: WHEN VGSI INOP, CIRCLING TO RWY 8 NA AT NIGHT. 1704181256-1711281256EST.

NEWBERRY

Luce County

FDC 7/4659 ERY IAP LUCE COUNTY, NEWBERRY, MI. VOR RWY 11, AMDT 12...PROCEDURE NA. 1704241756-1712041756EST.

NILES

Jerry Tyler Memorial

FDC 7/6418 3TR IAP JERRY TYLER MEMORIAL, NILES, MI. RNAV (GPS) RWY 33, ORIG-A...DELETE: DESCENT ANGLE 3.00/TCH 40. PROFILE NOTE: VISUAL SEGMENT - OBSTACLES. 1701202114-1709012114EST.

OWOSSO

Owosso Community

FDC 7/9849 RNP IAP OWOSSO COMMUNITY, OWOSSO, MI. RNAV (GPS) RWY 29, AMDT 1C...DISREGARD CHART NOTE PROCEDURE NA AT NIGHT. ADD NOTE: CIRCLING RWY 11 NA AT NIGHT. 1704131526-1711231526EST.

FDC 7/9842 RNP IAP OWOSSO COMMUNITY, OWOSSO, MI. VOR/DME RWY 29, AMDT 1C...DISREGARD CHART NOTE PROCEDURE NA AT NIGHT. ADD NOTE: CIRCLING RWY 11 NA AT NIGHT. 1704131525-1711231525EST.

PONTIAC

Oakland County Intl

FDC 7/1853 PTK SID OAKLAND COUNTY INTL, PONTIAC, MI. PALACE NINE DEPARTURE...ST. CLAIR NINE DEPARTURE...NOTE: ATC ASSIGNED ONLY. 1703282251-1711072251EST.

ROGERS CITY

Presque Isle County

FDC 7/0087 PZQ IAP PRESQUE ISLE COUNTY, ROGERS CITY, MI. RNAV (GPS) RWY 9, ORIG...NOTE: NIGHT LANDING: RWY 9 NA. NOTE: HELICOPTER VISIBILITY REDUCTION BELOW 1 SM NOT AUTHORIZED. DISREGARD NOTE: WHEN VGSI INOP, STRAIGHT-IN/CIRCLING RWY 9 NA AT NIGHT. 1704131825-1711231825EST.

ROMEO

Romeo State

FDC 6/1618 D98 IAP ROMEO STATE, ROMEO, MI. RNAV (GPS) RWY 36, AMDT 1B...DISREGARD NOTE: PROCEDURE NA AT NIGHT. NOTE: CIRCLING RWY 18 NA AT NIGHT. 1611202338-1707022338EST.

FDC 6/1615 D98 IAP ROMEO STATE, ROMEO, MI. RNAV (GPS) RWY 18, AMDT 1A...DISREGARD NOTE: PROCEDURE NA AT NIGHT. NOTE: STRAIGHT-IN RWY 18 NA AT NIGHT, CIRCLING RWY 18 NA AT NIGHT. 1611202337-1707022337EST.

SAGINAW

MBS Intl

FDC 6/5165 MBS ODP MBS INTL, SAGINAW, MI. TAKEOFF MINIMUMS AND (OBSTACLE) DEPARTURE PROCEDURES ORIG...NOTE: RWY 5: BUSH 85 FEET FROM DER, 269 FEET RIGHT OF CENTERLINE, 654 FEET MSL. NOTE: RWY 23: T-L TOWER 1259 FEET FROM DER, 786 FEET LEFT OF CENTERLINE, 29 FEET AGL/698 FEET MSL. TREE 2170 FEET FROM DER, 1070 FEET RIGHT OF CENTERLINE, 725 FEET MSL. NOTE: RWY 32: TREE 1447 FEET FROM DER, 706 FEET LEFT OF CENTERLINE, 734 FEET MSL. TREE 3627 FEET FROM DER, 651 FEET LEFT OF CENTERLINE, 767 FEET MSL. ALL OTHER DATA REMAINS AS PUBLISHED. 1612272210-1708082210EST.

Saginaw County H W Browne

FDC 7/7507 HYX IAP SAGINAW COUNTY H W BROWNE, SAGINAW, MI. ILS OR LOC/DME RWY 27, ORIG-C...CHART PLANVIEW NOTE: DME REQUIRED. 1704101158-1711201158EST.

SAULT STE MARIE

Chippewa County Intl

FDC 7/5680 CIU IAP CHIPPEWA COUNTY INTL, SAULT STE MARIE, MI. ILS OR LOC RWY 16, AMDT 8C...S-ILS 16 DA 1090/HAT 291. DISREGARD NOTE: AUTOPILOT COUPLED APPROACH NA BELOW 1325. NOTE: AUTOPILOT COUPLED APPROACH NA BELOW 1160. NOTE: ILS GS UNUSABLE BELOW 1090. 1702171858-1709291858EST.

FDC 7/2091 CIU IAP CHIPPEWA COUNTY INTL, SAULT STE MARIE, MI. RNAV (GPS) RWY 16, AMDT 1A...LPV NA. 1702072136-1709192136EST.

Sault Ste Marie Muni/Sanderson Field

FDC 7/8236 ANJ IAP SAULT STE MARIE MUNI/SANDERSON FIELD, SAULT STE MARIE, MI. RNAV (GPS) RWY 14, ORIG-A...DISREGARD NOTE: WHEN VGSI INOP, STRAIGHT-IN/CIRCLING RWY 14 PROCEDURE NA AT NIGHT. DISREGARD NOTE: WHEN VGSI INOP, CIRCLING RWY 32 NA AT NIGHT. 1702261952-1710081952EST.

FDC 7/8234 ANJ IAP SAULT STE MARIE MUNI/SANDERSON FIELD, SAULT STE MARIE, MI. RNAV (GPS) RWY 32, ORIG-A...VOR RWY 32, AMDT 3A...DISREGARD NOTE: WHEN VGSI INOP, STRAIGHT-IN/CIRCLING RWY 32 PROCEDURE NA AT NIGHT. DISREGARD NOTE: WHEN VGSI INOP, CIRCLING RWY 14 NA AT NIGHT. 1702261951-1710081951EST.

SOUTH HAVEN

South Haven Area Rgnl

FDC 7/8935 LWA IAP SOUTH HAVEN AREA RGNL, SOUTH HAVEN, MI. RNAV (GPS) RWY 23, AMDT 1C...RNAV (GPS) RWY 5, AMDT 1C...VOR RWY 23, AMDT 11A...DISREGARD NOTE: PROCEDURE NA AT NIGHT. CHANGE HELICOPTER VISIBILITY NOTE TO READ: HELICOPTER VISIBILITY REDUCTION BELOW 3/4 SM NOT AUTHORIZED. 1704121325-1711221325EST.

SPARTA

Paul C Miller-Sparta

FDC 7/6980 8D4 IAP PAUL C MILLER-SPARTA, SPARTA, MI. VOR-A, AMDT 4A...PROCEDURE NA. 1703201401-1710301401EST.

FDC 6/8655 8D4 IAP PAUL C MILLER-SPARTA, SPARTA, MI. RNAV (GPS) RWY 25, ORIG...RNAV (GPS) RWY 7, ORIG...DESCENT ANGLE 3.04/TCH 40 NA. 1612072243-1707192243EST.

ST IGNACE

Mackinac County

FDC 7/4497 83D IAP MACKINAC COUNTY, ST IGNACE, MI. RNAV (GPS) RWY 25, ORIG-A...LNAV MDA 1040/HAT 417 CATS A/B/C. NOTE: CIRCLING RWY 7 NA AT NIGHT. DISREGARD NOTE: GPS OR RNP-0.3 REQUIRED. 1701141923-1708261923EST.

FDC 7/4495 83D IAP MACKINAC COUNTY, ST IGNACE, MI. RNAV (GPS) RWY 7, ORIG-A...NOTE: STRAIGHT-IN RWY 7 NA AT NIGHT.. NOTE: RWY 7 HELICOPTER VISIBILITY REDUCTION BELOW 1 SM NOT AUTHORIZED. DISREGARD NOTE: GPS OR RNP-0.3 REQUIRED. DISREGARD SYMBOL REPRESENTING VISUAL 34:1 SLOPE IS CLEAR. VDP NA. 1701141921-1708261921EST.

STURGIS

Kirsch Muni

FDC 7/7540 IRS IAP KIRSCH MUNI, STURGIS, MI. NDB RWY 18, AMDT 5D...DISREGARD NOTE: VISIBILITY REDUCTION BY HELICOPTERS NA. NOTE: NIGHT LANDING RWY 18 NA. NOTE: HELICOPTER VISIBILITY REDUCTION BELOW 1 SM NOT AUTHORIZED. 1702232223-1710052223EST.

THREE RIVERS

Three Rivers Muni Dr Haines

FDC 7/7649 HAI IAP THREE RIVERS MUNI DR HAINES, THREE RIVERS, MI. RNAV (GPS) RWY 27, ORIG-B...DELETE DESCENT ANGLE 3.03/TCH 40. PROFILE NOTE: VISUAL SEGMENT - OBSTACLES. 1704101340-1711201340EST.

TROY

Oakland/Troy

FDC 6/1590 VLL IAP OAKLAND/TROY, TROY, MI. RNAV (GPS) RWY 9, AMDT 2A...DELETE: DESCENT ANGLE 3.00/TCH 40. PROFILE NOTE: VISUAL SEGMENT - OBSTACLES. 1611202312-1707022312EST.

MINNESOTA

AUSTIN

Austin Muni

FDC 7/6291 AUM IAP AUSTIN MUNI, AUSTIN, MN. VOR RWY 17, AMDT 2...PROCEDURE NA. 1704061337-1711161337EST.

FDC 7/4433 AUM IAP AUSTIN MUNI, AUSTIN, MN. RNAV (GPS) RWY 17, AMDT 1B...DISREGARD NOTE: HELICOPTER VISIBILITY REDUCTION BELOW 1 SM NOT AUTHORIZED. DISREGARD NOTE: RWY 17 STRAIGHT-IN AND CIRCLING MINIMUMS NA AT NIGHT. NOTE: RWY 17 HELICOPTER VISIBILITY REDUCTION BELOW 3/4 SM NOT AUTHORIZED. 1704241421-1712041421EST.

BUFFALO

Buffalo Muni

FDC 7/7542 CFE ODP BUFFALO MUNI, BUFFALO, MN. TAKEOFF MINIMUMS AND (OBSTACLE) DEPARTURE PROCEDURES ORIG...NOTE: RWY 18, BUILDING 202 FEET FROM DEPARTURE END OF RWY, 489 FEET RIGHT OF CENTERLINE, 28 AGL/990 MSL. ALL OTHER DATA REMAINS AS PUBLISHED. 1702232224-1710052224EST.

CALEDONIA

Houston County

FDC 6/1622 CHU IAP HOUSTON COUNTY, CALEDONIA, MN. VOR/DME OR GPS-A, AMDT 3...NOTE: PROCEDURE NA AT NIGHT. 1611202342-1707022342EST.

COOK

Cook Muni

FDC 6/3025 CQM IAP COOK MUNI, COOK, MN. RNAV (GPS) RWY 31, AMDT 1A...VGSI AND RNAV GLIDEPATH NOT COINCIDENT (VGSI ANGLE 3.00/TCH 47). 1612161520-1707281520EST.

FDC 6/3024 CQM IAP COOK MUNI, COOK, MN. RNAV (GPS) RWY 13, ORIG-A...VGSI AND RNAV GLIDEPATH NOT COINCIDENT (VGSI ANGLE 3.00/TCH 44). 1612161520-1707281520EST.

DETROIT LAKES

Detroit Lakes-Wething Field

FDC 6/2658 DTL ODP DETROIT LAKES-WETHING FIELD, DETROIT LAKES, MN. TAKEOFF MINIMUMS AND (OBSTACLE) DEPARTURE PROCEDURES ORIG...DEPARTURE PROCEDURE: RWY 13, CLIMB HEADING 135 DEGREES TO 1800 BEFORE TURNING LEFT. NOTE: RWY 13, TREES, 52 FT FROM DEPARTURE END OF RWY, 3 FEET LEFT OF CENTERLINE. UP TO 100 FT AGL/1423 FT MSL. TREES, 964 FT FROM DEPARTURE END OF RWY, 175 FT LEFT OF CENTERLINE, UP TO 100 FT AGL/1420 FT MSL. ALL OTHER DATA REMAINS AS PUBLISHED. 1611232115-1707052115EST.

DULUTH

St Mary's Hospital

FDC 6/7241 MN33 SPECIAL ST MARY S HOSPITAL, DULUTH, MN. COPTER GPS 330, ORIG...COPTER RNAV (GPS) 190, AMDT 1...IFR DEPARTURE NA. 1612061722-1707181722EST.

ELBOW LAKE

Elbow Lake Muni - Pride Of The Prairie

FDC 6/8667 Y63 IAP ELBOW LAKE MUNI - PRIDE OF THE PRAIRIE, ELBOW LAKE, MN. RNAV (GPS) RWY 14, ORIG-A...RNAV (GPS) RWY 32, ORIG-A...DISREGARD NOTE: PROCEDURE NA AT NIGHT.. DISREGARD NOTE: HELICOPTER VISIBILITY REDUCTION BELOW 1 SM NA. 1612072246-1707192246EST.

ELY

Ely Muni

FDC 7/8254 ELO IAP ELY MUNI, ELY, MN. RNAV (GPS) RWY 12, AMDT 1B...LPV DA 1702/HAT 250. 1702262012-1710082012EST.

EVELETH

Eveleth-Virginia Muni

FDC 6/1584 EVM IAP EVELETH-VIRGINIA MUNI, EVELETH, MN. RNAV (GPS) RWY 27, ORIG-A...LPV DA 1634 / HAT 262 VISIBILITY 1 1/8 ALL CATS. DISREGARD NOTE: PROCEDURE NA AT NIGHT. DISREGARD NOTE: HELICOPTER VISIBILITY REDUCTION BELOW 1 SM NA. NOTE: RWY 27 HELICOPTER VISIBILITY REDUCTION BELOW 3/4 SM NA. NOTE: CIRCLING TO RWYS 14 AND 32 NA. 1611202302-1707022302EST.

FDC 6/1582 EVM IAP EVELETH-VIRGINIA MUNI, EVELETH, MN. VOR RWY 27, AMDT 1A...VOR/DME-A, AMDT 2...DISREGARD NOTE: PROCEDURE NA AT NIGHT. DISREGARD NOTE: HELICOPTER VISIBILITY REDUCTION BELOW 1 SM NA. NOTE: RWY 27 HELICOPTER VISIBILITY REDUCTION BELOW 3/4 SM NA. NOTE: CIRCLING TO RWYS 14 AND 32 NA. 1611202301-1707022301EST.

FDC 6/1373 EVM ODP EVELETH-VIRGINIA MUNI, EVELETH, MN. TAKEOFF MINIMUMS AND (OBSTACLE) DEPARTURE PROCEDURES AMDT 3...TAKE-OFF MINIMUMS RWY 14, 32 NA - ENVIRONMENTAL. ALL OTHER DATA REMAINS AS PUBLISHED. 1611201925-1707021924EST.

FAIRMONT

Fairmont Muni

FDC 7/7552 FRM IAP FAIRMONT MUNI, FAIRMONT, MN. VOR/DME RWY 13, AMDT 1B...NOTE: HELICOPTER VISIBILITY REDUCTION BELOW 3/4 SM NA. 1702232231-1710052231EST.

FDC 7/0817 FRM IAP FAIRMONT MUNI, FAIRMONT, MN. COPTER ILS RWY 31, ORIG-B...ILS OR LOC RWY 31, ORIG-E...PROCEDURE NA EXCEPT FOR AIRCRAFT EQUIPPED WITH SUITABLE RNAV SYSTEM WITH GPS, FRM VOR OUT OF SERVICE. 1701042214-1708162214EST.

FARIBAULT

District One Hospital

FDC 7/9647 MN59 SPECIAL DISTRICT ONE HOSPITAL, FARIBAULT, MN. COPTER RNAV (GPS) 270, ORIG...IFR DEPARTURE NA. 1704131301-1711231301EST.

Faribault Muni

FDC 7/9929 FBL IAP FARIBAULT MUNI, FARIBAULT, MN. RNAV (GPS) RWY 30, AMDT 1B...LPV MINIMUMS NA. 1704131655-1711231655EST.

FDC 7/4949 FBL IAP FARIBAULT MUNI, FARIBAULT, MN. VOR-A, AMDT 6A...PROCEDURE NA. 1704251242-1712051242EST.

FDC 6/8647 FBL ODP FARIBAULT MUNI, FARIBAULT, MN. TAKEOFF MINIMUMS AND (OBSTACLE) DEPARTURE PROCEDURES ORIG...CHANGE NOTE TO READ: NOTE RWY 12, VEHICLES ON ROAD BEGINNING 324 FT FROM DER, 335 FT LEFT OF CENTERLINE, UP TO 15 FT AGL/1062 FT MSL. VEHICLES ON ROAD BEGINNING 27 FT FROM DER, 287 FT RIGHT OF CENTERLINE, UP TO 15 FT AGL/1063 FT MSL. TREES BEGINNING 123 FT FROM DER, 462 FT RIGHT OF CENTERLINE, UP TO 60 FT AGL/1109 FT MSL. POLES BEGINNING 372 FT FROM DER, 492 FT LEFT OF CENTERLINE, UP TO 42 FT AGL/1085 FT MSL. BUILDING 799 FT FROM DER, 703 FT LEFT OF CENTERLINE, 25 FT AGL/1072 FT MSL. CHIMNEY 980 FT FROM DER, 670 FT LEFT OF CENTERLINE, 47 FT AGL/1084 FT MSL. RWY 30, TREES BEGINNING 17 FT FROM DER, 261 FT LEFT OF CENTERLINE, UP TO 44 FT AGL/1127 FT MSL. TREES BEGINNING 1467 FT FROM DER, 61 FT LEFT OF CENTERLINE, UP TO 16 FT AGL/1102 FT MSL. TREES BEGINNING 2368 FT FROM DER, 649 FT RIGHT OF CENTERLINE, UP TO 50 FT AGL/1146 FT MSL. NAVAID 39 FT FROM DER, 112 FT LEFT OF CENTERLINE, 6 FT AGL/1061 FT MSL. TERRAIN 87 FT FROM DER, 342 FT RIGHT OF CENTERLINE, UP TO 1064 FT MSL. ALL OTHER DATA REMAINS AS PUBLISHED. 1612072240-1707192240EST.

GRAND MARAIS

Grand Marais/Cook County

FDC 7/2050 CKC IAP GRAND MARAIS/COOK COUNTY, GRAND MARAIS, MN. RNAV (GPS) RWY 9, ORIG-A...PROCEDURE NA. 1702072106-1709192106EST.

FDC 7/0441 CKC IAP GRAND MARAIS/COOK COUNTY, GRAND MARAIS, MN. RNAV (GPS) RWY 27, AMDT 1A...RNAV (GPS) RWY 9, ORIG-A...DISREGARD NOTE: VISIBILITY REDUCTION BY HELICOPTERS NA. DISREGARD NOTE: WHEN VGSI INOP, PROCEDURE NA AT NIGHT. NOTE: HELICOPTER VISIBILITY REDUCTION BELOW 1 SM NOT AUTHORIZED. NOTE: PROCEDURE NA AT NIGHT. 1703021847-1710121847EST.

HINCKLEY

Field Of Dreams

FDC 7/0445 04W IAP FIELD OF DREAMS, HINCKLEY, MN. RNAV (GPS) RWY 24, ORIG...RNAV (GPS) RWY 6, ORIG...NOTE: PROCEDURE NA AT NIGHT. NOTE: HELICOPTER VISIBILITY REDUCTION BELOW 1 SM NOT AUTHORIZED. 1703021850-1710121850EST.

INTERNATIONAL FALLS

Falls Intl-Einarson Field

FDC 7/9650 INL IAP FALLS INTL-EINARSON FIELD, INTERNATIONAL FALLS, MN. ILS OR LOC RWY 31, AMDT 10B...CHANGE NOTE TO READ: AUTOPILOT COUPLED APPROACH NA BELOW 1731. 1704131306-1711231306EST.

FDC 6/6365 INL IAP FALLS INTL-EINARSON FIELD, INTERNATIONAL FALLS, MN. VOR RWY 31, AMDT 15B...S-31 MDA 1680/ HAT 506 ALL CATS. CIRCLING CAT A MDA 1680/ HAA 495. TEMPORARY CRANES UP TO 1322 MSL BEGINNING 1008FT EAST OF INL AIRPORT (2016-AGL-7505-NRA THROUGH 2016-AGL-7508-NRA). 1610101049-1705221049EST.

FDC 6/6364 INL IAP FALLS INTL-EINARSON FIELD, INTERNATIONAL FALLS, MN. RNAV (GPS) RWY 31, ORIG-A...CIRCLING CAT A MDA 1680/ HAA 495. TEMPORARY CRANES UP TO 1322 MSL BEGINNING 1008FT EAST OF INL AIRPORT (2016-AGL-7505-NRA THROUGH 2016-AGL-7508-NRA). 1610101049-1705221049EST.

FDC 6/6362 INL IAP FALLS INTL-EINARSON FIELD, INTERNATIONAL FALLS, MN. ILS OR LOC RWY 31, AMDT 10B...CIRCLING CAT A MDA 1680/ HAA 495. ALETE FIX MINIMUMS: CIRCLING CAT A MDA 1680/ HAA 495. TEMPORARY CRANES UP TO 1322 MSL BEGINNING 1008FT EAST OF INL AIRPORT (2016-AGL-7505-NRA THROUGH 2016-AGL-7508-NRA). 1610101049-1705221049EST.

JACKSON

Jackson Muni

FDC 7/7624 MJQ IAP JACKSON MUNI, JACKSON, MN. RNAV (GPS) RWY 13, AMDT 1A...MISSED APPROACH: CLIMB TO 4200 DIRECT MCQIN AND HOLD SE, RT, 315.00 INBOUND. 1704101317-1711201317EST.

LONGVILLE

Longville Muni

FDC 7/3843 XVG IAP LONGVILLE MUNI, LONGVILLE, MN. NDB RWY 31, ORIG...CIRCLING RWY 13 NA AT NIGHT. NOTE: RWY 31 HELICOPTER VISIBILITY REDUCTION BELOW 3/4 SM NOT AUTHORIZED. 1701121556-1708241556EST.

FDC 7/3839 XVG IAP LONGVILLE MUNI, LONGVILLE, MN. RNAV (GPS) RWY 31, ORIG...PROFILE NOTE: VGSI AND DESCENT ANGLES NOT COINCIDENT (VGSI ANGLE {4.00}/TCH {28}). NOTE: CIRCLING RWY 13 NA AT NIGHT. NOTE: RWY 31 HELICOPTER VISIBILITY REDUCTION BELOW 3/4 SM NOT AUTHORIZED. 1701121554-1708241554EST.

MANKATO

Immanuel - St Joseph's Hospital

FDC 7/8113 3MN6 IAP IMMANUEL - ST JOSEPH S HOSPITAL, MANKATO, MN. COPTER GPS 270, ORIG...H-270 MDA 1460 / HAS 436. 1704111250-1711211250EST.

Mankato Rgnl

FDC 7/3153 MKT IAP MANKATO RGNL, MANKATO, MN. VOR RWY 15, AMDT 7A...EBXIB FIX MINIMUMS NA EXCEPT FOR AIRCRAFT EQUIPPED WITH SUITABLE RNAV SYSTEM WITH GPS. 1702092102-1709212102EST.

MAPLE LAKE

Maple Lake Muni-Bill Mavencamp Sr Fld

FDC 6/4141 MGG IAP MAPLE LAKE MUNI-BILL MAVENCAMP SR FLD, MAPLE LAKE, MN. RNAV (GPS) RWY 28, ORIG-B...LP MDA NA. LNAV MDA NA. 1612202202-1708012202EST.

MC GREGOR

Isedor Iverson

FDC 7/0139 HZX IAP ISEDOR IVERSON, MC GREGOR, MN. RNAV (GPS) RWY 14, ORIG...RNAV (GPS) RWY 32, ORIG...DISREGARD NOTE: PROCEDURE NA AT NIGHT. 1703250108-1711040108EST.

MINNEAPOLIS

Abbott Northwestern Hospital

FDC 6/7243 MN10 SPECIAL ABBOTT NORTHWESTERN HOSPITAL, MINNEAPOLIS, MN. COPTER RNAV (GPS) 284, ORIG...PROCEDURE NA. 1612061730-1707181730EST.

Airlake

FDC 7/6410 LVN IAP AIRLAKE, MINNEAPOLIS, MN. RNAV (GPS) RWY 12, ORIG...LPV MINIMUMS NA. LNAV/VNAV MINIMUMS NA. LNAV MDA 1500/HAT 540 ALL CATS. VIS CAT C/D 1 1/2. NOTE: WHEN USING MINNEAPOLIS-ST PAUL INTL/WOLD-CHAMBERLAIN ALTIMETER SETTING INCREASE LNAV CAT C/D AND CIRCLING CAT C/D VISIBILITY 3/8 MILE. NOTE: NIGHT LANDING: RWY 12 NA. DISREGARD NOTE: WHEN VGSI INOPERATIVE, PROCEDURE NA AT NIGHT. 1704061438-1711161438EST.

FDC 7/6405 LVN IAP AIRLAKE, MINNEAPOLIS, MN. ILS OR LOC RWY 30, ORIG-F...RNAV (GPS) RWY 30, ORIG-A...NOTE: NIGHT LANDING: RWY 12 NA. 1704061436-1711161436EST.

FDC 7/6387 LVN IAP AIRLAKE, MINNEAPOLIS, MN. VOR RWY 12, AMDT 2...NOTE: NIGHT LANDING: RWY 12 NA. DISREGARD NOTE: WHEN VGSI INOPERATIVE, STRAIGHT-IN/CIRCLING RWY 12 PROCEDURE NA AT NIGHT. 1704061433-1711161433EST.

Anoka County-Blaine Arpt (Janes Field)

FDC 7/4644 ANE SID ANOKA COUNTY-BLAINE ARPT (JANES FIELD), MINNEAPOLIS, MN. ORSKY NINE DEPARTURE...ROCHESTER EIGHT DEPARTURE...SCHEP EIGHT DEPARTURE...ZMBRO SIX DEPARTURE...DME REQUIRED EXCEPT FOR AIRCRAFT EQUIPPED WITH SUITABLE RNAV SYSTEM WITH GPS, FOW VOR/DME OUT OF SERVICE. 1702151431-1708191431EST.

Crystal

FDC 7/3796 MIC IAP CRYSTAL, MINNEAPOLIS, MN. VOR OR GPS-A, AMDT 9D...NOTE: CIRCLING NA TO RWYS 6R AND 24L. 1702131456-1709251456EST.

FDC 7/3794 MIC IAP CRYSTAL, MINNEAPOLIS, MN.
RNAV (GPS) RWY 14L, ORIG...NOTE: CIRCLING NA
TO RWYS 6R AND 24L. NOTE: RWY 14L HELICOPTER
VISIBILITY REDUCTION BELOW 3/4 SM NOT
AUTHORIZED. DISREGARD NOTE: VISIBILITY
REDUCTION BY HELICOPTERS NA.
1702131454-1709251454EST.

Flying Cloud

FDC 7/4645 FCM SID FLYING CLOUD,
MINNEAPOLIS, MN. ORSKY NINE
DEPARTURE...ROCHESTER EIGHT
DEPARTURE...SCHEP EIGHT DEPARTURE...ZMBRO
SIX DEPARTURE...DME REQUIRED EXCEPT FOR
AIRCRAFT EQUIPPED WITH SUITABLE RNAV
SYSTEM WITH GPS, FOW VOR/DME OUT OF
SERVICE. 1702151431-1708191431EST.

FDC 7/4292 FCM IAP FLYING CLOUD,
MINNEAPOLIS, MN. RNAV (GPS) RWY 28R, AMDT
2D...LNAV MDA 1320/HAT 420 ALL CATS. VIS CATS
C/D 1 1/8. 1701132123-1708252123EST.

FDC 7/0467 FCM IAP FLYING CLOUD,
MINNEAPOLIS, MN. COPTER ILS OR LOC RWY 10R,
AMDT 1A...ILS OR LOC RWY 10R, AMDT 3C...RNAV
(GPS) RWY 10L, AMDT 1C...RNAV (GPS) RWY 10R,
ORIG-B...RNAV (GPS) RWY 28L, AMDT 2B...RNAV
(GPS) RWY 28R, AMDT 2D...RNAV (GPS) RWY 36,
AMDT 2A...VOR RWY 10R, AMDT 9B...VOR/DME
RWY 36, AMDT 1A...DISREGARD NOTE: NIGHT
LANDING: RWY 18/36 NA. NOTE: NIGHT LANDING:
RWY 18, 36 OPERATIONAL VGSI REQUIRED,
REMAIN ON OR ABOVE VGSI GLIDEPATH UNTIL
THRESHOLD. 1703021914-1710121914EST.

Minneapolis-St Paul Intl/Wold-Chamberlain

FDC 7/7548 MSP IAP MINNEAPOLIS-ST PAUL
INTL/WOLD-CHAMBERLAIN, MINNEAPOLIS, MN.
RNAV (GPS) RWY 4, AMDT 2B...LNAV/VNAV DA
1277/HATH 445 ALL CATS. VIS RVR 5000 ALL CATS.
FOR INOPERATIVE MALSR, INCREASE LPV CAT E
VISIBILITY TO RVR 4000, LNAV/VNAV CAT E
VISIBILITY TO 1 1/2 MILE AND LNAV CAT E
VISIBILITY TO 1 1/4 MILE. BUILDING, 991 MSL, 1.15
NM SOUTH OF APPROACH END RWY 4.
1702232230-1710052230EST.

FDC 7/6424 MSP SID MINNEAPOLIS-ST PAUL
INTL/WOLD-CHAMBERLAIN, MINNEAPOLIS, MN.
COULT SIX DEPARTURE...DARWIN SIX
DEPARTURE...KBREW EIGHT DEPARTURE...LEINY
FIVE DEPARTURE (RNAV)...MINNEAPOLIS SEVEN
DEPARTURE...ORSKY NINE
DEPARTURE...ROCHESTER EIGHT
DEPARTURE...SCHEP EIGHT DEPARTURE...SMERF
SIX DEPARTURE (RNAV)...WLSTN SIX
DEPARTURE...ZMBRO SIX DEPARTURE...NOTE: RWY
30L, ANTENNA TOWER, 3550 FT FROM DEPARTURE
END OF RWY, 1333 FT LEFT OF CENTERLINE, 111 FT
AGL/937 FT MSL, 2016-AGL-6359-OE. ALL OTHER
DATA REMAINS AS PUBLISHED.
1701202121-1709012121EST.

FDC 7/6422 MSP ODP MINNEAPOLIS-ST PAUL
INTL/WOLD-CHAMBERLAIN, MINNEAPOLIS, MN.
TAKEOFF MINIMUMS AND (OBSTACLE) DEPARTURE
PROCEDURES AMDT 12...NOTE: RWY 30L, ANTENNA
TOWER, 3550 FT FROM DEPARTURE END OF RWY,
1333 FT LEFT OF CENTERLINE, 111 FT AGL/937 FT
MSL, 2016-AGL-6359-OE. ALL OTHER DATA
REMAINS AS PUBLISHED.
1701202119-1709012119EST.

FDC 7/4646 MSP SID MINNEAPOLIS-ST PAUL
INTL/WOLD-CHAMBERLAIN, MINNEAPOLIS, MN.
ORSKY NINE DEPARTURE...ROCHESTER EIGHT
DEPARTURE...SCHEP EIGHT DEPARTURE...ZMBRO
SIX DEPARTURE...DME REQUIRED EXCEPT FOR
AIRCRAFT EQUIPPED WITH SUITABLE RNAV
SYSTEM WITH GPS. 1702151431-1708191431EST.

FDC 7/4604 MSP STAR MINNEAPOLIS-ST PAUL
INTL/WOLD-CHAMBERLAIN, MINNEAPOLIS, MN.
BLUEM RNAV ARRIVAL...HELLO TRANSITION ATC
ASSIGNED ONLY. 1702151350-PERM.

FDC 7/4021 MSP SID MINNEAPOLIS-ST PAUL
INTL/WOLD-CHAMBERLAIN, MINNEAPOLIS, MN.
COULT SIX DEPARTURE...DARWIN SIX
DEPARTURE...HESTIN THREE DEPARTURE
(RNAV)...KBREW EIGHT DEPARTURE...LEINY FIVE
DEPARTURE (RNAV)...MEADOW LAKE THREE
DEPARTURE...MINNEAPOLIS SEVEN
DEPARTURE...ORSKY NINE
DEPARTURE...ROCHESTER EIGHT
DEPARTURE...SCHEP EIGHT DEPARTURE...SLAYER
THREE DEPARTURE (RNAV)...SMERF SIX
DEPARTURE (RNAV)...WLSTN SIX
DEPARTURE...ZMBRO SIX DEPARTURE...TAKE-OFF
MINIMUMS RWY 17, 200-1 OR STANDARD WITH
MINIMUM CLIMB OF 301 FT PER NM TO 1100. NOTE:
RWY 17, CRANE, 3853 FT FROM DEPARTURE END OF
RWY, 1023 FT LEFT OF CENTERLINE, UP TO 170
AGL/986 MSL. (2016-AGL-13582-13585-OE). ALL
OTHER DATA REMAINS AS PUBLISHED.
1702141339-1712201339EST.

FDC 7/4020 MSP ODP MINNEAPOLIS-ST PAUL
INTL/WOLD-CHAMBERLAIN, MINNEAPOLIS, MN.
TAKEOFF MINIMUMS AND (OBSTACLE) DEPARTURE
PROCEDURES AMDT 12...TAKE-OFF MINIMUMS
RWY 17, 200-1 OR STANDARD WITH MINIMUM
CLIMB OF 301 FT PER NM TO 1100. NOTE: RWY 17,
CRANE, 3853 FT FROM DEPARTURE END OF RWY,
1023 FT LEFT OF CENTERLINE, UP TO 170 AGL/986
MSL. (2016-AGL-13582-13585-OE). ALL OTHER DATA
REMAINS AS PUBLISHED.
1702141339-1712201339EST.

FDC 5/4673 MSP STAR MINNEAPOLIS-ST PAUL
INTL/WOLD-CHAMBERLAIN, MINNEAPOLIS, MN.
WILDD THREE ARRIVAL...PROCEDURE NOT
AUTHORIZED N/A. 1503240600-PERM.

MONTEVIDEO

Montevideo-Chippewa County

FDC 7/2000 MVE IAP MONTEVIDEO-CHIPPEWA
COUNTY, MONTEVIDEO, MN. RNAV (GPS) RWY 14,
ORIG-A...LNAV/VNAV DA 1299/HAT 265 ALL CATS.
1703081332-1710181332EST.

MOOSE LAKE

Moose Lake Carlton County

FDC 7/1423 MZH IAP MOOSE LAKE CARLTON
COUNTY, MOOSE LAKE, MN. NDB RWY 4, AMDT
1...NOTE: NIGHT LANDING: RWY 04 NA. NOTE: RWY
04 HELICOPTER VISIBILITY REDUCTION BELOW 1
SM NOT AUTHORIZED. 1704171747-1711271747EST.

NEW ULM

New Ulm Muni

FDC 7/8937 ULM IAP NEW ULM MUNI, NEW ULM,
MN. RNAV (GPS) RWY 33, ORIG-A...LPV DA 1261/HAT
250 ALL CATS. CIRCLING CAT A MDA 1440/HAA 429.
NOTE: CIRCLING NA TO RWYS 4 AND 22.
DISREGARD NOTE: INOP TABLE DOES NOT APPLY
TO LPV ALL CATS. CHANGE FOR INOP MALSF,
INCREASE LNAV/VNAV NOTE TO READ: FOR INOP
MALSF, INCREASE LPV ALL CATS VISIBILITY TO 7/8
MILE, LNAV/VNAV CAT D AND LNAV CAT D TO 1 1/4
MILE. CHANGE FOR INOPERATIVE MALSF WHEN
USING ST JAMES ALTIMETER SETTING NOTE TO
READ: FOR INOPERATIVE MALSF WHEN USING ST
JAMES ALTIMETER SETTING, INCREASE LPV ALL
CATS VISIBILITY TO 1 MILE, LNAV/VNAV CAT D TO
1 1/8 MILE, AND LNAV CAT D TO 1 1/4 MILE.
1704121329-1711221329EST.

FDC 6/0843 ULM IAP NEW ULM MUNI, NEW ULM,
MN. RNAV (GPS) RWY 15, ORIG-B...LPV VIS 7/8 ALL
CATS. LNAV/VNAV DA 1292/HAT 281 ALL CATS.
LNAV MDA 1400/HAT 389 ALL CATS, VIS CAT C/D 1
1/8. CIRCLING CAT A MDA 1440/HAA 429. NOTE: 34:1
IS CLEAR. DISREGARD NOTE: HELICOPTER
VISIBILITY REDUCTION BELOW 1 SM NOT
AUTHORIZED. VDP AT 1.16 MILES TO RW15*. NOTE:
FAS OBST: 1131 TOWER 441933N/0942957W..
1612122155-1707242155EST.

OWATONNA

Owatonna Degner Rgnl

FDC 7/4648 OWA IAP OWATONNA DEGNER RGNL,
OWATONNA, MN. ILS OR LOC RWY 30, AMDT
3...MISSED APPROACH: CLIMB TO 2000 THEN
CLIMBING LEFT TURN TO 3000 DIRECT MKT
VOR/DME AND HOLD, FOW VOR/DME OUT OF
SERVICE. 1702151431-1708191431EST.

PARK RAPIDS

Park Rapids Muni-Konshok Field

FDC 6/8621 PKD IAP PARK RAPIDS MUNI-KONSHOK
FIELD, PARK RAPIDS, MN. ILS OR LOC RWY 31,
AMDT 1D...CHANGE ALL REFERENCE TO RWY 17/35
TO RWY 18/36. NOTE: NIGHT LANDING: RWY 18/36
NA. 1612072227-1707192227EST.

FDC 6/8617 PKD IAP PARK RAPIDS MUNI-KONSHOK
FIELD, PARK RAPIDS, MN. RNAV (GPS) RWY 13,
ORIG-B...RNAV (GPS) RWY 31, ORIG-B...VOR RWY 13,
AMDT 9B...CHANGE ALL REFERENCE TO RWY 17/35
TO RWY 18/36. NOTE: NIGHT LANDING: RWY 18/36
NA. DISREGARD NOTE: CIRCLING TO RWY 17/35 NA
AT NIGHT. 1612072225-1707192225EST.

PRINCETON

Princeton Muni

FDC 7/6333 PNM IAP PRINCETON MUNI,
PRINCETON, MN. NDB RWY 15, AMDT 1...NOTE:
HELICOPTER VISIBILITY REDUCTION BELOW 3/4
SM NOT AUTHORIZED. 1704061405-1711161405EST.

FDC 7/6326 PNM IAP PRINCETON MUNI,
PRINCETON, MN. RNAV (GPS) RWY 33,
ORIG...DISREGARD NOTE: PROCEDURE NA AT
NIGHT. NOTE: HELICOPTER VISIBILITY REDUCTION
BELOW 3/4 SM NOT AUTHORIZED.
1704061357-1711161357EST.

FDC 7/6324 PNM IAP PRINCETON MUNI, PRINCETON, MN. RNAV (GPS) RWY 15, ORIG-A...DISREGARD NOTE: WHEN VGSI INOPERATIVE, PROCEDURE NA AT NIGHT. DISREGARD NOTE: CIRCLING RWY 33 NA AT NIGHT. NOTE: HELICOPTER VISIBILITY REDUCTION BELOW 3/4 SM NOT AUTHORIZED. 1704061355-1711161355EST.

RED WING

Red Wing Rgnl

FDC 7/9238 RGK ODP RED WING RGNL, RED WING, MN. TAKEOFF MINIMUMS AND (OBSTACLE) DEPARTURE PROCEDURES AMDT 2...TAKE-OFF MINIMUMS: RWY 9, STANDARD WITH MINIMUM CLIMB OF 338 FT PER NM TO 1700. ALL OTHER DATA REMAINS AS PUBLISHED. 1703011504-1710111504EST.

ROCHESTER

Rochester Intl

FDC 7/6514 RST IAP ROCHESTER INTL, ROCHESTER, MN. VOR/DME RWY 20, AMDT 14...S-20 MDA 1680/HAT 375 ALL CATS. CHART TDZE 1305, DELETE THRE 1282. CHART VDP AT 10.05 DME; DISTANCE VDP TO THLD 1.07 NM. CHART PLANVIEW NOTE: DME REQUIRED. CHART NOTE: DME REQUIRED. CHART FAS OBST: 1419 TANK 435514N/0922844W THIS IS VOR RWY 20, AMDT 14A 1703171506-PERM.

FDC 6/1418 RST IAP ROCHESTER INTL, ROCHESTER, MN. RADAR RWY 20 - MAP 0.0, AMDT 8...ASR RWY 20 MDA 1720/HAT 416 ALL CATS. VIS CAT C 1 1/8. CIRCLING CAT A MDA 1780/HAA 463. 1611201947-1707021947EST.

FDC 6/1413 RST IAP ROCHESTER INTL, ROCHESTER, MN. ILS OR LOC RWY 13, AMDT 8...ILS OR LOC RWY 31, AMDT 22A...RNAV (GPS) RWY 13, AMDT 1...RNAV (GPS) RWY 2, AMDT 3A...RNAV (GPS) RWY 31, AMDT 1A...VOR RWY 2, AMDT 17A...CIRCLING CAT A MDA 1780/HAA 438. 1611201945-1707021945EST.

FDC 6/1411 RST IAP ROCHESTER INTL, ROCHESTER, MN. RNAV (GPS) RWY 20, AMDT 2A...LNAV/VNAV DA 1631/HAT 326 ALL CATS. LNAV MDA 1720/HAT 415 ALL CATS. VIS CAT C/D 1 1/8. CIRCLING CAT A MDA 1780/HAA 463. 1611201943-1707021943EST.

RUSHFORD

Rushford Muni

FDC 7/7276 55Y IAP RUSHFORD MUNI, RUSHFORD, MN. RNAV (GPS) RWY 34, ORIG...DELETE: DESCENT ANGLE 3.04/TCH 40. PROFILE NOTE: VISUAL SEGMENT - OBSTACLES. 1702231609-1710051609EST.

ST CLOUD

St Cloud Rgnl

FDC 7/6625 STC IAP ST CLOUD RGNL, ST CLOUD, MN. VOR RWY 31, ORIG-A...S-31 MDA 1460/HAT 441 ALL CATS. VIS CAT C 7/8. VDP AT 1.88 DME FROM STC VOR/DME; DISTANCE VDP TO THLD 1.23 MILES. 1701222112-1709032112EST.

ST JAMES

St James Muni

FDC 7/0814 JYG IAP ST JAMES MUNI, ST JAMES, MN. NDB RWY 33, AMDT 1B...PROCEDURE NA EXCEPT FOR AIRCRAFT EQUIPPED WITH SUITABLE RNAV SYSTEM WITH GPS, FRM VOR OUT OF SERVICE. 1701042213-1708162212EST.

ST PAUL

St Paul Downtown Holman Fld

FDC 7/8620 STP IAP ST PAUL DOWNTOWN HOLMAN FLD, ST PAUL, MN. ILS OR LOC RWY 14, AMDT 1A...ILS OR LOC RWY 32, AMDT 5...NOTE: ALTERNATE MINIMUMS NA WHEN CONTROL TOWER CLOSED. 1701272017-1709082017EST.

FDC 7/4647 STP SID ST PAUL DOWNTOWN HOLMAN FLD, ST PAUL, MN. ORSKY NINE DEPARTURE...ROCHESTER EIGHT DEPARTURE...SCHEP EIGHT DEPARTURE...ZMBRO SIX DEPARTURE...DME REQUIRED EXCEPT FOR AIRCRAFT EQUIPPED WITH SUITABLE RNAV SYSTEM WITH GPS, FOW VOR/DME OUT OF SERVICE. 1702151431-1708191431EST.

FDC 7/3535 STP IAP ST PAUL DOWNTOWN HOLMAN FLD, ST PAUL, MN. ILS OR LOC RWY 32, AMDT 5...S-ILS 32 DA 1011/HAT 307. 1702112014-1709232014EST.

THIEF RIVER FALLS

Thief River Falls Rgnl

FDC 6/4721 TVF IAP THIEF RIVER FALLS RGNL, THIEF RIVER FALLS, MN. ILS OR LOC RWY 31, AMDT 4...S-LOC 31: DME REQUIRED EXCEPT FOR AIRCRAFT EQUIPPED WITH SUITABLE RNAV SYSTEM WITH GPS. HOLD IN LIEU OF PROCEDURE TURN DME REQUIRED EXCEPT FOR AIRCRAFT EQUIPPED WITH SUITABLE RNAV SYSTEM WITH GPS, HARVI (HY) LOM OUT OF SERVICE. 1611301706-1712071706EST.

TRACY

Tracy Muni

FDC 7/8915 TKC IAP TRACY MUNI, TRACY, MN. RNAV (GPS) RWY 29, ORIG...VDP NA.. 1701292220-1709102220EST.

FDC 7/8913 TKC IAP TRACY MUNI, TRACY, MN. RNAV (GPS) RWY 11, ORIG...LNAV MDA 1940/HAT 604. VDP NA. 1701292218-1709102218EST.

WARROAD

Warroad Intl Memorial

FDC 7/2696 RRT IAP WARROAD INTL MEMORIAL, WARROAD, MN. RNAV (GPS) RWY 31, ORIG...APT ELEV: 1076. TDZE: 1076. LPV DA 1326. LNAV/VNAV DA 1451. LNAV HAT 404. CIRCLING HAA CAT A 424 CIRCLING CAT B/C MDA 1560/HAA 484. CIRCLING CAT D HAA 564. 1703301127-1711091127EST.

WESTBROOK

Sanford Westbrook Clinic

FDC 6/7269 4MN6 SPECIAL SANFORD WESTBROOK CLINIC, WESTBROOK, MN. LINGY ONE DEPARTURE...DP ROUTE DESCRIPTION: HOVER AT OR ABOVE 20 FEET AGL: CLIMB TO CROSS WHOSO ON COURSE 193 AT OR ABOVE 2020. CONTINUE CLIMB ON DEPICTED ROUTE TO CROSS LINGY AT OR ABOVE 3900. ALL OTHER DATA REMAINS AS PUBLISHED. 1612061804-1707181804EST.

FDC 6/7244 4MN6 SPECIAL SANFORD WESTBROOK CLINIC, WESTBROOK, MN. COPTER RNAV (GPS) 01, ORIG...NOTE: TERMINATE APPROACH AT OR ABOVE 20 FEET HELIPORT CROSSING HEIGHT (HCH). 1612061733-1707181733EST.

WHEATON

Wheaton Muni

FDC 6/2600 ETH ODP WHEATON MUNI, WHEATON, MN. TAKEOFF MINIMUMS AND (OBSTACLE) DEPARTURE PROCEDURES AMDT 1...NOTE: RWY 16 TREES BEGINNING 252 FT FROM DER, 459 FT LEFT OF CENTERLINE, UP TO 93FT AGL/1116 FT MSL. TREES BEGINNING 540 FT FROM DER, 329 FT RIGHT OF CENTERLINE, UP TO 102 FT AGL/1125 FT MSL. POLE 591 FT FROM DER, 483 FT RIGHT OF CENTERLINE, 40 FT AGL/1061 FT MSL. POLE 760 FT FROM DER, 668 FT LEFT OF CENTERLINE, 32 FT AGL/1055 FT MSL. BLDGS 806 FT FROM DER, 503 FT RIGHT OF CENTERLINE, UP TO 28 FT AGL/1047 FT MSL. TREES BEGINNING 1193 FT FROM DER, 3 FT RIGHT OF CENTERLINE UP TO 93 FT AGL/1116 FT MSL. NOTE: RWY 34 BLDGS BEGINNING 2 FT FROM DER, 453 FT RIGHT OF CENTERLINE, UP TO 21 FT AGL/ 1044 FT MSL. VEHICLE ON ROAD, 284 FT FROM DER, LEFT AND RIGHT OF CENTERLINE, 17FT AGL/ 1025 FT MSL. TREES BEGINNING 97 FT FROM DER, 496 FT RIGHT OF CENTERLINE, UP TO 55 FT AGL/1078 FT. TAKE-OFF MINIMUMS RWY 06,24 NA - ENVIRONMENTAL. DISREGARD NOTE RWYS 4,22 NA. ALL OTHER DATA REMAINS AS PUBLISHED. 1611232056-1707052056EST.

WILLMAR

Willmar Muni-John L Rice Field

FDC 7/4274 BDH IAP WILLMAR MUNI-JOHN L RICE FIELD, WILLMAR, MN. ILS OR LOC RWY 13, ORIG...RNAV (GPS) RWY 13, ORIG-A...RNAV (GPS) RWY 31, AMDT 1A...VOR RWY 31, ORIG-A...CHART NOTE: CIRCLING NA TO RWYS 3 AND 21. 1701132100-1708252100EST.

WINONA

Winona Muni-Max Conrad Fld

FDC 6/8090 ONA ODP WINONA MUNI-MAX CONRAD FLD, WINONA, MN. TAKEOFF MINIMUMS AND (OBSTACLE) DEPARTURE PROCEDURES AMDT 5...DELETE ALL REFERENCE TO RWY 17/35. ALL OTHER DATA REMAINS AS PUBLISHED. 1612071542-1707191542EST.

MISSISSIPPI

BATESVILLE

Panola County

FDC 7/6489 PMU IAP PANOLA COUNTY, BATESVILLE, MS. LOC/DME RWY 19, AMDT 1...CHART TDZE 221, DELETE THRE 218. S-19 HAT 339 ALL CATS. CHART NOTE: DME REQUIRED. CHART NOTE: RWY 19 HELICOPTER VISIBILITY REDUCTION BELOW 3/4 NOT AUTHORIZED. DELETE NOTE: HELICOPTER VISIBILITY REDUCTION BELOW 3/4 SM NOT AUTHORIZED. THIS IS LOC RWY 19, AMDT 1A 1703171448-PERM.

BAY ST LOUIS

Stennis Intl

FDC 7/9936 HSA IAP STENNIS INTL, BAY ST LOUIS, MS. ILS Z OR LOC Z RWY 18, AMDT 2...ILS Z OR LOC Z RWY 18, AMDT 3...MISSED APPROACH: CLIMB TO 700 THEN CLIMBING LEFT TURN TO 1800 ON PCU VOR/DME R-133 TO CLERY INT AND HOLD. WHEN AUTHORIZED BY ATC CONTINUE CLIMB-IN-HOLD TO 5000. 1704131657-1711231657EST.

FDC 6/1594 HSA IAP STENNIS INTL, BAY ST LOUIS, MS. ILS Y OR LOC Y RWY 18, ORIG...MISSED APPROACH: CLIMB TO 700 THEN CLIMBING LEFT TURN TO 2000 DIRECT STENN WP AND HOLD. 1611202317-1707022317EST.

BROOKHAVEN

Brookhaven-Lincoln County

FDC 7/2531 1R7 ODP BROOKHAVEN-LINCOLN COUNTY, BROOKHAVEN, MS. TAKEOFF MINIMUMS AND (OBSTACLE) DEPARTURE PROCEDURES ORIG.NOTE: RWY 4, VEHICLES ON ROAD, TREE, BUILDING, AND POLE BEGINNING 22 FT FROM DER, 256 FT LEFT OF CENTERLINE, UP TO 38 FT AGL/524 FT MSL. TREE 42 FT FROM DER, 360 FT RIGHT OF CENTERLINE, 45 FT AGL/531 FT MSL. TREE, BUILDING AND POLES BEGINNING 141 FT FROM DER, 194 FT LEFT OF CENTERLINE, UP TO 55 FT AGL/548 FT MSL. TREES, POLES, AND BUILDING BEGINNING 191 FT FROM DER, 16 FT RIGHT OF CENTERLINE, UP TO 50 FT AGL/546 FT MSL. VEHICLES ON ROAD, TRAIN ON RAILROAD, TREES, BUILDINGS, AND POLES BEGINNING 239 FT FROM DER, 27 FT LEFT OF CENTERLINE, UP TO 80 FT AGL/568 FT MSL. TREES, POLES, AND TOWER BEGINNING 939 FT FROM DER, 119 FT RIGHT OF CENTERLINE, UP TO 570 FT MSL. TREES BEGINNING 1537 FT FROM DER, 374 FT RIGHT OF CENTERLINE, UP TO 85 FT AGL/580 FT MSL. TREES BEGINNING 1830 FT FROM DER, LEFT AND RIGHT OF CENTERLINE, UP TO 100 FT AGL/587 FT MSL. NOTE: RWY, 22 TREES AND POLE BEGINNING 10 FT FROM DER, 202 FT RIGHT OF CENTERLINE, UP TO 70 FT AGL/561 FT MSL. TREES AND POLE BEGINNING 126 FT FROM DER, 20 FT LEFT OF CENTERLINE, UP TO 65 FT AGL/557 FT MSL. TREES AND POLES BEGINNING 443 FT FROM DER, 40 FT RIGHT OF CENTERLINE, UP TO 70 FT AGL/561 FT MSL. TREES AND POLE BEGINNING 881 FT FROM DER, 10 FT ALL OTHER DATA REMAINS AS PUBLISHED. TREES AND POLES BEGINNING 1093 FT FROM DER, 46 FT LEFT OF CENTERLINE, UP TO 85 FT AGL/586 FT MSL. TREES AND TOWER BEGINNING 2335 FT FROM DER, 40 FT RIGHT OF CENTERLINE, UP TO 90 FT AGL/580 FT MSL. ALL OTHER DATA REMAINS AS PUBLISHED. 1703292037-1711082037EST

FDC 6/1460 1R7 IAP BROOKHAVEN-LINCOLN COUNTY, BROOKHAVEN, MS. RNAV (GPS) RWY 22, ORIG...LNAV HAT 472 ALL CATS. CIRCLING CAT A MDA 1040/HAA 548, CATS B/C HAA 588. CHANGE AIRPORT ELEVATION FROM 489 TO 492. CHANGE TDZE FROM 487 TO 488. NOTE: NIGHT LANDING: RWY 22 NA. CHANGE HELICOPTER RESTRICTION NOTE TO READ: VISIBILITY REDUCTION BELOW 1 SM NOT AUTHORIZED. CHANGE IF LOCAL ALTIMETER SETTING NOT RECEIVED NOTE TO READ: IF LOCAL ALTIMETER SETTING NOT RECEIVED, USE MCCOMB ALTIMETER SETTING AND INCREASE ALL MDAS 80 FEET; INCREASE LNAV CAT C VISIBILITY 1/4 MILE. 1611202009-1707022009EST.

CLEVELAND

Cleveland Muni

FDC 7/1012 RNV IAP CLEVELAND MUNI, CLEVELAND, MS. RNAV (GPS) RWY 36, ORIG-B...CHART TDZE 140 DELETE THRE 140. CHART NOTE: RWY 36 HELICOPTER VISIBILITY REDUCTION BELOW 3/4 SM NOT AUTHORIZED. DELETE NOTE: HELICOPTER VISIBILITY REDUCTION BELOW 3/4 SM NOT AUTHORIZED. THIS IS RNAV (GPS) RWY 36, ORIG-C. 1702032135-PERM.

FDC 7/1011 RNV IAP CLEVELAND MUNI, CLEVELAND, MS. RNAV (GPS) RWY 18, AMDT 1...CHART TDZE 140, DELETE THRE 140. CHART NOTE: RWY 18 HELICOPTER VISIBILITY REDUCTION BELOW 3/4 SM NOT AUTHORIZED. DELETE NOTE: HELICOPTER VISIBILITY REDUCTION BELOW 3/4 SM NOT AUTHORIZED. THIS IS RNAV (GPS) RWY 18, AMDT 1A. 1702032135-PERM.

COLUMBIA

Columbia-Marion County

FDC 7/3835 0R0 IAP COLUMBIA-MARION COUNTY, COLUMBIA, MS. RNAV (GPS) RWY 23, AMDT 1...CHART TDZE 265, DELETE THRE 265. CHART NOTE: RWY 23 HELICOPTER VISIBILITY REDUCTION BELOW 3/4 SM NOT AUTHORIZED. DELETE NOTE: HELICOPTER VISIBILITY REDUCTION BELOW 3/4 SM NOT AUTHORIZED. THIS IS RNAV (GPS) RWY 23, AMDT 1A. 1703121552-PERM.

FDC 7/3834 0R0 IAP COLUMBIA-MARION COUNTY, COLUMBIA, MS. RNAV (GPS) RWY 5, ORIG...LPV DA 506. LNAV/VNAV DA 744. LNAV HAT 504 ALL CATS. CHART TDZE 256, DELETE THRE 244. CHART NOTE: RWY 5 HELICOPTER VISIBILITY REDUCTION BELOW 3/4 SM NOT AUTHORIZED. CHART PROFILE NOTE: VGSI AND RNAV GLIDEPATH NOT COINCIDENT (VGSI ANGLE {3.00}/TCH {40}). DELETE NOTE: HELICOPTER VISIBILITY REDUCTION BELOW 3/4 SM NOT AUTHORIZED. THIS IS RNAV (GPS) RWY 5, ORIG-A. 1703121552-PERM.

COLUMBUS/W POINT/STARKVILLE

Golden Triangle Rgnl

FDC 7/4118 GTR IAP GOLDEN TRIANGLE RGNL, COLUMBUS/W POINT/STARKVILLE, MS. RNAV (GPS) RWY 36, AMDT 1...LNAV/VNAV DA 660/HAT 407, VIS 1 3/8 ALL CATS. LNAV MDA 760/HAT 507 ALL CATS. VIS CATS C/D/E 1 3/8. VDP 1.41 NM TO RW 36. TEMP CRANE 449 MSL 3445 FT NE OF RWY 36 (2016-ASO-9751-OE). 1703131359-1710231359EST.

FDC 7/2048 GTR IAP GOLDEN TRIANGLE RGNL, COLUMBUS/W POINT/STARKVILLE, MS. RNAV (GPS) RWY 36, AMDT 1...LPV DA 461. LNAV/VNAV DA 528. LNAV HAT 379 ALL CATS. CIRCLING CAT C/D MDA 960/HAA 696, VIS CAT C 2, CAT D 2 1/4. CHART TDZE 261, DELETE THRE 253. CHART CIRCLING ICON. CHART NOTE: WHEN LOCAL ALTIMETER SETTING NOT RECEIVED, USE COLUMBUS AFB ALTIMETER SETTING: INCREASE LPV DA TO 500 FEET, LNAV/VNAV DA TO 567 FEET AND LNAV/VNAV VISIBILITY 1/4 SM; INCREASE ALL MDAS 40 FEET. DELETE NOTE: WHEN LOCAL ALTIMETER SETTING NOT RECEIVED, USE COLUMBUS AFB ALTIMETER SETTING AND INCREASE ALL DA 39 FEET AND ALL MDA 40 FEET; INCREASE LNAV/VNAV ALL CATS, LNAV CATS C/D/E VISIBILITY 1/8 MILE. ALTERNATE MINIMUMS: @CAT D 800-2 1/4, CAT E 800-2 1/2, @NA WHEN LOCAL WEATHER NOT AVAILABLE. THIS IS RNAV (GPS) RWY 36, AMDT 1A. 1704181811-PERM.

CORINTH

Roscoe Turner

FDC 7/5237 CRX IAP ROSCOE TURNER, CORINTH, MS. RNAV (GPS) RWY 36, AMDT 1A...CHART TDZE 425, DELETE THRE 425. CHART NOTE: RWY 36 HELICOPTER VISIBILITY REDUCTION BELOW 3/4 SM NOT AUTHORIZED. DELETE NOTE: HELICOPTER VISIBILITY REDUCTION BELOW 3/4 SM NOT AUTHORIZED. THIS IS RNAV (GPS) RWY 36, AMDT 1B. 1702161648-PERM.

GREENWOOD

Greenwood-Leflore

FDC 6/5266 GWO IAP GREENWOOD-LEFLORE, GREENWOOD, MS. RNAV (GPS) RWY 5, AMDT 2...NOTE: STRAIGHT-IN RWY 5 NA AT NIGHT, CIRCLING RWY 5, 23, 27 NA AT NIGHT. CHANGE HELICOPTER VISIBILITY REDUCTION NOTE TO READ: RWY 5 HELICOPTER VISIBILITY REDUCTION BELOW 1 SM NA. DISREGARD NOTE: RWY 5 STRAIGHT-IN/CIRCLING AND CIRCLING TO RWY 23/27 NA AT NIGHT. 1612281543-1708091543EST.

GULFPORT

Gulfport-Biloxi Intl

FDC 7/6269 GPT IAP GULFPORT-BILOXI INTL, GULFPORT, MS. VOR/DME OR TACAN RWY 14, AMDT 3A...VOR PORTION TERMINAL ROUTE NEFSE/12 DME CCW (IAF) TO LIMAN 12 DME ARC NA EXCEPT FOR AIRCRAFT EQUIPPED WITH SUITABLE RNAV SYSTEM WITH GPS, GPT VOR UNUSABLE R-035 TO R-086 BELOW 5000. 1703161904-1710261904EST.

FDC 7/6268 GPT IAP GULFPORT-BILOXI INTL, GULFPORT, MS. VOR/DME OR TACAN RWY 32, AMDT 4B...TACAN PORTION NA. VOR PORTION TERMINAL ROUTE NEFSE/12 DME CW (IAF) 12 DME ARC TO COSNA NA EXCEPT FOR AIRCRAFT EQUIPPED WITH SUITABLE RNAV SYSTEM WITH GPS, GPT VOR UNUSABLE R-035 TO R-086 BELOW 5000. 1703161904-1710261904EST.

FDC 7/5473 GPT IAP U.S. DOD GULFPORT-BILOXI INTL, GULFPORT, MS. HI TACAN RWY 32, AMDT 5...PROCEDURE NA. 1704261228-1712061228EST.

FDC 7/5411 GPT IAP U.S. DOD GULFPORT-BILOXI INTL, GULFPORT, MS. HI ILS OR LOC/DME RWY 14, AMDT 6A...HI ILS OR LOC/DME RWY 32, ORIG...HI TACAN RWY 14, AMDT 6...CHANGE ARPT ELEV TO 28 CIRCLING CAT D MDA 720/HAA 692 VIS CAT D 2 1/4. 1702162108-1709282108EST.

FDC 7/2202 GPT IAP GULFPORT-BILOXI INTL, GULFPORT, MS. VOR RWY 32, AMDT 21B...S-32 MDA 620/HAT 598 ALL CATS. VIS CATS C/D RVR 6000. CIRCLING CAT A MDA 620/HAA 592, CAT D MDA 720/HAA 692, VIS CAT D 2 1/4. ALTERNATE MINIMUMS: CAT D, 800-2 1/4. VDP 2.59 DME FROM GPT VORTAC OR 1.64 NM TO RWY 32. TEMP CRANE 270 MSL 1.15 NM SE OF RWY 32 (2015-ASO-15603-OE). TEMP CRANE 263 MSL 850 FT E OF RWY 18 (2016-ASO-3796-NRA). 1703081436-1706151436EST.

FDC 7/2198 GPT IAP GULFPORT-BILOXI INTL, GULFPORT, MS. RNAV (GPS) RWY 18, AMDT 1A...LPV DA 538/HAT 511, VIS 1 3/4 ALL CATS. LNAV MDA 580/HAT 553 ALL CATS. VIS CATS C/D 1 5/8. CIRCLING CATS A/B MDA 620/HAA 592. VDP NA. TEMP CRANE 263 MSL 850 FT E OF RWY 18 (2016-ASO-3796-NRA). 1703081434-1706151431EST.

FDC 7/0469 GPT IAP GULFPORT-BILOXI INTL, GULFPORT, MS. VOR/DME OR TACAN RWY 32, AMDT 4B...CIRCLING CAT D MDA 720/HAA 692 VIS 2 1/4 ALTERNATE MINIMUMS: CAT D, 800-2 1/4. PROFILE NOTE: VGSI AND DESCENT ANGLE NOT COINCIDENT. 1704141434-1711241434EST.

FDC 7/0468 GPT IAP GULFPORT-BILOXI INTL, GULFPORT, MS. RNAV (GPS) RWY 36, AMDT 1...LPV, LNAV/VNAV NA CIRCLING CAT D MDA 720/HAA 692 VIS 2 1/4 ALTERNATE MINIMUMS: CAT D 800-2 1/4. NOTE: VGSI AND RNAV GLIDEPATH NOT COINCIDENT. 1704141434-1711241434EST.

FDC 7/0466 GPT IAP U.S. DOD GULFPORT-BILOXI INTL, GULFPORT, MS. RADAR ASR RWY 14, AMDT 6B...RADAR ASR RWY 32, AMDT 6B...CIRCLING CAT D MDA 720/HAA 692 VIS 2 1/4. NOTE: NOT FOR CIVIL USE. 1704141434-1711241434EST.

FDC 7/0464 GPT IAP GULFPORT-BILOXI INTL, GULFPORT, MS. ILS OR LOC RWY 32, AMDT 4C...CIRCLING CAT D MDA 720/HAA 692 VIS 2 1/4 ALTERNATE MINIMUMS: CAT D, 700-2 1/4. 1704141434-1711241434EST.

FDC 7/0463 GPT IAP GULFPORT-BILOXI INTL, GULFPORT, MS. RNAV (GPS) RWY 14, AMDT 1...RNAV (GPS) RWY 18, AMDT 1A...RNAV (GPS) RWY 32, AMDT 1...VOR RWY 14, AMDT 22...VOR RWY 32, AMDT 21B...VOR/DME OR TACAN RWY 14, AMDT 3A...CIRCLING CAT D MDA 720/HAA 692 VIS 2 1/4 ALTERNATE MINIMUMS: CAT D, 800-2 1/4. 1704141434-1711241434EST.

FDC 7/0462 GPT IAP GULFPORT-BILOXI INTL, GULFPORT, MS. ILS OR LOC RWY 14, AMDT 14B...CHANGE APT ELEV TO 28 CIRCLING CAT A HAA 472 CIRCLING CAT B/C HAA 632 CIRCLING CAT D MDA 720/HAA 692 VIS 2 1/4 CIRCLING CAT E HAA 792 ALTERNATE MINIMUMS: CAT D, 700-2 1/4. 1704141434-1711241434EST.

HATTIESBURG-LAUREL

Hattiesburg-Laurel Rgnl

FDC 6/1518 PIB ODP HATTIESBURG-LAUREL RGNL, HATTIESBURG-LAUREL, MS. TAKEOFF MINIMUMS AND (OBSTACLE) DEPARTURE PROCEDURES AMDT 3...NOTE: RWY 18, TREES BEGINNING 50 FT FROM DER, 264 FT RIGHT OF CENTERLINE, UP TO 50 FT AGL/343 FT MSL. TREES BEGINNING 249 FT FROM DER, 389 FT LEFT OF CENTERLINE, UP TO 49 FT AGL/342 FT MSL. CHANGE RWY 36 NOTE TO READ: TREES BEGINNING 515 FT FROM DER, 551 FT RIGHT OF CENTERLINE, UP TO 32 FT AGL/329 FT MSL. TREES BEGINNING 1580 FT FROM DER, 659 FT LEFT OF CENTERLINE, UP TO 65 FT AGL/369 FT MSL. ALL OTHER DATA REMAINS AS PUBLISHED. 1611202040-1707022040EST.

HOLLY SPRINGS

Holly Springs-Marshall County

FDC 7/1859 M41 IAP HOLLY SPRINGS-MARSHALL COUNTY, HOLLY SPRINGS, MS. VOR/DME OR GPS RWY 18, AMDT 6A...S-18 CATS A/B/C MDA 1180/HAT 632. VIS CAT C 1 3/4. CIRCLING CATS A/B/C MDA 1180/HAA 629. VIS CAT C 1 3/4. APT ELEV 551, TDZE 548 1704181400-1711281400EST.

FDC 6/2896 M41 IAP HOLLY SPRINGS-MARSHALL COUNTY, HOLLY SPRINGS, MS. RNAV (GPS) RWY 18, ORIG...RNAV (GPS) RWY 36, ORIG...VOR RWY 18, AMDT 7...PROCEDURE NA. 1611271617-1707091617EST.

JACKSON

Hawkins Field

FDC 7/0195 HKS IAP HAWKINS FIELD, JACKSON, MS. RNAV (GPS) RWY 34, AMDT 2...LPV DA 588. LNAV/VNAV DA 670. LNAV HAT 438 ALL CATS. CHART TDZE 322 DELETE THRE 306. DELETE NOTE: HELICOPTER VISIBILITY REDUCTION BELOW 3/4 SM NOT AUTHORIZED. CHART NOTE: RWY 34 HELICOPTER VISIBILITY REDUCTION BELOW 3/4 SM NOT AUTHORIZED. THIS IS RNAV (GPS) RWY 34, AMDT 2A. 1704131941-PERM.

Jackson-Medgar Wiley Evers Intl

FDC 7/7655 JAN IAP JACKSON-MEDGAR WILEY EVERS INTL, JACKSON, MS. RNAV (GPS) RWY 16L, AMDT 2...LPV DA 512. LNAV/VNAV DA 652. LNAV HAT 448 ALL CATS. CHART TDZE 312, DELETE THRE 305. THIS IS RNAV (GPS) RWY 16L, AMDT 2A. 1702241325-PERM.

FDC 7/7654 JAN IAP JACKSON-MEDGAR WILEY EVERS INTL, JACKSON, MS. ILS OR LOC RWY 16L...ILS RWY 16L (SA CAT I)...ILS RWY 16L (CAT II AND III)...AMDT 8...CHART TDZE 312, DELETE THRE 305. ILS OR LOC RWY 16L: S-ILS 16L DA 512. S-LOC 16L HAT 508 ALL CATS. ILS RWY 16L (SA CAT I): S-ILS 16L DA 462. ILS RWY 16L (CAT II AND III): S-ILS 16L CAT II DA 412. THIS IS ILS OR LOC RWY 16L...ILS RWY 16L (SA CAT I)...ILS RWY 16L (CAT II AND III)...AMDT 8A 1702241325-PERM.

FDC 7/7653 JAN IAP JACKSON-MEDGAR WILEY EVERS INTL, JACKSON, MS. RNAV (GPS) RWY 16R, AMDT 2...LPV DA 621. LNAV/VNAV DA 638. LNAV HAT 400 ALL CATS. CHART TDZE 320, DELETE THRE 305. CHART NOTE: RWY 16R HELICOPTER VISIBILITY REDUCTION BELOW 3/4 SM NOT AUTHORIZED. DELETE NOTE: HELICOPTER VISIBILITY REDUCTION BELOW 3/4 SM NOT AUTHORIZED. THIS IS RNAV (GPS) RWY 16R, AMDT 2A. 1702241325-PERM.

FDC 7/7652 JAN IAP JACKSON-MEDGAR WILEY EVERS INTL, JACKSON, MS. ILS OR LOC RWY 34L, AMDT 6A...CHART TDZE 329, DELETE THRE 329. CHART NOTE: RWY 34L HELICOPTER VISIBILITY REDUCTION BELOW RVR 4000 NOT AUTHORIZED. DELETE NOTE: HELICOPTER VISIBILITY REDUCTION BELOW RVR 4000 SM NOT AUTHORIZED. THIS IS ILS OR LOC RWY 34L, AMDT 6B. 1702241325-PERM.

FDC 7/7651 JAN IAP JACKSON-MEDGAR WILEY EVERS INTL, JACKSON, MS. RNAV (GPS) RWY 34L, AMDT 3...CHART TDZE 329, DELETE THRE 329. CHART NOTE: RWY 34L HELICOPTER VISIBILITY REDUCTION BELOW RVR 4000 NOT AUTHORIZED. DELETE NOTE: HELICOPTER VISIBILITY REDUCTION BELOW RVR 4000 NOT AUTHORIZED. THIS IS RNAV (GPS) RWY 34L, AMDT 3A. 1702241325-PERM.

LAUREL

Hesler-Noble Field

FDC 7/3918 LUL IAP HESLER-NOBLE FIELD, LAUREL, MS. NDB RWY 13, AMDT 8...S-13 HAT 782 ALL CATS. CHART TDZE 238, DELETE THLD 229. THIS IS NDB RWY 13, AMDT 8A. 1702132153-PERM.

FDC 7/3917 LUL IAP HESLER-NOBLE FIELD, LAUREL, MS. RNAV (GPS) RWY 13, AMDT 1...LPV DA 488. LNAV/VNAV DA 759. LNAV HAT 442 ALL CATS. CHART TDZE 238, DELETE THLD 229. DELETE PROFILE NOTE: VGSI AND RNAV GLIDEPATH NOT COINCIDENT. THIS IS RNAV (GPS) RWY 13, AMDT 1A. 1702132153-PERM.

FDC 7/3916 LUL IAP HESLER-NOBLE FIELD, LAUREL, MS. RNAV (GPS) RWY 31, AMDT 1...LPV DA 524. LNAV/VNAV DA 554. LNAV HAT 402 ALL CATS. CHART TDZE 238, DELETE THLD 234. CHART NOTE: RWY 31 HELICOPTER VISIBILITY REDUCTION BELOW 3/4 SM NOT AUTHORIZED. DELETE NOTE: VISIBILITY REDUCTION BY HELICOPTERS NA. DELETE PROFILE NOTE: VGSI AND RNAV GLIDEPATH NOT COINCIDENT. THIS IS RNAV (GPS) RWY 31, AMDT 1A. 1702132153-PERM.

MADISON

Bruce Campbell Field

FDC 7/5691 MBO IAP BRUCE CAMPBELL FIELD, MADISON, MS. VOR/DME RWY 17, ORIG-B...DESCENT ANGLE 3.42/TCH 38 NA. 1702171912-1709291912EST.

FDC 7/2374 MBO IAP BRUCE CAMPBELL FIELD, MADISON, MS. RNAV (GPS) RWY 17, AMDT 1B...RNAV (GPS) RWY 35, ORIG-B...DISREGARD NOTE: WHEN VGSI INOP, PROCEDURE NA AT NIGHT. 1704191243-1711291243EST.

MAGEE

Magee Muni

FDC 7/1005 17M IAP MAGEE MUNI, MAGEE, MS. RNAV (GPS) RWY 36, ORIG...LP CATS A/B/C HAT 545. LNAV CATS A/B/C HAT 565. CHART TDZE 555, DELETE THRE 546. CHART NOTE: RWY 18, 36 HELICOPTER VISIBILITY REDUCTION BELOW 1 SM NOT AUTHORIZED. DELETE NOTE: HELICOPTER VISIBILITY REDUCTION BELOW 1 SM NOT AUTHORIZED. CHART PROFILE NOTE: VISUAL SEGMENT - OBSTACLES. DELETE PROFILE NOTE: DESCENT ANGLE NA. THIS IS RNAV (GPS) RWY 36, ORIG-A. 1702032110-PERM.

FDC 7/1002 17M IAP MAGEE MUNI, MAGEE, MS. RNAV (GPS) RWY 18, ORIG...LP CATS A/B/C HAT 505. LNAV CATS A/B/C HAT 525. CHART TDZE 555, DELETE THRE 553. CHART NOTE: RWY 18, 36 HELICOPTER VISIBILITY REDUCTION BELOW 1 SM NOT AUTHORIZED. DELETE NOTE: HELICOPTER VISIBILITY REDUCTION BELOW 1 SM NOT AUTHORIZED. CHART PROFILE NOTE: VISUAL SEGMENT - OBSTACLES. DELETE PROFILE NOTE: DESCENT ANGLE NA. THIS IS RNAV (GPS) RWY 18, ORIG-A. 1702032110-PERM.

MERIDIAN

Key Field

FDC 7/4464 MEI IAP KEY FIELD, MERIDIAN, MS. VOR-A, AMDT 17...PROCEDURE NA. 1702142107-1709262107EST.

FDC 4/6238 MEI IAP KEY FIELD, MERIDIAN, MS. RADAR-1, ORIG...PAR RWY 1 DA 489. ASR RWY 1 HAT 511 ALL CATS. THIS IS RADAR-1, ORIG-A. 1408211459-PERM.

NEW ALBANY

New Albany-Union Co

FDC 7/9605 M72 IAP NEW ALBANY-UNION CO, NEW ALBANY, MS. RNAV (GPS) RWY 18, ORIG...RNAV (GPS) RWY 36, ORIG...CIRCLING: CAT C MDA 1340/HAA 927, VISIBILITY 2. 1704131240-1711231240EST.

OLIVE BRANCH

Olive Branch

FDC 7/7394 OLV IAP OLIVE BRANCH, OLIVE BRANCH, MS. LOC/DME RWY 36, AMDT 1...CHART TDZE 401, DELETE THRE 394. S-36 HAT 359 ALL CATS. CHART NOTE: DME REQUIRED. CHART NOTE: RWY 36 HELICOPTER VISIBILITY REDUCTION BELOW 3/4 SM NOT AUTHORIZED. DELETE NOTE: HELICOPTER VISIBILITY REDUCTION BELOW 3/4 SM NOT AUTHORIZED. THIS IS LOC RWY 36, AMDT 1A. 1702231838-PERM.

FDC 7/7393 OLV IAP OLIVE BRANCH, OLIVE BRANCH, MS. RNAV (GPS) RWY 36, AMDT 1...CHART TDZE 401, DELETE THRE 394. LPV DA 709. LNAV/VNAV DA 915. LNAV HAT 599 ALL CATS. CHART NOTE: RWY 36 HELICOPTER VISIBILITY REDUCTION BELOW 3/4 SM NOT AUTHORIZED. DELETE NOTE: HELICOPTER VISIBILITY REDUCTION BELOW 3/4 SM NOT AUTHORIZED. THIS IS RNAV (GPS) RWY 36, AMDT 1A. 1702231838-PERM.

FDC 7/7392 OLV IAP OLIVE BRANCH, OLIVE BRANCH, MS. ILS OR LOC RWY 18, AMDT 3...CHART TDZE 402, DELETE THRE 401. S-ILS 18 DA 602. S-LOC 18 HAT 458 ALL CATS. WIMUB FIX MINIMUMS (DUAL VOR RECEIVERS OR DME REQUIRED) S-LOC 18 HAT 358 ALL CATS. THIS IS ILS OR LOC RWY 18, AMDT 3A. 1702231838-PERM.

FDC 7/7391 OLV IAP OLIVE BRANCH, OLIVE BRANCH, MS. RNAV (GPS) RWY 18, AMDT 3...CHART TDZE 402, DELETE THRE 401. LPV DA 602. LNAV/VNAV DA 691. LNAV HAT 358 ALL CATS. THIS IS RNAV (GPS) RWY 18, AMDT 3A. 1702231838-PERM.

PASCAGOULA

Trent Lott Intl

FDC 7/8687 PQL IAP TRENT LOTT INTL, PASCAGOULA, MS. VOR-A, AMDT 1B...PROCEDURE NA. 1703231247-1711021247EST.

PICAYUNE

Picayune Muni

FDC 6/4099 MJD IAP PICAYUNE MUNI, PICAYUNE, MS. RNAV (GPS) Y RWY 18, ORIG...LPV DA CAT C/D 500/HAT 445. VISIBILITY CAT C/D 1 1/2.. 1612202126-1708012126EST.

FDC 6/1375 MJD IAP PICAYUNE MUNI, PICAYUNE, MS. RNAV (GPS) RWY 36, AMDT 2...RNAV (GPS) Z RWY 18, AMDT 2...CHART R-4403 A, B, C, E, F. ADD NOTE: PROCEDURE NA WHEN R-4403 A IS ACTIVE. 1611201926-1707021926EST.

RAYMOND

John Bell Williams

FDC 7/9083 JVW IAP JOHN BELL WILLIAMS, RAYMOND, MS. ILS OR LOC RWY 12, AMDT 1C...S-ILS 12 DA 490/HAT 250, VIS 1 ALL CATS. TRANSMISSION LINE 291 MSL 1496 FT NW OF RWY 12 (2016-ASO-7817-OE). 1703011258-1710111258EST.

FDC 6/4120 JVW IAP JOHN BELL WILLIAMS, RAYMOND, MS. RNAV (GPS) RWY 12, AMDT 3B...LPV DA 490/HAT 250, VIS 1 ALL CATS. TRANSMISSION LINE 291 MSL 1496 FT NW OF RWY 12 (2016-ASO-7817-OE). 1612202136-1708012136EST.

FDC 6/4118 JVW ODP JOHN BELL WILLIAMS, RAYMOND, MS. TAKEOFF MINIMUMS AND (OBSTACLE) DEPARTURE PROCEDURES AMDT 4...NOTE: RWY 30, TRANSMISSION LINE 1408 FT FROM DER, 506 FT RIGHT OF CENTERLINE, 56 FT AGL/291 FT MSL (2016-ASO-7817-OE). ALL OTHER DATA REMAINS AS PUBLISHED. 1612202135-1708012134EST.

TUNICA

Tunica Muni

FDC 7/4669 UTA IAP TUNICA MUNI, TUNICA, MS. VOR/DME-A, ORIG...CIRCLING MDA 1000/HAA 806 ALL CATS. VIS CAT C 2 1/4, CAT D 2 3/4. MAP AT 26.3 DME. 1704241808-1712041808EST.

TUPELO

Tupelo Rgnl

FDC 7/9585 TUP IAP TUPELO RGNL, TUPELO, MS. COPTER VOR 023, ORIG...PROCEDURE NA. 1703011821-1710111821EST.

FDC 7/4033 TUP IAP TUPELO RGNL, TUPELO, MS. ILS Y OR LOC Y RWY 36, ORIG...ILS Z OR LOC Z RWY 36, AMDT 10...RNAV (GPS) RWY 18, AMDT 1...RNAV (GPS) RWY 36, AMDT 1...VOR/DME RWY 18, AMDT 1A...CIRCLING CATS A/B MDA 820/HAA 474. 1701122345-1708242345EST.

VICKSBURG

Vicksburg Muni

FDC 7/2354 VKS IAP VICKSBURG MUNI, VICKSBURG, MS. RNAV (GPS) RWY 19, ORIG-A...DESCENT ANGLE 3.00/TCH 40 NA. 1704191228-1711291228EST.

FDC 7/2351 VKS IAP VICKSBURG MUNI, VICKSBURG, MS. RNAV (GPS) RWY 1, AMDT 1A...DESCENT ANGLE 3.00/TCH 40 NA. 1704191227-1711291227EST.

WINONA

Winona-Montgomery County

FDC 7/6658 5A6 IAP WINONA-MONTGOMERY COUNTY, WINONA, MS. RNAV (GPS) RWY 3, AMDT 1...RNAV HAT CATS A/B/C 680. CHART NOTE: RWY 3, 21 HELICOPTER VISIBILITY REDUCTION BELOW 1 SM NOT AUTHORIZED. CHART TDZE 360, DELETE THRE 348. DELETE NOTE: HELICOPTER VISIBILITY REDUCTION BELOW 1 SM NOT AUTHORIZED. THIS IS RNAV (GPS) RWY 3, AMDT 1A. 1704061631-PERM.

FDC 7/6657 5A6 IAP WINONA-MONTGOMERY COUNTY, WINONA, MS. RNAV (GPS) RWY 21, AMDT 1...CHART TDZE 364, DELETE THRE 364. CHART NOTE: PROCEDURE NA AT NIGHT. CHART NOTE: RWY 3, 21 HELICOPTER VISIBILITY REDUCTION BELOW 1 SM NOT AUTHORIZED. DELETE NOTE: HELICOPTER VISIBILITY REDUCTION BELOW 1 SM NOT AUTHORIZED. THIS IS RNAV (GPS) RWY 21, AMDT 1A. 1704061631-PERM.

MISSOURI

BOONVILLE

Jesse Viertel Memorial

FDC 7/8842 VER IAP JESSE VIERTEL MEMORIAL, BOONVILLE, MO. RNAV (GPS) RWY 18, ORIG...RNAV (GPS) RWY 36, ORIG...VOR-A, AMDT 5...NOTE: PROCEDURE NA AT NIGHT. 1703231320-1711021320EST.

BOWLING GREEN

Bowling Green Muni

FDC 7/8883 H19 IAP BOWLING GREEN MUNI, BOWLING GREEN, MO. RNAV (GPS) RWY 13, ORIG...RNAV (GPS) RWY 31, ORIG...VOR/DME-A, AMDT 2...NOTE: PROCEDURE NA AT NIGHT. NOTE: HELICOPTER VISIBILITY REDUCTION BELOW 1 SM NOT AUTHORIZED. 1701292153-1709102153EST.

CABOOL

Cabool Memorial

FDC 7/3896 TVB IAP CABOOL MEMORIAL, CABOOL, MO. VOR/DME RWY 21, AMDT 2A...NOTE: PROCEDURE NA AT NIGHT. NOTE: HELICOPTER VISIBILITY REDUCTION BELOW 1 SM NA. 1703121745-1710221745EST.

FDC 7/3894 TVB IAP CABOOL MEMORIAL, CABOOL, MO. RNAV (GPS) RWY 21, ORIG-A...NOTE: DESCENT ANGLE 3.02/TCH 40 NA. NOTE: PROCEDURE NA AT NIGHT. NOTE: HELICOPTER VISIBILITY REDUCTION BELOW 1 SM NA. NOTE: 34:1 IS NOT CLEAR. PROFILE NOTE: VISUAL SEGMENT - OBSTACLES. 1703121742-1710221742EST.

CAMDENTON

Camdenton Memorial-Lake Rgnl

FDC 7/9586 OZS IAP CAMDENTON MEMORIAL-LAKE RGNL, CAMDENTON, MO. RNAV (GPS) RWY 15, AMDT 1A...LPV AND RNAV/VNAV NA. 1704131217-1711231217EST.

CAPE GIRARDEAU

Cape Girardeau Rgnl

FDC 7/9342 CGI IAP CAPE GIRARDEAU RGNL, CAPE GIRARDEAU, MO. RNAV (GPS) RWY 10, AMDT 1A...RNAV (GPS) RWY 2, ORIG-A...RNAV (GPS) RWY 20, ORIG-A...RNAV (GPS) RWY 28, AMDT 1A...CIRCLING CAT C MDA 1080/HAA 738. VIS CAT C 2. 1705031346-1712131345EST.

FDC 7/8865 CGI IAP CAPE GIRARDEAU RGNL, CAPE GIRARDEAU, MO. ILS OR LOC RWY 10, AMDT 12A...CIRCLING CAT C MDA 1080/HAA 738. VIS CAT C 2. ZAXOD FIX MINIMUMS: CIRCLING CAT C MDA 1080/HAA 738. VIS CAT C 2. 1701292139-1709102139EST.

FDC 7/8863 CGI IAP CAPE GIRARDEAU RGNL, CAPE GIRARDEAU, MO. VOR RWY 2, AMDT 11A...CIRCLING CAT C MDA 1080/HAA 738. VIS CAT C 2. ZOTNO FIX MINIMUMS: CIRCLING CAT C MDA 1080/HAA 738. VIS CAT C 2. 1701292138-1709102137EST.

CHARLESTON

Mississippi County

FDC 7/2367 CHQ ODP MISSISSIPPI COUNTY, CHARLESTON, MO. TAKEOFF MINIMUMS AND (OBSTACLE) DEPARTURE PROCEDURES ORIG...NOTE: RWY 36, IRRIGATION PIVOT, 603 FT FROM DEPARTURE END OF RWY, 9 FT LEFT OF CENTERLINE, 243 AGL/337 MSL, 2015-ACE-3746-OE. ALL OTHER DATA REMAINS AS PUBLISHED. 1704191238-1711291238EST.

CHILLICOTHE

Chillicothe Muni

FDC 6/2218 CHT IAP CHILLICOTHE MUNI, CHILLICOTHE, MO. RNAV (GPS) RWY 32, AMDT 1...NOTE: CIRCLING RWY 14 NA AT NIGHT. NOTE: CIRCLING TO RWY 2, 20 NA. 1611222050-1707042050EST.

FDC 6/2216 CHT IAP CHILLICOTHE MUNI,
CHILLICOTHE, MO. RNAV (GPS) RWY 14,
ORIG...NOTE: STRAIGHT-IN RWY 14 NA AT NIGHT.
NOTE: CIRCLING TO RWY 2, 20 NA.
1611222050-1707042050EST.

COLUMBIA

Columbia Rgnl

FDC 6/8601 COU IAP COLUMBIA RGNL, COLUMBIA,
MO. RNAV (GPS) RWY 20, AMDT 1...LNAV MDA
1240/HAT 351 ALL CATS, CIRCLING CAT A MDA
1300/HAA 411. 1612072214-1707192214EST.

FDC 6/8548 COU IAP COLUMBIA RGNL, COLUMBIA,
MO. RNAV (GPS) RWY 13, ORIG...LNAV MDA
1220/HAT 332 ALL CATS. DELETE NOTE: GPS OR
RNP-0.3 REQUIRED. 1612072144-1707192144EST.

FDC 6/1626 COU IAP COLUMBIA RGNL, COLUMBIA,
MO. VOR RWY 13, AMDT 3B...BATYE FIX MINIMUMS
S-13 MDA 1240/HAT 352 CATS A/B/C. VDP NA.
1611202346-1707022346EST.

FDC 6/1624 COU IAP COLUMBIA RGNL, COLUMBIA,
MO. RNAV (GPS) RWY 2, AMDT 1...CIRCLING CAT A
MDA 1300/HAA 411. 1611202345-1707022345EST.

CUBA

Cuba Muni

FDC 7/9885 UBX IAP CUBA MUNI, CUBA, MO. RNAV
(GPS) RWY 36, ORIG-C...LP MINIMUMS NA.
1704131557-1711231557EST.

ELDON

Eldon Model Airpark

FDC 7/4554 H79 ODP ELDON MODEL AIRPARK,
ELDON, MO. TAKEOFF MINIMUMS AND (OBSTACLE)
DEPARTURE PROCEDURES ORIG...NOTE: RWY 18, 4
PIECES TEMPORARY GROUND EQUIPMENT,
BEGINNING 9 FT FROM DER, 420 FT LEFT OF
CENTERLINE, UP TO 17 AGL, 917 MSL.
2014-ACE-3661- NRA THRU 2014-ACE-3664-NRA. ALL
OTHER DATA REMAINS AS PUBLISHED.
1704241539-1712041539EST.

FDC 7/4310 H79 IAP ELDON MODEL AIRPARK,
ELDON, MO. RNAV (GPS) RWY 18, ORIG-A...LNAV
MDA 1520/HAT 603 ALL CATS. CIRCLING CAT A MDA
1520/HAA 603. 1701132138-1708252138EST.

FDC 7/4308 H79 IAP ELDON MODEL AIRPARK,
ELDON, MO. RNAV (GPS) RWY 36,
ORIG-A...CIRCLING CAT A MDA 1520/HAA 603.
1701132136-1708252136EST.

FARMINGTON

Farmington Rgnl

FDC 7/0016 FAM IAP FARMINGTON RGNL,
FARMINGTON, MO. VOR/DME-A, ORIG-B...CIRCLING
MDA 2000/HAA 1054 ALL CATS. VIS CAT A 1 1/4, CAT
B 1 1/2. NOTE: WHEN LOCAL ALTIMETER SETTING
NOT RECEIVED, USE SPARTA ALTIMETER SETTING
AND INCREASE ALL MDA 160 FEET. DISREGARD
NOTE: WHEN LOCAL ALTIMETER NOT RECEIVED,
USE SPARTA ALTIMETER SETTING AND INCREASE
ALL MDA 160 FEET AND CAT A VISIBILITY 1/4 MILE.
1704131746-1711231746EST.

FESTUS

Festus Memorial

FDC 7/0695 FES IAP FESTUS MEMORIAL, FESTUS,
MO. RNAV (GPS)-A, ORIG...DESCENT ANGLE
3.00/TCH 40 NA. PROFILE NOTE: VISUAL SEGMENT -
TREES 3/4 NM FROM RWY 1 THRESHOLD.
1702022046-1709142045EST.

FORT LEONARD WOOD

Waynesville-St Robert Rgnl Forney Fld

FDC 7/3730 TBN IAP U.S. DOD WAYNESVILLE-ST
ROBERT RGNL FORNEY FLD, FORT LEONARD
WOOD, MO. VOR RWY 14, ORIG...VOR RWY 32,
ORIG-C...DME REQUIRED EXCEPT FOR AIRCRAFT
EQUIPPED WITH SUITABLE RNAV SYSTEM WITH
GPS, VIH VOR/DME OUT OF SERVICE.
1704211402-1706151402EST.

FULTON

Elton Hensley Memorial

FDC 7/3961 FTT ODP ELTON HENSLEY MEMORIAL, FULTON, MO. TAKEOFF MINIMUMS AND (OBSTACLE) DEPARTURE PROCEDURES AMDT 1...TAKE-OFF MINIMUMS; RWY 12/30 NA. NOTE: RWY 6: VEHICLE ON ROAD BEGINNING 8 FT FROM DER, 470 FT LEFT OF CENTERLINE, UP TO 15 FT AGL/900 FT MSL. FENCE AND TREE BEGINNING 100 FT FROM DER, 515 FT RIGHT OF CENTERLINE, UP TO 7 FT AGL/887 FT MSL. POLES BEGINNING 344 FT FROM DER, 448 FT RIGHT OF CENTERLINE, UP TO 30 FT AGL/910 FT MSL. TREES, TOWERS AND POLES BEGINNING 946 FT FROM DER, 549 FT RIGHT OF CENTERLINE, UP TO 69 FT AGL/949 FT MSL. TREES, TOWERS AND POLES BEGINNING 1733 FT FROM DER, 222 FT LEFT OF CENTERLINE, UP TO 71 FT AGL/953 FT MSL.. NOTE: RWY 24: TREES BEGINNING 127 FT FROM DER, LEFT AND RIGHT OF CENTERLINE, UP TO 21 FT AGL/893 FT MSL. TREES BEGINNING 344 FT FROM DER, LEFT AND RIGHT OF CENTERLINE, UP TO 96 FT AGL/936 FT MSL.. ALL OTHER DATA REMAINS AS PUBLISHED. 1703121928-1710221928EST.

FDC 7/0150 FTT IAP ELTON HENSLEY MEMORIAL, FULTON, MO. RNAV (GPS) RWY 36, ORIG...LPV AND LNAV/VNAV DA NA. NOTE: HELICOPTER VISIBILITY REDUCTION BELOW 3/4 SM NOT AUTHORIZED. NOTE: NIGHT LANDING: RWY 06, 24 NA. NOTE: CIRCLING NA TO RWYS 12 AND 30. 1703250121-1711040121EST.

GIDEON

Gideon Memorial

FDC 6/8695 M85 IAP GIDEON MEMORIAL, GIDEON, MO. VOR RWY 15, AMDT 3A...PROCEDURE NA. 1612072308-1707192308EST.

HARRISONVILLE

Lawrence Smith Memorial

FDC 7/0458 LRY IAP LAWRENCE SMITH MEMORIAL, HARRISONVILLE, MO. RNAV (GPS) RWY 17, ORIG...DISREGARD NOTE: WHEN VGSI INOPERATIVE, PROCEDURE NA AT NIGHT. DISREGARD NOTE: VISIBILITY REDUCTION BY HELICOPTERS NA. NOTE: PROCEDURE NA AT NIGHT. NOTE: HELICOPTER VISIBILITY REDUCTION BELOW 1 SM NOT AUTHORIZED. 1703021901-1710121901EST.

KANSAS CITY

Charles B Wheeler Downtown

FDC 7/8946 MKC IAP CHARLES B WHEELER DOWNTOWN, KANSAS CITY, MO. ILS OR LOC RWY 19, AMDT 23A...ILS OR LOC RWY 3, AMDT 4A...RNAV (GPS) RWY 19, ORIG-B...RNAV (GPS) RWY 21, AMDT 1C...RNAV (GPS) RWY 3, AMDT 2A...NOTE: NIGHT LANDING: RWY 21 NA. 1701292333-1709102333EST.

FDC 7/8897 MKC IAP CHARLES B WHEELER DOWNTOWN, KANSAS CITY, MO. ILS OR LOC RWY 19, AMDT 23A...S-LOC 19: DME REQUIRED EXCEPT FOR AIRCRAFT EQUIPPED WITH SUITABLE RNAV SYSTEM WITH GPS, MKC LOM OUT OF SERVICE. 1705021739-1705081739EST.

LEE'S SUMMIT

Lee's Summit Muni

FDC 7/6311 LXT IAP LEE S SUMMIT MUNI, LEE S SUMMIT, MO. RNAV (GPS) RWY 29, AMDT 2A...DISREGARD NOTE: WHEN VGSI INOP, STRAIGHT-IN/CIRCLING RWY 29 PROCEDURE NA AT NIGHT. 1703162109-1710262109EST.

FDC 7/6309 LXT IAP LEE S SUMMIT MUNI, LEE S SUMMIT, MO. RNAV (GPS) RWY 11, AMDT 1A...DISREGARD NOTE: WHEN VGSI INOP, STRAIGHT-IN/CIRCLING RWY 11 PROCEDURE NA AT NIGHT. 1703162106-1710262106EST.

MALDEN

Malden Rgnl

FDC 7/1965 MAW IAP MALDEN RGNL, MALDEN, MO. VOR RWY 32, AMDT 9...TERMINAL ROUTE TAXOE TO NUGLE NA. TERMINAL ROUTE OPSEE TO NUGLE NA. VDP NA. MAW DME UNUSABLE FOR PROCEDURE. 1703291211-1711081211EST.

MARSHALL

Marshall Memorial Muni

FDC 6/2595 MHL IAP MARSHALL MEMORIAL MUNI, MARSHALL, MO. NDB RWY 36, AMDT 4A...RNAV (GPS) RWY 36, AMDT 3A...DISREGARD NOTE: WHEN VGSI INOP, CIRCLING RWY 18 NA AT NIGHT. DISREGARD NOTE: VISIBILITY REDUCTION BY HELICOPTERS NA. NOTE: HELICOPTER VISIBILITY REDUCTION BELOW 3/4 SM NOT AUTHORIZED. 1611232052-1707052052EST.

FDC 6/1638 MHL IAP MARSHALL MEMORIAL MUNI, MARSHALL, MO. RNAV (GPS) RWY 18, AMDT 2A...DISREGARD NOTE: WHEN VGSI INOP, STRAIGHT-IN/CIRCLING RWY 18 PROCEDURE NA AT NIGHT. DISREGARD NOTE: VISIBILITY REDUCTION BY HELICOPTERS NA. NOTE: HELICOPTER VISIBILITY REDUCTION BELOW 3/4 SM NOT AUTHORIZED. DESCENT ANGLE 3.37/TCH 39 NA. 1611202353-1707022353EST.

MOBERLY

Omar N Bradley

FDC 6/1370 MBY IAP OMAR N BRADLEY, MOBERLY, MO. RNAV (GPS) RWY 31, ORIG-A...LNAV/VNAV DA 1208 / HAT 347 VISIBILITY 1 1/8 ALL CATS. LNVA MDA 1340 / HAT 479 ALL CATS, VISIBILITY CATS A/B 1, CAT C 1 3/8. VDP NA. ANTENNA 1017FT MSL 154FT AGL 4340FT SE OF APCH END RWY 31. 1611201923-1707021923EST.

MONROE CITY

Capt Ben Smith Airfield - Monroe City

FDC 7/8885 K52 IAP CAPT BEN SMITH AIRFIELD - MONROE CITY, MONROE CITY, MO. RNAV (GPS) RWY 27, ORIG...RNAV (GPS) RWY 9, ORIG...VOR/DME-A, AMDT 2...NOTE: PROCEDURE NA AT NIGHT. NOTE: HELICOPTER VISIBILITY REDUCTION BELOW 1 SM NOT AUTHORIZED. 1701292154-1709102154EST.

MOUNTAIN GROVE

Mountain Grove Memorial

FDC 7/1048 1MO IAP MOUNTAIN GROVE MEMORIAL, MOUNTAIN GROVE, MO. VOR/DME RWY 8, AMDT 1...S-8 MINIMUMS NA. 1704171259-1711271259EST.

NEW MADRID

County Memorial

FDC 7/8909 EIW ODP COUNTY MEMORIAL, NEW MADRID, MO. TAKEOFF MINIMUMS AND (OBSTACLE) DEPARTURE PROCEDURES AMDT 1...NOTE: RWY 18: POLE 280 FT FROM DER, 262 FT RIGHT OF CENTERLINE, UP TO 29 FT AGL/323 FT MSL. BUILDING BEGINNING 329 FT FROM DER, 292 FT LEFT OF CENTERLINE, UP TO 13 FT AGL/308 FT MSL. TREES, BUILDINGS, AND POLE BEGINNING 358 FT FROM DER, 302 FT LEFT OF CENTERLINE, UP TO 50 FT AGL/345 FT MSL. TREES BEGINNING 467 FT FROM DER, 88 FT LEFT OF CENTERLINE, UP TO 63 FT AGL/358 FT MSL. TREES AND POLE BEGINNING 491 FT FROM DER, 225 FT RIGHT OF CENTERLINE, UP TO 63 FT AGL/357 FT MSL.. NOTE: RWY 36: TREE 17 FT FROM DER, 273 FT LEFT OF CENTERLINE, 8 FT AGL/302 FT MSL. TREES BEGINNING 57 FT FROM DER, 225 FT RIGHT OF CENTERLINE, UP TO 13 FT AGL/306 FT MSL. TREE 2170 FT FROM DER, 745 FT LEFT OF CENTERLINE, 77 FT AGL/368 FT MSL. 1701292213-1709102212EST.

POTOSI

Washington County

FDC 7/0690 8WC IAP WASHINGTON COUNTY, POTOSI, MO. RNAV (GPS) RWY 2, AMDT 2A...DESCENT ANGLE 3.00/TCH 40 NA. PROFILE NOTE: VISUAL SEGMENT - TREES 3/4 NM FROM THRESHOLD. 1702022042-1709142042EST.

ST JOSEPH

Rosecrans Memorial

FDC 7/1845 STJ IAP ROSECRANS MEMORIAL, ST JOSEPH, MO. VOR/DME OR TACAN RWY 35, ORIG-A...CIRCLING CAT B/C MDA 1420/HAA 593, CAT D MDA 1520/HAA. 1703282246-1711072246EST.

FDC 7/1843 STJ IAP ROSECRANS MEMORIAL, ST JOSEPH, MO. VOR OR TACAN RWY 17, AMDT 14A...S-17 MDA 1420/HAT 593 ALL CATS, VISIBILITY CAT C 1 3/4. CIRCLING CAT A/B/C MDA 1420/HAA 593, CAT D MDA 1520/HAA 693, VISIBILITY CAT C 1 3/4. 1703282244-1711072244EST.

FDC 7/1841 STJ IAP ROSECRANS MEMORIAL, ST JOSEPH, MO. ILS OR LOC RWY 35, AMDT 31B...S-LOC 35 MDA 1200/HAT 386 ALL CATS. VISIBILITY CAT A/B RVR 5500. CIRCLING CAT A/B/C MDA 1420/HAA 593, CAT D MDA 1520/HAA 693. 1703282242-1711072242EST.

FDC 7/1839 STJ IAP ROSECRANS MEMORIAL, ST JOSEPH, MO. RADAR-1, AMDT 2...ASR-17 MDA 1380/HAT 553 ALL CATS. VISIBILITY CAT C 1 5/8. ASR-35 MDA 1220/HAT 405 ALL CATS. VISIBILITY CAT C 1 1/4. CIRCLING MDA 1420/HAA 593 CAT B/C, MDA 1520/HAA 693 CAT D. 1703282240-1711072240EST.

FDC 7/1835 STJ IAP ROSECRANS MEMORIAL, ST JOSEPH, MO. LOC BC RWY 17, AMDT 9A...MISSED APPROACH ALTITUDE 2700. CIRCLING CAT B/C MDA 1420/HAA 593, CAT D MDA 1520/HAA 693. 1703282239-1711072239EST.

ST LOUIS

Lambert-St Louis Intl

FDC 7/5444 STL IAP LAMBERT-ST LOUIS INTL, ST LOUIS, MO. RNAV (GPS) Y RWY 11, ORIG-B...MSA RW11 25 NM 3000. 1702162127-1709282127EST.

FDC 7/5442 STL IAP LAMBERT-ST LOUIS INTL, ST LOUIS, MO. RNAV (GPS) Y RWY 29, ORIG-C...MSA RW29 25 NM 3000. 1702162125-1709282125EST.

FDC 7/4772 STL SID LAMBERT-ST LOUIS INTL, ST LOUIS, MO. BERYY THREE DEPARTURE (RNAV).BGOOD THREE DEPARTURE (RNAV).BLUES FIVE DEPARTURE.BRAKK THREE DEPARTURE (RNAV).CARDS NINE DEPARTURE.CHUUC THREE DEPARTURE (RNAV).DRUSE THREE DEPARTURE (RNAV).EEMOS THREE DEPARTURE (RNAV).GATEWAY EIGHT DEPARTURE.JAHNY THREE DEPARTURE (RNAV).JHART FOUR DEPARTURE (RNAV).KSHEE THREE DEPARTURE (RNAV).LINDBERGH FIVE DEPARTURE.NATCA THREE DEPARTURE (RNAV).OZARK FIVE DEPARTURE.PLESS FOUR DEPARTURE.ROTRY THREE DEPARTURE (RNAV).TEDDD THREE DEPARTURE (RNAV).TURBO EIGHT DEPARTURE.WHRLI FOUR DEPARTURE (RNAV).ALL OTHER DATA REMAINS AS PUBLISHED. FDC 7/4772 STL SID LAMBERT-ST LOUIS INTL, St Louis, MO. TAKE-OFF MINIMUMS RWY 30R, 300-1 1/2 OR STANDARD WITH MINIMUM CLIMB OF 377 FT PER NM TO 1000. NOTE: RWY 30R, 3 CRANES, STARTING 1.06 NM FROM DEPARTURE END OF RWY, 1219 FT RIGHT OF CENTERLINE, UP TO 165 FT AGL/773 FT MSL, 2015-ACE-4554-OE, 2015-ACE-4556-OE, 2016-ACE-3501-OE. ALL OTHER DATA REMAINS AS PUBLISHED. 1703141549-1710241549EST

FDC 7/4768 STL IAP LAMBERT-ST LOUIS INTL, ST LOUIS, MO. RNAV (GPS) Y RWY 12L, AMDT 2B...LNAV/VNAV DA 1138/HAT 597 ALL CATS. VIS 1 5/8 ALL CATS. FOR INOPERATIVE ALSF-2, INCREASE ALL LPV CATS VISIBILITY TO 1 1/2, LNAV/VNAV ALL CATS VISIBILITY TO 2 AND LNAV CAT E VISIBILITY TO 1 3/4. 3 CRANES, UP TO 773 MSL, 1.09 NM NW OF APPROACH END RWY 12L, 2015-ACE-4554-OE, 2015-ACE-4556-OE, 2016-ACE-3501-OE. 1703141544-1710241544EST.

FDC 7/4766 STL IAP LAMBERT-ST LOUIS INTL, ST LOUIS, MO. RNAV (GPS) Y RWY 12R, AMDT 1B...LNAV MDA 1080/HAT 540 ALL CATS. VIS CATS C/D RVR 5500. VDP 1.53 NM TO RWY 12R. 3 CRANES, UP TO 773 MSL, 3894 FT NORTH OF APPROACH END RWY 12R, 2015-ACE-4554-OE, 2015-ACE-4556-OE, 2016-ACE-3501-OE. 1703141544-1710241544EST.

FDC 7/4765 STL IAP LAMBERT-ST LOUIS INTL, ST LOUIS, MO. RNAV (RNP) Z RWY 12R, ORIG-A...RNP 0.30 DA 1062/HAT 520 ALL CATS. 3 CRANES, UP TO 773 MSL, 3894 FT NORTH OF APPROACH END RWY 12R, 2015-ACE-4554-OE, 2015-ACE-4556-OE, 2016-ACE-3501-OE. 1703141544-1710241544EST.

FDC 7/4764 STL ODP LAMBERT-ST LOUIS INTL, ST LOUIS, MO. TAKEOFF MINIMUMS AND (OBSTACLE) DEPARTURE PROCEDURES AMDT 2...TAKE-OFF MINIMUMS RWY 30R, 300-1 1/2 OR STANDARD WITH MINIMUM CLIMB OF 377 FT PER NM TO 1000. NOTE: RWY 30R, 3 CRANES, STARTING 1.06 NM FROM DEPARTURE END OF RWY, 1219 FT RIGHT OF CENTERLINE, UP TO 165 FT AGL/773 FT MSL, 2015-ACE-4554-OE, 2015-ACE-4556-OE, 2016-ACE-3501-OE. ALL OTHER DATA REMAINS AS PUBLISHED. 1703141544-1710241544EST.

FDC 7/4763 STL IAP LAMBERT-ST LOUIS INTL, ST LOUIS, MO. RNAV (RNP) Z RWY 12L, ORIG-A...RNP 0.30 DA 1118/HAT 577 ALL CATS. VIS 1 1/2 ALL CATS. FOR INOPERATIVE ALSF-2, INCREASE RNP 0.30 ALL CATS VISIBILITY TO 2. 3 CRANES, UP TO 773 MSL, 1.09 NM NW OF APPROACH END RWY 12L, 2015-ACE-4554-OE, 2015-ACE-4556-OE, 2016-ACE-3501-OE. 1703141544-1710241544EST.

FDC 7/3992 STL IAP LAMBERT-ST LOUIS INTL, ST LOUIS, MO. ILS OR LOC RWY 12L, AMDT 6A...S-LOC 12L MDA 1040/HAT 499 ALL CATS. VIS CAT C RVR 5000. VDP AT I-LDZ 3.07 DME; DISTANCE VDP TO THLD 1.39 MILES. CRANE, 771 MSL, 1.09 NM NW OF APPROACH END RWY 12L, 2015-ACE-4554-OE. 1702141249-1708301249EST.

FDC 7/3726 STL SID LAMBERT-ST LOUIS INTL, ST LOUIS, MO. LINDBERGH FIVE DEPARTURE...VICHY TRANSITION NA EXCEPT FOR AIRCRAFT EQUIPPED WITH SUITABLE RNAV SYSTEM WITH GPS, VIH VOR/DME OUT OF SERVICE. 1704211402-1706151402EST.

Spirit Of St Louis

FDC 7/3725 SUS SID SPIRIT OF ST LOUIS, ST LOUIS, MO. LINDBERGH FIVE DEPARTURE...VICHY TRANSITION NA EXCEPT FOR AIRCRAFT EQUIPPED WITH SUITABLE RNAV SYSTEM WITH GPS, VIH VOR/DME OUT OF SERVICE. 1704211402-1706151402EST.

FDC 6/2350 SUS STAR SPIRIT OF ST. LOUIS, ST. LOUIS, MISSOURI, DIRTT ONE ARRIVAL...CHANGE VERITICAL NAVIGATION PLANNING INFORMATION TO READ EXPECT 13000. 1601112200-PERM.

FDC 6/2346 SUS STAR SPIRIT OF ST. LOUIS, ST. LOUIS, MISSOURI, DELMA TWO ARRIVAL...CHANGE VERITICAL NAVIGATION PLANNING INFORMATION TO READ EXPECT 13000. 1601112200-PERM.

SULLIVAN

Sullivan Rgnl

FDC 7/4983 UUV ODP SULLIVAN RGNL, SULLIVAN, MO. TAKEOFF MINIMUMS AND (OBSTACLE) DEPARTURE PROCEDURES ORIG...NOTE: RWY 6, TREES, TOWER, ANTENNA, POLE AND POWER POLE BEGINNING 177 FT FROM DER, 12 FT LEFT OF CENTERLINE, UP TO 966 FT MSL. POLE 462 FT FROM DER, 470 FT RIGHT OF CENTERLINE, 31 FT AGL/941 FT MSL. TREE 519 FT FROM DER, 447 FT RIGHT OF CENTERLINE, 960 FT MSL. TREES BEGINNING 526 FT FROM DER, 246 FT RIGHT OF CENTERLINE, UP TO 961 FT MSL. TREES BEGINNING 594 FT FROM DER, 8 FT RIGHT OF CENTERLINE, UP TO 965 FT MSL. NOTE: RWY 24, POWER POLE 485 FT FROM DER, 408 FT RIGHT OF CENTERLINE, 21 FT AGL/961 FT MSL. TREE, POLE, AND BUILDINGS BEGINNING 502 FT FROM DER, 357 FT LEFT OF CENTERLINE, UP TO 975 FT MSL. TREE 792 FT FROM DER, 419 FT RIGHT OF CENTERLINE, 997 FT MSL. TREES BEGINNING 859 FT FROM DER, 449 FT RIGHT OF CENTERLINE, UP TO 1004 FT MSL. STACK, TREE, BLDG, AND BARN BEGINNING 1001 FT FROM DER, 270 FT LEFT OF CENTERLINE, UP TO 66 FT AGL/1009 FT MSL. TREE, BLDG, AND HOUSE BEGINNING 2469 FT FROM DER, 79 FT LEFT OF CENTERLINE, UP TO 1016 FT MSL. ALL OTHER DATA REMAINS AS PUBLISHED. 1704251302-1712051302EST.

TRENTON

Trenton Muni

FDC 7/2093 TRX ODP TRENTON MUNI, TRENTON, MO. TAKEOFF MINIMUMS AND (OBSTACLE) DEPARTURE PROCEDURES ORIG...TAKEOFF OBSTACLE NOTES: NOTE: RWY 18, TREE 27 FT FROM DER, 482 FT LEFT OF CENTERLINE, 9 FT AGL/764 FT MSL. FENCE 114 FT FROM DER, 209 FT LEFT OF CENTERLINE, 21 FT AGL/776 FT MSL. POLE SIGN BEGINNING 114 FT FROM DER, 213 FT LEFT OF CENTERLINE, UP TO 27 FT AGL/782 FT MSL. GROUND, TREE, POLE, BLDG, FENCE, SIGN, BRIDGE, BEGINNING 263 FT FROM DER, 35 FT LEFT OF CENTERLINE, UP TO 64 FT AGL/821 FT MSL. TREES, BEGINNING 1071 FT FROM DER, 253 FT LEFT OF CENTERLINE, UP TO 76 FT AGL/857 FT MSL. NOTE: RWY 36, TREE 2 FT FROM DER, 247 FT RIGHT OF CENTERLINE, 2 FT AGL/759 FT MSL. TREES, TERRAIN, FENCE, BRIDGE, ROAD, POLE, BEGINNING 12 FT FROM DER, 139 FT RIGHT OF CENTERLINE, UP TO 64 FT AGL/821 FT MSL. FENCE 78 FT FROM DER, 364 FT LEFT OF CENTERLINE, 4 FT AGL/762 FT MSL. TREE, TERRAIN, SIGN, POLE, BEGINNING 189 FT FROM DER, 23 FT LEFT OF CENTERLINE, UP TO 57 FT AGL/814 FT MSL. TREE 2539 FT FROM DER, 185 FT RIGHT OF CENTERLINE, 12 FT AGL/838 FT MSL.. ALL OTHER DATA REMAINS AS PUBLISHED. 1702072138-1709192138EST.

MONTANA

BILLINGS

Billings Logan Intl

FDC 6/4701 BIL STAR BILLINGS LOGAN INTL, BILLINGS, MT. KUSTR ONE ARRIVAL (RNAV)...LANDING RWY 10L: CHANGE "CROSS IGIFE AT OR ABV 6300" TO READ "CROSS IGIFE AT OR ABV 6600". ALL OTHER DATA REMAINS AS PUBLISHED. 1612240100-1712240100.

BUTTE

Bert Mooney

FDC 7/8844 BTM ODP BERT MOONEY, BUTTE, MT. TAKEOFF MINIMUMS AND (OBSTACLE) DEPARTURE PROCEDURES AMDT 5...TEXTUAL DEPARTURE PROCEDURE CHANGE ALL REFERENCES FROM RWY 11, 29 TO RWY 12, 30. TAKE-OFF MINIMUMS RWY 12, NA - OBSTACLES. RWY 15, STANDARD WITH MINIMUM CLIMB OF 601 FT PER NM TO 7300, OR 3500-3 FOR CLIMB IN VISUAL CONDITIONS. RWY 30, STANDARD WITH MINIMUM CLIMB OF 832 FT PER NM TO 6700, OR 3500-3 FOR CLIMB IN VISUAL CONDITIONS. RWY 33, 3500-3 FOR CLIMB IN VISUAL CONDITIONS.. DEPARTURE PROCEDURE: RWY 15: CLIMBING RIGHT TURN DIRECT CPN VOR/DME, OR OBTAIN ATC APPROVAL FOR VCOA WHEN REQUESTING IFR CLEARANCE. FOR CLIMB IN VISUAL CONDITIONS: CROSS BERT MOONEY AIRPORT WESTBOUND AT OR ABOVE 8900 THEN PROCEED DIRECT CPN VOR/DME, THENCE?RWY 30: CLIMB HEADING 293.13 TO INTERCEPT CPN VOR/DME R-082 TO CPN VOR/DME, OR OBTAIN ATC APPROVAL FOR VCOA WHEN REQUESTING IFR CLEARANCE. FOR CLIMB IN VISUAL CONDITIONS: CROSS BERT MOONEY AIRPORT WESTBOUND AT OR ABOVE 8900 THEN PROCEED DIRECT CPN VOR/DME, THENCE?RWY 33: OBTAIN ATC APPROVAL FOR VCOA WHEN REQUESTING IFR CLEARANCE. FOR CLIMB IN VISUAL CONDITIONS: CROSS BERT MOONEY AIRPORT WESTBOUND AT OR ABOVE 8900 THEN PROCEED DIRECT CPN VOR/DME, THENCE...ALL OTHER DATA REMAINS AS PUBLISHED. 1704121247-1711221247EST.

FDC 7/4519 BTM SPECIAL BERT MOONEY, BUTTE, MT. ILS Z RWY 15, AMDT 1...CIRCLING MINIMUMS NA.. DISREGARD NOTES: CIRCLING NOT AUTHORIZED NORTHEAST OF RWY 15-33 AND CIRCLING REQUIRES DESCENT ON GLIDESLOPE TO MDA. 1701141946-1708261946EST.

FDC 7/2990 BTM IAP BERT MOONEY, BUTTE, MT. VOR OR GPS-B, AMDT 1B...MISSED APPROACH: CLIMBING RIGHT TURN TO 9300 DIRECT CPN VOR/DME AND HOLD. NOTE: CIRCLING RWY 12 NA AT NIGHT. NOTE: RWY 12 HELICOPTER VISIBILITY REDUCTION BELOW 1 SM NOT AUTHORIZED. 1701102035-1708222035EST.

FDC 7/2989 BTM IAP BERT MOONEY, BUTTE, MT. RNAV (GPS) Y RWY 15, ORIG-A...NOTE: CIRCLING RWY 12 NA AT NIGHT. 1701102031-1708222031EST.

FDC 7/2988 BTM IAP BERT MOONEY, BUTTE, MT.
LOC/DME RWY 15, AMDT 7A...NOTE: CIRCLING RWY
12 NA AT NIGHT. NOTE: RWY 12 HELICOPTER
VISIBILITY REDUCTION BELOW 1 SM NOT
AUTHORIZED. 1701102031-1708222031EST.

GLENDIVE

Dawson Community

FDC 6/5138 GDV IAP DAWSON COMMUNITY,
GLENDIVE, MT. RNAV (GPS) RWY 30,
ORIG-A...NOTE: CIRCLING RWY 12 NA AT NIGHT.
NOTE: RWY 12 HELICOPTER VISIBILITY
REDUCTION BELOW 1 SM NOT AUTHORIZED.
DISREGARD NOTE: VISIBILITY REDUCTION BY
HELICOPTERS NA. 1612272120-1708082120EST.

FDC 6/5136 GDV IAP DAWSON COMMUNITY,
GLENDIVE, MT. RNAV (GPS) RWY 12,
ORIG-A...NOTE: STRAIGHT-IN RWY 12 NA AT NIGHT.
NOTE: RWY 12 HELICOPTER VISIBILITY
REDUCTION BELOW 1 SM NOT AUTHORIZED.
DISREGARD NOTE: VISIBILITY REDUCTION BY
HELICOPTERS NA. 1612272120-1708082120EST.

GREAT FALLS

Great Falls Intl

FDC 7/6364 GTF ODP GREAT FALLS INTL, GREAT
FALLS, MT. TAKEOFF MINIMUMS AND (OBSTACLE)
DEPARTURE PROCEDURES ORIG...TAKE-OFF
MINIMUMS RWY 7, 25 NA-ENVIRONMENTAL.
1704271317-1712071317EST.

FDC 7/5734 GTF IAP GREAT FALLS INTL, GREAT
FALLS, MT. RNAV (GPS) Y RWY 3, AMDT
3A...LNAV/VNAV DA 4093/HAT 413, VISIBILITY ALL
CATS RVR 4500. DISREGARD NOTE: FOR
INOPERATIVE ALSF INCREASE LNAV/VNAV
VISIBILITY ALL CATS TO RVR 4500.
1704051358-1711151358EST.

HELENA

Helena Rgnl

FDC 7/1736 HLN IAP HELENA RGNL, HELENA, MT.
RNAV (RNP) Z RWY 9, ORIG-B...RNP 0.11* DA
4264/HAT 400, VISIBILITY 1 1/4 ALL CATS, RNP 0.17
DA 4289/ HAT 425, VISIBILITY 1 3/8 ALL CATS, RNP
0.30 DA 4487/HAT 623, VISIBILITY 2 1/2 ALL CATS.
1704181253-1711281253EST.

FDC 7/1721 HLN IAP HELENA RGNL, HELENA, MT.
RNAV (RNP) Z RWY 27, ORIG-B...RNP 0.18* DA
4152/HAT 300, RNP 0.22# DA 4246/HAT 394,
VISIBILITY 7/8 ALL CATS, RNP 0.30+ DA 4305/HAT
453, VISIBILITY 1 1/8 ALL CATS. NOTE: *MISSED
APPROACH REQUIRES MINIMUM CLIMB OF 470
FEET PER NM TO 7900. NOTE: #MISSED APPROACH
REQUIRES MINIMUM CLIMB OF 400 FEET PER NM
TO 7300. NOTE: FOR INOPERATIVE MALSR,
INCREASE RNP 0.18* VISIBILITY TO 1, RNP 0.22#
VISIBILITY TO 1 3/8, AND RNP 0.30+ VISIBILITY TO 1
1/2. 1704181251-1711281251EST.

FDC 7/1716 HLN IAP HELENA RGNL, HELENA, MT.
RNAV (RNP) Y RWY 27, ORIG-D...RNP 0.22* DA
4292/HAT 440, VISIBILITY 1 ALL CATS, RNP 0.30# DA
4305/HAT 453, VISIBILITY 1 1/8 ALL CATS. NOTE:
FOR INOPERATIVE MALSR, INCREASE RNP 0.22*
AND 0.30# VISIBILITY TO 1 1/2. NOTE: #MISSED
APPROACH REQUIRES MINIMUM CLIMB OF 395
FEET PER NM TO 7600, IF UNABLE, SEE RNAV (RNP)
Z RWY 27. 1704181248-1711281248EST.

KALISPELL

Glacier Park Intl

FDC 7/2670 GPI IAP GLACIER PARK INTL,
KALISPELL, MT. RNAV (GPS) RWY 30, AMDT
1...LNAV MDA 3500/HAT 526 ALL CATS, VIS CAT C
1-1/2. NOTE: RWY 30 HELICOPTER VISIBILITY
REDUCTION BELOW 3/4 SM NOT AUTHORIZED.
DISREGARD NOTE: VISIBILITY REDUCTION BY
HELICOPTERS NA. DISREGARD NOTE: STRAIGHT-IN
MINIMUMS NA AT NIGHT.
1703081927-1710181927EST.

FDC 7/1871 GPI IAP GLACIER PARK INTL,
KALISPELL, MT. ILS OR LOC RWY 2, AMDT
7...DISREGARD NOTE: NIGHT LANDING RWY 12, 30
NA. 1703072219-1710172219EST.

FDC 7/1869 GPI IAP GLACIER PARK INTL,
KALISPELL, MT. VOR/DME RWY 30, AMDT
10A...NOTE: RWY 30 HELICOPTER VISIBILITY
REDUCTION BELOW 3/4 SM NOT AUTHORIZED.
DISREGARD NOTE: HELICOPTER VISIBILITY
REDUCTION BELOW 1 SM NOT AUTHORIZED.
1703072219-1710172219EST.

LIBBY

Libby

FDC 6/5305 S59 ODP LIBBY, LIBBY, MT. EYSE ONE
DEPARTURE (RNAV)...PROCEDURE NA.
1612281727-1708091727EST.

SIDNEY

Sidney-Richland Muni

FDC 7/6396 SDY IAP SIDNEY-RICHLAND MUNI, SIDNEY, MT. RNAV (GPS) RWY 19, AMDT 1...LPV DA NA LNAV/VNAV DA NA. 1701202055-1709012055EST.

NEBRASKA

ALLIANCE

Alliance Muni

FDC 7/6611 AIA IAP ALLIANCE MUNI, ALLIANCE, NE. VOR RWY 12, AMDT 3A...DME MINIMUMS: CIRCLING CAT B MDA 4500/HAA 569, CAT C/D MDA 4520/HAA 589. 1701222103-1709032103EST.

FDC 7/6609 AIA IAP ALLIANCE MUNI, ALLIANCE, NE. RNAV (GPS) RWY 12, ORIG...RNAV (GPS) RWY 26, ORIG...RNAV (GPS) RWY 8, ORIG...CIRCLING CAT B MDA 4500/HAA 569, CAT C/D MDA 4520/HAA 589. 1701222102-1709032102EST.

FDC 7/6607 AIA IAP ALLIANCE MUNI, ALLIANCE, NE. VOR RWY 30, AMDT 3...CURYA FIX MINIMUMS: CIRCLING CAT B MDA 4500/HAA 569, CAT C/D MDA 4520/HAA 589. 1701222101-1709032101EST.

BROKEN BOW

Broken Bow Muni/Keith Glaze Fld

FDC 6/1320 BBW ODP BROKEN BOW MUNI/KEITH GLAZE FLD, BROKEN BOW, NE. TAKEOFF MINIMUMS AND (OBSTACLE) DEPARTURE PROCEDURES AMDT 3.NOTE: RWY 14, VEHICLE ON ROAD 10 FT FROM DER, 487 FT RIGHT OF CENTERLINE, 2532 FT MSL. BLDGS BEGINNING 11 FT FROM DER, 463 FT LEFT OF CENTERLINE, UP TO 19 FT AGL/2544 FT MSL. BLDG 56 FT FROM DER, 512 FT LEFT OF CENTERLINE, 24 FT AGL/2549 FT MSL. BLDG AND POLES BEGINNING 202 FT FROM DER, 399 FT LEFT OF CENTERLINE, UP TO 43 FT AGL/2572 FT MSL. VEHICLES ON ROAD BEGINNING 325 FT FROM DER, 61 FT RIGHT OF CENTERLINE, UP TO 2534 FT MSL. TREES BEGINNING 1498 FT FROM DER, 2 FT LEFT OF CENTERLINE, UP TO 2577 FT MSL. TREES BEGINNING 1538 FT FROM DER, FROM 90 FT RIGHT TO 21 FT LEFT OF CENTERLINE, UP TO 2579 FT MSL. BLDG 2573 FT FROM DER, 567 FT RIGHT OF CENTERLINE, 64 FT AGL/2599 FT MSL. TREE 2830 FT FROM DER, 1243 FT RIGHT OF CENTERLINE, 2605 FT MSL. TOWER 2.3 NM FROM DER, 1854 FT RIGHT OF CENTERLINE, 305 FT AGL/2931 FT MSL. NOTE: RWY 32, LIGHTS BEGINNING 39 FT FROM DER, 72 FT LEFT OF CENTERLINE, UP TO 3 FT AGL/2548 FT MSL. LIGHT 39 FT FROM DER, 111 FT RIGHT OF CENTERLINE, 4 FT AGL/2550 FT MSL. POLE, FENCE, AND TREE BEGINNING 46 FT FROM DER, 325 FT RIGHT OF CENTERLINE, UP TO 12 FT AGL/2559 FT MSL. VEHICLE ON ROAD 191 FT FROM DER, 341 FT LEFT OF CENTERLINE, 2556 FT MSL. VEHICLE ON ROAD AND TREE BEGINNING 760 FT FROM DER, 253 FT LEFT OF CENTERLINE, UP TO 2634 FT MSL. TREES BEGINNING 1256 FT FROM DER, 780 FT RIGHT OF CENTERLINE, UP TO 2627 FT MSL. TREE 2562 FT FROM DER, 1072 FT RIGHT OF CENTERLINE, 2654 FT MSL. TERRAIN AND TREE BEGINNING 2707 FT FROM DER, 1216 FT LEFT OF CENTERLINE, UP TO 2642 FT MSL. TERRAIN 3558 FT FROM DER, 1398 FT LEFT OF CENTERLINE, 2651 FT MSL. TERRAIN 3790 FT FROM DER, 1358 FT LEFT OF CENTERLINE, 2655 FT MSL. TERRAIN 4015 FT FROM DER, 1337 FT LEFT OF CENTERLINE, 2661 FT MSL. TERRAIN AND TREE BEGINNING 4062 FT FROM DER, 1335 FT LEFT OF CENTERLINE, UP TO 2690 FT MSL. TERRAIN 4440 FT FROM DER, 1498 FT LEFT OF CENTERLINE, 2

COZAD

Cozad Muni

FDC 7/2061 CZD IAP COZAD MUNI, COZAD, NE. RNAV (GPS) RWY 31, AMDT 1A...DELETE: DESCENT ANGLE 3.03/TCH 49. CHART PROFILE NOTE: VISUAL SEGMENT - OBSTACLES.. 1702072116-1709192116EST.

HARVARD

Harvard State

FDC 7/9926 08K IAP HARVARD STATE, HARVARD, NE. RNAV (GPS) RWY 35, AMDT 1A...LPV MINIMUMS NA. 1704131653-1711231653EST.

HEBRON

Hebron Muni

FDC 7/9590 HJH ODP HEBRON MUNI, HEBRON, NE. TAKEOFF MINIMUMS AND (OBSTACLE) DEPARTURE PROCEDURES ORIG. TAKEOFF MINIMUMS: RWY 3, 21 NA-ENVIRONMENTAL. NOTE: RWY 12: TERRAIN 30 FT FROM DER, 407 FT RIGHT OF CENTERLINE, 1467 FT MSL. TREES BEGINNING 158 FT FROM DER, 233 FT LEFT OF CENTERLINE, UP TO 65 FT AGL/1519 FT MSL. TREES BEGINNING 386 FT FORM DER, 320 FT RIGHT OF CENTERLINE, UP TO 70 FT AGL/1539 FT MSL. VEHICLES ON ROAD BEGINNING 473 FT FROM DER, 237 FT RIGHT OF CENTERLINE, UP TO 15 FT AGL/1496 FT MSL. TERRAIN BEGINNING 678 FT FROM DER, 654 FT RIGHT OF CENTERLINE, UP TO 1488 FT MSL. TREE 997 FT FROM DER, 76 FT LEFT OF CENTERLINE, 50 FT AGL/1494 FT MSL. POLES BEGINNING 1568 FT FROM DER, 351 FT LEFT OF CENTERLINE, UP TO 42 FT AGL/1510 FT MSL. TREES BEGINNING 1841 FT FROM DER, LEFT AND RIGHT OF CENTERLINE, UP TO 70 FT AGL/1542 FT MSL. WINDMILL 2126 FT FROM DER, 1023 FT RIGHT OF CENTERLINE, 33 FT AGL/1532 FT MSL. NOTE: RWY 30: TREES BEGINNING 2 FT FROM DER, 187 FT LEFT OF CENTERLINE, UP TO 65 FT AGL/1522 FT MSL. TREES BEGINNING 52 FT FROM DER, 171 FT RIGHT OF CENTERLINE, UP TO 65 FT AGL/1526 FT MSL. TERRAIN BEGINNING 70 FT FROM DER, 403 FT LEFT OF CENTERLINE, UP TO 1471 FT MSL. POLES AND POWERLINES BEGINNING 704 FT FROM DER, 202 FT LEFT OF CENTERLINE, UP TO 37 FT AGL/1496 FT MSL. TREES ALL OTHER DATA REMAINS AS PUBLISHED. FDC 7/9590 HJH ODP HEBRON MUNI, Hebron, NE. BEGINNING 915 FT FORM DER, LEFT AND RIGHT OF CENTERLINE, UP TO 65 FT AGL/1540 FT MSL. POLE 1780 FT FROM DER, 942 FT RIGHT OF CENTERLINE, 31 FT AGL/1511 FT MSL. ALL OTHER DATA REMAINS AS PUBLISHED. 1704131222-1711231222EST

FDC 7/5613 HJH IAP HEBRON MUNI, HEBRON, NE. GPS RWY 30, ORIG-C...DISREGARD NOTE: CIRCLING RWY 12 NA AT NIGHT. NOTE: RWY 12 HELICOPTER VISIBILITY REDUCTION BELOW 3/4 SM NOT AUTHORIZED. 1702171458-1709291457EST.

FDC 7/5610 HJH IAP HEBRON MUNI, HEBRON, NE. GPS RWY 12, ORIG-D...NDB RWY 12, AMDT 4C...DISREGARD NOTE: STRAIGHT-IN RWY 12 NA AT NIGHT, CIRCLING RWY 12 NA AT NIGHT.. NOTE: RWY 12 HELICOPTER VISIBILITY REDUCTION BELOW 3/4 SM NOT AUTHORIZED. DISREGARD NOTE: RWY 12 HELICOPTER VISIBILITY REDUCTION BELOW 1 SM NA. 1702171455-1709291455EST.

HOLDREGE

Brewster Field

FDC 7/7544 HDE ODP BREWSTER FIELD, HOLDREGE, NE. TAKEOFF MINIMUMS AND (OBSTACLE) DEPARTURE PROCEDURES AMDT 2...NOTE: RWY 36, TREE 208 FT FROM DEPARTURE END OF RUNWAY, 440 FT RIGHT OF CENTERLINE, 16 FT AGL/2317 FT MSL. ALL OTHER DATA REMAINS AS PUBLISHED. 1702232227-1710052227EST.

KIMBALL

Kimball Muni/Robert E Arraj Field

FDC 7/9106 IBM IAP KIMBALL MUNI/ROBERT E ARRAJ FIELD, KIMBALL, NE. RNAV (GPS) RWY 28, AMDT 1B...DISREGARD NOTE: WHEN VGSI INOP, STRAIGHT-IN/CIRCLING RWY 28 PROCEDURE NA AT NIGHT. DISREGARD NOTE: WHEN VGSI INOP, CIRCLING RWY 10 NA AT NIGHT. NOTE: NIGHT LANDING RWY 10 NA. DISREGARD NOTE: VISIBILITY REDUCTION BY HELICOPTERS NA. NOTE: RWY 10 HELICOPTER VISIBILITY REDUCTION BELOW 1 SM NOT AUTHORIZED. 1703011323-1710111323EST.

LINCOLN

Lincoln

FDC 7/9493 LNK ODP LINCOLN, LINCOLN, NE. TAKEOFF MINIMUMS AND (OBSTACLE) DEPARTURE PROCEDURES ORIG-A...TAKEOFF OBSTACLE NOTES: NOTE: RWY 14, TERRAIN 15 FT FROM DER, 208 FT LEFT OF CENTERLINE, 1178 FT MSL. WIND SOCK, POLE, BEGINNING 262 FT FROM DER, 369 FT LEFT OF CENTERLINE, UP TO 1187 FT MSL. SIGNS, BEGINNING 3616 FT FROM DER, 1284 FT LEFT OF CENTERLINE, UP TO 81 FT AGL/1279 FT MSL. POLES, BEGINNING 4622 FT FROM DER, 1665 FT LEFT OF CENTERLINE, UP TO 1307 FT MSL. NOTE: RWY 17, POLE 10 FT FROM DER, 30 FT LEFT OF CENTERLINE, 3 FT AGL/1175 FT MSL. FENCE, BEGINNING 57 FT FROM DER, 399 FT RIGHT OF CENTERLINE, UP TO 1179 FT MSL. TREES, POLES, LT POLE, BEGINNING 399 FT FROM DER, 385 FT RIGHT OF CENTERLINE, UP TO 1209 FT MSL. POLES, BEGINNING 874 FT FROM DER, 585 FT LEFT OF CENTERLINE, UP TO 44 FT AGL/1208 FT MSL. NOTE: RWY 35, POLE 9 FT FROM DER, 40 FT LEFT OF CENTERLINE, 2 FT AGL/1220 FT MSL. TREE 1176 FT FROM DER, 611 FT RIGHT OF CENTERLINE, 1250 FT MSL. TREE 2085 FT FROM DER, 1051 FT RIGHT OF CENTERLINE, 1279 FT MSL. ALL OTHER DATA REMAINS AS PUBLISHED. 1703011651-1710111651EST.

NORFOLK

Norfolk Rgnl/Karl Stefan Memorial Fld

FDC 6/5186 OFK IAP NORFOLK RGNL/KARL STEFAN MEMORIAL FLD, NORFOLK, NE. RNAV (GPS) RWY 32, AMDT 1...NOTE: HELICOPTER VISIBILITY REDUCTION BELOW 3/4 SM NOT AUTHORIZED. DISREGARD NOTE: VISIBILITY REDUCTION BY HELICOPTERS NA. 1612272222-1708082222EST.

FDC 6/5179 OFK IAP NORFOLK RGNL/KARL STEFAN MEMORIAL FLD, NORFOLK, NE. VOR RWY 32, AMDT 7...NOTE: HELICOPTER VISIBILITY REDUCTION BELOW 3/4 SM NOT AUTHORIZED. 1612272220-1708082220EST.

NORTH PLATTE

North Platte Rgnl Airport Lee Bird Field

FDC 6/0775 LBF IAP NORTH PLATTE RGNL AIRPORT LEE BIRD FIELD, NORTH PLATTE, NE. VOR RWY 35, AMDT 18B...DISREGARD NOTE: VISIBILITY REDUCTION BY HELICOPTERS NA. DISREGARD NOTE: WHEN VGSI INOP, STRAIGHT-IN AND CIRCLING RWY 35 PROCEDURE NA AT NIGHT. DISREGARD NOTE: WHEN VGSI INOP, CIRCLING RWY 12, 30 NA AT NIGHT. DISREGARD NOTE: CIRCLING TO RWY 17 NA AT NIGHT. NOTE: HELICOPTER VISIBILITY REDUCTION BELOW 3/4 SM NOT AUTHORIZED. 1612122132-1707242132EST.

O'NEILL

The O'Neill Muni-John L Baker Field

FDC 6/1499 ONL ODP THE O NEILL MUNI-JOHN L BAKER FIELD, O NEILL, NE. TAKEOFF MINIMUMS AND (OBSTACLE) DEPARTURE PROCEDURES ORIG.ADD TAKEOFF OBSTACLE NOTES: NOTE: RWY 4, TREE AND FENCE BEGINNING 63 FT FROM DER, 491 FT LEFT OF CENTERLINE, UP TO 18 FT AGL/2048 FT MSL. TREES BEGINNING 650 FT FROM DER, 378 FT RIGHT OF CENTERLINE, UP TO 2054 FT MSL. TREES BEGINNING 763 FT FROM DER, 347 FT RIGHT OF CENTERLINE, UP TO 2070 FT MSL. TREES BEGINNING 918 FT FROM DER, 324 FT RIGHT OF CENTERLINE, UP TO 58 FT AGL/2078 FT MSL. TREES BEGINNING 2338 FT FROM DER, 309 FT LEFT OF CENTERLINE, UP TO 2091 FT MSL. TREE 2795 FT FROM DER, 770 FT LEFT OF CENTERLINE, 87 FT AGL/2102 FT MSL. NOTE: RWY 22, FENCE, BEGINNING 15 FT FROM DER, 494 FT LEFT OF CENTERLINE, UP TO 3 FT AGL/2034 FT MSL. ROAD AND GRD BEGINNING 77 FT FROM DER, 102 FT LEFT OF CENTERLINE, UP TO 2047 FT MSL. GRD AND ROAD BEGINNING 296 FT FROM DER, 32 FT LEFT OF CENTERLINE, UP TO 2051 FT MSL. ROAD 418 FT FROM DER, 20 FT RIGHT OF CENTERLINE, 2047 FT MSL. TREES BEGINNING 1018 FT FROM DER, 507 FT LEFT OF CENTERLINE, UP TO 54 FT AGL/2070 FT MSL. TREES 1122 FT FROM DER, 499 FT RIGHT OF CENTERLINE, UP TO 71 FT AGL/2073 FT MSL. ALL OTHER DATA REMAINS AS PUBLISHED. NOTE: RWY 31, ELEC SYS AND RW LIGHTS BEGINNING 11 FT FROM DER, CROSSING RIGHT AND LEFT OF CENTERLINE, UP TO 5 FT AGL/2034 FT MSL. TREE 697 FT FROM DER, 500 FT RIGHT OF CENTERLINE, 23 FT AGL/2055 FT MSL. TREES BEGINNING 1066 FT FROM DER, 522 FT LEFT OF CENTERLINE, UP TO 38 FT AGL/2069 FT MSL. TREE 1790 FT FROM DER, 712 FT LEFT OF CENTERLINE, 64 FT AGL/2089 FT MSL. TREES BEGINNING 1889 FT FROM DER, 655 FT LEFT OF CENTERLINE, UP TO 81 FT AGL/2109 FT MSL. ALL OTHER DATA REMAINS AS PUBLISHED. 1611202030-1707022030EST

OGALLALA

Searle Field

FDC 7/9383 OGA IAP SEARLE FIELD, OGALLALA, NE. RNAV (GPS) RWY 13, ORIG-C...LP MDA 4240/HAT 961 ALL CATS. VIS CAT A 1 1/4, CAT B 1 1/2. LNAV MDA 4360/HAT 1081 ALL CATS. VIS CAT A 1 1/4, CAT B 1 1/2. CIRCLING MDA 4360/HAA 1081 ALL CATS. VIS CAT A 1 1/4, CAT B 1 1/2. VDP AT 2.48 MILES TO RWY13. CHANGE ALTIMETER SETTING NOTE TO READ: WHEN LOCAL ALTIMETER SETTING NOT RECEIVED, USE IMPERIAL ALTIMETER SETTING AND INCREASE ALL MDA 100 FEET. 1704121915-1711221915EST.

FDC 7/9380 OGA IAP SEARLE FIELD, OGALLALA, NE. RNAV (GPS) RWY 8, AMDT 2B...LPV DA NA. LNAV/VNAV DA NA. 1704121910-1711221910EST.

FDC 7/9114 OGA IAP SEARLE FIELD, OGALLALA, NE. VOR/DME RWY 26, AMDT 1C...S-26 MDA 3940/HAT 686 ALL CATS. MINIMUM ALTITUDE AT ZILEV/SAE 3 DME 4140*, *4140 WHEN USING IMPERIAL ALTIMETER SETTING. VDP NA. CHANGE ALTIMETER SETTING NOTE TO READ: WHEN LOCAL ALTIMETER SETTING NOT RECEIVED, USE IMPERIAL ALTIMETER SETTING AND INCREASE ALL MDA 100 FEET AND INCREASE S-26 AND CIRCLING CAT B VISIBILITY 1/4 MILE. 1703011325-1710111325EST.

OMAHA

Eppley Airfield

FDC 7/8952 OMA IAP EPPLEY AIRFIELD, OMAHA, NE. ILS OR LOC RWY 32R, ORIG-E...S-LOC 32R: DISREGARD OM INDICATION AT BEEFF INT/I-EDI 7 DME. 1701292339-1709102338EST.

FDC 7/8262 OMA IAP EPPLEY AIRFIELD, OMAHA, NE. RNAV (GPS) Y RWY 36, AMDT 1A...VDP NA. 1702262018-1710082017EST.

FDC 6/2889 OMA IAP EPPLEY AIRFIELD, OMAHA, NE. RNAV (GPS) Y RWY 18, AMDT 3...PROCEDURE NA. 1611271614-1707091614EST.

PENDER

Pender Muni

FDC 7/3910 0C4 IAP PENDER MUNI, PENDER, NE. RNAV (GPS) RWY 15, ORIG-A...LPV DA 1678/HAT 333. VIS 1 1/8. 1702132037-1709252037EST.

FDC 7/1832 0C4 ODP PENDER MUNI, PENDER, NE. TAKEOFF MINIMUMS AND (OBSTACLE) DEPARTURE PROCEDURES ORIG...TAKE-OFF MINIMUMS: RWY 15, 300-1 1/2 OR STANDARD WITH A MINIMUM CLIMB OF 213 FEET PER NM TO 1700. NOTE RWY 33, TERRAIN BEGINNING 8 FT FROM DER, 429 FT LEFT OF CENTERLINE, UP TO 10 FT AGL/1355 FT MSL. FENCE BEGINNING 139 FT FROM DER, 424 FT LEFT OF CENTERLINE, UP TO 3 FT AGL/1355 FT MSL. POWER POLES BEGINNING 263 FT FROM DER, CROSSING RIGHT AND LEFT OF CENTERLINE, UP TO 29 FT AGL/1380 FT MSL. POLES BEGINNING 1530 FT FROM DER, 397 FT LEFT OF CENTERLINE, UP TO 34 FT AGL/1403 FT MSL. TREES BEGINNING 1971 FT DER, 571 FT LEFT OF CENTERLINE, UP TO 72 FT AGL/1450 FT MSL. 1703282237-1711072237EST.

SCOTTSBLUFF

Western Nebraska Rgnl/William B Heilig Field

FDC 7/6621 BFF IAP WESTERN NEBRASKA RGNL/WILLIAM B HEILIG FIELD, SCOTTSBLUFF, NE. RNAV (GPS) RWY 5, AMDT 1A...DISREGARD NOTE: HELICOPTER VISIBILITY REDUCTION BELOW 1 SM NA. DISREGARD NOTE: RWY 5 STRAIGHT-IN AND CIRCLING MINIMUMS NA AT NIGHT. 1701222109-1709032109EST.

SUPERIOR

Superior Muni

FDC 7/9182 12K IAP SUPERIOR MUNI, SUPERIOR, NE. RNAV (GPS) RWY 32, ORIG-A...LNAV CATS A/B/C MDA 2160/HAT 480. CHART NOTE: RWY 32 HELICOPTER VISIBILITY REDUCTION BELOW 3/4 SM NOT AUTHORIZED. DELETE NOTE: VISIBILITY REDUCTION BY HELICOPTERS NA. THIS IS RNAV (GPS) RWY 32, ORIG-B. 1704121602-PERM.

TEKAMAH

Tekamah Muni

FDC 7/4175 TQE IAP TEKAMAH MUNI, TEKAMAH, NE. RNAV (GPS) RWY 15, AMDT 1...ADD CHART NOTE: HELICOPTER VISIBILITY REDUCTION BELOW 3/4 SM NA.. 1703312105-171102105EST.

VALENTINE

Miller Field

FDC 7/2372 VTN ODP MILLER FIELD, VALENTINE, NE. TAKEOFF MINIMUMS AND (OBSTACLE) DEPARTURE PROCEDURES AMDT 2. DEPARTURE ROUTE DESCRIPTION RWY 21: CLIMB HEADING 208 TO 3300 BEFORE TURNING RIGHT. NOTE: RWY 3: BUILDING 157 FT FROM DER, 422 FT LEFT OF CENTERLINE, 11 FT AGL/2595 FT MSL. NOTE: RWY 14: TERRAIN BEGINNING 10 FT FROM DER, 354 FT RIGHT OF CENTERLINE, UP TO 2588 FT MSL. ELECTRICAL BOX 17 FT FROM DER, 488 FT LEFT OF CENTERLINE, 6 FT AGL/2585 FT MSL. ELECTRICAL BOXES BEGINNING 42 FT FROM DER, 124 FT LEFT AND RIGHT OF CENTERLINE, UP TO 6 FT AGL/2587 FT MSL. FENCE 184 FT FROM DER, 494 FT RIGHT OF CENTERLINE, 7 FT AGL/2592 FT MSL. FENCE BEGINNING 394 FT FROM DER, 341 FT RIGHT OF CENTERLINE, UP TO 10 FT AGL/2593 FT MSL. NOTE: RWY 32: TREES BEGINNING 16 FT FROM DER, 325 FT RIGHT OF CENTERLINE, UP TO 17 FT AGL/2604 FT MSL. TREE 201 FT FROM DER, 211 FT RIGHT OF CENTERLINE, 15 FT AGL/2603 FT MSL. TREES BEGINNING 400 FT FROM DER, 185 FT LEFT OF CENTERLINE, UP TO 31 FT AGL/2620 FT MSL. TOWER 412 FT FROM DER, 388 FT LEFT OF CENTERLINE, 15 FT AGL/2605 FT MSL. BUILDING 499 FT FROM DER, 552 FT LEFT OF CENTERLINE, 22 FT AGL/2611 FT MSL. POLES BEGINNING 566 FT FROM DER, 505 FT LEFT OF CENTERLINE, UP TO 34 FT AGL/2623 FT MSL. ALL OTHER DATA REMAINS AS PUBLISHED. BUILDING 701 FT FORM DER, 501 FT LEFT OF CENTERLINE, 31 FT AGL/2617 FT MSL. TREES BEGINNING 818 FT FROM DER, 331 FT LEFT OF CENTERLINE, UP TO 28 FT AGL/2614 FT MSL. TREES BEGINNING 1472 FT FROM DER, 90 FT RIGHT OF CENTERLINE, UP TO 47 FT AGL/2632 FT MSL. TREES BEGINNING 1813 FT FROM DER, 630 FT RIGHT OF CENTERLINE, UP TO 50 FT AGL/2636 FT MSL. TREES BEGINNING 1992 FT FROM DER, 43 FT LEFT OF CENTERLINE, UP TO 56 FT AGL/2642 FT MSL. TREES BEGINNING 2164 FT FROM DER, 450 FT RIGHT OF CENTERLINE, UP TO 70 FT AGL/2656 FT MSL. ALL OTHER DATA REMAINS AS PUBLISHED. 1704191240-1711291240EST

WAYNE

Wayne Muni/ Stan Morris Fld

FDC 6/8402 LCG ODP WAYNE MUNI/ STAN MORRIS FLD, WAYNE, NE. TAKEOFF MINIMUMS AND (OBSTACLE) DEPARTURE PROCEDURES AMDT 4...DEPARTURE PROCEDURE: RWY 18, CLIMB HEADING 175 TO 2000 BEFORE TURNING RIGHT. ALL OTHER DATA REMAINS AS PUBLISHED. 1612072027-1707192027EST.

NEVADA

ELKO

Elko Rgnl

FDC 7/0798 EKO IAP ELKO RGNL, ELKO, NV. LDA/DME RWY 24, AMDT 6...DISREGARD NOTE: NIGHT LANDING: RWY 12, 24 NA. 1701042129-1708162129EST.

FDC 7/0797 EKO IAP ELKO RGNL, ELKO, NV. RNAV (GPS) RWY 24, AMDT 1...RNAV (GPS) RWY 6, ORIG...VOR/DME-B, AMDT 5...DISREGARD NOTE: NIGHT LANDING: RWY 12 NA. 1701042129-1708162129EST.

LAS VEGAS

Henderson Executive

FDC 6/3803 HND STAR HENDERSON EXECUTIVE AIRPORT, LAS VEGAS, NV. ADDEL ONE ARRIVAL...EXPECT CLEARANCE TO CROSS FUZZY INT AT 16000FT AND 250 KNOTS. DELETE MANDATORY ALTITUDE AT JARIK INT. 1609161815-1709162359.

Mc Carran Intl

FDC 7/9154 LAS STAR VEGAS MCCARRAN INTL AIRPORT, LAS VEGAS, NV. KEPEC FOUR ARRIVAL...DAG VORTAC - MISEN INT MEA 16000. ADD NOTE: ALL OTHER RUNWAYS, EXPECT RADAR VECTORS TO FINAL APPROACH COURSE. 1704121530-1804112359.

FDC 7/6172 LAS IAP MC CARRAN INTL, LAS VEGAS, NV. ILS OR LOC/DME RWY 1L, AMDT 1A...RNAV (GPS) RWY 19L, AMDT 1A...RNAV (GPS) RWY 19R, AMDT 1A...RNAV (GPS) RWY 1R, AMDT 1A...VOR RWY 25L/R, AMDT 3A...VOR/DME-A, ORIG-D...CIRCLING CATS A/B MDA 3120/ HAA 939. TEMPORARY CRANE 2758 MSL 2.11 NM NW OF LAS AIRPORT (2016-AWP-3509-OE). EXCEPT WHEN ADVISED BY ATC THAT CRANE IS DOWN. 1704271210-1707011210EST.

FDC 7/6171 LAS SID MC CARRAN INTL, LAS VEGAS, NV. MCCARRAN FOUR DEPARTURE...TAKEOFF MINIMUMS: RWY 1L, NA. TEMPORARY CRANE 2758 MSL 2.11 NM NW OF LAS AIRPORT (2016-AWP-3509-OE). EXCEPT WHEN ADVISED BY ATC THAT CRANE IS DOWN. ALL OTHER DATA REMAINS AS PUBLISHED. 1704271208-1707011208EST.

FDC 7/6170 LAS IAP MC CARRAN INTL, LAS VEGAS, NV. ILS OR LOC RWY 25R, AMDT 18...ILS OR LOC RWY 25L, AMDT 5B...CIRCLING CATS A/B/C MDA 3120/ HAA 939. TEMPORARY CRANE 2758 MSL 2.11 NM NW OF LAS AIRPORT (2016-AWP-3509-OE). EXCEPT WHEN ADVISED BY ATC THAT CRANE IS DOWN. 1704271208-1707011208EST.

FDC 7/5145 LAS SID MC CARRAN INTL, LAS VEGAS, NV. COWBY SIX DEPARTURE (RNAV)...DRAKE TRANSITION, GALLUP TRANSITION, WINSLOW TRANSITION, GPS REQUIRED, PGS VOR/DME OUT OF SERVICE. 1704251554-1712051554EST.

FDC 7/4918 LAS STAR MCCARREN INTERNATIONAL AIRPORT LAS VEGAS, NV SITEE ONE ARRIVAL..FOR RWY 07L/07R 01L/01R EXPECT RADAR VECTORS. 1701171630-1801172359.

FDC 7/3608 LAS SID MC CARRAN INTL, LAS VEGAS, NV. HOOVER FIVE DEPARTURE...DEPARTURE PROCEDURE. DRAKE TRANSITION, PEACH SPRINGS TRANSITION NA EXCEPT FOR AIRCRAFT EQUIPPED WITH SUITABLE RNAV SYSTEM WITH GPS, PGS VOR OUT OF SERVICE. 1704210612-1712010612EST.

FDC 7/3439 LAS STAR MCCARREN INTERNATIONAL AIRPORT LAS VEGAS, NV KADDY TWO ARRIVAL..PROCEDURE FOR TURBOJET AIRCRAFT ONLY. 1701111700-1801102359.

FDC 7/1633 LAS STAR MCCARREN INTERNATIONAL AIRPORT LAS VEGAS, NV. GRNPA ONE ARRIVAL..PROCEDURE NA. 1701061055-1801052359.

FDC 6/3820 LAS STAR LAS VEGAS MCCARRAN INTL, LAS VEGAS, NV SUNST THREE ARRIVAL ADD NOTE ALL OTHER RUNWAYS, EXPECT RADAR VECTORS TO FINAL APPROACH COURSE. 1609161815-1709162359.

LOVELOCK

Derby Field

FDC 6/5642 LOL IAP DERBY FIELD, LOVELOCK, NV. VOR/DME OR GPS-A, ORIG-B...PROCEDURE NA. 1612021207-1707141207EST.

FDC 6/5641 LOL IAP DERBY FIELD, LOVELOCK, NV. GPS RWY 2, ORIG-A...ADD TWO DEGREES TO ALL PUBLISHED HEADING AND COURSES. 1612021205-1707141205EST.

RENO

Reno/Stead

FDC 6/8651 RTS IAP RENO/STEAD, RENO, NV. RNAV (GPS) RWY 32, AMDT 1A...DISREGARD NOTE: VGSI AND RNAV GLIDEPATH NOT COINCIDENT (VGSI ANGLE 3.00/TCH 39). 1612072242-1707192242EST.

Reno/Tahoe Intl

FDC 7/9492 RNO IAP RENO/TAHOE INTL, RENO, NV. ILS Z OR LOC Z RWY 16R, ORIG...DISREGARD NOTE: RNAV 1 - GPS REQUIRED. NOTE: RNP 1 - GPS REQUIRED. 1705031437-1712131437EST.

FDC 7/4526 RNO SPECIAL RENO/TAHOE INTL, RENO, NV. ILS OR LOC/DME Z RWY 16R, ORIG...ILS/DME RWY 16R, AMDT 3...LOC/DME -1 RWY 16R, AMDT 2...SILVER ILS RWY 16R, AMDT 1...PROCEDURE NA. 1701141956-1708261956EST.

FDC 6/3848 RNO STAR RENO/TAHOE INTL, RENO, NV. TARVR ONE ARRIVAL: NOT AUTHORIZED. EXPECT ALTERNATE RNAV/RADAR ARRIVAL INSTRUCTIONS FROM ATC. 1609161845-1709152359.

FDC 6/2675 RNO ODP RENO/TAHOE INTL, RENO, NV. TAKEOFF MINIMUMS AND (OBSTACLE) DEPARTURE PROCEDURES AMDT 4...TAKEOFF MINIMUMS: RWY 16L, 600-1 1/4 WITH MINIMUM CLIMB OF 480 FT PER NM TO 8000, OR 2700-3 FOR CLIMB IN VISUAL CONDITIONS. ALL OTHER DATA REMAINS AS PUBLISHED. 1611232128-1707052128EST.

SILVER SPRINGS

Silver Springs

FDC 7/6083 SPZ CHART SILVER SPRINGS, SILVER SPRINGS, NV. TAKEOFF MINIMUMS AND (OBSTACLE) DEPARTURE PROCEDURES, ORIG...CORRECT TAKEOFF MINIMUMS AND (OBSTACLE) DEPARTURE PROCEDURES: CHANGE AIRPORT IDENT TO READ SPZ INSTEAD OF SPV. 1704271052-PERM.

TONOPAH

Tonopah

FDC 7/6145 TPH IAP TONOPAH, TONOPAH, NV. VOR OR GPS-A, AMDT 3B...VOR PORTION: ALTERNATE MINIMUMS NA, TPH VORTAC UNMONITORED. 1704060930-1705060930EST.

FDC 6/2681 TPH ODP TONOPAH, TONOPAH, NV. TAKEOFF MINIMUMS AND (OBSTACLE) DEPARTURE PROCEDURES AMDT 1...TAKEOFF MINIMUMS: RWYS 15,33, STANDARD WITH MINIMUM CLIMB OF 345 FEET PER NM TO 7900. DEPARTURE PROCEDURE: RWY 15, CLIMBING LEFT TURN DIRECT TONOPAH (TPH) VORTAC. RWY 33, CLIMBING RIGHT TURN DIRECT TONOPAH (TPH) VORTAC. CONTINUE CLIMB IN HOLDING PATTERN (W, RIGHT TURNS, 085 INBOUND) TO DEPART TPH VORTAC AT OR ABOVE 10500. CLIMB ON COURSE TO MEA OR ASSIGNED ALTITUDE. ALL OTHER DATA REMAINS AS PUBLISHED. 1611232132-1707052132EST.

WINNEMUCCA

Winnemucca Muni

FDC 6/8545 WMC IAP WINNEMUCCA MUNI, WINNEMUCCA, NV. RNAV (GPS) RWY 32, ORIG...VGSI AND RNAV GLIDEPATH NOT COINCIDENT. NOTE: HELICOPTER VISIBILITY REDUCTION BELOW 3/4 SM NOT AUTHORIZED. 1612072142-1707192142EST.

FDC 6/2678 WMC ODP WINNEMUCCA MUNI, WINNEMUCCA, NV. TAKEOFF MINIMUMS AND (OBSTACLE) DEPARTURE PROCEDURES AMDT 1...TAKEOFF MINIMUMS: RWY 2, STANDARD WITH A MINIMUM CLIMB OF 495 FEET PER NM TO 7700.. ALL OTHER DATA REMAINS AS PUBLISHED. 1611232130-1707052130EST.

NEW HAMPSHIRE

CLAREMONT

Claremont Muni

FDC 7/5161 CNH IAP CLAREMONT MUNI, CLAREMONT, NH. RNAV (GPS) RWY 29, ORIG-A...LNAV HAT CATS A/B 977. CHART NOTE: RWY 11, 29 HELICOPTER VISIBILITY REDUCTION BELOW 1 SM NOT AUTHORIZED. CHART PROFILE NOTE: VISUAL SEGMENT - OBSTACLES. CHART TDZE 543, DELETE THRE 542. DELETE NOTE: HELICOPTER VISIBILITY REDUCTION BELOW 3/4 SM NOT AUTHORIZED. DELETE PROFILE NOTE: DESCENT ANGLE NA. THIS IS RNAV (GPS) RWY 29, ORIG-B. 1702161444-PERM.

CONCORD

Concord Muni

FDC 7/8490 CON IAP CONCORD MUNI, CONCORD, NH. RNAV (GPS) RWY 12, ORIG-B...DELETE: DESCENT ANGLE 3.04/TCH 45. PROFILE NOTE: VISUAL SEGMENT - OBSTACLES. 1701271620-1709081619EST.

KEENE

Dillant-Hopkins

FDC 7/8880 EEN IAP DILLANT-HOPKINS, KEENE, NH. ILS OR LOC RWY 2, AMDT 4...RNAV (GPS) RWY 2, ORIG...VOR RWY 2, AMDT 13...NOTE: NIGHT LANDING: RWY 20, 32 NA. 1703231329-1711021329EST.

FDC 7/3985 EEN ODP DILLANT-HOPKINS, KEENE, NH. TAKEOFF MINIMUMS AND (OBSTACLE) DEPARTURE PROCEDURES AMDT 5...TAKE-OFF MINIMUMS RWY 02, 1200- 2 1/4 WITH MINIMUM CLIMB OF 300 FT PER NM TO 2100. TAKE-OFF MINIMUMS RWY 14, 2200-2. TAKE-OFF MINIMUMS RWY 20, NA. TAKE-OFF MINIMUMS RWY 32, 1600-2 WITH MINIMUM CLIMB OF 230 FT PER NM TO 2500. ALL OTHER DATA REMAINS AS PUBLISHED. 1703121954-1710221954EST.

LACONIA

Laconia Muni

FDC 7/8979 LCI CHART LACONIA MUNI, LACONIA, NH. RNAV (GPS) RWY 26, ORIG-B...CORRECT BRIEFING STRIP: CHANGE BOSTON APP CON FREQUENCY TO READ 134.75 INSTEAD OF 134.7. 1705021837-PERM.

LEBANON

Lebanon Muni

FDC 7/7644 LEB ODP LEBANON MUNI, LEBANON, NH. TAKEOFF MINIMUMS AND (OBSTACLE) DEPARTURE PROCEDURES AMDT 2...TAKEOFF MINIMUMS: RWY 18, 300-1 WITH MINIMUM CLIMB OF 380 FT PER NM TO 3800, OR 2000-3 FOR CLIMB IN VISUAL CONDITIONS. ALL OTHER DATA REMAINS AS PUBLISHED. 1704101337-1711201336EST.

FDC 7/6635 LEB IAP LEBANON MUNI, LEBANON, NH. RNAV (GPS) RWY 36, ORIG-B...DESCENT ANGLE 3.16/TCH 55 NA. 1701222119-1709032119EST.

WHITEFIELD

Mount Washington Rgnl

FDC 7/9242 HIE ODP MOUNT WASHINGTON RGNL, WHITEFIELD, NH. TAKEOFF MINIMUMS AND (OBSTACLE) DEPARTURE PROCEDURES AMDT 5...DEPARTURE PROCEDURE: RWY 10, 28 NA EXCEPT FOR AIRCRAFT EQUIPPED WITH SUITABLE RNAV SYSTEM WITH GPS, GMA NDB OUT OF SERVICE. 1703011507-1710111507EST.

NEW JERSEY

ANDOVER

Aeroflex-Andover

FDC 7/8794 12N ODP AEROFLEX-ANDOVER, ANDOVER, NJ. TAKEOFF MINIMUMS AND (OBSTACLE) DEPARTURE PROCEDURES AMDT 1...DEPARTURE PROCEDURE RWY 3, 500-2 OR STANDARD WITH A MINIMUM CLIMB OF 366 FT PER NM TO 900. RWY 21, 600-2 OR STANDARD WITH A MINIMUM CLIMB OF 295 FT PER NM TO 1000. ALL OTHER DATA REMAINS AS PUBLISHED. 1704121229-1711221229EST.

FDC 7/0451 12N IAP AEROFLEX-ANDOVER, ANDOVER, NJ. RNAV (GPS) RWY 3, AMDT 1A...DESCENT ANGLE 3.16/TCH 40 NA. 1703021852-1710121852EST.

ATLANTIC CITY

Atlantic City Intl

FDC 7/9164 ACY IAP U.S. DOD ATLANTIC CITY INTL, ATLANTIC CITY, NJ. HI - VOR/DME OR TACAN RWY 31, AMDT 4B...VOR/DME PORTION NA, ACY VOR OUT OF SERVICE. 1705031154-1705101154EST.

FDC 7/9163 ACY IAP U.S. DOD ATLANTIC CITY INTL, ATLANTIC CITY, NJ. COPTER ILS OR LOC/DME RWY 13, AMDT 1C...HI - ILS OR LOC RWY 13, AMDT 4C...ILS OR LOC RWY 13, AMDT 8A...MISSED APPROACH: CLIMB TO 600 THEN CLIMBING LEFT TURN TO 2000 VIA HEADING 076 AND VCN R-106 TO SMITS INT/VCN 29.13 DME AND HOLD 3, RT, 285.73 INBOUND, ACY VOR OUT OF SERVICE. 1705031154-1705101154EST.

FDC 7/9157 ACY IAP ATLANTIC CITY INTL, ATLANTIC CITY, NJ. ILS OR LOC/DME RWY 31, ORIG-C...MISSED APPROACH: CLIMB TO 500 THEN CLIMBING RIGHT TURN TO 2000 VIA HEADING 130 AND VCN R-106 TO SMITS INT/29.13 DME AND HOLD E, RT, 285.73 INBOUND. RADAR REQUIRED FOR PROCEDURE ENTRY EXCEPT FOR AIRCRAFT EQUIPPED WITH SUITABLE RNAV SYSTEM WITH GPS, ACY VOR OUT OF SERVICE. 1705031154-1705101154EST.

FDC 7/2453 ACY IAP ATLANTIC CITY INTL, ATLANTIC CITY, NJ. VOR RWY 4, AMDT 15B...PLANVIEW NOTE: PROCEDURE NA FOR ARRIVAL ON SIE VORTAC AIRWAY RADIALS 333 CW 059. NOTE: HELICOPTER VISIBILITY REDUCTION BELOW 3/4 SM NOT AUTHORIZED. 1703291942-1711081941EST.

FDC 6/6399 ACY IAP ATLANTIC CITY INTL, ATLANTIC CITY, NJ. ILS OR LOC RWY 13, AMDT 8A...S-LOC 13. RADAR OR DME REQUIRED EXCEPT FOR AIRCRAFT EQUIPPED WITH SUITABLE RNAV SYSTEM WITH GPS, CYN R-221 UNUSABLE. 1612051915-1707171915EST.

FDC 6/6397 ACY IAP ATLANTIC CITY INTL, ATLANTIC CITY, NJ. VOR RWY 13, AMDT 4B...RADAR OR DME REQUIRED EXCEPT FOR AIRCRAFT EQUIPPED WITH SUITABLE RNAV SYSTEM WITH GPS, CYN R-221 UNUSABLE. 1612051915-1707171915EST.

BELMAR/FARMINGDALE

Monmouth Executive

FDC 7/8143 BLM ODP MONMOUTH EXECUTIVE, BELMAR/FARMINGDALE, NJ. TAKEOFF MINIMUMS AND (OBSTACLE) DEPARTURE PROCEDURES AMDT 2...TAKEOFF MINIMUMS: RWY 3, STANDARD WITH MINIMUM CLIMB OF 210 FT PER NM TO 800, OR ALTERNATIVELY, WITH STANDARD TAKEOFF MINIMUMS AND A NORMAL 200 FT PER NM CLIMB GRADIENT, TAKEOFF MUST OCCUR NO LATER THAN 1400 FT FROM DER. ALL OTHER DATA REMAINS AS PUBLISHED. 1704111318-1711211318EST.

FDC 7/5873 BLM IAP MONMOUTH EXECUTIVE, BELMAR/FARMINGDALE, NJ. RNAV (GPS) RWY 32, ORIG-A...LNAV MDA 560/HAT 407 ALL CATS. VIS CAT C/D 1 1/8. CHART TDZE 153, DELETE THRE 153. CHART NOTE: RWY 32 HELICOPTER VISIBILITY REDUCTION BELOW 3/4 SM NOT AUTHORIZED. DELETE NOTE: HELICOPTER VISIBILITY REDUCTION BELOW 3/4 SM NOT AUTHORIZED. THIS IS RNAV (GPS) RWY 32, ORIG-B. 1704051646-PERM.

FDC 7/5872 BLM IAP MONMOUTH EXECUTIVE, BELMAR/FARMINGDALE, NJ. RNAV (GPS) RWY 14, ORIG-B...LNAV HAT 381 ALL CATS. CHART TDZE 119, DELETE THRE 110. CHART NOTE: RWY 14 HELICOPTER VISIBILITY REDUCTION BELOW 3/4 SM NOT AUTHORIZED. DELETE NOTE: HELICOPTER VISIBILITY REDUCTION BELOW 3/4 SM NOT AUTHORIZED. THIS IS RNAV (GPS) RWY 14, ORIG-C. 1704051646-PERM.

BERLIN

Camden County

FDC 7/1820 19N IAP CAMDEN COUNTY, BERLIN, NJ. RNAV (GPS) RWY 5, ORIG-D...DELETE: DESCENT ANGLE 3.06/TCH 30. PROFILE NOTE: VISUAL SEGMENT - OBSTACLES. 1701061721-1708181721EST.

FDC 6/1113 19N IAP CAMDEN COUNTY, BERLIN, NJ. RNAV (GPS) RWY 5, ORIG-D...LNAV MDA 760/HAT 610 ALL CATS. TEMP CRANE 410 MSL 2.74 NM SW OF RWY 5 (2016-AEA-5400-OE). 1609301153-1705121153EST.

CALDWELL

Essex County

FDC 7/9495 CDW IAP ESSEX COUNTY, CALDWELL, NJ. RNAV (GPS) RWY 22, AMDT 2...LPV AND LNAV/VNAV DA NA. 1705031440-1712131440EST.

FDC 7/9296 CDW IAP ESSEX COUNTY, CALDWELL, NJ. RNAV (GPS) RWY 4, ORIG-B...CIRCLING CAT A MDA 960/HAA 788. 1705031303-1712131303EST.

FDC 7/9294 CDW IAP ESSEX COUNTY, CALDWELL, NJ. RNAV (GPS) RWY 10, ORIG-B...LP MDA 600/HAT 428 ALL CATS, VIS CAT C/D 1 1/4. CIRCLING CAT A MDA 960/HAA 788. 1705031302-1712131302EST.

FDC 7/9291 CDW ODP ESSEX COUNTY, CALDWELL, NJ. TAKEOFF MINIMUMS AND (OBSTACLE) DEPARTURE PROCEDURES AMDT 2...TAKE-OFF MINIMUMS: RWY 22, 300-1 OR STANDARD WITH MINIMUM CLIMB OF 650 FT PER NM TO 500. ALL OTHER DATA REMAINS AS PUBLISHED. 1705031300-1712131300EST.

FDC 6/1739 CDW STAR CALDWELL/ESSEX COUNTY, CALDWELL NJ. MAZIE TWO ARRIVAL: PUBLISHED HOLDING AT MAZIE NOT AUTH 1605101735-PERM.

CROSS KEYS

Cross Keys

FDC 7/1403 17N IAP CROSS KEYS, CROSS KEYS, NJ. VOR OR GPS RWY 9, AMDT 6...MISSED APPROACH: CLIMBING RIGHT TURN TO 2100 DIRECT OOD VORTAC AND HOLD. MINIMUM HOLDING ALTITUDE 2100. MSA FROM OOD BEARING 180 CW 270 2600, BEARING 270 CW 180 2200. NOTE: PROCEDURE NA AT NIGHT. NOTE: HELICOPTER VISIBILITY REDUCTION BELOW 1 SM NOT AUTHORIZED. 1704171725-1711271725EST.

HAMMONTON

Hammonton Muni

FDC 7/9158 N81 IAP HAMMONTON MUNI, HAMMONTON, NJ. VOR-B, AMDT 2B...DME REQUIRED EXCEPT FOR AIRCRAFT EQUIPPED WITH SUITABLE RNAV SYSTEM WITH GPS, ACY VOR OUT OF SERVICE. 1705031154-1705101154EST.

LAKEWOOD

Lakewood

FDC 7/1452 N12 IAP LAKEWOOD, LAKEWOOD, NJ. VOR RWY 6, AMDT 6B...S-6 NA. CIRCLING MDA 640/HAA 597 ALL CATS. MCGUIRE FLD (JOINT BASE MC GUIRE DIX LAKEHURST) ALTIMETER SETTING MINIMUMS: S-6 NA CIRCLING MDA 680/HAA 637 ALL CATS. NOTE: PROCEDURE NA AT NIGHT. NOTE: HELICOPTER VISIBILITY REDUCTION BELOW 1 SM NOT AUTHORIZED. NOTE: DME REQUIRED, EXCEPT FOR AIRCRAFT EQUIPPED WITH SUITABLE RNAV SYSTEM WITH GPS. PLANVIEW NOTE: PROCEDURE NA FOR ARRIVALS ON CYN VORTAC AIRWAY RADIALS 046 CW 100. 1704171813-1711271813EST.

FDC 7/1150 N12 IAP LAKEWOOD, LAKEWOOD, NJ. RNAV (GPS) RWY 24, ORIG-B...DELETE: DESCENT ANGLE 2.95/TCH 40. PROFILE NOTE: VISUAL SEGMENT-OBSTACLES. 1701051531-1708171531EST.

LINCOLN PARK

Lincoln Park

FDC 7/3615 N07 ODP LINCOLN PARK, LINCOLN PARK, NJ. TAKEOFF MINIMUMS AND (OBSTACLE) DEPARTURE PROCEDURES ORIG-A...TAKEOFF MINIMUMS: RWY 19, 300-2 OR STANDARD WITH MINIMUM CLIMB OF 239 FT PER NM TO 600. NOTE: RWY 1, HANGER 16 FT FROM DER, 218 FT RIGHT OF CENTERLINE, 15 FT AGL/198 FT MSL. DEPARTURE PROCEDURE: RWY 01, CLIMB VISUALLY OVER AIRPORT TO 1300 BEFORE PROCEEDING ON COURSE. ALL OTHER DATA REMAINS AS PUBLISHED. 1701112109-1708232109EST.

FDC 6/1363 N07 IAP LINCOLN PARK, LINCOLN PARK, NJ. RNAV (GPS) RWY 19, ORIG...TERMINAL ROUTE FROM SPARTA (SAX) VORTAC TO ZASEB (IAF) MINIMUM ALTITUDE 2900. TERMINAL ROUTE FROM ZASEB (IAF) TO WANVA (NO PT) (IF/IAF) MINIMUM ALTITUDE 2900. HOLD-IN-LIEU MINIMUM ALTITUDE 2900. MISSED APPROACH: CLIMBING LEFT TURN TO 2900 DIRECT WANVA AND HOLD. 1611201922-1707021922EST.

LINDEN

Linden

FDC 7/5846 LDJ ODP LINDEN, LINDEN, NJ. TAKEOFF MINIMUMS AND (OBSTACLE) DEPARTURE PROCEDURES AMDT 2A...TAKEOFF MINIMUMS: RWY 9, 300-1 3/4 OR STANDARD WITH MINIMUM CLIMB OF 338 FT PER NM TO 400. NOTE: RWY 9, TOWER 3646 FT FROM DER, 706 FT RIGHT OF CENTERLINE, 145 FT AGL/172 FT MSL (KLDJT1123). RWY 27, ANTENNAS BEGINNING 20 FT FROM DER, 466 FT LEFT OF CENTERLINE, UP TO 34 FT AGL/58 FT MSL (2016-AEA-4627/4628/4630/4631-OE). ALL OTHER DATA REMAINS AS PUBLISHED. 1701191414-1708311412EST.

FDC 6/1745 LDJ STAR LINDEN, LINDEN, NJ. MAZIE TWO ARRIVAL: PUBLISHED HOLDING AT MAZIE NOT AUTH 1605101745-PERM.

MANVILLE

Central Jersey Rgnl

FDC 7/3818 47N IAP CENTRAL JERSEY RGNL, MANVILLE, NJ. RNAV (GPS) RWY 25, AMDT 1C...LP HAT CATS A/B/C 398. LNAV HAT CATS A/B/C 438. CHART TDZE 82, DELETE THRE 65. CHART NOTE: RWY 7, 25 HELICOPTER VISIBILITY REDUCTION BELOW 1 SM NOT AUTHORIZED. DELETE NOTE: HELICOPTER VISIBILITY REDUCTION BELOW 1 SM NOT AUTHORIZED. THIS IS RNAV (GPS) RWY 25, AMDT 1D. 1703121516-PERM.

FDC 7/3817 47N IAP CENTRAL JERSEY RGNL, MANVILLE, NJ. RNAV (GPS) RWY 7, AMDT 1A...CHART TDZE 82, DELETE THRE 82. CHART NOTE: RWY 7, 25 HELICOPTER VISIBILITY REDUCTION BELOW 1 SM NOT AUTHORIZED. DELETE NOTE: HELICOPTER VISIBILITY REDUCTION BELOW 1 SM NOT AUTHORIZED. THIS IS RNAV (GPS) RWY 7, AMDT 1B. 1703121516-PERM.

FDC 7/2477 47N IAP CENTRAL JERSEY RGNL, MANVILLE, NJ. RNAV (GPS) RWY 25, AMDT 1C...LP MDA NA. 1703291958-1711081958EST.

FDC 6/1743 47N STAR MANVILLE/CENTRAL JERSEY RGNL, MANVILLE, NJ. MAZIE TWO ARRIVAL: PUBLISHED HOLDING AT MAZIE NOT AUTH 1605101740-PERM.

MILLVILLE

Millville Muni

FDC 7/9883 MIV IAP MILLVILLE MUNI, MILLVILLE, NJ. RNAV (GPS) RWY 32, ORIG-B...NOTE: VGSI AND RNAV GLIDEPATH NOT COINCIDENT. 1704131555-1711231555EST.

FDC 6/1347 MIV IAP MILLVILLE MUNI, MILLVILLE, NJ. RNAV (GPS) RWY 10, ORIG-A...LPV DA 346/HATH 272, VIS 7/8 ALL CATS. LNAV VIS CATS A/B 1, CATS C/D 1 1/8. NOTE: INOPERATIVE TABLE DOES NOT APPLY. NOTE: HELICOPTER VISIBILITY REDUCTION BELOW 3/4 SM NOT AUTHORIZED. NOTE: CIRCLING TO RWY 32 NA AT NIGHT. DISREGARD NOTE: FOR INOP MALSR WHEN USING ATLANTIC CITY ALTIMETER SETTING, INCREASE LNAV/VNAV ALL CATS VISIBILITY TO 1 5/8. 1611201916-1707021916EST.

MORRISTOWN

Morristown Muni

FDC 7/0399 MMU IAP MORRISTOWN MUNI, MORRISTOWN, NJ. RNAV (GPS) Z RWY 23, AMDT 1...ALTERNATE MINS STANDARD EXCEPT: CAT D TO 900-2 3/4. 1701032125-1708152125EST.

FDC 6/1744 MMU STAR MORRISTOWN MUNI, MORRISTOWN, NJ. MAZIE TWO ARRIVAL: PUBLISHED HOLDING AT MAZIE NOT AUTH 1605101740-PERM.

MOUNT HOLLY

South Jersey Rgnl

FDC 7/3540 VAY IAP SOUTH JERSEY RGNL, MOUNT HOLLY, NJ. RNAV (GPS) RWY 26, AMDT 1B...LP MDA NA. 1702112018-1709232018EST.

NEWARK

Newark Liberty Intl

FDC 7/8641 EWR IAP NEWARK LIBERTY INTL, NEWARK, NJ. RNAV (RNP) Y RWY 29, AMDT 1C...DISREGARD NOTE: WHEN VGSI INOP, PROCEDURE NA AT NIGHT. 1702272144-1710092144EST.

FDC 7/8640 EWR IAP NEWARK LIBERTY INTL, NEWARK, NJ. RNAV (RNP) Z RWY 29, ORIG-E...NOTE: HELICOPTER VISIBILITY REDUCTION BELOW 3/4 SM NA. DISREGARD NOTE: HELICOPTER VISIBILITY REDUCTION BELOW 1 SM NA. DISREGARD NOTE: PROCEDURE NA AT NIGHT. 1702272144-1710092144EST.

FDC 7/8639 EWR IAP NEWARK LIBERTY INTL, NEWARK, NJ. RNAV (GPS) X RWY 29, ORIG...NOTE: HELICOPTER VISIBILITY REDUCTION BELOW 3/4 SM NA. DISREGARD NOTE: HELICOPTER VISIBILITY REDUCTION BELOW 1 SM NA. DISREGARD NOTE: NIGHT LANDING: RWY 29 NA. 1702272144-1710092144EST.

FDC 7/7852 EWR IAP NEWARK LIBERTY INTL, NEWARK, NJ. ILS OR LOC RWY 4L, AMDT 15...ILS RWY 4L (SA CAT I AND II), AMDT 15...RADAR REQUIRED FOR PROCEDURE ENTRY EXCEPT FOR AIRCRAFT EQUIPPED WITH SUITABLE RNAV SYSTEM WITH GPS. CRI R-263 UNUSABLE. 1705011221-1712111221EST.

FDC 7/7850 EWR IAP NEWARK LIBERTY INTL, NEWARK, NJ. RNAV (RNP) Z RWY 4R, ORIG-D...*RNP 0.15 DA 451/HAT 440, VIS RVR 6000 ALL CATS. RNP 0.30 DA 498/HAT 487. TEMP CRANE 190 MSL 2965 FT S OF RWY 4R (2016-AEA-9742-OE), TEMP CRANE 137 MSL 3462 FT SE OF RWY 4L (2016-AEA-8047/8048/8050/8051/8052-OE). 1705011219-1712111219EST.

FDC 7/7313 EWR IAP NEWARK LIBERTY INTL,
NEWARK, NJ. ILS OR LOC RWY 11, AMDT
2D...ALTERNATE MINIMUMS NA. COL VOR/DME
UNMONITORED. 1704281751-1705261751EST.

FDC 7/6511 EWR IAP NEWARK LIBERTY INTL,
NEWARK, NJ. RNAV (GPS) Z RWY 22L, AMDT
2...LNAV MDA 620/HAT 609 ALL CATS. VIS CATS C/D
1 3/8. VDP 1.72 NM TO RW22L. TEMPORARY CRANE
361 MSL 2.61 NM NE OF RWY 22L
(2014-AEA-3335-OE). 1703171502-1710271502EST.

FDC 7/6510 EWR IAP NEWARK LIBERTY INTL,
NEWARK, NJ. ILS OR LOC RWY 22R, AMDT
6A...SIDESTEP RWY 22L MDA 620/HAT 609 ALL CATS.
VIS CAT C 1 3/8. TEMPORARY CRANE 361 MSL 2.61
NM NE OF RWY 22L (2014-AEA-3335-OE).
1703171502-1710271502EST.

FDC 7/6509 EWR IAP NEWARK LIBERTY INTL,
NEWARK, NJ. ILS OR LOC RWY 22L, AMDT
13B...S-LOC 22L MDA 620/HAT 609 ALL CATS. VIS
CATS C/D 1 3/8. SIDESTEP RWY 22R MDA 620/HAT
609 ALL CATS. VIS CAT C 1 3/8. VDP 1.85 DME FROM
I-LSQ OR 1.72 NM TO RW22L. TEMPORARY CRANE
361 MSL 2.61 NM NE OF RWY 22L
(2014-AEA-3335-OE). 1703171502-1710271502EST.

FDC 7/4442 EWR SID NEWARK LIBERTY INTL,
NEWARK, NJ. PORTT THREE DEPARTURE
(RNAV)...TAKEOFF MINIMUMS: RWY 22R: 400-2 1/2
OR STANDARD WITH MINIMUM CLIMB OF 220 FT
PER NM TO 500 OR ALTERNATIVELY, WITH A
NORMAL 200 FT PER NM CLIMB GRADIENT,
TAKEOFF MUST OCCUR NO LATER THAN 1900 FT
PRIOR TO DER. ATC CLIMB OF 500 FT PER NM TO
518. ALL OTHER DATA REMAINS AS PUBLISHED.
1701141840-1708261840EST.

FDC 7/4144 EWR IAP NEWARK LIBERTY INTL,
NEWARK, NJ. COPTER ILS OR LOC/DME RWY 4L,
AMDT 1E...H-LOC 4L MDA 640/HAT 629. TEMP
CRANES 386 MSL 2.49 NM S OF RWY 4L
(2016-AEA-4446/4450-OE).
1702141508-1709261508EST.

FDC 7/4143 EWR IAP NEWARK LIBERTY INTL,
NEWARK, NJ. ILS OR LOC RWY 4R, AMDT 13...S-LOC
4R MDA 640/HAT 629 ALL CATS. VIS CATS A/B RVR
4000, CATS C/D 1 3/8 SIDESTEP RWY 4L MDA 640/HAT
630 ALL CATS. VDP: 2.80 DME FROM EZA/LOC OR
1.78 NM TO RW04R. TEMP CRANES 386 MSL 2.49 NM
S OF RWY 4L (2016-AEA-4446/4450-OE).
1702141508-1709261508EST.

FDC 7/4142 EWR IAP NEWARK LIBERTY INTL,
NEWARK, NJ. RNAV (GPS) RWY 4L, AMDT 2B...LNAV
MDA 660/HAT 650 ALL CATS. VIS CATS C/D 1 3/8. VDP
1.74 NM TO RW04L. TEMP CRANES 386 MSL 2.49 NM
S OF RWY 4L (2016-AEA-4446/4450-OE).
1702141508-1709261508EST.

FDC 7/4141 EWR IAP NEWARK LIBERTY INTL,
NEWARK, NJ. ILS OR LOC RWY 4L, AMDT 15...S-LOC
4L MDA 640/HAT 630 ALL CATS. SIDESTEP 4R MDA
640/HAT 629 ALL CATS. VDP: 3.23 DME FROM
EWR/LOC OR 1.68 NM TO RW04L. TEMP CRANES 386
MSL 2.49 NM S OF RWY 4L (2016-AEA-4446/4450-OE).
1702141508-1709261508EST.

FDC 7/1234 EWR IAP NEWARK LIBERTY INTL,
NEWARK, NJ. ILS OR LOC RWY 11, AMDT 2D...ILS OR
LOC RWY 22L, AMDT 13B...RNAV (GPS) RWY 11,
ORIG-E...RNAV (GPS) RWY 22R, AMDT 1D...CIRCLING
CAT C MDA 820/HAA 802. VIS CAT C 2 1/4.
1701051633-1708171633EST.

FDC 7/0591 EWR SID NEWARK LIBERTY INTL,
NEWARK, NJ. LIBERTY THREE
DEPARTURE...NEWARK TWO DEPARTURE...PORTT
THREE DEPARTURE (RNAV)...TAKEOFF OBSTACLE
NOTES: RWY 22L: TEMP CRANES BEGINNING 3147
FT FROM DER, 1059 FT LEFT OF CENTERLINE, UP TO
118 FT AGL/137 FT MSL
(2016-AEA-8047/8048/8050/8051/8052-OE). ALL OTHER
DATA REMAINS AS PUBLISHED.
1703271427-1711061426EST.

FDC 7/0586 EWR ODP NEWARK LIBERTY INTL,
NEWARK, NJ. TAKEOFF MINIMUMS AND
(OBSTACLE) DEPARTURE PROCEDURES AMDT
5...NOTE: RWY 22L, TEMP CRANES BEGINNING 3147
FT FROM DER, 1059 FT LEFT OF CENTERLINE, UP TO
118 FT AGL/137 FT MSL
(2016-AEA-8047/8048/8050/8051/8052-OE). ALL OTHER
DATA REMAINS AS PUBLISHED.
1703271425-1711061424EST.

FDC 6/1757 EWR STAR NEWARK LIBERTY INTL,
NEWARK, NJ. DYLIN FOUR ARRIVAL GVE
TRANSITION NA EXCEPT FOR ACFT EQUIPPED
WITH SUITABLE RNAV SYSTEM WITH GPS, OTT
VOR U/S 1605101755-PERM.

FDC 6/1756 EWR STAR NEWARK LIBERTY INTL,
NEWARK, NJ. DYLIN FOUR ARRIVAL FAK
TRANSITION NA EXCEPT FOR ACFT EQUIPPED
WITH SUITABLE RNAV SYSTEM WITH GPS, OTT
VOR U/S 1605101755-PERM.

FDC 6/1752 EWR STAR NEWARK LIBERTY INTL,
NEWARK, NJ., DYLIN FOUR ARRIVAL...CHANGE
WASHINGTON CENTER FREQUENCY TO 132.52 VICE
132.53 1605101755-PERM.

FDC 6/0754 EWR IAP NEWARK LIBERTY INTL,
NEWARK, NJ. VOR RWY 11, AMDT 2D...DCOTA FIX
MINIMUMS NA. 1612122117-1707242117EST.

OCEAN CITY

Ocean City Muni

FDC 7/9160 26N IAP OCEAN CITY MUNI, OCEAN CITY, NJ. VOR-A, ORIG-A...DME REQUIRED EXCEPT FOR AIRCRAFT EQUIPPED WITH SUITABLE RNAV SYSTEM WITH GPS, ACY VOR OUT OF SERVICE. 1705031154-1705101154EST.

OLD BRIDGE

Old Bridge

FDC 7/7309 3N6 IAP OLD BRIDGE, OLD BRIDGE, NJ. VOR RWY 24, AMDT 4B...ALTERNATE MINIMUMS NA, COL VOR/DME UNMONITORED. 1704281751-1705261751EST.

FDC 7/1155 3N6 IAP OLD BRIDGE, OLD BRIDGE, NJ. RNAV (GPS) RWY 6, ORIG-A...DELETE: DESCENT ANGLE 3.04/TCH 40. PROFILE NOTE: VISUAL SEGMENT-OBSTACLES. 1701051537-1708171537EST.

PEDRICKTOWN

Spitfire Aerodrome

FDC 7/1148 7N7 IAP SPITFIRE AERODROME, PEDRICKTOWN, NJ. RNAV (GPS) RWY 7, ORIG...DELETE: DESCENT ANGLE 3.04/TCH 40. PROFILE NOTE: VISUAL SEGMENT-OBSTACLES. 1701051516-1708171516EST.

PITTSTOWN

Sky Manor

FDC 7/3434 N40 IAP SKY MANOR, PITTSTOWN, NJ. VOR RWY 7, AMDT 3...S-7 HAT CAT A 662. CHART NOTE: RWY 7, 25 HELICOPTER VISIBILITY REDUCTION BELOW 1 SM NOT AUTHORIZED. CHART TDZE 558, DELETE THRE 551. DELETE NOTE: VISIBILITY REDUCTION BY HELICOPTERS NA. THIS IS VOR RWY 7, AMDT 3A. 1702102010-PERM.

PRINCETON/ROCKY HILL

Princeton

FDC 7/0698 39N IAP PRINCETON, PRINCETON/ROCKY HILL, NJ. RNAV (GPS) RWY 10, AMDT 1A...LNAV HAT CATS A/B/C 512. CHART TDZE 128, DELETE THRE 120. CHART NOTE: RWY 10, 28 HELICOPTER VISIBILITY REDUCTION BELOW 1 SM NOT AUTHORIZED. DELETE NOTE: HELICOPTER VISIBILITY REDUCTION BELOW 1 SM NOT AUTHORIZED. THIS IS RNAV (GPS) RWY 10, AMDT 1B. 1702022053-PERM.

RANCOCAS

Inductotherm

FDC 7/9545 3N16 SPECIAL INDUCTOTHERM, RANCOCAS, NJ. RNAV (GPS) RWY 20, AMDT 2...RNAV (GPS) RWY 02, AMDT 2...VDA/TCH NA. 1703020000-1710111733EST.

READINGTON

Solberg-Hunterdon

FDC 7/6468 N51 IAP SOLBERG-HUNTERDON, READINGTON, NJ. VOR RWY 4, AMDT 1B...CHART NOTE: CIRCLING NA TO RWYS 10-28 AND 13-31. CHART NOTE: RWY 4 HELICOPTER VISIBILITY REDUCTION BELOW 3/4 SM NOT AUTHORIZED. DELETE NOTE: PROCEDURE NA AT NIGHT. DELETE NOTE: HELICOPTER VISIBILITY REDUCTION BELOW 1 SM NOT AUTHORIZED. THIS IS VOR RWY 4, AMDT 1C. 1703171349-PERM.

FDC 7/6467 N51 IAP SOLBERG-HUNTERDON, READINGTON, NJ. RNAV (GPS) RWY 4, ORIG-B...CHART NOTE: CIRCLING NA TO RWYS 10-28 AND 13-31. CHART NOTE: RWY 4 HELICOPTER VISIBILITY REDUCTION BELOW 3/4 SM NOT AUTHORIZED. DELETE NOTE: PROCEDURE NA AT NIGHT. DELETE NOTE: HELICOPTER VISIBILITY REDUCTION BELOW 1 SM NOT AUTHORIZED. THIS IS RNAV (GPS) RWY 4, ORIG-C. 1703171349-PERM.

FDC 7/6466 N51 IAP SOLBERG-HUNTERDON, READINGTON, NJ. RNAV (GPS) RWY 22, ORIG-B...CHART NOTE: CIRCLING NA TO RWYS 10-28 AND 13-31. CHART NOTE: RWY 22 HELICOPTER VISIBILITY REDUCTION BELOW 3/4 SM NOT AUTHORIZED. DELETE NOTE: PROCEDURE NA AT NIGHT. DELETE NOTE: HELICOPTER VISIBILITY REDUCTION BELOW 1 SM NOT AUTHORIZED. THIS IS RNAV (GPS) RWY 22, ORIG-C. 1703171349-PERM.

FDC 7/6458 N51 ODP SOLBERG-HUNTERDON, READINGTON, NJ. TAKEOFF MINIMUMS AND (OBSTACLE) DEPARTURE PROCEDURES AMDT 1...TAKE-OFF MINIMUMS: RWY 10, 28, 13, 31 NA - ENVIRONMENTAL. TAKE-OFF MINIMUMS: RWY 04, STANDARD WITH MINIMUM CLIMB OF 397 FEET PER NM TO 600. ALL OTHER DATA REMAINS AS PUBLISHED. 1703171340-1710271340EST.

ROBBINSVILLE

Trenton-Robbinsville

FDC 7/0497 N87 IAP TRENTON-ROBBINSVILLE, ROBBINSVILLE, NJ. VOR RWY 29, AMDT 11A...NIGHT LANDING RWY 11, 29 NA. VISUAL DESCENT ANGLE 3.13/TCH 40 NA.. 1703021948-1710121948EST.

FDC 7/0495 N87 IAP TRENTON-ROBBINSVILLE, ROBBINSVILLE, NJ. RNAV (GPS) RWY 29, AMDT 1A...NIGHT LANDING RWY 11. 29 NA. VISUAL DESCENT ANGLE 3.00/TCH 40 NA.. 1703021946-1710121946EST.

FDC 7/0493 N87 IAP TRENTON-ROBBINSVILLE, ROBBINSVILLE, NJ. RNAV (GPS) RWY 11, ORIG-A...NIGHT LANDING RWY 11, 29 NA. VISUAL DESCENT ANGLE 3.00/TCH 40 NA. 1703021943-1710121943EST.

SOMERVILLE

Somerset

FDC 6/1682 SMQ STAR SOMERVILLE/SOMERST, SOMERVILLE, NJ. MAZIE TWO ARRIVAL: PUBLISHED HOLDING AT MAZIE NOT AUTH 1605101720-PERM.

TETERBORO

Teterboro

FDC 7/7270 TEB IAP TETERBORO, TETERBORO, NJ. ILS OR LOC RWY 6, AMDT 29G...MISSED APPROACH: CLIMB TO 1000, THEN CLIMBING LEFT TURN TO 2000 ON TEB R-335 TO PATRN INT AND HOLD.. 1704072012-1711172011EST.

FDC 7/5835 TEB IAP TETERBORO, TETERBORO, NJ. RNAV (GPS) X RWY 6, AMDT 2...LPV DA 464/HAT 458. LNAV MDA 720/HAT 714, VIS CATS C/D 1 5/8.. ADD NOTE: FOR INOPERATIVE MALSR, INCREASE LNAV CAT C/D VISIBILITY TO 2 SM.. 1703152149-1710252149EST.

FDC 7/1945 TEB IAP TETERBORO, TETERBORO, NJ. RNAV (GPS) Y RWY 6, AMDT 2B...LPV DA 376/HAT 370 ALL CATS. TEMP CRANE 159 MSL 3309 FT SW OF RWY 6 (2015-AEA-6016/15/14/13/12-OE). 1703291142-1711081142EST.

FDC 7/1944 TEB IAP TETERBORO, TETERBORO, NJ. COPTER ILS OR LOC RWY 6, AMDT 1F...S-ILS 6 DA 376/HAT 370, VIS 3/4. S-LOC 6 MDA 500/HAT 494, VIS 3/4. NOTE: RWY 06 HELICOPTER VISIBILITY REDUCTION BELOW 3/4 SM NOT AUTHORIZED. TEMP CRANE 159 MSL 3309 FT SW OF RWY 6 (2015-AEA-6016/15/14/13/12-OE). 1703291142-1711081142EST.

FDC 7/1943 TEB IAP TETERBORO, TETERBORO, NJ. ILS OR LOC RWY 6, AMDT 29G...S-ILS 6 DA 376/HAT 370, VIS 3/4 ALL CATS. S-LOC 6 MDA 500/HAT 494 ALL CATS, VIS CATS A/B 3/4, CATS C/D 1. NOTE: RWY 6 HELICOPTER VISIBILITY REDUCTION BELOW 3/4 SM NOT AUTHORIZED. NOTE: FOR INOPERATIVE MALSR, INCREASE S-ILS 6 ALL CATS VISIBILITY TO 7/8 SM. NOTE: OR INOPERATIVE MALSR, INCREASE S-LOC 6 CAT A/B VISIBILITY TO 1 SM, AND CAT C/D TO 1 3/8 SM. TEMP CRANE 159 MSL 3309 FT SW OF RWY 6 (2015-AEA-6016/15/14/13/12-OE). 1703291142-1711081142EST.

FDC 7/1942 TEB ODP TETERBORO, TETERBORO, NJ. TAKEOFF MINIMUMS AND (OBSTACLE) DEPARTURE PROCEDURES AMDT 8...NOTE: RWY 24, TEMP CRANES BEGINNING 3200 FT FROM DER, 470 FT LEFT OF CENTERLINE, UP TO 148 FT AGL/159 FT MSL (2015-AEA-6016/15/14/13/12-OE 2015-AEA-6526-OE). ALL OTHER DATA REMAINS AS PUBLISHED. 1703291142-1711081142EST.

FDC 6/7413 TEB VFP TETERBORO, TETERBORO, NJ. QUIET VISUAL RWY 19 NA 1610261817-PERM.

FDC 6/1747 TEB STAR TETERBORO, TETERBORO, NJ. MAZIE TWO ARRIVAL: PUBLISHED HOLDING AT MAZIE NOT AUTH 1605101745-PERM.

TOMS RIVER

Ocean County

FDC 6/1530 MJX ODP OCEAN COUNTY, TOMS RIVER, NJ. TAKEOFF MINIMUMS AND (OBSTACLE) DEPARTURE PROCEDURES AMDT 1A...TAKEOFF MINIMUMS: RWY 14, 32, NA. ALL OTHER DATA REMAINS AS PUBLISHED. 1611202048-1707022048EST.

TRENTON

Trenton Mercer

FDC 4/0370 TTN STAR TRENTON MERCER, TRENTON, NJ. BUNTS ONE ARRIVAL.UNUSABLE 1) BELOW 5000FT MSL BETWEEN PSB AND HAR 2) BELOW 4000FT MSL BETWEEN HAR AND BOUHN 1403261400-PERM.

WOODBINE

Woodbine Muni

FDC 7/9906 OBI IAP WOODBINE MUNI, WOODBINE, NJ. RNAV (GPS) RWY 19, ORIG-A...NOTE: CIRCLING RWY 13, 31 NA AT NIGHT. NOTE: STRAIGHT-IN RWY 19 NA AT NIGHT. NOTE RWY 13, 19, 31 HELICOPTER VISIBILITY REDUCTION BELOW 1 SM NOT AUTHORIZED. DISREGARD NOTE: HELICOPTER VISIBILITY REDUCTION BELOW 1 SM NA.. DISREGARD NOTE: NIGHT LANDING: RWY 31 NA.. 1704131644-1711231644EST.

FDC 7/9904 OBI IAP WOODBINE MUNI, WOODBINE, NJ. VOR-A, AMDT 1A...NOTE: CIRCLING RWY 13, 31, 19 NA AT NIGHT. NOTE: RWY 13, 19, 31 HELICOPTER VISIBILITY REDUCTION BELOW 1 SM NOT AUTHORIZED. DISREGARD NOTE: NIGHT LANDING: RWY 31 NA. DISREGARD NOTE: HELICOPTER VISIBILITY REDUCTION BELOW 1 SM NA. 1704131642-1711231642EST.

FDC 7/9900 OBI IAP WOODBINE MUNI, WOODBINE, NJ. RNAV (GPS) RWY 1, ORIG-B...NOTE: CIRCLING RWY 13, 19, 31 NA AT NIGHT. NOTE: RWY 13, 19, 31 HELICOPTER VISIBILITY REDUCTION BELOW 1 SM NOT AUTHORIZED. DISREGARD NOTE: NIGHT LANDING: RWY 31 NA. DISREGARD NOTE: HELICOPTER VISIBILITY REDUCTION BELOW 3/4 SM NA. 1704131640-1711231640EST.

FDC 7/9161 OBI IAP WOODBINE MUNI, WOODBINE, NJ. VOR-A, AMDT 1A...DME REQUIRED EXCEPT FOR AIRCRAFT EQUIPPED WITH SUITABLE RNAV SYSTEM WITH GPS, ACY VOR OUT OF SERVICE. 1705031154-1705101154EST.

NEW MEXICO

ALBUQUERQUE

Albuquerque Intl Sunport

FDC 7/6305 ABQ IAP U.S. DOD ALBUQUERQUE INTL SUNPORT, ALBUQUERQUE, NM. HI ILS OR LOC RWY 8, AMDT 2...HI TACAN RWY 8, AMDT 2...CIRCLING CAT E MDA 6120/HAA 766. VIS CAT E 2 3/4. THIS IS A MILITARY NOTAM. 1703162058-1710262058EST.

FDC 7/3601 ABQ SID ALBUQUERQUE INTL SUNPORT, ALBUQUERQUE, NM. LARGO TWO DEPARTURE...ZUNI TRANSITION: NA EXCEPT FOR AIRCRAFT EQUIPPED WITH SUITABLE RNAV SYSTEM WITH GPS, ZUN VOR OUT OF SERVICE. 1704210352-1705200352EST.

GALLUP

Gallup Muni

FDC 6/5190 GUP IAP GALLUP MUNI, GALLUP, NM. RNAV (GPS) RWY 24, ORIG...LNAV MDA 7360/HAT 888 ALL CATS, VIS CAT A/B 1 1/4, CAT C/D 2 1/2. CIRCLING MDA 7360/HAA 888 ALL CATS, VIS CAT A/B 1 1/4, CAT C 2 3/4. NOTE: RWY 24 HELICOPTER VISIBILITY REDUCTION BELOW 3/4 SM NOT AUTHORIZED. ALTERNATE MINIMUMS CAT A,B 900-2, CAT C 900-2 3/4, CAT D 900-3. 1612272223-1708082223EST.

HOBBS

Lea County Rgnl

FDC 7/1867 HOB IAP LEA COUNTY RGNL, HOBBS, NM. ILS OR LOC RWY 3, AMDT 7A...LOC/DME BC RWY 21, AMDT 6A...RNAV (GPS) RWY 21, AMDT 1A...RNAV (GPS) RWY 3, AMDT 2A...RNAV (GPS) RWY 30, AMDT 1A...VOR/DME OR TACAN RWY 21, AMDT 9B...CIRCLING CATS A/B MDA 4200/HAA 539. DRILLING RIG, 3843 MSL, 4767 FT NW OF KHOB, (2017-ASW-461-OE). 1704181431-1706021431EST.

LAS VEGAS

Las Vegas Muni

FDC 7/8985 LVS IAP LAS VEGAS MUNI, LAS VEGAS, NM. VOR RWY 20, AMDT 6A...ALTERNATE MINIMUMS NA, FTI VORTAC UNMONITORED. 1705021857-1706021857EST.

RATON

Raton Muni/Crews Field

FDC 7/8944 RTN IAP RATON MUNI/CREWS FIELD, RATON, NM. RNAV (GPS) RWY 2, ORIG-A...DISREGARD NOTE: WHEN VGSI INOP, STRAIGHT-IN MINIMUMS NA AT NIGHT. ADD NOTE: PROCEDURE NA AT NIGHT. 1701292331-1709102331EST.

FDC 7/0167 RTN IAP RATON MUNI/CREWS FIELD, RATON, NM. VOR/DME RWY 2, AMDT 7...PROCEDURE NA. 1703250142-1711040142EST.

ROSWELL

Roswell Intl Air Center

FDC 7/8631 ROW IAP U.S. DOD ROSWELL INTL AIR CENTER, ROSWELL, NM. RADAR-1, ORIG-A...ASR 17 MDA 4080, HAT 414 ALL CATS. VIS CAT E 1 1/2. 1702272054-1710092054EST.

FDC 7/3922 ROW IAP ROSWELL INTL AIR CENTER, ROSWELL, NM. RNAV (GPS) RWY 21, ORIG...LNAV/VNAV DA 3995/HAT 362 ALL CATS.. 1703121818-1710221818EST.

RUIDOSO

Sierra Blanca Rgnl

FDC 6/2810 SRR ODP SIERRA BLANCA RGNL, RUIDOSO, NM. TAKEOFF MINIMUMS AND (OBSTACLE) DEPARTURE PROCEDURES ORIG...PROCEDURE NA, USE CAPITAN ONE DEPARTURE. 1611260004-1707080003EST.

SANTA FE

Santa Fe Muni

FDC 7/9351 SAF ODP SANTA FE MUNI, SANTA FE, NM. TAKEOFF MINIMUMS AND (OBSTACLE) DEPARTURE PROCEDURES AMDT 4...NOTE: PILOTS SHALL NOTIFY SAF AIR TRAFFIC CONTROL TOWER OR ALBUQUERQUE AIR ROUTE TRAFFIC CONTROL CENTER PRIOR TO FLYING THIS DEPARTURE PROCEDURE. ALL OTHER DATA REMAINS AS PUBLISHED. 1705031347-1712131347EST.

FDC 7/6347 SAF IAP SANTA FE MUNI, SANTA FE, NM. RNAV (GPS) RWY 15, AMDT 1...LNAV MDA 6840/HAT 522 ALL CATS. VIS CATS 1 1/2. VDP 1.5 NM TO RW15. 1703162202-1710262202EST.

SILVER CITY

Grant County

FDC 7/8622 SVC IAP GRANT COUNTY, SILVER CITY, NM. LOC/DME RWY 26, AMDT 5C...S-26 MDA 5940/HAT 560 ALL CATS, VISIBILITY CAT C/D 1 3/8. CIRCLING CAT A MDA 5940/HAA 494, CAT B/C MDA 5980/HAA 534. VDP AT I-SVC 2.81 DME. DISTANCE VDP TO THLD 1.63 NM. MISSED APPROACH: CLIMBING LEFT TURN TO 10000 VIA HEADING 190 AND SVC VORTAC R-193 TO KUNRE INT/SVC VORTAC 24.1 DME AND HOLD. 1702272026-1710092026EST.

FDC 7/7003 SVC IAP GRANT COUNTY, SILVER CITY, NM. RNAV (GPS) RWY 26, ORIG-B...LNAV/VNAV DA 5940/HAT 570, VIS 1 5/8 ALL CATS. LNAV MDA 5940/HAT 560 ALL CATS, VIS CATS C/D 1 3/8. CIRCLING CAT A MDA 5940/HAA 494, CATS B/C MDA 5980/HAA 534. VDP 1.63 NM TO RWY 26. CRANE 5621 MSL 1.45 NM E OF RWY 26 (2013-ASW-4902-OE). 1703201439-1710301436EST.

FDC 7/4344 SVC IAP GRANT COUNTY, SILVER CITY, NM. VOR-A, AMDT 7C...CIRCLING CAT A MDA 5940/HAA 494, CAT B/C MDA 5980/HAA 534. ALTERNATE MINIMUMS: STANDARD. 1703131603-1710231603EST.

FDC 7/4238 SVC IAP GRANT COUNTY, SILVER CITY, NM. RNAV (GPS) RWY 8, ORIG-A...CIRCLING CAT A MDA 5940/HAA 494, CAT B/C MDA 5980/HAA 534. 1703131450-1710231449EST.

TUCUMCARI

Tucumcari Muni

FDC 7/8899 TCC ODP TUCUMCARI MUNI, TUCUMCARI, NM. TAKEOFF MINIMUMS AND (OBSTACLE) DEPARTURE PROCEDURES AMDT 2A...TAKEOFF MINIMUMS: RWY 21: STANDARD WITH MINIMUM CLIMB OF 269 FT PER NM TO 5400. NOTE: RWY 3: TREE 97 FT FROM DER, 486 FT LEFT OF CENTERLINE, 4067 FT MSL. TREE 308 FT FROM DER, 499 FT LEFT OF CENTERLINE, 4072 FT MSL. TREE 354 FT FROM DER, 569 FT LEFT OF CENTERLINE, 4073 FT MSL. TREE 370 FT FROM DER, 485 FT LEFT OF CENTERLINE, 4087 FT MSL. NOTE: RWY 8: GRD 23 FT FROM DER, 331 FT LEFT OF CENTERLINE, 4040 FT MSL. NOTE: RWY 21: ELEC SYS 7 FT FROM DER, 60 FT RIGHT OF CENTERLINE, UP TO 3 FT AGL/4041 FT MSL. VEHICLE ON ROAD 425 FT FROM DER, 603 FT RIGHT OF CENTERLINE, 15 FT AGL/4055 FT MSL. T-L TWR 494 FT FROM DER, 469 FT LEFT OF CENTERLINE, UP TO 34 FT AGL/4067 FT MSL. NOTE: RWY 26, VEHICLE ON ROAD 558 FT FROM DER, 14 FT LEFT OF CENTERLINE, 15 FT AGL/4079 FT MSL. TREE 595 FT FROM DER, 344 FT RIGHT OF CENTERLINE, 4102 FT MSL. TREE 847 FT FROM DER, 577 FT RIGHT OF CENTERLINE, 4114 FT MSL. ALL OTHER DATA REMAINS AS PUBLISHED. 1701292205-1709102205EST.

ZUNI PUEBLO

Black Rock

FDC 7/3602 ZUN ODP BLACK ROCK, ZUNI PUEBLO, NM. TAKEOFF MINIMUMS AND (OBSTACLE) DEPARTURE PROCEDURES AMDT 1...DEPARTURE PROCEDURE NA EXCEPT FOR AIRCRAFT EQUIPPED WITH SUITABLE RNAV SYSTEM WITH GPS, ZUN VOR OUT OF SERVICE. 1704210352-1705200352EST.

NEW YORK

ALBANY

Albany Intl

FDC 7/4469 ALB IAP ALBANY INTL, ALBANY, NY. RNAV (RNP) Z RWY 19, ORIG-A...RNP 0.30 DA 763/HAT483, VIS RVR 6000 ALL CATS. CHANGE NOTE: FOR INOPERATIVE MALSR INCREASE RNP 0.30 VISIBILITY TO 1 5/8. 1701141901-1708261901EST.

BATAVIA

Genesee County

FDC 7/0660 GVQ IAP GENESEE COUNTY, BATAVIA, NY. RNAV (GPS) RWY 10, ORIG...LPV DA 1114. LNAV/VNAV DA 1168. LNAV HAT 346 ALL CATS. CHART TDZE 914, DELETE THRE 912. THIS IS RNAV (GPS) RWY 10, ORIG-A. 1702022014-PERM.

BINGHAMTON

Greater Binghamton/Edwin A Link Field

FDC 7/3829 BGM IAP GREATER BINGHAMTON/EDWIN A LINK FIELD, BINGHAMTON, NY. RNAV (GPS) RWY 28, AMDT 2...LPV DA 1837. LNAV/VNAV DA 2091. LNAV HAT 413 ALL CATS. CHART TDZE 1587, DELETE THRE 1572. CHART NOTE: RWY 28 HELICOPTER VISIBILITY REDUCTION BELOW 3/4 SM NOT AUTHORIZED. CHART CIRCLING ICON. DELETE NOTE: VISIBILITY REDUCTION BY HELICOPTERS NA. DELETE NOTE: WHEN VGSI INOPERATIVE, CIRCLING RWY 34 NA AT NIGHT. THIS IS RNAV (GPS) RWY 28, AMDT 2A. 1703121541-PERM.

FDC 7/3828 BGM IAP GREATER BINGHAMTON/EDWIN A LINK FIELD, BINGHAMTON, NY. RNAV (GPS) RWY 10, ORIG...CHART TDZE 1591, DELETE THRE 1591. CHART CIRCLING ICON. THIS IS RNAV (GPS) RWY 10, ORIG-A. 1703121541-PERM.

BROCKPORT

Ledgedale Airpark

FDC 7/0696 7G0 IAP LEDGEDALE AIRPARK, BROCKPORT, NY. RNAV (GPS) RWY 28, AMDT 1A...LNAV HAT CATS A/B 395. CHART TDZE 665, DELETE THRE 663. CHART NOTE: RWY 10, 28 HELICOPTER VISIBILITY REDUCTION BELOW 1 SM NOT AUTHORIZED. DELETE NOTE: HELICOPTER VISIBILITY REDUCTION BELOW 1 SM NOT AUTHORIZED. THIS IS RNAV (GPS) RWY 28, AMDT 1B. 1702022047-PERM.

BUFFALO

Buffalo Airfield

FDC 7/5689 9G0 IAP BUFFALO AIRFIELD, BUFFALO, NY. RNAV (GPS) RWY 6, ORIG-A...DESCENT ANGLE 3.00/TCH 40 NA. VDP NA.. 1702171911-1709291911EST.

FDC 7/5687 9G0 IAP BUFFALO AIRFIELD, BUFFALO, NY. RNAV (GPS) RWY 24, AMDT 1A...DESCENT ANGLE 3.00/TCH 40 NA. VDP NA.. 1702171910-1709291909EST.

CANANDAIGUA

Canandaigua

FDC 7/3531 D38 IAP CANANDAIGUA, CANANDAIGUA, NY. VOR-A, ORIG-A...PROCEDURE NA. 1702112011-1709232011EST.

CORTLAND

Cortland County-Chase Field

FDC 7/7570 N03 ODP CORTLAND COUNTY-CHASE FIELD, CORTLAND, NY. TAKEOFF MINIMUMS AND (OBSTACLE) DEPARTURE PROCEDURES AMDT 3...NOTE: RWY 6, UTILITY POLE 1071 FT FROM DER, 744 FT LEFT OF CENTERLINE, 43 FT AGL/1195 FT MSL (2015-AEA-6097-OE). ALL OTHER DATA REMAINS AS PUBLISHED. 1704101239-1711201239EST.

DANSVILLE

Dansville Muni

FDC 7/7123 DSV ODP DANSVILLE MUNI, DANSVILLE, NY. TAKEOFF MINIMUMS AND (OBSTACLE) DEPARTURE PROCEDURES AMDT 2...DELETE ALL REFERENCES TO RUNWAYS 18 AND 36. ALL OTHER DATA REMAINS AS PUBLISHED. THIS IS TAKEOFF MINIMUMS AND (OBSTACLE) DEPARTURE PROCEDURES, AMDT 2A. 1704281329-PERM.

FDC 7/1108 DSV IAP DANSVILLE MUNI, DANSVILLE, NY. RNAV (GPS) RWY 14, ORIG...LNAV MDA 1840/HAT 1205 ALL CATS. VIS CAT A 1 1/4, CAT B 1 1/2, CAT C 3. CIRCLING RWY 18/36 NA. NOTE: HELICOPTER VISIBILITY REDUCTION BELOW 3/4 SM NOT AUTHORIZED. 34:1 IS NOT CLEAR. 1703061946-1710161946EST.

FDC 7/1106 DSV IAP DANSVILLE MUNI, DANSVILLE, NY. RNAV (GPS) RWY 18, ORIG...PROCEDURE NA. 1703061942-1710161942EST.

FDC 7/1103 DSV IAP DANSVILLE MUNI, DANSVILLE, NY. RNAV (GPS)-A, ORIG...CIRCLING RWY 18/36 NA.. 1703061941-1710161941EST.

DUNKIRK

Alstar North

FDC 7/3513 22NK SPECIAL ALSTAR NORTH, DUNKIRK, NY. HUVAX ONE DEPARTURE...DEPARTURE PROCEDURE NA. 1703101922-1710201922EST.

FDC 7/1390 22NK SPECIAL ALSTAR NORTH, DUNKIRK, NY. COPTER RNAV (GPS) 100, ORIG...PROCEDURE NA. 1703071427-1710171427EST.

Chautauqua County/Dunkirk

FDC 7/4484 DKK IAP CHAUTAUQUA COUNTY/DUNKIRK, DUNKIRK, NY. RNAV (GPS) RWY 6, ORIG-A...DISREGARD NOTE NIGHT LANDING: RWY 33 NA. STRAIGHT-IN RWY 6 NA AT NIGHT, CIRCLING RWY 6, 24, 33 NA AT NIGHT. RWY 6 HELICOPTER VISIBILITY REDUCTION BELOW 1 SM NOT AUTHORIZED.. 1704241440-1712041440EST.

FDC 7/4480 DKK IAP CHAUTAUQUA COUNTY/DUNKIRK, DUNKIRK, NY. RNAV (GPS) RWY 15, ORIG-A...DISREGARD NOTE NIGHT LANDING: RWY 33 NA. CIRCLING RWY 6, 24, 33 NA AT NIGHT.. 1704241439-1712041438EST.

FDC 7/4462 DKK IAP CHAUTAUQUA COUNTY/DUNKIRK, DUNKIRK, NY. RNAV (GPS) RWY 24, ORIG-A...VOR RWY 24, AMDT 8A...DISREGARD NOTE NIGHT LANDING: RWY 33 NA. STRAIGHT-IN RWY 24 NA AT NIGHT, CIRCLING RWY 6, 24, 33 NA AT NIGHT. RWY 24 HELICOPTER VISIBILITY REDUCTION BELOW 1 SM NOT AUTHORIZED.. 1704241437-1712041437EST.

FDC 7/4459 DKK IAP CHAUTAUQUA COUNTY/DUNKIRK, DUNKIRK, NY. RNAV (GPS) RWY 33, ORIG-A...DISREGARD NOTE NIGHT LANDING: RWY 33 NA. STRAIGHT-IN RWY 33 NA AT NIGHT, CIRCLING RWY 6, 24, 33 NA AT NIGHT.. 1704241435-1712041435EST.

FDC 7/3915 DKK IAP CHAUTAUQUA COUNTY/DUNKIRK, DUNKIRK, NY. VOR RWY 24, AMDT 8A...S-24 MDA 1360/HAT 698 ALL CATS. VIS CATS C/D 2. CIRCLING CATS A/B MDA 1360/HAA 668. WIND TURBINE 1048 MSL 8.54 NM NE OF RWY 24 (2016-WTE-6529-OE). 1703121812-1710221812EST.

ELLENVILLE

Joseph Y Resnick

FDC 7/0266 N89 IAP JOSEPH Y RESNICK, ELLENVILLE, NY. GPS RWY 22, ORIG...GPS RWY 4, ORIG...NOTE: HELICOPTER VISIBILITY REDUCTION BELOW 1 SM NOT AUTHORIZED. NOTE: NIGHT LANDING NA. 1703252353-1711042353EST.

ELMIRA/CORNING

Elmira/Corning Rgnl

FDC 7/1959 ELM IAP ELMIRA/CORNING RGNL, ELMIRA/CORNING, NY. ILS OR LOC RWY 24, AMDT 19A...MISSED APPROACH: CLIMB TO 3000 THEN CLIMBING RIGHT TURN TO 4000 DIRECT ALP NDB AND HOLD (ADF REQUIRED), ULW VOR OUT OF SERVICE. 1703081234-1710181234EST.

FDC 7/1745 ELM IAP ELMIRA/CORNING RGNL, ELMIRA/CORNING, NY. ILS OR LOC RWY 6, AMDT 5A...MISSED APPROACH: CLIMB TO 2400 THEN CLIMBING LEFT TURN TO 4000 ON HEADING 020 AND ITH VOR/DME R-236 TO WIKKI INT/ITH 19.79 DME AND HOLD, CONTINUE CLIMB-IN-HOLD TO 4000, ULW VOR OUT OF SERVICE. 1703071841-1710171841EST.

ENDICOTT

Tri-Cities

FDC 7/6553 CZG IAP TRI-CITIES, ENDICOTT, NY. RNAV (GPS) RWY 3, ORIG-A...DESCENT ANGLE 3.06/TCH 40 NA. 1701222022-1709032022EST.

FARMINGDALE

Republic

FDC 5/6743 FRG STAR REPUBLIC AIRPORT, FARMINGDALE, NY LENDY ARRIVAL...UNUSABLE BELOW 4000FT 1501261320-PERM.

FORT DRUM

Wheeler-Sack AAF

FDC 7/4618 GTB IAP U.S. DOD WHEELER-SACK AAF, FORT DRUM, NY. RNAV (GPS) RWY 21, AMDT 1A...LNAV MDA 1060/HAT 399 ALL CATS. VDP 1.03 NM TO RW21. TOWER 892 MSL 2433 FT N OF RWY 33. 1704241703-1712041703EST.

FDC 7/4616 GTB IAP U.S. DOD WHEELER-SACK AAF, FORT DRUM, NY. RADAR 2, ORIG-A...ASR RWY 21 MDA 1100/HAT 439 ALL CATS. VIS CATS A/B 3/4. TOWER 892 MSL 2433 FT N OF RWY 33. 1704241657-1712041657EST.

FULTON

Oswego County

FDC 7/6841 FZY IAP OSWEGO COUNTY, FULTON, NY. RNAV (GPS) RWY 15, ORIG-A...LPV DA 783. LNAV/VNAV DA 887. LNAV CATS A/B/C HAT 458. CHART TDZE 462, DELETE THRE 446. CHART NOTE: RWY 15 HELICOPTER VISIBILITY REDUCTION BELOW 1 SM NOT AUTHORIZED. DELETE NOTE: HELICOPTER VISIBILITY REDUCTION BELOW 1 SM NOT AUTHORIZED. THIS IS RNAV (GPS) RWY 15, ORIG-B. 1701232009-PERM.

GLENS FALLS

Floyd Bennett Memorial

FDC 7/6716 GFL IAP FLOYD BENNETT MEMORIAL, GLENS FALLS, NY. RNAV (GPS) RWY 19, AMDT 1A...LNAV CAT C VIS 1 5/8. CIRCLING CAT C MDA 940/HAA 612, CAT D MDA 1420/HAA 1092, VIS CAT C 1 3/4, CAT D 3. CHART CIRCLING ICON. CHART NOTE: CIRCLING NA FOR CAT D NW OF RWY 12 AND 19. CHART NOTE: RWY 19 HELICOPTER VISIBILITY REDUCTION BELOW 3/4 SM NOT AUTHORIZED. CHART NOTE: RWY 12, 30 HELICOPTER VISIBILITY REDUCTION BELOW 1 SM NOT AUTHORIZED. CHART NOTE: CIRCLING RWY 12, 30 NA AT NIGHT. DELETE NOTE: VISIBILITY REDUCTION BY HELICOPTERS NA. DELETE NOTE: NIGHT LANDING: RWY 12, 30 NA. ALTERNATE MINIMUMS STANDARD EXCEPT CAT D 1100-3 AND NA WHEN LOCAL WEATHER NOT AVAILABLE. THIS IS RNAV (GPS) RWY 19, AMDT 1B. 1704061722-PERM.

FDC 7/1253 GFL IAP FLOYD BENNETT MEMORIAL, GLENS FALLS, NY. RNAV (GPS) RWY 30, ORIG-B...DESCENT ANGLE 3.03/TCH 45 NA. 1703071311-1710171311EST.

HAMILTON

Hamilton Muni

FDC 7/9828 VGC IAP HAMILTON MUNI, HAMILTON, NY. VOR-A, AMDT 4A...PROCEDURE NA. 1703012256-1710112256EST.

FDC 7/7626 VGC ODP HAMILTON MUNI, HAMILTON, NY. TAKEOFF MINIMUMS AND (OBSTACLE) DEPARTURE PROCEDURES AMDT 2...TAKEOFF MINIMUMS: RWY 17, 1300-2 1/2 FOR CLIMB IN VISUAL CONDITIONS. RWY 35, 400-1 WITH MINIMUM CLIMB OF 397 FEET PER NM TO 2300 OR 1300-2 1/2 FOR CLIMB IN VISUAL CONDITIONS. DEPARTURE PROCEDURE: RWY 17, CLIMB IN VISUAL CONDITIONS, CROSS HAMILTON MUNICIPAL AIRPORT AT OR ABOVE 2300 BEFORE PROCEEDING ON COURSE. RWY 35, CLIMB HEADING 350 TO 2300 OR FOR CLIMB IN VISUAL CONDITIONS, CROSS HAMILTON MUNICIPAL AIRPORT AT OR ABOVE 2300 BEFORE PROCEEDING ON COURSE. ALL OTHER DATA REMAINS AS PUBLISHED. 1704101319-1711201319EST.

HUDSON

Columbia County

FDC 7/9021 1B1 IAP COLUMBIA COUNTY, HUDSON, NY. RNAV (GPS) RWY 21, ORIG-B...LPV DA NA. LNAV MDA NA. DISREGARD NOTE: HELICOPTER VISIBILITY REDUCTION BELOW 3/4 SM NA. NOTE: RWY 21: HELICOPTER VISIBILITY REDUCTION BELOW 1 SM NOT AUTHORIZED. NOTE: STRAIGHT-IN RWY 21 NA AT NIGHT. 1705022038-1712122038EST.

FDC 7/9019 1B1 IAP COLUMBIA COUNTY, HUDSON, NY. NDB-A, AMDT 4B...RNAV (GPS) RWY 3, ORIG-B...CIRCLING RWY 21 NA AT NIGHT. 1705022038-1712122038EST.

FDC 7/3906 1B1 ODP COLUMBIA COUNTY, HUDSON, NY. TAKEOFF MINIMUMS AND (OBSTACLE) DEPARTURE PROCEDURES AMDT 1...TAKEOFF MINIMUMS: RWY 03 NA - OBSTACLES. ALL OTHER DATA REMAINS AS PUBLISHED. 1703121759-1710221759EST.

LAKE PLACID

Lake Placid

FDC 7/9524 LKP IAP LAKE PLACID, LAKE PLACID, NY. RNAV (GPS)-A, ORIG-B...TERMINAL ROUTE FROM KEMPE TO HEDUX NA. 1705031446-1712131446EST.

LE ROY

Le Roy

FDC 7/5482 5G0 IAP LE ROY, LE ROY, NY. RNAV (GPS) RWY 10, ORIG-B...LNAV CATS A/B MDA 1400/HAT 620. CIRCLING CATS A/B MDA 1440/HAA 660. ANTENNA 1069 MSL 1.19 NM W OF RWY 10 (2016-AEA-7622-OE). 1702162157-1709282157EST.

FDC 7/5480 5G0 IAP LE ROY, LE ROY, NY. VOR-A, AMDT 1B...CIRCLING CATS A/B MDA 1440/HAA 660. ANTENNA 1069 MSL 1.19 NM W OF RWY 10 (2016-AEA-7622-OE). 1702162155-1709282155EST.

FDC 7/5455 5G0 IAP LE ROY, LE ROY, NY. RNAV (GPS) RWY 28, ORIG-B...LP MDA 1240/HAT 462 ALL CATS. CIRCLING MDA 1440/HAA 660 ALL CATS.. 1702162136-1709282136EST.

MALONE

Malone-Dufort

FDC 7/1450 MAL ODP MALONE-DUFORT, MALONE, NY. TAKEOFF MINIMUMS AND (OBSTACLE) DEPARTURE PROCEDURES AMDT 2...TAKEOFF MINIMUMS: RWY 14, NA. ALL OTHER DATA REMAINS AS PUBLISHED. 1704171811-1711271811EST.

FDC 6/4146 MAL IAP MALONE-DUFORT, MALONE, NY. RNAV (GPS) RWY 23, ORIG-A...CIRCLING CAT A MDA 1640/HAA 670, CAT B/C MDA 1480/HAA 690. 1612202205-1708012205EST.

MIDDLETOWN

Randall

FDC 7/3813 06N IAP RANDALL, MIDDLETOWN, NY. VOR RWY 8, AMDT 7...S-8 HAT CAT A 1199. ZETIN FIX MINIMUMS: S-8 HAT CAT A 1037. CHART TDZE 523, DELETE THRE 501. CHART NOTE: RWY 8, 26 HELICOPTER VISIBILITY REDUCTION BELOW 1 SM NOT AUTHORIZED. DELETE NOTE: VISIBILITY REDUCTION BY HELICOPTERS NA. THIS IS VOR RWY 8, AMDT 7A. 1703121504-PERM.

FDC 7/3812 06N IAP RANDALL, MIDDLETOWN, NY. RNAV (GPS) RWY 8, AMDT 1...LNAV HAT CAT A 617. CHART TDZE 523, DELETE THRE 501. CHART NOTE: RWY 8, 26 HELICOPTER VISIBILITY REDUCTION BELOW 1 SM NOT AUTHORIZED. DELETE NOTE: VISIBILITY REDUCTION BY HELICOPTERS NA. THIS IS RNAV (GPS) RWY 8, AMDT 1A. 1703121504-PERM.

FDC 7/3811 06N IAP RANDALL, MIDDLETOWN, NY. RNAV (GPS) RWY 26, AMDT 1...LP HAT CAT A 497. LNAV HAT CAT A 537. CHART TDZE 523, DELETE THRE 521. CHART NOTE: RWY 8, 26 HELICOPTER VISIBILITY REDUCTION BELOW 1 SM NOT AUTHORIZED. DELETE NOTE: VISIBILITY REDUCTION BY HELICOPTERS NA. THIS IS RNAV (GPS) RWY 26, AMDT 1A. 1703121504-PERM.

MILLBROOK

Sky Acres

FDC 7/1489 44N IAP SKY ACRES, MILLBROOK, NY. RNAV (GPS) RWY 17, AMDT 2...LP HAT CATS A/B 546 LNAV HAT CATS A/B 666. CHART TDZE 694, DELETE THRE 646. CHART NOTE: RWY 17 HELICOPTER VISIBILITY REDUCTION BELOW 3/4 SM NOT AUTHORIZED. DELETE NOTE: VISIBILITY REDUCTION BY HELICOPTERS NA. THIS IS RNAV (GPS) RWY 17, AMDT 2A. 1702062112-PERM.

MONTGOMERY

Orange County

FDC 7/3986 MGJ ODP ORANGE COUNTY, MONTGOMERY, NY. TAKEOFF MINIMUMS AND (OBSTACLE) DEPARTURE PROCEDURES AMDT 2...TAKEOFF MINIMUMS: RWY 8, 300-1 OR STANDARD WITH MINIMUM CLIMB OF 260 FT PER NM TO 600. RWY 21, 500-2 OR STANDARD WITH MINIMUM CLIMB OF 225 FT PER NM TO 800. RWY 26, 500-3 OR STANDARD WITH MINIMUM CLIMB OF 370 FT PER NM TO 900. ALL OTHER DATA REMAINS AS PUBLISHED. 1701122304-1708242303EST.

FDC 7/2255 MGJ IAP ORANGE COUNTY, MONTGOMERY, NY. RNAV (GPS) RWY 26, AMDT 1B...DESCENT ANGLE 3.04/TCH 40 NA. 1702072359-1709192359EST.

FDC 6/6487 MGJ IAP ORANGE COUNTY, MONTGOMERY, NY. VOR RWY 8, AMDT 9...NOTE: NIGHT LANDING: RWY 21, 26 NA. HELICOPTER VISIBILITY REDUCTION BELOW 1 SM NOT AUTHORIZED. PROCEDURE NA AT NIGHT. WHEN LOCAL ALTIMETER SETTING NOT RECEIVED, USE POUGHKEEPSIE ALTIMETER SETTING AND INCREASE ALL MDA 80 FEET, INCREASE S-8 AND CIRCLING CAT A VIS 1/4 MILE AND S-8 DME MINIMUMS VIS CAT C AND CIRCLING CATS A, C, AND D 1/4 MILE. PROFILE NOTE: VGSI AND DESCENT ANGLE NOT COINCIDENT (VGSI ANGLE 3.50/TCH 49). ALTERNATE MINIMUMS: CAT A/B 900-2, CAT C 900-2 1/2, CAT D 2 3/4. 1612052135-1707172132EST.

NEW YORK

Downtown Manhattan/Wall St

FDC 7/8532 JRB ODP DOWNTOWN MANHATTAN/WALL ST, NEW YORK, NY. TAKEOFF MINIMUMS AND (OBSTACLE) DEPARTURE PROCEDURES ORIG...PROCEDURE NA. 1704112006-1711212006EST.

FDC 7/4478 JRB SPECIAL DOWNTOWN MANHATTAN/WALL ST, NEW YORK, NY. COPTER RNAV (GPS) 024, ORIG...PROCEDURE NA. 1702142154-1709262154EST.

East 34th Street

FDC 7/8531 6N5 ODP EAST 34TH STREET, NEW YORK, NY. TAKEOFF MINIMUMS AND (OBSTACLE) DEPARTURE PROCEDURES ORIG...PROCEDURE NA. 1704112002-1711212002EST.

John F Kennedy Intl

FDC 7/8156 JFK IAP JOHN F KENNEDY INTL, NEW YORK, NY. VOR/DME RWY 22L, AMDT 4D...S-22L VIS CATS A/B RVR 4000. NOTE: HELICOPTER VISIBILITY REDUCTION BELOW RVR 4000 NOT AUTHORIZED. NOTE: FOR INOPERATIVE ALSF-2, INCREASE S-22L CAT A/B VISIBILITY TO RVR 5000. MSA FROM JFK VOR/DME 270 TO 360 MINIMUM ALTITUDE 2900. 1704111327-1711211327EST.

FDC 7/7848 JFK IAP JOHN F KENNEDY INTL, NEW YORK, NY. VOR RWY 4L, AMDT 1...DME OR RADAR REQUIRED EXCEPT FOR AIRCRAFT EQUIPPED WITH SUITABLE RNAV SYSTEM WITH GPS, CRI R-153 UNUSABLE. 1705011218-1712111218EST.

FDC 7/7846 JFK IAP JOHN F KENNEDY INTL, NEW YORK, NY. VOR RWY 4R, ORIG...DME REQUIRED EXCEPT FOR AIRCRAFT EQUIPPED WITH SUITABLE RNAV SYSTEM WITH GPS, CRI R-140 UNUSABLE. 1705011216-1712111216EST.

FDC 7/7549 JFK VFP JOHN F KENNEDY INTL, NEW YORK, NY. BELMONT VISUAL RWY 22L, ORIG...PROCEDURE NA EXCEPT FOR AIRCRAFT EQUIPPED WITH SUITABLE RNAV SYSTEM WITH GPS, CRI R-068 UNUSABLE. 1704101227-1711201227EST.

FDC 7/4025 JFK IAP JOHN F KENNEDY INTL, NEW YORK, NY. VOR OR GPS RWY 13L/R, AMDT 18D...VOR PORTION RADAR REQUIRED FOR PROCEDURE ENTRY. 1701122338-1708242338EST.

FDC 7/3980 JFK IAP JOHN F KENNEDY INTL, NEW YORK, NY. ILS OR LOC RWY 31R, AMDT 16...MISSED APPROACH: CLIMB TO 1800 THEN CLIMBING LEFT TURN TO 4000 ON LGA VOR/DME R-207 TO MOVFA INT/LGA 34.31 DME AND HOLD, COL VOR OUT OF SERVICE. 1703121951-1710221951EST.

FDC 7/3058 JFK IAP JOHN F KENNEDY INTL, NEW YORK, NY. ILS OR LOC RWY 13L, AMDT 18...ILS RWY 13L (CAT II), AMDT 18...NOTE: CROSS BUZON (IAF) AT 2900 FEET. CHANGE PLANVIEW NOTE TO READ: RADAR REQUIRED. 1704201332-1711301332EST.

FDC 7/0286 JFK SID JOHN F KENNEDY INTL, NEW YORK, NY. KENNEDY THREE DEPARTURE...DEPARTURE ROUTE DESCRIPTION, TAKEOFF RUNWAYS 31L/31R: BRIDGE CLIMB NA. ALL OTHER DATA REMAINS AS PUBLISHED. 1703260018-1711050018EST.

FDC 7/0282 JFK SID JOHN F KENNEDY INTL, NEW YORK, NY. BETTE FOUR DEPARTURE...GREKI FOUR DEPARTURE...HAPIE FOUR DEPARTURE...MERIT FOUR DEPARTURE...PROCEDURE NA. 1703260014-1711050014EST.

FDC 5/6744 JFK STAR KENNEDY INTERNATIONAL, JAMAICA, NY LENDY ARRIVAL...UNUSABLE BELOW 4000FT 1501261320-PERM.

Laguardia

FDC 7/9709 LGA IAP LAGUARDIA, NEW YORK, NY. RNAV (RNP) Z RWY 4, AMDT 1...PROCEDURE NA. 1703011957-1710111957EST.

FDC 7/9682 LGA IAP LAGUARDIA, NEW YORK, NY. LDA-A, AMDT 2D...CIRCLING CAT A/B MDA 760/HAA 736. MISSED APPROACH: CLIMB TO 3000 VIA LGA VOR/DME R-225 TO PROUD INT AND HOLD. 1703011943-1710111943EST.

FDC 7/9617 LGA VFP LAGUARDIA, NEW YORK, NY. RNAV VISUAL RWY 31 PROCEDURE NA. 1705031600-1706220400.

FDC 7/9616 LGA VFP LAGUARDIA, NEW YORK, NY. VISUAL RNV-F RWY 31 PROCEDURE NA. 1705031600-1706220400.

FDC 7/7844 LGA IAP LAGUARDIA, NEW YORK, NY. LOC RWY 31, AMDT 3B...DME OR RADAR REQUIRED EXCEPT FOR AIRCRAFT EQUIPPED WITH SUITABLE RNAV SYSTEM WITH GPS, CRI R-052 AND CRI R-077 UNUSABLE. 1705011212-1712111212EST.

FDC 7/7310 LGA IAP LAGUARDIA, NEW YORK, NY. VOR RWY 4, AMDT 3C...ALTERNATE MINIMUMS NA, COL VOR/DME UNMONITORED. 1704281751-1705261751EST.

FDC 7/5373 LGA IAP LAGUARDIA, NEW YORK, NY. COPTER RNAV (GPS) 250, ORIG-A...H-250 MDA 500/HAS 371. SURFACE ELEVATION 129. FAS OBST: 232 ANTENNA 405112N/0734258W. MSA FROM WITKN 25 NM: 2900. MISSED APPROACH: CLIMBING LEFT TURN TO 1240 HEADING 070, THEN CLIMB TO 2000 DIRECT ZALAT AND HOLD. 1703151352-1708181351EST.

FDC 7/1041 LGA IAP LAGUARDIA, NEW YORK, NY. ILS OR LOC RWY 22, AMDT 20E...LOC RWY 31, AMDT 3B...RNAV (GPS) RWY 31, AMDT 1D...RNAV (GPS) Y RWY 22, AMDT 2B...RNAV (GPS) Y RWY 4, AMDT 3A...RNAV (GPS)-B, ORIG-A...VOR RWY 4, AMDT 3C...VOR/DME-H, AMDT 3B...CIRCLING CATS A/B MDA 700/HAA 679. BUILDING 387 MSL 4987 FT S OF RWY 31 (2016-AEA-6284/6285/6286-OE). 1701051334-1708171334EST.

FDC 6/5477 LGA IAP LAGUARDIA, NEW YORK, NY. ILS OR LOC RWY 4, AMDT 36D...CIRCLING CATS A/B MDA 700/HAA 679. WARIN FIX MINIMUMS (DUAL VOR RECEIVERS OR DME REQUIRED) CIRCLING CATS A/B MDA 700/HAA 679. BUILDING 387 MSL 4987 FT S OF RWY 31 (2016-AEA-6284/6285/6286-OE). 1612011940-1707131940EST.

FDC 6/5476 LGA IAP LAGUARDIA, NEW YORK, NY. ILS OR LOC RWY 13, AMDT 1C...COROR FIX MINIMUMS CIRCLING CATS A/B MDA 700/HAA 679. BUILDING 387 MSL 4987 FT S OF RWY 31 (2016-AEA-6284/6285/6286-OE). 1612011940-1707131940EST.

FDC 6/1546 LGA IAP LAGUARDIA, NEW YORK, NY. LOC RWY 31, AMDT 3B...NOTE: HELICOPTER VISIBILITY REDUCTION BELOW 3/4 SM NA. DISREGARD NOTES: WHEN VGSI INOP, STRAIGHT-IN/CIRCLING RWY 31 PROCEDURE NA AT NIGHT. HELICOPTER VISIBILITY REDUCTION BELOW 1 SM NA. 1611202059-1707022059EST.

Stewart Intl

FDC 7/8773 SWF IAP STEWART INTL, NEW YORK, NY. RNAV (GPS) RWY 16, AMDT 1B...DISREGARD NOTE: RWY 16 STRAIGHT-IN AND CIRCLING MINIMUMS NA AT NIGHT. CHANGE HELICOPTER NOTE TO READ: HELICOPTER VISIBILITY REDUCTION BELOW 3/4SM NOT AUTHORIZED. VISUAL DESCENT ANGLE 3.07/40 NOT AUTHORIZED. VDP AT 1.97 MILES TO RW16. 1701291538-1709101538EST.

FDC 7/2515 SWF IAP STEWART INTL, NEW YORK, NY. RNAV (GPS) RWY 16, AMDT 1B...CHANGE NOTE: PROCEDURE NA FOR ARRIVALS AT TRESA ON V205 EASTBOUND AND V433 SOUTHEAST BOUND TO READ PROCEDURE NA FOR ARRIVALS AT TRESA ON V433 SOUTHEAST BOUND. DISREGARD NOTE: PROCEDURE NA FOR ARRIVALS AT RUBER ON V58-93 WESTBOUND. 1703292023-1711082023EST.

West 30th St

FDC 7/8513 JRA ODP WEST 30TH ST, NEW YORK, NY. TAKEOFF MINIMUMS AND (OBSTACLE) DEPARTURE PROCEDURES ORIG...PROCEDURE NA. 1704111915-1711211914EST.

NIAGARA FALLS

Niagara Falls Intl

FDC 7/3777 IAG IAP NIAGARA FALLS INTL, NIAGARA FALLS, NY. RNAV (GPS) Y RWY 24, ORIG...CHART TDZE 592, DELETE THRE 592. CHART NOTE: RWY 6, 10R, 24, 28L HELICOPTER VISIBILITY REDUCTION BELOW 1 SM NOT AUTHORIZED. CHART NOTE: STRAIGHT-IN RWY 24 NA AT NIGHT, CIRCLING RWY 6, 10R, 24, 28L NA AT NIGHT. DELETE NOTE: RWY 24 STRAIGHT-IN AND CIRCLING AND CIRCLING TO RWY 10R/6 NA AT NIGHT. DELETE NOTE: HELICOPTER VISIBILITY REDUCTION BELOW 1 SM NOT AUTHORIZED. THIS IS RNAV (GPS) Y RWY 24, ORIG-A. 1703121336-PERM.

FDC 7/3776 IAG IAP NIAGARA FALLS INTL, NIAGARA FALLS, NY. RNAV (GPS) RWY 6, ORIG...LPV DA 864. LNAV/VNAV DA 849. LNAV HAT 354 ALL CATS. CHART TDZE 586, DELETE THRE 584. CHART NOTE: RWY 6, 10R, 24, 28L HELICOPTER VISIBILITY REDUCTION BELOW 1 SM NOT AUTHORIZED. CHART NOTE: STRAIGHT-IN RWY 6 NA AT NIGHT, CIRCLING RWY 6, 10R, 24, 28L NA AT NIGHT. DELETE NOTE: RWY 6 STRAIGHT-IN AND CIRCLING AND CIRCLING TO RWY 10R/24 NA AT NIGHT. DELETE NOTE: HELICOPTER VISIBILITY REDUCTION BELOW 1 SM NOT AUTHORIZED. THIS IS RNAV (GPS) RWY 6, ORIG-A. 1703121336-PERM.

FDC 7/3775 IAG IAP NIAGARA FALLS INTL, NIAGARA FALLS, NY. RNAV (GPS) RWY 10L, ORIG...LP HAT 391 ALL CATS. LNAV HAT 451 ALL CATS. CHART TDZE 589, DELETE THRE 588. CHART NOTE: RWY 10L HELICOPTER VISIBILITY REDUCTION BELOW 3/4 SM NOT AUTHORIZED. CHART NOTE: RWY 6, 10R, 24, 28L HELICOPTER VISIBILITY REDUCTION BELOW 1 SM NOT AUTHORIZED. CHART NOTE: CIRCLING RWY 6, 10R, 24, 28L NA AT NIGHT. DELETE NOTE: CIRCLING TO RWY 6, 10R, 24 NA AT NIGHT. DELETE NOTE: HELICOPTER VISIBILITY REDUCTION BELOW 3/4 SM NOT AUTHORIZED. THIS IS RNAV (GPS) RWY 10L, ORIG-A. 1703121336-PERM.

FDC 7/3774 IAG IAP NIAGARA FALLS INTL, NIAGARA FALLS, NY. TACAN RWY 28R, ORIG...CHART TDZE 588, DELETE THRE 588. CHART NOTE: RWY 28R HELICOPTER VISIBILITY REDUCTION BELOW 3/4 SM NOT AUTHORIZED. CHART NOTE: RWY 6, 10R, 24, 28L HELICOPTER VISIBILITY REDUCTION BELOW 1 SM NOT AUTHORIZED. CHART NOTE: CIRCLING RWY 6, 10R, 24, 28L NA AT NIGHT. DELETE NOTE: CIRCLING TO RWY 6/24/10R/28L NA AT NIGHT. DELETE NOTE: HELICOPTER VISIBILITY REDUCTION BELOW 3/4 SM NOT AUTHORIZED. CHART PROFILE NOTE: VGSI AND DESCENT ANGLES NOT COINCIDENT (VGSI ANGLE {2.50}/TCH {67}). THIS IS TACAN RWY 28R, ORIG-A. 1703121336-PERM.

FDC 7/3773 IAG IAP NIAGARA FALLS INTL, NIAGARA FALLS, NY. RNAV (GPS) RWY 28R, ORIG...CHART TDZE 588, DELETE THRE 588. CHART PROFILE NOTE: VGSI AND RNAV GLIDEPATH NOT COINCIDENT (VGSI ANGLE {2.50}/TCH {67}). CHART NOTE: RWY 28R HELICOPTER VISIBILITY REDUCTION BELOW 3/4 SM NOT AUTHORIZED. CHART NOTE: RWY 6, 10R, 24, 28L HELICOPTER VISIBILITY REDUCTION BELOW 1 SM NOT AUTHORIZED. CHART NOTE: CIRCLING RWY 6, 10R, 24, 28L NA AT NIGHT. DELETE NOTE: CIRCLING TO RWY 6/24/10R/28L NA AT NIGHT. THIS IS RNAV (GPS) RWY 28R, ORIG-A. 1703121336-PERM.

FDC 7/3772 IAG IAP NIAGARA FALLS INTL, NIAGARA FALLS, NY. NDB RWY 28R, AMDT 17...CHART TDZE 588, DELETE THRE 588. CHART NOTE: RWY 28R HELICOPTER VISIBILITY REDUCTION BELOW 3/4 SM NOT AUTHORIZED. CHART NOTE: RWY 6, 10R, 24, 28L HELICOPTER VISIBILITY REDUCTION BELOW 1 SM NOT AUTHORIZED. CHART NOTE: CIRCLING RWY 6, 10R, 24, 28L NA AT NIGHT. DELETE NOTE: CIRCLING TO RWY 6/24/10R/28L NA AT NIGHT. CHART PROFILE NOTE: VGSI AND DESCENT ANGLES NOT COINCIDENT (VGSI ANGLE {2.50}/TCH {67}). THIS IS NDB RWY 28R, AMDT 17A. 1703121336-PERM.

FDC 7/3771 IAG IAP NIAGARA FALLS INTL, NIAGARA FALLS, NY. ILS Z OR LOC/DME RWY 28R, AMDT 4...CHART TDZE 588, DELETE THRE 588. CHART NOTE: DME REQUIRED. CHART NOTE: RWY 28R HELICOPTER VISIBILITY REDUCTION BELOW 3/4 SM NOT AUTHORIZED. CHART NOTE: RWY 6, 10R, 24, 28L HELICOPTER VISIBILITY REDUCTION BELOW 1 SM NOT AUTHORIZED. CHART NOTE: CIRCLING RWY 6, 10R, 24, 28L NA AT NIGHT. DELETE NOTE: CIRCLING TO RWY 6/24/10R/28L NA AT NIGHT. DELETE NOTE: HELICOPTER VISIBILITY REDUCTION BELOW 3/4 NOT AUTHORIZED. THIS IS ILS Z OR LOC Z RWY 28R, AMDT 4A 1703121336-PERM.

FDC 7/3770 IAG IAP NIAGARA FALLS INTL, NIAGARA FALLS, NY. ILS Y OR LOC RWY 28R, AMDT 23...CHART TDZE 588, DELETE THRE 588. CHART NOTE: RWY 28R HELICOPTER VISIBILITY REDUCTION BELOW 3/4 SM NOT AUTHORIZED. CHART NOTE: RWY 6, 10R, 24, 28L HELICOPTER VISIBILITY REDUCTION BELOW 1 SM NOT AUTHORIZED. CHART NOTE: CIRCLING RWY 6, 10R, 24, 28L NA AT NIGHT. DELETE NOTE: CIRCLING TO RWY 6/24/10R/28L NA AT NIGHT. DELETE NOTE: HELICOPTER VISIBILITY REDUCTION BELOW 3/4 SM NOT AUTHORIZED. THIS IS ILS Y OR LOC Y RWY 28R, AMDT 23A. 1703121336-PERM.

FDC 7/1198 IAG IAP NIAGARA FALLS INTL, NIAGARA FALLS, NY. RNAV (GPS) Z RWY 24, ORIG...CHART TDZE 592, DELETE THRE 592. CHART NOTE: RWY 6, 10R, 24, 28L HELICOPTER VISIBILITY REDUCTION BELOW 1 SM NOT AUTHORIZED. CHART NOTE: STRAIGHT-IN RWY 24 NA AT NIGHT, CIRCLING RWY 6, 10R, 24, 28L NA AT NIGHT. DELETE NOTE: RWY 24 STRAIGHT-IN AND CIRCLING AND CIRCLING TO RWY 10R/6 NA AT NIGHT. DELETE NOTE: HELICOPTER VISIBILITY REDUCTION BELOW 1 SM NOT AUTHORIZED. THIS IS RNAV (GPS) Z RWY 24, ORIG-A. 1704171454-PERM.

OGDENSBURG

Ogdensburg Intl

FDC 7/3574 OGS IAP OGDENSBURG INTL, OGDENSBURG, NY. RNAV (GPS) RWY 9, ORIG...LPV DA 542. LNAV/VNAV DA 767. LNAV MDA 740/HAT 448 ALL CATS, VIS CAT C/D 1 3/8. CIRCLING HAA CAT A 458, CAT B/C/D 698. CHART IN PLANVIEW: BROCKVILLE RGNL TACKABERRY APT. CHART IN PROFILE: BROCKVILLE RGNL TACKABERRY APT. DELETE NOTE: WHEN VGSI INOP, STRAIGHT-IN/CIRCLING RWY 09 PROCEDURE NA AT NIGHT. CHANGE HELICOPTER NOTE TO READ: RWY 9 HELICOPTER VISIBILITY REDUCTION BELOW 3/4 SM NOT AUTHORIZED. CHANGE LOCAL ALTIMETER SETTING NOTE TO READ: WHEN LOCAL ALTIMETER SETTING NOT RECEIVED, USE MASSENA ALTIMETER SETTING: INCREASE LPV DA TO 623 FEET, LNAV/VNAV DA TO 848 FEET AND ALL VISIBILITIES 3/8 SM; INCREASE ALL MDAS 100 FEET AND LNAV/CIRCLING CAT C/D VISIBILITY 1/4 SM. CHART CIRCLING ICON. CHART FAS OBST: 481 ANT 444100N/0753037W. CHART TDZE 292 DELETE THRE 286. APT ELEV 302. THIS IS RNAV (GPS) RWY 9, ORIG-A. 1701112008-PERM.

FDC 7/3187 OGS IAP OGDENSBURG INTL, OGDENSBURG, NY. RNAV (GPS) RWY 9, ORIG...TERMINAL ROUTE WILRD TO CUKPI (IAF) MINIMUM ALTITUDE 3000. TERMINAL ROUTE CUKPI (IAF) TO YUSUB (IF/IAF) (NO PT) MINIMUM ALTITUDE 3000. TERMINAL ROUTE HOKVU (IAF) TO YUSUB (IF/IAF) (NO PT) MINIMUM ALTITUDE 3000. HOLD-IN-LIEU MINIMUM ALTITUDE 3000. 1703091848-1710191848EST.

PENN YAN

Penn Yan

FDC 7/7132 PEO IAP PENN YAN, PENN YAN, NY. RNAV (GPS) RWY 1, AMDT 3B...LPV NA. LNAV MDA 1960/HAT 970 ALL CATS, VIS CAT A 1 1/4, CAT B 1 1/2, CATS C/D 3. CIRCLING MDA 1960/HAA 970 ALL CATS. VIS CAT A 1 1/4, CAT B 1 1/2, CATS C/D 3. 1703202254-1710302254EST.

FDC 7/3593 PEO ODP PENN YAN, PENN YAN, NY. TAKEOFF MINIMUMS AND (OBSTACLE) DEPARTURE PROCEDURES AMDT 4...TEXTUAL DEPARTURE PROCEDURE. TAKE-OFF MINIMUMS RWY 19 STANDARD WITH MINIMUM CLIMB OF 275 FT PER NM TO 2000 OR 1100-2 1/2 FOR CLIMB IN VISUAL CONDITIONS.. TAKE-OFF MINIMUMS RWY 28 STANDARD WITH MINIMUM CLIMB OF 360 FT PER NM TO 1900 OR 1100-2 1/2 FOR CLIMB IN VISUAL CONDITIONS.. ALL OTHER DATA REMAINS AS PUBLISHED. 1703102230-1710202230EST.

PISECO

Piseco

FDC 7/9865 K09 IAP PISECO, PISECO, NY. RNAV (GPS) RWY 4, ORIG-A...DELETE: DESCENT ANGLE 3.00/TCH 40. PROFILE NOTE: VISUAL SEGMENT - OBSTACLES. 1704131533-1711231533EST.

PLATTSBURGH

Plattsburgh Intl

FDC 7/8052 PBG CHART PLATTSBURGH INTL, PLATTSBURGH, NY. RNAV (GPS) RWY 17, AMDT 1B...CORRECT PLANVIEW: CHANGE PROCEDURE HOLDING PATTERN LENGTH AT OTGOE WPT TO READ 4NM INSTEAD OF 6NM. CHANGE MAP HOLDING PATTERN LENGTH AT CAPNU WPT TO READ 4NM INSTEAD OF 5NM. CORRECT PROFILE: CHANGE PROCEDURE HOLDING PATTERN LENGTH AT OTGOE WPT TO READ 4NM INSTEAD OF 6NM. 1704111233-PERM.

POUGHKEEPSIE

Hudson Valley Rgnl

FDC 7/4309 POU IAP DUTCHESS COUNTY, POUGHKEEPSIE, NY. ILS OR LOC RWY 6, AMDT 6C...ILS DA 485/HAT 329 ALL CATS. NOTE: RWY 6 HELICOPTER VISIBILITY REDUCTION BELOW 3/4 SM NOT AUTHORIZED. NOTE: RWY 15, 33 HELICOPTER VISIBILITY REDUCTION BELOW 1 SM NOT AUTHORIZED. CHANGE NOTE: NIGHT LANDING: RWY 15, 33 NA TO READ CIRCLING RWY 15, 33 NA AT NIGHT. CHANGE NOTE: CIRCLING TO RWY 7, 25 NA TO READ CIRCLING NA TO RWYS 7 AND 25. DME REQUIRED EXCEPT FOR AIRCRAFT EQUIPPED WITH SUITABLE RNAV SYSTEM WITH GPS. CMK VOR RADIALS 320-330 UNUSABLE. 1704241259-1712041259EST.

ROME

Griffiss Intl

FDC 7/9768 RME IAP GRIFFISS INTL, ROME, NY. VOR/DME RWY 15, AMDT 1...PROCEDURE NA. 1703241354-1711031354EST.

FDC 7/8135 RME IAP GRIFFISS INTL, ROME, NY. RNAV (GPS) RWY 33, AMDT 2...LPV DA 788/HAT 290, VIS 3/4 ALL CATS. CHANGE INOP MALSR NOTE TO READ: FOR INOPERATIVE MALSR, INCREASE LPV ALL CATS VISIBILITY TO 7/8 MILE; INCREASE LNAV/VNAV ALL CATS VISIBILITY TO 1 1/2 MILE; INCREASE LNAV CATS C/D VISIBILITY TO 1 5/8 MILE. CHANGE INOP MALSR NOTE WHEN USING SYRACUSE ALTIMETER SETTING TO READ: FOR INOPERATIVE MALSR WHEN USING SYRACUSE ALTIMETER SETTING, INCREASE LPV ALL CATS VISIBILITY TO 1 1/4 MILE AND INCREASE LNAV/VNAV ALL CATS AND LNAV CATS C/D VISIBILITY TO 1 7/8 MILE. NOTE: HELICOPTER VISIBILITY REDUCTION BELOW 3/4 NOT AUTHORIZED. 1704111311-1711211311EST.

FDC 7/8133 RME IAP GRIFFISS INTL, ROME, NY. ILS OR LOC RWY 33, AMDT 2...S-ILS 33 DA 788/HAT 290, VIS 3/4 ALL CATS. CHANGE INOP MALSR NOTE TO READ: FOR INOPERATIVE MALSR, INCREASE S-ILS 33 ALL CATS VISIBILITY TO 7/8 MILE AND INCREASE S-LOC 33 CATS C/D VISIBILITY TO 1 3/4 MILE. CHANGE INOP MALSR NOTE WHEN USING SYRACUSE ALTIMETER SETTING TO READ: FOR INOPERATIVE MALSR WHEN USING SYRACUSE ALTIMETER SETTING, INCREASE S-ILS 33 ALL CATS VISIBILITY TO 1 1/4 MILE; INCREASE S-LOC 33 CATS C/D VISIBILITY TO 2 MILES. NOTE: HELICOPTER VISIBILITY REDUCTION BELOW 3/4 NOT AUTHORIZED. 1704111309-1711211309EST.

SARATOGA SPRINGS

Saratoga County

FDC 7/9285 5B2 IAP SARATOGA COUNTY, SARATOGA SPRINGS, NY. VOR/DME-A, AMDT 1B...PROCEDURE NA. 1705031251-1712131251EST.

SCHENECTADY

Schenectady County

FDC 7/4622 SCH IAP SCHENECTADY COUNTY, SCHENECTADY, NY. RNAV (GPS) RWY 10, ORIG-D...DESCENT ANGLE 3.00/TCH 50 NA. 1704241722-1712041722EST.

FDC 7/1167 SCH ODP SCHENECTADY COUNTY, SCHENECTADY, NY. TAKEOFF MINIMUMS AND (OBSTACLE) DEPARTURE PROCEDURES AMDT 5...TAKEOFF MINIMUMS: RWY 15,33, NA. RWY 22, STANDARD WITH MINIMUM CLIMB OF 262 FT PER NM TO 1900. RWY 28,1200-2 OR STANDARD WITH MINIMUM CLIMB OF 271 FT PER NM TO 1900. ALL OTHER DATA REMAINS AS PUBLISHED. 1704171417-1711271417EST.

SENECA FALLS

Finger Lakes Rgnl

FDC 7/2063 0G7 IAP FINGER LAKES RGNL, SENECA FALLS, NY. RNAV (GPS) RWY 1, AMDT 3A...DISREGARD NOTE: NIGHT LANDING RWY 1 NA. CHANGE HELICOPTER VISIBILITY REDUCTION NOTE TO READ: HELICOPTER VISIBILITY REDUCTION BELOW 3/4 SM NOT AUTHORIZED:. 1702072118-1709192118EST.

SIDNEY

Sidney Muni

FDC 7/7563 N23 IAP SIDNEY MUNI, SIDNEY, NY. RNAV (GPS) RWY 7, ORIG-C...DELETE: DESCENT ANGLE 3.02/TCH 40 PROFILE NOTE: VISUAL SEGMENT-OBSTACLES.. 1704101233-1711201233EST.

FDC 7/3816 N23 IAP SIDNEY MUNI, SIDNEY, NY.
RNAV (GPS) RWY 25, AMDT 1...LP HAT CATS A/B/C
1053 LNAV CATS A/B/C 1173. CHART TDZE 1027,
DELETE THRE 1022. RWY 7, 25 HELICOPTER
VISIBILITY REDUCTION BELOW 1 SM NOT
AUTHORIZED. CHART NOTE: CIRCLING RWY 7 NA
AT NIGHT. DELETE NOTE: HELICOPTER VISIBILITY
REDUCTION BELOW 1 SM NOT AUTHORIZED.
DELETE NOTE: CIRCLING TO RWY 7 NA AT NIGHT.
THIS IS RNAV (GPS) RWY 25, AMDT 1A.
1703121511-PERM.

FDC 7/3815 N23 IAP SIDNEY MUNI, SIDNEY, NY.
RNAV (GPS) RWY 7, ORIG-C...LNAV HAT CATS A/B/C
1113. CHART NOTE: RWY 7, 25 HELICOPTER
VISIBILITY REDUCTION BELOW 1 SM NOT
AUTHORIZED. CHART TDZE 1027, DELETE THRE
1025. CHART NOTE: STRAIGHT-IN RWY 7 NA AT
NIGHT, CIRCLING RWY 7, 25 NA AT NIGHT. DELETE
NOTE: HELICOPTER VISIBILITY REDUCTION
BELOW 1 SM NOT AUTHORIZED. DELETE NOTE:
RWY 7 STRAIGHT-IN AND CIRCLING MINIMUMS NA
AT NIGHT. THIS IS RNAV (GPS) RWY 7, ORIG-D.
1703121511-PERM.

FDC 7/1763 N23 IAP SIDNEY MUNI, SIDNEY, NY.
RNAV (GPS) RWY 25, AMDT 1...CHANGE
PROCEDURE TURN LEG LENGTH AT ODEBY FROM 4
NM TO 5 NM.. 1703282126-1711072126EST.

SKANEATELES

Skaneateles Aero Drome

FDC 7/2573 6B9 IAP SKANEATELES AERO DROME,
SKANEATELES, NY. VOR OR GPS-A, ORIG-B...VOR
PORTION NA.. 1703292056-1711082056EST.

SOUTH BETHLEHEM

South Albany

FDC 7/9866 4B0 IAP SOUTH ALBANY, SOUTH
BETHLEHEM, NY. RNAV (GPS) RWY 1, ORIG...RNAV
(GPS) RWY 19, ORIG...NOTE: PROCEDURE NA AT
NIGHT. NOTE: HELICOPTER VISIBILITY REDUCTION
BELOW 1 SM NOT AUTHORIZED.
1703241528-1711031528EST.

FDC 7/4592 4B0 IAP SOUTH ALBANY, SOUTH
BETHLEHEM, NY. RNAV (GPS) RWY 19, ORIG...VDA
3.00/TCH 40 NA. 1704241640-1712041640EST.

FDC 7/4541 4B0 IAP SOUTH ALBANY, SOUTH
BETHLEHEM, NY. RNAV (GPS) RWY 1, ORIG...VDA
3.04 / TCH 40 NA. 1704241513-1712041512EST.

STORMVILLE

Stormville

FDC 7/5384 N69 ODP STORMVILLE, STORMVILLE,
NY. TAKEOFF MINIMUMS AND (OBSTACLE)
DEPARTURE PROCEDURES ORIG...PROCEDURE NA..
1701181357-1708301356EST.

FDC 7/5225 N69 IAP STORMVILLE, STORMVILLE,
NY. VOR OR GPS-A, AMDT 4A...PROCEDURE NA..
1701172204-1708292204EST.

SYRACUSE

Syracuse Hancock Intl

FDC 7/8795 SYR ODP SYRACUSE HANCOCK INTL,
SYRACUSE, NY. TAKEOFF MINIMUMS AND
(OBSTACLE) DEPARTURE PROCEDURES AMDT
7.TAKEOFF OBSTACLE NOTES: NOTE: RWY 10, SIGN
BEGINNING 54 FT FROM DER, 219 FT RIGHT OF
CENTERLINE, UP TO 7 FT AGL/404 FT MSL. TREES
BEGINNING 864 FT FROM DER, 619 FT RIGHT OF
CENTERLINE, UP TO 465 FT MSL. TREES BEGINNING
1433 FT FROM DER, 745 FT RIGHT OF CENTERLINE,
UP TO 474 FT MSL. TREES BEGINNING 2396 FT
FROM DER, 730 FT RIGHT OF CENTERLINE, UP TO
487 FT MSL. TREE 2479 FT FROM DER, 803 FT LEFT
OF CENTERLINE, 87 FT AGL/472 FT MSL. TREE 2557
FT FROM DER, 1096 FT RIGHT OF CENTERLINE, 96
FT AGL/497 FT MSL. NOTE: RWY 15, TREE 255 FT
FROM DER, 463 FT RIGHT OF CENTERLINE, 414 FT
MSL. TREE 669 FT FROM DER, 606 FT LEFT OF
CENTERLINE, 466 FT MSL. TREE 743 FT FROM DER,
528 FT RIGHT OF CENTERLINE, 440 FT MSL. TREE
764 FT FROM DER, 646 FT RIGHT OF CENTERLINE,
449 FT MSL. TREES BEGINNING 811 FT FROM DER,
270 FT LEFT OF CENTERLINE, UP TO 469 FT MSL.
TREES BEGINNING 1331 FT FROM DER, 215 FT LEFT
OF CENTERLINE, UP TO 475 FT MSL. TREE 1853 FT
FROM DER, 283 FT RIGHT OF CENTERLINE, 39 FT
AGL/453 FT MSL. TREES BEGINNING 2562 FT FROM
DER, 238 FT RIGHT OF CENTERLINE, UP TO 479 FT
MSL. TREES BEGINNING 2829 FT FROM DER, 61 FT
LEFT OF CENTERLINE, UP TO 487 FT MSL. TREES
BEGINNING 2931 FT FROM DER, 39 FT RIGHT OF
CENTERLINE, UP TO 488 FT ALL OTHER DATA
REMAINS AS PUBLISHED. FDC 7/8795 SYR ODP
SYRACUSE HANCOCK INTL, SYRACUSE, NY. MSL.
TREE 3026 FT FROM DER, 763 FT LEFT OF
CENTERLINE, 504 FT MSL. TREE 3359 FT FROM DER,
109 FT RIGHT OF CENTERLINE, 505 FT MSL. NOTE:
RWY 28, POLE 2456 FT FROM DER, 948 FT RIGHT OF
CENTERLINE, 85 FT AGL/497 FT MSL. NOTE: RWY 33,
TRES BEGINNING 749 FT FROM DER, 222 FT RIGHT
OF CENTERLINE, UP TO 467 FT MSL. TREES
BEGINNING 1650 FT FROM DER, 33 FT LEFT OF
CENTERLINE, UP TO 476 FT MSL. TREE 1712 FT
FROM DER, 845 FT RIGHT OF CENTERLINE, 471 FT
MSL. TREES BEGINNING 1770 FT FROM DER, 293 FT
RIGHT OF CENTERLINE, UP TO 71 FT AGL/476 FT
MSL. TREE 21

FDC 7/5308 SYR IAP SYRACUSE HANCOCK INTL, SYRACUSE, NY. ILS OR LOC RWY 10, AMDT 13A...S-ILS 10 DA **621. S-LOC 10 HAT 419 ALL CATS. TANUE FIX MINIMUMS: S-LOC 10 HAT 359 ALL CATS. CHART TDZE 421, DELETE THRE 419. THIS IS ILS OR LOC RWY 10, AMDT 13B. 1702161843-PERM.

FDC 7/2554 SYR IAP SYRACUSE HANCOCK INTL, SYRACUSE, NY. VOR RWY 15, AMDT 23B...PROCEDURE NA. 1703292049-1711082049EST.

TICONDEROGA

Ticonderoga Muni

FDC 7/0395 4B6 IAP TICONDEROGA MUNI, TICONDEROGA, NY. RNAV (GPS) RWY 20, AMDT 1A...LPV DA NA. 1701032122-1708152122EST.

WATERTOWN

Watertown Intl

FDC 7/2137 ART ODP WATERTOWN INTL, WATERTOWN, NY. TAKEOFF MINIMUMS AND (OBSTACLE) DEPARTURE PROCEDURES AMDT 1...TAKEOFF MINIMUMS: RWY 10, NA - OBSTACLES. ALL OTHER DATA REMAINS AS PUBLISHED. 1702072247-1709192247EST.

FDC 7/2135 ART IAP WATERTOWN INTL, WATERTOWN, NY. RNAV (GPS) RWY 28, ORIG-A...LNAV MINIMUMS NA. LP MINIMUMS NA. 1702072245-1709192245EST.

WHITE PLAINS

Westchester County

FDC 7/4475 HPN IAP WESTCHESTER COUNTY, WHITE PLAINS, NY. RNAV (GPS) Y RWY 34, AMDT 3B...LPV DA 730/HAT 328 ALL CATS. 1701141906-1708261906EST.

FDC 7/4473 HPN IAP WESTCHESTER COUNTY, WHITE PLAINS, NY. RNAV (RNP) Z RWY 16, ORIG-B...RNAV (RNP) Z RWY 16, ORIG-B...RNP 0.15 DA 810/HAT 371 ALL CATS. RNP 0.30 DA 950/HAT 511 ALL CATS.. CHANGE NOTE: FOR INOPERATIVE MALSR INCREASE RNP 0.15 ALL CATS VISIBILITY TO 1 1/4, AND RNP 0.30 ALL CATS VISIBILITY TO 1 3/4. 1701141905-1708261904EST.

FDC 7/4471 HPN IAP WESTCHESTER COUNTY, WHITE PLAINS, NY. RNAV (RNP) Z RWY 34, ORIG-B...RNP 0.30 DA 788/HAT 386, VIS 1 1/4 ALL CATS. 1701141903-1708261903EST.

WURTSBORO

Wurtsboro-Sullivan County

FDC 7/9420 N82 IAP WURTSBORO-SULLIVAN COUNTY, WURTSBORO, NY. VOR/DME OR GPS RWY 5, ORIG...VOR/DME PORTION NA EXCEPT FOR AIRCRAFT EQUIPPED WITH SUITABLE RNAV SYSTEM WITH GPS. 1701312011-1709122009EST.

FDC 7/0165 N82 IAP WURTSBORO-SULLIVAN COUNTY, WURTSBORO, NY. VOR/DME OR GPS RWY 5, ORIG...AIRPORT ELEV: 548 TDZE: 548 S-5 HAT 1332 ALL CATS. CIRCLING CAT A HAA 1332, CAT B MDA 1900/HAA 1352. CIRCLING CAT C NA. NOTE: HELICOPTER VISIBILITY REDUCTION BELOW 1 SM NOT AUTHORIZED. UPDATE PLANVIEW NOTE TO READ: NOPT FOR ARRIVALS ON HUO VOR/DME AIRWAY RADIALS 145 CW 235. 1703250137-1711040137EST.

FDC 7/0163 N82 ODP WURTSBORO-SULLIVAN COUNTY, WURTSBORO, NY. TAKEOFF MINIMUMS AND (OBSTACLE) DEPARTURE PROCEDURES AMDT 1.NOTE: RWY 23, GRD 31 FT FROM DER, 187 FT RIGHT OF CENTERLINE, 549 FT MSL. TREES AND POLE BEGINNING 80 FT FROM DER, 20 FT LEFT OF CENTERLINE, UP TO 650 FT MSL. TREE 125 FT FROM DER, 87 FT RIGHT OF CENTERLINE, 567 FT MSL. TREE 160 FT FROM DER, 210 FT RIGHT OF CENTERLINE, 576 FT MSL. TREES BEGINNING 169 FT FROM DER, 352 FT RIGHT OF CENTERLINE, UP TO 641 FT MSL. BLDG, TREES, AND POLES BEGINNING 224 FT FROM DER, 580 FT RIGHT OF CENTERLINE, UP TO 51 FT AGL/648 FT MSL. TREES BEGINNING 2526 FT FROM DER, 583 FT RIGHT OF CENTERLINE, UP TO 662 FT MSL. TREES BEGINNING 3392 FT FROM DER, 490 FT RIGHT OF CENTERLINE, UP TO 664 FT MSL. TREES BEGINNING 3589 FT FROM DER, 451 FT RIGHT OF CENTERLINE, UP TO 669 FT MSL. TREES BEGINNING 3755 FT FROM DER, 1192 FT RIGHT OF CENTERLINE, UP TO 680 FT MSL. TREE 3938 FT FROM DER, 1364 FT RIGHT OF CENTERLINE, 686 FT MSL. TREES BEGINNING 3951 FT FROM DER, 1215 FT RIGHT OF CENTERLINE, UP TO 689 FT MSL. TREES BEGINNING 4510 FT FROM DER, 1473 FT RIGHT OF CENTERLINE, UP TO 693 FT MSL. TREES BEGINNING 4795 FT FROM DER, 1371 FT RIGHT OF CENTERLINE, UP TO 709 FT MSL. TREES BEGINNING 5206 FT FROM DER, 1732 FT RIGHT OF CENTERLINE, UP TO 713 FT MSL. TREES BEGINNING 5404 FT FROM DER, 1811 FT RIGHT OF CENTERLINE, UP TO 726 FT MSL. TREES BEGINNING 5745 FT FROM DER, 1749 FT RIGHT OF CENTERLINE, UP TO 757 FT MSL. TREES BEGINNING 1 NM FROM DER, 1818 FT RIGHT OF CENTERLINE, UP TO 784 FT MSL. TREES BEGINNING 1.5 NM FROM DER, 2627 FT RIGHT OF CENTERLINE, UP TO 820 FT MSL. TREES BEGINNING 1.7 NM FROM DER, 2918 FT RIGHT OF CENTERLINE, UP TO 900 FT MSL. TREES BEGINNING 2 NM FROM DER, 3807 FT LEFT OF CENTERLINE, UP TO 891 FT MSL. TREES BEGINNING 3951 FT FROM DER, 1215 FT RIGHT OF CENTERLINE, UP TO 689 FT MSL. TREES BEGINNING 4510 FT FROM DER, 1473 FT RIGHT OF CENTERLINE, UP TO 693 FT MSL. TREES BEGINNING 4795 FT FROM DER, 1371 FT RIGHT OF CE

NORTH CAROLINA

AHOSKIE

Tri-County

FDC 7/5095 ASJ IAP TRI-COUNTY, AHOSKIE, NC. VOR/DME-A, AMDT 6...ALTERNATE MINIMUMS NA, CVI VORTAC UNMONITORED. 1704251456-1705251456EST.

ALBEMARLE

Stanly County

FDC 7/9489 VUJ SID STANLY COUNTY, ALBEMARLE, NC. BOBCAT SEVEN DEPARTURE...ZAVR TRANSITION NA EXCEPT FOR AIRCRAFT EQUIPPED WITH SUITABLE RNAV SYSTEM WITH GPS. CLT VOR/DME RADIALS R-270 TO R-280 UNUSABLE. 1703011646-1710111646EST.

FDC 7/4277 VUJ SID STANLY COUNTY, ALBEMARLE, NC. BEAVY THREE DEPARTURE (RNAV)...GANDT TRANSITION: CHANGE COMPUTER CODE TO (BEAVY3.GANDT). JENDO TRANSITION: CHANGE COMPUTER CODE TO (BEAVY3.JENDO). ALL OTHER DATA REMAINS AS PUBLISHED. 1703131530-1707181530EST.

FDC 7/3548 VUJ IAP STANLY COUNTY, ALBEMARLE, NC. ILS OR LOC RWY 22L, AMDT 1A...S-ILS 22L DA 900/HAT 316, VIS 1 1/8 ALL CATS. DISREGARD NOTE: CIRCLING TO RWY 4L/22R NA AT NIGHT. NOTE: NIGHT LANDING: RWY 4L, 22R NA. CHANGE ALTERNATE ALTIMETER SETTING NOTE TO READ: WHEN LOCAL ALTIMETER SETTING NOT RECEIVED, USE ASHBORO ALTIMETER SETTING AND INCREASE S-ILS 22L DA TO 953 AND ALL MDA 60 FEET; INCREASE S-ILS 22L ALL CATS VISIBILITY 1/8 MILE, S-LOC 22L AND CIRCLING CATS C AND D VISIBILITY 1/4 MILE. 1702112023-1709232023EST.

FDC 7/2263 VUJ SID STANLY COUNTY, ALBEMARLE, NC. BOBCAT SEVEN DEPARTURE...HORNET EIGHT DEPARTURE...PANTHER THREE DEPARTURE...NOTE: UPON REACHING 10000 MSL, ACCELERATE TO AND MAINTAIN 280 KIAS, IF UNABLE ADVISE ATC. DISREGARD NOTE: ACCELERATE TO 250K, IF UNABLE, ADVISE ATC. DISREGARD NOTE: DO NOT EXCEED 280K UNTIL ADVISED BY ATC. ALL OTHER DATA REMAINS AS PUBLISHED. 1703291437-1711081437EST.

FDC 7/2262 VUJ SID STANLY COUNTY, ALBEMARLE, NC. BOBZY TWO DEPARTURE (RNAV)...ESTRR TWO DEPARTURE (RNAV)...JOJJO TWO DEPARTURE (RNAV)...WEAZL TWO DEPARTURE (RNAV)...NOTE: UPON REACHING 10000 MSL, ACCELERATE TO AND MAINTAIN 280 KIAS, IF UNABLE ADVISE ATC. DISREGARD NOTE: UPON REACHING 10000 MSL, ACCELERATE TO 280K, IF UNABLE ADVISE ATC. ALL OTHER DATA REMAINS AS PUBLISHED. 1703291437-1711081437EST.

FDC 6/9090 VUJ STAR STANLY COUNTY AIRPORT, ALBEMARLE, NC. NASCR ONE ARRIVAL FLO TRANSITION NA. 1607210900-1707210900EST.

ANDREWS

Western Carolina Rgnl

FDC 7/1774 RHP SPECIAL WESTERN CAROLINA RGNL, ANDREWS, NC. COPTER RNAV 074, ORIG...CHANGE ALL REFERENCES TO ANDREWS-MURPHY TO WESTERN CAROLINA RGNL. MISSED APPROACH: CLIMB TO 7600 DIRECT AKALE WP AND HOLD. 1701061604-1708181604EST.

ASHEBORO

Asheboro Rgnl

FDC 7/2078 HBI IAP ASHEBORO RGNL, ASHEBORO, NC. VOR-A, AMDT 3A...CIRCLING CAT B MDA 1440/HAA 769. 1702072127-1709192127EST.

ASHEVILLE

Asheville Rgnl

FDC 7/7413 AVL IAP ASHEVILLE RGNL, ASHEVILLE, NC. ILS OR LOC RWY 35, ORIG...I-XQR LOCALIZER UNUSABLE 28 DEGREES LEFT AND 27 DEGREES RIGHT OF COURSE AND .20 NM FROM THLD. 1703211449-1710311449EST.

BEAUFORT

Michael J Smith Field

FDC 7/4913 MRH IAP MICHAEL J SMITH FIELD, BEAUFORT, NC. NDB RWY 14, AMDT 1A...PROCEDURE NA. 1704031757-1711131757EST.

FDC 7/3826 MRH IAP MICHAEL J SMITH FIELD, BEAUFORT, NC. RNAV (GPS) RWY 8, AMDT 2...LP HAT 492 ALL CATS. LNAV HAT 532 ALL CATS. CHART TDZE 8, DELETE THRE 7. CHART NOTE: STRAIGHT-IN RWY 8 NA AT NIGHT, CIRCLING RWY 8, 14, 32 NA AT NIGHT. CHART NOTE: RWY 8, 14, 32 HELICOPTER VISIBILITY REDUCTION BELOW 1 SM NOT AUTHORIZED. DELETE NOTE: HELICOPTER VISIBILITY REDUCTION BELOW 1 SM NOT AUTHORIZED. THIS IS RNAV (GPS) RWY 8, AMDT 2A. 1703121530-PERM.

FDC 7/3825 MRH IAP MICHAEL J SMITH FIELD, BEAUFORT, NC. RNAV (GPS) RWY 32, AMDT 1...LP HAT 370 ALL CATS. LNAV HAT 450 ALL CATS. CHART TDZE 10, DELETE THRE 9. CHART NOTE: STRAIGHT-IN RWY 32 NA AT NIGHT, CIRCLING RWY 8, 14, 32 NA AT NIGHT. CHART NOTE: RWY 8, 14, 32 HELICOPTER VISIBILITY REDUCTION BELOW 1 SM NOT AUTHORIZED. DELETE NOTE: VISIBILITY REDUCTION BY HELICOPTERS NA. DELETE NOTE: STRAIGHT-IN/CIRCLING RWY 32 PROCEDURE NA AT NIGHT. DELETE NOTE WHEN VGSI INOP, CIRCLING RWY 3, 21 NA AT NIGHT. DELETE NOTE: CIRCLING TO RWY 14 NA AT NIGHT. THIS IS RNAV (GPS) RWY 32, AMDT 1A. 1703121530-PERM.

FDC 7/3824 MRH IAP MICHAEL J SMITH FIELD, BEAUFORT, NC. RNAV (GPS) RWY 3, AMDT 2...LNAV HAT CATS A/B 471. CHART TDZE 9, DELETE THRE 8. CHART NOTE: CIRCLING RWY 8, 14, 32 NA AT NIGHT. CHART NOTE: RWY 8, 14, 32 HELICOPTER VISIBILITY REDUCTION BELOW 1 SM NOT AUTHORIZED. CHART NOTE: RWY 3 HELICOPTER VISIBILITY REDUCTION BELOW 3/4 SM NOT AUTHORIZED. DELETE NOTE: HELICOPTER VISIBILITY REDUCTION BELOW 3/4 SM NOT AUTHORIZED. DELETE NOTE: CIRCLING TO 8/14/32 NA AT NIGHT. THIS IS RNAV (GPS) RWY 3, AMDT 2A. 1703121530-PERM.

FDC 7/3823 MRH IAP MICHAEL J SMITH FIELD, BEAUFORT, NC. RNAV (GPS) RWY 21, AMDT 2...LNAV HAT CATS A/B 391. CHART TDZE 9, DELETE THRE 7. CHART NOTE: CIRCLING RWY 8, 14, 32 NA AT NIGHT. CHART NOTE: RWY 8, 14, 32 HELICOPTER VISIBILITY REDUCTION BELOW 1 SM NOT AUTHORIZED. CHART NOTE: RWY 21 HELICOPTER VISIBILITY REDUCTION BELOW 3/4 SM NOT AUTHORIZED. CHART PROFILE NOTE: VGSI AND DESCENT ANGLES NOT COINCIDENT (VGSI ANGLE {4.00}/TCH {54}). DELETE NOTE: HELICOPTER VISIBILITY REDUCTION BELOW 3/4 SM NOT AUTHORIZED. DELETE NOTE: CIRCLING TO 8/14/32 NA AT NIGHT. THIS IS RNAV (GPS) RWY 21, AMDT 2A. 1703121530-PERM.

FDC 7/3822 MRH IAP MICHAEL J SMITH FIELD, BEAUFORT, NC. RNAV (GPS) RWY 14, AMDT 1...LNAV HAT 351 ALL CATS. CHART TDZE 9, DELETE THRE 6. CHART NOTE: STRAIGHT-IN RWY 14 NA AT NIGHT, CIRCLING RWY 8, 14, 32 NA AT NIGHT. CHART NOTE: RWY 8, 14, 32 HELICOPTER VISIBILITY REDUCTION BELOW 1 SM NOT AUTHORIZED. DELETE NOTE WHEN VGSI INOP, CIRCLING RWY 3, 21 NA AT NIGHT. DELETE NOTE: VISIBILITY REDUCTION BY HELICOPTERS NA. DELETE NOTE: STRAIGHT-IN/CIRCLING RWY 14 PROCEDURE NA AT NIGHT. DELETE NOTE: CIRCLING TO RWY 32 NA AT NIGHT. THIS IS RNAV (GPS) RWY 14, AMDT 1A. 1703121530-PERM.

FDC 6/5326 MRH IAP MICHAEL J SMITH FIELD, BEAUFORT, NC. RNAV (GPS) RWY 8, AMDT 2...LP MDA NA. 1612281905-1708091905EST.

BRYSON CITY

Sossamon Field

FDC 7/1521 57NC SPECIAL SOSSAMON FIELD, BRYSON CITY, NC. COPTER RNAV (GPS) 294 DEPARTURE (PILOT NAV)...PROCEDURE NA 1701052130-1708172130.

CHAPEL HILL

Horace Williams

FDC 7/2523 IGX IAP HORACE WILLIAMS, CHAPEL HILL, NC. VOR/DME RWY 27, AMDT 1B...S-27 HAT 568 ALL CATS. CIRCLING HAA CAT A 589, CAT B/C/D 609. CHART TDZE 510, DELETE THRE 492. CHART APT ELEV 511. CHART NOTE: RWY 9, 27 HELICOPTER VISIBILITY REDUCTION BELOW 1 SM NOT AUTHORIZED. DELETE NOTE: HELICOPTER VISIBILITY REDUCTION BELOW 1 SM NOT AUTHORIZED. CHART NOTE: DME REQUIRED. THIS IS VOR RWY 27, AMDT 1C 1703292028-PERM.

FDC 7/2522 IGX IAP HORACE WILLIAMS, CHAPEL HILL, NC. RNAV (GPS) RWY 27, ORIG-A...LNAV HAT 410 ALL CATS. CIRCLING HAA CAT A 589, CAT B/C/D 609. CHART TDZE 510, DELETE THRE 492. CHART APT ELEV 511. CHART NOTE: RWY 9, 27 HELICOPTER VISIBILITY REDUCTION BELOW 1 SM NOT AUTHORIZED. DELETE NOTE: HELICOPTER VISIBILITY REDUCTION BELOW 1 SM NOT AUTHORIZED. THIS IS RNAV (GPS) RWY 27, ORIG-B. 1703292028-PERM.

FDC 7/2521 IGX IAP HORACE WILLIAMS, CHAPEL HILL, NC. RNAV (GPS) RWY 9, ORIG-A...LNAV HAT 549 ALL CATS. CIRCLING HAA CAT A 589, CAT B/C/D 609. CHART TDZE 511, DELETE THRE 512. CHART APT ELEV 511. CHART NOTE: RWY 9, 27 HELICOPTER VISIBILITY REDUCTION BELOW 1 SM NOT AUTHORIZED. DELETE NOTE: HELICOPTER VISIBILITY REDUCTION BELOW 1 SM NOT AUTHORIZED. THIS IS RNAV (GPS) RWY 9, ORIG-B. 1703292028-PERM.

CHARLOTTE

Charlotte/Douglas Intl

FDC 7/9371 CLT SID CHARLOTTE/DOUGLAS INTL, CHARLOTTE, NC. BOBCAT SEVEN DEPARTURE...ZAUER TRANSITION NA EXCEPT FOR AIRCRAFT EQUIPPED WITH SUITABLE RNAV SYSTEM WITH GPS. CLT VOR/DME RADIALS R-270 TO R-280 UNUSABLE. 1703011603-1710111603EST.

FDC 7/8601 CLT ODP CHARLOTTE/DOUGLAS INTL, CHARLOTTE, NC. TAKEOFF MINIMUMS AND (OBSTACLE) DEPARTURE PROCEDURES AMDT 7.TAKEOFF MINIMUMS: RWY18C, STANDARD. DEPARTURE PROCEDURE: RWY 36L, CLIMB HEADING 002.96 TO 1800 BEFORE TURNING LEFT. RWY 23, CLIMB HEADING 235.48 TO 1400 BEFORE TURNING LEFT. RWY 18R, CLIMB HEADING 182.96 TO 1200 BEFORE TURNING LEFT. RWY 18C, CLIMB HEADING 182.96 TO 1400 BEFORE TURNING LEFT. RWY 18L, CLIMB HEADING 182.97 TO 1300 BEFORE TURNING RIGHT. NOTE: RWY 18C, AIRFIELD LT 11 FT FROM DER, 84 FT LEFT OF CENTERLINE, 4 FT AGL/695 FT MSL. TREE 555 FT FROM DER, 564 FT LEFT OF CENTERLINE, 711 FT MSL. TREE 1059 FT FROM DER, 762 FT RIGHT OF CENTERLINE, 729 FT MSL. TREES BEGINNING 1183 FT FROM DER, 608 FT LEFT OF CENTERLINE, UP TO 746 FT MSL. TREES BEGINNING 1478 FT FROM DER, 276 FT LEFT OF CENTERLINE, UP TO 757 FT MSL. TREE 2035 FT FROM DER, 1025 FT LEFT OF CENTERLINE, 764 FT MSL. TREES BEGINNING 2058 FT FROM DER, 182 FT RIGHT OF CENTERLINE, UP TO 771 FT MSL. TREE 2723 FT FROM DER, 971 FT LEFT OF CENTERLINE, 773 FT MSL. TREES BEGINNING 3245 FT FROM DER, 793 FT RIGHT OF CENTERLINE, UP TO 792 FT MSL. TREE 4249 FT FROM DER, 1039 FT RIGHT OF CENTERLINE, 805 FT MSL. TREE 5354 FT FROM DER, 1810 FT RIGHT OF CENTERLINE, 831 FT MSL. TREE 5581 FROM DER, 1599 FT RIGHT OF CENTERLINE, 837 FT MSL. TREE 5749 FT FROM DER, 1491 FT RIGHT OF FDC 7/8601 CLT ODP CHARLOTTE/DOUGLAS INTL, CHARLOTTE, NC. CENTERLINE, 838 FT MSL. TREES BEGINNING 5851 FT FROM DER, 1412 FT RIGHT OF CENTERLINE, UP TO 100 FT AGL/841 MSL. ALL OTHER DATA REMAINS AS PUBLISHED. 1701271941-1709081939EST

FDC 7/8323 CLT IAP CHARLOTTE/DOUGLAS INTL, CHARLOTTE, NC. ILS OR LOC RWY 18R, AMDT 1...CIRCLING MDA 1540/HAA 792 ALL CATS. VIS CAT B 1 1/4, CAT C 2 1/2. CILOV FIX MINIMUMS (DME REQUIRED) CIRCLING MDA 1540/HAA 792 ALL CATS. VIS CAT B 1 1/4, CAT C 2 1/2. TEMP CRANE 1223 MSL 2675 FT E OF RWY 36C (2016-ASO-3897/3898/3899/3900-NRA). EXCEPT WHEN ADVISED BY ATC THESE CRANES ARE DOWN. 1701262058-1709072058EST.

FDC 7/8322 CLT IAP CHARLOTTE/DOUGLAS INTL, CHARLOTTE, NC. RNAV (RNP) Z RWY 23, ORIG-A...RNP 0.11 DA 1160/HAT 413, VIS 1 3/8 ALL CATS. TEMP CRANE 1223 MSL 2675 FT E OF RWY 36C (2016-ASO-3897/3898/3899/3900-NRA). EXCEPT WHEN ADVISED BY ATC THESE CRANES ARE DOWN. 1701262058-1709072058EST.

FDC 7/8320 CLT IAP CHARLOTTE/DOUGLAS INTL, CHARLOTTE, NC. ILS OR LOC RWY 18L, AMDT 9...S-ILS 18L DA 1090/HAT 342, VIS 1 1/8 ALL CATS. CIRCLING MDA 1540/HAA 792 ALL CATS. VIS CAT B 1 1/4, CAT C 2 1/2. ZIMOG FIX MINIMUMS (DME REQUIRED) CIRCLING MDA 1540/HAA 792 ALL CATS. VIS CAT B 1 1/4, CAT C 2 1/2. TEMP CRANE 1223 MSL 2675 FT E OF RWY 36C (2016-ASO-3897/3898/3899/3900-NRA). EXCEPT WHEN ADVISED BY ATC THESE CRANES ARE DOWN. 1701262058-1709072058EST.

FDC 7/8319 CLT IAP CHARLOTTE/DOUGLAS INTL, CHARLOTTE, NC. ILS OR LOC RWY 18C, AMDT 10D...S-ILS 18C DA 1056/HAT 314, VIS RVR 4000 ALL CATS. S-LOC MDA 1320/HAT 578 ALL CATS. VIS CATS A/B RVR 4000, CATS C/D 1 1/4. CIRCLING MDA 1540/HAA 792 ALL CATS. VIS CAT B 1 1/4, CAT C 2 1/2. VDP 3.38 DME FROM I-PEP OR 1.57 NM TO RWY 18C. TEMP CRANE 1223 MSL 2675 FT E OF RWY 36C (2016-ASO-3897/3898/3899/3900-NRA). EXCEPT WHEN ADVISED BY ATC THESE CRANES ARE DOWN. 1701262058-1709072058EST.

FDC 7/8318 CLT IAP CHARLOTTE/DOUGLAS INTL, CHARLOTTE, NC. RNAV (GPS) Y RWY 36R, AMDT 4...LNAV/VNAV DA 1394/HAT 667, VIS 1 7/8 ALL CATS. LNAV MDA NA. CIRCLING MDA 1540/HAA 792 ALL CATS. VIS CAT B 1 1/4, CAT C 2 1/2. TEMP CRANE 1223 MSL 2675 FT E OF RWY 36C (2016-ASO-3897/3898/3899/3900-NRA). EXCEPT WHEN ADVISED BY ATC THESE CRANES ARE DOWN. 1701262058-1709072058EST.

FDC 7/8317 CLT IAP CHARLOTTE/DOUGLAS INTL, CHARLOTTE, NC. RNAV (RNP) Z RWY 36C, ORIG-D...RNP 0.11 DA 1251/HAT 544, VIS 1 3/8 ALL CATS. RNP 0.30 DA NA. TEMP CRANE 1223 MSL 2675 FT E OF RWY 36C (2016-ASO-3897/3898/3899/3900-NRA). EXCEPT WHEN ADVISED BY ATC THESE CRANES ARE DOWN. 1701262058-1709072058EST.

FDC 7/8316 CLT IAP CHARLOTTE/DOUGLAS INTL, CHARLOTTE, NC. RNAV (GPS) Y RWY 36C, AMDT 3C...LNAV/VNAV DA 1394/HAT 687, VIS 1 7/8 ALL CATS. LNAV MDA 1480/HAT 788 ALL CATS. VIS CATS A/B RVR 4000, CATS C/D 1 3/4. CIRCLING MDA 1540/HAA 792 ALL CATS. VIS CAT B 1 1/4, CAT C 2 1/2. VDP 2.28 NM TO RW36C. TEMP CRANE 1223 MSL 2675 FT E OF RWY 36C (2016-ASO-3897/3898/3899/3900-NRA). EXCEPT WHEN ADVISED BY ATC THESE CRANES ARE DOWN. 1701262058-1709072058EST.

FDC 7/8306 CLT IAP CHARLOTTE/DOUGLAS INTL, CHARLOTTE, NC. RNAV (GPS) Y RWY 36L, AMDT 1...LNAV/VNAV DA 1200/HAT 456, VIS RVR 4000 ALL CATS. LNAV MDA VIS CATS A/B RVR 4000. CIRCLING MDA 1540/HAA 792 ALL CATS. VIS CAT B 1 1/4, CAT C 2 1/2. TEMP CRANE 1223 MSL 2675 FT E OF RWY 36C (2016-ASO-3897/3898/3899/3900-NRA). EXCEPT WHEN ADVISED BY ATC THESE CRANES ARE DOWN. 1701262036-1709072035EST.

FDC 7/8304 CLT IAP CHARLOTTE/DOUGLAS INTL, CHARLOTTE, NC. RNAV (GPS) Y RWY 18L, AMDT 4...LPV DA 1048/HAT 300, VIS 1 1/4 ALL CATS. CIRCLING MDA 1540/HAA 792 ALL CATS. VIS CAT B 1 1/4, CAT C 2 1/2. TEMP CRANE 1223 MSL 2675 FT E OF RWY 36C (2016-ASO-3897/3898/3899/3900-NRA). EXCEPT WHEN ADVISED BY ATC THESE CRANES ARE DOWN. 1701262032-1709072032EST.

FDC 7/8300 CLT IAP CHARLOTTE/DOUGLAS INTL, CHARLOTTE, NC. RNAV (GPS) Y RWY 5, AMDT 3A...LNAV/VNAV DA 1394/HAT 678, VIS 1 7/8 ALL CATS. LNAV MDA 1480/HAT 764 ALL CATS. VIS CATS A/B RVR 4000, CATS C/D 1 3/4. CIRCLING MDA 1540/HAA 792 ALL CATS. VIS CAT B 1 1/4, CAT C 2 1/2. VDP 2.14 NM TO RW05. TEMP CRANE 1223 MSL 2675 FT E OF RWY 36C (2016-ASO-3897/3898/3899/3900-NRA). EXCEPT WHEN ADVISED BY ATC THESE CRANES ARE DOWN. 1701262027-1709072027EST.

FDC 7/8244 CLT IAP CHARLOTTE/DOUGLAS INTL, CHARLOTTE, NC. RNAV (RNP) Z RWY 5, ORIG-A...RNP 0.11: DA 1449/HAT 733 ALL CATS. RNP 0.30: DA 1501/HAT 785 ALL CATS. 1702262002-1710082002EST.

FDC 7/4345 CLT SID CHARLOTTE/DOUGLAS INTL, CHARLOTTE, NC. BEAVY THREE DEPARTURE (RNAV)...CHANGE GANDT TRANSITION COMPUTER CODE TO (BEAVY3.GANDT). CHANGE JENDO TRANSITION COMPUTER CODE TO (BEAVY3.JENDO). ALL OTHER DATA REMAINS AS PUBLISHED 1704241314-1712041314EST.

FDC 7/3933 CLT SID CHARLOTTE/DOUGLAS INTL, CHARLOTTE, NC. HUGO THREE DEPARTURE.TAKEOFF OBSTACLE NOTES: NOTE: RWY 5, TREE 810 FT FROM DER, 677 FT RIGHT OF CENTERLINE, 768 FT MSL. TREE 1031 FT FROM DER, 665 FT LEFT OF CENTERLINE, 773 FT MSL. TREE 1050 FT FROM DER, 755 FT LEFT OF CENTERLINE, 787 FT MSL. TREE 1894 FT FROM DER, 854 FT LEFT OF CENTERLINE, 799 FT MSL. TREES BEGINNING 2088 FT FROM DER, 877 FT LEFT OF CENTERLINE, UP TO 821 FT MSL. TREES BEGINNING 2437 FT FROM DER, 971 FT LEFT OF CENTERLINE, UP TO 822 FT MSL. TREE 2582 FT FROM DER, 1056 FT LEFT OF CENTERLINE, 843 FT MSL. TREES BEGINNING 2608 FT FROM DER, 543 FT LEFT OF CENTERLINE, UP TO 848 FT MSL. TREE 3977 FT FROM DER, 480 FT LEFT OF CENTERLINE, 856 FT MSL. NOTE: RWY 18C, AIRFIELD LT 11 FT FROM DER, 84 FT LEFT OF CENTERLINE, 4 FT AGL/695 FT MSL. TREE 555 FT FROM DER, 564 FT LEFT OF CENTERLINE, 711 FT MSL. TREE 1059 FT FROM DER, 762 FT RIGHT OF CENTERLINE, 729 FT MSL. TREES BEGINNING 1183 FT FROM DER, 608 FT LEFT OF CENTERLINE, UP TO 746 FT MSL. TREES BEGINNING 1478 FT FROM DER, 276 FT LEFT OF CENTERLINE, UP TO 757 FT MSL. TREE 2035 FT FROM DER, 1025 FT LEFT OF CENTERLINE, 764 FT MSL. TREES BEGINNING 2058 FT FROM DER, 182 FT RIGHT OF CENTERLINE, UP TO 771 FT MSL. TREE 2723 FT FROM DER, 971 FT LEFT OF CENTERLINE, 773 FT MSL. TREES BEGINNING 3245 FT FROM DER, 793 FT RIGHT OF CENTERLINE, UP TO 792 FT MSL. TREE 4249 FT FROM DER, 1039 FT RIGHT OF CENTERLINE, 805 FT MSL. TREE 5354 FT FROM DER, 1810 FT RIGHT OF CENTERLINE, 831 FT MSL. TREE 5581 FT FROM DER, 1599 FT RIGHT OF CENTERLINE, 837 FT MSL. TREE 5749 FT FROM DER, 1491 FT RIGHT OF CENTERLINE, 838 FT MSL. TREES BEGINNING 5851 FT FROM DER, 1412 FT RIGHT OF CENTERLINE, UP TO 100 FT AGL/841 FT MSL. NOTE: RWY 18L, AIRFIELD LT 10 FT FROM DER, ON CENTERLINE, 3 FT AGL/726 FT MSL. POLE 981 FT FROM DER, 708 FT LEFT OF CENTERLINE, 64 FT AGL/763 FT MSL. TWR AND TREE BEGINNING 981 FT FROM DER, 689 FT RIGHT OF CENTERLINE, UP TO 765 FT MSL. TREE 1235 FT FROM DER,

FDC 7/3931 FDC 7/3931 CLT SID
 CHARLOTTE/DOUGLAS INTL, Charlotte, NC.
 CHARLOTTE TWO DEPARTURE. DEPARTURE ROUTE
 DESCRIPTION: TAKEOFF RWY 36C: CLIMB HEADING
 003 TO 1400 BEFORE TURNING LEFT, THENCE.
 .EXPECT RADAR VECTORS TO INTERCEPT
 FILED/ASSIGNED TRANSITION OR ENROUTE
 FIX/NAVAID. MAINTAIN 8000. EXPECT FILED
 ALTITUDE/FLIGHT LEVEL 10 MINUTES AFTER
 DEPARTURE. TAKEOFF OBSTACLE NOTES: NOTE:
 RWY 5, TREE 810 FT FROM DER, 677 FT RIGHT OF
 CENTERLINE, 768 FT MSL. TREE 1031 FT FROM DER,
 665 FT LEFT OF CENTERLINE, 773 FT MSL. TREE
 1050 FT FROM DER, 755 FT LEFT OF CENTERLINE,
 787 FT MSL. TREE 1894 FT FROM DER, 854 FT LEFT
 OF CENTERLINE, 799 FT MSL. TREES BEGINNING
 2088 FT FROM DER, 877 FT LEFT OF CENTERLINE,
 UP TO 821 FT MSL. TREES BEGINNING 2437 FT
 FROM DER, 971 FT LEFT OF CENTERLINE, UP TO 822
 FT MSL. TREE 2582 FT FROM DER, 1056 FT LEFT OF
 CENTERLINE, 843 FT MSL. TREES BEGINNING 2608
 FT FROM DER, 543 FT LEFT OF CENTERLINE, UP TO
 848 FT MSL. TREE 3977 FT FROM DER, 480 FT LEFT
 OF CENTERLINE, 856 FT MSL. NOTE: RWY 18C,
 AIRFIELD LT 11 FT FROM DER, 84 FT LEFT OF
 CENTERLINE, 4 FT AGL/695 FT MSL. TREE 555 FT
 FROM DER, 564 FT LEFT OF CENTERLINE, 711 FT
 MSL. TREE 1059 FT FROM DER, 762 FT RIGHT OF
 CENTERLINE, 729 FT MSL. TREES BEGINNING 1183
 FT FROM DER, 608 FT LEFT OF CENTERLINE, UP TO
 746 FT MSL. TREES BEGINNING 1478 FT FROM DER,
 276 FT LEFT OF CENTERLINE, UP TO 757 FT MSL.
 TREE 2035 FT FROM DER, 1025 FT LEFT OF
 CENTERLINE, 764 FT MSL. TREES BEGINNING 2058
 FT FROM DER, 182 FT RIGHT OF CENTERLINE, UP
 TO 771 FT MSL. TREE 2723 FT FROM DER, 971 FT
 LEFT OF CENTERLINE, 773 FT MSL. TREES
 BEGINNING 3245 FT FROM DER, 793 FT RIGHT OF
 CENTERLINE, UP TO 792 FT MSL. TREE 4249 FT
 FROM DER, 1039 FT RIGHT OF CENTERLINE, 805 FT
 MSL. TREE 5354 FT FROM DER, 1810 FT RIGHT OF
 CENTERLINE, 831 FT MSL. TREE 5581 FT FROM DER,
 1599 FT RIGHT OF CENTERLINE, 837 FT MSL. TREE
 5749 FT FROM DER, 1491 FT RIGHT OF CENTERLINE,
 838 FT MSL. TREES BEGINNING 5851 FT FROM DER,
 1412 FT RIGHT OF CENTERLINE, UP TO 100

FDC 7/1770 CLT IAP CHARLOTTE/DOUGLAS INTL,
 CHARLOTTE, NC. ILS OR LOC RWY 36C, AMDT
 16C...ILS OR LOC RWY 36L, AMDT 1...ILS OR LOC
 RWY 36R, AMDT 12...ILS OR LOC RWY 5, AMDT
 38A...RNAV (GPS) Y RWY 18C, AMDT 3C...RNAV (GPS)
 Y RWY 18R, AMDT 1...RNAV (GPS) Y RWY 23, AMDT
 1A...CIRCLING MDA 1540/HAA 792 ALL CATS. VIS
 CAT B 1 1/4, CAT C 2 1/2. TEMP CRANE 1223 MSL 2675
 FT E OF RWY 36C
 (2016-ASO-3897/3898/3899/3900-NRA). EXCEPT WHEN
 ADVISED BY ATC THESE CRANES ARE DOWN.
 1703071956-1710171955EST.

FDC 7/0920 CLT IAP CHARLOTTE/DOUGLAS INTL,
 CHARLOTTE, NC. ILS OR LOC RWY 23, AMDT
 3C...CIRCLING MDA 1540/HAA 792 ALL CATS. VIS
 CAT B 1 1/4, CAT C 2 1/2. DOVSE FIX MINIMUMS
 S-LOC 23 MDA 1400/HAT 653 ALL CATS, VIS CAT C 1
 3/4, CAT D 2. CIRCLING MDA 1540/HAA 792 ALL
 CATS. VIS CAT B 1 1/4, CAT C 2 1/2. VDP NA. TEMP
 CRANE 1223 MSL 2675 FT E OF RWY 36C
 (2016-ASO-3897/3898/3899/3900-NRA). EXCEPT WHEN
 ADVISED BY ATC THESE CRANES ARE DOWN.
 1702031625-1709151623EST.

FDC 7/0860 CLT STAR CHARLOTTE/DOUGLAS
 INTERNATIONAL, CHARLOTTE, N.C. CHPTR ONE
 ARRIVAL REVISE VERTICAL NAVIGATION
 PLANNING INFORMATION AT CHPTR TO READ
 LANDING NORTH EXPECT 11000FT AND 250KT
 LANDING SOUTH EXPECT 14000FT AND 250KT
 1701050900-1801050900EST.

FDC 7/0662 CLT SID CHARLOTTE/DOUGLAS INTL,
 CHARLOTTE, NC. BARMY TWO DEPARTURE
 (RNAV)...BEAVY THREE DEPARTURE
 (RNAV)...BOBCAT SEVEN DEPARTURE...BOBZY TWO
 DEPARTURE (RNAV)...ESTRR TWO DEPARTURE
 (RNAV)...HORNET EIGHT DEPARTURE...ICONS TWO
 DEPARTURE (RNAV)...JOJJO TWO DEPARTURE
 (RNAV)...KILNS TWO DEPARTURE (RNAV)...KRITR
 THREE DEPARTURE (RNAV)...KWEEN TWO
 DEPARTURE (RNAV)...LILLS NINE DEPARTURE
 (RNAV)...PANTHER THREE DEPARTURE...WEAZL
 TWO DEPARTURE (RNAV)...CHANGE
 ACCELERATION NOTES TO READ:
 (CHARLOTTE/DOUGLAS INTL ONLY): ACCELERATE
 TO 250K, IF UNABLE ADVISE ATC. UPON REACHING
 10000 MSL, ACCELERATE TO AND MAINTAIN 280K,
 IF UNABLE ADVISE ATC. ALL OTHER DATA
 REMAINS AS PUBLISHED..
 1704142258-1711242258EST.

FDC 6/9902 CLT STAR CHARLOTTE/DOUGLAS
 INTERNATIONAL, CHARLOTTE, NC. JONZE ONE
 ARRIVAL...REVISE SPELLING OF FIX CNTRL TO
 CNTLR 1607211746-1707210900EST.

FDC 6/1259 CLT SID CHARLOTTE/DOUGLAS INTL, CHARLOTTE, NC. BOBCAT SEVEN DEPARTURE. HORNET EIGHT DEPARTURE. PANTHER THREE DEPARTURE. DEPARTURE ROUTE DESCRIPTION: TAKEOFF RWY 5: CLIMB HEADING 055 TO 1700 BEFORE TURNING RIGHT, THENCE. TAKEOFF RWY 36C: CLIMB HEADING 003 TO 1400 BEFORE TURNING LEFT, THENCE. EXPECT RADAR VECTORS TO INTERCEPT FILED/ASSIGNED TRANSITION OR ENROUTE FIX/NAVAID. MAINTAIN 8000, EXPECT FILED ALTITUDE/FLIGHT LEVEL 10 MINUTES AFTER DEPARTURE. TAKEOFF OBSTACLE NOTES: NOTE: RWY 5, TREE 810 FT FROM DER, 677 FT RIGHT OF CENTERLINE, 768 FT MSL. TREE 1031 FT FROM DER, 665 FT LEFT OF CENTERLINE, 773 FT MSL. TREE 1050 FT FROM DER, 755 FT LEFT OF CENTERLINE, 787 FT MSL. TREE 1894 FT FROM DER, 854 FT LEFT OF CENTERLINE, 799 FT MSL. TREES BEGINNING 2088 FT FROM DER, 877 FT LEFT OF CENTERLINE, UP TO 821 FT MSL. TREES BEGINNING 2437 FT FROM DER, 971 FT LEFT OF CENTERLINE, UP TO 822 FT MSL. TREE 2582 FT FROM DER, 1056 FT LEFT OF CENTERLINE, 843 FT MSL. TREES BEGINNING 2608 FT FROM DER, 543 FT LEFT OF CENTERLINE, UP TO 848 FT MSL. TREE 3977 FT FROM DER, 480 FT LEFT OF CENTERLINE, 856 FT MSL. NOTE: RWY 18C, AIRFIELD LT 11 FT FROM DER, 84 FT LEFT OF CENTERLINE, 4 FT AGL/695 FT MSL. TREE 555 FT FROM DER, 564 FT LEFT OF CENTERLINE, 711 FT MSL. TREE 1059 FT FROM DER, 762 FT RIGHT OF CENTERLINE, 729 FT MSL. TREES BEGINNING 1183 FT FROM DER, 608 FT LEFT OF CENTERLINE, UP TO 746 FT MSL. TREES BEGINNING 1478 FT FROM DER, 276 FT LEFT OF CENTERLINE, UP TO 757 FT MSL. TREE 2035 FT FROM DER, 1025 FT LEFT OF CENTERLINE, 764 FT MSL. TREES BEGINNING 2058 FT FROM DER, 182 FT RIGHT OF CENTERLINE, UP TO 771 FT MSL. TREE 2723 FT FROM DER, 971 FT LEFT OF CENTERLINE, 773 FT MSL. TREES BEGINNING 3245 FT FROM DER, 793 FT RIGHT OF CENTERLINE, UP TO 792 FT MSL. TREE 4249 FT FROM DER, 1039 FT RIGHT OF CENTERLINE, 805 FT MSL. TREE 5354 FT FROM DER, 1810 FT RIGHT OF CENTERLINE, 831 FT MSL. TREE 5581 FT FROM DER, 1599 FT RIGHT OF CENTERLINE, 837 FT MSL. TREE 5749 FT FROM DER, 1491 FT RIGH

CLINTON

Clinton-Sampson County

FDC 7/4371 CTZ IAP CLINTON-SAMPSON COUNTY, CLINTON, NC. LOC RWY 6, AMDT 3A...S-6 HAT 478 ALL CATS. MISSED APPROACH: CLIMB TO 2000 DIRECT CTZ NDB AND HOLD, CONTINUE CLIMB-IN-HOLD TO 2000, HOLD SW, RT 061.83 INBOUND (ADF REQUIRED). CHART TDZE 142, DELETE THRE 130. DELETE ALTERNATE MISSED APPROACH. CHART NOTE: RWY 24 HELICOPTER VISIBILITY REDUCTION BELOW 1 SM NOT AUTHORIZED. CHART NOTE: CIRCLING RWY 24 NA AT NIGHT. DELETE NOTE: CIRCLING TO RWY 24 NA AT NIGHT. THIS IS LOC RWY 6, AMDT 3B. 1703131639-PERM.

FDC 7/4370 CTZ IAP CLINTON-SAMPSON COUNTY, CLINTON, NC. RNAV (GPS) Z RWY 24, ORIG-A...CHART TDZE 144, DELETE THRE 144. CHART NOTE: RWY 24 HELICOPTER VISIBILITY REDUCTION BELOW 1 SM NOT AUTHORIZED. CHART NOTE: STRAIGHT-IN RWY 24 NA AT NIGHT, CIRCLING RWY 24 NA AT NIGHT. DELETE NOTE: RWY 24 STRAIGHT-IN AND CIRCLING MINIMUMS NA AT NIGHT. DELETE NOTE: HELICOPTER VISIBILITY REDUCTION BELOW 1 SM NOT AUTHORIZED. THIS IS RNAV (GPS) Z RWY 24, ORIG-B. 1703131639-PERM.

FDC 7/4369 CTZ IAP CLINTON-SAMPSON COUNTY, CLINTON, NC. RNAV (GPS) Y RWY 24, AMDT 1A...CHART TDZE 144, DELETE THRE 144. CHART NOTE: RWY 24 HELICOPTER VISIBILITY REDUCTION BELOW 1 SM NOT AUTHORIZED. CHART NOTE: STRAIGHT-IN RWY 24 NA AT NIGHT, CIRCLING RWY 24 NA AT NIGHT. DELETE NOTE: RWY 24 STRAIGHT-IN AND CIRCLING MINIMUMS NA AT NIGHT. DELETE NOTE: HELICOPTER VISIBILITY REDUCTION BELOW 1 SM NOT AUTHORIZED. THIS IS RNAV (GPS) Y RWY 24, AMDT 1B. 1703131639-PERM.

FDC 7/4368 CTZ IAP CLINTON-SAMPSON COUNTY, CLINTON, NC. RNAV (GPS) RWY 6, AMDT 2A...LPV DA 342. LNAV/VNAV DA 545. LNAV HAT 378 ALL CATS. CHART TDZE 142, DELETE THRE 130. CHART NOTE: RWY 24 HELICOPTER VISIBILITY REDUCTION BELOW 1 SM NOT AUTHORIZED. CHART NOTE: CIRCLING RWY 24 NA AT NIGHT. DELETE NOTE: CIRCLING TO RWY 24 NA AT NIGHT. THIS IS RNAV (GPS) RWY 6, AMDT 2B. 1703131639-PERM.

FDC 7/1765 CTZ IAP CLINTON-SAMPSON COUNTY, CLINTON, NC. LOC RWY 6, AMDT 3A...MISSED APPROACH: CLIMB TO 2000 DIRECT CTZ NDB AND HOLD, CONTINUE CLIMB-IN-HOLD TO 2000, HOLD SW, RT 061.83 INBOUND (ADF REQUIRED). 1703282128-1711072128EST.

CONCORD

Concord Rgnl

FDC 7/9486 JQF SID CONCORD RGNL, CONCORD, NC. BOBCAT SEVEN DEPARTURE...ZAVR TRANSITION NA EXCEPT FOR AIRCRAFT EQUIPPED WITH SUITABLE RNAV SYSTEM WITH GPS. CLT VOR/DME RADIALS R-270 TO R-280 UNUSABLE. 1703011643-1710111643EST.

FDC 7/8252 JQF SID CONCORD RGNL, CONCORD, NC. BOBCAT SEVEN DEPARTURE...HORNET EIGHT DEPARTURE...HUGO THREE DEPARTURE...PANTHER THREE DEPARTURE...DEPARTURE ROUTE DESCRIPTION: TAKEOFF RUNWAY 2: CLIMB HEADING 016 TO 2200 BEFORE PROCEEDING ON COURSE, THENCE...TAKEOFF RWY 20: CLIMBING LEFT TURN HEADING 150 TO 2400 BEFORE PROCEEDING ON COURSE, THENCE.....EXPECT RADAR VECTORS TO INTERCEPT FILED/ASSIGNED TRANSITION OR ENROUTE FIX/NAVAID. MAINTAIN 3000, EXPECT FILED ALTITUDE/FLIGHT LEVEL 10 MINUTES AFTER DEPARTURE. ALL OTHER DATA REMAINS AS PUBLISHED. ALL OTHER DATA REMAINS AS PUBLISHED.
1702262010-1710082010EST.

FDC 7/4281 JQF SID CONCORD RGNL, CONCORD, NC. BEAVY THREE DEPARTURE (RNAV)...GANDT TRANSITION: CHANGE COMPUTER CODE TO (BEAVY3.GANDT). JENDO TRANSITION: CHANGE COMPUTER CODE TO (BEAVY3.JENDO). ALL OTHER DATA REMAINS AS PUBLISHED.
1703131530-1707181530EST.

FDC 7/2234 JQF SID CONCORD RGNL, CONCORD, NC. BOBCAT SEVEN DEPARTURE...HORNET EIGHT DEPARTURE...PANTHER THREE DEPARTURE...NOTE: UPON REACHING 10000 MSL, ACCELERATE TO AND MAINTAIN 280 KIAS, IF UNABLE ADVISE ATC. DISREGARD NOTE: DO NOT EXCEED 280K UNTIL ADVISED BY ATC. ALL OTHER DATA REMAINS AS PUBLISHED. 1703291425-1711081425EST.

FDC 7/2232 JQF SID CONCORD RGNL, CONCORD, NC. BOBZY TWO DEPARTURE (RNAV)...ESTRR TWO DEPARTURE (RNAV)...JOJJO TWO DEPARTURE (RNAV)...WEAZL TWO DEPARTURE (RNAV)...NOTE: UPON REACHING 10000 MSL, ACCELERATE TO AND MAINTAIN 280 KIAS, IF UNABLE ADVISE ATC. DISREGARD NOTE: UPON REACHING 10000 MSL, ACCELERATE TO 280K, IF UNABLE ADVISE ATC. ALL OTHER DATA REMAINS AS PUBLISHED.
1703291425-1711081425EST.

FDC 6/9089 JQF STAR CONCORD REGIONAL AIRPORT, CONCORD, NC. NASCR ONE ARRIVAL FLO TRANSITION NA. 1607210900-1707210900EST.

FDC 6/1446 JQF IAP CONCORD RGNL, CONCORD, NC. RNAV (GPS) RWY 2, AMDT 1...CHANGE PROFILE NOTE: VGSI AND RNAV GLIDEPATH NOT COINCIDENT (VGSI ANGLE 3.50/TCH 69).
1611202001-1707022001EST.

EDENTON

Northeastern Rgnl

FDC 7/6384 EDE IAP NORTHEASTERN RGNL, EDENTON, NC. RNAV (GPS) RWY 19, AMDT 2A...LPV DA 220. LNAV/VNAV DA 270. LNAV HAT 320 ALL CATS. CHART TDZE 20, DELETE THRE 19. THIS IS RNAV (GPS) RWY 19, AMDT 2B. 1701202050-PERM.

ELIZABETHTOWN

Curtis L Brown Jr Field

FDC 7/0260 EYF IAP CURTIS L BROWN JR FIELD, ELIZABETHTOWN, NC. RNAV (GPS) RWY 33, ORIG...LPV DA 381/HAT 250, ALL CATS.
1703252346-1711042346EST.

ELKIN

Elkin Muni

FDC 7/0161 ZEF IAP ELKIN MUNI, ELKIN, NC. RNAV (GPS) RWY 7, ORIG...DELETE: DESCENT ANGLE 3.00/TCH 45 PROFILE NOTE: VISUAL SEGMENT - OBSTACLES. 1703250133-1711040133EST.

FAYETTEVILLE

Fayetteville Rgnl/Grannis Field

FDC 7/4178 FAY IAP FAYETTEVILLE RGNL/GRANNIS FIELD, FAYETTEVILLE, NC. ILS OR LOC/DME RWY 4, AMDT 17...S-ILS 4 DA 389. S-LOC 4 HAT 331 ALL CATS. CHART NOTE: DME REQUIRED. CHART PROFILE NOTE: VGSI AND ILS GLIDEPATH NOT COINCIDENT (VGSI ANGLE {3.13}/TCH {47}). CHART TDZE 189, DELETE THRE 185. THIS IS ILS OR LOC RWY 4, AMDT 17A 1702141557-PERM.

GASTONIA

Gastonia Muni

FDC 7/9395 AKH SID GASTONIA MUNI, GASTONIA, NC. BOBCAT SEVEN DEPARTURE...ZAVR TRANSITION NA EXCEPT FOR AIRCRAFT EQUIPPED WITH SUITABLE RNAV SYSTEM WITH GPS. CLT VOR/DME RADIALS R-270 TO R-280 UNUSABLE.
1703011618-1710111618EST.

FDC 7/8775 AKH IAP GASTONIA MUNI, GASTONIA, NC. NDB RWY 3, AMDT 9...MISSED APPROACH: CLIMBING RIGHT TURN TO 2900 IN GHJ NDB HOLDING PATTERN. 1701291542-1709101542EST.

FDC 7/8246 AKH SID GASTONIA MUNI, GASTONIA, NC. BOBCAT SEVEN DEPARTURE...HORNET EIGHT DEPARTURE...HUGO THREE DEPARTURE...PANTHER THREE DEPARTURE...DEPARTURE ROUTE DESCRIPTION: TAKEOFF RWY 3: CLIMB HEADING 049 TO 2700 BEFORE TURNING LEFT, THENCE...TAKEOFF RWY 21: CLIMB HEADING 214 TO 1600 BEFORE PROCEEDING NORTH, THENCE.....EXPECT RADAR VECTORS TO INTERCEPT FILED/ASSIGNED TRANSITION OR ENROUTE FIX/NAVIAID. MAINTAIN 3400, EXPECT FILED ALTITUDE/FLIGHT LEVEL 10 MINUTES AFTER DEPARTURE. ALL OTHER DATA REMAINS AS PUBLISHED. 1702262004-1710082004EST.

FDC 7/4275 AKH SID GASTONIA MUNI, GASTONIA, NC. BEAVY THREE DEPARTURE (RNAV)...GANDT TRANSITION: CHANGE COMPUTER CODE TO (BEAVY3.GANDT). JENDO TRANSITION: CHANGE COMPUTER CODE TO (BEAVY3.JENDO). ALL OTHER DATA REMAINS AS PUBLISHED. 1703131530-1707181530EST.

FDC 7/2238 AKH SID GASTONIA MUNI, GASTONIA, NC. BOBCAT SEVEN DEPARTURE...HORNET EIGHT DEPARTURE...PANTHER THREE DEPARTURE...NOTE: UPON REACHING 10000 MSL, ACCELERATE TO AND MAINTAIN 280 KIAS, IF UNABLE ADVISE ATC. DISREGARD NOTE: DO NOT EXCEED 280K UNTIL ADVISED BY ATC. ALL OTHER DATA REMAINS AS PUBLISHED. 1703291427-1711081427EST.

FDC 7/2236 AKH SID GASTONIA MUNI, GASTONIA, NC. BOBZY TWO DEPARTURE (RNAV)...ESTRR TWO DEPARTURE (RNAV)...JOJO TWO DEPARTURE (RNAV)...WEAZL TWO DEPARTURE (RNAV)...NOTE: UPON REACHING 10000 MSL, ACCELERATE TO AND MAINTAIN 280 KIAS, IF UNABLE ADVISE ATC. DISREGARD NOTE: UPON REACHING 10000 MSL, ACCELERATE TO 280K, IF UNABLE ADVISE ATC. ALL OTHER DATA REMAINS AS PUBLISHED. 1703291427-1711081427EST.

FDC 6/9081 AKH STAR GASTONIA MUNI, GASTONIA, NC. RASLN ONE ARRIVALREVISE VERTICAL NAVIGATION PLANNING INFORMATION AT RASLN TO READ TURBOPROP/PROP LANDING NORTH EXPECT 8000FT LANDING SOUTH EXPECT 10000FT TURBOJET LANDING NORTH EXPECT 11000FT AND 250K LANDING SOUTH EXPECT 14000FT AND 250K. 1607210900-1707210900EST.

GOLDSBORO

Wayne Executive Jetport

FDC 7/8777 GWW IAP WAYNE EXECUTIVE JETPORT, GOLDSBORO, NC. VOR-A, AMDT 6...PROCEDURE NA. 1701291547-1709101547EST.

FDC 7/4848 GWW IAP WAYNE EXECUTIVE JETPORT, GOLDSBORO, NC. VOR-A, AMDT 6...RADAR REQUIRED EXCEPT FOR AIRCRAFT EQUIPPED WITH SUITABLE RNAV SYSTEM WITH GPS, ISO TACAN OUT OF SERVICE. 1704250554-1705250554EST.

FDC 7/2426 GWW IAP WAYNE EXECUTIVE JETPORT, GOLDSBORO, NC. ILS OR LOC RWY 23, AMDT 2A...PROCEDURE NA EXCEPT FOR AIRCRAFT EQUIPPED WITH SUITABLE RNAV SYSTEM WITH GPS. 1701092220-1708212220EST.

GREENSBORO

Piedmont Triad Intl

FDC 7/9878 GSO IAP PIEDMONT TRIAD INTL, GREENSBORO, NC. RNAV (GPS) RWY 5R, AMDT 2C...LPV DA 1150/HAT 250 ALL CATS. LNAV MDA 1320/HAT 420 ALL CATS, VIS CAT C RVR 4000. DISREGARD NOTE: FOR INOPERATIVE MALSR, INCREASE LNAV CAT D VISIBILITY TO RVR 6000.. 1703241548-1711031547EST.

FDC 7/6715 GSO IAP PIEDMONT TRIAD INTL, GREENSBORO, NC. ILS OR LOC RWY 23L, AMDT 9B...ILS RWY 23L (CAT II), AMDT 9B...FINAL APPROACH COURSE 234.00. PROCEDURE TURN OUTBOUND COURSE 054.00 AND INBOUND COURSE 234.00. THIS IS ILS OR LOC RWY 23L, AMDT 9C...ILS RWY 23L (CAT II), AMDT 9C...1704061718-PERM.

FDC 7/1101 GSO IAP PIEDMONT TRIAD INTL, GREENSBORO, NC. RNAV (GPS) RWY 23L, AMDT 2B...LNAV MDA 1280/HAT 394 ALL CATS. 1703061939-1710161938EST.

FDC 7/1015 GSO IAP PIEDMONT TRIAD INTL, GREENSBORO, NC. RNAV (GPS) RWY 32, AMDT 3...CHART TDZE 902, DELETE THRE 900. LPV DA 1102. LNAV/VNAV DA 1419. LNAV HAT 498 ALL CATS. THIS IS RNAV (GPS) RWY 32, AMDT 3A. 1702032152-PERM.

GREENVILLE

Pitt-Greenville

FDC 7/9303 PGV IAP PITT-GREENVILLE, GREENVILLE, NC. RNAV (GPS) RWY 26, AMDT 2A...NOTE: NIGHT LANDING: RWY 8 NA. CHANGE HELICOPTER VISIBILITY REDUCTION NOTE TO READ: HELICOPTER VISIBILITY REDUCTION BELOW 1 SM NOT AUTHORIZED. 1705031319-1712131319EST.

FDC 7/9168 PGV IAP PITT-GREENVILLE, GREENVILLE, NC. RNAV (GPS) RWY 8, AMDT 2A...NOTE: NIGHT LANDING: RWY 8 NA. CHANGE NOTE: HELICOPTER VISIBILITY REDUCTION BELOW 1 SM NOT AUTHORIZED. 1704121551-1711221551EST.

FDC 7/3556 PGV IAP PITT-GREENVILLE, GREENVILLE, NC. ILS Y OR LOC Y RWY 20, ORIG...ILS Z OR LOC Z RWY 20, AMDT 5...MISSED APPROACH: CLIMB TO 800 THEN CLIMBING RIGHT TURN TO 1600 DIRECT AQE NDB AND HOLD. 1702112028-1709232028EST.

HICKORY

Hickory Rgnl

FDC 7/8286 HKY IAP HICKORY RGNL, HICKORY, NC. ILS OR LOC RWY 24, AMDT 8A...RNAV (GPS) RWY 19, AMDT 1...RNAV (GPS) RWY 24, AMDT 1A...CHART NOTE: CIRCLING RWY 1 AND 6 NA AT NIGHT. 1702262033-1710082033EST.

FDC 7/3914 HKY IAP HICKORY RGNL, HICKORY, NC. RNAV (GPS) RWY 6, AMDT 1...LP HAT 408 ALL CATS. LNAV HAT 588 ALL CATS. CHART TDZE 1152, DELETE THRE 1136. CHART NOTE: RWY 1, 6, 19 HELICOPTER VISIBILITY REDUCTION BELOW 1 SM NOT AUTHORIZED. DELETE NOTE: VISIBILITY REDUCTION BY HELICOPTERS NA. THIS IS RNAV (GPS) RWY 6, AMDT 1A. 1702132144-PERM.

FDC 7/3913 HKY IAP HICKORY RGNL, HICKORY, NC. RNAV (GPS) RWY 1, AMDT 1...LP HAT 426 ALL CATS. LNAV HAT 466 ALL CATS. CHART TDZE 1154, DELETE THRE 1142. CHART NOTE: RWY 1, 6, 19 HELICOPTER VISIBILITY REDUCTION BELOW 1 SM NOT AUTHORIZED. DELETE NOTE: VISIBILITY REDUCTION BY HELICOPTERS NA. THIS IS RNAV (GPS) RWY 1, AMDT 1A. 1702132144-PERM.

KINSTON

Kinston Rgnl Jetport At Stallings Fld

FDC 7/9754 ISO IAP KINSTON RGNL JETPORT AT STALLINGS FLD, KINSTON, NC. RNAV (GPS) RWY 23, AMDT 3...LNAV/VNAV DA 436/HAT 350. VIS 1 1/8 ALL CATS. LNAV MDA 540/HAT 454 ALL CATS. VIS CATS C/D 1 3/8. CIRCLING CATS A/B MDA 580/HAA 487. VDP 1.19 NM TO RW23. 1703012012-1710112012EST.

FDC 7/9679 ISO IAP KINSTON RGNL JETPORT AT STALLINGS FLD, KINSTON, NC. VOR RWY 23, AMDT 16...S-23 MDA 540/HAT 454 ALL CATS. VIS CATS C/D 1 3/8. CIRCLING CATS A/B MDA 580/HAA 487. VDP 1.30 DME FROM ISO VORTAC MISSED APPROACH: CLIMB TO 1000 THEN CLIMBING RIGHT TURN TO 3100 DIRECT ISO VORTAC AND HOLD. CONTINUE CLIMB-IN-HOLD TO 3100. 1703011941-1710111941EST.

FDC 7/9663 ISO IAP KINSTON RGNL JETPORT AT STALLINGS FLD, KINSTON, NC. RNAV (GPS) RWY 5, AMDT 3...CIRCLING CATS A/B MDA 580/HAA 487. 1703011923-1710111923EST.

FDC 7/8779 ISO IAP KINSTON RGNL JETPORT AT STALLINGS FLD, KINSTON, NC. VOR RWY 23, AMDT 16...PROCEDURE NA. 1701291549-1709101549EST.

FDC 7/4849 ISO IAP KINSTON RGNL JETPORT AT STALLINGS FLD, KINSTON, NC. VOR RWY 23, AMDT 16...VDP NA, ISO TACAN OUT OF SERVICE. 1704250554-1705250554EST.

LIBERTY

Causey

FDC 7/9132 2A5 IAP CAUSEY, LIBERTY, NC. RNAV (GPS) RWY 20, ORIG...DISREGARD NOTE: GPS OR RNP-0.3 REQUIRED. NOTE: HELICOPTER VISIBILITY REDUCTION BELOW 1 SM NOT AUTHORIZED. 1704121506-1711221505EST.

FDC 7/7596 2A5 IAP CAUSEY, LIBERTY, NC. RNAV (GPS) RWY 2, ORIG...DISREGARD NOTE: GPS OR RNP-0.3 REQUIRED. NOTE: HELICOPTER VISIBILITY REDUCTION BELOW 1 SM NOT AUTHORIZED. 1704101259-1711201259EST.

FDC 7/7565 2A5 IAP CAUSEY, LIBERTY, NC. VOR RWY 2, AMDT 5...NOTE: HELICOPTER VISIBILITY REDUCTION BELOW 1 SM NOT AUTHORIZED. NOTE: PROCEDURE NA AT NIGHT. 1704101237-1711201237EST.

LINCOLNTON

Lincolnton-Lincoln County Rgnl

FDC 7/9391 IPJ SID LINCOLNTON-LINCOLN COUNTY RGNL, LINCOLNTON, NC. BOBCAT SEVEN DEPARTURE...ZAUER TRANSITION NA EXCEPT FOR AIRCRAFT EQUIPPED WITH SUITABLE RNAV SYSTEM WITH GPS. CLT VOR/DME RADIALS R-270 TO R-280 UNUSABLE. 1703011610-1710111610EST.

FDC 7/8250 IPJ SID LINCOLNTON-LINCOLN COUNTY RGNL, LINCOLNTON, NC. BOBCAT SEVEN DEPARTURE...HORNET EIGHT DEPARTURE...HUGO THREE DEPARTURE...PANTHER THREE DEPARTURE...DEPARTURE ROUTE DESCRIPTION: TAKEOFF RWY 23: CLIMB HEADING 243 TO 2800 BEFORE TURNING LEFT, THENCE.....EXPECT RADAR VECTORS TO INTERCEPT FILED/ASSIGNED TRANSITION OR ENROUTE FIX/NAVAID. MAINTAIN 3000, EXPECT FILED ALTITUDE/FLIGHT LEVEL 10 MINUTES AFTER DEPARTURE. ALL OTHER DATA REMAINS AS PUBLISHED. 1702262008-1710082008EST.

FDC 7/4279 IPJ SID LINCOLNTON-LINCOLN COUNTY RGNL, LINCOLNTON, NC. BEAVY THREE DEPARTURE (RNAV)...GANDT TRANSITION: CHANGE COMPUTER CODE TO (BEAVY3.GANDT). JENDO TRANSITION: CHANGE COMPUTER CODE TO (BEAVY3.JENDO). ALL OTHER DATA REMAINS AS PUBLISHED. 1703131530-1707181530EST.

FDC 7/2246 IPJ SID LINCOLNTON-LINCOLN COUNTY RGNL, LINCOLNTON, NC. BOBCAT SEVEN DEPARTURE...HORNET EIGHT DEPARTURE...PANTHER THREE DEPARTURE...NOTE: UPON REACHING 10000 MSL, ACCELERATE TO AND MAINTAIN 280 KIAS, IF UNABLE ADVISE ATC. DISREGARD NOTE: ACCELERATE TO 250K, IF UNABLE ADVISE ATC. DISREGARD NOTE: DO NOT EXCEED 280K UNTIL ADVISED BY ATC. ALL OTHER DATA REMAINS AS PUBLISHED. 1703291431-1711081431EST.

FDC 7/2245 IPJ SID LINCOLNTON-LINCOLN COUNTY RGNL, LINCOLNTON, NC. BOBZY TWO DEPARTURE (RNAV)...ESTRR TWO DEPARTURE (RNAV)...JOJJO TWO DEPARTURE (RNAV)...WEAZL TWO DEPARTURE (RNAV)...NOTE: UPON REACHING 10000 MSL, ACCELERATE TO AND MAINTAIN 280 KIAS, IF UNABLE ADVISE ATC. DISREGARD NOTE: UPON REACHING 10000 MSL, ACCELERATE TO 280K, IF UNABLE ADVISE ATC. ALL OTHER DATA REMAINS AS PUBLISHED. 1703291431-1711081431EST.

FDC 6/9080 IPJ STAR LINCOLNTON-LINCOLN COUNTY RGNL, LINCOLNTON, NC. RASLN ONE ARRIVALREVISE VERTICAL NAVIGATION PLANNING INFORMATION AT RASLN TO READ TURBOPROP/PROP LANDING NORTH EXPECT 8000FT LANDING SOUTH EXPECT 10000FT TURBOJET LANDING NORTH EXPECT 11000FT AND 250K LANDING SOUTH EXPECT 14000FT AND 250K. 1607210900-1707210900EST.

FDC 6/8607 IPJ IAP LINCOLNTON-LINCOLN COUNTY RGNL, LINCOLNTON, NC. ILS Y OR LOC Y RWY 23, ORIG-A...ILS Z OR LOC Z RWY 23, ORIG-A...GATEQ FIX MINIMUMS CIRCLING CATS A/B MDA 1400/HAA 522. 1612072218-1707192218EST.

FDC 6/8605 IPJ IAP LINCOLNTON-LINCOLN COUNTY RGNL, LINCOLNTON, NC. RNAV (GPS) RWY 23, AMDT 1...RNAV (GPS) RWY 5, AMDT 1B...CIRCLING CATS A/B MDA 1400/HAA 522. 1612072216-1707192216EST.

LOUISBURG

Triangle North Executive

FDC 7/4455 LHZ IAP TRIANGLE NORTH EXECUTIVE, LOUISBURG, NC. VOR/DME-A, AMDT 2B...PROCEDURE NA. 1704241434-1712041434EST.

MANTEO

Dare County Rgnl

FDC 7/4460 MQI IAP DARE COUNTY RGNL, MANTEO, NC. VOR RWY 17, AMDT 4A...PROCEDURE NA. 1701141856-1708261855EST.

MARION

Mcdowell Hospital

FDC 7/1795 NC33 SPECIAL MCDOWELL HOSPITAL, MARION, NC. COPTER RNAV (GPS) 096, ORIG...KNC33 ELEVATION 1470. H-096 HAL 670. TAVBE TO HELIPORT 7.09 / 20 FT HCH. 1703282157-1711072157EST.

MAXTON

Laurinburg-Maxton

FDC 7/7551 MEB IAP LAURINBURG-MAXTON, MAXTON, NC. RNAV (GPS) RWY 5, AMDT 1A...CIRCLING HAA CATS A/B/C 463, CAT D 563. CHART TDZE 215, DELETE THRE 215. CHART NOTE: CIRCLING RWY 13 NA AT NIGHT. AIRPORT ELEVATION 217. DELETE NOTE: CIRCLING TO RWY 13 NA AT NIGHT. THIS IS RNAV (GPS) RWY 5, AMDT 1B. 1701251442-PERM.

FDC 7/7550 MEB IAP LAURINBURG-MAXTON, MAXTON, NC. ILS OR LOC RWY 5, AMDT 2...CIRCLING HAA CATS A/B/C 463, CAT D 563. CHART NOTE: CIRCLING RWY 13 NA AT NIGHT. CHART TDZE 215, DELETE THRE 215. AIRPORT ELEVATION 217. DELETE NOTE: CIRCLING TO RWY 13 NA AT NIGHT. THIS IS ILS OR LOC RWY 5, AMDT 2A. 1701251442-PERM.

MONROE

Charlotte-Monroe Executive

FDC 7/9393 EQY SID CHARLOTTE-MONROE EXECUTIVE, MONROE, NC. BOBCAT SEVEN DEPARTURE...ZAVR TRANSITION NA EXCEPT FOR AIRCRAFT EQUIPPED WITH SUITABLE RNAV SYSTEM WITH GPS. CLT VOR/DME RADIALS R-270 TO R-280 UNUSABLE. 1703011613-1710111613EST.

FDC 7/4271 EQY SID CHARLOTTE-MONROE EXECUTIVE, MONROE, NC. BEAVY THREE DEPARTURE (RNAV)...GANDT TRANSITION: CHANGE COMPUTER CODE TO (BEAVY3.GANDT). JENDO TRANSITION: CHANGE COMPUTER CODE TO (BEAVY3.JENDO). ALL OTHER DATA REMAINS AS PUBLISHED. 1703131530-1707181530EST.

FDC 7/2242 EQY SID CHARLOTTE-MONROE EXECUTIVE, MONROE, NC. BOBZY TWO DEPARTURE (RNAV)...ESTRR TWO DEPARTURE (RNAV)...JOJJO TWO DEPARTURE (RNAV)...WEAZL TWO DEPARTURE (RNAV)...NOTE: UPON REACHING 10000 MSL, ACCELERATE TO AND MAINTAIN 280 KIAS, IF UNABLE ADVISE ATC. DISREGARD NOTE: UPON REACHING 10000 MSL, ACCELERATE TO 280K, IF UNABLE ADVISE ATC. ALL OTHER DATA REMAINS AS PUBLISHED. 1703291429-1711081429EST.

FDC 6/9085 EQY STAR CHARLOTTE-MONROE EXECUTIVE, MONROE, NC. RASLN ONE ARRIVALREVISE VERTICAL NAVIGATION PLANNING INFORMATION AT RASLN TO READ TURBOPROP/PROP LANDING NORTH EXPECT 8000FT LANDING SOUTH EXPECT 10000FT TURBOJET LANDING NORTH EXPECT 11000FT AND 250K LANDING SOUTH EXPECT 14000FT AND 250K. 1607210900-1707210900EST.

MOORESVILLE

Lake Norman Airpark

FDC 7/0992 14A IAP LAKE NORMAN AIRPARK, MOORESVILLE, NC. RNAV (GPS) RWY 14, AMDT 1...LNAV HAT CATS A/B 521. CHART TDZE 839, DELETE THRE 807. CHART NOTE: RWY 14, 32 HELICOPTER VISIBILITY REDUCTION BELOW 1 SM NOT AUTHORIZED. CHART PROFILE NOTE: VISUAL SEGMENT - OBSTACLES. DELETE PROFILE NOTE: DESCENT ANGLE NA. DELETE NOTE: HELICOPTER VISIBILITY REDUCTION BELOW 1 SM NOT AUTHORIZED. THIS IS RNAV (GPS) RWY 14, AMDT 1A. 1702032029-PERM.

MORGANTON

Foothills Regional

FDC 7/4888 MRN IAP FOOTHILLS REGIONAL, MORGANTON, NC. LOC RWY 3, AMDT 2...PROCEDURE NA EXCEPT FOR AIRCRAFT EQUIPPED WITH SUITABLE RNAV SYSTEM WITH GPS. 1702151914-1709271913EST.

FDC 7/1014 MRN IAP FOOTHILLS REGIONAL, MORGANTON, NC. RNAV (GPS) RWY 21, AMDT 1...CHART TDZE 1270, DELETE THRE 1270. THIS IS RNAV (GPS) RWY 21, AMDT 1A. 1702032146-PERM.

FDC 7/1013 MRN IAP FOOTHILLS REGIONAL, MORGANTON, NC. LOC RWY 3, AMDT 2...S-3 HAT CATS A/B/C 492. CHART TDZE 1248, DELETE THRE 1230. THIS IS LOC RWY 3, AMDT 2A. 1702032146-PERM.

MOUNT AIRY

Mount Airy/Surry County

FDC 7/6921 MWK IAP MOUNT AIRY/SURRY COUNTY, MOUNT AIRY, NC. RNAV (GPS) RWY 18, ORIG...RNAV (GPS) RWY 36, ORIG...NOTE: HELICOPTER VISIBILITY REDUCTION BELOW 3/4 SM NOT AUTHORIZED. DISREGARD NOTE: VISIBILITY REDUCTION BY HELICOPTERS NA. DISREGARD NOTE: WHEN VGSI INOP, PROCEDURE NA AT NIGHT. 1702221951-1710041949EST.

MOUNT OLIVE

Mount Olive Muni

FDC 7/4850 W40 IAP MOUNT OLIVE MUNI, MOUNT OLIVE, NC. VOR-A, AMDT 2A...RADAR REQUIRED EXCEPT FOR AIRCRAFT EQUIPPED WITH SUITABLE RNAV SYSTEM WITH GPS, ISO TACAN OUT OF SERVICE. 1704250554-1705250554EST.

FDC 7/0277 W40 IAP MOUNT OLIVE MUNI, MOUNT OLIVE, NC. VOR-A, AMDT 2A...PROCEDURE NA. 1703260003-1711050003EST.

FDC 7/0025 W40 IAP MOUNT OLIVE MUNI, MOUNT OLIVE, NC. RNAV (GPS) RWY 5, ORIG-A...CHART TDZE 166, DELETE THRE 166. THIS IS RNAV (GPS) RWY 5, ORIG-B. 1704131751-PERM.

NEW BERN

Coastal Carolina Regional

FDC 7/3781 EWN IAP COASTAL CAROLINA REGIONAL, NEW BERN, NC. RNAV (GPS) RWY 22, AMDT 1...LPV DA 269. LNAV/VNAV DA 376. LNAV HAT 463 ALL CATS. CHART TDZE 17, DELETE THRE 14. CHART NOTE: RWY 14, 32 HELICOPTER VISIBILITY REDUCTION BELOW 1 SM NOT AUTHORIZED. CHART NOTE: RWY 22 HELICOPTER VISIBILITY REDUCTION BELOW 3/4 SM NOT AUTHORIZED. CHART NOTE: CIRCLING RWY 14, 32 NA AT NIGHT. DELETE NOTE: CIRCLING RWY 14 AND 32 NA AT NIGHT. DELETE NOTE: VISIBILITY REDUCTION BELOW HELICOPTERS NA. THIS IS RNAV (GPS) RWY 22, AMDT 1A. 1703121357-PERM.

FDC 7/3780 EWN IAP COASTAL CAROLINA REGIONAL, NEW BERN, NC. VOR RWY 22, AMDT 3A...S-22 HAT 583 ALL CATS. S-22 JIKIR FIX MINIMUMS (DME REQUIRED) HAT 463 ALL CATS. CHART TDZE 17, DELETE THRE 14. CHART NOTE: RWY 14, 32 HELICOPTER VISIBILITY REDUCTION BELOW 1 SM NOT AUTHORIZED. CHART NOTE: RWY 22 HELICOPTER VISIBILITY REDUCTION BELOW 3/4 SM NOT AUTHORIZED. CHART NOTE: CIRCLING RWY 14, 32 NA AT NIGHT. DELETE NOTE: CIRCLING RWY 14 AND 32 NA AT NIGHT. DELETE NOTE: VISIBILITY REDUCTION BELOW HELICOPTERS NA. THIS IS VOR RWY 22, AMDT 3B. 1703121357-PERM.

FDC 6/5158 EWN IAP COASTAL CAROLINA REGIONAL, NEW BERN, NC. ILS OR LOC RWY 4, AMDT 1A...NOTE: AUTOPILOT COUPLED APPROACH NA BELOW 540 MSL. 1612272206-1708082206EST.

NORTH WILKESBORO

Wilkes County

FDC 7/7622 UKF ODP WILKES COUNTY, NORTH WILKESBORO, NC. TAKEOFF MINIMUMS AND (OBSTACLE) DEPARTURE PROCEDURES ORIG...TAKEOFF MINIMUMS: RWY 1, STANDARD WITH MINIMUM CLIMB OF 340 FT PER NM TO 5000. RWY 19, STANDARD WITH MINIMUM CLIMB OF 225 FT PER NM TO 3200. DEPARTURE PROCEDURE: RWY 1, CLIMB HEADING 005 TO 5000 BEFORE PROCEEDING ON COURSE. RWY 19, CLIMB HEADING 185 TO 3200 BEFORE PROCEEDING ON COURSE. ALL OTHER DATA REMAINS AS PUBLISHED. 1704101315-1711201315EST.

FDC 7/4451 UKF IAP WILKES COUNTY, NORTH WILKESBORO, NC. ILS OR LOC RWY 1, ORIG-C...DISREGARD NOTE: NIGHT LANDING: RWY 19 NA. 1704241432-1712041432EST.

PINEHURST/SOUTHERN PINES

Moore County

FDC 7/2278 SOP IAP MOORE COUNTY, PINEHURST/SOUTHERN PINES, NC. ILS Y OR LOC/DME Y RWY 5, ORIG-A...ILS Z OR LOC/DME Z RWY 5, AMDT 2A...MISSED APPROACH: CLIMB TO 1400 THEN CLIMBING LEFT TURN TO 2500 DIRECT HFF NDB AND HOLD (ADF REQUIRED), SDZ VOR OUT OF SERVICE. 1703081503-1710181502EST.

RAEFORD

P K Airpark

FDC 7/1035 5W4 IAP P K AIRPARK, RAEFORD, NC. VOR/DME OR GPS-A, AMDT 3A...PROCEDURE NA AT NIGHT. 1704171254-1711271254EST.

RALEIGH/DURHAM

Raleigh-Durham Intl

FDC 7/9437 RDU IAP RALEIGH-DURHAM INTL, RALEIGH/DURHAM, NC. RNAV (GPS) RWY 32, ORIG...CHANGE MISSED APPROACH TO READ: CLIMB ON COURSE 322 TO KASLE, THEN CLIMBING RIGHT TURN TO 2200 DIRECT DUHAM AND HOLD. NOTE: HELICOPTER VISIBILITY REDUCTION BELOW 3/4 SM NOT AUTHORIZED.. 1705031354-1712131354EST.

FDC 7/9432 RDU IAP RALEIGH-DURHAM INTL, RALEIGH/DURHAM, NC. RNAV (GPS) Y RWY 5R, AMDT 2A...LNAV/VNAV DA 711/HAT 291 ALL CATS. 1705031350-1712131350EST.

FDC 7/9353 RDU IAP RALEIGH-DURHAM INTL, RALEIGH/DURHAM, NC. ILS OR LOC RWY 23L, AMDT 8A...LEPEC FIX MINIMUMS S-LOC 23L MDA 840/HAT 405 ALL CATS. VIS CAT C RVR 4000. LOCALIZER UNUSABLE FOR COUPLED APPROACHES BELOW 1100 OR WITHIN 2 NM OF THRESHOLD. 1705031346-1712131346EST.

FDC 7/8949 RDU IAP RALEIGH-DURHAM INTL, RALEIGH/DURHAM, NC. ILS OR LOC RWY 5L, AMDT 5A...CHANGE MISSED APPROACH TO READ: CLIMB TO 1000 THEN CLIMBING LEFT TURN TO 2200 VIA HEADING 310 AND RDU VORTAC R-351 TO DUHAM INT/RDU 11 DME AND HOLD. 1704121338-1711221338EST.

FDC 7/8945 RDU IAP RALEIGH-DURHAM INTL, RALEIGH/DURHAM, NC. ILS OR LOC RWY 23R, AMDT 11B...ILS RWY 23R (CAT II AND CAT III)...CHANGE MISSED APPROACH TO READ: CLIMB TO 1000 THEN CLIMBING RIGHT TURN TO 2200 VIA HEADING 030 AND RDU VORTAC R-351 TO DUHAM INT AND HOLD. 1704121332-1711221332EST.

FDC 7/4228 RDU SID RALEIGH-DURHAM INTL, RALEIGH/DURHAM, NC. BLUE DEVIL FOUR DEPARTURE...FAYETTEVILLE THREE DEPARTURE...RALEIGH SEVEN DEPARTURE...TAR HEEL NINE DEPARTURE...TAKEOFF MINIMUMS: RWY 14, 300-1 OR STANDARD WITH A MINIMUM CLIMB OF 310 FT PER NM TO 700. ALL OTHER DATA REMAINS AS PUBLISHED. 1702141626-1709261626EST.

FDC 7/4227 RDU ODP RALEIGH-DURHAM INTL, RALEIGH/DURHAM, NC. TAKEOFF MINIMUMS AND (OBSTACLE) DEPARTURE PROCEDURES AMDT 6...DEPARTURE PROCEDURE TAKEOFF MINIMUMS. RWY 14, 300-1 OR STANDARD WITH A MINIMUM CLIMB OR 310 FT PER NM TO 700. ALL OTHER DATA REMAINS AS PUBLISHED. 1702141626-1709261626EST.

FDC 7/3309 RDU IAP RALEIGH-DURHAM INTL, RALEIGH/DURHAM, NC. ILS OR LOC RWY 23L, AMDT 8A...S-ILS 23L DA 750/HATH 315 ALL CATS. VIS 3/4 ALL CATS. S-LOC 23L MINIMUMS NA. LEI LOCALIZER RESTRICTION. 1703092319-1710192319EST.

FDC 7/2457 RDU IAP RALEIGH-DURHAM INTL, RALEIGH/DURHAM, NC. ILS OR LOC RWY 5R, AMDT 28A...FLIGHT PLANNING BOX NOTE: RVR 1800 AUTHORIZED WITH USE OF FD OR AP OR HUD TO DA NA. 1703291944-1711081944EST.

FDC 6/2671 RDU IAP RALEIGH-DURHAM INTL, RALEIGH/DURHAM, NC. RNAV (RNP) Z RWY 23R, AMDT 2A...RNP 0.15 DA 801/HAT 392 ALL CATS. 1611232121-1707052121EST.

FDC 6/2667 RDU IAP RALEIGH-DURHAM INTL, RALEIGH/DURHAM, NC. RNAV (RNP) Z RWY 5R, AMDT 2A...RNP 0.30 DA 811/HAT 391, VIS RVR 3500 ALL CATS. 1611232118-1707052118EST.

REIDSVILLE

Rockingham County Nc Shiloh

FDC 6/1976 SIF IAP ROCKINGHAM COUNTY NC SHILOH, REIDSVILLE, NC. RNAV (GPS) RWY 31, ORIG-A...NOTE: STRAIGHT-IN RWY 31 NA AT NIGHT AND CIRCLING RWY 13 NA AT NIGHT. 1611221450-1707041450EST.

FDC 6/1975 SIF IAP ROCKINGHAM COUNTY NC SHILOH, REIDSVILLE, NC. RNAV (GPS) RWY 13, ORIG...NOTE: STRAIGHT-IN RWY 13 NA AT NIGHT AND CIRCLING RWY 31 NA AT NIGHT. 1611221450-1707041450EST.

FDC 6/1974 SIF IAP ROCKINGHAM COUNTY NC SHILOH, REIDSVILLE, NC. VOR/DME-A, AMDT 9A...NOTE: CIRCLING RWY 13, 31 NA AT NIGHT. 1611221450-1707041450EST.

FDC 6/1973 SIF IAP ROCKINGHAM COUNTY NC SHILOH, REIDSVILLE, NC. NDB RWY 31, AMDT 5A...NOTE: STRAIGHT-IN RWY 31 NA AT NIGHT AND CIRCLING RWY 13 NA AT NIGHT. 1611221450-1707041450EST.

ROCKY MOUNT

Rocky Mount-Wilson Rgnl

FDC 7/8121 RWI IAP ROCKY MOUNT-WILSON RGNL, ROCKY MOUNT, NC. ILS OR LOC RWY 4, AMDT 16B...S-LOC 4 MDA 540/HAT 381 ALL CATS. NOTE: FOR INOPERATIVE MALSR, INCREASE S-LOC 4 CATS A/B/C VISIBILITY TO 1 MILE. 1704111259-1711211258EST.

FDC 7/5630 RWI IAP ROCKY MOUNT-WILSON RGNL, ROCKY MOUNT, NC. VOR/DME RWY 22, AMDT 3A...PROCEDURE NA. 1702171615-1709291615EST.

FDC 7/3789 RWI IAP ROCKY MOUNT-WILSON RGNL, ROCKY MOUNT, NC. RNAV (GPS) RWY 22, AMDT 2...LPV DA 436. LNAV/VNAV DA 513. LNAV HAT 408 ALL CATS. CHART TDZE 152, DELETE THRE 150. CHART NOTE: RWY 22 HELICOPTER VISIBILITY REDUCTION BELOW 3/4 SM NOT AUTHORIZED. DELETE NOTE: HELICOPTER VISIBILITY REDUCTION BELOW 3/4 SM NOT AUTHORIZED. THIS IS RNAV (GPS) RWY 22, AMDT 2A. 1703121424-PERM.

FDC 7/3788 RWI IAP ROCKY MOUNT-WILSON RGNL, ROCKY MOUNT, NC. RNAV (GPS) RWY 4, AMDT 2...CHART TDZE 158, DELETE THRE 158. CHART NOTE: RWY 4 HELICOPTER VISIBILITY REDUCTION BELOW 3/4 SM NOT AUTHORIZED DELETE NOTE: HELICOPTER VISIBILITY REDUCTION BELOW 3/4 SM NOT AUTHORIZED. THIS IS RNAV (GPS) RWY 4, AMDT 2A. 1703121424-PERM.

ROXBORO

Person County

FDC 7/3560 TDF IAP PERSON COUNTY, ROXBORO, NC. RNAV (GPS) RWY 6, ORIG...LNAV MDA 980/HAT 379 ALL CATS. VIS CATS C/D 5/8. LPV DA 851/HAT 250. 1702112031-1709232031EST.

FDC 7/3558 TDF IAP PERSON COUNTY, ROXBORO, NC. ILS OR LOC RWY 6, AMDT 1...S-ILS 6 DA 851/HAT 250. 1702112030-1709232030EST.

RUTHERFORDTON

Rutherford Co - Marchman Field

FDC 7/4926 FQD IAP RUTHERFORD CO - MARCHMAN FIELD, RUTHERFORDTON, NC. LOC RWY 1, AMDT 3...S-1 HAT 541 ALL CATS. DASC A FIX MINIMUMS (DUAL VOR RECEIVERS OR DME REQUIRED): S-1 HAT 381 ALL CATS. CHART TDZE 1059, DELETE THRE 1057. DELETE NOTE: VGSI AND DESCENT ANGLES NOT COINCIDENT. THIS IS LOC RWY 1, AMDT 3A. 1702152029-PERM.

FDC 7/4925 FQD IAP RUTHERFORD CO - MARCHMAN FIELD, RUTHERFORDTON, NC. RNAV (GPS) RWY 1, AMDT 2...LPV DA 1309. LNAV/VNAV DA 1459. LNAV HAT 361 ALL CATS. CHART TDZE 1059, DELETE THRE 1057. DELETE NOTE: VGSI AND RNAV GLIDEPATH NOT COINCIDENT. THIS IS RNAV (GPS) RWY 1, AMDT 2A. 1702152029-PERM.

FDC 7/4924 FQD IAP RUTHERFORD CO - MARCHMAN FIELD, RUTHERFORDTON, NC. RNAV (GPS) RWY 19, AMDT 1...CHART TDZE 1077, DELETE THRE 1077. CHART NOTE: RWY 19 HELICOPTER VISIBILITY REDUCTION BELOW 3/4 SM NOT AUTHORIZED. DELETE NOTE: VGSI AND DESCENT ANGLES NOT COINCIDENT. DELETE NOTE: HELICOPTER VISIBILITY REDUCTION BELOW 3/4 MILE NOT AUTHORIZED. THIS IS RNAV (GPS) RWY 19, AMDT 1A. 1702152029-PERM.

SALISBURY

Rowan County

FDC 7/9376 RUQ SID ROWAN COUNTY, SALISBURY, NC. BOBCAT SEVEN DEPARTURE...ZAVR
TRANSITION NA EXCEPT FOR AIRCRAFT EQUIPPED
WITH SUITABLE RNAV SYSTEM WITH GPS. CLT
VOR/DME RADIALS R-270 TO R-280 UNUSABLE.
1703011605-1710111605EST.

FDC 7/8275 RUQ SID ROWAN COUNTY, SALISBURY, NC. JOJJO TWO DEPARTURE (RNAV)...DEPARTURE
PROCEDURE CORRECT CHARLOTTE DEP CON FREQ
TO READ 128.32. ALL OTHER DATA REMAINS AS
PUBLISHED. 1702262026-1710082026EST.

FDC 7/8272 RUQ SID ROWAN COUNTY, SALISBURY, NC. BOBCAT SEVEN DEPARTURE...CORRECT
CHARLOTTE DEPARTURE CON FREQUENCY TO
READ 128.32. ALL OTHER DATA REMAINS AS
PUBLISHED. 1702262025-1710082025EST.

FDC 7/8270 RUQ SID ROWAN COUNTY, SALISBURY, NC. PANTHER THREE DEPARTURE...DEPARTURE
PROCEDURE CORRECT CHARLOTTE DEP CON
FREQUENCY TO READ 128.32. ALL OTHER DATA
REMAINS AS PUBLISHED.
1702262023-1710082023EST.

FDC 7/8248 RUQ SID ROWAN COUNTY, SALISBURY, NC. BOBCAT SEVEN DEPARTURE...HORNET EIGHT
DEPARTURE...HUGO THREE DEPARTURE...PANTHER
THREE DEPARTURE...TAKEOFF MINIMUMS: RWY 20:
400-2 3/4 OR STANDARD WITH MINIMUM CLIMB OF
205 FT PER NM TO 1300, OR ALTERNATIVELY, WITH
STANDARD TAKEOFF MINIMUMS AND A NORMAL
200 FT PER NM CLIMB GRADIENT, TAKEOFF MUST
OCCUR NO LATER THAN 1200 FT PRIOR TO DER.
DEPARTURE ROUTE DESCRIPTION: RWY 20: CLIMB
HEADING 202 TO 1700 BEFORE TURNING RIGHT,
THENCE.....EXPECT RADAR VECTORS TO
INTERCEPT FILED/ASSIGNED TRANSITION OR
ENROUTE FIX/NAVAID. MAINTAIN 3000, EXPECT
FILED ALTITUDE/FLIGHT LEVEL 10 MINUTES AFTER
DEPARTURE. ALL OTHER DATA REMAINS AS
PUBLISHED. 1702262007-1710082006EST.

FDC 7/4269 RUQ SID ROWAN COUNTY, SALISBURY, NC. BEAVY THREE DEPARTURE (RNAV)...GANDT
TRANSITION: CHANGE COMPUTER CODE TO
(BEAVY3.GANDT). JENDO TRANSITION: CHANGE
COMPUTER CODE TO (BEAVY3.JENDO). ALL OTHER
DATA REMAINS AS PUBLISHED.
1703131530-1707181530EST.

FDC 7/2250 RUQ SID ROWAN COUNTY, SALISBURY, NC. BOBCAT SEVEN DEPARTURE...HORNET EIGHT
DEPARTURE...PANTHER THREE DEPARTURE...NOTE:
UPON REACHING 10000 MSL, ACCELERATE TO AND
MAINTAIN 280 KIAS, IF UNABLE ADVISE ATC.
DISREGARD NOTE: ACCELERATE TO 250K, IF
UNABLE, ADVISE ATC. DISREGARD NOTE: DO NOT
EXCEED 280K UNTIL ADVISED BY ATC. ALL OTHER
DATA REMAINS AS PUBLISHED.
1703291433-1711081433EST.

FDC 7/2248 RUQ SID ROWAN COUNTY, SALISBURY, NC. BOBZY TWO DEPARTURE (RNAV)...ESTRR TWO
DEPARTURE (RNAV)...JOJJO TWO DEPARTURE
(RNAV)...WEAZL TWO DEPARTURE (RNAV)...NOTE:
UPON REACHING 10000 MSL, ACCELERATE TO AND
MAINTAIN 280 KIAS, IF UNABLE ADVISE ATC.
DISREGARD NOTE: UPON REACHING 10000 MSL,
ACCELERATE TO 280K, IF UNABLE ADVISE ATC.
ALL OTHER DATA REMAINS AS PUBLISHED.
1703291433-1711081433EST.

FDC 7/1803 RUQ IAP ROWAN COUNTY, SALISBURY, NC. NDB RWY 20, AMDT 1A...CHANGE MISSED
APPROACH INSTRUCTIONS TO READ: CLIMB TO
1800 THEN CLIMBING RIGHT TURN TO 2900 DIRECT
RU LOM AND HOLD. 1703282205-1711072205EST.

FDC 6/9091 RUQ STAR ROWAN COUNTY AIRPORT,
SALISBURY, NC. NASCR ONE ARRIVAL FLO
TRANSITION NA. 1607210900-1707210900EST.

SHELBY

Shelby-Cleveland County Rgnl

FDC 6/9079 EHO STAR SHELBY-CLEVELAND
COUNTY RGNL, SHELBY, NC. RASLN ONE ARRIVAL
REVISE VERTICAL NAVIGATION PLANNING
INFORMATION AT RASLN TO READ
TURBOPROP/PROP LANDING NORTH EXPECT
8000FT LANDING SOUTH EXPECT 10000FT
TURBOJET LANDING NORTH EXPECT 11000FT AND
250K LANDING SOUTH EXPECT 14000FT AND 250K.
1607210900-1707210900EST.

SILER CITY

Siler City Muni

FDC 7/3810 SCR IAP SILER CITY MUNI, SILER CITY, NC. RNAV (GPS) RWY 22, AMDT 1...CHART TDZE 615,
DELETE THRE 615. CHART NOTE: RWY 4, 22
HELICOPTER VISIBILITY REDUCTION BELOW 1 SM
NOT AUTHORIZED. DELETE NOTE: HELICOPTER
VISIBILITY REDUCTION BELOW 1 SM NOT
AUTHORIZED. CHART PROFILE NOTE: VGSI AND
RNAV GLIDEPATH NOT COINCIDENT (VGSI ANGLE
{3.50}/TCH {45}). DELETE PROFILE NOTE: VGSI AND
RNAV GLIDEPATH NOT COINCIDENT. THIS IS RNAV
(GPS) RWY 22, AMDT 1A. 1703121456-PERM.

FDC 7/3807 SCR IAP SILER CITY MUNI, SILER CITY, NC. RNAV (GPS) RWY 4, ORIG...LP HAT CATS A/B/C
395. LNAV HAT CATS A/B/C 415. CHART TDZE 605,
DELETE THRE 599. CHART NOTE: RWY 4, 22
HELICOPTER VISIBILITY REDUCTION BELOW 1 SM
NOT AUTHORIZED. DELETE NOTE: HELICOPTER
VISIBILITY REDUCTION BELOW 1 SM NOT
AUTHORIZED. THIS IS RNAV (GPS) RWY 4, ORIG-A.
1703121456-PERM.

SPRUCE PINE

Avery County/Morrison Field/

FDC 7/1095 7A8 SPECIAL AVERY COUNTY/MORRISON FIELD/, SPRUCE PINE, NC. COPTER RNAV (GPS) 053, AMDT 1...PROCEDURE NA. 1703061929-1710161929EST.

STAR

Montgomery County

FDC 7/3501 43A IAP MONTGOMERY COUNTY, STAR, NC. RNAV (GPS) RWY 21, ORIG...DISREGARD "DESCENT ANGLE 3.00/TCH 30". PROFILE NOTE: VISUAL SEGMENT OBSTACLES. 1703101857-1710201857EST.

FDC 7/1458 43A IAP MONTGOMERY COUNTY, STAR, NC. RNAV (GPS) RWY 21, ORIG...CHART TDZE 626, DELETE THRE 626. CHART NOTE: RWY 21, 3 HELICOPTER VISIBILITY REDUCTION BELOW 1 SM NOT AUTHORIZED. DELETE NOTE: HELICOPTER VISIBILITY REDUCTION BELOW 1 SM NOT AUTHORIZED. THIS IS RNAV (GPS) RWY 21, ORIG-A. 1702061857-PERM.

FDC 7/1457 43A IAP MONTGOMERY COUNTY, STAR, NC. RNAV (GPS) RWY 3, ORIG...CHART TDZE 573, DELETE THRE 573. CHART NOTE: RWY 3, 21 HELICOPTER VISIBILITY REDUCTION BELOW 1 SM NOT AUTHORIZED. DELETE NOTE: HELICOPTER VISIBILITY REDUCTION BELOW 1 SM NOT AUTHORIZED. THIS IS RNAV (GPS) RWY 3, ORIG-A. 1702061857-PERM.

STATESVILLE

Statesville Rgnl

FDC 7/0491 SVH IAP STATESVILLE RGNL, STATESVILLE, NC. RNAV (GPS) RWY 28, AMDT 3A...LNAV MDA 1300/HAT 344 ALL CATS, VISIBILITY CATS A/B/C 3/4. LPV VISIBILITY ALL CATS 3/4. LNAV/VNAV VISIBILITY ALL CATS 3/4. NOTE: NIGHT LANDING: RWY 10 OPERATIONAL VGSI REQUIRED, REMAIN ON OR ABOVE VGSI GLIDEPATH UNTIL THRESHOLD. 1703021941-1710121941EST.

SYLVA

Jackson County

FDC 7/5536 24A IAP JACKSON COUNTY, SYLVA, NC. COPTER RNAV (GPS) 150, ORIG...PROCEDURE NA. 1704051219-1711151219EST.

TARBORO

Tarboro-Edgecombe

FDC 7/4493 ETC IAP TARBORO-EDGECOMBE, TARBORO, NC. VOR/DME OR GPS RWY 27, AMDT 1...PROCEDURE NA AT NIGHT. HELICOPTER VISIBILITY REDUCTION BELOW 1 SM NOT AUTHORIZED. 1701141920-1708261920EST.

FDC 7/2508 ETC ODP TARBORO-EDGECOMBE, TARBORO, NC. TAKEOFF MINIMUMS AND (OBSTACLE) DEPARTURE PROCEDURES ORIG...RWY 9: CLIMB HEADING 092 TO 500 BEFORE TURNING. NOTE: RWY 9, TREES 892 FT FROM DER, 613 FT LEFT OF CENTERLINE, UP TO 30 FT AGL/80 FT MSL. TREES BEGINNING 1782 FT FROM DER, LEFT AND RIGHT OF CENTERLINE, UP TO 100 FT AGL/135 FT MSL. TREES BEGINNING 3380 FT FROM DER, 124 FT RIGHT OF CENTERLINE, UP TO 100 FT AGL/143 FT MSL. RWY 27, TREES BEGINNING 6 FT FROM DER, LEFT AND RIGHT OF CENTERLINE, UP TO 100 FT AGL/132 FT MSL. BLDGS BEGINNING 44 FT FROM DER, 405 FT RIGHT OF CENTERLINE, UP TO 70 FT AGL/92 FT MSL. POLES BEGINNING 55 FT FROM DER, LEFT AND RIGHT OF CENTERLINE, UP TO 60 FT AGL/70 FT MSL. BILLBOARD 146 FT FROM DER, 358 FT LEFT OF CENTERLINE, 67 FT AGL/83 FT MSL. VEHICLES ON ROAD BEGINNING 182 FT FROM DER, 2 FT RIGHT OF CENTERLINE, UP TO 15 FT AGL/84 FT MSL. TREES BEGINNING 182 FT FROM DER, LEFT AND RIGHT OF CENTERLINE, UP TO 50 FT AGL/68 FT MSL. TREES BEGINNING 3985 FT FROM DER, 976 FT LEFT OF CENTERLINE, UP TO 100 FT AGL/165 FT MSL. ALL OTHER DATA REMAINS AS PUBLISHED. 1703292014-1711082014EST.

WADESBORO

Anson County - Jeff Cloud Field

FDC 7/1251 AFP IAP ANSON COUNTY - JEFF CLOUD FIELD, WADESBORO, NC. RNAV (GPS) RWY 34, AMDT 2A...LPV DA 558/HAT 259. CHANGE BACKUP ALTIMETER NOTE TO READ: WHEN LOCAL ALTIMETER SETTING NOT RECEIVED, USE ROCKINGHAM ALTIMETER SETTING AND INCREASE LPV DA TO 607 AND ALL CATS VISIBILITY 1/8 MILE; INCREASE LNAV/VNAV DA TO 1005 AND ALL CATS VISIBILITY 1/4 MILE; INCREASE ALL MDA 60 FT AND LNAV CATS C/D AND CIRCLING CAT C VISIBILITY 1/8 MILE, AND INCREASE CIRCLING CAT D VISIBILITY 1/4 MILE. NOTE: HELICOPTER VISIBILITY REDUCTION BELOW 3/4 SM NOT AUTHORIZED. 1703071309-1710171309EST.

FDC 7/1248 AFP IAP ANSON COUNTY - JEFF CLOUD FIELD, WADESBORO, NC. ILS OR LOC RWY 34, ORIG-B...NOTE: HELICOPTER VISIBILITY REDUCTION BELOW 3/4 SM NOT AUTHORIZED. 1703071303-1710171303EST.

FDC 7/1246 AFP ODP ANSON COUNTY - JEFF CLOUD FIELD, WADESBORO, NC. TAKEOFF MINIMUMS AND (OBSTACLE) DEPARTURE PROCEDURES AMDT 2...TAKE-OFF MINIMUMS: RWY 16, STANDARD WITH A MINIMUM CLIMB OF 276 FT PER NM TO 1000. ALL OTHER DATA REMAINS AS PUBLISHED. 1703071257-1710171257EST.

FDC 6/9086 AFP STAR ANSON COUNTY-JEFF CLOUD FIELD, WADESBORO, NC. RASLN ONE ARRIVALREVISE VERTICAL NAVIGATION PLANNING INFORMATION AT RASLN TO READ TURBOPROP/PROP LANDING NORTH EXPECT 8000FT LANDING SOUTH EXPECT 10000FT TURBOJET LANDING NORTH EXPECT 11000FT AND 250K LANDING SOUTH EXPECT 14000FT AND 250K. 1607210900-1707210900EST.

WALLACE

Henderson Field

FDC 7/8342 ACZ IAP HENDERSON FIELD, WALLACE, NC. RNAV (GPS) RWY 27, ORIG-A...CHART PROFILE NOTE: VGSI AND RNAV GLIDEPATH NOT COINCIDENT (VGSI ANGLE 3.52/43.5). 1703221832-1711011822EST.

WALNUT COVE

Meadow Brook Field

FDC 7/3981 N63 IAP MEADOW BROOK FIELD, WALNUT COVE, NC. VOR/DME OR GPS RWY 34, ORIG...S-34 MINIMUMS NA. 1703121952-1710221952EST.

WASHINGTON

Washington-Warren

FDC 7/8745 OCW IAP WASHINGTON-WARREN, WASHINGTON, NC. RNAV (GPS) RWY 17, AMDT 1A...PROCEDURE NA. 1704121206-1711221206EST.

FDC 7/4971 OCW IAP WASHINGTON-WARREN, WASHINGTON, NC. VOR/DME RWY 5, AMDT 3A...PROCEDURE NA. 1704251251-1712051251EST.

FDC 7/4851 OCW IAP WASHINGTON-WARREN, WASHINGTON, NC. VOR/DME RWY 5, AMDT 3A...PROCEDURE NA EXCEPT FOR AIRCRAFT EQUIPPED WITH SUITABLE RNAV SYSTEM WITH GPS, ISO TACAN OUT OF SERVICE. 1704250554-1705250554EST.

FDC 7/1768 OCW ODP WASHINGTON-WARREN, WASHINGTON, NC. TAKEOFF MINIMUMS AND (OBSTACLE) DEPARTURE PROCEDURES AMDT 1A.NOTE: RWY 5 , VEHICLES ON ROAD BEGINNING 222 FT FROM DER, 397 FT LEFT OF CENTERLINE, UP TO 15 FT AGL/53 FT MSL. TREES BEGINNING 650 FT FROM DER, 322 FT LEFT OF CENTERLINE, UP TO 100 FT AGL/146 FT MSL. TREES BEGINNING 1824 FT FROM DER, 634 FT RIGHT OF CENTERLINE, UP TO 100 FT AGL/155 FT MSL. NOTE: RWY 17, TREES BEGINNING 19 FT FROM DER, 374 FT RIGHT OF CENTERLINE, UP TO 75 FT AGL/108 FT MSL. TREES BEGINNING 1773 FT FROM DER, 382 FT LEFT OF CENTERLINE, UP TO 100 FT AGL/159 FT MSL. NOTE: RWY 23, TREES BEGINNING 32 FT FROM DER, 475 FT LEFT OF CENTERLINE, UP TO 30 FT AGL/63 FT MSL. TREES BEGINNING 354 FT FROM DER, 391 FT RIGHT OF CENTERLINE 30 FT AGL/61 FT MSL. TREES BEGINNING 1455 FT FROM DER, 89 FT LEFT OF CENTERLINE, UP TO 50 FT AGL/87 FT MSL. TREES BEGINNING 1711 FT FROM DER, 852 FT RIGHT OF CENTERLINE, UP TO 70 FT AGL/101 FT MSL. TOWER 5339 FT FROM DER, 580 FT LEFT OF CENTERLINE, 157 FT AGL/170FT MSL. NOTE: RWY 35, VEHICLE ON ROAD BEGINNING 287 FT FROM DER, UP TO 15 FT AGL/51 FT MSL. TREES BEGINNING 345 FT FROM DER, 436 FT RIGHT OF CENTERLINE, UP TO 80 FT AGL/121 FT MSL. TREES BEGINNING 799 FT FROM DER, 37 FT LEFT OF CENTERLINE, UP TO 100 FT AGL/148 FT MSL. TREES BEGINNING 2133 FT FROM DER. 335 FT RIGHT OF CENTERLINE, UP TO 100 FT AGL/143 ALL OTHER DATA REMAINS AS PUBLISHED. FDC 7/1768 OCW ODP WASHINGTON-WARREN, Washington, NC. FT MSL. ALL OTHER DATA REMAINS AS PUBLISHED. 1703282130-1711072130EST

WAXHAW

Jaars-Townsend

FDC 6/9092 N52 STAR JAARS-TOWNSEND, WAXHAW, NC. RASLN ONE ARRIVALREVISE VERTICAL NAVIGATION PLANNING INFORMATION AT RASLN TO READ TURBOPROP/PROP LANDING NORTH EXPECT 8000 LANDING SOUTH EXPECT 10,000 TURBOJET LANDING NORTH EXPECT 11,000 AND 250K LANDING SOUTH EXPECT 14,000 AND 250K. 1607210900-1707210900EST.

WHITEVILLE

Columbus County Muni

FDC 6/8595 CPC IAP COLUMBUS COUNTY MUNI, WHITEVILLE, NC. RNAV (GPS) RWY 6, ORIG-B...DELETE DESCENT ANGLE 3.05/TCH 40 PROFILE NOTE: VISUAL SEGMENT - OBSTACLES. 1612072212-1707192212EST.

WILLIAMSTON

Martin County

FDC 7/8621 MCZ IAP MARTIN COUNTY, WILLIAMSTON, NC. RNAV (GPS) RWY 3, AMDT 1...LPV DA 336. LNAV/VNAV DA 476. LNAV HAT 386 ALL CATS. CHART TDZE 74, DELETE THRE 65. CHART NOTE: RWY 3, 21 HELICOPTER VISIBILITY REDUCTION BELOW 3/4 SM NOT AUTHORIZED. DELETE NOTE: HELICOPTER VISIBILITY REDUCTION BELOW 1 SM NOT AUTHORIZED. DELETE NOTE: RWY 03 STRAIGHT-IN AND CIRCLING MINIMUMS NA AT NIGHT. CHART VDP AT 1.14 NM TO RW03*. THIS IS RNAV (GPS) RWY 3, AMDT 1A. 1701272046-PERM.

FDC 7/0966 MCZ IAP MARTIN COUNTY, WILLIAMSTON, NC. RNAV (GPS) RWY 21, AMDT 1...LPV DA 380. LNAV/VNAV DA 337. LNAV HAT 365 ALL CATS. CHART TDZE 75, DELETE THRE 74. DELETE NOTE: HELICOPTER VISIBILITY REDUCTION BELOW 1 SM NOT AUTHORIZED. DELETE NOTE: RWY 21 STRAIGHT-IN AND CIRCLING MINIMUMS NA AT NIGHT. 34:1 IS CLEAR. THIS IS RNAV (GPS) RWY 21, AMDT 1A. 1702031913-PERM.

WILMINGTON

Wilmington Intl

FDC 7/4688 ILM IAP WILMINGTON INTL, WILMINGTON, NC. ILS Y OR LOC RWY 35, AMDT 22B...TERMINAL ROUTE FROM WILMINGTON (ILM) VORTAC TO AIRLI (IL) LOM NA EXCEPT FOR AIRCRAFT EQUIPPED WITH SUITABLE RNAV SYSTEM WITH GPS, ILM VORTAC 185 RADIAL UNUSABLE. 1704241813-1712041813EST.

FDC 7/2970 ILM IAP WILMINGTON INTL, WILMINGTON, NC. ILS Y OR LOC/DME RWY 6, AMDT 2A...S-LOC 6 MDA 480/HAT 452 ALL CATS. VIS CATS C/D 1 3/8. VDP NA. TEMP CRANE 173 MSL 5251 FT SW OF RWY 6 (2017-ASO-4308-OE). 1704201158-1711301158EST.

FDC 7/2936 ILM ODP WILMINGTON INTL, WILMINGTON, NC. TAKEOFF MINIMUMS AND (OBSTACLE) DEPARTURE PROCEDURES AMDT 1...NOTE: RWY 24, TEMP CRANE BEGINNING 5092 FT FROM DER, 1284 FT RIGHT OF CENTERLINE, UP TO 150 FT AGL/170 FT MSL (2017-ASO-4306/4308-OE). ALL OTHER DATA REMAINS AS PUBLISHED. 1704201120-1711301118EST.

FDC 7/2190 ILM IAP WILMINGTON INTL, WILMINGTON, NC. ILS Y OR LOC RWY 24, AMDT 1A...TERMINAL ROUTE FROM ILM VORTAC TO WILZE LOM ADF REQUIRED EXCEPT FOR AIRCRAFT EQUIPPED WITH SUITABLE RNAV SYSTEM WITH GPS, ILM UNUSABLE. ALTERNATE MINIMUMS: NA WHEN CONTROL TOWER CLOSED. 1702072308-1709192308EST.

FDC 7/2188 ILM IAP WILMINGTON INTL, WILMINGTON, NC. ILS Y OR LOC/DME RWY 6, AMDT 2A...TERMINAL ROUTE FROM WYLMIS INT/CRE VORTAC 28.22 DME (IAF) TO LURKY/13.68 DME (NOPT) NA EXCEPT FOR AIRCRAFT EQUIPPED WITH SUITABLE RNAV SYSTEM WITH GPS, CRE UNUSABLE. ALTERNATE MINIMUMS: NA WHEN CONTROL TOWER CLOSED. 1702072307-1709192307EST.

WINSTON SALEM

Smith Reynolds

FDC 6/1753 INT IAP SMITH REYNOLDS, WINSTON SALEM, NC. RNAV (GPS) RWY 33, ORIG-A...NOTE: CIRCLING RWY 4, 22 NA AT NIGHT. NOTE: RWY 15 HELICOPTER VISIBILITY REDUCTION BELOW 3/4 SM NOT AUTHORIZED. NOTE: RWY 4 HELICOPTER VISIBILITY REDUCTION BELOW 3/4 SM NOT AUTHORIZED. NOTE: RWY 22 HELICOPTER VISIBILITY REDUCTION BELOW 3/4 SM NOT AUTHORIZED. DISREGARD NOTE: NIGHT LANDING RWY 15 AND 22 NA. DISREGARD NOTE: HELICOPTER VISIBILITY REDUCTION BELOW 1 SM NA. 1612141656-1707261656EST.

FDC 6/1750 INT IAP SMITH REYNOLDS, WINSTON SALEM, NC. RNAV (GPS) RWY 15, AMDT 1A...NOTE: CIRCLING RWY 4, 22 NA AT NIGHT. NOTE: RWY 15 HELICOPTER VISIBILITY REDUCTION BELOW 3/4 SM NOT AUTHORIZED. NOTE: RWY 4 HELICOPTER VISIBILITY REDUCTION BELOW 3/4 SM NOT AUTHORIZED. NOTE: RWY 22 HELICOPTER VISIBILITY REDUCTION BELOW 3/4 SM NOT AUTHORIZED. DISREGARD NOTE: HELICOPTER VISIBILITY REDUCTION BELOW 1 SM NA. DISREGARD NOTE: NIGHT LANDING: RWY 4, 15, 22 NA. 1612141656-1707261656EST.

FDC 6/1748 INT IAP SMITH REYNOLDS, WINSTON SALEM, NC. ILS OR LOC RWY 33, AMDT 29C...NOTE: CIRCLING RWY 4, 22 NA AT NIGHT. NOTE: RWY 15 HELICOPTER VISIBILITY REDUCTION BELOW 3/4 SM NOT AUTHORIZED. NOTE: RWY 4 HELICOPTER VISIBILITY REDUCTION BELOW 3/4 SM NOT AUTHORIZED. NOTE: RWY 22 HELICOPTER VISIBILITY REDUCTION BELOW 3/4 SM NOT AUTHORIZED. DISREGARD NOTE: NIGHT LANDING RWY 15 AND 22 NA. 1612141656-1707261656EST.

NORTH DAKOTA

DEVILS LAKE

Devils Lake Rgnl

FDC 7/8292 DVL IAP DEVILS LAKE RGNL, DEVILS LAKE, ND. VOR RWY 3, ORIG-B...WHEN LOCAL ALTIMETER SETTING NOT RECEIVED, USE CANDO ALTIMETER SETTING AND INCREASE ALL MDA 80 FEET, INCREASE S-3 CAT A AND CIRCLING CATS C/D VISIBILITY 1/4 MILE, CAMPG FIX MINIMUMS S-3 CATS C/D VISIBILITY 3/8 MILE AND CIRCLING CATS C/D VISIBILITY 1/4 MILE. 1702262038-1710082038EST.

DICKINSON

Dickinson - Theodore Roosevelt Rgnl

FDC 6/5194 DIK IAP DICKINSON - THEODORE ROOSEVELT RGNL, DICKINSON, ND. RNAV (GPS) RWY 25, ORIG-A...DISREGARD NOTE: RWY 25 STRAIGHT-IN AND CIRCLING MINIMUMS NA AT NIGHT. DISREGARD NOTE: HELICOPTER VISIBILITY REDUCTION BELOW 1 SM NA. NOTE: HELICOPTER VISIBILITY REDUCTION BELOW 3/4 SM NA. 1612272226-1708082226EST.

GRAND FORKS

Grand Forks Intl

FDC 7/5672 GFK IAP GRAND FORKS INTL, GRAND FORKS, ND. RNAV (GPS) RWY 35L, ORIG-A...LPV VIS RVR 2400 ALL CATS. 1702171847-1709291847EST.

GWINNER

Gwinner-Roger Melroe Field

FDC 7/8495 GWR IAP GWINNER-ROGER MELROE FIELD, GWINNER, ND. RNAV (GPS) RWY 16, AMDT 4...LNAV/VNAV DA 1563/HAT 306 ALL CATS. VIS 1 ALL CATS. 1704111843-1711211843EST.

HETTINGER

Hettinger Muni

FDC 7/8228 HEI ODP HETTINGER MUNI, HETTINGER, ND. TAKEOFF MINIMUMS AND (OBSTACLE) DEPARTURE PROCEDURES AMDT 2...TEXTUAL DEPARTURE PROCEDURE: RWY 30, CLIMB HEADING 309 TO 3200 BEFORE PROCEEDING ON COURSE. ALL OTHER DATA REMAINS AS PUBLISHED. WINDMILL 3383 MSL 3.10 NM NE OF AIRPORT, WINDMILL 3393 MSL 3.52 NM NE OF AIRPORT.. 1702261944-1710081944EST.

JAMESTOWN

Jamestown Rgnl

FDC 7/2067 JMS IAP JAMESTOWN RGNL, JAMESTOWN, ND. ILS OR LOC RWY 31, AMDT 7E...AUTOPILOT COUPLED APPROACH NA BELOW 1900. 1703291302-1711081302EST.

FDC 7/0625 JMS IAP JAMESTOWN RGNL, JAMESTOWN, ND. ILS OR LOC RWY 31, AMDT 7E...PROCEDURE NA EXCEPT FOR AIRCRAFT EQUIPPED WITH SUITABLE RNAV SYSTEM WITH GPS. SABON (JM) LOM OUT OF SERVICE. 1703271446-1708241445EST.

FDC 6/3167 JMS IAP JAMESTOWN RGNL, JAMESTOWN, ND. ILS OR LOC RWY 31, AMDT 7E...MSA FROM JM LOM 360-180 3200. 1612161837-1707281837EST.

KENMARE

Kenmare Muni

FDC 7/7628 7K5 IAP KENMARE MUNI, KENMARE, ND. RNAV (GPS) RWY 26, ORIG...CIRCLING MDA 2640/ HAA 678 CAT A. 1704101321-1711201321EST.

MOHALL

Mohall Muni

FDC 7/9678 HBC IAP MOHALL MUNI, MOHALL, ND. VOR/DME-A, ORIG...PROCEDURE NA. 1704131326-1711231326EST.

NORTHWOOD

Northwood Muni-Vince Field

FDC 7/3988 4V4 IAP NORTHWOOD MUNI-VINCE FIELD, NORTHWOOD, ND. RNAV (GPS) RWY 26, ORIG-A...DISREGARD NOTE: PROCEDURE NA AT NIGHT. 1703121957-1710221957EST.

OAKES

Oakes Muni

FDC 7/2617 2D5 ODP OAKES MUNI, OAKES, ND. TAKEOFF MINIMUMS AND (OBSTACLE) DEPARTURE PROCEDURES AMDT 1...TAKE-OFF MINIMUMS RWY 17, 35: NA - ENVIRONMENTAL. ALL OTHER DATA REMAINS AS PUBLISHED. 1702081942-1709201942EST.

FDC 7/2616 2D5 IAP OAKES MUNI, OAKES, ND. RNAV (GPS) RWY 30, ORIG-A...NOTE: CIRCLING NA TO RWYS 17 AND 35. 1702081942-1709201942EST.

WILLISTON

Sloulin Fld Intl

FDC 7/2464 ISN SID SLOULIN FLD INTL, WILLISTON, ND. WILLISTON ONE DEPARTURE...TAKE-OFF MINIMUMS RWY 02, 300 - 1 3/4 OR STANDARD WITH MINIMUM CLIMB OF 204 FT PER NM TO 2300 OR ALTERNATIVELY, WITH STANDARD TAKEOFF MINIMUMS AND A NORMAL 200 FT PER NM CLIMB GRADIENT, TAKEOFF MUST OCCUR NO LATER THAN 1200 FEET PRIOR TO DER.. TAKE-OFF MINIMUMS RWY 29 300-2 OR STANDARD WITH MINIMUM CLIMB OF 436 FT PER NM TO 2400.. NOTE: RWY 02, ANTENNA TOWER, 1.47 NM FROM DEPARTURE END OF RWY, 1840 FT LEFT OF CENTERLINE, 157 FT AGL/2147 FT MSL, 2016-AGL-498-OE. ALL OTHER DATA REMAINS AS PUBLISHED. 1702081557-1709201557EST.

FDC 7/2463 ISN ODP SLOULIN FLD INTL, WILLISTON, ND. TAKEOFF MINIMUMS AND (OBSTACLE) DEPARTURE PROCEDURES AMDT 5...TAKE-OFF MINIMUMS RWY 02, 300 - 1 3/4 OR STANDARD WITH MINIMUM CLIMB OF 204 FT PER NM TO 2300 OR ALTERNATIVELY, WITH STANDARD TAKEOFF MINIMUMS AND A NORMAL 200 FT PER NM CLIMB GRADIENT, TAKEOFF MUST OCCUR NO LATER THAN 1200 FEET PRIOR TO DER.. TAKE-OFF MINIMUMS RWY 29 300-2 OR STANDARD WITH MINIMUM CLIMB OF 436 FT PER NM TO 2400.. NOTE: RWY 02, ANTENNA TOWER, 1.47 NM FROM DEPARTURE END OF RWY, 1840 FT LEFT OF CENTERLINE, 157 FT AGL/2147 FT MSL, 2016-AGL-498-OE. ALL OTHER DATA REMAINS AS PUBLISHED. 1702081557-1709201557EST.

OHIO

AKRON

Akron Fulton Intl

FDC 7/7517 AKR IAP AKRON FULTON INTL, AKRON, OH. LOC RWY 25, AMDT 13B...S-25 MDA 1560/HAT 501 ALL CATS. VISIBILITY CAT C 1 3/8. TERMINAL ROUTE RITZS TO AKRON LOM (IAF) MINIMUM ALTITUDE 3100. CHANGE TDZE FROM 1048 TO 1059. ADD NOTE: HELICOPTER VISIBILITY REDUCTION BELOW 1 SM NOT AUTHORIZED. ADD NOTE: PROCEDURE NA AT NIGHT. 1704101202-1711201202EST.

ATHENS

O'Bleness Memorial Hospital

FDC 7/9628 OH23 SPECIAL O BLENNESS MEMORIAL HOSPITAL, ATHENS, OH. COPTER RNAV (GPS) 129, ORIG...IFR DEPARTURE NA. 1704131257-1711231257EST.

BATAVIA

Clermont County

FDC 6/1771 I69 IAP CLERMONT COUNTY, BATAVIA, OH. RNAV (GPS) RWY 4, AMDT 1B...DISREGARD NOTE: PROCEDURE NA AT NIGHT. DISREGARD NOTE: HELICOPTER VISIBILITY REDUCTION BELOW 1 SM NA. NOTE: WHEN CIRCLING TO RWY 22 AT NIGHT, OPERATIONAL VGSI REQUIRED, REMAIN ON OR ABOVE VGSI GLIDEPATH UNTIL THRESHOLD. 1612141714-1707261714EST.

FDC 6/1746 I69 IAP CLERMONT COUNTY, BATAVIA, OH. RNAV (GPS) RWY 22, AMDT 1C...DISREGARD NOTE: PROCEDURE NA AT NIGHT FOR CAT C AIRCRAFT. NOTE: NIGHT LANDING: RWY 22, OPERATIONAL VGSI REQUIRED, REMAIN ON OR ABOVE VGSI GLIDEPATH UNTIL THRESHOLD. 1612141617-1707261617EST.

CADIZ

Harrison County

FDC 7/4340 8G6 IAP HARRISON COUNTY, CADIZ, OH. RNAV (GPS) RWY 13, ORIG-A...CHANGE HELICOPTER VISIBILITY REDUCTION NOTE TO READ: HELICOPTER VISIBILITY REDUCTION BELOW 1 SM NOT AUTHORIZED. DESCENT ANGLE 3.00/TCH 40 NA. DISREGARD NOTE: WHEN VGSI INOP, CIRCLING RWY 31 NA AT NIGHT. PROFILE NOTE: VISUAL SEGMENT-OBSTACLES. NOTE: PROCEDURE NA AT NIGHT. 1701132205-1708252205EST.

FDC 7/4338 8G6 IAP HARRISON COUNTY, CADIZ, OH. RNAV (GPS) RWY 31, ORIG-A...LNAV HAT 497 CAT A/B. TDZE 1163. CHANGE HELICOPTER VISIBILITY REDUCTION NOTE TO READ: HELICOPTER VISIBILITY REDUCTION BELOW 1 SM NOT AUTHORIZED. DESCENT ANGLE 3.00/TCH 40 NA. DISREGARD NOTE: WHEN VGSI INOP, CIRCLING RWY 31 NA AT NIGHT. PROFILE NOTE: VISUAL SEGMENT-OBSTACLES. NOTE: PROCEDURE NA AT NIGHT. 1701132203-1708252203EST.

FDC 7/4330 8G6 ODP HARRISON COUNTY, CADIZ, OH. TAKEOFF MINIMUMS AND (OBSTACLE) DEPARTURE PROCEDURES AMDT 3...TAKE-OFF MINIMUMS: RWY 13, 300-2 OR STANDARD WITH MINIMUM CLIMB OF 266 FEET PER NM TO 1500. RWY 31, 300-1. ALL OTHER DATA REMAINS AS PUBLISHED. 1701132159-1708252159EST.

CALDWELL

Noble County

FDC 7/2850 I10 IAP NOBLE COUNTY, CALDWELL, OH. VOR-A, AMDT 1A...DME REQUIRED EXCEPT FOR AIRCRAFT EQUIPPED WITH SUITABLE RNAV SYSTEM WITH GPS, CTW VOR/DME OUT OF SERVICE. 1702091500-1709211500EST.

CAMBRIDGE

Cambridge Muni

FDC 7/2852 CDI IAP CAMBRIDGE MUNI, CAMBRIDGE, OH. VOR-A, AMDT 4A...DME REQUIRED EXCEPT FOR AIRCRAFT EQUIPPED WITH SUITABLE RNAV SYSTEM WITH GPS. WUVAL FIX MINIMUMS DME REQUIRED EXCEPT FOR AIRCRAFT EQUIPPED WITH SUITABLE RNAV SYSTEM WITH GPS, CTW VOR/DME OUT OF SERVICE. 1702091500-1709211500EST.

FDC 7/2851 CDI IAP CAMBRIDGE MUNI, CAMBRIDGE, OH. LOC/DME RWY 22, AMDT 1C...PROCEDURE NA EXCEPT FOR AIRCRAFT EQUIPPED WITH SUITABLE RNAV SYSTEM WITH GPS, CTW VOR/DME OUT OF SERVICE. 1702091500-1709211500EST.

FDC 7/2099 CDI IAP CAMBRIDGE MUNI, CAMBRIDGE, OH. LOC/DME RWY 22, AMDT 1C...DESCENT ANGLE 3.05/TCH 40 NA. 1702072143-1709192143EST.

CARROLLTON

Carroll County-Tolson

FDC 7/5666 TSO IAP CARROLL COUNTY-TOLSON, CARROLLTON, OH. VOR-A, AMDT 1A...DISREGARD NOTE: CIRCLING RWY 25 NA AT NIGHT. NOTE: PROCEDURE NA AT NIGHT. 1702171840-1709291840EST.

FDC 7/5664 TSO IAP CARROLL COUNTY-TOLSON, CARROLLTON, OH. RNAV (GPS) RWY 7, ORIG-B...DISREGARD NOTE: NIGHT LANDING RWY 25 NA. NOTE: PROCEDURE NA AT NIGHT. 1702171839-1709291839EST.

CHILLICOTHE

Ross County

FDC 7/1001 RZT IAP ROSS COUNTY, CHILLICOTHE, OH. RNAV (GPS) RWY 23, AMDT 1A...NOTE: VGSI AND RNAV GLIDEPATH NOT COINCIDENT. 1704171239-1711271239EST.

CINCINNATI

Cincinnati Muni Airport Lunken Field

FDC 7/2179 LUK ODP CINCINNATI MUNI AIRPORT LUNKEN FIELD, CINCINNATI, OH. TAKEOFF MINIMUMS AND (OBSTACLE) DEPARTURE PROCEDURES AMDT 14...TAKE-OFF MINIMUMS: RWY 03L, STANDARD WITH MINIMUM CLIMB OF 409 FT PER NM TO 1000 OR 400-2 WITH MINIMUM CLIMB OF 213 FT PER NM TO 1400 OR 1700-2 1/2 FOR CLIMB IN VISUAL CONDITIONS. RWY 3R, STANDARD WITH MINIMUM CLIMB OF 372 FT PER NM TO 1100 OR 400-2 WITH MINIMUM CLIMB OF 231 FT PER NM TO 1400 OR 1700-2 1/2 FOR CLIMB IN VISUAL CONDITIONS. RWY 7, STANDARD WITH MINIMUM CLIMB OF 440 FT PER NM TO 1000 OR 400-2 WITH MINIMUM CLIMB OF 205 FT PER NM TO 1400 OR 1700-2 1/2 FOR CLIMB IN VISUAL CONDITIONS. RWY 21R, STANDARD WITH MINIMUM CLIMB OF 474 FT PER NM TO 1100 OR 600-3 WITH MINIMUM CLIMB OF 223 FT PER NM TO 1300 OR 1700-2 1/2 FOR CLIMB IN VISUAL CONDITIONS. RWY 21L, STANDARD WITH MINIMUM CLIMB OF 425 FT PER NM TO 1200 OR 600-2 3/4 WITH MINIMUM CLIMB OF 228 FT PER NM TO 1300 OR 1700-2 1/2 FOR CLIMB IN VISUAL CONDITIONS. RWY 25, 600 2 3/4 WITH A MINIMUM CLIMB OF 218 FT PER NM TO 1300 OR 1700-2 1/2 FOR CLIMB IN VISUAL CONDITIONS. ALL OTHER DATA REMAINS AS PUBLISHED. 1702072304-1709192304EST.

FDC 7/2177 LUK SID CINCINNATI MUNI AIRPORT LUNKEN FIELD, CINCINNATI, OH. ROCKT EIGHT DEPARTURE (RNAV)...TAKE-OFF MINIMUMS RWY 3L, STANDARD WITH MINIMUM CLIMB OF 409 FT PER NM TO 1000 OR 400-2 WITH MINIMUM CLIMB OF 213 FT PER NM TO 1400. RWY 3R, STANDARD WITH MINIMUM CLIMB OF 372 FT PER NM TO 1100 OR 400-2 WITH MINIMUM CLIMB OF 231 FT PER NM TO 1400. RWY 7, STANDARD WITH MINIMUM CLIMB OF 440 FT PER NM TO 1000 OR 400-2 WITH MINIMUM CLIMB OF 205 FT PER NM TO 1400. RWY 21R, STANDARD WITH MINIMUM CLIMB OF 474 FT PER NM TO 1100 OR 600-3 WITH MINIMUM CLIMB OF 223 FT PER NM TO 1300. RWY 21L, STANDARD WITH MINIMUM CLIMB OF 425 FT PER NM TO 1200 OR 600-2 3/4 WITH MINIMUM CLIMB OF 228 FT PER NM TO 1300. RWY 25, 600 2 3/4 WITH A MINIMUM CLIMB OF 218 FT PER NM TO 1300. ALL OTHER DATA REMAINS AS PUBLISHED. 1702072302-1709192302EST.

FDC 7/2175 LUK IAP CINCINNATI MUNI AIRPORT LUNKEN FIELD, CINCINNATI, OH. ILS OR LOC RWY 21L, AMDT 19A...S-ILS 21L DA 798/HAT 323 ALL CATS. CHANGE INOPERATIVE NOTE TO READ FOR INOPERATIVE ALS, INCREASE S-ILS-21L ALL CATS VISIBILITY TO RVR 6000; KEELY OM MINIMUMS, INCREASE S-LOC-21L CAT A VISIBILITY TO 1 MILE AND CATS C/D VISIBILITY TO 2 1/2 MILE. FOR INOP ALS WHEN USING CINCINNATI/NORTHERN KENTUCKY INTL ALTIMETER SETTING, INCREASE S-ILS-21L ALL CATS VISIBILITY TO 1 3/8 MILE. 1702072259-1709192259EST.

FDC 7/2173 LUK IAP CINCINNATI MUNI AIRPORT LUNKEN FIELD, CINCINNATI, OH. RNAV (GPS) RWY 21L, AMDT 1C...LPV DA 756/HAT281 ALL CATS. LNAV/VNAV DA 1217/HAT 742 ALL CATS. VIS 2 1/2 ALL CATS. CHANGE REMOTE ALTIMETER NOTE TO READ: WHEN LOCAL ALTIMETER SETTING NOT RECEIVED, USE CINCINNATI/NORTHERN KENTUCKY INTL ALTIMETER SETTING AND INCREASE ALL DA 86 FEET AND ALL MDA 100 FEET; INCREASE LNAV CATS C/D AND CIRCLING CATS B AND D VISIBILITY 1/4 MILE, CIRCLING CAT C VISIBILITY 1/2 MILE. CHANGE INOP NOTE TO READ: FOR INOP ALS, INCREASE LPV ALL CATS VISIBILITY TO RVR 4500, LNAV CATS A/B VISIBILITY TO 1 MILE AND LNAV CATS C/D VISIBILITY TO 2 MILE. FOR INOP ALS WHEN USING CINCINNATI/NORTHERN KENTUCKY INTL ALTIMETER SETTING, INCREASE LPV ALL CATS VISIBILITY TO 3 MILE, LNAV CAT A VISIBILITY TO 1 MILE, AND LNAV CATS C/D VISIBILITY TO 2 1/2 MILE. 1702072257-1709192257EST.

CIRCLEVILLE

Pickaway County Memorial

FDC 7/7506 CYO IAP PICKAWAY COUNTY MEMORIAL, CIRCLEVILLE, OH. RNAV (GPS) RWY 1, ORIG...CIRCLING CAT B MDA 1200/HAA 515. 1702232158-1710052158EST.

FDC 7/7504 CYO IAP PICKAWAY COUNTY MEMORIAL, CIRCLEVILLE, OH. RNAV (GPS) RWY 19, ORIG...CIRCLING CAT B MDA 1200/HAA 515. CHANGE PROFILE NOTE TO READ: VGSI AND RNAV GLIDEPATH NOT COINCIDENT (VGSI ANGLE 3.00/TCH 24). 1702232157-1710052157EST.

CLEVELAND

Burke Lakefront

FDC 7/6137 BKL ODP BURKE LAKEFRONT, CLEVELAND, OH. TAKEOFF MINIMUMS AND (OBSTACLE) DEPARTURE PROCEDURES AMDT 5...DEPARTURE PROCEDURE RWY 24L, 24R CLIMBING RIGHT TURN TO 2000 VIA HEADING 350 TO INTERCEPT THE CXR VOR/DME R-286 TO CRIBS INTERSECTION BEFORE PROCEEDING ON COURSE. ALL OTHER DATA REMAINS AS PUBLISHED. 1702211832-1710031830EST.

FDC 7/5992 BKL IAP BURKE LAKEFRONT, CLEVELAND, OH. ILS OR LOC RWY 24R, AMDT 1...S-ILS 24R DA 903. S-LOC 24R HAT 577 ALL CATS. SIDESTEP 24L HAT 576 ALL CATS. CHART RWY 24R TDZE 583, DELETE RWY 24R THRE 582. CHART RWY 24L TDZE 584, DELETE RWY 24L THRE 583. CHART NOTE: HELICOPTER VISIBILITY BELOW 3/4 SM NOT AUTHORIZED. DELETE NOTE: VISIBILITY REDUCTION BY HELICOPTERS NA. THIS IS ILS OR LOC RWY 24R, AMDT 1A. 1704051900-PERM.

Cleveland-Hopkins Intl

FDC 7/8206 CLE IAP CLEVELAND-HOPKINS INTL, CLEVELAND, OH. ILS OR LOC RWY 24L AMDT 22C...S-LOC 24L MDA 1260/HATH 474 ALL CATS. VIS CAT C/D RVR 5000. SIDESTEP 24R MDA 1260/HATH 474 ALL CATS. VIS CAT A/B RVR 5000, CAT C 1 1/2, CAT D 2. CIRCLING MDA 1420/HAA 621 ALL CATS. VIS CAT C 1 3/4. VDP AT I-HPI 3.12 DME; DISTANCE VDP TO THLD 1.34 MILES 1702261917-1710081917EST.

FDC 7/2529 CLE IAP CLEVELAND-HOPKINS INTL, CLEVELAND, OH. ILS OR LOC RWY 6R, AMDT 21C...RNAV (GPS) RWY 24L, AMDT 3C...RNAV (GPS) RWY 24R, AMDT 3C...RNAV (GPS) RWY 6L, AMDT 1D...RNAV (GPS) RWY 6R, AMDT 2D...CIRCLING MDA 1420/HAA 621 ALL CATS. VIS CAT C 1 3/4.. 1703292035-1711082035EST.

Cuyahoga County

FDC 6/8609 CGF IAP CUYAHOGA COUNTY, CLEVELAND, OH. RNAV (GPS) RWY 6, AMDT 1A...LPV DA NA. LNAV/VNAV DA NA. CHANGE HELICOPTER NOTE TO READ: HELICOPTER VISIBILITY REDUCTION BELOW 3/4 SM NOT AUTHORIZED. 1612072219-1707192219EST.

FDC 6/1387 CGF SID CUYAHOGA COUNTY, CLEVELAND, OH. AMRST FIVE DEPARTURE...CARLETON TRANSITION NA EXCEPT FOR AIRCRAFT EQUIPPED WITH SUITABLE RNAV SYSTEM WITH GPS, CRL VORTAC UNUSABLE BEYOND 40 NM. 1611021533-1706141533EST.

COLUMBUS

Grant Medical Center

FDC 7/4343 OH01 IAP GRANT MEDICAL CENTER, COLUMBUS, OH. COPTER RNAV (GPS) 324, ORIG...PROCEDURE NA. 1701132206-1708252206EST.

FDC 7/0154 OH01 SPECIAL GRANT MEDICAL CENTER, COLUMBUS, OH. COPTER RNAV (GPS) 324, ORIG...IFR DEPARTURE NA. 1703250126-1711040126EST.

Ohio State University

FDC 7/6591 OSU IAP OHIO STATE UNIVERSITY, COLUMBUS, OH. RNAV (GPS) RWY 27L, ORIG-A...DISREGARD NOTE: VISIBILITY REDUCTION BY HELICOPTERS NA. NOTE: NIGHT LANDING: RWY 23 NA. NOTE: HELICOPTER VISIBILITY REDUCTION BELOW 3/4 SM NOT AUTHORIZED. 1701222050-1709032050EST.

FDC 7/6589 OSU IAP OHIO STATE UNIVERSITY, COLUMBUS, OH. ILS OR LOC RWY 9R, AMDT 5A...NDB RWY 9R, AMDT 3A...RNAV (GPS) RWY 9R, AMDT 1A...NOTE: NIGHT LANDING: RWY 23 NA. 1701222049-1709032048EST.

COSHOCTON

Richard Downing

FDC 7/2853 I40 IAP RICHARD DOWNING, COSHOCTON, OH. VOR-A, AMDT 10...DME REQUIRED EXCEPT FOR AIRCRAFT EQUIPPED WITH SUITABLE RNAV SYSTEM WITH GPS, CTW VOR/DME OUT OF SERVICE. 1702091500-1709211500EST.

DAYTON

Greene County-Lewis A Jackson Rgnl

FDC 7/7640 I19 IAP GREENE COUNTY-LEWIS A JACKSON RGNL, DAYTON, OH. RNAV (GPS) RWY 25, ORIG-A...RNAV (GPS) RWY 7, ORIG-A...CIRCLING MDA 1480/HAA 531 ALL CATS. AIRPORT ELEV: 949. 1704101335-1711201335EST.

FDC 7/7638 I19 IAP GREENE COUNTY-LEWIS A JACKSON RGNL, DAYTON, OH. VOR RWY 25, ORIG-A...HUTVA FIX MINIMUMS (DME REQUIRED) S-25 MDA 1440/HAT 494 ALL CATS, CAT C VISIBILITY 1 3/8. CIRCLING MDA 1480/HAA 531 ALL CATS. VDP 9.65 DME; DISTANCE VDP TO THLD 1.08 NM. 1704101333-1711201333EST.

FDC 7/1969 I19 IAP GREENE COUNTY-LEWIS A JACKSON RGNL, DAYTON, OH. VOR RWY 7, ORIG-A...NOTE: NIGHT LANDING: RWY 7 OPERATIONAL VGSI REQUIRED, REMAIN ON OR ABOVE VGSI GLIDEPATH UNTIL THRESHOLD. 1703291214-1711081214EST.

James M Cox Dayton Intl

FDC 7/9536 DAY IAP JAMES M COX DAYTON INTL, DAYTON, OH. ILS OR LOC RWY 18, AMDT 10...RNAV (GPS) RWY 18, AMDT 1...RNAV (GPS) RWY 24L, AMDT 1B...RNAV (GPS) RWY 36, AMDT 1...RNAV (GPS) RWY 6R, AMDT 1A...RNAV (GPS) Z RWY 6L, AMDT 1B...CIRCLING MDA 1580/HAA 571 ALL CATS. 1705031454-1712131454EST.

FDC 7/7203 DAY ODP JAMES M COX DAYTON INTL, DAYTON, OH. TAKEOFF MINIMUMS AND (OBSTACLE) DEPARTURE PROCEDURES AMDT 4...DEPARTURE PROCEDURE TAKEOFF MINIMUMS RWY 18 NA. 1704281436-1712081436EST.

DEFIANCE

Defiance Memorial

FDC 7/9982 DFI IAP DEFIANCE MEMORIAL, DEFIANCE, OH. RNAV (GPS) RWY 12, ORIG-A...CIRCLING: CAT A MDA 1140/HAA 433. NOTE: NIGHT LANDING: RWY 30 NA. 1704131729-1711231729EST.

EAST LIVERPOOL

Columbiana County

FDC 7/3301 02G ODP COLUMBIANA COUNTY, EAST LIVERPOOL, OH. TAKEOFF MINIMUMS AND (OBSTACLE) DEPARTURE PROCEDURES AMDT 2A.TAKEOFF MINIMUMS: RWY 7: STANDARD, RWY 25: 600-1 3/4 OR STANDARD WITH MINIMUM CLIMB GRADIENT OF 445 FT PER NM TO 1700. NOTE: RWY 7, TREES BEGINNING ABEAM DER, 392 FT LEFT OF CENTERLINE, UP TO 71 FT AGL/1224 FT MSL. TREE 156 FT FROM DER, 449 FT RIGHT OF CENTERLINE, 1205 FT MSL. TREES BEGINNING 164 FT FROM DER, 11 FT LEFT OF CENTERLINE, UP TO 101 FT AGL/1231 FT MSL. TREES BEGINNING 182 FT FROM DER, 75 FT RIGHT OF CENTERLINE, UP TO 1218 FT MSL. TREES BEGINNING 1892 FT FROM DER, 635 FT RIGHT OF CENTERLINE, UP TO 1219 FT MSL. TREE 2212 FT FROM DER, 850 FT RIGHT OF CENTERLINE, 1221 FT MSL. TREE 2338 FT FROM DER, 840 FT RIGHT OF CENTERLINE, 1224 FT MSL. TREE 2859 FT FROM DER, 506 FT LEFT OF CENTERLINE, 1236 FT MSL. NOTE: RWY 25, GRD 7 FT FROM DER, 401 FT RIGHT OF CENTERLINE, 1152 FT MSL. GRD BEGINNING 104 FT FROM DER, 297 FT RIGHT OF CENTERLINE, UP TO 1159 FT MSL. GRD 118 FT FROM DER, 256 FT LEFT OF CENTERLINE, 1148 FT MSL. TREES BEGINNING 141 FT FROM DER, 28 FT LEFT OF CENTERLINE, UP TO 82 FT AGL/1226 FT MSL. TREES BEGINNING 899 FT FROM DER, 84 FT RIGHT OF CENTERLINE, UP TO 1220 FT MSL. TREE 3443 FT FROM DER, 611 FT RIGHT OF CENTERLINE, 1240 FT MSL. TREE 3499 FT 2A. 1701111 TREE 3531 FT FROM DER, 1397 FT RIGHT OF CENTERLINE, 1247 FT MSL. TREE 3533 FT FROM DER, 935 FT RIGHT OF CENTERLINE, 1276 FT MSL. TREES BEGINNING 3535 FT FROM DER, 161 FT RIGHT OF CENTERLINE, UP TO 1287 FT MSL. TREES BEGINNING 3653 FT FROM DER, 391 FT RIGHT OF CENTERLINE, UP TO 1288 FT MSL. TREES BEGINNING 3701 FT FROM DER, 61 FT RIGHT OF CENTERLINE, UP TO 1290 FT MSL. TREES BEGINNING 3748 FT FROM DER, 231 FT RIGHT OF CENTERLINE, UP TO 1315 FT MSL. TREE 3748 FT FROM DER, 891 FT RIGHT OF CENTERLINE, 1298 FT MSL. TREES BEGINNING 3801 FT FROM DER, 44 FT RIGHT OF CENTERLINE, UP TO 1322 FT MSL. TREES BEGINNING 3854 FT FROM DER, 358 FT RIGHT OF CENTERLINE, UP TO 1332 FT MSL. TREE,

FDC 7/2455 02G IAP COLUMBIANA COUNTY, EAST LIVERPOOL, OH. VOR RWY 25, AMDT 5...NOTE: PROCEDURE NA AT NIGHT. NOTE: HELICOPTER VISIBILITY REDUCTION BELOW 1 SM NOT AUTHORIZED. 1703081640-1710181640EST.

FDC 7/2452 02G IAP COLUMBIANA COUNTY, EAST LIVERPOOL, OH. RNAV (GPS) RWY 25, ORIG...NOTE: PROCEDURE NA AT NIGHT. NOTE: HELICOPTER VISIBILITY REDUCTION BELOW 1 SM NOT AUTHORIZED. DISREGARD SYMBOL DEPICTING 34:1 IS CLEAR. 1703081636-1710181636EST.

ELYRIA

Elyria

FDC 6/1388 1G1 SID ELYRIA, ELYRIA, OH. AMRST FIVE DEPARTURE...CARLETON TRANSITION NA EXCEPT FOR AIRCRAFT EQUIPPED WITH SUITABLE RNAV SYSTEM WITH GPS, CRL VORTAC UNUSABLE BEYOND 40 NM. 1611021533-1706141533EST.

FINDLAY

Findlay

FDC 7/9388 FDY ODP FINDLAY, FINDLAY, OH. TAKEOFF MINIMUMS AND (OBSTACLE) DEPARTURE PROCEDURES ORIG...TAKE-OFF MINIMUMS: RWY 25, 300-1 3/4 OR STANDARD WITH MINIMUM CLIMB OF 208 FT PER NM TO 1400, OR ALTERNATIVELY WITH STANDARD TAKEOFF MINIMUMS AND A NORMAL 200 FT PER NM CLIMB GRADIENT, TAKEOFF MUST OCCUR NO LATER THAN 1800 FT PRIOR TO DER. ALL OTHER DATA REMAINS AS PUBLISHED. 1704121923-1711221923EST.

FDC 6/2121 FDY IAP FINDLAY, FINDLAY, OH. VOR RWY 7, AMDT 12A...NOTE: STRAIGHT-IN RWY 7 NA AT NIGHT. NOTE: RWY 7 HELICOPTER VISIBILITY REDUCTION BELOW 1 SM NOT AUTHORIZED. DISREGARD NOTE: VISIBILITY REDUCTION BY HELICOPTERS NA. 1611221751-1707041751EST.

GALION

Galion Muni

FDC 7/4477 GQQ IAP GALION MUNI, GALION, OH. RNAV (GPS) RWY 5, ORIG-A...LP MDA 1600/HAT 376 ALL CATS. LNAV MDA 1620/HAT 396 ALL CATS. VISIBILITY CAT C 1 1/8. 1701141908-1708261908EST.

GALLIPOLIS

Gallia-Meigs Rgnl

FDC 7/4490 GAS ODP GALLIA-MEIGS RGNL, GALLIPOLIS, OH. TAKEOFF MINIMUMS AND (OBSTACLE) DEPARTURE PROCEDURES AMDT 2A...TAKE-OFF MINIMUMS: RWY 5, 500-2 OR STD WITH MINIMUM CLIMB OF 366 FT PER NM TO 1200. RWY 23, STD WITH MINIMUM CLIMB OF 339 FT PER NM TO 1600; DISREGARD NONSTANDARD CEILING AND VISIBILITY.. ALL OTHER DATA REMAINS AS PUBLISHED. 1704241445-1712041445EST.

HAMILTON

Butler Co Rgnl-Hogan Field

FDC 7/8062 HAO ODP BUTLER CO RGNL-HOGAN FIELD, HAMILTON, OH. TAKEOFF MINIMUMS AND (OBSTACLE) DEPARTURE PROCEDURES AMDT 4...TAKE-OFF MINIMUMS RWY 11, NA. ALL OTHER DATA REMAINS AS PUBLISHED. 1704111240-1711211240EST.

FDC 7/0943 HAO IAP BUTLER CO RGNL-HOGAN FIELD, HAMILTON, OH. ILS OR LOC RWY 29, AMDT 1C...S-LOC 29 VISIBILITY CAT B 1. ARTHN FIX MINIMUMS: S-LOC 29 VISIBILITY CATS C/D 1 1/4. DISREGARD NOTE: INOPERATIVE TABLE DOES NOT APPLY TO S- ILS 29. CHANGE INOP NOTE TO READ: FOR INOPERATIVE MALS, INCREASE S-LOC 29 CATS C/D VISIBILITY TO 2 1/2 MILE. WHEN LOCAL ALTIMETER SETTING NOT RECEIVED, USE CINCINNATI MUNI AIRPORT-LUNKIN FIELD ALTIMETER SETTING AND INCREASE ALL DA 59 FEET, AND ALL MDA 60 FEET, INCREASE S-LOC 29 CAT A VISIBILITY 1/4 MILE, CATS C/D VISIBILITY 1/2 MILE, INCREASE CIRCLING CATS A AND D VISIBILITY 1/4 MILE, ARTHN FIX MINIMUMS: S-LOC 29 INCREASE CATS C/D VISIBILITY 1/8 MILE, INCREASE CIRCLING CATS C/D VISIBILITY 1/4 MILE. 1704171157-1711271157EST.

HILLSBORO

Highland County

FDC 7/8021 HOC ODP HIGHLAND COUNTY, HILLSBORO, OH. TAKEOFF MINIMUMS AND (OBSTACLE) DEPARTURE PROCEDURES AMDT 3...TAKE-OFF MINIMUMS: RWY 23, STANDARD WITH MINIMUM CLIMB OF 220 FEET PER NM TO 1600. ALL OTHER DATA REMAINS AS PUBLISHED. 1704111216-1711211216EST.

JACKSON

James A Rhodes

FDC 7/0918 I43 IAP JAMES A RHODES, JACKSON, OH. RNAV (GPS) RWY 1, AMDT 1D...NOTE: STRAIGHT-IN RWY 01 NA AT NIGHT, CIRCLING RWY 01 NA AT NIGHT. DISREGARD NOTE: PROCEDURE NA AT NIGHT. 1702031530-1709151530EST.

FDC 7/0917 I43 IAP JAMES A RHODES, JACKSON, OH. RNAV (GPS) RWY 19, AMDT 1C...VOR/DME-A, AMDT 2B...NOTE: CIRCLING RWY 01 NOT AUTHORIZED AT NIGHT. NOTE: RWY 01 HELICOPTER VISIBILITY REDUCTION BELOW 1 SM NOT AUTHORIZED. DISREGARD NOTE: PROCEDURE NA AT NIGHT. DISREGARD NOTE: HELICOPTER VISIBILITY REDUCTION BELOW 1 SM NA. 1702031530-1709151530EST.

KENT

Kent State Univ

FDC 7/1185 1G3 IAP KENT STATE UNIV, KENT, OH. NDB RWY 1, AMDT 13B...DISREGARD NOTE: NIGHT LANDING: RWY 1 NA. DISREGARD NOTE: HELICOPTER VISIBILITY REDUCTION BY HELICOPTERS NA. NOTE: RWY 01 HELICOPTER VISIBILITY REDUCTION BELOW 3/4 SM NOT AUTHORIZED. 1703062142-1710162142EST.

FDC 7/1184 1G3 IAP KENT STATE UNIV, KENT, OH. RNAV (GPS) RWY 19, AMDT 1A...NOTE: RWY 19 VISIBILITY REDUCTION BY HELICOPTERS BELOW 3/4 SM NOT AUTHORIZED. DISREGARD NOTE: VISIBILITY REDUCTION BY HELICOPTERS NA. 1703062142-1710162142EST.

FDC 7/1182 1G3 IAP KENT STATE UNIV, KENT, OH. RNAV (GPS) RWY 1, AMDT 1A...NOTE: RWY 01 HELICOPTER VISIBILITY REDUCTION BELOW 3/4 SM NOT AUTHORIZED. DISREGARD NOTE: VISIBILITY REDUCTION BY HELICOPTERS NA. 1703062142-1710162142EST.

KENTON

Hardin County

FDC 7/4515 I95 IAP HARDIN COUNTY, KENTON, OH. RNAV (GPS) RWY 22, ORIG...DELETE: DESCENT ANGLE 3.04/TCH 40. PROFILE NOTE: VISUAL SEGMENT - OBSTACLES. 1701141937-1708261937EST.

LANCASTER

Fairfield County

FDC 7/4336 LHQ IAP FAIRFIELD COUNTY, LANCASTER, OH. RNAV (GPS) RWY 10, ORIG...RNAV (GPS) RWY 28, AMDT 1A...DISREGARD PROFILE NOTE: VGSI AND RNAV GLIDEPATH NOT COINCIDENT. 1701132202-1708252202EST.

LORAIN/ELYRIA

Lorain County Rgnl

FDC 6/1384 LPR SID LORAIN COUNTY RGNL, LORAIN/ELYRIA, OH. AMRST FIVE DEPARTURE...CARLETON TRANSITION NA EXCEPT FOR AIRCRAFT EQUIPPED WITH SUITABLE RNAV SYSTEM WITH GPS, CRL VORTAC UNUSABLE BEYOND 40 NM. 1611021533-1706141533EST.

MANSFIELD

Mansfield Lahm Rgnl

FDC 7/1805 MFD IAP MANSFIELD LAHM RGNL, MANSFIELD, OH. ILS OR LOC RWY 32, AMDT 16A...S-ILS 32 DA 1655/HAT 365 ALL CATS. VIS RVR 4000 ALL CATS. FOR INOPERATIVE MALSR, INCREASE S-ILS 32 CALL CATS VISIBILITY TO 1 1/4 MILE. FOR INOPERATIVE MALSR, WHEN USING MARION ALTIMETER SETTING, INCREASE S-ILS 32 CALL CATS VISIBILITY TO 1 5/8 MILE. CHART PROFILE NOTE: ILS UNUSABLE WITHIN 1NM OF RWY 32. 1703282207-1711072207EST.

MEDINA

Medina Muni

FDC 6/1586 1G5 IAP MEDINA MUNI, MEDINA, OH. RNAV (GPS) RWY 27, ORIG-A...RNAV (GPS) RWY 9, ORIG-B...DISREGARD NOTE: 3.04/TCH 40 CHART PROFILE NOTE: VISUAL SEGMENT - OBSTACLES. 1611202305-1707022305EST.

FDC 6/1382 1G5 SID MEDINA MUNI, MEDINA, OH. AMRST FIVE DEPARTURE...CARLETON TRANSITION NA EXCEPT FOR AIRCRAFT EQUIPPED WITH SUITABLE RNAV SYSTEM WITH GPS, CRL VORTAC UNUSABLE BEYOND 40 NM. 1611021533-1706141533EST.

MOUNT GILEAD

Morrow County

FDC 7/9487 4I9 IAP MORROW COUNTY, MOUNT GILEAD, OH. VOR-A, AMDT 4...NOTE: HELICOPTER VISIBILITY REDUCTION BELOW 1 SM NOT AUTHORIZED. 1705031435-1712131435EST.

NAPOLEON

Henry County

FDC 7/2717 7W5 IAP HENRY COUNTY, NAPOLEON, OH. RNAV (GPS) RWY 28, ORIG...LNAV MDA NA. 1703301140-1711091140EST.

NEW LEXINGTON

Perry County

FDC 7/1427 I86 IAP PERRY COUNTY, NEW LEXINGTON, OH. RNAV (GPS) RWY 26, ORIG-A...VOR/DME RWY 26, AMDT 2...PROCEDURE NA AT NIGHT. 1704171750-1711271750EST.

NEW PHILADELPHIA

Harry Clever Field

FDC 7/4456 PHD IAP HARRY CLEVER FIELD, NEW PHILADELPHIA, OH. VOR-A, AMDT 2...DISREGARD NOTE: WHEN VGSI INOP, PROCEDURE NA AT NIGHT. NOTE: PROCEDURE NA AT NIGHT. 1701141852-1708261852EST.

FDC 7/4452 PHD IAP HARRY CLEVER FIELD, NEW PHILADELPHIA, OH. RNAV (GPS) RWY 14, ORIG-B...DISREGARD NOTE: WHEN VGSI INOP, STRAIGHT-IN/CIRCLING RWY 14 PROCEDURE NA AT NIGHT. NOTE: PROCEDURE NA AT NIGHT. 1701141849-1708261849EST.

NEWARK

Newark-Heath

FDC 7/2313 VTA IAP NEWARK-HEATH, NEWARK, OH. VOR-A, AMDT 13...NOTE: CIRCLING RWY 9 NA AT NIGHT. 1703081535-1710181535EST.

FDC 6/5204 VTA IAP NEWARK-HEATH, NEWARK, OH. LOC RWY 9, ORIG...NOTE: STRAIGHT-IN RWY 9 NA AT NIGHT, CIRCLING RWY 9 NA AT NIGHT. NOTE: RWY 9 HELICOPTER VISIBILITY REDUCTION BELOW 1 SM NOT AUTHORIZED. 1612272234-1708082234EST.

FDC 6/5202 VTA ODP NEWARK-HEATH, NEWARK, OH. TAKEOFF MINIMUMS AND (OBSTACLE) DEPARTURE PROCEDURES AMDT 2...TAKE-OFF MINIMUMS RWY 27: 400-2 1/2 OR STANDARD WITH MINIMUM CLIMB OF 215 FT PER NM TO 1200, OR ALTERNATIVELY, WITH STANDARD TAKEOFF MINIMUMS AND A NORMAL 200 FT PER NM CLIMB GRADIENT, TAKEOFF MUST OCCUR NO LATER THAN 1600 FEET PRIOR TO DER. ALL OTHER DATA REMAINS AS PUBLISHED. 1612272233-1708082233EST.

PAINESVILLE

Concord Airpark

FDC 6/1386 2G1 SID CONCORD AIRPARK, PAINESVILLE, OH. AMRST FIVE DEPARTURE...CARLETON TRANSITION NA EXCEPT FOR AIRCRAFT EQUIPPED WITH SUITABLE RNAV SYSTEM WITH GPS, CRL VORTAC UNUSABLE BEYOND 40 NM. 1611021533-1706141533EST.

PIQUA

Piqua Airport- Hartzell Field

FDC 7/4614 I17 IAP PIQUA AIRPORT- HARTZELL FIELD, PIQUA, OH. VOR-A, AMDT 13B...MINIMUM ALTITUDE AT CHOWE/DQN 6 DME 1680. 1704241656-1712041655EST.

PORTSMOUTH

Southern Ohio Rgnl Medical Center

FDC 7/1955 OH62 SPECIAL SOUTHERN OHIO RGNL MEDICAL CENTER, PORTSMOUTH, OH. COPTER RNAV (GPS) 165, ORIG...PROCEDURE NA. IFR DEPARTURE NA. 1703291155-1711081155EST.

SEBRING

Tri-City

FDC 6/8660 3G6 IAP TRI-CITY, SEBRING, OH. VOR OR GPS RWY 17, AMDT 3C...S-17 VISIBILITY CAT C 1 3/8 MILE. MISSED APPROACH: CLIMB TO 3000 THEN CLIMBING RIGHT TURN TO 3100 DIRECT ACO VOR/DME AND HOLD. NOTE: PROCEDURE NA AT NIGHT. NOTE: HELICOPTER VISIBILITY REDUCTION BELOW 1 SM NOT AUTHORIZED. 1612072245-1707192245EST.

SHELBY

Shelby Community

FDC 7/3900 12G IAP SHELBY COMMUNITY, SHELBY, OH. VOR-A, AMDT 5...DME REQUIRED EXCEPT FOR AIRCRAFT EQUIPPED WITH SUITABLE RNAV SYSTEM WITH GPS. ADD NOTE: PROCEDURE NA AT NIGHT. ADD NOTE: HELICOPTER VISIBILITY REDUCTION BELOW 1 SM NOT AUTHORIZED. ADD NOTE: CIRCLING TO RWY 3, 21 NA. 1703121751-1710221751EST.

SPRINGFIELD

Springfield-Beckley Muni

FDC 7/9902 SGH IAP SPRINGFIELD-BECKLEY MUNI, SPRINGFIELD, OH. ILS OR LOC RWY 24, AMDT 2...VOR RWY 6, AMDT 11...ALTERNATE MINIMUMS NA, SGH VOR/DME UNMONITORED. 1705032049-1706022049EST.

FDC 7/3966 SGH IAP SPRINGFIELD-BECKLEY MUNI, SPRINGFIELD, OH. VOR/DME RWY 33, ORIG...PROFILE NOTE: VGSI AND DESCENT ANGLES NOT COINCIDENT. CHANGE HELICOPTER NOTE TO READ: HELICOPTER VISIBILITY REDUCTION BELOW 3/4 SM NOT AUTHORIZED. 1703121932-1710221932EST.

STEUBENVILLE

Trinity Medical Center West

FDC 7/9645 80I4 SPECIAL TRINITY MEDICAL CENTER WEST, STEUBENVILLE, OH. COPTER RNAV (GPS) 293, ORIG...IFR DEPARTURE NA. 1704131259-1711231259EST.

TIFFIN

Seneca County

FDC 7/0985 16G IAP SENECA COUNTY, TIFFIN, OH. RNAV (GPS) RWY 6, ORIG-A...DISREGARD NOTE: STRAIGHT-IN/CIRCLING RWY 6 NA AT NIGHT. 1704171228-1711271228EST.

FDC 6/5216 16G IAP SENECA COUNTY, TIFFIN, OH. NDB RWY 24, AMDT 7C...S-24 MDA 1480/HAT 695 ALL CATS. CAT C VIS 2. CIRCLING MDA 1480/HAA 694 ALL CATS. CAT C VIS 2, CAT D VIS 2 1/4. FINDLEY ALTIMETER SETTING: S-24 MDA 1540/HAT 755 ALL CATS. CAT B VIS 1 1/4, CAT D VIS 2. CIRCLING MDA 1540/HAA 754 ALL CATS. CAT B VIS 1 1/4, CAT C VIS 2 1/4, CAT D VIS 2 1/2. NOTE: RWY 24 HELICOPTER VISIBILITY REDUCTION BELOW 3/4 SM NOT AUTHORIZED. 1612272239-1708082239EST.

TOLEDO

Toledo Executive

FDC 7/9622 TDZ ODP TOLEDO EXECUTIVE, TOLEDO, OH. TAKEOFF MINIMUMS AND (OBSTACLE) DEPARTURE PROCEDURES AMDT 2A...TAKE-OFF MINIMUMS: RWY 4, STANDARD WITH MINIMUM CLIMB OF 300 FT PER NM TO 2100. DEPARTURE PROCEDURE: NOTE: RWY 4, LT 11 FT FROM DER, 26 FT LEFT OF CENTERLINE, UP TO 3 FT AGL/621 FT MSL. SIGN 22 FT FROM DER, 168 FT RIGHT OF CENTERLINE, UP TO 3 FT AGL/622 FT MSL. RR, POLE BEGINNING 284 FT FROM DER, 186 FT RIGHT OF CENTERLINE, UP TO 646 FT MSL. TREES, POLE, RR BEGINNING 372 FT FROM DER, 95 FT RIGHT OF CENTERLINE, UP TO 655 FT MSL. TREE 392 FT FROM DER, 315 FT RIGHT OF CENTERLINE, 656 FT MSL. TREES, RR BEGINNING 403 FT FROM DER, 1 FT RIGHT OF CENTERLINE, UP TO 660 FT MSL. RR 489 FT FROM DER, 164 FT LEFT OF CENTERLINE, 647 FT MSL. TREES, RR, BEGINNING 558 FT FROM DER, 1 FT LEFT OF CENTERLINE, UP TO 651 FT MSL. TREE 636 FT FROM DER, 426 FT RIGHT OF CENTERLINE, 668 FT MSL. TREES BEGINNING 639 FT FROM DER, 437 FT RIGHT OF CENTERLINE, UP TO 679 FT MSL. TREES BEGINNING 785 FT FROM DER, 412 FT RIGHT OF CENTERLINE, UP TO 681 FT MSL. TREES, POLE, BEGINNING 1096 FT FROM DER, 162 FT RIGHT OF CENTERLINE, UP TO 694 FT MSL. TREES BEGINNING 1996 FT FROM DER, 50 FT LEFT OF CENTERLINE, UP TO 680 FT MSL. OL ON TWR, 3310 FT FROM DER, 1030 FT LEFT OF CENTERLINE, UP TO 761 FT MSL.. ALL OTHER DATA REMAINS AS PUBLISHED. 1704131249-1711231249EST.

FDC 7/6409 TDZ IAP TOLEDO EXECUTIVE, TOLEDO, OH. VOR RWY 4, AMDT 9D...DISREGARD NOTE: PROCEDURE NA AT NIGHT. NOTE: CIRCLING RWY 14 NA AT NIGHT. CHANGE HELICOPTER VISIBILITY REDUCTION NOTE TO READ: RWY 4 HELICOPTER VISIBILITY REDUCTION BELOW 3/4 SM NOT AUTHORIZED. 1701202106-1709012106EST.

FDC 7/2070 TDZ IAP TOLEDO EXECUTIVE, TOLEDO, OH. RNAV (GPS) RWY 4, ORIG-A...NOTE: CIRCLING RWY 14 NA AT NIGHT. DISREGARD NOTE: WHEN VGSI INOP, PROCEDURE NA AT NIGHT. CHANGE HELICOPTER VISIBILITY REDUCTION NOTE TO READ: RWY 4 HELICOPTER VISIBILITY REDUCTION BELOW 3/4 SM NOT AUTHORIZED. 1702072123-1709192123EST.

Toledo Express

FDC 7/9322 TOL IAP TOLEDO EXPRESS, TOLEDO, OH. ILS OR LOC RWY 25, AMDT 8...MIKIE FIX MINIMUMS: CIRCLING CAT A/B MDA 1200/HAA 517. VGSI AND GLIDEPATH NOT COINCIDENT. 1701311656-1709121654EST.

FDC 7/8813 TOL ODP TOLEDO EXPRESS, TOLEDO, OH. TAKEOFF MINIMUMS AND (OBSTACLE) DEPARTURE PROCEDURES AMDT 2.NOTE: RWY 7, TREE 1339 FT FROM DER, 667 FT LEFT OF CENTERLINE, 700 FT MSL. TREES, BEGINNING 1902 FT FROM DER, 800 FT RIGHT OF CENTERLINE, UP TO 741 FT MSL. TREE 2393 FT FROM DER, 851 FT LEFT OF CENTERLINE, 734 FT MSL. TREE 2605 FT FROM DER, 1046 FT LEFT OF CENTERLINE, 756 FT MSL. NOTE: RWY 16, GRD 59 FT FROM DER, 496 FT LEFT OF CENTERLINE, 671 FT MSL. TREES, BEGINNING 617 FT FROM DER, 619 FT RIGHT OF CENTERLINE, UP TO 739 FT MSL. TREES, BEGINNING 719 FT FROM DER, 42 FT RIGHT OF CENTERLINE, UP TO 752 FT MSL. TREE 985 FT FROM DER, 479 FT LEFT OF CENTERLINE, 694 FT MSL. TREE 1020 FT FROM DER, 518 FT LEFT OF CENTERLINE, 714 FT MSL. TREE 1043 FT FROM DER, 571 FT LEFT OF CENTERLINE, 730 FT MSL. TREE 1139 FT FROM DER, 711 FT LEFT OF CENTERLINE, 732 FT MSL. TREE 1279 FT FROM DER, 806 FT LEFT OF CENTERLINE, 745 FT MSL. TREE 1318 FT FROM DER, 689 FT LEFT OF CENTERLINE, 753 FT MSL. TREES, BEGINNING 1388 FT FROM DER, 648 FT LEFT OF CENTERLINE, UP TO 757 FT MSL. TREES, BEGINNING 1491 FT FROM DER, 80 FT LEFT OF CENTERLINE, UP TO 758 FT MSL. TREES, BEGINNING 2607 FT FROM DER, 155 FT RIGHT OF CENTERLINE, UP TO 765 FT MSL. TREES, BEGINNING 2704 FT FROM DER, 36 FT RIGHT OF CENTERLINE, UP TO 767 FT MSL. TREES, BEGINNING 3028 FT FROM DER, 45 ALL OTHER DATA REMAINS AS PUBLISHED. FDC 7/8813 TOL ODP TOLEDO EXPRESS, TOLEDO, OH. FT RIGHT OF CENTERLINE, UP TO 786 FT MSL. NOTE: RWY 25, BUSH 245 FT FROM DER, 473 FT RIGHT OF CENTERLINE, 692 FT MSL. BUSH 486 FT FROM DER, 527 FT RIGHT OF CENTERLINE, 695 FT MSL. TREE 2214 FT FROM DER, 869 FT RIGHT OF CENTERLINE, 746 FT MSL. TREE 2361 FT FROM DER, 908 FT LEFT OF CENTERLINE, 780 FT MSL. NOTE: RWY 34, POLE, BEGINNING 445 FT FROM DER, 539 FT LEFT OF CENTERLINE, UP TO 38 FT AGL/713 FT MSL. POLE, BEGINNING 632 FT FROM DER, 539 FT LEFT OF CENTERLINE, UP TO 38 FT AGL/714 FT MSL. POLE, TREE, BEGINNING 703 FT FROM DER, 521 FT LEFT OF CENTERL

FDC 7/8809 TOL IAP TOLEDO EXPRESS, TOLEDO, OH. RADAR RWY 16 - MAP 0.5, AMDT 19B...RADAR RWY 25 - MAP 0.5, AMDT 19B...RADAR RWY 34 - MAP 0.5, AMDT 19B...RADAR RWY 7 - MAP 0.5, AMDT 19B...CIRCLING CAT A/B/C MDA 1200/HAA 517. NOTE: RWY 16 HELICOPTER VISIBILITY REDUCTION BELOW 3/4 SM NOT AUTHORIZED. NOTE: RWY 34 HELICOPTER VISIBILITY REDUCTION BELOW 3/4 SM NOT AUTHORIZED. 1701291620-1709101620EST.

FDC 7/8801 TOL IAP TOLEDO EXPRESS, TOLEDO, OH. RNAV (GPS) RWY 34, ORIG-A...CIRCLING CAT A/B/C MDA 1200/HAA 517. NOTE: RWY 34 HELICOPTER VISIBILITY REDUCTION BELOW 3/4 SM NOT AUTHORIZED.. 1701291614-1709101614EST.

FDC 7/8799 TOL IAP TOLEDO EXPRESS, TOLEDO, OH. RNAV (GPS) RWY 25, AMDT 2A...CIRCLING CAT A/B/C MDA 1200/HAA 517. DISREGARD PLANVIEW NOTES: PROCEDURE NA FOR ARRIVALS AT CRL VORTAC VIA V65 NORTHWEST BOUND & PROCEDURE NA FOR ARRIVALS AT VWV VORTAC VIA V-30-126 WESTBOUND. PLANVIEW NOTE: PROCEDURE NA FOR ARRIVAL ON CRL VORTAC AIRWAY RADIALS 159 CW 265. PLANVIEW NOTE: PROCEDURE NA FOR ARRIVAL ON VWV VOR/DME AIRWAY RADIALS 308 CW 115. 1701291613-1709101613EST.

FDC 7/8793 TOL IAP TOLEDO EXPRESS, TOLEDO, OH. RNAV (GPS) RWY 16, ORIG...LNAV MDA 1060/HAT 386 ALL CATS, VIS CAT C 1 1/8. CIRCLING CAT A/B/C MDA 1200/HAA 516. NOTE: RWY 16 HELICOPTER VISIBILITY REDUCTION BELOW 3/4 SM NOT AUTHORIZED. 1701291610-1709101609EST.

FDC 7/8791 TOL IAP TOLEDO EXPRESS, TOLEDO, OH. RNAV (GPS) RWY 7, AMDT 1A...CIRCLING CAT A/B/C MDA 1200/HAA 516. 1701291608-1709101608EST.

FDC 7/8789 TOL IAP TOLEDO EXPRESS, TOLEDO, OH. VOR/DME RWY 34, AMDT 7B...CIRCLING CAT A/B/C MDA 1200/HAA 516. NOTE: STRAIGHT-IN TO RWY 34 NA AT NIGHT, CIRCLING RWY 34 NA AT NIGHT. NOTE: RWY 34 HELICOPTER VISIBILITY REDUCTION BELOW 1 SM NOT AUTHORIZED. 1701291606-1709101606EST.

FDC 7/8783 TOL IAP TOLEDO EXPRESS, TOLEDO, OH. ILS OR LOC RWY 7, AMDT 28...CIRCLING CAT A/B/C MDA 1200/HAA 517. 1701291559-1709101559EST.

Toledo Hospital

FDC 7/1993 6016 SPECIAL TOLEDO HOSPITAL, TOLEDO, OH. COPTER RNAV (GPS) 187, ORIG...COPTER RNAV (GPS) 187, ORIG...CAUTION: TEMPORARY CRANES 300-450 FT E AND SE OF THE HELIPORT 350 FT AGL AND LOWER. 1704181647-1711281647EST.

TROY

Upper Valley Medical Center

FDC 7/0051 00H4 SPECIAL UPPER VALLEY MEDICAL CENTER, TROY, OH. COPTER RNAV (GPS) 20, ORIG...PROCEED VISUALLY NA. PROCEED VFR FROM WINIS OR CONDUCT THE SPECIFIED MISSED APPROACH. 1704131810-1711231810EST.

UPPER SANDUSKY

Wyandot County

FDC 7/8544 56D IAP WYANDOT COUNTY, UPPER SANDUSKY, OH. VOR-A, AMDT 3C...YEVUN FIX MINIMUMS (DME REQUIRED): CIRCLING CATS A/B/C MDA 1440/ HAA 610, CAT D MDA 1500/ HAA 670, VISIBILITY CAT C 1 3/4. TEMPORARY CRANES 1075 MSL BEGINNING 4603FT SOUTHWEST OF 56D AIRPORT (2017-AGL-656-OE THROUGH 2017-AGL-659-OE). 1701271811-1709081811EST.

WADSWORTH

Wadsworth Muni

FDC 7/2592 3G3 IAP WADSWORTH MUNI, WADSWORTH, OH. VOR/DME-A, AMDT 2...NOTE: CIRCLING RWY 2, 10, 28 NA AT NIGHT. NOTE: RWY 10, 20 HELICOPTER VISIBILITY REDUCTION BELOW 3/4 SM NOT AUTHORIZED. NOTE: RWY 2, 28 HELICOPTER VISIBILITY REDUCTION BELOW 1 SM NOT AUTHORIZED. DISREGARD NOTE: WHEN VGSI INOP, PROCEDURE NA AT NIGHT. 1703292110-1711082110EST.

FDC 7/2590 3G3 IAP WADSWORTH MUNI, WADSWORTH, OH. RNAV (GPS) RWY 2, AMDT 1...NOTE: RWY 2 HELICOPTER VISIBILITY REDUCTION BELOW 1 SM NOT AUTHORIZED. NOTE: STRAIGHT-IN RWY 2 NA AT NIGHT, CIRCLING RWY 28 NA AT NIGHT. DISREGARD NOTE: WHEN VGSI INOP, PROCEDURE NA AT NIGHT. DISREGARD NOTE: VISIBILITY REDUCTION BY HELICOPTERS NA. 1703292110-1711082110EST.

FDC 7/2587 3G3 IAP WADSWORTH MUNI, WADSWORTH, OH. RNAV (GPS) RWY 20, AMDT 1...NOTE: RWY 20: HELICOPTER VISIBILITY REDUCTION BELOW 3/4 SM NOT AUTHORIZED. NOTE: CIRCLING RWY 2, 28 NA AT NIGHT. DISREGARD NOTE: VISIBILITY REDUCTION BY HELICOPTERS NA. 1703292110-1711082110EST.

WAUSEON

Fulton County

FDC 7/2709 USE ODP FULTON COUNTY, WAUSEON, OH. TAKEOFF MINIMUMS AND (OBSTACLE) DEPARTURE PROCEDURES AMDT 1...TAKEOFF MINIMUMS: RWY 18, 36 NA - ENVIRONMENTAL. TAKEOFF OBSTACLE NOTES: NOTE: RWY 9, ANT, BLDG BEGINNING 1137 FT FROM DER, 637 FT LEFT OF CENTERLINE, UP TO 808 FT MSL. TREES BEGINNING 1309 FT FROM DER, 414 FT RIGHT OF CENTERLINE, UP TO 840 FT MSL. TREES BEGINNING 1371 FT FROM DER, 562 FT RIGHT OF CENTERLINE, UP TO 80 FT AGL/848 FT MSL. TREE 1455 FT FROM DER, 543 FT RIGHT OF CENTERLINE, 83 FT AGL/850 FT MSL. TREES BEGINNING 1569 FT FROM DER, 635 FT RIGHT OF CENTERLINE, UP TO 90 FT AGL/854 FT MSL. TREES BEGINNING 2161 FT FROM DER, 4 FT LEFT OF CENTERLINE, UP TO 111 FT AGL/876 FT MSL. RWY 27 NOTE: RWY 27, BLDG 11 FT FROM DER, 460 FT LEFT OF CENTERLINE, 799 FT MSL. POLE 26 FT FROM DER, 487 FT LEFT OF CENTERLINE, 808 FT MSL. ANT, BLDG, RD, TREE, FLGPL, TK, POLE BEGINNING 88 FT FROM DER, 47 FT LEFT OF CENTERLINE, UP TO 45 FT AGL/824 FT MSL. TREES BEGINNING 3976 FT FROM DER, 170 FT LEFT OF CENTERLINE, UP TO 889 FT MSL. THIS IS TAKEOFF MINIMUMS AND (OBSTACLE) DEPARTURE PROCEDURES, AMDT 1A. 1704191746-PERM.

WEST UNION

Alexander Salamon

FDC 7/4502 AMT IAP ALEXANDER SALAMON, WEST UNION, OH. NDB RWY 23, AMDT 4A...RNAV (GPS) RWY 23, ORIG-A...NOTE: PROCEDURE NA AT NIGHT. NOTE: HELICOPTER VISIBILITY REDUCTION BELOW 1 SM NOT AUTHORIZED. 1704241451-1712041451EST.

FDC 7/4498 AMT IAP ALEXANDER SALAMON, WEST UNION, OH. RNAV (GPS) RWY 5, ORIG-A...NOTE: PROCEDURE NA AT NIGHT. PROFILE NOTE: VISUAL SEGMENT - OBSTACLES. NOTE: HELICOPTER VISIBILITY REDUCTION BELOW 1 SM NOT AUTHORIZED. DESCENT ANGLE 3.05/TCH 40 NA. 1704241449-1712041449EST.

WILLOUGHBY

Willoughby Lost Nation Muni

FDC 6/1380 LNN SID WILLOUGHBY LOST NATION MUNI, WILLOUGHBY, OH. AMRST FIVE DEPARTURE...CARLETON TRANSITION NA EXCEPT FOR AIRCRAFT EQUIPPED WITH SUITABLE RNAV SYSTEM WITH GPS, CRL VORTAC UNUSABLE BEYOND 40 NM. 1611021533-1706141533EST.

WILMINGTON

Wilmington Air Park

FDC 7/9773 ILN IAP WILMINGTON AIR PARK, WILMINGTON, OH. ILS OR LOC RWY 4L, AMDT 4B...RADAR OR DME REQUIRED EXCEPT FOR AIRCRAFT EQUIPPED WITH SUITABLE RNAV SYSTEM WITH GPS. SGH R-161 UNUSABLE AT BUNSS INT. 1704131440-1711231440EST.

FDC 7/7503 ILN IAP WILMINGTON AIR PARK, WILMINGTON, OH. ILS OR LOC RWY 22L, ORIG-B...ILS OR LOC RWY 4R, ORIG-B...ILS RWY 22L (CAT II), ORIG-B...PROCEDURE NA. MXQ VOR UNUSABLE R-050-169 AND R-170-200. 1703211638-1710311637EST.

WOOSTER

Wayne County

FDC 7/8111 BJJ ODP WAYNE COUNTY, WOOSTER, OH. TAKEOFF MINIMUMS AND (OBSTACLE) DEPARTURE PROCEDURES AMDT 1...TAKEOFF OBSTACLE NOTES: NOTE: RWY 10, BLDG 1 FT FROM DER, 462 FT LEFT OF CENTERLINE, 25 FT AGL/1156 MSL. VEHICLES ON ROAD BEGINNING 11 FT FROM DER, LEFT AND RIGHT OF CENTERLINE UP TO 15 FT AGL/1143 FT MSL. POLE 127 FT FROM DER, 509 FT RIGHT OF CENTERLINE, 34 FT AGL/1159 FT MSL. POLES BEGINNING 166 FT FROM DER, 227 FT LEFT OF CENTERLINE, UP TO 36 FT AGL/1161 FT MSL. NOTE: RWY 28, BUSH 44 FT FROM DER, 467 FT RIGHT OF CENTERLINE 5 FT AGL/1116 FT MSL. TREE 1243 FT FROM DER, 813 FT LEFT OF CENTERLINE 55 FT AGL/1177 FT MSL. TREES BEGINNING 1337 FT FROM DER, 616 FT LEFT OF CENTERLINE, UP TO 60 FT AGL/1187 FT MSL. TREES BEGINNING 1631 FT FROM DER, 880 FT LEFT OF CENTERLINE, UP TO 65 FT AGL/1192 FT MSL. TREES BEGINNING 1858 FT FROM DER, 400 FT LEFT OF CENTERLINE, UP TO 80 FT AGL/1209 FT MSL. TREES BEGINNING 2584 FT FROM DER, 229 FT RIGHT OF CENTERLINE, UP TO 85 FT AGL/1203 FT MSL. TREES BEGINNING 3907 FT FROM DER, 895 FT LEFT OF CENTERLINE, UP TO 80 FT AGL/1232 FT MSL. TREES BEGINNING 4332 FT FROM DER, 921 FT LEFT OF CENTERLINE, UP TO 100 FT AGL/1259 FT MSL. ALL OTHER DATA REMAINS AS PUBLISHED. 1704111247-1711211247EST.

YOUNGSTOWN

Youngstown Elser Metro

FDC 6/8611 4G4 IAP YOUNGSTOWN ELSER METRO, YOUNGSTOWN, OH. RNAV (GPS) RWY 10, ORIG-B...RNAV (GPS) RWY 28, ORIG-B...CHANGE HELICOPTER VISIBILITY REDUCTION NOTE TO READ: HELICOPTER VISIBILITY REDUCTION BELOW 1 SM NOT AUTHORIZED. NOTE: PROCEDURE NA AT NIGHT. 1612072221-1707192221EST.

ZANESVILLE

Bethesda Hospital Helistop

FDC 7/4353 4OH2 IAP BETHESDA HOSPITAL
HELISTOP, ZANESVILLE, OH. COPTER RNAV (GPS)
160, AMDT 1...PROCEDURE NA.
1701132216-1708252216EST.

FDC 7/0152 4OH2 SPECIAL BETHESDA HOSPITAL
HELISTOP, ZANESVILLE, OH. COPTER RNAV (GPS)
160, AMDT 1...IFR DEPARTURE NA.
1703250124-1711040124EST.

OKLAHOMA

ADA

Ada Muni

FDC 6/2644 ADH ODP ADA MUNI, ADA, OK.
TAKEOFF MINIMUMS AND (OBSTACLE) DEPARTURE
PROCEDURES AMDT 3...CHANGE ALL REFERENCES
FROM RWY 17/35 TO RWY 18/36. ALL OTHER DATA
REMAINS AS PUBLISHED.
1611232109-1707052109EST.

FDC 6/2641 ADH IAP ADA MUNI, ADA, OK. RNAV
(GPS) RWY 17, ORIG...RNAV (GPS) RWY 35,
ORIG-A...VOR/DME RWY 17, AMDT 1D...CHANGE
ALL REFERENCES FROM RWY 17/35 TO RWY 18/36..
1611232108-1707052108EST.

ARDMORE

Ardmore Downtown Executive

FDC 7/3431 1F0 IAP ARDMORE DOWNTOWN
EXECUTIVE, ARDMORE, OK. RNAV (GPS) RWY 17,
ORIG-B...CHART NOTE: RWY 17 HELICOPTER
VISIBILITY REDUCTION BELOW 1 SM NOT
AUTHORIZED. CHART PROFILE NOTE: VISUAL
SEGMENT - OBSTACLES. DELETE DESCENT ANGLE
3.00 / TCH 40. DELETE PROFILE NOTE: VGSI AND
DESCENT ANGLE NOT COINCIDENT (VGSI ANGLE
4.00/TCH 62). DELETE NOTE: PROCEDURE NA AT
NIGHT. DELETE NOTE: VISIBILITY REDUCTION BY
HELICOPTERS NA. THIS IS RNAV (GPS) RWY 17,
ORIG-C. 1702101946-PERM.

FDC 7/3430 1F0 IAP ARDMORE DOWNTOWN
EXECUTIVE, ARDMORE, OK. RNAV (GPS) RWY 35,
ORIG-B...CHART NOTE: RWY 17 HELICOPTER
VISIBILITY REDUCTION BELOW 1 SM NOT
AUTHORIZED. CHART NOTE: RWY 35 HELICOPTER
VISIBILITY REDUCTION BELOW 3/4 SM NOT
AUTHORIZED. DELETE NOTE: PROCEDURE NA AT
NIGHT. DELETE NOTE: VISIBILITY REDUCTION BY
HELICOPTERS NA. THIS IS RNAV (GPS) RWY 35,
ORIG-C. 1702101944-PERM.

Ardmore Muni

FDC 6/1333 ADM IAP ARDMORE MUNI, ARDMORE,
OK. RNAV (GPS) RWY 31, AMDT 1B...LPV DA 994/HAT
261, VIS 1 ALL CATS. CIRCLING CAT C MDA
1440/HAA 663. WHEN LOCAL ALTIMETER SETTING
NOT RECEIVED, USE ARDMORE DOWNTOWN
EXECUTIVE ALTIMETER SETTING AND INCREASE
ALL DA 35 FEET AND ALL MDA 40 FEET; INCREASE
LNAV/VNAV ALL CATS AND LNAV CATS C AND D
VISIBILITY 1/8 MILE, AND CIRCLING CATS C AND D
VISIBILITY 1/4 MILE. 1611201901-1707021901EST.

FDC 6/1331 ADM IAP ARDMORE MUNI, ARDMORE,
OK. ILS OR LOC RWY 31, AMDT 5B...S-ILS DA
994/HAT 261, VIS 1 ALL CATS. ALL CIRCLING CAT C
MDA 1440/HAA 663. WHEN LOCAL ALTIMETER
SETTING NOT RECEIVED, USE ARDMORE
DOWNTOWN EXECUTIVE ALTIMETER SETTING
AND INCREASE ALL DA 35 FEET AND ALL MDA 40
FEET; INCREASE ALL S-LOC CATS C AND D
VISIBILITIES 1/8 MILE AND ALL CIRCLING CATS C
AND D VISIBILITIES 1/4 MILE.
1611201900-1707021900EST.

BARTLESVILLE

Bartlesville Muni

FDC 7/4951 BVO IAP BARTLESVILLE MUNI,
BARTLESVILLE, OK. VOR/DME RWY 35, AMDT
6...S-35 MDA 1360/HAT 649. WHEN LOCAL
ALTIMETER SETTING NOT RECEIVED, USE TULSA
INTL ALTIMETER SETTING AND INCREASE ALL
MDA 100 FT AND VISIBILITY CAT B 1/4 MILE, CAT
C/D 1/2 MILE, AND CIRCLING CAT B/C/D 1/4 MILE.
HELICOPTER VISIBILITY REDUCTION BELOW 3/4
SM NOT AUTHORIZED. VDP NA.
1704251244-1712051244EST.

BOISE CITY

Boise City

FDC 7/9077 17K IAP BOISE CITY, BOISE CITY, OK.
RNAV (GPS) RWY 4, ORIG...NOTE: NIGHT LANDING:
RWY 4 NA. NOTE: HELICOPTER VISIBILITY
REDUCTION BELOW 1 SM NOT AUTHORIZED.
DISREGARD SYMBOL REPRESENTING VISUAL 34:1
SLOPE IS CLEAR. DESCENT ANGLE 3.00/TCH 40 NA.
1703011253-1710111253EST.

CHANDLER

Chandler Rgnl

FDC 7/2083 CQB IAP CHANDLER RGNL, CHANDLER, OK. RNAV (GPS) RWY 35, AMDT 1...APT ELEV 985. TDZE 985. LNAV/VNAV NA. LNAV MDA 1320/HAT 335 ALL CATS. CIRCLING CAT A HAA 395, CAT B HAA 455, CAT C MDA 1600/HAA 615, CAT C VIS 1 3/4. CHANGE LOCAL ALTIMETER SETTING NOT RECEIVED NOTE TO READ: WHEN LOCAL ALTIMETER SETTING NOT RECEIVED, USE SHAWNEE ALTIMETER SETTING AND INCREASE ALL MDA 80 FT; INCREASE LNAV CAT C VISIBILITY 1/8 MILE AND CIRCLING CAT C VISIBILITY 1/4 MILE. 1702072131-1709192131EST.

FDC 7/2081 CQB ODP CHANDLER RGNL, CHANDLER, OK. TAKEOFF MINIMUMS AND (OBSTACLE) DEPARTURE PROCEDURES AMDT 1...NOTE: RWY 17, BUSH 15 FT FROM DER, 459 FT LEFT OF CENTERLINE, 988 FT MSL. TREES AND GRD BEGINNING 18 FT FROM DER, 16 FT RIGHT OF CENTERLINE, UP TO 45 FT AGL/1012 FT MSL. TREE 78 FT FROM DER, 292 FT RIGHT OF CENTERLINE, 47 FT AGL/1013 FT MSL. TREES BEGINNING 102 FT FROM DER, 254 FT RIGHT OF CENTERLINE, UP TO 51 FT AGL/1016 FT MSL. POWER LINE AND TREES BEGINNING 103 FT FROM DER, 456 FT LEFT OF CENTERLINE, UP TO 1007 FT MSL. NOTE: RWY 35, TREE 20 FT FROM DER, 188 FT LEFT OF CENTERLINE, 15 FT AGL/965 FT MSL. TREE 32 FT FROM DER, 100 FT RIGHT OF CENTERLINE, 964 FT MSL. TREE 329 FT FROM DER, 574 FT RIGHT OF CENTERLINE, 976 FT MSL. TREES BEGINNING 708 FT FROM DER, 510 FT LEFT OF CENTERLINE, UP TO 985 FT MSL. TREE 717 FT FROM DER, 503 FT RIGHT OF CENTERLINE, 982 FT MSL. 1702072129-1709192129EST.

CHICKASHA

Chickasha Muni

FDC 6/1579 CHK IAP CHICKASHA MUNI, CHICKASHA, OK. RNAV (GPS) RWY 18, AMDT 1A...RNAV (GPS) RWY 36, AMDT 1A...NOTE: CIRCLING NA TO RWYS 1, 2, 19 AND 20. 1611202259-1707022259EST.

DUNCAN

Halliburton Field

FDC 7/7512 DUC IAP HALLIBURTON FIELD, DUNCAN, OK. RNAV (GPS) RWY 35, AMDT 1...MSA RW35, 25 NM 3000. WINDMILL, 1924 MSL, 22.14 NM NORTH OF APPROACH END RWY 35, 40-029289 (2015-WTW-7640-OE). 1702232202-1710052202EST.

FDC 7/7510 DUC IAP HALLIBURTON FIELD, DUNCAN, OK. LOC RWY 35, AMDT 5...VOR RWY 35, AMDT 12...MSA DUNCAN (DUC) VOR/DME 25 NM 270-090 MINIMUM ALTITUDE 3000. WINDMILL, 1924 MSL, 26.83 NM NORTH OF DUC VOR/DME, 40-029289 (2015-WTW-7640-OE). 1702232201-1710052201EST.

DURANT

Durant Rgnl - Eaker Field

FDC 7/4485 DUA IAP DURANT RGNL - EAKER FIELD, DURANT, OK. VOR/DME RWY 35, AMDT 1...CIRCLING CATS A/B/C MDA 1180/HAT 482. BUILDING, 40-029288, 873 MSL, 1.11 NM NW OF KDU A, 40-029288. 1701141914-1708261914EST.

ENID

Enid Woodring Rgnl

FDC 7/4845 WDG IAP ENID WOODRING RGNL, ENID, OK. ILS OR LOC RWY 35, AMDT 6...CIRCLING CATS A/B/C MDA 1860/HAA 693. VISIBILITY CAT C 2. NOTE: CIRCLING RWY 13 NA AT NIGHT. TEMPORARY CRANE, 1500 MSL, 1.23 NM EAST OF AIRPORT. (2015-ASW-544-OE). 1701171433-1708311433EST.

FDC 7/3487 WDG IAP ENID WOODRING RGNL, ENID, OK. RNAV (GPS) RWY 35, AMDT 1...CIRCLING MDA 1860/HAA 693 CATS A/B/C. VIS CAT C 2. PROFILE NOTE: VGSI AND RNAV GLIDEPATH NOT COINCIDENT. NOTE: WHEN LOCAL ALTIMETER SETTING NOT RECEIVED, USE GUTHRIE ALTIMETER SETTING AND INCREASE ALL MDA 100 FEET, INCREASE LNAV CAT C/D VISIBILITY TO 1 3/8 SM. TEMPORARY CRANE, 1500 MSL, 1.23 NM EAST OF AIRPORT. 1703101815-1708161815EST.

FDC 7/3486 WDG IAP ENID WOODRING RGNL, ENID, OK. VOR RWY 35, AMDT 15...CIRCLING MDA 1860/HAA 693 CATS A/B/C. VIS CAT C 2. TEMPORARY CRANE, 1500 MSL, 1.23 NM EAST OF AIRPORT. 1703101815-1708161815EST.

FDC 7/3485 WDG IAP ENID WOODRING RGNL, ENID, OK. RNAV (GPS) RWY 17, ORIG-A...VOR RWY 17, AMDT 13...CIRCLING MDA 1860/HAA 693 ALL CATS. VIS CAT C 2, CAT D 2 1/4. NOTE: NIGHT LANDING: RWY 13 NA. TEMPORARY CRANE, 1500 MSL, 1.23 NM EAST OF AIRPORT. 1703101815-1708161815EST.

FDC 7/0936 WDG IAP ENID WOODRING RGNL, ENID, OK. RNAV (GPS) RWY 17, ORIG-A...LNAV MDA 1700/HAT 535 ALL CATS. VIS CAT C 1 1/2. VDP 1.59 NM TO RW17. WHEN LOCAL ALTIMETER SETTING NOT RECEIVED, USE GUTHRIE ALTIMETER SETTING AND INCREASE ALL DA 98 FEET AND ALL MDA 100 FEET, INCREASE LPV ALL CATS VISIBILITY TO 1 1/4 MILES, LNAV/VNAV ALL CATS VISIBILITY TO 1 3/4 MILES, LNAV CAT C/D VISIBILITY TO 1 3/4 MILES, CIRCLING CAT C VISIBILITY TO 2 MILES AND CIRCLING CAT D VISIBILITY TO 2 1/4 MILES. DRILLING RIG, 1389 MSL, 3.78 NM NORTH OF APPROACH END RWY 17, (2016-ASW-11956-OE). 1703061300-1708041254EST.

HENRYETTA

Henryetta Muni

FDC 7/0460 F10 IAP HENRYETTA MUNI, HENRYETTA, OK. NDB RWY 36, AMDT 3...RNAV (GPS) RWY 36, ORIG-B...NOTE: PROCEDURE NA AT NIGHT. NOTE: HELICOPTER VISIBILITY REDUCTION BELOW 1 SM NOT AUTHORIZED. 1703021905-1710121905EST.

HOBART

Hobart Rgnl

FDC 7/6261 HBR IAP HOBART RGNL, HOBART, OK. VOR RWY 35, AMDT 9...CIRCLING CAT D MDA 2140/HAA 576. 1704061256-1711161256EST.

FDC 7/6259 HBR IAP HOBART RGNL, HOBART, OK. RNAV (GPS) RWY 17, AMDT 2...RNAV (GPS) RWY 35, AMDT 2...CIRCLING CAT D MDA 2140/HAA 577. 1704061254-1711161254EST.

HOLDENVILLE

Holdenville Muni

FDC 7/2466 F99 IAP HOLDENVILLE MUNI, HOLDENVILLE, OK. RNAV (GPS) RWY 35, ORIG...NOTE: NIGHT LANDING: RWY 35 NA. NOTE: HELICOPTER VISIBILITY REDUCTION BELOW 1 SM NOT AUTHORIZED. 1703081651-1710181651EST.

FDC 7/2458 F99 IAP HOLDENVILLE MUNI, HOLDENVILLE, OK. NDB RWY 17, AMDT 4A...RNAV (GPS) RWY 17, ORIG...NOTE: NIGHT LANDING: RWY 35 NA. 1703081643-1710181643EST.

MADILL

Madill Muni

FDC 7/4278 1F4 IAP MADILL MUNI, MADILL, OK. RNAV (GPS) RWY 18, ORIG...LNAV CATS A/B MDA 1320/HAT 430. DISREGARD NOTE: GPS OR RNP-0.3 REQUIRED. NOTE: PROCEDURE NA AT NIGHT. NOTE: HELICOPTER VISIBILITY REDUCTION BELOW 1 SM NOT AUTHORIZED. DISREGARD SYMBOL DEPICTING 34:1 IS CLEAR. 1701132103-1708252103EST.

FDC 6/1450 1F4 IAP MADILL MUNI, MADILL, OK. VOR/DME-A, AMDT 3...NOTE: PROCEDURE NA AT NIGHT. NOTE: HELICOPTER VISIBILITY REDUCTION BELOW 1 SM NOT AUTHORIZED. 1611202004-1707022004EST.

MC ALESTER

Mc Alester Rgnl

FDC 7/5295 MLC IAP MC ALESTER RGNL, MC ALESTER, OK. VOR/DME RWY 20, AMDT 2F...CHART NOTE: DME REQUIRED. CHART PLANVIEW NOTE: DME REQUIRED. CHART PROFILE NOTE: VISUAL SURFACE - OBSTACLES. CHART NOTE: RWY 20 HELICOPTER VISIBILITY REDUCTION BELOW 1 SM NOT AUTHORIZED. CHART NOTE: STRAIGHT-IN RWY 20 NA AT NIGHT, CIRCLING RWY 20 NA AT NIGHT. DELETE NOTE: NIGHT LANDING: RWY 20 NA. DELETE NOTE HELICOPTER VISIBILITY REDUCTION BELOW 1 SM NA. THIS IS VOR RWY 20, AMDT 2G 1702161825-PERM.

NORMAN

University Of Oklahoma Westheimer

FDC 6/4711 OUN SID UNIVERSITY OF OKLAHOMA WESTHEIMER, NORMAN, OK. FUNNL TWO DEPARTURE (RNAV)...KRMSN TWO DEPARTURE (RNAV)...MUDDE TWO DEPARTURE (RNAV)...OLGUY TWO DEPARTURE (RNAV)...RDHWK TWO DEPARTURE (RNAV)...SSYKO TWO DEPARTURE (RNAV)...STPHN TWO DEPARTURE (RNAV)...TEBRD TWO DEPARTURE (RNAV)...THRPE TWO DEPARTURE (RNAV)...TRUPR TWO DEPARTURE (RNAV)...WENDY TWO DEPARTURE (RNAV)...TAKE-OFF MINIMUMS RWY 36, 300 - 1 3/4 OR STANDARD WITH MINIMUM CLIMB OF 330 FT PER NM TO 1700. NOTE: RWY 36, CRANE, 1 3/8 MILE FROM DEPARTURE END OF RWY, 2668 FT LEFT OF CENTERLINE, 300 FT AGL/1479 FT MSL, 2016-ASW-7595-OE. ALL OTHER DATA REMAINS AS PUBLISHED. 1610061144-1705181144EST.

FDC 6/4708 OUN ODP UNIVERSITY OF OKLAHOMA WESTHEIMER, NORMAN, OK. TAKEOFF MINIMUMS AND (OBSTACLE) DEPARTURE PROCEDURES AMDT 1A...TAKE-OFF MINIMUMS RWY 36, 300 - 1 3/4 OR STANDARD WITH MINIMUM CLIMB OF 330 FT PER NM TO 1700. NOTE: RWY 36, CRANE, 1 3/8 MILE FROM DEPARTURE END OF RWY, 2668 FT LEFT OF CENTERLINE, 300 FT AGL/1479 FT MSL, 2016-ASW-7595-OE. ALL OTHER DATA REMAINS AS PUBLISHED. 1610061144-1705181144EST.

FDC 6/4707 OUN IAP UNIVERSITY OF OKLAHOMA WESTHEIMER, NORMAN, OK. ILS OR LOC RWY 18, AMDT 2A...CIRCLING CAT B MDA 1840/HAA 658. JIXPU FIX MINIMUMS (DUAL VOR RECEIVERS OR DME REQUIRED) CIRCLING CAT A MDA 1740/HAA 559, CAT B MDA 1840/HAA 658. CRANE, 1479 MSL, 2.09 NM NORTH OF KOUN, 2016-ASW-7595-OE. CRANE, 1384 MSL, 3199 FT NW OF KOUN, 2016-ASW-5329-OE. 1610061144-1705181144EST.

FDC 6/4705 OUN IAP UNIVERSITY OF OKLAHOMA WESTHEIMER, NORMAN, OK. LOC RWY 3, AMDT 4...RNAV (GPS) RWY 3, AMDT 2B...RNAV (GPS) RWY 36, ORIG-B...CIRCLING CAT A MDA 1740/HAA 559, CAT B MDA 1840/HAA 658. CRANE, 1479 MSL, 2.09 NM NORTH OF KOUN, 2016-ASW-7595-OE. CRANE, 1384 MSL, 3199 FT NW OF KOUN, 2016-ASW-5329-OE. 1610061144-1705181144EST.

FDC 6/4703 OUN IAP UNIVERSITY OF OKLAHOMA WESTHEIMER, NORMAN, OK. RNAV (GPS) RWY 18, AMDT 2...LNAV/VNAV DA 1858/HAT 676 ALL CATS. VIS 1 7/8 ALL CATS. LNAV MDA 1780/HAT 598 ALL CATS. VIS CATS C/D 1 1/4. CIRCLING CAT A MDA 1780/HAA 598, CAT B 1840/HAA 658. VDP: 1.70 NM TO RW18. WHEN LOCAL ALTIMETER SETTING NOT RECEIVED, USE WILL ROGERS WORLD ALTIMETER SETTING AND INCREASE LPV DA TO 1423 FEET, LNAV/VNAV DA TO 1899 FEET; INCREASE ALL MDA 60 FEET; INCREASE LNAV CATS C/D VISIBILITY 3/8 MILE. FOR INOPERATIVE MALSR, INCREASE LNAV/VNAV ALL CATS VISIBILITY TO 2 1/2 MILES AND LNAV CATS C/D VISIBILITY TO 1 7/8 MILE. CRANE, 1479 MSL, 1.45 NM NORTH OF APPROACH END RWY 18, 2016-ASW-7595-OE. CRANE, 1384 MSL, 2841 FT FT SW OF APPROACH END RWY 18, 2016-ASW-5329-OE. 1610061144-1705181144EST.

OKLAHOMA CITY

Clarence E Page Muni

FDC 7/8449 RCE IAP CLARENCE E PAGE MUNI, OKLAHOMA CITY, OK. RNAV (GPS) RWY 17R, AMDT 2A...VOR-B, AMDT 3...CIRCLING CATS A/B/C MDA 1900/HAA 546. DRILLING RIG, 1532 MSL, 1.53 NM SOUTH OF KRCE (2017-ASW-3209-OE). 1705021300-1706171119EST.

FDC 7/8448 RCE IAP CLARENCE E PAGE MUNI, OKLAHOMA CITY, OK. RNAV (GPS) RWY 35L, AMDT 2A...LNAV CATS A/B/C MDA 1840/HAT 490. VIS CAT C 1 3/8. CIRCLING CATS A/B/C MDA 1900/HAA 546. VDP 1.41 NM TO RW35L. DRILLING RIG, 1532 MSL, 1.04 NM SOUTH OF APPROACH END RWY 35L (2017-ASW-3209-OE). 1705021300-1706171119EST.

Sundance

FDC 7/2071 HSD IAP SUNDANCE, OKLAHOMA CITY, OK. RNAV (GPS) RWY 35, AMDT 1A...LPV DA NA. LNAV/VNAV DA NA. 1703291306-1711081306EST.

Wiley Post

FDC 6/6290 PWA IAP WILEY POST, OKLAHOMA CITY, OK. ILS OR LOC RWY 17L, AMDT 11A...NOTE: VGSI AND ILS GLIDEPATH NOT COINCIDENT (VGSI ANGLE 3.00/TCH 47). 1612051527-1707171527EST.

Will Rogers World

FDC 7/8934 OKC IAP WILL ROGERS WORLD, OKLAHOMA CITY, OK. VOR RWY 17L, AMDT 2...AIRPORT ELEVATION: 1296. 1701292235-1709102235EST.

FDC 7/3315 OKC IAP WILL ROGERS WORLD, OKLAHOMA CITY, OK. RADAR 1, AMDT 21A...ASR RWY 17L MDA 1760/HAT 473 ALL CATS. VIS CATS C/D/E RVR 5000.. CIRCLING CAT A MDA 1760/HAA 464. CHANGE MISSED APPROACH TO: CLIMB TO 2000 THEN CLIMBING RIGHT TURN TO 3100 ON IRW VORTAC R-263 TO JESKE INT/IRW 11.98 DME AND HOLD W, RT, 083.10 INBOUND. CRANE, 1453 MSL, 2.29 NM NORTH OF APPROACH END RWY 17L, 2016-ASW-5967-OE. 1703301829-1711091829EST.

FDC 6/9867 OKC IAP WILL ROGERS WORLD, OKLAHOMA CITY, OK. RADAR 1, AMDT 21A...ASR 17R MDA 1760/ HATH 478 ALL CATS. VIS CATS C/D/E RVR 5000. FOR INOPERATIVE MALSR, INCREASE S-17R CAT C/D/E VIS TO 1 3/8 MILE. CIRCLING CATS A/B MDA 1800/HAA 504. 2014-ASW-4425-OE.. RIG 1443FT MSL 170FT AGL 2.11NM NW OF AIRPORT. 1610141214-1705261214EST.

FDC 6/9781 OKC IAP WILL ROGERS WORLD, OKLAHOMA CITY, OK. RNAV (GPS) RWY 13, AMDT 3B...LP MDA 1760/ HATH 481 ALL CATS. VIS CATS C/D 1 3/8. LNAV MDA 1760/ HATH 481 ALL CATS, VIS CATS C/D 1 3/8. 2014-ASW-4425-OE. RIG 1443FT MSL 170FT AGL 2.11NM NW OF AIRPORT. 1610311846-1706121846EST.

FDC 6/9500 OKC IAP WILL ROGERS WORLD, OKLAHOMA CITY, OK. VOR RWY 17L, AMDT 2...LANBY FIX MINIMUMS CIRCLING CATS A/B/C MDA 1800/ HAA 504. CHANGE MISSED APPROACH HOLDING TO: HOLD SW JESKE INT/PWA 14.53 DME, RIGHT TURNS, 036.15 INBOUND. RIG 1443FT MSL 170FT AGL 2.11NM NW OF AIRPORT. 2014-ASW-4425-OE. 1610311347-1706121347EST.

FDC 6/9498 OKC IAP WILL ROGERS WORLD, OKLAHOMA CITY, OK. ILS OR LOC RWY 17L, AMDT 3B...ILS OR LOC RWY 17R, AMDT 12B...ILS OR LOC/DME RWY 35L, AMDT 2B...ILS OR LOC/DME RWY 35R, AMDT 10B...RNAV (GPS) RWY 13, AMDT 3B...RNAV (GPS) RWY 31, AMDT 1B...RNAV (GPS) Y RWY 17L, AMDT 3B...RNAV (GPS) Y RWY 17R, AMDT 4B...RNAV (GPS) Y RWY 35L, AMDT 4A...RNAV (GPS) Y RWY 35R, AMDT 3B...CIRCLING CATS A/B MDA 1800/HAA 504. RIG 1443FT MSL 170FT AGL 2.11NM NW OF AIRPORT. 2014-ASW-4425-OE. 1610311347-1706121347EST.

FDC 6/9497 OKC IAP WILL ROGERS WORLD, OKLAHOMA CITY, OK. ILS OR LOC RWY 17R, AMDT 12B...COTOX FIX MINIMUMS: CIRCLING CATS A/B MDA 1800/HAA 504. RIG 1443FT MSL 170FT AGL 2.11NM NW OF AIRPORT. 1610311347-1706121347EST.

FDC 6/9495 OKC IAP WILL ROGERS WORLD, OKLAHOMA CITY, OK. RADAR 1, AMDT 21A...CIRCLING CATS A/B MDA 1800/ HAA 504. RIG, 1443FT MSL, 2.11NM NW OF AIRPORT, 2014-ASW-4425-OE. 1610311347-1706121347EST.

FDC 6/6639 OKC IAP WILL ROGERS WORLD, OKLAHOMA CITY, OK. VOR RWY 17L, AMDT 2...LANBY FIX MINIMUMS: S-17L MDA 1760/HAT 474 ALL CATS. VIS CATS C/D 1 3/8. CHANGE MISSED APPROACH TO: CLIMB TO 2000 THEN CLIMBING RIGHT TURN TO 3100 VIA IRW VORTAC R-263 TO JESKE INT AND HOLD. CRANE, 1453 MSL, 2.29 NM NORTH OF APPROACH END RWY 17L, 2016-ASW-5967-OE. 1609221213-1707291213EST.

FDC 6/4122 OKC IAP WILL ROGERS WORLD, OKLAHOMA CITY, OK. ILS OR LOC RWY 17L, AMDT 3B...DISREGARD OM INDICATIONS.. 1612202138-1708012138EST.

POTEAU

Robert S Kerr

FDC 7/5538 RKR ODP ROBERT S KERR, POTEAU, OK. TAKEOFF MINIMUMS AND (OBSTACLE) DEPARTURE PROCEDURES AMDT 4....NOTE: RWY 18, RR AND TREES BEGINNING 4 FT FROM DER, 443 FT RIGHT OF CENTERLINE, UP TO 58 FT AGL/503 FT MSL. RD AND TREES BEGINNING 101 FT FROM DER, 298 FT LEFT OF CENTERLINE, UP TO 60 FT AGL/506 FT MSL. TREES BEGINNING 317 FT FROM DER, 584 FT RIGHT OF CENTERLINE, UP TO 59 FT AGL/510 FT MSL. NOTE: RWY 36, RR AND TREES BEGINNING 3 FT FROM DER, 492 FT LEFT OF CENTERLINE, UP TO 52 FT AGL/499 FT MSL. RD AND TREES BEGINNING 24 FT FROM DER, 497 FT RIGHT OF CENTERLINE, UP TO 65 FT AGL/508 FT MSL. TREES BEGINNING 612 FT FROM DER, 609 FT LEFT OF CENTERLINE, UP TO 66 FT AGL/509 FT MSL. TREES BEGINNING 1944 FT FROM DER, 457 FT RIGHT OF CENTERLINE, UP TO 77 FT AGL/517 FT MSL. TREES BEGINNING 2132 FT FROM DER, 1030 FT LEFT OF CENTERLINE, UP TO 39 FT AGL/539 FT MSL. TREES BEGINNING 2721 FT FROM DER, 1186 FT LEFT OF CENTERLINE, UP TO 33 FT AGL/558 FT MSL. 1704051222-1711151222EST.

FDC 6/1443 RKR IAP ROBERT S KERR, POTEAU, OK. VOR/DME-A, ORIG-A...PROCEDURE NA. 1611202000-1707022000EST.

SEMINOLE

Seminole Muni

FDC 7/4320 SRE IAP SEMINOLE MUNI, SEMINOLE, OK. NDB RWY 16, AMDT 4...RNAV (GPS) RWY 16, AMDT 1...NOTE: PROCEDURE NA AT NIGHT. NOTE: CIRCLING TO RWY 5, 23 NA. 1701132151-1708252151EST.

STIGLER

Stigler Rgnl

FDC 7/8826 GZL IAP STIGLER RGNL, STIGLER, OK. RNAV (GPS) RWY 17, ORIG-A...DESCENT ANGLE 3.00/TCH 40 NA. PROCEDURE NA AT NIGHT. 1703231308-1711021308EST.

FDC 7/4231 GZL IAP STIGLER RGNL, STIGLER, OK. RNAV (GPS) RWY 17, ORIG-A...RNAV CATS A/B MDA 1100/HAT 501. VDP 1.45 NM TO RW17. CONSTRUCTION EQUIPMENT, 782 MSL, 2816 FT NE OF APPROACH END RWY 17, 2015-ASW-7309-OE. 1701131745-1802011744EST.

FDC 6/7341 GZL IAP STIGLER RGNL, STIGLER, OK. RNAV (GPS) RWY 35, AMDT 1A...RNAV/VNAV CAT A-B DA 867/HAT 267. 1612061913-1707181913EST.

STILLWATER

Stillwater Rgnl

FDC 7/1441 SWO IAP STILLWATER RGNL, STILLWATER, OK. ILS OR LOC RWY 17, AMDT 2B...RNAV (GPS) RWY 17, ORIG-A...RNAV (GPS) RWY 35, AMDT 1A...VOR RWY 17, AMDT 14A...VOR/DME RWY 35, AMDT 1B...CIRCLING CAT C MDA 1600/HAA 600. 1704171802-1711271802EST.

FDC 6/7355 SWO IAP STILLWATER RGNL, STILLWATER, OK. ILS OR LOC RWY 17, AMDT 2B...RNAV (GPS) RWY 17, ORIG-A...RNAV (GPS) RWY 35, AMDT 1A...VOR RWY 17, AMDT 14A...CIRCLING CAT B MDA 1560/HAA 560. CRANE 1198 MSL, 2.11 NM SOUTH OF KSWO, 2016-ASW-3333-OE. 1610121203-1705241203EST.

FDC 6/7352 SWO IAP STILLWATER RGNL, STILLWATER, OK. VOR/DME RWY 35, AMDT 1B...S-35 MDA 1500/HAT 534 ALL CATS. VIS CATS C/D 1 1/2. CIRCLING CAT A MDA 1500/HAA 500, CAT B MDA 1560/HAA 560. CRANE 1198 MSL, 2.11 NM SOUTH OF KSWO, 2016-ASW-3333-OE. 1610121200-1705241200EST.

TULSA

Richard Lloyd Jones Jr

FDC 7/2089 RVS SID RICHARD LLOYD JONES JR, TULSA, OK. TULSA FIVE DEPARTURE...TAKE-OFF MINIMUMS RWY 13, 200 - 1 1/4 OR STANDARD WITH MINIMUM CLIMB OF 284 FT PER NM TO 900. NOTE: RWY 13, SEVEN (7) NETTING POLES, BEGINNING 1.02 NM FROM DEPARTURE END OF RWY, 1845 FT LEFT OF CENTERLINE, 150 AGL/771 MSL, 2015-ASW-5966 THRU 5972-OE.. ALL OTHER DATA REMAINS AS PUBLISHED. 1702072134-1709192134EST.

FDC 7/0076 RVS ODP RICHARD LLOYD JONES JR, TULSA, OK. TAKEOFF MINIMUMS AND (OBSTACLE) DEPARTURE PROCEDURES AMDT 7...TAKE-OFF MINIMUMS RWY 13, 200 - 1 1/4 OR STANDARD WITH MINIMUM CLIMB OF 284 FT PER NM TO 900. NOTE: RWY 13, SEVEN (7) NETTING POLES, BEGINNING 1.02 NM FROM DEPARTURE END OF RWY, 1845 FT LEFT OF CENTERLINE, 150 AGL/771 MSL, 2015-ASW-5966 THRU 5972-OE. ALL OTHER DATA REMAINS AS PUBLISHED. 1703242033-1711032033EST.

OREGON

ASTORIA

Astoria Rgnl

FDC 7/8440 AST IAP ASTORIA RGNL, ASTORIA, OR. COPTER LOC/DME 257, AMDT 1...ILS RWY 26, AMDT 3A...PROCEDURE NA EXCEPT FOR AIRCRAFT EQUIPPED WITH SUITABLE RNAV SYSTEM WITH GPS, AST VOR/DME OUT OF SERVICE. 1705020847-1705090847EST.

FDC 7/8439 AST IAP ASTORIA RGNL, ASTORIA, OR. COPTER VOR/DME 066, AMDT 1...VOR/DME PORTION NA, AST VOR/DME OUT OF SERVICE. 1705020847-1705090847EST.

FDC 7/8438 AST ODP ASTORIA RGNL, ASTORIA, OR. ASTORIA TWO DEPARTURE...DEPARTURE PROCEDURE NA EXCEPT FOR AIRCRAFT EQUIPPED WITH SUITABLE RNAV SYSTEM WITH GPS, AST VOR/DME OUT OF SERVICE. 1705020841-1705090841EST.

FDC 7/8437 AST ODP ASTORIA RGNL, ASTORIA, OR. TAKEOFF MINIMUMS AND (OBSTACLE) DEPARTURE PROCEDURES AMDT 6...DEPARTURE PROCEDURE NA EXCEPT FOR AIRCRAFT EQUIPPED WITH SUITABLE RNAV SYSTEM WITH GPS, AST VOR/DME OUT OF SERVICE. 1705020841-1705090841EST.

FDC 7/6187 AST IAP ASTORIA RGNL, ASTORIA, OR. COPTER LOC/DME 257, AMDT 1...H-257 COPTER MDA 460/HAT451. COPTER VISIBILITY 1 SM. DISREGARD NOTE: INCREASE VISIBILITY TO 1/2 MILE FOR INOPERATIVE MALSR. 1704061142-1711161142EST.

FDC 7/6180 AST IAP ASTORIA RGNL, ASTORIA, OR. COPTER VOR/DME 066, AMDT 1...H-066 COPTER VISIBILITY 3/4 SM. 1704061135-1711161134EST.

FDC 7/4356 AST ODP ASTORIA RGNL, ASTORIA, OR. ASTORIA TWO DEPARTURE...TAKE-OFF MINIMUMS: RWY 8: 800-3 WITH MINIMUM CLIMB OF 410 FEET PER NM TO 1200. RWY 26: 300-1 1/4. NOTE: RWY 13: POLE 44 FEET FROM DER, 223 FEET LEFT OF CENTERLINE, 12 FEET AGL/25 FEET MSL. TREES 354 FEET FROM DER, 381 FEET LEFT OF CENTERLINE, UP TO 72 FEET AGL/87 FEET MSL. TREES 666 FEET FROM DER, 544 FEET RIGHT OF CENTERLINE, UP TO 63 FEET AGL/78 FEET MSL. TREES 1255 FEET FROM DER, 804 FEET RIGHT OF CENTERLINE, UP TO 106 FEET AGL/121 FEET MSL. TREES 1792 FEET FROM DER, 104 FEET LEFT OF CENTERLINE, UP TO 74 FEET AGL/89 FEET MSL. TREES 2493 FEET FROM DER, 279 FEET LEFT OF CENTERLINE, UP TO 106 FEET AGL/121 FEET MSL. TREES 3291 FEET FROM DER, 312 FEET RIGHT OF CENTERLINE, UP TO 139 FEET AGL/154 FEET MSL. NOTE: RWY 31: TREES BEGINNING 2 FEET FROM DER, 495 FEET LEFT OF CENTERLINE, UP TO 38 AGL/48 FEET MSL. ALL OTHER DATA REMAINS AS PUBLISHED. 1704241323-1712041323EST.

FDC 7/1068 AST IAP ASTORIA RGNL, ASTORIA, OR. RNAV (GPS) RWY 8, ORIG-A...LNAV MDA 520/ HAT 506 ALL CATS, VISIBILITY CATS C/D 1 1/2. VDP NA. TEMPORARY CRANE 215 MSL 7396FT NORTHWEST OF RWY 8 (2016-ANM-3816-OE). 1701061300-1708171300EST.

FDC 6/1343 AST IAP ASTORIA RGNL, ASTORIA, OR. VOR RWY 8, AMDT 12...S-8 MDA 780/HAT 766 ALL CATS, VIS CAT B 1 1/4, CAT C/D 2 1/2. CIRCLING CAT A/B MDA 780/HAA 765, VIS CAT C 2 1/2. CHART NOTE: HELICOPTER VISIBILITY REDUCTION BELOW 3/4 SM NOT AUTHORIZED. CHART NOTE: WHEN LOCAL ALTIMETER SETTING NOT RECEIVED, USE KELSO ALTIMETER SETTING AND INCREASE ALL MDA 100 FEET AND INCREASE CIRCLING CAT A/C VISIBILITY 1/4 MILE. ALTERNATE MINIMUMS: NA WHEN LOCAL WEATHER NOT AVAILABLE, CAT C 800-2 1/2 S-8 MDA 780/HAT 766 ALL CATS, VIS CAT B 1 1/4, CAT C/D 2 1/2. CIRCLING CAT A/B MDA 780/HAA 765, VIS CAT C 2 1/2. CHART NOTE: HELICOPTER VISIBILITY REDUCTION BELOW 3/4 SM NOT AUTHORIZED. CHART NOTE: WHEN LOCAL ALTIMETER SETTING NOT RECEIVED, USE KELSO ALTIMETER SETTING AND INCREASE ALL MDA 100 FEET AND INCREASE CIRCLING CAT A/C VISIBILITY 1/4 MILE. ALTERNATE MINIMUMS: STANDARD, EXCEPT NA WHEN LOCAL WEATHER NOT AVAILABLE, AND CAT C 800-2 1/2, CAT D 900-3. 1611201914-1707021914EST.

FDC 6/1340 AST IAP ASTORIA RGNL, ASTORIA, OR. RNAV (GPS) RWY 8, ORIG-A...LP MDA 420/HAT 406 ALL CATS, VIS CAT C/D 1 1/8. CHART VDP AT 1.16 MILES TO RW08. CHANGE LOCAL ALTIMETER SETTING NOTE TO READ: WHEN LOCAL ALTIMETER SETTING NOT RECEIVED, USE KELSO ALTIMETER SETTING AND INCREASE ALL MDA 100 FEET AND INCREASE LP AND LNAV CAT C/D AND CIRCLING CAT B VISIBILITY 1/4 MILE AND CIRCLING CAT C 1/2 MILE. CHART FAS OBST: 164 TREE 460929N/1235433W. 1611201912-1707021912EST.

CORVALLIS

Corvallis Muni

FDC 7/4361 CVO SID CORVALLIS MUNI, CORVALLIS, OR. SHEDD TWO DEPARTURE...TAKE-OFF MINIMUMS RWY 09, 200-1 OR STANDARD WITH MINIMUM CLIMB OF 245 FEET PER NM TO 500. RWY 27, 35 STANDARD WITH A MINIMUM CLIMB OF 345 FEET PER NM TO 3100. ALL OTHER DATA REMAINS AS PUBLISHED.. 1704241326-1712041326EST.

LA GRANDE

La Grande/Union County

FDC 7/7678 LGD ODP LA GRANDE/UNION COUNTY, LA GRANDE, OR. TAKEOFF MINIMUMS AND (OBSTACLE) DEPARTURE PROCEDURES AMDT...TAKEOFF OBSTACLE NOTES: NOTE: RWY 12, ROAD(N), BEGINNING 148 FT FROM DER, 339 FT RIGHT OF CENTERLINE, UP TO 10 FT AGL/2720 FT MSL. NOTE: RWY 16, BLDG, BEGINNING 102 FT FROM DER, 465 FT LEFT OF CENTERLINE, UP TO 25 FT AGL/2733 FT MSL. BLDG, BEGINNING 328 FT FROM DER, 461 FT LEFT OF CENTERLINE, UP TO 56 FT AGL/2735 FT MSL. LT POLE, BEGINNING 461 FT FROM DER, 445 FT RIGHT OF CENTERLINE, UP TO 33 FT AGL/2741 FT MSL. TOWER, BEGINNING 861 FT FROM DER, 700 FT RIGHT OF CENTERLINE, UP TO 56 FT AGL/2765 FT MSL. NOTE: RWY 30, RD(N), BEGINNING 141 FT FROM DER, 106 FT RIGHT OF CENTERLINE, UP TO 10 FT AGL/2730 FT MSL. NOTE: RWY 30, RD(N), BEGINNING 331 FT FROM DER, 13 FT LEFT OF CENTERLINE, UP TO 10 FT AGL/2729 FT MSL. RD (N) 338 FT FROM DER, 10 FT RIGHT OF CENTERLINE, 10 FT AGL/2730 FT MSL.. ALL OTHER DATA REMAINS AS PUBLISHED. 1704101352-1711201352EST.

ME. COPTER RNAV (GPS) 092

Swans Island

FDC 7/1551 ME73 SPECIAL SWANS ISLAND, ME. COPTER RNAV (GPS) 092, ORIG-B...TERMINAL ROUTE ADIFO (IAF) TO HUMIS (IF) 3000. TERMINAL ROUTE DORAE (IAF) TO HUMIS (IF) 3000.. MISSED APPROACH: CLIMB TO 3000 DIRECT RUEED AND HOLD 1701052145-1708172145.

MEDFORD

Rogue Valley Intl - Medford

FDC 7/9274 MFR IAP ROGUE VALLEY INTL - MEDFORD, MEDFORD, OR. RNAV (RNP) RWY 32, ORIG-A...RNP 0.15 DA 1661/ HAT 326 ALL CATS. RNP 0.30 DA 1697/ HAT 362 ALL CATS, VISIBILITY ALL CATS 1 1/4. TEMPORARY CRANE 1410 MSL 2129FT SOUTHEAST OF RWY 32 (2016-ANM-3389-OE). 1703021500-1707011500EST.

FDC 7/9273 MFR ODP ROGUE VALLEY INTL - MEDFORD, MEDFORD, OR. TAKEOFF MINIMUMS AND (OBSTACLE) DEPARTURE PROCEDURES AMDT 10A...ADD NOTE: RWY 14, TEMPORARY CRANE 2081FT FROM DER, 448FT LEFT OF CENTERLINE, 65FT AGL/ 1410FT MSL (2016-ANM-3389-OE). ALL OTHER DATA REMAINS AS PUBLISHED. 1703021500-1707011500EST.

FDC 7/3911 MFR IAP ROGUE VALLEY INTL - MEDFORD, MEDFORD, OR. RNAV (GPS) Y RWY 14, AMDT 1...LNAV MDA* VIS CATS C/D 3. LNAV MDA 3480/HAT 2177 ALL CATS. VIS CATS C/D 3. CIRCLING MDA 3480/HAA 2145 ALL CATS. ALTERNATE MINIMUMS: CATS A/B 2200-2, CATS C/D 2200-3.. DISREGARD NOTE: *MISSED APPROACH REQUIRES MINIMUM CLIMB OF 297 FEET PER NM TO 4000.. ADD NOTE: *MISSED APPROACH REQUIRES MINIMUM CLIMB OF 331 FEET PER NM TO 5400.. DISREGARD NOTE: INOPERATIVE TABLE DOES NOT APPLY TO LNAV MDA* CAT A, LNAV MDA CAT A AND B. ADD NOTE: INOPERATIVE TABLE DOES NOT APPLY TO LNAV MDA* CATS A, C AND D, AND LNAV MDA ALL CATS. 1703121806-1710221806EST.

NORTH BEND

Southwest Oregon Rgnl

FDC 6/9118 OTH IAP SOUTHWEST OREGON RGNL, NORTH BEND, OR. VOR-A, AMDT 6...VOR/DME-B, AMDT 5...NOTE: CIRCLING RWY 13, 22, 31 NA AT NIGHT. NOTE: RWY 13, 22, 31 HELICOPTER VISIBILITY REDUCTION BELOW 1 SM NOT AUTHORIZED. DISREGARD NOTE: HELICOPTER VISIBILITY REDUCTION BELOW 1 SM NA. DISREGARD NOTE: NIGHT LANDING: RWY 31 NA. 1612081617-1707201617EST.

FDC 6/9117 OTH IAP SOUTHWEST OREGON RGNL, NORTH BEND, OR. ILS OR LOC RWY 4, AMDT 8...RNAV (GPS) Y RWY 4, AMDT 1...VOR/DME RWY 4, AMDT 11...NOTE: CIRCLING RWY 13, 22, 31 NA AT NIGHT. NOTE: RWY 13, 22, 31 HELICOPTER VISIBILITY REDUCTION BELOW 1 SM NOT AUTHORIZED. DISREGARD NOTE: NIGHT LANDING: RWY 31 NA. 1612081617-1707201617EST.

PENDLETON

Eastern Oregon Rgnl At Pendleton

FDC 6/0841 PDT IAP EASTERN OREGON RGNL AT PENDLETON, PENDLETON, OR. RNAV (GPS) RWY 29, ORIG...LNAV MDA 1880/HAT 383 ALL CATS, VIS CAT C/D 1 1/8. 1612122153-1707242153EST.

PORTLAND

Portland Intl

FDC 7/7524 PDX IAP PORTLAND INTL, PORTLAND, OR. RNAV (RNP) Z RWY 28L, ORIG-A...RNP 0.27 DA 406/ HAT 383 ALL CATS, VISIBILITY ALL CATS RVR 4000. 1702232212-1710052212EST.

FDC 6/1096 PDX STAR PORTLAND INTL, PORTLAND, OR. MOXEE SIX ARRIVAL...NA FOR RNAV EQUIPPED TURBO JETS LANDING PORTLAND INTL. 1609131900-1709131900EST.

Portland-Hillsboro

FDC 7/2983 HIO IAP PORTLAND-HILLSBORO, PORTLAND, OR. ILS OR LOC RWY 13R, AMDT 10...ALTERNATE MISSED APPROACH: CLIMB TO 1000 THEN CLIMBING LEFT TURN TO 4000 ON HEADING 120 AND BTG VORTAC R-175 TO CANBY/BTG 27.24 DME AND HOLD. (DME REQUIRED). 1704201220-1711301220EST.

ROSEBURG

Roseburg Rgnl

FDC 7/4211 RBG IAP ROSEBURG RGNL, ROSEBURG, OR. VOR-A, AMDT 6...NOTE: PROCEDURE NA AT NIGHT.. NOTE: RWY 16, 34 HELICOPTER VISIBILITY REDUCTION BELOW 1 SM NOT AUTHORIZED.. 1703312115-1711102115EST.

SUNRIVER

Sunriver

FDC 7/6446 S21 ODP SUNRIVER, SUNRIVER, OR. TAKEOFF MINIMUMS AND (OBSTACLE) DEPARTURE PROCEDURES ORIG.TAKEOFF MINIMUMS: RWY 36, 600-2 WITH MINIMUM CLIMB OF 204 FT PER NM TO 4800 OR STANDARD WITH MINIMUM CLIMB OF 240 FT PER NM TO 4900. TAKEOFF OBSTACLES NOTES: NOTE: RWY 18, TREE AND SIGN BEGINNING 11 FT FROM DER, 114 FT RIGHT OF CENTERLINE, UP TO 4175 FT MSL. TREE 39 FT FROM DER, 146 FT LEFT OF CENTERLINE, 4181 FT MSL. TREE 176 FT FROM DER, 348 FT LEFT OF CENTERLINE, 4207 FT MSL. TREE AND POLES BEGINNING 418 FT FROM DER, 141 FT RIGHT OF CENTERLINE, UP TO 4187 FT MSL. TREES BEGINNING 436 FT FROM DER, 274 FT LEFT OF CENTERLINE, UP TO 4210 FT MSL. TREES AND BLDGS BEGINNING 486 FT FROM DER, 556 FT RIGHT OF CENTERLINE, UP TO 4206 FT MSL. TREE 1946 FT FROM DER, 406 FT LEFT OF CENTERLINE, 4226 FT MSL. TREES BEGINNING 2069 FT FROM DER, 5 FT RIGHT OF CENTERLINE, 4240 FT MSL. TREE 2153 FT FROM DER, 315 FT RIGHT OF CENTERLINE, 4244 FT MSL. ALL OTHER DATA REMAINS AS PUBLISHED. FDC 7/6446 S21 ODP SUNRIVER, Sunriver, OR. TREES BEGINNING 2334 FT FROM DER, 457 FT RIGHT OF CENTERLINE, UP TO 4266 FT MSL. TREE 2397 FT FROM DER, 919 FT RIGHT OF CENTERLINE, 4272 FT MSL. TREE 2784 FT FROM DER, 805 FT RIGHT OF CENTERLINE, 4278 FT MSL. TREE 4824 FT FROM DER, 463 FT LEFT OF CENTERLINE, 4286 FT MSL. NOTE: RWY 36, FENCE BEGINNING 4 FT FROM DER, 202 FT RIGHT OF CENTERLINE, UP TO 4 FT AGL/4161 FT MSL. TREES BEGINNING 26 FT FROM DER, 8 FT RIGHT OF CENTERLINE, UP TO 4187 FT MSL. TREE 336 FT FROM DER, 174 FT LEFT OF CENTERLINE, 4183 FT MSL. TREES BEGINNING 431 FT FROM DER, 85 FT LEFT OF CENTERLINE, UP TO 4204 FT MSL. TREE 738 FT FROM DER, 39 FT RIGHT OF CENTERLINE, 4198 FT MSL. TREES BEGINNING 743 FT FROM DER, 138 FT RIGHT OF CENTERLINE, UP TO 4211 FT MSL. TREE 1468 FT FROM DER, 856 FT RIGHT OF CENTERLINE, 4233 FT MSL. TREES BEGINNING 1633 FT FROM DER, 857 FT RIGHT OF CENTERLINE, UP TO 4245 FT MSL. ALL OTHER DATA REMAINS AS PUBLISHED. 1704061446-1711161446EST

PACIFIC

GUAM

Guam Intl

FDC 7/5337 GUM IAP GUAM INTL, GUAM, GU. NDB/DME RWY 24R, AMDT 1...NOTE: STRAIGHT-IN RWY 24R NA AT NIGHT, CIRCLING RWY 24R NA AT NIGHT. NOTE: RWY 24R HELICOPTER VISIBILITY REDUCTION BELOW 1 SM NOT AUTHORIZED. DELETE NOTE: HELICOPTER VISIBILITY REDUCTION BELOW 3/4 SM NA. 1702161912-1709281912EST.

FDC 7/5336 GUM IAP U.S. DOD GUAM INTL, GUAM, GU. VOR/DME OR TACAN RWY 24R, AMDT 1...NOTE: STRAIGHT-IN RWY 24R NA AT NIGHT, CIRCLING RWY 24R NA AT NIGHT. NOTE: RWY 24R HELICOPTER VISIBILITY REDUCTION BELOW 1 SM NOT AUTHORIZED. DELETE NOTE: HELICOPTER VISIBILITY REDUCTION BELOW 3/4 SM NA. 1702161912-1709281912EST.

FDC 7/5335 GUM IAP GUAM INTL, GUAM, GU. VOR-A, ORIG-E...NOTE: CIRCLING RWY 24R NA AT NIGHT. 1702161912-1709281912EST.

FDC 7/5334 GUM IAP GUAM INTL, GUAM, GU. VOR/DME OR TACAN RWY 6L, ORIG-E...CIRCLING CAT A/B/C MDA 860/HAA 562. NOTE: CIRCLING RWY 24R NA AT NIGHT. 1702161912-1709281912EST.

FDC 7/5333 GUM IAP GUAM INTL, GUAM, GU. ILS OR LOC RWY 6R, ORIG-B...NOTE: CIRCLING RWY 24R NA AT NIGHT. CHART NOTE: RWY 6R HELICOPTER VISIBILITY REDUCTION BELOW 3/4 SM NOT AUTHORIZED. 1702161912-1709281912EST.

FDC 7/5332 GUM IAP GUAM INTL, GUAM, GU. ILS OR LOC RWY 6L, AMDT 4...NOTE: CIRCLING RWY 24R NA AT NIGHT. 1702161912-1709281912EST.

FDC 7/5331 GUM IAP GUAM INTL, GUAM, GU. RNAV (GPS) Y RWY 24R, AMDT 2...LNAV MDA 1200/HAT 895 ALL CATS, VISIBILITY CAT A/B 1 1/4, CAT C/D 2 1/2. CIRCLING MDA 1220/HAA 915 ALL CATS, VISIBILITY CAT A/B 1 1/4, CAT C 2 3/4, CAT D 3. NOTE: RWY 24R HELICOPTER VISIBILITY REDUCTION BELOW 1 SM NOT AUTHORIZED. NOTE: STRAIGHT-IN RWY 24R NA AT NIGHT, CIRCLING RWY 24R NA AT NIGHT. 1702161912-1709281912EST.

FDC 7/5330 GUM IAP GUAM INTL, GUAM, GU. RNAV (GPS) Y RWY 24L, AMDT 1B...NOTE: RWY 24L HELICOPTER VISIBILITY REDUCTION BELOW 3/4 SM NOT AUTHORIZED. DELETE NOTE: VISIBILITY REDUCTION BY HELICOPTERS NA. NOTE: CIRCLING RWY 24R NA AT NIGHT. 1702161912-1709281912EST.

FDC 7/5329 GUM IAP GUAM INTL, GUAM, GU. RNAV (GPS) Y RWY 6R, AMDT 1A...NOTE: RWY 6R HELICOPTER VISIBILITY REDUCTION BELOW 3/4 SM NOT AUTHORIZED. NOTE: CIRCLING RWY 24R NA AT NIGHT. 1702161912-1709281912EST.

FDC 7/5328 GUM IAP GUAM INTL, GUAM, GU. RNAV (GPS) Y RWY 6L, AMDT 1A...CIRCLING CATS A/B/C MDA 860/HAA 562. NOTE: CIRCLING RWY 24R NA AT NIGHT. 1702161912-1709281912EST.

FDC 7/5327 GUM IAP GUAM INTL, GUAM, GU. RNAV (RNP) Z RWY 24R, AMDT 1...CHART NOTE: PROCEDURE NA AT NIGHT. 1702161912-1709281912EST.

MAJURO ATOLL

Marshall Islands Intl

FDC 7/4509 MAJ IAP MARSHALL ISLANDS INTL, MAJURO ATOLL, . RNAV (GPS) RWY 25, ORIG-C...DISREGARD NOTE: WHEN VGSI INOP, CIRCLING RWY 7 NA AT NIGHT. DISREGARD NOTE: WHEN VGSI INOP, STRAIGHT-IN/CIRCLING RWY 25 PROCEDURE NA AT NIGHT. DISREGARD NOTE: VISIBILITY REDUCTION BY HELICOPTERS NA. NOTE: HELICOPTER VISIBILITY REDUCTION BELOW 3/4 SM NA.. 1701141932-1708261932EST.

FDC 7/4505 MAJ IAP MARSHALL ISLANDS INTL, MAJURO ATOLL, . RNAV (GPS) RWY 7, ORIG-C...DISREGARD NOTE: WHEN VGSI INOP, CIRCLING RWY 25 NA AT NIGHT. DISREGARD NOTE: WHEN VGSI INOP, STRAIGHT-IN/CIRCLING RWY 7 PROCEDURE NA AT NIGHT. DISREGARD NOTE: VISIBILITY REDUCTION BY HELICOPTERS NA. NOTE: HELICOPTER VISIBILITY REDUCTION BELOW 3/4 SM NA.. 1701141930-1708261930EST.

MIDWAY ATOLL

Henderson Field

FDC 7/2096 MDY IAP HENDERSON FIELD, MIDWAY ATOLL, MQ. NDB RWY 24, ORIG-B...NDB RWY 6, ORIG-B...RNAV (GPS) RWY 24, ORIG-C...RNAV (GPS) RWY 6, ORIG-C...DISREGARD NOTE: NIGHT LANDING: RWY 24 NA. DISREGARD NOTE: HELICOPTER VISIBILITY REDUCTION BELOW 1 SM NA.. 1703081357-1710181357EST.

POHNPEI ISLAND

Pohnpei Intl

FDC 7/6712 PNI IAP POHNPEI INTL, POHNPEI ISLAND, . NDB OR GPS-B, AMDT 3A...NDB OR GPS-C, AMDT 3A...NDB/DME RWY 9, AMDT 4A...PROCEDURE NA. 1704271731-1712071731EST.

ROTA ISLAND

Benjamin Taisacan Manglona Intl

FDC 7/1016 GRO IAP BENJAMIN TAISACAN MANGLONA INTL, ROTA ISLAND, CQ. NDB RWY 9, AMDT 4...S-9 HAT 1206 ALL CATS. CHART TDZE 594, DELETE THRE 586. THIS IS NDB RWY 9, AMDT 4A. 1702032204-PERM.

PENNSYLVANIA

ALLENTOWN

Allentown Queen City Muni

FDC 7/9789 XLL IAP ALLENTOWN QUEEN CITY MUNI, ALLENTOWN, PA. RNAV (GPS) RWY 7, AMDT 1D...LP CATS A/B/C MDA 860/HAT 470.. 1703241422-1711031422EST.

Lehigh Valley Intl

FDC 7/2499 ABE IAP LEHIGH VALLEY INTL, ALLENTOWN, PA. ILS OR LOC RWY 13, AMDT 8...IZKIP FIX MINIMUMS (DUAL VOR RECEIVERS REQUIRED) CIRLING CATS A/B MDA 1060 /HAA 666. TEMP CRANE 706 MSL 5003 FT N OF RWY 13 (2016-AEA-9529-OE). 1701101221-1708221221EST.

FDC 7/2498 ABE IAP LEHIGH VALLEY INTL, ALLENTOWN, PA. ILS OR LOC RWY 6, AMDT 23A...ILS OR LOC/DME RWY 24, AMDT 1A...RNAV (GPS) RWY 24, AMDT 1A...RNAV (GPS) RWY 31, AMDT 2A...RNAV (GPS) RWY 6, AMDT 1A...TACAN-C, ORIG...VOR-A, AMDT 10...CIRLING MDA 1060 /HAA 666 ALL CATS. TEMP CRANE 706 MSL 5003 FT N OF RWY 13 (2016-AEA-9529-OE). 1701101221-1708221221EST.

FDC 7/2497 ABE IAP LEHIGH VALLEY INTL, ALLENTOWN, PA. RNAV (GPS) RWY 13, AMDT 2...LNAV/VNAV DA 887/HAT 501, VIS 1 1/4 ALL CATS. LNAV MDA 1000/HAT 614 ALL CATS. VIS CATS C/D 1 3/8. CIRLING CATS A/B MDA 1060 /HAA 666. VDP 1.75 NM TO RWY 13. TEMP CRANE 706 MSL 5003 FT N OF RWY 13 (2016-AEA-9529-OE). 1701101221-1708221221EST.

FDC 7/1454 ABE ODP LEHIGH VALLEY INTL, ALLENTOWN, PA. TAKEOFF MINIMUMS AND (OBSTACLE) DEPARTURE PROCEDURES AMDT 7...DEPARTURE PROCEDURE: RWY 6, CLIMB HEADING 063 TO 900 BEFORE PROCEEDING SOUTHBOUND ON COURSE. RWY 31, CLIMB HEADING 315 TO 900 BEFORE PROCEEDING SOUTHBOUND ON COURSE. ALL OTHER DATA REMAINS AS PUBLISHED. 1704171817-1711271817EST.

ALTOONA

Altoona-Blair County

FDC 7/9459 AOO SID ALTOONA-BLAIR COUNTY, ALTOONA, PA. TATES FOUR DEPARTURE...WILTT FOUR DEPARTURE...NA EXCEPT FOR AIRCRAFT EQUIPPED WITH SUITABLE RNAV SYSTEM WITH GPS, AOO VOR OUT OF SERVICE. 1705031412-1706031412EST.

FDC 7/9458 AOO ODP ALTOONA-BLAIR COUNTY, ALTOONA, PA. TAKEOFF MINIMUMS AND (OBSTACLE) DEPARTURE PROCEDURES AMDT 4...DEPARTURE PROCEDURE: RWY 3, RWY 21, PROCEDURE NA EXCEPT FOR AIRCRAFT EQUIPPED WITH SUITABLE RNAV SYSTEM WITH GPS, AOO VOR OUT OF SERVICE. 1705031412-1706031412EST.

FDC 7/8600 AOO IAP ALTOONA-BLAIR COUNTY, ALTOONA, PA. ILS OR LOC RWY 21, AMDT 8A...DME REQUIRED EXCEPT FOR AIRCRAFT EQUIPPED WITH SUITABLE RNAV SYSTEM WITH GPS, REC VOR/DME OUT OF SERVICE. 1705021418-1706021418EST.

FDC 7/1474 AOO IAP ALTOONA-BLAIR COUNTY, ALTOONA, PA. RNAV (GPS) RWY 21, AMDT 1B...LPV DA 1977. LNAV/VNAV DA 1999. LNAV HAT 674 ALL CATS. CHART TDZE 1486, DELETE THRE 1469. CHART NOTE: CIRCLING RWY 3, 12, 30 NA AT NIGHT. DELETE NOTE: NIGHT LANDING: RWY 3/12/30 NA. THIS IS RNAV (GPS) RWY 21, AMDT 1C. 1702062000-PERM.

FDC 7/1473 AOO IAP ALTOONA-BLAIR COUNTY, ALTOONA, PA. ILS OR LOC RWY 21, AMDT 8A...S-ILS 21 DA 1686. S-LOC 21 HAT 754 ALL CATS. CHART TDZE 1486, DELETE THRE 1469. CHART NOTE: CIRCLING RWY 3, 12, 30 NA AT NIGHT. DELETE NOTE: NIGHT LANDING: RWY 3/12/30 NA. THIS IS ILS OR LOC RWY 21, AMDT 8B. 1702062000-PERM.

BEDFORD

Bedford County

FDC 7/4290 HMZ IAP BEDFORD COUNTY, BEDFORD, PA. VOR-A, AMDT 1A...DME REQUIRED EXCEPT FOR AIRCRAFT EQUIPPED WITH SUITABLE RNAV SYSTEM WITH GPS. AOO R180-R220 UNUSABLE BELOW 5000. 1701132122-1708252122EST.

Upmc Bedford Hospital

FDC 7/2349 07PA SPECIAL UPMC BEDFORD HOSPITAL, BEDFORD, PA. COPTER (GPS) 045, ORIG...CORRECTION: AIRPORT IDENTIFIER FOR PROCEDURE IS 35PA. 1701091957-1708211957EST.

FDC 7/2348 07PA SPECIAL UPMC BEDFORD HOSPITAL, BEDFORD, PA. COPTER (GPS) 045, ORIG...IFR DEPARTURE NA. 1701091957-1708211957EST.

BLOOMSBURG

Bloomsburg Muni

FDC 7/9831 N13 ODP BLOOMSBURG MUNI, BLOOMSBURG, PA. TAKEOFF MINIMUMS AND (OBSTACLE) DEPARTURE PROCEDURES AMDT 1.TAKEOFF MINIMUMS: RWY 9, STANDARD WITH MINIMUM CLIMB OF 660 FT PER NM TO 1400 OR 2100-3 FOR VCOA. RWY 27, STANDARD WITH MINIMUM CLIMB OF 300 FT PER NM TO 1400 OR 2100-3 FOR VCOA. TEXTUAL DEPARTURE PROCEDURES: RWY 9: CLIMBING LEFT TURN HEADING 058.74 TO 2200 BEFORE PROCEEDING ON COURSE. DO NOT EXCEED 180 KIAS UNTIL ESTABLISHED ON 058.74 HEADING. RWY 27: CLIMB HEADING 253.75 TO 2200 BEFORE PROCEEDING ON COURSE. VISUAL CLIMB OVER AIRPORT: ALL RUNWAYS: OBTAIN ATC APPROVAL FOR VCOA WHEN REQUESTING IFR CLEARANCE. CLIMB IN VISUAL CONDITIONS TO CROSS BLOOMSBURG MUNI AIRPORT AT OR ABOVE 2400 BEFORE PROCEEDING ON COURSE. TAKEOFF OBSTACLE NOTES: NOTE: RWY 9, TREES BEGINNING 51 FT FROM DER, 6 FT RIGHT OF CENTERLINE, UP TO 642 FT MSL. TREES BEGINNING 475 FT FROM DER, 24 FT LEFT OF CENTERLINE, UP TO 599 FT MSL. GRD 64 FT FROM DER, 34 FT RIGHT OF CENTERLINE, 487 FT MSL. VEHICLE ON ROAD 176 FT FROM DER, 112 FT RIGHT OF CENTERLINE, 15 FT AGL/488 FT MSL. POLES BEGINNING FDC 7/9831 N13 ODP BLOOMSBURG MUNI, Bloomsburg, PA. 191 FT FROM DER, 432 FT LEFT OF CENTERLINE, UP TO 44 FT AGL/528 FT MSL. BLDG 335 FT FROM DER, 568 LEFT OF CENTERLINE, 501 FT MSL. PARKING LOTS BEGINNING 629 FT FROM DER, 652 FT LEFT OF CENTERLINE, UP TO 503 FT MSL. TERRAIN 1503 FT FROM DER, 164 FT RIGHT OF CENTERLINE, 524 FT MSL. NOTE: RWY 27, TOWER 4520 FT FROM DER, 596 FT RIGHT OF CENTERLINE, 150 FT AGL/ 632 FT MSL. BLDGS BEGINNING 35 FT FROM DER, 327 FT LEFT OF CENTERLINE, UP TO 506 FT MSL. VEHICLES IN PARKING LOTS BEGINNING 48 FT FROM DER, 238 FT RIGHT OF CENTERLINE, UP TO 496 FT MSL. POLE 151 FT FROM DER, 238 FT RIGHT OF CENTERLINE, 8 FT AGL/ 499 FT MSL. POLES BEGINNING 210 FT FROM DER, 493 FT LEFT OF CENTERLINE, UP TO 521 FT MSL. VEHICLE ON RD 279 FT FROM DER, 210 FT RIGHT OF CENTERLINE, 15 FT AGL/ 494 FT MSL. TREES BEGINNING 50 FT FROM DER, 50 FT LEFT OF CENTERLINE, UP TO 579 FT MSL. TREES

BROWNSVILLE

Brownsville General Hospital

FDC 7/3514 PS24 SPECIAL BROWNSVILLE GENERAL HOSPITAL, BROWNSVILLE, PA. RUSGE ONE DEPARTURE...DEPARTURE PROCEDURE NA. 1703101924-1710201924EST.

FDC 7/1392 PS24 SPECIAL BROWNSVILLE GENERAL HOSPITAL, BROWNSVILLE, PA. COPTER GPS 294, ORIG...PROCEDURE NA. 1703071430-1710171430EST.

BUTLER

Butler Memorial Hospital

FDC 7/7269 PA41 SPECIAL BUTLER MEMORIAL HOSPITAL, BUTLER, PA. COPTER GPS 339, ORIG...PROCEDURE NA. 1704071948-1711171948EST.

CHAMBERSBURG

Franklin County Rgnl

FDC 7/0264 N68 IAP FRANKLIN COUNTY RGNL, CHAMBERSBURG, PA. RNAV (GPS) RWY 24, ORIG-A...DESCENT ANGLE 3.00/TCH 40 NA. 1703252350-1711042350EST.

COATESVILLE

Chester County G O Carlson

FDC 4/0366 MQS STAR CHESTER COUNTY, COATESVILLE, PA. BUNTS ONE ARRIVAL.UNUSABLE 1) BELOW 5000FT MSL BETWEEN PSB AND HAR 2) BELOW 4000FT MSL BETWEEN HAR AND BOUHN 1403261400-PERM.

COLLEGEVILLE

Perkiomen Valley

FDC 7/9694 N10 IAP PERKIOMEN VALLEY, COLLEGEVILLE, PA. RNAV (GPS)-B, ORIG...RNAV (GPS)-C, ORIG...DESCENT ANGLE 3.04/TCH 40 NA. 1703011951-1710111951EST.

CONNELLSVILLE

Joseph A Hardy Connelssville

FDC 7/0029 VVS IAP JOSEPH A HARDY CONNELLSVILLE, CONNELLSVILLE, PA. LOC RWY 5, AMDT 4...S-5 HAT CATS A/B/C 406. CHART TDZE 1254, DELETE THRE 1220. CHART NOTE: CIRCLING RWY 14, 23, 32 NA AT NIGHT. CHART NOTE: RWY 14, 23, 32 HELICOPTER VISIBILITY REDUCTION BELOW 1 SM NOT AUTHORIZED. DELETE NOTE: CIRCLING TO RWY 14, 23, 32 NA AT NIGHT. THIS IS LOC RWY 5, AMDT 4A. 1704131753-PERM.

CORRY

Corry-Lawrence

FDC 7/1117 8G2 IAP CORRY-LAWRENCE, CORRY, PA. RNAV (GPS) RWY 32, AMDT 1...LNAV/VNAV CATS A/B/C DA 2397/HAT 631. VIS CATS A/B/C 2 3/8. 1703061951-1710161951EST.

CRANBERRY

Upmc Passavant Cranberry

FDC 7/1236 PA56 SPECIAL UPMC PASSAVANT CRANBERRY, CRANBERRY, PA. COPTER RNAV (GPS) 304, ORIG...MSA FROM:WIVSU 3100. 1703071208-1710171208EST.

DANVILLE

Danville

FDC 7/5192 8N8 IAP DANVILLE, DANVILLE, PA. RNAV (GPS) RWY 9, ORIG...LP HAT CATS A/B 721. LNAV HAT CATS A/B 801. CHART TDZE 559, DELETE THRE 541. CHART NOTE: RWY 9, 27 HELICOPTER VISIBILITY REDUCTION BELOW 1 SM NOT AUTHORIZED. DELETE NOTE: VISIBILITY REDUCTION BY HELICOPTERS NA. THIS IS RNAV (GPS) RWY 9, ORIG-A. 1702161516-PERM.

FDC 7/5191 8N8 IAP DANVILLE, DANVILLE, PA. RNAV (GPS) RWY 27, ORIG...LNAV HAT CATS A/B 981. CHART TDZE 559, DELETE THRE 554. CHART NOTE: RWY 9, 27 HELICOPTER VISIBILITY REDUCTION BELOW 1 SM NOT AUTHORIZED. CHART PROFILE NOTE: VISUAL SEGMENT - OBSTACLES. DELETE: DESCENT ANGLE 3.00/TCH 40. DELETE NOTE: VISIBILITY REDUCTION BY HELICOPTERS NA. THIS IS RNAV (GPS) RWY 27, ORIG-A. 1702161516-PERM.

Geisinger Rooftop

FDC 7/2317 79PN SPECIAL GEISINGER ROOFTOP, DANVILLE, PA. COPTER RNAV (GPS) 290, ORIG--A...PROCEDURE NA. 1701091914-1708211914EST.

ERIE

Bayfront Garage

FDC 7/3620 0PS8 SPECIAL BAYFRONT GARAGE, ERIE, PA. TAKEOFF MINIMUMS AND OBSTACLE DEPARTURE PROCEDURE...IFR DEPARTURE NA 1704211143-1712011143EST.

Erie Intl/Tom Ridge Field

FDC 7/7693 ERI IAP ERIE INTL/TOM RIDGE FIELD, ERIE, PA. RNAV (GPS) RWY 6, AMDT 1...CHART NOTE: CIRCLING RWY 2, 20 NA AT NIGHT. CHART TDZE 732, DELETE THRE 732. CHART NOTE: RWY 06 HELICOPTER VISIBILITY REDUCTION BELOW RVR 4000 NOT AUTHORIZED. CHART NOTE: RWY 2, 20 HELICOPTER VISIBILITY REDUCTION BELOW 1 SM NOT AUTHORIZED. DELETE NOTE: HELICOPTER VISIBILITY REDUCTION BELOW RVR 4000 NA. DELETE NOTE: CIRCLING TO RWY 02 AND 20 NA AT NIGHT. THIS IS RNAV (GPS) RWY 6, AMDT 1A. 1702241452-PERM.

EVERETT

Upmc Bedford Memorial

FDC 7/2342 35PA SPECIAL UPMC BEDFORD MEMORIAL, EVERETT, PA. COPTER (GPS) 045...DISREGARD ALL REFERENCE TO 07PA ON PROCEDURE. CORRECT AIRPORT IDENTIFIER IS 35PA. 1701091943-1708211943EST.

FDC 7/2341 35PA SPECIAL UPMC BEDFORD MEMORIAL, EVERETT, PA. COPTER GPS 045, ORIG...IFR DEPARTURE NA. 1701091943-1708211943EST.

FARRELL

Upmc-Horizon Hospital/Shenango Campus

FDC 6/4699 PS41 SPECIAL SHENANGO HOSPITAL, SHARON, PA. COPTER RNAV (GPS) 262 IFR DEPARTURE NOT AUTHORIZED. 1612231730-1706010001.

FRANKLIN

Venango Rgnl

FDC 7/3152 FKL IAP VENANGO RGNL, FRANKLIN, PA. VOR RWY 21, AMDT 8A...NOTE: CIRCLING RWY 12 NA AT NIGHT. DISREGARD NOTE: NIGHT LANDING: RWY 3, 12, 21 NA. DISREGARD NOTE: HELICOPTER VISIBILITY REDUCTION BELOW 1 SM NA. 1704201455-1711301455EST.

FDC 7/3151 FKL IAP VENANGO RGNL, FRANKLIN, PA. RNAV (GPS) RWY 3, AMDT 1A...VOR RWY 3, AMDT 5A...NOTE: RWY 3: HELICOPTER VISIBILITY REDUCTION BELOW 3/4 SM NOT AUTHORIZED. NOTE: CIRCLING RWY 12 NA AT NIGHT. DISREGARD NOTE: NIGHT LANDING: RWY 3, 12 NA. DISREGARD NOTE: HELICOPTER VISIBILITY REDUCTION BELOW 1 SM NA. 1704201455-1711301455EST.

FDC 7/3150 FKL IAP VENANGO RGNL, FRANKLIN, PA. ILS OR LOC RWY 21, AMDT 6A...RNAV (GPS) RWY 21, AMDT 1A...NOTE:CIRCLING RUNWAY 12 NA AT NIGHT. DISREGARD NOTE: NIGHT LANDING: RUNWAY 3, 12, NA. 1704201455-1711301455EST.

FDC 6/2134 FKL IAP VENANGO RGNL, FRANKLIN, PA. ILS OR LOC RWY 21, AMDT 6A...S-LOC 21: NA EXCEPT FOR AIRCRAFT EQUIPPED WITH SUITABLE RNAV SYSTEM WITH GPS. MISSED APPROACH: CLIMB TO 2200 THEN CLIMBING LEFT TURN TO 3400 VIA HEADING 050 AND CIP VOR/DME R-336 TO Dacca INT AND HOLD NE, RT 207.27 INBOUND, FKL VOR OUT OF SERVICE. 1611221913-1707041913EST.

GREENSBURG

Westmoreland Hospital

FDC 7/2290 PA28 SPECIAL WESTMORELAND HOSPITAL, GREENSBURG, PA. EJUDY ONE DEPARTURE...NOTE: DEPARTURE FREQUENCY JOHNSTOWN DEPARTURE 121.2/299.2. ALL OTHER DATA REMAINS AS PUBLISHED. 1701091846-1708211846EST.

GREENVILLE

Greenville Muni

FDC 7/1807 4G1 IAP GREENVILLE MUNI, GREENVILLE, PA. VOR-A, AMDT 2...PROCEDURE NA. 1703282210-1711072210EST.

FDC 7/0070 4G1 IAP GREENVILLE MUNI, GREENVILLE, PA. VOR-A, AMDT 2...CIRCLING HAA 518 ALL CATS. CIRCLING TO RWY 05/23 NA. 1703242003-1711032002EST.

GROVE CITY

Grove City

FDC 7/8869 29D ODP GROVE CITY, GROVE CITY, PA. TAKEOFF MINIMUMS AND (OBSTACLE) DEPARTURE PROCEDURES AMDT 4...NOTE: RWY 28, UTILITY POLES BEGINNING 1017 FT FROM DER, 342 FT LEFT OF CENTERLINE, UP TO 38 FT AGL/1428 FT MSL (2012-AEA-5691/5692-OE). ALL OTHER DATA REMAINS AS PUBLISHED. 1701292142-1709102142EST.

HARRISBURG

Capital City

FDC 7/7535 CXY ODP CAPITAL CITY, HARRISBURG, PA. TAKEOFF MINIMUMS AND (OBSTACLE) DEPARTURE PROCEDURES AMDT 4...TAKEOFF MINIMUMS: RWY 8, 300-2 1/4 OR STANDARD WITH MINIMUM CLIMB OF 291 FT PER NM TO 800. RWY 30, 300-1 1/4. ALL OTHER DATA REMAINS AS PUBLISHED. 1704101223-1711201223EST.

FDC 7/2004 CXY IAP CAPITAL CITY, HARRISBURG, PA. RNAV (GPS) RWY 26, ORIG-B...RADAR REQUIRED FOR PROCEDURE ENTRY. 1703081339-1710181338EST.

Harrisburg Intl

FDC 7/9145 MDT IAP HARRISBURG INTL, HARRISBURG, PA. ILS OR LOC RWY 31, AMDT 1C...DISREGARD NOTE: AUTOPILOT COUPLED APPROACH NA BELOW 1325.. CHART NOTE: AUTOPILOT COUPLED APPROACH NA BELOW 1360.. 1703011348-1710111348EST.

HONESDALE

Cherry Ridge

FDC 7/5823 N30 IAP CHERRY RIDGE, HONESDALE, PA. VOR/DME-A, AMDT 6...PROCEDURE NA EXCEPT FOR AIRCRAFT EQUIPPED WITH SUITABLE RNAV SYSTEM WITH GPS, LVZ TACAN OUT OF SERVICE. 1704261736-1705261736EST.

FDC 7/4383 N30 IAP CHERRY RIDGE, HONESDALE, PA. VOR/DME-A, AMDT 6...PROCEDURE NA. 1703131648-1710231648EST.

FDC 7/3937 N30 ODP CHERRY RIDGE, HONESDALE, PA. TAKEOFF MINIMUMS AND (OBSTACLE) DEPARTURE PROCEDURES AMDT 4...DEPARTURE PROCEDURE NA. NOTE: RWY 36, TRANSMISSION LINE 1957 FT FROM DER, 960 FT LEFT OF CENTERLINE, 96 FT AGL/1467 FT MSL. OTHER DATA REMAINS AS PUBLISHED. 1703121839-1710221839EST.

JOHNSTOWN

John Murtha Johnstown-Cambria Co

FDC 7/9718 JST IAP JOHN MURTHA JOHNSTOWN-CAMBRIA CO, JOHNSTOWN, PA. VOR RWY 15, AMDT 9...S-15 MDA 3240/HAT 964 ALL CATS. VIS CAT A 1 1/4, CAT B 1 1/2, CAT C 3, CAT D 3. CIRCLING MDA 3240/HAA 956 ALL CATS. VIS CAT A 1/14, CAT B 1 1/2, CAT C 3, CAT D 3. HINKS FIX MINIMUMS NA. VDP AT 3.44 DME, DISTANCE VDP TO THRESHOLD 2.88 MILES. PROCEDURE TURN COMPLETION ALTITUDE 4200. HELICOPTER VISIBILITY REDUCTION BELOW 3/4 SM NOT AUTHORIZED. DISREGARD DESCENT ANGLE AND TCH. 1703012000-1710112000EST.

FDC 7/8604 JST SID JOHN MURTHA JOHNSTOWN-CAMBRIA CO, JOHNSTOWN, PA. LILLI FOUR DEPARTURE...DEPARTURE PROCEDURE DME REQUIRED EXCEPT FOR AIRCRAFT EQUIPPED WITH SUITABLE RNAV SYSTEM WITH GPS, REC VOR/DME OUT OF SERVICE. 1705021418-1706021418EST.

FDC 7/8603 JST IAP JOHN MURTHA JOHNSTOWN-CAMBRIA CO, JOHNSTOWN, PA. VOR RWY 23, AMDT 8...LANLE FIX MINIMUMS: DME REQUIRED EXCEPT FOR AIRCRAFT EQUIPPED WITH SUITABLE RNAV SYSTEM WITH GPS, REC VOR/DME OUT OF SERVICE. 1705021418-1706021418EST.

FDC 7/8602 JST IAP JOHN MURTHA JOHNSTOWN-CAMBRIA CO, JOHNSTOWN, PA. VOR RWY 15, AMDT 9...HINKS FIX MINIMUMS: DME REQUIRED EXCEPT FOR AIRCRAFT EQUIPPED WITH SUITABLE RNAV SYSTEM WITH GPS, REC VOR/DME OUT OF SERVICE. 1705021418-1706021418EST.

FDC 7/6571 JST ODP JOHN MURTHA
JOHNSTOWN-CAMBRIA CO, JOHNSTOWN, PA.
TAKEOFF MINIMUMS AND (OBSTACLE) DEPARTURE
PROCEDURES AMDT 4...NOTE: RWY 33, FENCE 101
FT FROM DER, 509 FT RIGHT OF CENTERLINE, 9 FT
AGL/2278 FT MSL. ALL OTHER DATA REMAINS AS
PUBLISHED. 1701222036-1709032035EST.

FDC 7/6569 JST SID JOHN MURTHA
JOHNSTOWN-CAMBRIA CO, JOHNSTOWN, PA.
JENER FOUR DEPARTURE...LILLI FOUR
DEPARTURE...TAKEOFF OBSTACLES: RWY 33:
FENCE 101 FT FROM DER, 509 FT RIGHT OF
CENTERLINE, 9 FT AGL/2278 FT MSL. ALL OTHER
DATA REMAINS AS PUBLISHED.
1701222034-1709032034EST.

FDC 6/1497 JST IAP JOHN MURTHA
JOHNSTOWN-CAMBRIA CO, JOHNSTOWN, PA. ILS
OR LOC/DME RWY 33, AMDT 7A...S-LOC 33
MINIMUMS NA. 1611202028-1707022028EST.

LANCASTER

Lancaster

FDC 7/2002 LNS IAP LANCASTER, LANCASTER, PA.
RNAV (GPS) RWY 8, AMDT 3B...TERMINAL ROUTE
BAARN TO MAVBE NA. 1703081336-1710181336EST.

LATROBE

Arnold Palmer Rgnl

FDC 7/6099 LBE IAP ARNOLD PALMER RGNL,
LATROBE, PA. ILS OR LOC RWY 23, AMDT
17...PROCEDURE NA EXCEPT FOR AIRCRAFT
EQUIPPED WITH SUITABLE RNAV SYSTEM WITH
GPS, AGC VOR OUT OF SERVICE.
1704271055-1706081055EST.

LEBANON

Keller Brothers

FDC 7/9994 08N IAP KELLER BROTHERS, LEBANON,
PA. RNAV (GPS) RWY 25, ORIG...LNAV HAT CATS A/B
773. CHART TDZE 547, DELETE THRE 537. CHART
NOTE: RWY 7, 25 HELICOPTER VISIBILITY
REDUCTION BELOW 1 SM NOT AUTHORIZED.
DELETE NOTE: VISIBILITY REDUCTION BY
HELICOPTERS NA. THIS IS RNAV (GPS) RWY 25,
ORIG-A. 1704131737-PERM.

FDC 7/9993 08N IAP KELLER BROTHERS, LEBANON,
PA. RNAV (GPS) RWY 7, ORIG...CHART TDZE 547,
DELETE THRE 547. CHART NOTE: RWY 7, 25
HELICOPTER VISIBILITY REDUCTION BELOW 1 SM
NOT AUTHORIZED. DELETE NOTE: VISIBILITY
REDUCTION BY HELICOPTERS NA. THIS IS RNAV
(GPS) RWY 7, ORIG-A. 1704131737-PERM.

FDC 7/4867 08N ODP KELLER BROTHERS,
LEBANON, PA. TAKEOFF MINIMUMS AND
(OBSTACLE) DEPARTURE PROCEDURES
ORIG...NOTE: RWY 7, TREE 99 FT FROM DER, 471 FT
RIGHT OF CENTERLINE, 52 FT AGL/604 FT MSL
(2014-ANE-149-OE). ALL OTHER DATA REMAINS AS
PUBLISHED. 1701171508-1708291508EST.

MARIENVILLE

East Forest Junior/Senior High School

FDC 7/9686 7PN9 IAP EAST FOREST JUNIOR/SENIOR
HIGH SCHOOL, MARIENVILLE, PA. (SPECIAL)
COPTER RNAV (GPS) 047 ORIG...PROCEDURE NA
1703011948-1710111948EST.

MEADVILLE

Port Meadville

FDC 7/2822 GKJ IAP PORT MEADVILLE,
MEADVILLE, PA. LOC RWY 25, AMDT 6D...CHANGE
FOR INOPERATIVE MALS WHEN USING FRANKLIN
ALTIMETER SETTING NOTE TO READ: FOR
INOPERATIVE MALS WHEN USING FRANKLIN
ALTIMETER SETTING, INCREASE S-25 CATS C AND
D VISIBILITY TO 2 1/2 MILES.
1701101751-1708221751EST.

FDC 7/1809 GKJ IAP PORT MEADVILLE,
MEADVILLE, PA. VOR RWY 7, AMDT
8B...PROCEDURE NA. 1703282212-1711072212EST.

FDC 6/2131 GKJ IAP PORT MEADVILLE,
MEADVILLE, PA. VOR RWY 7, AMDT 8B...LOC RWY
25, AMDT 6C...DME REQUIRED EXCEPT FOR
AIRCRAFT EQUIPPED WITH SUITABLE RNAV
SYSTEM WITH GPS, FKL VOR OUT OF SERVICE.
1611221912-1707041912EST.

MILFORD

Myer

FDC 7/4520 6PA0 SPECIAL MYER, MILFORD, PA.
COPTER RNAV (GPS) 008, ORIG-A...PROCEDURE NA.
1704241503-1712041503EST.

MONONGAHELA

Rostraver

FDC 7/6401 FWQ IAP ROSTRAVER, MONONGAHELA, PA. RNAV (GPS) RWY 8, AMDT 1...DELETE THRE 1228. CHART TDZE 1228. DELETE NOTE: VISIBILITY REDUCTION BY HELICOPTERS NA. CHART NOTE: RWY 8 HELICOPTER VISIBILITY REDUCTION BELOW 1 SM NOT AUTHORIZED. CHART NOTE: RWY 26 HELICOPTER VISIBILITY REDUCTION BELOW 3/4 SM NOT AUTHORIZED. THIS IS RNAV (GPS) RWY 8, AMDT 1A. 1701202058-PERM.

FDC 7/6400 FWQ IAP ROSTRAVER, MONONGAHELA, PA. RNAV (GPS) RWY 26, ORIG-B...CHART NOTE: RWY 26 HELICOPTER VISIBILITY REDUCTION BELOW 3/4 SM NOT AUTHORIZED. CHART NOTE: RWY 8 HELICOPTER VISIBILITY REDUCTION BELOW 1 SM NOT AUTHORIZED. CHART NOTE: CIRCLING RWY 8 NA AT NIGHT. DELETE NOTE: HELICOPTER VISIBILITY REDUCTION BELOW 3/4 SM NOT AUTHORIZED. THIS IS RNAV (GPS) RWY 26, ORIG-C. 1701202058-PERM.

FDC 7/6006 FWQ IAP ROSTRAVER, MONONGAHELA, PA. RNAV (GPS) RWY 26, ORIG-B...NOTE: CIRCLING RWY 8 NA AT NIGHT. CHANGE HELICOPTER NOTE TO READ: RWY 26 HELICOPTER VISIBILITY REDUCTION BELOW 3/4 SM NOT AUTHORIZED. NOTE: RWY 8 HELICOPTER VISIBILITY REDUCTION BELOW 1 SM NOT AUTHORIZED. 1701191743-1708311743EST.

MOUNT JOY/MARIETTA

Donegal Springs Airpark

FDC 7/9684 N71 IAP DONEGAL SPRINGS AIRPARK, MOUNT JOY/MARIETTA, PA. VOR RWY 28, AMDT 1A...PROCEDURE NA. 1703011945-1710111945EST.

MOUNT PLEASANT

Frick Hospital & Community Health Center

FDC 7/2308 PA29 SPECIAL FRICK HOSPITAL & COMMUNITY HEALTH CENTER, MOUNT PLEASANT, PA. LOPPO ONE DEPARTURE...NOTE: DEPARTURE FREQUENCY JOHNSTOWN DEPARTURE 121.2/299.2. ALL OTHER DATA REMAINS AS PUBLISHED. 1701091848-1708211848EST.

MOUNT POCONO

Pocono Mountains Muni

FDC 7/5824 MPO IAP POCONO MOUNTAINS MUNI, MOUNT POCONO, PA. VOR/DME RWY 13, AMDT 8B...PROCEDURE NA EXCEPT FOR AIRCRAFT EQUIPPED WITH SUITABLE RNAV SYSTEM WITH GPS, LVZ TACAN OUT OF SERVICE. 1704261736-1705261736EST.

FDC 7/3552 MPO IAP POCONO MOUNTAINS MUNI, MOUNT POCONO, PA. RNAV (GPS) RWY 31, AMDT 2C...LPV DA 2224 ALL CATS. LNAV/VNAV DA 2267 ALL CATS. LNAV HAT 435 ALL CATS. CHANGE NIGHT LANDING NOTE TO READ: NIGHT LANDING: RWY 23 NA. CHANGE LOCAL ALTIMETER SETTING NOTE TO READ: WHEN LOCAL ALTIMETER SETTING NOT RECEIVED, USE WILKES-BARRE/SCRANTON ALTIMETER SETTING: INCREASE LPV DA TO 2403 FT, LNAV/VNAV DA TO 2446 FT AND ALL VISIBILITIES 5/8 MILE; INCREASE ALL MDA 180 FT AND LNAV CAT C/D VISIBILITY 3/8 MILE, CIRCLING CAT C 3/4 MILE AND CIRCLING CAT D 1/2 MILE. TDZE 1885. 1702112026-1709232025EST.

FDC 7/3550 MPO IAP POCONO MOUNTAINS MUNI, MOUNT POCONO, PA. RNAV (GPS) RWY 13, AMDT 3B...LPV VIS 1 3/8 ALL CATS. LNAV/VNAV DA 2374/HAT 489, VIS 1 3/4 ALL CATS. DISREGARD NOTE: RWY 13 STRAIGHT-IN AND CIRCLING AND CIRCLING TO RWY 23 NA AT NIGHT. NOTE: NIGHT LANDING: RWY 23 NA. CHANGE HELICOPTER VISIBILITY NOTE TO READ: HELICOPTER VISIBILITY REDUCTION BELOW 3/4 SM NOT AUTHORIZED. CHANGE LOCAL ALTIMETER SETTING NOTE TO READ: WHEN LOCAL ALTIMETER SETTING NOT RECEIVED, USE WILKES-BARRE/SCRANTON ALTIMETER SETTING: INCREASE LPV DA TO 2450 FT, LNAV/VNAV DA TO 2553 FT AND ALL VISIBILITIES 3/4 MILE; INCREASE ALL MDA 180 FT AND LNAV CAT C/D VISIBILITY 3/8 MILE, CIRCLING CAT C 3/4 MILE AND CIRCLING CAT D 1/2 MILE. 1702112024-1709232024EST.

FDC 7/2679 MPO IAP POCONO MOUNTAINS MUNI, MOUNT POCONO, PA. VOR/DME RWY 13, AMDT 8B...PROCEDURE NA. 1702082030-1709202030EST.

MUNCY

Muncy Valley Hospital

FDC 7/3515 7PS5 SPECIAL MUNCY VALLEY HOSPITAL, MUNCY, PA. HIXUT ONE DEPARTURE...DEPARTURE PROCEDURE NA. 1703101926-1710201926EST.

FDC 7/1395 7PS5 SPECIAL MUNCY VALLEY HOSPITAL, MUNCY, PA. COPTER RNAV (GPS) 240, ORIG--A...PROCEDURE NA. 1703071432-1710171432EST.

MYERSTOWN

Deck

FDC 6/4253 9D4 IAP DECK, MYERSTOWN, PA. RNAV (GPS) RWY 19, ORIG-B...MSA FROM RWY 19: 3200. 1612211405-1708021405EST.

NEW CASTLE

Jameson Memorial Hospital

FDC 6/4698 3PN4 SPECIAL ST. FRANCIS HOSPITAL, NEW CASTLE, PA. COPTER GPS 054 ORIG IFR DEPARTURE NOT AUTHORIZED.
1612231730-1706010001.

FDC 6/3131 3PN4 IAP JAMESON MEMORIAL HOSPITAL, NEWCASTLE, PA. COPTER GPS 05 4, ORIG...PROCEDURE NA. 1611041521-1706161521EST.

New Castle Muni

FDC 7/3111 UCP IAP NEW CASTLE MUNI, NEW CASTLE, PA. NDB RWY 23, AMDT 3B...PROCEDURE NA. 1702091943-1709211941EST.

PERKASIE

Pennridge

FDC 7/7502 CKZ IAP PENNRIDGE, PERKASIE, PA. RNAV (GPS) RWY 26, ORIG-B...DISREGARD NOTE: PROCEDURE NA AT NIGHT. CHANGE HELICOPTER VISIBILITY REDUCTION NOTE TO READ: RWY 26 HELICOPTER VISIBILITY REDUCTION BELOW 3/4 SM NA.. 1702232156-1710052155EST.

FDC 7/7500 CKZ IAP PENNRIDGE, PERKASIE, PA. RNAV (GPS) RWY 8, AMDT 1B...DISREGARD NOTE: PROCEDURE NA AT NIGHT. CHANGE HELICOPTER VISIBILITY REDUCTION NOTE TO READ: RWY 8 HELICOPTER VISIBILITY REDUCTION BELOW 3/4 SM NA.. 1702232154-1710052154EST.

FDC 6/8551 CKZ ODP PENNRIDGE, PERKASIE, PA. TAKEOFF MINIMUMS AND (OBSTACLE) DEPARTURE PROCEDURES ORIG-A.NOTE: RWY 08, FENCE 25 FT FROM DER, 2 FT LEFT OF CENTERLINE, 576 FT MSL. BUSH 47 FT FROM DER, 205 FT LEFT OF CENTERLINE, 582 FT MSL. TREE 68 FT FROM DER, 315 FT LEFT OF CENTERLINE, 616 FT MSL. TREE, BUSH, BLDG AND POLE BEGINNING 89 FT FROM DER, 253 FT RIGHT OF CENTERLINE, UP TO 652 FT MSL. TREES BEGINNING 135 FT FROM DER, 253 FT LEFT OF CENTERLINE, UP TO 629 FT MSL. TREES BEGINNING 242 FT FROM DER, 31 FT LEFT OF CENTERLINE, UP TO 642 FT MSL. TREE AND POLE BEGINNING 783 FT FROM DER, 79 FT RIGHT OF CENTERLINE, UP TO 655 FT MSL. TREES BEGINNING 880 FT FROM DER, 174 FT RIGHT OF CENTERLINE, UP TO 660 FT MSL. TREE AND POLE BEGINNING 958 FT FROM DER, 8 FT RIGHT OF CENTERLINE, UP TO 664 FT MSL. TREES BEGINNING 1681 FT FROM DER, 44 FT LEFT OF CENTERLINE, UP TO 647 FT MSL. TREES BEGINNING 1724 FT FROM DER, 205 FT LEFT OF CENTERLINE, UP TO 654 FT MSL. TREES BEGINNING 1793 FT FROM DER, 2 FT LEFT OF CENTERLINE, UP TO 670 FT MSL. NOTE: RWY 26, TREE 12 FT FROM DER, 501 FT RIGHT OF CENTERLINE, 572 FT MSL. SIGN 19 FT FROM DER, 116 FT LEFT OF CENTERLINE, 522 FT MSL. TREES BEGINNING 72 FT FROM DER, ON CENTERLINE, UP TO 585 FT MSL. BUSH 76 FT FROM DER, 328 FT LEFT OF CENTERLINE, 523 FT MSL. TREE ALL OTHER DATA REMAINS AS PUBLISHED. FDC 6/8551 CKZ ODP PENNRIDGE, PERKASIE, PA. AND BUSH BEGINNING 89 FT FROM DER, 6 FT LEFT OF CENTERLINE, UP TO 555 FT MSL. TREE 300 FT FROM DER, 455 FT LEFT OF CENTERLINE, 558 FT MSL. TREES BEGINNING 308 FT FROM DER, 14 FT LEFT OF CENTERLINE, UP TO 582 FT MSL. TREES BEGINNING 678 FT FROM DER, 437 FT LEFT OF CENTERLINE, UP TO 583 FT MSL. TREE AND POLE BEGINNING 700 FT FROM DER, 50 FT LEFT OF CENTERLINE, UP TO 600 FT MSL. TREE AND BLDG BEGINNING 1258 FT FROM DER, 8 FT LEFT OF CENTERLINE, UP TO 601 FT MSL. POLES BEGINNING 3554 FT FROM DER, 1217 FT LEFT OF CENTERLINE, UP TO 617 FT MSL. POLE 3861 FT FROM DER, 1315 FT LEFT OF CENTERLINE, 634 FT MSL. TR

PHILADELPHIA

Northeast Philadelphia

FDC 6/1749 PNE STAR NORTHEAST PHILADELPHIA, PHILADELPHIA, PA., CEDAR LAKE 8 ARRIVAL - MINIMUM ENROUTE ALTITUDE (MEA) IS REVISED BTN ROUTE SEGMENTS. THE MEA BTN BRIGS INT AND CEDAR LAKE VOR (VCN) AND BTN VCN AND WOODSTOWN VOR (OOD) IS REVISED FM 1900FT MSL TO 2100FT MSL. 1605101750-PERM.

FDC 4/0376 PNE STAR NORTHEAST PHILADELPHIA, PHILADELPHIA, PA. BUNTS ONE ARRIVAL.UNUSABLE 1) BELOW 5000FT MSL BETWEEN PSB AND HAR 2) BELOW 4000FT MSL BETWEEN HAR AND BOUHN 1403261400-PERM.

Philadelphia Intl

FDC 7/9309 PHL SID PHILADELPHIA INTL, PHILADELPHIA, PA. PHILADELPHIA ONE DEPARTURE...TAKEOFF MINIMUMS: RWY 8: STANDARD WITH MINIMUM CLIMB OF 320 FT PER NM TO 1400. RWY 9R: NA. RWY 9L: STANDARD WITH MINIMUM CLIMB OF 390 FT PER NM TO 900. RWY 35: STANDARD WITH MINIMUM CLIMB OF 277 FT PER NM TO 1600. ALL OTHER DATA REMAINS AS PUBLISHED. 1705031329-1712131329EST.

FDC 7/9308 PHL ODP PHILADELPHIA INTL, PHILADELPHIA, PA. TAKEOFF MINIMUMS AND (OBSTACLE) DEPARTURE PROCEDURES AMDT 9...TAKEOFF MINIMUMS: RWY 8, STANDARD WITH MINIMUM CLIMB OF 320 FT PER NM TO 1400. RWY 9R, NA. RWY 9L, STANDARD WITH MINIMUM CLIMB OF 390 FT PER NM TO 900. RWY 35, STANDARD WITH MINIMUM CLIMB OF 277 FT PER NM TO 1600. ALL OTHER DATA REMAINS AS PUBLISHED. 1705031329-1712131329EST.

FDC 7/9307 PHL IAP PHILADELPHIA INTL, PHILADELPHIA, PA. RNAV (RNP) Z RWY 9R, ORIG-C...RNP 0.16 DA 422/HAT 402, VIS RVR 5000 ALL CATS. 1705031325-1712131325EST.

FDC 7/7301 PHL IAP PHILADELPHIA INTL, PHILADELPHIA, PA. RNAV (GPS) RWY 27L, AMDT 2...PROCEDURE NA. 1704081000-1711200545EST.

FDC 7/7300 PHL IAP PHILADELPHIA INTL, PHILADELPHIA, PA. ILS OR LOC RWY 27L, AMDT 13...S-ILS 27L DA NA. S-LOC 27L CAT A/B VIS 1, CAT C/D VIS 1 5/8. 1704081000-1711200545EST.

FDC 7/1183 PHL IAP PHILADELPHIA INTL, PHILADELPHIA, PA. ILS OR LOC RWY 26, AMDT 4B...MISSED APPROACH: CLIMB TO 800 THEN CLIMBING RIGHT TURN TO 3000 DIRECT PTW VORTAC AND HOLD. 1704171444-1711271444EST.

FDC 6/7965 PHL IAP PHILADELPHIA INTL, PHILADELPHIA, PA. RNAV (GPS) RWY 35, AMDT 4...LP MDA 500/HAT 486 ALL CATS. LNAV MDA 500/HAT 486 ALL CATS. 1612071442-1707191442EST.

FDC 6/1754 PHL STAR PHILADELPHIA INTL, PHILADELPHIA, PA., CEDAR LAKE 8 ARRIVAL - MINIMUM ENROUTE ALTITUDE (MEA) IS REVISED BTN ROUTE SEGMENTS. THE MEA BTN BRIGS INT AND CEDAR LAKE VOR (VCN) AND BTN VCN AND WOODSTOWN VOR (OOD) IS REVISED FROM 1900FT MSL TO 2100FT MSL. 1605101750-PERM.

FDC 4/0387 PHL STAR PHILADELPHIA INTERNATIONAL, PHILADELPHIA, PA. BUNTS ONE ARRIVAL.UNUSABLE 1) BELOW 5000FT MSL BETWEEN PSB AND HAR 2) BELOW 4000FT MSL BETWEEN HAR AND BOUHN 1403261400-PERM.

Wings Field

FDC 7/9888 LOM IAP WINGS FIELD, PHILADELPHIA, PA. RNAV (GPS) RWY 24, AMDT 1A...RNAV (GPS) RWY 6, AMDT 1A...DISREGARD NOTE: NIGHT LANDING: RWY 6 NA. 1704131559-1711231559EST.

PHILIPSBURG

Philipsburg Area Hospital

FDC 7/3516 8PN4 SPECIAL PHILIPSBURG AREA HOSPITAL, PHILIPSBURG, PA. HESUG ONE DEPARTURE...DEPARTURE PROCEDURE NA. 1703101927-1710201927EST.

FDC 7/1448 8PN4 SPECIAL PHILIPSBURG AREA HOSPITAL, PHILIPSBURG, PA. COPTER RNAV (GPS) 238, ORIG--A...PROCEDURE NA. 1703071434-1710171434EST.

PITTSBURGH

Allegheny County

FDC 7/7250 AGC IAP ALLEGHENY COUNTY, PITTSBURGH, PA. ILS OR LOC RWY 10, AMDT 6B...MISSED APPROACH: CLIMB TO 2000 THEN CLIMBING RIGHT TURN TO 3000 ON HEADING 279 AND MMJ R-190 TO HYETO INT AND HOLD, AGC VOR OUT OF SERVICE. 1704071757-1706081757EST.

FDC 7/7245 AGC IAP ALLEGHENY COUNTY, PITTSBURGH, PA. ILS OR LOC RWY 28, AMDT 29B...S-LOC 28: NA EXCEPT FOR AIRCRAFT EQUIPPED WITH SUITABLE RNAV SYSTEM WITH GPS. MISSED APPROACH: CLIMB TO 3000 ON HEADING 280.90 FOR RADAR VECTORS (RADAR REQUIRED), AGC VOR OUT OF SERVICE. 1704071757-1706081757EST.

Pittsburgh Intl

FDC 7/9837 PIT IAP PITTSBURGH INTL, PITTSBURGH, PA. RNAV (GPS) Y RWY 28C, AMDT 4A...LNAV MDA 1600/HAT 466 ALL CATS. VDP 1.3 NM FROM RW28C. 1703241508-1711031508EST.

FDC 7/8981 PIT IAP PITTSBURGH INTL, PITTSBURGH, PA. ILS OR LOC RWY 10L, AMDT 25B...S-LOC 10L MDA 1600/HAT 397 ALL CATS. 1704121410-1711221410EST.

FDC 7/8914 PIT IAP PITTSBURGH INTL, PITTSBURGH, PA. RNAV (GPS) Y RWY 28L, AMDT 4C...LNAV MDA 1600/HAT 475 ALL CATS. VIS CAT C RVR 5000. VDP 1.3 NM FROM RW28L. 1703231331-1711021331EST.

FDC 7/8131 PIT IAP PITTSBURGH INTL, PITTSBURGH, PA. RNAV (RNP) Z RWY 32, AMDT 1C...RNP 0.11 DA 1461/HAT 338 ALL CATS. RNP 0.30 DA 1509/HAT 386 ALL CATS. 1704111308-1711211308EST.

FDC 7/7248 PIT IAP PITTSBURGH INTL, PITTSBURGH, PA. ILS OR LOC RWY 28L, AMDT 10A...ILS OR LOC RWY 28R, AMDT 9A...ILS RWY 28R (CAT II) AMDT 9A...RADAR OR DME REQUIRED EXCEPT FOR AIRCRAFT EQUIPPED WITH SUITABLE RNAV SYSTEM WITH GPS, AGC VOR OUT OF SERVICE. 1704071757-1706081757EST.

FDC 7/7246 PIT IAP PITTSBURGH INTL, PITTSBURGH, PA. ILS OR LOC RWY 10L, AMDT 25B...ILS RWY 10L (CAT II AND III) AMDT 25B...RADAR REQUIRED FOR PROCEDURE ENTRY EXCEPT FOR AIRCRAFT EQUIPPED WITH SUITABLE RNAV SYSTEM WITH GPS, AGC VOR OUT OF SERVICE. 1704071757-1706081757EST.

FDC 7/7244 PIT IAP PITTSBURGH INTL, PITTSBURGH, PA. ILS OR LOC RWY 10R, AMDT 10F...ILS RWY 10R (CAT II AND III) AMDT 10E...MISSED APPROACH: CLIMB TO 1900 THEN CLIMBING RIGHT TURN TO 5000 DIRECT HLG VOR/DME AND HOLD NE, LT, 223.00 INBOUND, AGC VOR OUT OF SERVICE. 1704071757-1706081757EST.

FDC 7/7087 PIT IAP PITTSBURGH INTL, PITTSBURGH, PA. ILS OR LOC RWY 10L AMDT 25B, ILS RWY 10L (CAT II & III) AMDT 25B...TERMINAL ROUTE NESTO TO AGC VOR/DME NA 1703201957-1710301957EST.

FDC 7/3882 PIT IAP PITTSBURGH INTL, PITTSBURGH, PA. ILS OR LOC RWY 28R, AMDT 9A...ILS RWY 28R (CAT II). AMDT 9A...CHART NOTE: REDUCED LIGHTING: REQUIRES SPECIFIC OPSPEC, MSPEC, OR LOA APPROVAL AND USE OF AUTOLAND OR HUD TO TOUCHDOWN. DELETE NOTE: AUTHORIZATION TO CONDUCT THIS APPROACH REQUIRES SPECIFIC OPSPEC APPROVAL OF LOA FOR THIS RUNWAY. THIS IS ILS OR LOC RWY 28R, AMDT 9B...ILS RWY 28R (SA CAT II), AMDT 9B...1703311434-PERM.

FDC 7/1418 PIT IAP PITTSBURGH INTL, PITTSBURGH, PA. RNAV (GPS) Y RWY 32, AMDT 5A...LNAV MDA 1800/HAT 677 ALL CATS. VIS CATS C/D 1 3/4. CIRCLING MDA 1800/HAA 597 ALL CATS. VIS CAT C 1 7/8. NOTE: FOR INOPERATIVE MALSF, INCREASE LNAV CATS C/D VISIBILITY TO 1 7/8 MILE. CHANGE INOPERATIVE TABLE DOES NOT APPLY NOTE TO READ: INOPERATIVE TABLE DOES NOT APPLY TO LNAV/VNAV ALL CATS. 1704171742-1711271742EST.

FDC 7/0064 PIT IAP PITTSBURGH INTL, PITTSBURGH, PA. RNAV (RNP) Z RWY 28L, ORIG-C...RNP 0.13 DA 1528/HAT 406. RNP 0.30 DA 1578/HAT 456. 1703241956-1711031956EST.

FDC 7/0061 PIT IAP PITTSBURGH INTL, PITTSBURGH, PA. RNAV (RNP) Z RWY 28C, ORIG-C...RNP 0.14 DA 1537/HAT 404. VIS 1 1/2. RNP 0.16 DA 1538/HAT 405. RNP 0.30 DA 1583/HAT 450. 1703241953-1711031953EST.

FDC 7/0043 PIT IAP PITTSBURGH INTL, PITTSBURGH, PA. RNAV (RNP) Z RWY 10R, ORIG-C...RNP 0.20 DA 1575/HAT 440. 1703241941-1711031941EST.

FDC 6/4114 PIT IAP PITTSBURGH INTL, PITTSBURGH, PA. ILS OR LOC RWY 10R, AMDT 10F...ILS RWY 10R (CAT II & III), AMDT 10E...MISSED APPROACH: CLIMB TO 1900 THEN CLIMBING RIGHT TURN TO 5000 DIRECT HLG VOR/DME AND HOLD NE, LT, 223 INBOUND. (TACAN AIRCRAFT CLIMB TO 1900, THEN CLIMBING LEFT TURN TO 4000 DIRECT EWC VORTAC, THEN ON EWC R-002 TO HAXIT/5 DME AND HOLD N, RT, 182 INBOUND). TACAN AIRCRAFT: SIMULTANEOUS APPROACH WITH RWY 10L NOT AUTHORIZED. 1612202133-1708012133EST.

POTTSTOWN

Heritage Field

FDC 7/8932 PTW ODP HERITAGE FIELD, POTTSTOWN, PA. TAKEOFF MINIMUMS AND (OBSTACLE) DEPARTURE PROCEDURES AMDT 2A...DEPARTURE PROCEDURE NOTE: RWY 10, TREE 215 FEET FROM DER, 491 FEET RIGHT OF CENTERLINE, 65 FEET AGL/363 FEET MSL.. ALL OTHER DATA REMAINS AS PUBLISHED. 1701292233-1709102233EST.

FDC 6/8597 PTW IAP HERITAGE FIELD, POTTSTOWN, PA. VOR/DME-A, AMDT 4...DELETE DESCENT ANGLE 3.00/TCH 51. PROFILE NOTE: VISUAL SEGMENT - OBSTACLES. 1612072213-1707192213EST.

Pottstown Muni

FDC 6/8434 N47 ODP POTTSTOWN MUNI, POTTSTOWN, PA. TAKEOFF MINIMUMS AND (OBSTACLE) DEPARTURE PROCEDURES AMDT 2A...TAKEOFF MINIMUMS: RWY 8, 600-3 WITH MINIMUM CLIMB OF 241 FT PER NM TO 1300, OR 1300-2 1/2 FOR CLIMB IN VISUAL CONDITIONS. NOTE: RWY 8, TOWER 2668 FT FROM DER, 1094 FT RIGHT OF CENTERLINE, 176 FT AGL/433 FT MSL. TERRAIN 2,761 FT FROM DER, 124 FT RIGHT OF CENTERLINE, 0 FT AGL/319 FT MSL. MULTIPLE TREES BEGINNING 5,919 FT FROM DER, 854 FT LEFT OF CENTERLINE, UP TO 100 FT AGL/559 FT MSL. MULTIPLE TREES BEGINNING 1.3 NM FROM DER, 616 FT RIGHT OF CENTERLINE, UP TO 100 FT AGL 759 FT MSL. ALL OTHER DATA REMAINS AS PUBLISHED. 1612072119-1707192119EST.

POTTSVILLE

Schuylkill County /Joe Zerbey/

FDC 7/0092 ZER IAP SCHUYLKILL COUNTY /JOE ZERBEY/, POTTSVILLE, PA. VOR OR GPS RWY 4, AMDT 5B...S-4 MDA NA. 1703242135-1711032135EST.

Schuylkill Medical Center

FDC 7/1790 91PN IAP SCHUYLKILL MEDICAL CENTER, POTTSVILLE, PA. COPTER RNAV (GPS) 095, ORIG...CHANGE HELIPORT NAME TO READ: SCHUYLKILL MEDICAL CENTER. 1703282152-1711072152EST.

READING

Reading Rgnl/Carl A Spaatz Field

FDC 7/9245 RDG ODP READING RGNL/CARL A SPAATZ FIELD, READING, PA. TAKEOFF MINIMUMS AND (OBSTACLE) DEPARTURE PROCEDURES AMDT 5...TAKE-OFF MINIMUMS RWY 13, STANDARD WITH MINIMUM CLIMB OF 442 FT PER NM TO 1700. ALL OTHER DATA REMAINS AS PUBLISHED. 1705031234-1712131234EST.

SCRANTON

Community Medical Center Nap

FDC 7/1864 OPA8 SPECIAL COMMUNITY MEDICAL CENTER NAP, SCRANTON, PA. COPTER RNAV (GPS) 073, ORIG--A...PROCEDURE NA. 1704181415-1711281415EST.

SELINGSGROVE

Penn Valley

FDC 7/5885 SEG IAP PENN VALLEY, SELINGSGROVE, PA. RNAV (GPS) RWY 17, ORIG-B...NOTE: PROCEDURE NA AT NIGHT. NOTE: RWY 17, 35 HELICOPTER VISIBILITY REDUCTION BELOW 1 SM NOT AUTHORIZED. DISREGARD NOTE: HELICOPTER VISIBILITY REDUCTION BELOW 1 SM NOT AUTHORIZED. DISREGARD NOTE: NIGHT LANDING: RWY 17 NA. 1701191431-1708311431EST.

FDC 7/5884 SEG IAP PENN VALLEY, SELINGSGROVE, PA. VOR-A, AMDT 7B...NOTE: PROCEDURE NA AT NIGHT. NOTE: RWY 17, 35 HELICOPTER VISIBILITY REDUCTION BELOW 1 SM NOT AUTHORIZED. DISREGARD NOTE: HELICOPTER VISIBILITY REDUCTION BELOW 1 SM NOT AUTHORIZED. DISREGARD NOTE: NIGHT LANDING: RWY 17 NA. 1701191431-1708311431EST.

SHAMOKIN

Northumberland County

FDC 7/9276 N79 ODP NORTHUMBERLAND COUNTY, SHAMOKIN, PA. TAKEOFF MINIMUMS AND (OBSTACLE) DEPARTURE PROCEDURES AMDT 1...TAKEOFF MINIMUMS: RWY 8, NA. RWY 26, 400-2 1/2 OR STANDARD WITH MINIMUM CLIMB OF 266 FT PER NM TO 1400. NOTE: RWY 26, TREES BEGINNING 10 FT FROM DER, 242 FT LEFT OF CENTERLINE, UP TO 13 FT AGL/865 FT MSL. TREES BEGINNING 84 FT FROM DER, 184 FT RIGHT OF CENTERLINE, UP TO 20 FT AGL/872 FT MSL. TREES BEGINNING 2.1 NM FROM DER, 2621 FT RIGHT OF CENTERLINE, UP TO 80 FT AGL/1240 FT MSL. ALL OTHER DATA REMAINS AS PUBLISHED. 1705031245-1712131245EST.

FDC 6/2594 N79 IAP NORTHUMBERLAND COUNTY, SHAMOKIN, PA. VOR RWY 8, AMDT 3D...PROCEDURE NA. 1611232044-1707052043EST.

ST MARYS

St Marys Muni

FDC 7/1178 OYM ODP ST MARYS MUNI, ST MARYS, PA. TAKEOFF MINIMUMS AND (OBSTACLE) DEPARTURE PROCEDURES AMDT 2...NOTE: RWY 28, TREE 1183 FT FROM DER, 266 FT LEFT OF CENTERLINE, 45 FT AGL/1932 FT MSL (2016-AEA-4756-OE). 1704171438-1711271435EST.

STATE COLLEGE

Mount Nittany Medical Center

FDC 7/3539 PS57 SPECIAL MOUNT NITTANY MEDICAL CENTER, STATE COLLEGE, PA. COPTER RNAV (GPS) 234, ORIG--A...PROCEDURE NA. HELIPORT NAME CHANGED FROM CENTRE COMMUNITY HOSPITAL TO MOUNT NITTANY MEDICAL CENTER. HELIPORT ELEVATION CHANGED FROM 1100 TO 1152. 1703101952-1710201952EST.

FDC 7/3534 PS57 SPECIAL MOUNT NITTANY MEDICAL CENTER, STATE COLLEGE, PA. FESDA ONE DEPARTURE...DEPARTURE PROCEDURE NA. HELIPORT NAME CHANGED FROM CENTRE COMMUNITY HOSPITAL TO MOUNT NITTANY MEDICAL CENTER. HELIPORT ELEVATION CHANGED FROM 1100 TO 1152. 1703101950-1710201950EST.

University Park

FDC 7/9978 UNV IAP UNIVERSITY PARK, STATE COLLEGE, PA. RNAV (GPS) RWY 24, AMDT 1...LNAV MDA ALL CATS 1640/HAT 422. CIRCLING CAT C MDA 1800/HAA 569. 1704131725-1711231723EST.

FDC 7/9961 UNV IAP UNIVERSITY PARK, STATE COLLEGE, PA. RNAV (GPS) RWY 6, AMDT 2...CIRCLING CAT C MDA 1800/HAA 569. 1704131712-1711231712EST.

FDC 7/9445 UNV IAP UNIVERSITY PARK, STATE COLLEGE, PA. ILS OR LOC RWY 24, AMDT 9B...S-LOC 24: NA EXCEPT FOR AIRCRAFT EQUIPPED WITH SUITABLE RNAV SYSTEM WITH GPS. MISSED APPROACH: CLIMB TO 2600 THEN CLIMBING RIGHT TURN TO 4000 DIRECT PSB VORTAC AND HOLD. PENUE (UN) LOM OUT OF SERVICE. 1705031407-1706031407EST.

FDC 7/6639 UNV IAP UNIVERSITY PARK, STATE COLLEGE, PA. ILS OR LOC RWY 24, AMDT 9B...MSA FROM UN LOM 4100. 1701222123-1709032122EST.

FDC 7/6559 UNV IAP UNIVERSITY PARK, STATE COLLEGE, PA. RNAV (GPS) RWY 6, AMDT 2...MSA FROM RW06 4100. 1701222026-1709032026EST.

FDC 7/6557 UNV IAP UNIVERSITY PARK, STATE COLLEGE, PA. RNAV (GPS) RWY 24, AMDT 1...MSA FROM RW24 4100. 1701222025-1709032025EST.

FDC 6/4326 UNV IAP UNIVERSITY PARK, STATE COLLEGE, PA. ILS OR LOC RWY 24, AMDT 9B...S-LOC 24 MDA 1600/HAT 382 ALL CATS. CIRCLING CAT C MDA 1800/HAA 569. 1612211642-1708021642EST.

STERLING

Spring Hill

FDC 7/5825 70N IAP SPRING HILL, STERLING, PA. VOR/DME-B, ORIG...PROCEDURE NA EXCEPT FOR AIRCRAFT EQUIPPED WITH SUITABLE RNAV SYSTEM WITH GPS, LVZ TACAN OUT OF SERVICE. 1704261736-1705261736EST.

TOUGHKENAMON

New Garden

FDC 7/1397 N57 IAP NEW GARDEN, TOUGHKENAMON, PA. VOR RWY 24, AMDT 7C...TERMINAL ROUTE FROSE TO MXE VORTAC NA. 1704171718-1711271718EST.

TOWANDA

Bradford County

FDC 7/8129 N27 ODP BRADFORD COUNTY, TOWANDA, PA. TAKEOFF MINIMUMS AND (OBSTACLE) DEPARTURE PROCEDURES AMDT 2...TAKEOFF MINIMUMS: RWY 5, 800-3 WITH MINIMUM CLIMB OF 333 FT PER NM TO 2000, OR STANDARD WITH MINIMUM CLIMB OF 461 FT PER NM TO 2000, OR 2000-3 FOR CLIMB IN VISUAL CONDITIONS. ALL OTHER DATA REMAINS AS PUBLISHED. 1704111306-1711211306EST.

TROY

Hilltop

FDC 7/3532 PN74 SPECIAL HILLTOP, TROY, PA. HEVUD ONE DEPARTURE...DEPARTURE PROCEDURE NA. 1703101934-1710201934EST.

FDC 7/1409 PN74 SPECIAL HILLTOP, TROY, PA. COPTER RNAV (GPS) 186, ORIG--A...PROCEDURE NA. 1703071442-1710171442EST.

WARREN

Warren General Hospital

FDC 7/1814 PA97 SPECIAL WARREN GENERAL HOSPITAL, WARREN, PA. COPTER RNAV (GPS) 315, ORIG...H -315 MDA 2240/HAS 461. 1704181342-1711281342EST.

WASHINGTON

Washington County

FDC 7/7247 AFJ IAP WASHINGTON COUNTY, WASHINGTON, PA. ILS OR LOC RWY 27, AMDT 1B...DME REQUIRED EXCEPT FOR AIRCRAFT EQUIPPED WITH SUITABLE RNAV SYSTEM WITH GPS, AGC VOR OUT OF SERVICE. 1704071757-1706081757EST.

WAYNESBURG

Greene County

FDC 7/2908 WAY IAP GREENE COUNTY, WAYNESBURG, PA. RNAV (GPS) RWY 27, ORIG...CIRCLING CAT B/C MDA 2140/HAA 1072. DISREGARD NOTE: VISIBILITY REDUCTION BY HELICOPTERS NA AT NIGHT. NOTE: RWY 27 HELICOPTER VISIBILITY REDUCTION BELOW 1 SM NOT AUTHORIZED. NOTE: DESCENT ANGLE 3.05/TCH 30 NA. 1701101816-1708221816EST.

FDC 7/2907 WAY IAP GREENE COUNTY, WAYNESBURG, PA. RNAV (GPS) RWY 9, ORIG...LPV DA CATS A/B/C 1545/HAT 476, VIS CATS A/B/C 1 5/8, LNAV HAT CATS A/B/C 772, VIS CAT C 2 1/2, CIRCLING CAT A MDA 1940/HAA 872, CATS B/C 2140/HAA 1072, VIS CAT A 1 1/4. DISREGARD NOTE: USE WASHINGTON ALTIMETER SETTING, WHEN NOT RECEIVED USE MORGANTOWN ALTIMETER SETTING AND INCREASE DA 15 FEET AND ALL MDAS 20 FEET PROCEDURE NA AT NIGHT. NOTE: USE WASHINGTON ALTIMETER SETTING, WHEN NOT RECEIVED USE MORGANTOWN ALTIMETER SETTING AND INCREASE ALL DA 14 FEET AND ALL MDAS 20 FEET, INCREASE LPV VISIBILITY ALL CATS 1/8 SM. DISREGARD NOTE: VISIBILITY REDUCTION BY HELICOPTER NA. NOTE: RWY 9 HELICOPTER VISIBILITY REDUCTION BELOW 3/4 SM NOT AUTHORIZED. DISREGARD NOTE: PROCEDURE NA AT NIGHT. NOTE: NIGHT LANDING: RWY 27 NA. 1701101816-1708221816EST.

WILKES-BARRE

Wilkes-Barre Wyoming Valley

FDC 7/4458 WBW IAP WILKES-BARRE WYOMING VALLEY, WILKES-BARRE, PA. RNAV (GPS) RWY 25, ORIG-B...NOTE: CIRCLING RWY 7/9/27 NA AT NIGHT. 1701141854-1708261854EST.

FDC 7/3929 WBW IAP WILKES-BARRE WYOMING VALLEY, WILKES-BARRE, PA. RNAV (GPS) RWY 7, ORIG-A...DISREGARD NOTE: WHEN VGS I INOP, STRAIGHT-IN/CIRCLING RWY 7 PROCEDURE NA AT NIGHT. NOTE: NIGHT LANDING: RWY 7 NA. DISREGARD NOTE: VISIBILITY REDUCTION BY HELICOPTERS NA. NOTE: HELICOPTER VISIBILITY REDUCTION BELOW 1 SM NOT AUTHORIZED.. 1703121821-1710221821EST.

WILKES-BARRE/SCRANTON

Wilkes-Barre/Scranton Intl

FDC 7/5826 AVP IAP WILKES-BARRE/SCRANTON INTL, WILKES-BARRE/SCRANTON, PA. ILS OR LOC/DME RWY 22, AMDT 9...PROCEDURE NA EXCEPT FOR AIRCRAFT EQUIPPED WITH SUITABLE RNAV SYSTEM WITH GPS, LVZ TACAN OUT OF SERVICE. 1704261736-1705261736EST.

WILLIAMSPORT

Williamsport Rgnl

FDC 7/3519 IPT IAP WILLIAMSPORT RGNL, WILLIAMSPORT, PA. RNAV (GPS) RWY 12, ORIG-B...DELETE: DESCENT ANGLE 3.70/TCH 45. PROFILE NOTE: VISUAL SEGMENT - OBSTACLES. 1702112000-1709232000EST.

YORK

York

FDC 7/0487 THV IAP YORK, YORK, PA. RNAV (GPS) RWY 35, AMDT 1B...DESCENT ANGLE 3.00/TCH 45 NA. 1703021937-1710121937EST.

FDC 7/0485 THV IAP YORK, YORK, PA. RNAV (GPS) RWY 17, AMDT 2B...DESCENT ANGLE 3.00/TCH 45 NA. 1703021935-1710121935EST.

PUERTO RICO

AGUADILLA

Rafael Hernandez

FDC 7/8781 BQN IAP RAFAEL HERNANDEZ, AGUADILLA, PR. VOR/DME OR TACAN RWY 26, ORIG-C...S-26 MDA 620/HAT 410 ALL CATS. VIS CATS C/D 1 1/8. 1701291551-1709101551EST.

CA. TILLT ONE ARRIVAL.. LOST COMMUNICATIO

Star John Wayne Orange County Airport Santa Ana

FDC 7/5886 SNA STAR JOHN WAYNE ORANGE COUNTY AIRPORT SANTA ANA, CA. TILLT ONE ARRIVAL.. LOST COMMUNICATIONS: LANDING RWY 02L, PROCEED WITH LOC BC RWY 02L, RNAV (GPS) Y RWY 02L OR RNAV (RNP) Z RWY 02L ADD NOTE: EXPECT RWY 20R UNLESS OTHERWISE ASSIGNED BY ATC. 1704270800-1804272359.

MAYAGUEZ

Eugenio Maria De Hostos

FDC 7/5913 MAZ IAP EUGENIO MARIA DE HOSTOS, MAYAGUEZ, PR. VOR RWY 9, AMDT 10A...PROCEDURE NA EXCEPT FOR AIRCRAFT EQUIPPED WITH SUITABLE RNAV SYSTEM WITH GPS. 1703161112-1710261112EST.

FDC 7/4366 MAZ ODP EUGENIO MARIA DE HOSTOS, MAYAGUEZ, PR. TAKEOFF MINIMUMS AND (OBSTACLE) DEPARTURE PROCEDURES AMDT 3...DEPARTURE PROCEDURE: NA EXCEPT FOR AIRCRAFT EQUIPPED WITH SUITABLE RNAV SYSTEM WITH GPS, MAZ VOR R-083 RESTRICTED. 1703131636-1710231636EST.

SAN JUAN

Luis Munoz Marin Intl

FDC 7/8137 SJU IAP LUIS MUNOZ MARIN INTL, SAN JUAN, PR. ILS OR LOC RWY 10, AMDT 6...S-ILS 10 DA259/HAT 250. 1704111313-1711211313EST.

FDC 7/4474 SJU IAP LUIS MUNOZ MARIN INTL, SAN JUAN, PR. RNAV (GPS) RWY 10, AMDT 2...LNAV/VNAV DA 408. LNAV HAT 470 ALL CATS. CIRCLING HAA 590 ALL CATS. CHART TDZE 10, DELETE THRE 9. CHART AIRPORT ELEVATION 10. THIS IS RNAV (GPS) RWY 10, AMDT 2A. 1703131951-PERM.

FDC 7/4472 SJU IAP LUIS MUNOZ MARIN INTL, SAN JUAN, PR. VOR OR TACAN RWY 10, AMDT 2...S-10 HAT 630 ALL CATS. CIRCLING HAA 630 ALL CATS. ORAJO FIX MINIMUMS (DME REQUIRED) S-10 HAT 490 ALL CATS. CIRCLING HAA 590 ALL CATS. CHART NOTE: RWY 10 HELICOPTER VISIBILITY REDUCTION BELOW 1 SM NOT AUTHORIZED. CHART TDZE 10, DELETE THRE 9. CHART AIRPORT ELEVATION 10. DELETE NOTE: VISIBILITY REDUCTION BY HELICOPTERS NA. THIS IS VOR OR TACAN RWY 10, AMDT 2A. 1703131951-PERM.

FDC 7/4470 SJU IAP LUIS MUNOZ MARIN INTL, SAN JUAN, PR. ILS OR LOC RWY 10, AMDT 6...S-ILS 10 DA 260/HAT 250. S-LOC 10 HAT 410 ALL CATS. CIRCLING HAA 590 ALL CATS. CHART TDZE 10, DELETE THRE 9. CHART AIRPORT ELEVATION 10. THIS IS ILS OR LOC RWY 10, AMDT 6A. 1703131951-PERM.

FDC 6/4104 SJU SID LUIS MUNOZ MARIN INTL, SAN JUAN, PR. VERMO FIVE DEPARTURE...DEPARTURE PROCEDURE DME REQUIRED EXCEPT FOR AIRCRAFT EQUIPPED WITH SUITABLE RNAV SYSTEM WITH GPS. BQN R-037 UNUSABLE. 1612202128-1708012128EST.

FDC 6/2318 SJU IAP LUIS MUNOZ MARIN INTL, SAN JUAN, PR. VOR OR TACAN RWY 10, AMDT 2...VOR OR TACAN RWY 26, AMDT 20...VOR OR TACAN RWY 8, AMDT 1...TACAN PORTION NA, SJU TACAN AZIMUTH OUT OF SERVICE. 1612151542-1707271542EST.

RHODE ISLAND

BLOCK ISLAND

Block Island State

FDC 6/5908 BID IAP BLOCK ISLAND STATE, BLOCK ISLAND, RI. VOR RWY 28, AMDT 5...CMDA 640/HAA 532 ALL CATS. PROCEDURE TURN MINIMUM ALTITUDE 1700. MISSED APPROACH: CLIMBING RIGHT TURN TO 1700 IN SEY VOR/DME HOLDING PATTERN. DISREGARD NOTE: VISIBILITY REDUCTION BY HELICOPTERS NA. MSA FROM SEY VOR/DME 060 - 240 1700. 1612021951-1707141951EST.

FDC 6/5907 BID IAP BLOCK ISLAND STATE, BLOCK ISLAND, RI. VOR/DME RWY 10, AMDT 5C...MSA FROM SEY VOR/DME 060 - 240 1700, 240 - 060 2100. 1612021949-1707141949EST.

NEWPORT

Newport State

FDC 6/4748 UUU IAP NEWPORT STATE, NEWPORT, RI. LOC RWY 22, AMDT 7D...RNAV (GPS) RWY 16, ORIG-B...VOR/DME RWY 16, AMDT 1B...NOTE: PROCEDURE NA AT NIGHT. DISREGARD NOTE: NIGHT LANDING: RWY 34 NA. 1612232003-1708042002EST.

PAWTUCKET

North Central State

FDC 7/1020 SFZ IAP NORTH CENTRAL STATE, PAWTUCKET, RI. RNAV (GPS) RWY 23, AMDT 1...LPV DA 679. LNAV/VNAV DA 849. LNAV HAT CATS A/B/C 391. CHART TDZE 429, DELETE THRE 419. CHART NOTE: RWY 23 HELICOPTER VISIBILITY REDUCTION BELOW 3/4 SM NOT AUTHORIZED. CHART NOTE: CIRCLING RWY 15, 33 NA AT NIGHT. DELETE NOTE: CIRCLING TO RWY 15/33 NA AT NIGHT. DELETE NOTE: HELICOPTER VISIBILITY REDUCTION BELOW 3/4 SM NOT AUTHORIZED. THIS IS RNAV (GPS) RWY 23, AMDT 1A. 1702032207-PERM.

FDC 7/1019 SFZ IAP NORTH CENTRAL STATE, PAWTUCKET, RI. RNAV (GPS) RWY 5, AMDT 1...LPV DA 700. LNAV/VNAV DA 835. LNAV HAT CATS A/B/C 371. CHART TDZE 429, DELETE THRE 419. CHART NOTE: CIRCLING RWY 15, 33 NA AT NIGHT. DELETE NOTE: CIRCLING TO RWY 15/33 NA AT NIGHT. THIS IS RNAV (GPS) RWY 5, AMDT 1A. 1702032207-PERM.

FDC 7/1018 SFZ IAP NORTH CENTRAL STATE, PAWTUCKET, RI. LOC RWY 5, AMDT 7A...S-5 HAT CATS A/B/C 611. ESULE FIX MINIMUMS (DUAL VOR RECEIVERS OR DME REQUIRED) S-5 HAT CATS A/B/C 371. CHART TDZE 429, DELETE THRE 419. CHART NOTE: CIRCLING RWY 15, 33 NA AT NIGHT. DELETE NOTE: CIRCLING TO RWY 15/33 NA AT NIGHT. THIS IS LOC RWY 5, AMDT 7B. 1702032207-PERM.

PROVIDENCE

Theodore Francis Green State

FDC 7/4023 PVD IAP THEODORE FRANCIS GREEN STATE, PROVIDENCE, RI. VOR/DME RWY 23, AMDT 6G...S-23 MDA 480/HAT 430 ALL CATS, VIS CATS A/B RVR 2400, CATS C/D RVR 4000. DISREGARD NOTE: FOR INOPERATIVE MALSR INCREASE S-23 CATS A, B, AND C VISIBILITY TO RVR 5000, CAT D VISIBILITY TO RVR 6000. 1701122336-1708242336EST.

FDC 7/1753 PVD IAP THEODORE FRANCIS GREEN STATE, PROVIDENCE, RI. VOR/DME RWY 34, AMDT 5F...TERMINAL ROUTE: PVD VORTAC R-022/10 DME CW TO PVD VORTAC R-147/10 DME ARC NA. 1704181307-1711281306EST.

SOUTH CAROLINA

AIKEN

Aiken Muni

FDC 7/9707 AIK SID AIKEN MUNI, AIKEN, SC. DOVER THREE DEPARTURE (RNAV)...JUNPR THREE DEPARTURE (RNAV)...KAOLN FOUR DEPARTURE (RNAV)...RDBUD TWO DEPARTURE (RNAV)...DEPARTURE PROCEDURE TAKEOFF MINIMUMS: RWY 19, STANDARD WITH MINIMUM CLIMB OF 201 FT PER NM TO 1000. ALL OTHER DATA REMAINS AS PUBLISHED. 1703011954-1710111954EST.

ANDERSON

Anderson Rgnl

FDC 7/8841 AND IAP ANDERSON RGNL, ANDERSON, SC. RNAV (GPS) RWY 17, AMDT 1A...CHANGE NIGHT RESTRICTION NOTE TO READ: RWY 17 STRAIGHT-IN AND CIRCLING AND CIRCLING TO RWY 35 NA AT NIGHT. 1701292122-1709102121EST.

FDC 7/8819 AND IAP ANDERSON RGNL, ANDERSON, SC. RNAV (GPS) RWY 35, AMDT 1A...CHANGE NIGHT RESTRICTION NOTE TO READ: RWY 35 STRAIGHT-IN AND CIRCLING AND CIRCLING TO RWY 17 NA AT NIGHT.. 1701291628-1709101628EST.

FDC 7/5345 AND IAP ANDERSON RGNL, ANDERSON, SC. RNAV (GPS) RWY 23, ORIG-A...NOTE: HELICOPTER VISIBILITY REDUCTION BELOW 3/4 SM NOT AUTHORIZED. DISREGARD NOTE: WHEN VGSI INOP, PROCEDURE NA AT NIGHT. DISREGARD NOTE: VISIBILITY REDUCTION BY HELICOPTERS NA. NOTE: CIRCLING RWY 17, 35 NA AT NIGHT. 1704042034-1711142034EST.

CHARLESTON

Charleston AFB/Intl

FDC 7/8749 CHS IAP CHARLESTON AFB/INTL, CHARLESTON, SC. ILS OR LOC RWY 15, AMDT 24A...ILS OR LOC/DME RWY 33, AMDT 8B...VOR/DME OR TACAN RWY 15, AMDT 14A...VOR/DME OR TACAN RWY 21, AMDT 14A...VOR/DME OR TACAN RWY 3, AMDT 14B...VOR/DME OR TACAN RWY 33, AMDT 13B...ILS RWY 15 (SA CAT I), AMDT 24A...ILS RWY 15 (CAT II), AMDT 24A...ALTERNATE MINIMUMS NA, CHS VORTAC UNMONITORED. 1705021639-1706021639EST.

FDC 7/7173 CHS IAP CHARLESTON AFB/INTL, CHARLESTON, SC. RNAV (GPS) Y RWY 21, AMDT 2B...LPV DA 351/HAT 311, VIS 1 ALL CATS. TEMP CRANE 206 MSL 1448 FT SE OF RWY 21 (2016-ASO-2698-NRA). EXCEPT WHEN ADVISED BY ATC THAT CRANE IS DOWN. 1704281410-1705281410EST.

FDC 7/7172 CHS IAP CHARLESTON AFB/INTL, CHARLESTON, SC. RNAV (RNP) Z RWY 21, ORIG-B...RNP 0.21 DA 427/HAT 387, VIS 1 1/4 ALL CATS. TEMP CRANE 206 MSL 1448 FT SE OF RWY 21 (2016-ASO-2698-NRA). EXCEPT WHEN ADVISED BY ATC THAT CRANE IS DOWN. 1704281410-1705281410EST.

FDC 7/3618 CHS IAP CHARLESTON AFB/INTL, CHARLESTON, SC. VOR/DME OR TACAN RWY 21, AMDT 14A...S-21 MDA 540/HAT 497 ALL CATS. VIS CATS C/D 1 3/8. VDP: 1.89 DME FROM CHS VORTAC. TEMP CRANE 225 MSL 2.37 NM NE OF RWY 21 (2017-ASO-39-OE). 1704211139-1705221139EST.

FDC 7/2336 CHS IAP U.S. DOD CHARLESTON AFB/INTL, CHARLESTON, SC. HI VOR/DME OR TACAN RWY 33, AMDT 5...PROCEDURE NA. 1704191220-1711291220EST.

Charleston Executive

FDC 7/8753 JZI IAP CHARLESTON EXECUTIVE, CHARLESTON, SC. ILS OR LOC RWY 9, AMDT 2B...ALTERNATE MINIMUMS NA, CHS VORTAC UNMONITORED. 1705021639-1706021639EST.

CHERAW

Cheraw Muni/Lynch Bellinger Field

FDC 7/9612 CQW IAP CHERAW MUNI/LYNCH BELLINGER FIELD, CHERAW, SC. RNAV (GPS) RWY 8, ORIG-A...PROCEDURE NA AT NIGHT. 1704131244-1711231244EST.

CHESTER

Chester Catawba Rgnl

FDC 6/9087 DCM STAR CHESTER CATAWBA RGNL, CHESTER, SC. RASLN ONE ARRIVALREVISE VERTICAL NAVIGATION PLANNING INFORMATION AT RASLN TO READ TURBOPROP/PROP LANDING NORTH EXPECT 8000FT LANDING SOUTH EXPECT 10000FT TURBOJET LANDING NORTH EXPECT 11000FT AND 250K LANDING SOUTH EXPECT 14000FT AND 250K. 1607210900-1707210900EST.

COLUMBIA

Columbia Metropolitan

FDC 7/2141 CAE IAP COLUMBIA METROPOLITAN, COLUMBIA, SC. ILS OR LOC RWY 5, AMDT 1C...MISSED APPROACH WHEN ASSIGNED BY ATC, CLIMB TO 2500 ON HEADING 050 FOR RADAR VECTORS. 1702072251-1709192251EST.

FDC 6/8909 CAE IAP COLUMBIA METROPOLITAN, COLUMBIA, SC. RNAV (GPS) RWY 23, AMDT 2...PROFILE NOTE: VGSI AND RNAV GLIDEPATH NOT COINCIDENT (VGSI ANGLE 3.00/TCH 69). CHANGE HELICOPTER NOTE TO READ: HELICOPTER VISIBILITY REDUCTION BELOW 3/4 SM NOT AUTHORIZED. 1612081420-1707201420EST.

Jim Hamilton L B Owens

FDC 7/7896 CUB IAP JIM HAMILTON L B OWENS, COLUMBIA, SC. GPS RWY 31, ORIG-B...NOTE: RWY 31 HELICOPTER VISIBILITY REDUCTION BELOW 3/4 SM NOT AUTHORIZED. DISREGARD NOTE: HELICOPTER VISIBILITY REDUCTION BELOW 1 SM NA. 1704101853-1711201853EST.

DARLINGTON

Darlington County

FDC 7/6483 UDG IAP DARLINGTON COUNTY, DARLINGTON, SC. VOR/DME-A, AMDT 7A...PROCEDURE NA. 1703171441-1710271440EST.

DILLON

Dillon County

FDC 7/6306 DLC IAP DILLON COUNTY, DILLON, SC. VOR/DME OR GPS RWY 7, AMDT 5A...PROCEDURE NA AT NIGHT. 1704061346-1711161346EST.

FDC 7/2139 DLC IAP DILLON COUNTY, DILLON, SC. VOR/DME OR GPS RWY 7, AMDT 5A...DESCENT ANGLE NA. 1702072248-1709192248EST.

FLORENCE

Florence Rgnl

FDC 7/2143 FLO ODP FLORENCE RGNL, FLORENCE, SC. TAKEOFF MINIMUMS AND (OBSTACLE) DEPARTURE PROCEDURES AMDT 5...TAKEOFF MINIMUMS: RWY 1, STANDARD WITH MINIMUM CLIMB OF 224 FT PER NM TO 1300. ALL OTHER DATA REMAINS AS PUBLISHED. 1702072252-1709192252EST.

FDC 6/2654 FLO IAP FLORENCE RGNL, FLORENCE, SC. RNAV (GPS) RWY 1, ORIG-A...DESCENT ANGLE 3.02/TCH 57 NA. 1611232112-1707052112EST.

FDC 6/2649 FLO IAP FLORENCE RGNL, FLORENCE, SC. RNAV (GPS) RWY 19, ORIG-A...DESCENT ANGLE 3.04/TCH 42 NA. 1611232111-1707052111EST.

GEORGETOWN

Georgetown County

FDC 7/8750 GGE IAP GEORGETOWN COUNTY, GEORGETOWN, SC. NDB RWY 5, AMDT 6...ALTERNATE MINIMUMS NA, CHS VORTAC UNMONITORED. 1705021639-1706021639EST.

FDC 7/8660 GGE IAP GEORGETOWN COUNTY, GEORGETOWN, SC. RNAV (GPS) RWY 5, ORIG...CHART TDZE 40, DELETE THRE 40. CHART NOTE: CIRCLING RWY 29 NA AT NIGHT. DELETE NOTE: CIRCLING TO RWY 29 NA AT NIGHT. THIS IS RNAV (GPS) RWY 5, ORIG-A. 1704121138-PERM.

FDC 7/8659 GGE IAP GEORGETOWN COUNTY, GEORGETOWN, SC. NDB RWY 5, AMDT 6...CHART TDZE 40, DELETE THRE 40. CHART NOTE: CIRCLING RWY 29 NA AT NIGHT. CHART NOTE: RWY 5 HELICOPTER VISIBILITY REDUCTION BELOW 3/4 SM NOT AUTHORIZED. DELETE NOTE: HELICOPTER VISIBILITY REDUCTION BELOW 3/4 SM NOT AUTHORIZED. DELETE NOTE: CIRCLING TO RWY 29 NA AT NIGHT. THIS IS NDB RWY 5, AMDT 6A. 1704121138-PERM.

FDC 7/0981 GGE IAP GEORGETOWN COUNTY, GEORGETOWN, SC. RNAV (GPS) RWY 23, AMDT 2...LPV DA 323. LNAV/VNAV DA 347. LNAV HAT 403 ALL CATS. CHART TDZE 37, DELETE THRE 34. CHART NOTE: CIRCLING RWY 29 NA AT NIGHT. CHART NOTE: RWY 23 HELICOPTER VISIBILITY REDUCTION BELOW 3/4 SM NOT AUTHORIZED. DELETE NOTE: HELICOPTER VISIBILITY REDUCTION BELOW 3/4 SM NOT AUTHORIZED. DELETE NOTE: CIRCLING TO RWY 29 NA AT NIGHT. THIS IS RNAV (GPS) RWY 23, AMDT 2A. 1704171218-PERM.

GREENVILLE

Donaldson Field

FDC 7/9236 GYH IAP DONALDSON FIELD, GREENVILLE, SC. ILS OR LOC RWY 5, AMDT 5A...S-LOC 5 DME REQUIRED EXCEPT FOR AIRCRAFT EQUIPPED WITH SUITABLE RNAV SYSTEM WITH GPS, DYANA (GY) LOM OUT OF SERVICE. 1703011504-1710111504EST.

GREER

Greenville Spartanburg Intl

FDC 7/1480 GSP IAP GREENVILLE SPARTANBURG INTL, GREER, SC. RNAV (GPS) RWY 4, AMDT 2...LPV DA 1147. LNAV/VNAV DA 1422/HAT 475. LNAV HAT 453 ALL CATS. CHART TDZE 947, DELETE THRE 941. CHART NOTE: FOR INOPERATIVE ALS, INCREASE LNAV CAT C/D VISIBILITY TO 1 3/8 SM. DELETE NOTE: FOR INOPERATIVE ALSF-2, INCREASE LNAV/VNAV ALL CATS VISIBILITY TO 1 1/2 MILES; LNAV CATS A AND B VISIBILITY TO RVR 5500 AND LNAV CATS C AND D VISIBILITY TO 1 3/8 MILES. DELETE NOTE: FOR INOPERATIVE ALSF-2, WHEN USING GREENVILLE DOWNTOWN ALTIMETER SETTING, INCREASE LNAV/VNAV ALL CATS VISIBILITY TO 1 5/8 MILES. THIS IS RNAV (GPS) RWY 4, AMDT 2A. 1703281814-PERM.

FDC 7/1472 GSP IAP GREENVILLE SPARTANBURG INTL, GREER, SC. ILS OR LOC/DME RWY 4, AMDT 24...ILS RWY 4 (SA CAT I), AMDT 24...ILS RWY 4 (CAT II AND III), AMDT 24...CHART TDZE 947, DELETE THRE 941. DELETE ALL REFERENCE TO INNER MARKER. ILS OR LOC RWY 4: S-ILS 4 DA 1147, S-LOC 4 HAT 473 ALL CATS. CHART NOTE: DME REQUIRED. ILS RWY 4 (SA CAT I): S-ILS 4 RA 258, DA 1097. ILS RWY 4 (CAT II AND III): S-ILS 4 CAT II RA 142, DA 1047. THIS ILS OR LOC RWY 4, AMDT 24A...ILS RWY 4 (SA CAT I), AMDT 24A...ILS RWY 4 (CAT II AND III) AMDT 24A...1703281809-PERM.

HARTSVILLE

Hartsville Rgnl

FDC 7/5108 HVS ODP HARTSVILLE RGNL, HARTSVILLE, SC. TAKEOFF MINIMUMS AND (OBSTACLE) DEPARTURE PROCEDURES ORIG...TEXTUAL DEPARTURE PROCEDURE. NOTE: RWY 03, BLDG AND TANK BEGINNING 5 FT FROM DER, 336 FT RIGHT OF CENTERLINE, UP TO 368 FT MSL. BUSHES AND TREES BEGINNING 31 FT FROM DER, 127 FT LEFT OF CENTERLINE, UP TO 384 FT MSL. POLE 68 FT FROM DER, 439 FT RIGHT OF CENTERLINE, UP TO 385 FT MSL. TREES BEGINNING 410 FT FROM DER, 13 FT RIGHT OF CENTERLINE, UP TO 420 FT MSL. TREES BEGINNING 541 FT FROM DER, 244 FT LEFT OF CENTERLINE, UP TO 444 FT MSL. TREES BEGINNING 786 FT FROM DER, 11 FT LEFT OF CENTERLINE, UP TO 462 FT MSL. TREES BEGINNING 1042 FT FROM DER, 2 FT LEFT OF CENTERLINE, UP TO 471 FT MSL. TREES BEGINNING 3720 FT FROM DER, 117 FT RIGHT OF CENTERLINE, UP TO 487 FT MSL.. NOTE: RWY 21, TREES 21 FT FROM DER, 480 FT LEFT OF CENTERLINE, 402 FT MSL.. 1703142148-1710242148EST.

HILTON HEAD ISLAND

Hilton Head

FDC 7/7297 HXD CHART HILTON HEAD, HILTON HEAD ISLAND, SC. RNAV (GPS) RWY 21, ORIG-A...RNAV (GPS) RWY 3, ORIG-A...VOR/DME-A, AMDT 10A...CORRECT PLANVIEW: CHARTS ARE MISSING HILTON HEAD ISLAND. SEE 17-08 TERM SAFETY ALERT AT [HTTPS://WWW.FAA.GOV/AIR_TRAFFIC/FLIGHT_INFO/AERONAV/SAFETY_ALERTS/](https://www.faa.gov/air_traffic/flight_info/aeronav/safety_alerts/) FOR CORRECTED CHARTS. 1704281731-PERM.

LAKE CITY

Lake City Muni Cj Evans Field

FDC 7/6567 51J IAP LAKE CITY MUNI CJ EVANS FIELD, LAKE CITY, SC. RNAV (GPS) RWY 19, ORIG...NOTE: DESCENT ANGLE 3.04/TCH 40 NA. 1701222032-1709032032EST.

LANCASTER

Lancaster County-Mc Whirter Field

FDC 7/9484 LKR SID LANCASTER COUNTY-MC WHIRTER FIELD, LANCASTER, SC. BOBCAT SEVEN DEPARTURE...ZAVR TRANSITION NA EXCEPT FOR AIRCRAFT EQUIPPED WITH SUITABLE RNAV SYSTEM WITH GPS. CLT VOR/DME RADIALS R-270 TO R-280 UNUSABLE. 1703011641-1710111641EST.

FDC 7/4273 LKR SID LANCASTER COUNTY-MC WHIRTER FIELD, LANCASTER, SC. BEAVY THREE DEPARTURE (RNAV)...GANDT TRANSITION: CHANGE COMPUTER CODE TO (BEAVY3.GANDT). JENDO TRANSITION: CHANGE COMPUTER CODE TO (BEAVY3.JENDO). ALL OTHER DATA REMAINS AS PUBLISHED. 1703131530-1707181530EST.

FDC 7/2267 LKR SID LANCASTER COUNTY-MC WHIRTER FIELD, LANCASTER, SC. BOBCAT SEVEN DEPARTURE...HORNET EIGHT DEPARTURE...PANTHER THREE DEPARTURE...NOTE: UPON REACHING 10000 MSL, ACCELERATE TO AND MAINTAIN 280 KIAS, IF UNABLE ADVISE ATC. DISREGARD NOTE: ACCELERATE TO 250K, IF UNABLE ADVISE ATC. DISREGARD NOTE: DO NOT EXCEED 280K UNTIL ADVISED BY ATC. ALL OTHER DATA REMAINS AS PUBLISHED. 1703291439-1711081439EST.

FDC 7/2266 LKR SID LANCASTER COUNTY-MC WHIRTER FIELD, LANCASTER, SC. BOBZY TWO DEPARTURE (RNAV)...ESTRR TWO DEPARTURE (RNAV)...JOJJO TWO DEPARTURE (RNAV)...WEAZL TWO DEPARTURE (RNAV)...NOTE: UPON REACHING 10000 MSL, ACCELERATE TO AND MAINTAIN 280 KIAS, IF UNABLE ADVISE ATC. DISREGARD NOTE: UPON REACHING 10000 MSL, ACCELERATE TO 280K, IF UNABLE ADVISE ATC. ALL OTHER DATA REMAINS AS PUBLISHED. 1703291439-1711081439EST.

FDC 7/0014 LKR IAP LANCASTER COUNTY-MC WHIRTER FIELD, LANCASTER, SC. VOR/DME-A, AMDT 1...PROCEDURE NA. 1702012217-1709132217EST.

FDC 6/9088 LKR STAR LANCASTER COUNTY-MC WHIRTER FIELD, LANCASTER, SC. RASLN ONE ARRIVALREVISE VERTICAL NAVIGATION PLANNING INFORMATION AT RASLN TO READ TURBOPROP/PROP LANDING NORTH EXPECT 8000FT LANDING SOUTH EXPECT 10000FT TURBOJET LANDING NORTH EXPECT 11000FT AND 250K LANDING SOUTH EXPECT 14000FT AND 250K. 1607210900-1707210900EST.

LAURENS

Laurens County

FDC 7/5840 LUX IAP LAURENS COUNTY, LAURENS, SC. RNAV (GPS) RWY 26, ORIG...LP HAT CATS A/B 364. LNAV HAT CATS A/B 444. CIRCLING CAT A MDA 1200/HAA 502, CAT B HAA 502. CHART AIRPORT ELEVATION 698. CHART TDZE 696, DELETE THRE 693. CHART NOTE: RWY 26 HELICOPTER VISIBILITY REDUCTION BELOW 3/4 SM NOT AUTHORIZED. CHART PROFILE NOTE: VISUAL SEGMENT - OBSTACLES. DELETE PROFILE NOTE: DESCENT ANGLE NA. DELETE NOTE: HELICOPTER VISIBILITY REDUCTION BELOW 1 SM NOT AUTHORIZED. DELETE NOTE: RWY 26 STRAIGHT-IN AND CIRCLING MINIMUMS NA AT NIGHT. THIS IS RNAV (GPS) RWY 26, ORIG-A. 1704051602-PERM.

FDC 7/5839 LUX IAP LAURENS COUNTY, LAURENS, SC. RNAV (GPS) RWY 8, ORIG...LPV DA 948. LNAV/VNAV DA 958. LNAV HAT CATS A/B 382. CIRCLING CAT A MDA 1200/HAA 502, CAT B HAA 502. CHART AIRPORT ELEVATION 698. CHART TDZE 698, DELETE THLD 697. CHART NOTE: RWY 8 HELICOPTER VISIBILITY REDUCTION BELOW 3/4 SM NOT AUTHORIZED. DELETE NOTE: HELICOPTER VISIBILITY REDUCTION BELOW 3/4 SM NOT AUTHORIZED. DELETE NOTE: CIRCLING TO RWY 26 NA AT NIGHT. THIS IS RNAV (GPS) RWY 8, ORIG-A. 1704051601-PERM.

MANNING

Santee Cooper Rgnl

FDC 7/7594 MNI IAP SANTEE COOPER RGNL, MANNING, SC. NDB OR GPS RWY 2, AMDT 2...VOR/DME OR GPS-A, AMDT 4...NOTE: PROCEDURE NA AT NIGHT. 1704101257-1711201257EST.

FDC 7/2406 MNI IAP SANTEE COOPER RGNL, MANNING, SC. VOR/DME OR GPS-A, AMDT 4...VOR PORTION NA. 1703081616-1710181616EST.

MARION

Marion County

FDC 7/4955 MAO ODP MARION COUNTY, MARION, SC. TAKEOFF MINIMUMS AND (OBSTACLE) DEPARTURE PROCEDURES AMDT 1...TAKEOFF MINIMUMS: RWY 4, STANDARD WITH MINIMUM CLIMB OF 455 FT PER NM TO 1000. DEPARTURE PROCEDURE: RWY 4, CLIMB HEADING 041 TO 2000 BEFORE TURNING. NOTE: RWY 4, VEGETATION BEGINNING 8 FT FROM DER, LEFT AND RIGHT OF CENTERLINE, UP TO 100 FT AGL/214 FT MSL. VEHICLE 89 FT FROM DER, 241 FT LEFT OF CENTERLINE, 15 FT AGL/103 FT MSL. RWY 22, VEGETATION BEGINNING 4 FT FROM DER, LEFT AND RIGHT OF CENTERLINE, UP TO 100 FT AGL/197 FT MSL. VEHICLE 96 FT FROM DER, 490 FT LEFT OF CENTERLINE, 15 FT AGL/104 FT MSL. ALL OTHER DATA REMAINS AS PUBLISHED. 1704251247-1712051247EST.

MONCKS CORNER

Berkeley County

FDC 7/3978 MKS IAP BERKELEY COUNTY, MONCKS CORNER, SC. VOR/DME-A, ORIG-A...PROCEDURE NA. 1703121949-1710221949EST.

MOUNT PLEASANT

Mt Pleasant Rgnl-Faison Field

FDC 7/8751 LRO IAP MT PLEASANT RGNL-FAISON FIELD, MOUNT PLEASANT, SC. VOR/DME-A, AMDT 1B...ALTERNATE MINIMUMS NA, CHS VORTAC UNMONITORED. 1705021639-1706021639EST.

FDC 7/7387 LRO IAP MT PLEASANT RGNL-FAISON FIELD, MOUNT PLEASANT, SC. RNAV (GPS) RWY 17, ORIG-C...CHART TDZE 12, DELETE THRE 11. LPV DA 307. LNAV/VNAV DA 389. LNAV HAT CATS A/B/C 348. THIS IS RNAV (GPS) RWY 17, ORIG-D. 1702231820-PERM.

FDC 7/7386 LRO IAP MT PLEASANT RGNL-FAISON FIELD, MOUNT PLEASANT, SC. RNAV (GPS) RWY 35, ORIG-C...CHART TDZE 12, DELETE THRE 11. LNAV HAT CATS A/B/C 348. THIS IS RNAV (GPS) RWY 35, ORIG-D. 1702231820-PERM.

FDC 7/5565 LRO IAP MT PLEASANT RGNL-FAISON FIELD, MOUNT PLEASANT, SC. RNAV (GPS) RWY 35, ORIG-C...LNAV CATS A/B/C MDA 380/HAT 369. ANTENNA 130 MSL 4727 FT SW OF RWY 35 (2017-ASO-5298-OE). 1704261311-1712061311EST.

NORTH MYRTLE BEACH

Grand Strand

FDC 7/3840 CRE IAP GRAND STRAND, NORTH MYRTLE BEACH, SC. ILS OR LOC/DME RWY 23, AMDT 12...CHART TDZE 29, DELETE THRE 29. CHART NOTE: DME REQUIRED. THIS IS ILS OR LOC RWY 23, AMDT 12A 1703121556-PERM.

FDC 7/3837 CRE IAP GRAND STRAND, NORTH MYRTLE BEACH, SC. RNAV (GPS) RWY 23, AMDT 1...CHART TDZE 29, DELETE THRE 29. THIS IS RNAV (GPS) RWY 23, AMDT 1A. 1703121556-PERM.

FDC 6/0409 CRE IAP GRAND STRAND, NORTH MYRTLE BEACH, SC. ILS OR LOC/DME RWY 23, AMDT 12...TERMINAL ROUTES ASHES INT/CRE VORTAC 18.5 DME (IAF) TO FIPEG/I-CRE 12 DME (NOPT) AND CHAMS INT/CRE VORTAC 16.6 DME (IAF) TO FIPEG/I-CRE 12 DME (NOPT) NA EXCEPT FOR AIRCRAFT EQUIPPED WITH SUITABLE RNAV SYSTEM WITH GPS. CRE VORTAC UNUSABLE. 1611181255-1706301255EST.

ORANGEBURG

Orangeburg Muni

FDC 7/8811 OGB ODP ORANGEBURG MUNI, ORANGEBURG, SC. TAKEOFF MINIMUMS AND (OBSTACLE) DEPARTURE PROCEDURES AMDT 3A...NOTE: RWY 35, POWER POLE 3374 FT FROM DER, 662 FT RIGHT OF CENTERLINE, 97 FT AGL/296 FT MSL. ALL OTHER DATA REMAINS AS PUBLISHED. 1701291621-1709101621EST.

FDC 6/1477 OGB IAP ORANGEBURG MUNI, ORANGEBURG, SC. RNAV (GPS) RWY 5, AMDT 1B...LNAV VIS CAT A/B 1, CAT C/D VIS 1 1/8. CHANGE ALTIMETER SETTING NOTE TO READ: WHEN LOCAL ALTIMETER SETTING NOT RECEIVED, USE COLUMBIA METROPOLITAN ALTIMETER SETTING AND INCREASE LPV DA TO 542, LNAV/VNAV DA TO 683 AND ALL MDA 80 FEET, INCREASE LPV AND LNAV/VNAV ALL CATS, LNAV CAT C/D AND CIRCLING CAT C/D VISIBILITY 1/4 MILE. CHANGE HELICOPTER VISIBILITY REDUCTION NOTE TO READ: RWY 5 HELICOPTER VISIBILITY REDUCTION BELOW 3/4 SM NOT AUTHORIZED. 1611202018-1707022018EST.

PELION

Lexington County At Pelion

FDC 7/6665 6J0 IAP LEXINGTON COUNTY AT PELION, PELION, SC. RNAV (GPS) RWY 36, ORIG...LPV DA 757. LNAV/VNAV DA 793. LNAV HAT CATS A/B 428. CHART NOTE: RWY 36 HELICOPTER VISIBILITY REDUCTION BELOW 3/4 SM NOT AUTHORIZED. DELETE NOTE: VISIBILITY REDUCTION BY HELICOPTERS NA. CHART TDZE 452, DELETE THRE 451. THIS IS RNAV (GPS) RWY 36, ORIG A. 1704061647-PERM.

FDC 7/6664 6J0 IAP LEXINGTON COUNTY AT PELION, PELION, SC. RNAV (GPS) RWY 18, ORIG...LPV DA 757. LNAV/VNAV 797. LNAV HAT CATS A/B 488. CHART NOTE: RWY 18 HELICOPTER VISIBILITY REDUCTION BELOW 3/4 SM NOT AUTHORIZED. CHART TDZE 452, DELETE THRE 451. DELETE NOTE: VISIBILITY REDUCTION BY HELICOPTERS NA. THIS IS RNAV (GPS) RWY 18, ORIG A. 1704061647-PERM.

ROCK HILL

Rock Hill/York Co/Bryant Field

FDC 7/9382 UZA SID ROCK HILL/YORK CO/BRYANT FIELD, ROCK HILL, SC. BOBCAT SEVEN DEPARTURE...ZAVR TRANSITION NA EXCEPT FOR AIRCRAFT EQUIPPED WITH SUITABLE RNAV SYSTEM WITH GPS. CLT VOR/DME RADIALS R-270 TO R-280 UNUSABLE. 1703011607-1710111607EST.

FDC 7/4267 UZA SID ROCK HILL/YORK CO/BRYANT FIELD, ROCK HILL, SC. BEAVY THREE DEPARTURE (RNAV)...GANDT TRANSITION: CHANGE COMPUTER CODE TO (BEAVY3.GANDT). JENDO TRANSITION: CHANGE COMPUTER CODE TO (BEAVY3.JENDO). ALL OTHER DATA REMAINS AS PUBLISHED. 1703131530-1707181530EST.

FDC 7/2259 UZA SID ROCK HILL/YORK CO/BRYANT FIELD, ROCK HILL, SC. BOBCAT SEVEN DEPARTURE...HORNET EIGHT DEPARTURE...PANTHER THREE DEPARTURE...NOTE: UPON REACHING 10000 MSL, ACCELERATE TO AND MAINTAIN 280 KIAS, IF UNABLE ADVISE ATC. DISREGARD NOTE: DO NOT EXCEED 280K UNTIL ADVISED BY ATC. ALL OTHER DATA REMAINS AS PUBLISHED. 1703291435-1711081435EST.

FDC 7/2258 UZA SID ROCK HILL/YORK CO/BRYANT FIELD, ROCK HILL, SC. BOBZY TWO DEPARTURE (RNAV)...ESTRR TWO DEPARTURE (RNAV)...JOJJO TWO DEPARTURE (RNAV)...WEAZL TWO DEPARTURE (RNAV)...NOTE: UPON REACHING 10000 MSL, ACCELERATE TO AND MAINTAIN 280 KIAS, IF UNABLE ADVISE ATC. DISREGARD NOTE: UPON REACHING 10000 MSL, ACCELERATE TO 280K, IF UNABLE ADVISE ATC. ALL OTHER DATA REMAINS AS PUBLISHED. 1703291435-1711081435EST.

FDC 7/0681 UZA IAP ROCK HILL/YORK CO/BRYANT FIELD, ROCK HILL, SC. RNAV (GPS) RWY 20, AMDT 1...LPV DA 912. LNAV/VNAV DA 1039. LNAV HAT 398 ALL CATS. CHART TDZE 662, DELETE THRE 661. CHART NOTE: RWY 20 HELICOPTER VISIBILITY REDUCTION BELOW 3/4 SM NOT AUTHORIZED. DELETE NOTE: VISIBILITY REDUCTION BY HELICOPTERS NA. THIS IS RNAV (GPS) RWY 20, AMDT 1A. 1702022029-PERM.

FDC 6/9082 UZA STAR ROCK HILL/YORK
CO/BRYANT FIELD, ROCK HILL, SC. RASLN ONE
ARRIVALREVISE VERTICAL NAVIGATION
PLANNING INFORMATION AT RASLN TO READ
TURBOPROP/PROP LANDING NORTH EXPECT
8000FT LANDING SOUTH EXPECT 10000FT
TURBOJET LANDING NORTH EXPECT 11000FT AND
250K LANDING SOUTH EXPECT 14000FT AND 250K.
1607210900-1707210900EST.

FDC 5/6584 UZA STAR ROCK HILL/YORK
CO/BRYANT FIELD, ROCK HILL, SC SHINE SIX
ARRIVAL PROCEDURE NOT AUTHORIZED
1510150400-PERM.

SPARTANBURG

Spartanburg Downtown Memorial

FDC 7/7469 SPA IAP SPARTANBURG DOWNTOWN
MEMORIAL, SPARTANBURG, SC. RNAV (GPS) RWY
23, ORIG...CHART TDZE 801, DELETE THRE 789. LPV
DA 1001. LNAV/VNAV DA 1096. LNAV HAT 539 ALL
CATS. THIS IS RNAV (GPS) RWY 23, ORIG-A.
1702232045-PERM.

FDC 7/7468 SPA IAP SPARTANBURG DOWNTOWN
MEMORIAL, SPARTANBURG, SC. RNAV (GPS) RWY 5,
ORIG...CHART TDZE 801, DELETE THRE 793. LPV DA
1001. LNAV/VNAV DA 1339. LNAV HAT 479 ALL CATS.
THIS IS RNAV (GPS) RWY 5, ORIG-A.
1702232045-PERM.

FDC 7/7467 SPA IAP SPARTANBURG DOWNTOWN
MEMORIAL, SPARTANBURG, SC. ILS OR LOC RWY 5,
AMDT 1A...CHART TDZE 801, DELETE THRE 793.
S-ILS 5 DA 1001. S-LOC 5 HAT 399 ALL CATS. THIS IS
ILS OR LOC RWY 5, AMDT 1B. 1702232045-PERM.

SUMMERVILLE

Summerville

FDC 7/6340 DYB IAP SUMMERVILLE,
SUMMERVILLE, SC. RNAV (GPS) RWY 6,
ORIG-A...LPV DA NA. LNAV/VNAV DA NA. LNAV
MDA NA. 1701201834-1709011834EST.

FDC 7/4467 DYB IAP SUMMERVILLE,
SUMMERVILLE, SC. NDB RWY 6, AMDT 1A...NOTE:
PROCEDURE NA AT NIGHT. NOTE: HELICOPTER
VISIBILITY REDUCTION BELOW 1 SM NOT
AUTHORIZED. 1701141900-1708261900EST.

SUMTER

Sumter

FDC 7/6929 SMS IAP SUMTER, SUMTER, SC. ILS OR
LOC/DME RWY 23, ORIG...S-LOC 23 VIS CAT C 7/8.
1704062216-1711162216EST.

UNION

Union County, Troy Shelton Field

FDC 7/1436 35A IAP UNION COUNTY, TROY
SHELTON FIELD, UNION, SC. RNAV (GPS) RWY 5,
ORIG-A...LP HAT CATS A/B 396 LNAV HAT CATS A/B
436. CHART TDZE 604, DELETE THRE 573. CHART
NOTE: RWY 5, 23 HELICOPTER VISIBILITY
REDUCTION BELOW 1 SM NOT AUTHORIZED.
CHART PROFILE NOTE: VISUAL SEGMENT -
OBSTACLES. DELETE PROFILE NOTE: DESCENT
ANGLE NA. DELETE NOTE: HELICOPTER VISIBILITY
REDUCTION BELOW 1 SM NOT AUTHORIZED. THIS
IS RNAV (GPS) RWY 5, ORIG-B. 1702061842-PERM.

WINNSBORO

Fairfield County

FDC 7/2223 FDW IAP FAIRFIELD COUNTY,
WINNSBORO, SC. RNAV (GPS) RWY 22, AMDT
1B...STRAIGHT-IN RWY 22 PROCEDURES NA..
1702072333-1709192333EST.

FDC 7/2221 FDW IAP FAIRFIELD COUNTY,
WINNSBORO, SC. RNAV (GPS) RWY 4, AMDT
1B...LPV DA NA, LNAV/VNAV DA NA.
1702072331-1709192331EST.

SOUTH DAKOTA

CHAMBERLAIN

Chamberlain Muni

FDC 6/1606 9V9 IAP CHAMBERLAIN MUNI,
CHAMBERLAIN, SD. RNAV (GPS) RWY 13,
ORIG...RNAV (GPS) RWY 31, ORIG...DESCENT ANGLE
3.05/TCH 40 NA. 1611202326-1707022326EST.

HIGHMORE

Highmore Muni

FDC 7/2210 9D0 IAP HIGHMORE MUNI, HIGHMORE,
SD. RNAV (GPS) RWY 13, ORIG...LPV DA 2203.
LNAV/VNAV DA 2203. LNAV HAT 408 ALL CATS.
1703081447-1710181447EST.

HURON

Huron Rgnl

FDC 6/8585 HON IAP HURON RGNL, HURON, SD. ILS
OR LOC RWY 12, AMDT 10...RNAV (GPS) RWY 12,
ORIG...VOR RWY 12, AMDT 22...NOTE: CIRCLING
RWY 17, 35 NA AT NIGHT.
1612072206-1707192206EST.

FDC 6/8504 HON IAP HURON RGNL, HURON, SD.
LOC/DME BC RWY 30, AMDT 13...RNAV (GPS) RWY
30, AMDT 1A...NOTE: HELICOPTER VISIBILITY
REDUCTION BELOW 3/4 SM NOT AUTHORIZED.
NOTE: CIRCLING RWY 17, 35 NA AT NIGHT.
1612072131-1707192130EST.

MADISON

Madison Muni

FDC 7/6179 MDS IAP MADISON MUNI, MADISON,
SD. RNAV (GPS) RWY 15, ORIG-A...DISREGARD
NOTES: WHEN VGSi INOPERATIVE,
STRAIGHT-IN/CIRCLING RWY 15 PROCEDURE NA AT
NIGHT. WHEN RWY 33 VGSi INOPERATIVE,
CIRCLING TO RWY 33 NA AT NIGHT. CHANGE
HELICOPTER VISIBILITY REDUCTION NOTE TO
READ: RWY 15 HELICOPTER VISIBILITY
REDUCTION BELOW 3/4 SM NOT AUTHORIZED. VDP
1.16 NM TO RWY15. 1704061133-1711161133EST.

MARTIN

Martin Muni

FDC 7/0442 9V6 IAP MARTIN MUNI, MARTIN, SD.
RNAV (GPS) RWY 32, ORIG-A...LPV MINIMUMS NA.
1701032158-1708152158EST.

RAPID CITY

Rapid City Rgnl

FDC 7/5684 RAP IAP RAPID CITY RGNL, RAPID
CITY, SD. ILS OR LOC RWY 32, AMDT 20...S-LOC 32:
DME REQUIRED EXCEPT FOR AIRCRAFT EQUIPPED
WITH SUITABLE RNAV SYSTEM WITH GPS, RANCH
(RA) LOM OUT OF SERVICE.
1704261414-1712061414EST.

FDC 7/5542 RAP IAP RAPID CITY RGNL, RAPID
CITY, SD. RNAV (GPS) RWY 23, ORIG-A...RNAV (GPS)
RWY 5, ORIG-A...VOR OR TACAN RWY 14,
ORIG-F...VOR OR TACAN RWY 32, AMDT 24G...NOTE:
NIGHT LANDING RWY 5 NA.
1704051227-1711151227EST.

SIOUX FALLS

Joe Foss Field

FDC 6/5069 FSD ODP JOE FOSS FIELD, SIOUX
FALLS, SD. TAKEOFF MINIMUMS AND (OBSTACLE)
DEPARTURE PROCEDURES AMDT 8...TAKEOFF
MINIMUMS: RWY 9/27 NA- ATC. ALL OTHER DATA
REMAINS AS PUBLISHED.
1612271550-1708081548EST.

SPEARFISH

Black Hills-Clyde Ice Field

FDC 7/6844 SPF IAP BLACK HILLS-CLYDE ICE
FIELD, SPEARFISH, SD. RNAV (GPS) RWY 13,
ORIG-C...LNAV/VNAV DA/HAT 4842/958 ALL CATS.
LNAV MDA/HAT 4720/836 ALL CATS. CIRCLING CAT
B MDA/HAA 4920/987, CAT C 5540/1607, CAT B VIS 1
1/2, CAT C 3. NOTE: CIRCLING NA TO RWYS 8, 26
AND 4, 22. 1704272003-1712072003EST.

FDC 6/1540 SPF IAP BLACK HILLS-CLYDE ICE
FIELD, SPEARFISH, SD. RNAV (GPS) RWY 31,
ORIG-C...LPV CATS A/B/C VISIBILITY 1 MILE. LNAV
MDA 5480/HAT 1585 ALL CATS, VISIBILITY CAT B 1
1/2, CAT C 3. CIRCLING MDA 5480/HAA 1547 ALL
CATS, VISIBILITY CAT C 3. ALTERNATE MINIMUMS:
CATEGORY A/B: 1600-2, CATEGORY C:1600-3. NOTE:
CIRCLING NA TO RWYS 8, 26 AND 4, 22.
1611202055-1707022055EST.

WAGNER

Wagner Muni

FDC 7/9271 AGZ IAP WAGNER MUNI, WAGNER, SD.
RNAV (GPS) RWY 9, ORIG-A...NOTE: CIRCLING TO
RWYS 14 AND 32 NA. DISREGARD NOTE: CIRCLING
TO RWY 27 NA AT NIGHT. 1703011527-1710111527EST.

FDC 7/9265 AGZ IAP WAGNER MUNI, WAGNER, SD.
RNAV (GPS) RWY 27, ORIG-A...NOTE: CIRCLING TO
RWYS 14 AND 32 NA. DISREGARD NOTE: RWY 27
STRAIGHT-IN AND CIRCLING MINIMUMS NA AT
NIGHT. DISREGARD NOTE: HELICOPTER VISIBILITY
REDUCTION BELOW 1 SM NOT AUTHORIZED. NOTE:
HELICOPTER VISIBILITY REDUCTION BELOW 3/4
SM NOT AUTHORIZED. 1703011525-1710111525EST.

TENNESSEE

ATHENS

Athens Rgnl Medical Center

FDC 7/4736 2TN5 SPECIAL ATHENS RGNL MEDICAL
CENTER, ATHENS, TN. COPTER RNAV (GPS) 200
DEPARTURE (PILOT NAV)...PROCEDURE NA.
1704241854-1712041854EST.

BOLIVAR

William L Whitehurst Field

FDC 7/3809 M08 IAP WILLIAM L WHITEHURST FIELD, BOLIVAR, TN. RNAV (GPS) RWY 19, AMDT 1...LP HAT 343 ALL CATS. LNAV HAT 423 ALL CATS. CHART TDZE 497, DELETE THRE 493. CHART NOTE: RWY 19 HELICOPTER VISIBILITY REDUCTION BELOW 3/4 SM NOT AUTHORIZED. CHART NOTE: RWY 1 HELICOPTER VISIBILITY REDUCTION BELOW 1 SM NOT AUHTORIZED. CHART PROFILE NOTE: VISUAL SEGMENT - OBSTACLES. DELETE PROFILE NOTE: DESCENT ANGLE NA. DELETE NOTE: HELICOPTER VISIBILITY REDUCTION BELOW 3/4 SM NOT AUTHORIZED. THIS IS RNAV (GPS) RWY 19, AMDT 1A. 1702131558-PERM.

FDC 7/3808 M08 IAP WILLIAM L WHITEHURST FIELD, BOLIVAR, TN. RNAV (GPS) RWY 1, AMDT 1...CHART TDZE 499, DELETE THRE 499. CHART NOTE: RWY 1 HELICOPTER VISIBILITY REDUCTION BELOW 1 SM NOT AUTHORIZED. DELETE NOTE: HELICOPTER VISIBILITY REDUCTION BELOW 1 SM NOT AUTHORIZED. CHART PROFILE NOTE: VISUAL SEGMENT - OBSTACLES. DELETE PROFILE NOTE: DESCENT ANGLE NA. THIS IS RNAV (GPS) RWY 1, AMDT 1A. 1702131558-PERM.

BRISTOL/JOHNSON/KINGSPORT

Tri-Cities Rgnl Tn/Va

FDC 7/9871 TRI IAP TRI-CITIES RGNL TN/VA, BRISTOL/JOHNSON/KINGSPORT, TN. RNAV (GPS) RWY 27, ORIG...DISREGARD NOTE: WHEN VGSI INOPERATIVE, CIRCLING TO RWY 27 NA AT NIGHT. CIRCLING TO RWY 9 NA AT NIGHT. STRAIGHT-IN MINIMUMS NA AT NIGHT. NOTE: NIGHT LANDING: RWY 9, 27 NA AT NIGHT. CHANGE HELICOPTER RESTRICTION NOTE TO READ: VISIBILITY REDUCTION BELOW 1 SM NOT AUTHORIZED.. 1703241532-1711031532EST.

FDC 7/9869 TRI IAP TRI-CITIES RGNL TN/VA, BRISTOL/JOHNSON/KINGSPORT, TN. RNAV (GPS) RWY 9, ORIG-A...DISREGARD NOTES: STRAIGHT-IN MINIMUMS NA AT NIGHT. CIRCLING TO RWY 9 NA AT NIGHT. WHEN VGSI INOPERATIVE, CIRCLING TO RWY 27 NA AT NIGHT. NOTE: NIGHT LANDING: RWY 9, 27 NA AT NIGHT. CHANGE HELICOPTER RESTRICTION NOTE TO READ: VISIBILITY REDUCTION BELOW 1 SM NOT AUTHORIZED.. 1703241530-1711031530EST.

FDC 7/8834 TRI ODP TRI-CITIES RGNL TN/VA, BRISTOL/JOHNSON/KINGSPORT, TN. TRICITIES ONE DEPARTURE...DEPARTURE PROCEDURE TAKEOFF RWY 23 NA EXCEPT FOR AIRCRAFT EQUIPPED WITH SUITABLE RNAV SYSTEM WITH GPS, HMV VORTAC OUT OF SERVICE. 1705021649-1706301649EST.

FDC 7/0041 TRI ODP TRI-CITIES RGNL TN/VA, BRISTOL/JOHNSON/KINGSPORT, TN. TRICITIES ONE DEPARTURE...TAKEOFF MINIMUMS: RWY 9, 300-1 1/2 OR STANDARD WITH MINIMUM CLIMB OF 216 FT PER NM TO 1800, OR ALTERNATIVELY, WITH STANDARD TAKEOFF MINIMUMS AND A NORMAL 200 FT PER NM CLIMB GRADIENT, TAKEOFF MUST OCCUR NO LATER THAN 1600 FT PRIOR TO DER. RWY 23, 300-1 1/2 OR STANDARD WITH MINIMUM CLIMB OF 367 FT PER NM TO 1800. RWY 27, 400-2 1/4. ALL OTHER DATA REMAINS AS PUBLISHED. 1703241938-1711031938EST.

CHATTANOOGA

Erlanger Medical Center

FDC 7/4739 0TN8 SPECIAL ERLANGER MEDICAL CENTER, CHATTANOOGA, TN. COPTER GPS 032 DEPARTURE (PILOT NAV)...PROCEDURE NA. 1704241856-1712041856EST.

Lovell Field

FDC 7/2161 CHA IAP LOVELL FIELD, CHATTANOOGA, TN. RNAV (GPS) RWY 33, ORIG-B...VOR RWY 33, AMDT 17A...STRAIGHT-IN RWY 33, CIRCLING RWY 15 NA AT NIGHT. NOTE: RWY 33: HELICOPTER VISIBILITY REDUCTION BELOW 1 SM NOT AUTHORIZED. 1704182140-1706072140EST.

FDC 7/2160 CHA IAP LOVELL FIELD, CHATTANOOGA, TN. RNAV (GPS) RWY 15, ORIG-B...STRAIGHT-IN RWY 15, CIRCLING RWY 33 NA NIGHT. NOTE: RWY 15: HELICOPTER VISIBILITY REDUCTION BELOW 1 SM NOT AUTHORIZED. 1704182140-1706072140EST.

FDC 7/2159 CHA IAP LOVELL FIELD, CHATTANOOGA, TN. ILS OR LOC RWY 2, AMDT 7C...ILS OR LOC RWY 20, AMDT 36B...RNAV (GPS) RWY 2, AMDT 1...RNAV (GPS) RWY 20, AMDT 1...CIRCLING TO RWYS 15, 33 NA AT NIGHT. 1704182140-1706072140EST.

FDC 7/2158 CHA IAP LOVELL FIELD, CHATTANOOGA, TN. RADAR RWY 02 - MAP 0.0, AMDT 9...RADAR RWY 20 - MAP 0.0, AMDT 9...CIRCLING RWY 15, 33 NA AT NIGHT. 1704182140-1706072140EST.

FDC 7/2157 CHA IAP LOVELL FIELD, CHATTANOOGA, TN. RADAR RWY 33 - MAP 0.0, AMDT 9...STRAIGHT-IN RWY 33, CIRCLING TO RWY 15 NOT AUTHORIZED AT NIGHT. 1704182140-1706072140EST.

CLARKSVILLE

Outlaw Field

FDC 6/7776 CKV IAP OUTLAW FIELD, CLARKSVILLE, TN. VOR RWY 35, AMDT 15G...CIRCLING CAT D MDA 1200/HAA 650. CHART CIRCLING ICON. CHANGE BACKUP ALTIMETER SETTING NOTE TO READ: WHEN LOCAL ALTIMETER SETTING NOT RECEIVED, USE CAMPBELL AAF ALTIMETER SETTING. DELETE NOTE: NIGHT LANDING: RWY 5/23 NA. CHART NOTE: CIRCLING RWY 23 NA AT NIGHT. CHART CAMPBELL MOA. 1612071313-1707191311EST.

CLEVELAND

Bradley Memorial Hospital

FDC 7/4919 33TN SPECIAL BRADLEY MEMORIAL HOSPITAL, CLEVELAND, TN. COPTER RNAV (GPS) 289 DEPARTURE (PILOT NAV)...PROCEDURE NA. 1704251219-1712051219EST.

Cleveland Rgnl Jetport

FDC 7/8743 RZR IAP CLEVELAND RGNL JETPORT, CLEVELAND, TN. RNAV (GPS) RWY 3, AMDT 1A...LPV DA/HAT1596/753 ALL CATS, VISIBILITY ALL CATS 3. LNAV/VNAV DA/HAT1616/782 ALL CATS, VISIBILITY ALL CATS 3. CHANGE NOTE: WHEN LOCAL ALTIMETER SETTING NOT RECEIVED, USE CHATTANOOGA ALTIMETER SETTING AND INCREASE LPV DA TO 1673 ALL CATS; INCREASE LNAV/VNAV DA TO 1693; INCREASE ALL MDA 80 FEET AND INCREASE LNAV CAT C/D AND CIRCLING CAT C VISIBILITY 1/4. 1702281312-1710101312EST.

COLUMBIA/MOUNT PLEASANT

Maury County

FDC 7/9312 MRC IAP MAURY COUNTY, COLUMBIA/MOUNT PLEASANT, TN. RNAV (GPS) RWY 24, ORIG...LNAV MDA 1220/HAT 539 ALL CATS. VDP 1.6 NM TO RW24. 1705031334-1712131333EST.

FDC 7/1810 MRC ODP MAURY COUNTY, COLUMBIA/MOUNT PLEASANT, TN. TAKEOFF MINIMUMS AND (OBSTACLE) DEPARTURE PROCEDURES AMDT 3...DEPARTURE PROCEDURE : TAKEOFF MINIMUMS: RWY 6, 400-1 1/2 OR STANDARD WITH A MINIMUM CLIMB OF 293 FEET PER NM TO 1100. ALL OTHER DATA REMAINS AS PUBLISHED. 1704181339-1711281338EST.

COPPERHILL

Copper Basin Medical Center

FDC 7/4923 23TN SPECIAL COPPER BASIN MEDICAL CENTER, COPPERHILL, TN. COPTER RNAV 150 DEPARTURE (PILOT NAV)...PROCEDURE NA. 1704251222-1712051222EST.

FDC 7/1788 23TN SPECIAL COPPER BASIN MEDICAL CENTER, COPPERHILL, TN. COPTER RNAV 330, ORIG...MISSED APPROACH: CLIMB TO 6400 DIRECT EPYAP WP AND HOLD. 1701061628-1708181628EST.

Martin Campbell Field

FDC 7/9063 1A3 IAP MARTIN CAMPBELL FIELD, COPPERHILL, TN. RNAV (GPS) RWY 20, ORIG...CHART TDZE 1789, DELETE THRE 1789. CHART NOTE: RWY 20 HELICOPTER VISIBILITY REDUCTION BELOW 1 SM NOT AUTHORIZED. THIS IS RNAV (GPS) RWY 20, ORIG-A. 1705022127-PERM.

FDC 7/9061 1A3 IAP MARTIN CAMPBELL FIELD, COPPERHILL, TN. RNAV (GPS) RWY 2, ORIG...LP HAT CATS A/B/C 811. LNAV HAT CATS A/B/C 811. CHART TDZE 1789, DELETE THRE 1772. CHART NOTE: RWY 2 HELICOPTER VISIBILITY REDUCTION BELOW 1 SM NOT AUTHORIZED. THIS IS RNAV (GPS) RWY 2, ORIG-A. 1705022127-PERM.

CROSSVILLE

Crossville Memorial-Whitson Field

FDC 7/9034 CSV IAP CROSSVILLE MEMORIAL-WHITSON FIELD, CROSSVILLE, TN. RNAV (GPS) RWY 26, ORIG...LNAV MDA 2440/HAT 569 ALL CATS, VISIBILITY CAT C/D 1 5/8. CIRCLING CATS A/B/C MDA 2440/HAA 559, CAT D MDA 2540/HAA 639, VISIBILITY 2. CHART CIRCLING ICON. THIS IS RNAV (GPS) RWY 26, ORIG-B. 1705022118-PERM.

FDC 7/9033 CSV IAP CROSSVILLE MEMORIAL-WHITSON FIELD, CROSSVILLE, TN. VOR/DME A AMDT 9A...CIRCLING CAT D MDA 2540/HAA 659. CHART CIRCLING ICON. CHART NOTE: DME REQUIRED. THIS IS VOR-A AMDT 9B...1705022116-PERM.

FDC 7/9032 CSV IAP CROSSVILLE MEMORIAL-WHITSON FIELD, CROSSVILLE, TN. ILS Z OR LOC Z RWY 26, AMDT 14B...CIRCLING CAT D MDA 2540/HAA 659. THIS IS ILS Z OR LOC Z RWY 26, AMDT 14C. 1705022114-PERM.

FDC 7/9031 CSV IAP CROSSVILLE MEMORIAL-WHITSON FIELD, CROSSVILLE, TN. ILS Y OR LOC Y RWY 26, ORIG-B...CIRCLING CAT D MDA 2540/HAA 659. THIS IS ILS Y OR LOC Y RWY 26, ORIG-C. 1705022110-PERM.

DAYTON

Mark Anton

FDC 7/0664 2A0 IAP MARK ANTON, DAYTON, TN. RNAV (GPS) RWY 21, AMDT 1...CHART NOTE: RWY 21 HELICOPTER VISIBILITY REDUCTION BELOW 1 SM NOT AUTHORIZED. DELETE NOTE: VISIBILITY REDUCTION BY HELICOPTERS NA. CHART TDZE 718, DELETE THRE 718. THIS IS RNAV (GPS) RWY 21, AMDT 1A. 1702022020-PERM.

FDC 7/0663 2A0 IAP MARK ANTON, DAYTON, TN. RNAV (GPS) RWY 3, ORIG...LPV DA 964. LNAV/VNAV DA 1213. LNAV HAT 466 ALL CATS. CHART NOTE: RWY 3 HELICOPTER VISIBILITY REDUCTION BELOW 3/4 SM NOT AUTHORIZED. CHART NOTE: RWY 21 HELICOPTER VISIBILITY REDUCTION BELOW 1 SM NOT AUTHORIZED. DELETE NOTE: VISIBILITY REDUCTION BY HELICOPTERS NA. CHART TDZE 714, DELETE THRE 711. THIS IS RNAV (GPS) RWY 3, ORIG-A. 1702022020-PERM.

DUNLAP

Sequatchie County

FDC 7/4928 18TN SPECIAL SEQUATCHIE COUNTY, DUNLAP, TN. COPTER RNAV 041 DEPARTURE (PILOT NAV)...PROCEDURE NA. 1704251224-1712051224EST.

FDC 7/1798 18TN SPECIAL SEQUATCHIE COUNTY, DUNLAP, TN. COPTER RNAV 221, ORIG...MISSED APPROACH: CLIMBING LEFT TURN TO 4000 DIRECT TO ENOGY WP AND HOLD. 1701061637-1708181637EST.

GREENEVILLE

Greeneville-Greene County Muni

FDC 7/7556 GCY IAP GREENEVILLE-GREENE COUNTY MUNI, GREENEVILLE, TN. NDB RWY 5, AMDT 5...S-5 HAT 552 ALL CATS. CHART TDZE 1608, DELETE THRE 1590. CHART NOTE: CIRCLING RWY 23 NA AT NIGHT. DELETE NOTE: NIGHT LANDING: RWY 23 NA. THIS IS NDB RWY 5, AMDT 5A. 1701251449-PERM.

FDC 7/7555 GCY IAP GREENEVILLE-GREENE COUNTY MUNI, GREENEVILLE, TN. RNAV (GPS) RWY 5, ORIG...LPV DA 1876. LNAV/VNAV DA 2189. LNAV HAT 532 ALL CATS. CHART TDZE 1608, DELETE THRE 1590. CHART NOTE: CIRCLING RWY 23 NA AT NIGHT. DELETE NOTE: NIGHT LANDING: RWY 23 NA. THIS IS RNAV (GPS) RWY 5, ORIG-A. 1701251449-PERM.

HOHENWALD

John A Baker Fld

FDC 7/5268 0M3 IAP JOHN A BAKER FLD, HOHENWALD, TN. RNAV (GPS) RWY 2, AMDT 1...LP HAT CATS A/B/C 554. LNAV HAT CATS A/B/C 554. CHART TDZE 966, DELETE THRE 949. CHART NOTE: PROCEDURE NA AT NIGHT. CHART NOTE: RWY 2, 20 HELICOPTER VISIBILITY REDUCTION NOT AUTHORIZED. DELETE NOTE: VISIBILITY REDUCTION BY HELICOPTERS NA. DELETE NOTE: WHEN VGSI INOP, CIRCLING RWY 20 NA AT NIGHT. DELETE NOTE: WHEN VGSI INOP, STRAIGHT-IN/CIRCLING RWY 2 PROCEDURE NA AT NIGHT. THIS IS RNAV (GPS) RWY 2, AMDT 1A. 1702161745-PERM.

JACKSON

Mc Kellar-Sipes Rgnl

FDC 7/2145 MKL IAP MC KELLAR-SIPES RGNL, JACKSON, TN. VOR RWY 2, AMDT 13...NOTE: NIGHT LANDING: RWY 29 NA. 1702072254-1709192254EST.

JASPER

Marion County-Brown Field

FDC 7/2340 APT IAP MARION COUNTY-BROWN FIELD, JASPER, TN. RNAV (GPS) RWY 4, ORIG-A...DESCENT ANGLE 3.07/TCH 40 NA. VDP NA. NOTE: PROCEDURE NA AT NIGHT. NOTE: HELICOPTER VISIBILITY REDUCTION BELOW 1 SM NA. 1704191223-1711291223EST.

KNOXVILLE

Mc Ghee Tyson

FDC 7/2377 TYS IAP MC GHEE TYSON, KNOXVILLE, TN. VOR RWY 23L, AMDT 5...PROFILE NOTE: VGSI AND ILS GLIDEPATH NOT COINCIDENT (VGSI ANGLE 3.00/TCH 50.1). 1703081553-1710181553EST.

FDC 7/2318 TYS IAP MC GHEE TYSON, KNOXVILLE, TN. HI-ILS OR LOC RWY 23L, ORIG...PROFILE NOTE: VGSI AND ILS GLIDEPATH NOT COINCIDENT (VGSI ANGLE 3.00/TCH 50.1) THIS IS A MILITARY NOTAM...1703081540-1710181540EST.

FDC 7/1953 TYS ODP MC GHEE TYSON, KNOXVILLE, TN. TAKEOFF MINIMUMS AND (OBSTACLE) DEPARTURE PROCEDURES AMDT 7...TAKE-OFF MINIMUMS: RWY 05L, NA. ALL OTHER DATA REMAINS AS PUBLISHED. 1703291153-1711081153EST.

FDC 7/1801 TYS IAP MC GHEE TYSON, KNOXVILLE, TN. RNAV (GPS) RWY 23R, AMDT 2...VOR RWY 23R, AMDT 7...ILS OR LOC RWY 23R, AMDT 13...ILS RWY 23R (SA CAT I), AMDT 13...ILS RWY 23R (CAT II), AMDT 13...PROCEDURE NA. 1703282203-1711072203EST.

FDC 7/1193 TYS IAP MC GHEE TYSON, KNOXVILLE, TN. RADAR-1, AMDT 22...CIRCLING CAT B MDA 1540/HAA 559. 1704171448-1711271448EST.

LAWRENCEBURG

Lawrenceburg-Lawrence County

FDC 7/8616 2M2 IAP LAWRENCEBURG-LAWRENCE COUNTY, LAWRENCEBURG, TN. RNAV (GPS) RWY 35, ORIG-A...CHART TDZE 927. DELETE THRE 927. CHART NOTE: CIRCLING RWY 17 NA AT NIGHT. CHART NOTE: RWY 17 HELICOPTER VISIBILITY REDUCTION BELOW 1 SM NOT AUTHORIZED. CHART NOTE: RWY 35 HELICOPTER VISIBILITY REDUCTION BELOW 3/4 SM NOT AUTHORIZED. DELETE NOTE: PROCEDURE NA AT NIGHT. DELETE NOTE: HELICOPTER VISIBILITY REDUCTION BELOW 1 SM NOT AUTHORIZED. THIS IS RNAV (GPS) RWY 35, ORIG-B. 1701272000-PERM.

FDC 7/0850 2M2 IAP LAWRENCEBURG-LAWRENCE COUNTY, LAWRENCEBURG, TN. RNAV (GPS) RWY 17, ORIG-A...CHART TDZE 936, DELETE THRE 936. CHART NOTE: STRAIGHT-IN RWY 17 NA AT NIGHT, CIRCLING RWY 17 NA AT NIGHT. CHART NOTE: RWY 17 HELICOPTER VISIBILITY REDUCTION BELOW 1 SM NOT AUTHORIZED. DELETE NOTE: NIGHT LANDING: RWY 17 NA. DELETE NOTE: HELICOPTER VISIBILITY REDUCTION BELOW 1 SM NOT AUTHORIZED. THIS IS RNAV (GPS) RWY 17, ORIG-B. 1702031315-PERM.

LEWISBURG

Ellington

FDC 7/8083 LUG IAP ELLINGTON, LEWISBURG, TN. RNAV (GPS) RWY 20, AMDT 1...CHART TDZE 709, DELETE THRE 709. CHART NOTE: RWY 2 HELICOPTER VISIBILITY REDUCTION BELOW 1 SM NOT AUTHORIZED. CHART NOTE: RWY 20 HELICOPTER VISIBILITY REDUCTION BELOW 3/4 SM NOT AUTHORIZED. DELETE NOTE: HELICOPTER VISIBILITY REDUCTION BELOW 3/4 SM NOT AUTHORIZED. THIS IS RNAV (GPS) RWY 20, AMDT 1A. 1701261530-PERM.

FDC 7/6855 LUG IAP ELLINGTON, LEWISBURG, TN. RNAV (GPS) RWY 2, AMDT 1...CHART TDZE 717, DELETE THRE 717. CHART NOTE: RWY 2 HELICOPTER VISIBILITY REDUCTION BELOW 1 SM NOT AUTHORIZED. CHART NOTE: STRAIGHT-IN RWY 2 NA AT NIGHT, CIRCLING RWY 2 NA AT NIGHT. DELETE NOTE: RWY 2 STRAIGHT-IN AND CIRCLING MINIMUMS NA AT NIGHT. DELETE NOTE: HELICOPTER VISIBILITY REDUCTION BELOW 1 SM NOT AUTHORIZED. THIS IS RNAV (GPS) RWY 2, AMDT 1A. 1701232013-PERM.

FDC 7/6342 LUG ODP ELLINGTON, LEWISBURG, TN. TAKEOFF MINIMUMS AND (OBSTACLE) DEPARTURE PROCEDURES AMDT 1...TAKEOFF MINIMUMS: RWY 20, 500-2 3/4 OR STANDARD WITH MINIMUM CLIMB OF 350 FT PER NM TO 1400. NOTE: RWY 2, TREES AND NAVAID BEGINNING 5 FT FROM DER, 496 FT RIGHT OF CENTERLINE, UP TO 55 FT AGL/765 FT MSL. NAVAID 8 FT FROM DER, 112 FT LEFT OF CENTERLINE, 10 FT AGL/710 FT MSL. VEHICLES ON ROAD BEGINNING 353 FT FROM DER, 594 FT RIGHT OF CENTERLINE, UP TO 15 FT AGL/727 FT MSL. TREES BEGINNING 405 FT FROM DER, 569 FT LEFT OF CENTERLINE, UP TO 43 FT AGL/753 FT MSL. TREES BEGINNING 2071 FT FROM DER, 321 FT LEFT OF CENTERLINE, UP TO 89 FT AGL/789 FT MSL. TREES AND TOWER BEGINNING 2182 FT FROM DER, 117 FT RIGHT OF CENTERLINE, UP TO 117 FT AGL/798 FT MSL. RWY 20, TREES AND POLES BEGINNING 38 FT FROM DER, 418 FT LEFT OF CENTERLINE, UP TO 80 FT AGL/790 FT MSL. SIGN, TREES, POLES, VEHICLES ON ROAD, WINDSOCK AND BUILDINGS BEGINNING 56 FT FROM DER, 246 FT RIGHT OF CENTERLINE, UP TO 76 FT AGL/786 FT MSL. TREES BEGINNING 1988 FT FROM DER, 701 FT LEFT OF CENTERLINE, UP TO 76 FT AGL/806 FT MSL. TREES BEGINNING 1857 FT FROM DER, 466 FT RIGHT OF CENTERLINE, UP TO 86 FT AGL/806 FT MSL. ALL OTHER DATA REMAINS AS PUBLISHED. 1701201836-1709011836EST.

LIVINGSTON

Livingston Hospital

FDC 7/1549 34TN SPECIAL LIVINGSTON HOSPITAL, LIVINGSTON, TN. COPTER RNAV 243 DEPARTURE (PILOT NAV)...PROCEDURE NA 1701052145-1708172145.

MANCHESTER

Unity Medical Center

FDC 7/1548 24TN SPECIAL MEDICAL CENTER MANCHESTER, MANCHESTER, TN. COPTER RNAV 280 DEPARTURE (PILOT NAV)...PROCEDURE NA 1701052145-1708172145.

MEMPHIS

General Dewitt Spain

FDC 7/5263 M01 IAP GENERAL DEWITT SPAIN, MEMPHIS, TN. RNAV (GPS) RWY 17, ORIG...LNAV/VNAV DA CATS A/B/C 1016/HAT 791, VIS 3. CHART TDZE 225, DELETE THRE 225. CHART NOTE: CIRCLING RWY 35 NA AT NIGHT CHART NOTE: RWY 17, HELICOPTER VISIBILITY REDUCTION BELOW 3/4 SM NOT AUTHORIZED. CHART NOTE: RWY 35, HELICOPTER VISIBILITY REDUCTION BELOW 1 SM NOT AUTHORIZED. CHART PROFILE NOTE: VGSI AND RNAV GLIDEPATH NOT COINCIDENT (VGSI ANGLE {4.00}/TCH (40)). DELETE NOTE: WHEN VGSI INOP, STRAIGHT-IN/CIRCLING RWY 17 PROCEDURE NA AT NIGHT. DELETE PROFILE NOTE: VGSI AND RNAV GLIDEPATH NOT COINCIDENT. DELETE NOTE: VISIBILITY REDUCTION BY HELICOPTERS NA. THIS IS RNAV (GPS) RWY 17, ORIG-A. 1702161741-PERM.

Memphis Intl

FDC 7/8787 MEM IAP MEMPHIS INTL, MEMPHIS, TN. RNAV (RNP) X RWY 18R, ORIG-D...PROCEDURE NA. 1704121226-1711221226EST.

MILLINGTON

Charles W Baker

FDC 7/9621 2M8 IAP CHARLES W BAKER, MILLINGTON, TN. VOR/DME RWY 18, AMDT 2...CHART TDZE 247, DELETE THRE 247. CHART NOTE: RWY 18 HELICOPTER VISIBILITY REDUCTION BELOW 3/4 SM NOT AUTHORIZED. DELETE NOTE: VISIBILITY REDUCTION BY HELICOPTERS NA. CHART NOTE: DME REQUIRED. THIS IS VOR RWY 18, AMDT 2A 1705031651-PERM.

FDC 7/5262 2M8 IAP CHARLES W BAKER, MILLINGTON, TN. RNAV (GPS) RWY 36, ORIG...LPV DA 586. LNAV/VNAV DA 689. LNAV HAT CATS A/B/C 434. CHART TDZE 246, DELETE THRE 242. CHART NOTE: RWY 36 HELICOPTER VISIBILITY REDUCTION BELOW 3/4 SM NOT AUTHORIZED. DELETE NOTE: VISIBILITY REDUCTION BY HELICOPTERS NA. THIS IS RNAV (GPS) RWY 36, ORIG-A. 1702161734-PERM.

FDC 7/5260 2M8 IAP CHARLES W BAKER, MILLINGTON, TN. RNAV (GPS) RWY 18, ORIG...CHART TDZE 247, DELETE THRE 247. CHART NOTE: RWY 18 HELICOPTER VISIBILITY REDUCTION BELOW 3/4 SM NOT AUTHORIZED. DELETE NOTE: VISIBILITY REDUCTION BY HELICOPTERS NA. THIS IS RNAV (GPS) RWY 18, ORIG-A. 1702161734-PERM.

Millington Rgnl Jetport

FDC 7/4690 NQA IAP MILLINGTON RGNL JETPORT, MILLINGTON/MEMPHIS, TN. VOR/DME OR TACAN RWY 22, AMDT 2A...NOTE: NIGHT LANDING: RWY 22 NA. HELICOPTER VISIBILITY REDUCTION BELOW 1 SM NA. 1704241814-1712041814EST.

FDC 7/4193 NQA IAP MILLINGTON RGNL JETPORT, MILLINGTON/MEMPHIS, TN. ILS OR LOC RWY 22, AMDT 4A...RNAV (GPS) RWY 22, AMDT 1A...RNAV (GPS) RWY 4, AMDT 1A...VOR/DME OR TACAN RWY 22, AMDT 2A...CITY NAME, CHANGE ALL REFERENCE FROM MILLINGTON TO MILLINGTON/MEMPHIS. 1704241225-1712041225EST.

FDC 7/2344 NQA IAP MILLINGTON RGNL JETPORT, MILLINGTON/MEMPHIS, TN. RNAV (GPS) RWY 22, AMDT 1A...LPV DA: 716/HAT 396, VIS 3/4 MILE ALL CATS. LNAV MDA 840/HAT 520 ALL CATS. VIS CAT A/B 3/4, CAT C 1, CAT D/E 1 1/4. CIRCLING CAT A/B/C MDA 840 HAA 520. HELICOPTER VISIBILITY REDUCTION BELOW 3/4 SM NOT AUTHORIZED. PROCEDURE NA FOR ARRIVAL AT DYR VORTAC ON V140 EASTBOUND. CHANGE LOCAL ALTIMETER SETTING NOTE TO READ: WHEN LOCAL ALTIMETER SETTING NOT RECEIVED, USE MEMPHIS ALTIMETER SETTING AND INCREASE ALL DA/MDA 60 FEET, AND INCREASE LPV ALL CATS AND LNAV CAT E AND CIRCLING CAT E VISIBILITY 1/4 MILE. CHANGE FOR INOPERATIVE MALSR NOTE TO READ: FOR INOPERATIVE MALSR, INCREASE LPV DA ALL CATS VISIBILITY TO 1 1/4 MILE, AND LNAV/VNAV AND LNAV CAT E VISIBILITY TO 1 3/4 MILE AND LNAV CAT A/B TO 1 MILE.. NOTE: FOR INOPERATIVE MALSR WHEN USING MEMPHIS ALTIMETER SETTING, INCREASE LPV ALL CATS VISIBILITY TO 1 1/2 MILE, AND LNAV/VNAV CAT E TO 1 3/4 MILE, AND LNAV CAT A/B TO 1 MILE, AND LNAV CAT E TO 2 MILES. 1704191225-1711291225EST.

MOUNTAIN CITY

Johnson County

FDC 7/7527 6A4 IAP JOHNSON COUNTY, MOUNTAIN CITY, TN. RNAV (GPS) RWY 24, ORIG...DESCENT ANGLE 3.42/TCH 40 NA. 1704101209-1711201209EST.

FDC 7/7523 6A4 IAP JOHNSON COUNTY, MOUNTAIN CITY, TN. RNAV (GPS) RWY 6, ORIG...DESCENT ANGLE 3.05/TCH 40 NA. 1704101208-1711201208EST.

FDC 7/0391 6A4 ODP JOHNSON COUNTY, MOUNTAIN CITY, TN. TAKEOFF MINIMUMS AND (OBSTACLE) DEPARTURE PROCEDURES ORIG...CHANGE RWY 24 TAKEOFF MINIMUMS TO READ: 3400-3 FOR CLIMB IN VISUAL CONDITIONS. ADD TO DEPARTURE PROCEDURE: OBTAIN ATC APPROVAL FOR VCOA WHEN REQUESTING IFR CLEARANCE. ALL OTHER DATA REMAINS AS PUBLISHED. 1701032119-1708152119EST.

NASHVILLE

Nashville Intl

FDC 7/7379 BNA IAP NASHVILLE INTL, NASHVILLE, TN. RNAV (RNP) Z RWY 2R, AMDT 2...CHART TDZE 590, DELETE THRE 590. THIS IS RNAV (RNP) Z RWY 2R, AMDT 2A. 1702231816-PERM.

FDC 7/5432 BNA IAP NASHVILLE INTL, NASHVILLE, TN. ILS OR LOC/DME RWY 2R, AMDT 8B...ILS RWY 2R (SA CAT I), AMDT 8B...ILS RWY 2R, (CAT II AND III), AMDT 8B...VOR/DME RWY 13, AMDT 13D...THE BWG 161 RADIAL MAY NOT BE USED TO IDENTIFY THE LENON FIX ON THE PUBLISHED MISSED APPROACH HOLDING PATTERN
1702162117-1709282117EST.

FDC 7/1985 BNA SPECIAL NASHVILLE INTL, NASHVILLE, TN. HEHAW SIX ARRIVAL...MINIMUM ALTITUDE AT GRNIN INT 11000. TERMINAL ROUTE MYS VOR TO GRNIN INT MINIMUM ALTITUDE 11000. 1703081318-1710181318EST.

FDC 6/6586 BNA SID NASHVILLE INTL, NASHVILLE, TN. CHADM THREE DEPARTURE (RNAV)...DANLS THREE DEPARTURE (RNAV)...DRURY THREE DEPARTURE (RNAV)...EVVAN THREE DEPARTURE (RNAV)...FLAME THREE DEPARTURE (RNAV)...GDOGG THREE DEPARTURE (RNAV)...HGGRD THREE DEPARTURE (RNAV)...KRSTA THREE DEPARTURE (RNAV)...NASHVILLE FOUR DEPARTURE...PARDN THREE DEPARTURE (RNAV)...TAZMO THREE DEPARTURE (RNAV)...TIPPN THREE DEPARTURE (RNAV)...TAKEOFF OBSTACLE NOTES: RWY 31: TEMP CRANE 1358 FT FROM DER, 607 FT LEFT OF CENTERLINE, 120 FT AGL/640 FT MSL (2016-ASO-24374-OE). ALL OTHER DATA REMAINS AS PUBLISHED. EXCEPT WHEN ADVISED BY ATCT THAT THIS CRANE IS DOWN.
1612061223-1707181223EST.

FDC 6/6585 BNA ODP NASHVILLE INTL, NASHVILLE, TN. TAKEOFF MINIMUMS AND (OBSTACLE) DEPARTURE PROCEDURES AMDT 8...NOTE: RWY 31, TEMP CRANE 1358 FT FROM DER, 607 FT LEFT OF CENTERLINE, 120 FT AGL/640 FT MSL (2016-ASO-24374-OE). ALL OTHER DATA REMAINS AS PUBLISHED. EXCEPT WHEN ADVISED BY ATCT THAT THIS CRANE IS DOWN.
1612061223-1707181223EST.

FDC 6/3982 BNA IAP NASHVILLE INTL, NASHVILLE, TN. ILS OR LOC RWY 20R, AMDT 10C...ILS OR LOC RWY 2L, AMDT 10A...ILS OR LOC RWY 31, AMDT 9A...DME REQUIRED EXCEPT FOR AIRCRAFT EQUIPPED WITH SUITABLE RNAV SYSTEM WITH GPS, GHM VORTAC OUT OF SERVICE.
1612201503-1708011503EST.

NEWPORT

Cocke County Baptist Hospital

FDC 7/1767 26TN SPECIAL COCKE COUNTY BAPTIST HOSPITAL, NEWPORT, TN. COPTER RNAV (GPS) 188, ORIG...H-188 MDA 1880/HAS 580. MISSED APPROACH: CLIMBING LEFT TURN TO 4900 DIRECT ZIOL WP AND HOLD. 1701061538-1708181538EST.

FDC 7/1544 26TN SPECIAL COCKE COUNTY BAPTIST HOSPITAL, NEWPORT, TN. COPTER RNAV (GPS) 008 DEPARTURE (PILOT NAV)...PROCEDURE NA 1701052145-1708172145.

PARIS

Henry County

FDC 7/0417 PHT IAP HENRY COUNTY, PARIS, TN. RNAV (GPS) RWY 20, AMDT 1...CHANGE HELICOPTER RESTRICTION NOTE TO READ: VISIBILITY REDUCTION BELOW 1 SM NOT AUTHORIZED.. 1703021839-1710121839EST.

PIKEVILLE

Bledsoe County Hospital

FDC 7/1538 29TN SPECIAL BLEDSOE COUNTY HOSPITAL, PIKEVILLE, TN. COPTER RNAV 065 DEPARTURE (PILOT NAV)...PROCEDURE NA 1701052130-1708172130.

FDC 7/0272 29TN SPECIAL BLEDSOE COUNTY HOSPITAL, PIKEVILLE, TN. COPTER RNAV 245, ORIG...MISSED APPROACH: CLIMBING LEFT TURN TO 4600 DIRECT AKOYU WP AND HOLD.
1703252359-1711042359EST.

FDC 7/0256 29TN SPECIAL BLEDSOE COUNTY HOSPITAL, PIKEVILLE, TN. COPTER RNAV 065 DEPARTURE (PILOT NAV)...PROCEDURE NA. 1701031626-1708151626EST.

ROCKWOOD

Rockwood Muni

FDC 7/5659 RKW IAP ROCKWOOD MUNI, ROCKWOOD, TN. VOR/DME RWY 22, AMDT 6B...PROCEDURE NA EXCEPT FOR AIRCRAFT EQUIPPED WITH SUITABLE RNAV SYSTEM WITH GPS, HCH VOR/DME OTS. 1704261411-1705111411EST.

ROGERSVILLE

Hawkins County

FDC 7/1059 RVN IAP HAWKINS COUNTY, ROGERSVILLE, TN. GPS RWY 7, ORIG-B...S-7 MINIMUMS NA. TRI-CITIES RGNL ALTIMETER SETTING S-7 MINIMUMS NA.
1704171316-1711271316EST.

SAVANNAH

Savannah-Hardin County

FDC 6/8898 SNH IAP SAVANNAH-HARDIN COUNTY, SAVANNAH, TN...VOR/DME RWY 19 AMDT 5C...PROCEDURE NA, JKS VORTAC U/S. 1603231715-PERM.

SELMER

Robert Sibley

FDC 6/8840 SZY IAP SELMER/ROBERT SIBLEY, SELMER, TN...VOR/DME-A, ORIG...PROCEDURE NA, JKS VORTAC U/S. 1603231615-PERM.

SMITHVILLE

Dekalb Community Hospital

FDC 7/1778 35TN SPECIAL DEKALB COMMUNITY HOSPITAL, SMITHVILLE, TN. COPTER RNAV 198, ORIG...MISSED APPROACH: CLIMBING RIGHT TURN TO 4000 DIRECT XOLEW WP AND HOLD. 1701061608-1708181608EST.

FDC 7/1776 35TN SPECIAL DEKALB COMMUNITY HOSPITAL, SMITHVILLE, TN. COPTER RNAV 198, ORIG...PROCEDURE NA AT NIGHT. 1701061607-1708181606EST.

FDC 7/1537 35TN SPECIAL DEKALB COMMUNITY HOSPITAL, SMITHVILLE, TN. COPTER RNAV 018 DEPARTURE (PILOT NAV)...PROCEDURE NA 1701052130-1708172130.

SOMERVILLE

Fayette County

FDC 7/4454 FYE IAP FAYETTE COUNTY, SOMERVILLE, TN. RNAV (GPS) RWY 1, ORIG-B...LNAV CATS A/B/C MDA 1380/HAT 994. VIS CATS A/B 1 1/4, CAT C 2 1/2. CIRCLING CATS A/B/C MDA 1380/HAT 994. VIS CATS A/B 1 1/4, CAT C 2 3/4. 1701141851-1708261851EST.

SPRINGFIELD

Springfield Robertson County

FDC 7/9608 M91 IAP SPRINGFIELD ROBERTSON COUNTY, SPRINGFIELD, TN. RNAV (GPS) RWY 22, AMDT 1A...RNAV (GPS) RWY 4, AMDT 1A...CIRCLING: CAT B MDA 1330/HAA 614, CAT C MDA 1360/HAA 654, VISIBILITY 1 3/4, CAT D MDA 1540/HAA 834 VISIBILITY 2 3/4. 1704131243-1711231242EST.

FDC 7/8698 M91 IAP SPRINGFIELD ROBERTSON COUNTY, SPRINGFIELD, TN. RNAV (GPS) RWY 4, AMDT 1A...DISREGARD NOTE: WHEN VGSI INOP, CIRCLING RWY 22 NA AT NIGHT. DISREGARD NOTE: WHEN VGSI INOP, STRAIGHT-IN/CIRCLING RWY 4 PROCEDURE NA AT NIGHT. CHANGE HELICOPTER RESTRICTION NOTE TO READ: HELICOPTER VISIBILITY REDUCTION BELOW 3/4 SM NOT AUTHORIZED. 1703231254-1711021254EST.

FDC 7/8696 M91 IAP SPRINGFIELD ROBERTSON COUNTY, SPRINGFIELD, TN. RNAV (GPS) RWY 22, AMDT 1A...DISREGARD NOTE: WHEN VGSI INOP, CIRCLING RWY 4 NA AT NIGHT. DISREGARD NOTE: WHEN VGSI INOP, STRAIGHT-IN/CIRCLING RWY 22 PROCEDURE NA AT NIGHT. CHANGE HELICOPTER RESTRICTION NOTE TO READ: HELICOPTER VISIBILITY REDUCTION BELOW 3/4 SM NOT AUTHORIZED. 1703231251-1711021251EST.

FDC 7/5434 M91 IAP SPRINGFIELD ROBERTSON COUNTY, SPRINGFIELD, TN. LOC RWY 4, AMDT 3A...DME REQUIRED. DISREGARD NOTE: WHEN VGSI INOP, CIRCLING RWY 22 NA AT NIGHT. DISREGARD NOTE: WHEN VGSI INOP, STRAIGHT-IN/CIRCLING RWY 4 PROCEDURE NA AT NIGHT. CHANGE HELICOPTER RESTRICTION NOTE TO READ: HELICOPTER VISIBILITY REDUCTION BELOW 3/4 SM NOT AUTHORIZED. THE BWG CROSSING RADIAL 211 MAY NOT BE USED TO IDENTIFY THE HOGPA FIX. 1702162119-1709282118EST.

TAZEWELL

New Tazewell Muni

FDC 7/1536 3A2 SPECIAL NEW TAZEWELL MUNI, TAZEWELL, TN. COPTER RNAV (GPS) 099 DEPARTURE (PILOT NAV)...PROCEDURE NA 1701052130-1708172130.

FDC 7/0697 3A2 IAP NEW TAZEWELL MUNI, TAZEWELL, TN. RNAV (GPS) RWY 7, ORIG...LP HAT CATS A/B 1061 LNAV HAT CATS A/B 1081. CHART TDZE 1179, DELETE THRE 1177. DELETE NOTE: HELICOPTER VISIBILITY REDUCTION BELOW 1 SM NOT AUTHORIZED. CHART NOTE: RWY 7, 25 HELICOPTER VISIBILITY REDUCTION BELOW 1 SM NOT AUTHORIZED. THIS IS RNAV (GPS) RWY 7, ORIG-A. 1702022050-PERM.

TRENTON

Gibson County

FDC 7/8855 TGC ODP , , . TAKEOFF MINIMUMS AND (OBSTACLE) DEPARTURE PROCEDURES AMDT 1...TAKEOFF MINIMUMS: RWY 1, 400-1 3/4. TAKEOFF OBSTACLES NOTE: RWY 1, TREE 1.2 NM FROM DER, 1702 FT LEFT OF CENTERLINE, UP TO 93 FT AGL/564 FT MSL. ALL OTHER DATA REMAINS AS PUBLISHED. 1701292131-1709102131EST.

WINCHESTER

Southern Tennessee Medical Center

FDC 7/1535 32TN SPECIAL SOUTHERN TENNESSEE MEDICAL CENTER, WINCHESTER, TN. COPTER RNAV (GPS) 315 ORIG...MISSED APPROACH: CLIMBING LEFT TURN TO 4500 DIRECT ISVIF AND HOLD. MINIMUM ALTITUDE AT ISVIF 4500FT. 1701052130-1708172130.

FDC 7/1534 32TN SPECIAL SOUTHERN TENNESSEE MEDICAL CENTER, WINCHESTER, TN. COPTER RNAV (GPS) 035 DEPARTURE (PILOT NAV)...PROCEDURE NA 1701052130-1708172130.

TEXAS

AMARILLO

Rick Husband Amarillo Intl

FDC 7/8877 AMA IAP RICK HUSBAND AMARILLO INTL, AMARILLO, TX. LDA/DME RWY 22, AMDT 1...PROCEDURE TURN MINIMUM ALTITUDE 5100. 1701292148-1709102148EST.

FDC 7/5163 AMA IAP RICK HUSBAND AMARILLO INTL, AMARILLO, TX. RNAV (GPS) Y RWY 4, AMDT 1...LNAV MDA ALL CATS 4040/HAT433. 1704251613-1712051613EST.

FDC 7/5162 AMA IAP RICK HUSBAND AMARILLO INTL, AMARILLO, TX. VOR/DME RWY 13, ORIG...S-13 MDA ALL CATS 4040/HAT 440. 1704251613-1712051613EST.

FDC 7/4499 AMA IAP RICK HUSBAND AMARILLO INTL, AMARILLO, TX. RNAV (GPS) Y RWY 31, AMDT 2...TERMINAL ROUTE: GOONI TO OKRIE NA. 1701141924-1708261924EST.

ANAHUAC

Chambers County

FDC 7/1240 T00 SID CHAMBERS COUNTY, ANAHUAC, TX. HOODO FOUR DEPARTURE (RNAV)...GPS REQUIRED, LEV VORTAC OUT OF SERVICE. 1704171511-1705171511EST.

FDC 7/0987 T00 IAP CHAMBERS COUNTY, ANAHUAC, TX. RNAV (GPS) RWY 12, ORIG-B...CIRCLING CATS A/B/C MDA 660/HAA 639. VIS CAT C 1/3/4. 1704171232-1711271232EST.

ANGLETON/LAKE JACKSON

Texas Gulf Coast Rgnl

FDC 7/4130 LBX SID TEXAS GULF COAST RGNL, ANGLETON/LAKE JACKSON, TX. GIFFA EIGHT DEPARTURE...DEPARTURE PROCEDURE NA EXCEPT FOR AIRCRAFT EQUIPPED WITH SUITABLE RNAV SYSTEM WITH GPS. 1703311904-1711101904EST.

FDC 7/1237 LBX SID TEXAS GULF COAST RGNL, ANGLETON/LAKE JACKSON, TX. HOODO FOUR DEPARTURE (RNAV)...GPS REQUIRED, LEV VORTAC OUT OF SERVICE. 1704171511-1705171511EST.

ARLINGTON

Arlington Muni

FDC 7/3656 GKY SID ARLINGTON MUNI, ARLINGTON, TX. DALLAS FOUR DEPARTURE...CHANGE PROPS NOTE TO READ: PROPS REQUESTING FL230 AND BELOW EXPECT THE HUBBARD DEPARTURE. PROPS DEPARTING DFW AND DAL REQUESTING FL240 AND ABOVE EXPECT THE WYLIE DEPARTURE. PROPS FROM OTHER AIRPORTS REQUESTING FL240 OR ABOVE EXPECT THE DALLAS DEPARTURE. 1703311311-1711101311EST.

ATHENS

Athens Muni

FDC 7/8875 F44 IAP ATHENS MUNI, ATHENS, TX. RNAV (GPS) RWY 35, ORIG...NOTE: RWY 35 HELICOPTER VISIBILITY REDUCTION BELOW 3/4 SM NOT AUTHORIZED. 1701292146-1709102146EST.

FDC 7/8873 F44 IAP ATHENS MUNI, ATHENS, TX. NDB RWY 35, AMDT 4D...DISREGARD NOTE: NIGHT LANDING: RWY 35 NA. CHANGE HELICOPTER VISIBILITY REDUCTION NOTE TO READ: RWY 35 HELICOPTER VISIBILITY REDUCTION BELOW 3/4 SM NOT AUTHORIZED. 1701292145-1709102145EST.

AUSTIN

Austin Executive

FDC 7/6786 EDC STAR AUSTIN EXECUTIVE, AUSTIN, TX. MSTLO ONE RNAV ARRIVAL...ADD NOTE: OHSEE TRANSITION ATC ASSIGNED ONLY. 1701231800-1712310901.

Austin-Bergstrom Intl

FDC 7/4877 AUS IAP AUSTIN-BERGSTROM INTL, AUSTIN, TX. ILS OR LOC RWY 17L, AMDT 2B...ILS OR LOC RWY 17R, AMDT 4B...ILS OR LOC RWY 35L, AMDT 5B...ILS OR LOC RWY 35R, AMDT 2A...CIRCLING CAT E MDA 1400/HAA 858. VIS CAT E 3. 2 TOWER CRANES, UP TO 1050 MSL, 5.37 NM NW OF AIRPORT, (2017-ASW-555/556-OE). 1702151833-1706161833EST.

FDC 7/1221 AUS SID AUSTIN-BERGSTROM INTL, AUSTIN, TX. CENTEX FIVE DEPARTURE...NAVYS TRANSITION (CWK5.NAVYS) IS RESTRICTED TO AIRCRAFT DESTINED THE DALLAS/FORT WORTH TERMINAL AREA REQUESTING FL230 OR BELOW. DO NOT FILE THIS TRANSITION IF THESE CONDITIONS ARE NOT MET. CHANGE COLLEGE STATION TRANSITION NOTE TO READ: (FOR AIRCRAFT REQUESTING 9,000 FT MSL TO FL230.). 1703281355-1708311355EST.

San Marcos Regional

FDC 7/6791 HYI STAR SAN MARCOS MUNI, SAN MARCOS, TX. MSTLO ONE RNAV ARRIVAL...ADD NOTE: OHSEE TRANSITION ATC ASSIGNED ONLY. 1701231800-1712310901.

BAYTOWN

Baytown

FDC 7/1233 HPY SID BAYTOWN, BAYTOWN, TX. HOODO FOUR DEPARTURE (RNAV)...GPS REQUIRED, LEV VORTAC OUT OF SERVICE. 1704171511-1705171511EST.

Rwj Airpark

FDC 7/1224 54T SID RWJ AIRPARK, BAYTOWN, TX. HOODO FOUR DEPARTURE (RNAV)...GPS REQUIRED, LEV VORTAC OUT OF SERVICE. 1704171511-1705171511EST.

FDC 6/1611 54T IAP RWJ AIRPARK, BAYTOWN, TX. RNAV (GPS) RWY 32, ORIG-A...DISREGARD ANGLE 3.05/TCH 40. PROFILE NOTE: VISUAL SEGMENT - OBSTACLES. 1611202330-1707022330EST.

BEAUMONT

Beaumont Muni

FDC 7/1755 BMT IAP BEAUMONT MUNI, BEAUMONT, TX. RNAV (GPS) RWY 13, ORIG-C...RNAV (GPS) RWY 31, ORIG-C...VOR/DME RWY 13, AMDT 3C...VOR/DME RWY 31, AMDT 4C...NOTE: NIGHT LANDING: RWY 31 NA. 1703282117-1711072117EST.

BIG SPRING

Big Spring Mc Mahon-Wrinkle

FDC 7/8033 BPG ODP BIG SPRING MC MAHON-WRINKLE, BIG SPRING, TX. TAKEOFF MINIMUMS AND (OBSTACLE) DEPARTURE PROCEDURES AMDT 3...TAKEOFF MINIMUMS: RWY 6, 400-1 1/2 OR STD. W/MIN. CLIMB OF 400 PER NM TO 3400. ALL OTHER DATA REMAINS AS PUBLISHED. 1704111220-1711211220EST.

FDC 7/4280 BPG IAP BIG SPRING MC MAHON-WRINKLE, BIG SPRING, TX. RNAV (GPS) RWY 6, ORIG-A...LPV VIS 7/8. LNAV/VNAV VIS 7/8. CIRCLING CATS A/B MDA 3220/HAA 647. CHANGE LOCAL ALTIMETER SETTING NOTE TO READ: WHEN LOCAL ALTIMETER SETTING NOT RECEIVED, USE MIDLAND INTL ALTIMETER SETTING: INCREASE ALL DA TO 2943 FT AND ALL VISIBILITIES 1/2 MILE; INCREASE ALL MDA 140 FT. 1701132115-1708252115EST.

FDC 7/2087 BPG IAP BIG SPRING MC MAHON-WRINKLE, BIG SPRING, TX. RNAV (GPS) RWY 17, AMDT 1...RNAV (GPS) RWY 35, AMDT 1...VOR/DME RWY 17, AMDT 8...VOR/DME RWY 35, AMDT 8...CIRCLING MDA 3220/HAA 647 ALL CATS. VISIBILITY CAT C 1 3/4. 1702072133-1709192133EST.

BORGER

Hutchinson County

FDC 6/1482 BGD ODP HUTCHINSON COUNTY, BORGER, TX. TAKEOFF MINIMUMS AND (OBSTACLE) DEPARTURE PROCEDURES AMDT 1...TAKE-OFF MINIMUMS RWY 21, 400-1 3/4 OR STANDARD WITH A MINIMUM CLIMB GRADIENT OF 205 FEET PER NM TO 3400. ALL OTHER DATA REMAINS AS PUBLISHED. 1611202022-1707022022EST.

BRECKENRIDGE

Stephens County

FDC 7/8035 BKD IAP STEPHENS COUNTY, BRECKENRIDGE, TX. RNAV (GPS) RWY 35, ORIG-A...NOTE: PROCEDURE NA AT NIGHT. DISREGARD NOTE: CIRCLING TO RWY 4, 13, 22, 31 NA AT NIGHT. DISREGARD NOTE: WHEN VGSI INOP, STRAIGHT-IN/CIRCLING RWY 35 PROCEDURE NA AT NIGHT. DISREGARD NOTE: WHEN VGSI INOP, CIRCLING RWY 17 NA AT NIGHT. 1704111223-1711211223EST.

FDC 7/6413 BKD IAP STEPHENS COUNTY, BRECKENRIDGE, TX. RNAV (GPS) RWY 17, ORIG-A...NOTE: PROCEDURE NA AT NIGHT. DISREGARD NOTE: CIRCLING TO RWY 4, 13, 22, 31 NA AT NIGHT. DISREGARD NOTE: WHEN VGSI INOP STRAIGHT-IN/CIRCLING RWY 17 PROCEDURE NA AT NIGHT. DISREGARD NOTE: WHEN VGSI INOP, CIRCLING RWY 35 NA AT NIGHT. TERMINAL ROUTE WAPEV TO TISEE 19.1 NM. 1701202111-1709012111EST.

BRIDGEPORT

Bridgeport Muni

FDC 7/7557 XBP IAP BRIDGEPORT MUNI, BRIDGEPORT, TX. RNAV (GPS) RWY 18, ORIG...MISSED APPROACH: CLIMB TO 3600 DIRECT FIPAL AND ON TRACK 241 TO TIEON AND HOLD, CONTINUE CLIMB-IN-HOLD TO 3600. 1702232233-1710052233EST.

FDC 7/7330 XBP IAP BRIDGEPORT MUNI, BRIDGEPORT, TX. VOR/DME RWY 18, AMDT 1...PROCEDURE NA EXCEPT FOR AIRCRAFT EQUIPPED WITH SUITABLE RNAV SYSTEM WITH GPS, UKW TACAN OUT OF SERVICE. 1703211343-1705231343EST.

FDC 7/5646 XBP IAP BRIDGEPORT MUNI, BRIDGEPORT, TX. VOR/DME RWY 18, AMDT 1...ALTERNATE MINIMUMS NA, UKW VORTAC UNMONITORED. 1704261408-1712061408EST.

BROWNSVILLE

Brownsville/South Padre Island Intl

FDC 7/4450 BRO IAP BROWNSVILLE/SOUTH PADRE ISLAND INTL, BROWNSVILLE, TX. VOR OR TACAN-A, AMDT 1C...VOR/DME RNAV OR GPS RWY 35, AMDT 3A...DISREGARD NOTE: WHEN VGSI INOP CIRCLING RWY 17 NA AT NIGHT. NOTE: NIGHT LANDING RWY 17 NA. 1701141847-1708261847EST.

FDC 6/9769 BRO IAP BROWNSVILLE/SOUTH PADRE ISLAND INTL, BROWNSVILLE, TX. VOR OR TACAN-A, AMDT 1C...PROCEDURE NA, BRO VORTAC OUT OF SERVICE. 1611171715-1706291715EST.

BROWNWOOD

Brownwood Rgnl

FDC 7/8284 BWD IAP BROWNWOOD RGNL, BROWNWOOD, TX. RNAV (GPS) RWY 35, AMDT 1...NOTE: RWY 35 HELICOPTER VISIBILITY REDUCTION BELOW 3/4 SM NOT AUTHORIZED. NOTE: VGSI AND RNAV GLIDEPATH NOT COINCIDENT.. 1702262031-1710082031EST.

FDC 7/8281 BWD IAP BROWNWOOD RGNL, BROWNWOOD, TX. RNAV (GPS) RWY 17, AMDT 1...NOTE: RWY 17 HELICOPTER VISIBILITY REDUCTION BELOW 3/4 SM NOT AUTHORIZED. 1702262030-1710082030EST.

FDC 7/8279 BWD IAP BROWNWOOD RGNL, BROWNWOOD, TX. LOC RWY 17, AMDT 4A...NOTE: RWY 17 HELICOPTER VISIBILITY REDUCTION BELOW 3/4 SM NOT AUTHORIZED. MSA FROM BWD VOR/DME 25 NM 3600. 1702262029-1710082029EST.

FDC 7/8277 BWD IAP BROWNWOOD RGNL, BROWNWOOD, TX. VOR/DME RWY 35, AMDT 1B...NOTE: RWY 35 HELICOPTER VISIBILITY REDUCTION BELOW 3/4 SM NOT AUTHORIZED. MSA FROM BWD VOR/DME 25 NM 3600. 1702262028-1710082027EST.

BURNET

Burnet Muni Kate Craddock Field

FDC 7/9785 BMQ ODP BURNET MUNI KATE CRADDOCK FIELD, BURNET, TX. TAKEOFF MINIMUMS AND (OBSTACLE) DEPARTURE PROCEDURES AMDT 1...DEPARTURE PROCEDURE: RWY 1: CLIMB HEADING 009.14 TO 1700 BEFORE TURNING LEFT, ALL OTHER DATA REMAINS AS PUBLISHED. 1703241415-1711031415EST.

CADDO MILLS

Caddo Mills Muni

FDC 7/0465 7F3 IAP CADDO MILLS MUNI, CADDO MILLS, TX. RNAV (GPS) RWY 36, ORIG-A...NOTE: PROCEDURE NA AT NIGHT. NOTE: HELICOPTER VISIBILITY REDUCTION BELOW 1 SM NOT AUTHORIZED. 1703021913-1710121912EST.

CAMPBELLTON

74 Ranch

FDC 7/2097 OXA5 SPECIAL 74 RANCH, CAMPBELLTON, TX. RNAV (GPS) RWY 14, ORIG...RNAV (GPS) RWY 32, ORIG...NOTE: PROCEDURE NA AT NIGHT. 1702072141-1709192141EST.

CANADIAN

Hemphill County

FDC 7/0438 HHF IAP HEMPHILL COUNTY, CANADIAN, TX. RNAV (GPS) RWY 4, AMDT 1...TERMINAL ROUTE WUDPI TO HULOG NA. 1701032155-1708152155EST.

FDC 6/7984 HHF IAP HEMPHILL COUNTY, CANADIAN, TX. RNAV (GPS) RWY 4, AMDT 1...DISREGARD NOTES: PROCEDURE NA AT NIGHT. HELICOPTER VISIBILITY REDUCTION BELOW 1 SM NA. ADD NOTE: NIGHT LANDING RWY 18, 36 NA. 1612071501-1707191501EST.

CASTROVILLE

Castroville Muni

FDC 7/9592 CVB IAP CASTROVILLE MUNI, CASTROVILLE, TX. RNAV (GPS) RWY 34, AMDT 1...PROCEDURE NA. 1702011410-1709131410EST.

FDC 7/9244 CVB SID CASTROVILLE MUNI, CASTROVILLE, TX. SETZR TWO DEPARTURE...CHANGE ALL REFERENCES TO RUNWAYS 15/33 TO RWY 16/34. ALL OTHER DATA REMAINS AS PUBLISHED. 1703020901-1710131506EST.

CENTER

Center Muni

FDC 7/2358 F17 IAP CENTER MUNI, CENTER, TX. RNAV (GPS) RWY 17, ORIG-B...NOTE: DESCENT ANGLE 3.04/TCH 45 NA. DISREGARD NOTE: VGSI AND DESCENT ANGLES NOT COINCIDENT. PROFILE NOTE: VISUAL SEGMENT - OBSTACLES. 1704191232-1711291232EST.

CLEBURNE

Cleburne Rgnl

FDC 7/3119 CPT SID CLEBURNE RGNL, CLEBURNE, TX. HUBBARD NINE DEPARTURE...CHANGE PROPS NOTE TO READ: FOR PROPS REQUESTING FL230 AND BELOW. PROPS DEPARTING DFW AND DAL REQUESTING FL 240 AND ABOVE EXPECT THE WYLIE DEPARTURE. PROPS FROM OTHER AIRPORTS REQUESTING FL240 OR ABOVE EXPECT THE DALLAS DEPARTURE. 1703301518-1711091518EST.

CLEVELAND

Cleveland Muni

FDC 7/1227 6R3 SID CLEVELAND MUNI, CLEVELAND, TX. HOODO FOUR DEPARTURE (RNAV)...GPS REQUIRED, LEV VORTAC OUT OF SERVICE. 1704171511-1705171511EST.

FDC 6/2181 6R3 STAR CLEVELAND MUNI, CLEVELAND, TX. RIICE SEVEN ARRIVAL...REVISE NOTE: DME/DME/IRU OR GPS EQUIPPED TURBOJET AIRCRAFT LANDING IAH CAPABLE OF 280K OR GREATER MUST FILE THE DRLLR/GUSHR (RNAV) STARS. 1607071515-1712312359EST.

COLLEGE STATION

Easterwood Field

FDC 7/9782 CLL IAP EASTERWOOD FIELD, COLLEGE STATION, TX. LOC BC RWY 16, AMDT 7...TERMINAL ROUTE GATLNL INT (IAF) TO GOMGE INT NA. 1703241407-1711031407EST.

FDC 7/8823 CLL IAP EASTERWOOD FIELD, COLLEGE STATION, TX. RNAV (GPS) RWY 28, AMDT 1...LNAV/VNAV DA 761/HATH 450 ALL CATS. VIS 1 1/2 ALL CATS. LNAV MDA 860/HATH 549 ALL CATS. VIS CATS C/D/E 1 5/8.. 1703231306-1711021306EST.

FDC 7/4385 CLL IAP EASTERWOOD FIELD, COLLEGE STATION, TX. VOR/DME RWY 28, AMDT 13A...TERMINAL ROUTE JEPED/CLL 16.00 DME (IAF) CCW TO FEMAB/CLL 16.00 DME (NOPT) NA. CLL VORTAC R-131 CW R-142 SFC-6999 FT UNUSABLE. 1704241347-1712041347EST.

FDC 6/1620 CLL IAP EASTERWOOD FIELD, COLLEGE STATION, TX. ILS OR LOC RWY 34, AMDT 13A...TERMINAL ROUTE JUDDY/CLL 15.00 DME (IAF) CW TO JERBA /I-CLL 13.87 DME (NOPT) NA. TERMINAL ROUTE OSUME/CLL 15.00 DME (IAF) CCW TO JERBA/I-CLL 13.87 DME (NOPT) NA. PLANVIEW NOTE: ADF REQUIRED FOR TERMINAL ROUTE CLL VORTAC TO ROWDY LOM/I-CLL 6.51 DME (IAF). CLL VORTAC R-131 CW R-142 SFC-6999 FT AND R-152 CW R-189 SFC-6999 FT UNUSABLE.. 1611202340-1707022340EST.

COMANCHE

Comanche County-City

FDC 7/1430 MKN ODP COMANCHE COUNTY-CITY, COMANCHE, TX. TAKEOFF MINIMUMS AND (OBSTACLE) DEPARTURE PROCEDURES ORIG...DEPARTURE PROCEDURE RWY 17. DEPARTURE ROUTE DESCRIPTION RWY 17, CLIMB HEADING 173 TO 2300 BEFORE TURNING RIGHT. ALL OTHER DATA REMAINS AS PUBLISHED. 1704171752-1711271752EST.

COMMERCE

Commerce Muni

FDC 7/4947 2F7 IAP COMMERCE MUNI, COMMERCE, TX. RNAV (GPS) RWY 36, ORIG-A...CIRCLING CAT A, B HAA 624. CHART NOTE: RWY 36 HELICOPTER VISIBILITY REDUCTION BELOW 3/4 SM NOT AUTHORIZED. DELETE NOTE: PROCEDURE NA AT NIGHT. DELETE NOTE: HELICOPTER VISIBILITY REDUCTION BELOW 1 SM NOT AUTHORIZED. CHART APT ELEV 516. THIS IS RNAV (GPS) RWY 36, ORIG-B. 1704031927-PERM.

FDC 7/4946 2F7 IAP COMMERCE MUNI, COMMERCE, TX. VOR/DME-A, AMDT 3A...CIRCLING CAT A, B HAA 664 CHART APT ELEV 516. CHART NOTE: DME REQUIRED. DELETE NOTE: PROCEDURE NA AT NIGHT. DELETE NOTE: HELICOPTER VISIBILITY REDUCTION BELOW 1 SM NOT AUTHORIZED. THIS IS VOR-A, AMDT 3B 1704031927-PERM.

FDC 7/4945 2F7 IAP COMMERCE MUNI, COMMERCE, TX. RNAV (GPS) RWY 18, ORIG-A...LNAV CAT A, B HAT 404. CIRCLING CAT A HAA 444, CAT B HAA 584, CHART NOTE: RWY 18 HELICOPTER VISIBILITY REDUCTION BELOW 3/4 SM NOT AUTHORIZED. DELETE NOTE: PROCEDURE NA AT NIGHT. DELETE NOTE: HELICOPTER VISIBILITY REDUCTION BELOW 1 SM NOT AUTHORIZED. CHART TDZE 516. CHART APT ELEV 516. THIS IS RNAV (GPS) RWY 18, ORIG-B. 1704031927-PERM.

CORPUS CHRISTI

Corpus Christi Intl

FDC 7/4546 CRP IAP CORPUS CHRISTI INTL, CORPUS CHRISTI, TX. VOR OR TACAN RWY 18, AMDT 28B...S-18 MDA 780/HAT 738 ALL CATS. VIS CAT C/D/E 2. CIRCLING CATS A/B MDA 780/HAA 736. DISREGARD WUNEV DME MINIMUMS. TEMPORARY CRANE, 399 MSL, 3.75 NM NORTH OF AIRPORT, 2015-ASW-4383-OE. 1704241525-1708311525EST.

CORSICANA

C David Campbell Field-Corsicana Muni

FDC 6/5142 CRS IAP C DAVID CAMPBELL FIELD-CORSICANA MUNI, CORSICANA, TX. RNAV (GPS) RWY 14, ORIG-B...DELETE: DESCENT ANGLE 2.85/TCH 40. PROFILE NOTE: VISUAL SEGMENT-OBSTACLES.. 1612272151-1708082151EST.

COTULLA

Cotulla-La Salle County

FDC 7/7988 COT IAP COTULLA-LA SALLE COUNTY, COTULLA, TX. VOR-A, AMDT 13...CIRCLING CATS A/B/C MDA 980/HAA 506. DRILLING RIG, 674 MSL, 2.92 NM EAST OF KCOT (2016-ASW-12151-OE). 1704111200-1705261131EST.

CROCKETT

Houston County

FDC 7/8290 DKR IAP HOUSTON COUNTY, CROCKETT, TX. RNAV (GPS) RWY 20, ORIG-B...DISREGARD: DESCENT ANGLE 3.00/TCH 35. PROFILE NOTE: VISUAL SEGMENT - OBSTACLES. 1702262036-1710082036EST.

CROSBYTON

Crosbyton Muni

FDC 7/8071 8F3 ODP CROSBYTON MUNI, CROSBYTON, TX. TAKEOFF MINIMUMS AND (OBSTACLE) DEPARTURE PROCEDURES ORIG...NOTE: RWY 35, POLES AND TRANSMISSION LINES BEGINNING 819 FEET FROM DER, LEFT AND RIGHT OF CENTERLINE, UP TO 35 FEET AGL/3053 FEET MSL... ALL OTHER DATA REMAINS AS PUBLISHED. 1704111243-1711211243EST.

CYPRESS

Dry Creek

FDC 7/2357 TS07 SPECIAL DRY CREEK, CYPRESS, TX. RNAV (GPS) RWY 18, AMDT 2...DESCENT ANGLE 3.00/TCH 40 NA. 1701092021-1708212021EST.

FDC 7/2355 TS07 SPECIAL DRY CREEK, CYPRESS, TX. TAKEOFF MINIMUMS AND (OBSTACLE) DEPARTURE PROCEDURE AMDT 2...TAKEOFF MINIMUMS: RWY 18, 300 - 1 1/4 OR STANDARD WITH MINIMUM CLIMB OF 280 FT PER NM TO 400. ALL OTHER DATA REMAINS AS PUBLISHED. 1701092019-1708212019EST.

DALLAS

Addison

FDC 7/3652 ADS SID ADDISON, DALLAS, TX. DALLAS FOUR DEPARTURE...CHANGE PROPS NOTE TO READ: PROPS REQUESTING FL230 AND BELOW EXPECT THE HUBBARD DEPARTURE. PROPS DEPARTING DFW AND DAL REQUESTING FL240 AND ABOVE EXPECT THE WYLIE DEPARTURE. PROPS FROM OTHER AIRPORTS REQUESTING FL240 OR ABOVE EXPECT THE DALLAS DEPARTURE. 1703311309-1711101309EST.

FDC 7/3122 ADS SID ADDISON, DALLAS, TX. HUBBARD NINE DEPARTURE...CHANGE PROPS NOTE TO READ: FOR PROPS REQUESTING FL230 AND BELOW. PROPS DEPARTING DFW AND DAL REQUESTING FL 240 AND ABOVE EXPECT THE WYLIE DEPARTURE. PROPS FROM OTHER AIRPORTS REQUESTING FL240 OR ABOVE EXPECT THE DALLAS DEPARTURE. 1703301520-1711091520EST.

Dallas Executive

FDC 7/6599 RBD ODP DALLAS EXECUTIVE, DALLAS, TX. TAKEOFF MINIMUMS AND (OBSTACLE) DEPARTURE PROCEDURES AMDT 7...NOTE: RWY 13: WINDSOCK 105 FT FROM DEPARTURE END OF RUNWAY, 466 FT LEFT OF CENTERLINE, 30 FT AGL/684 FT MSL. ALL OTHER DATA REMAINS AS PUBLISHED. 1701222056-1709032056EST.

FDC 7/5447 RBD IAP DALLAS EXECUTIVE, DALLAS, TX. ILS OR LOC RWY 31, AMDT 8C...RNAV (GPS) RWY 17, ORIG...RNAV (GPS) RWY 31, ORIG...RNAV (GPS) RWY 35, ORIG...VOR/DME RWY 17, AMDT 1...NIGHT LANDING: RWY 13 NA. 1701181543-1708301543EST.

FDC 7/3692 RBD SID DALLAS EXECUTIVE, DALLAS, TX. KUSSO THREE DEPARTURE (RNAV)...SWABR FOUR DEPARTURE (RNAV)...CHANGE EXECUTIVE TOWER FREQUENCY FROM 335.6 TO 257.8. 1703311343-1711101343EST.

FDC 7/3329 RBD SID DALLAS EXECUTIVE, DALLAS, TX. DALLAS FOUR DEPARTURE...CHANGE PROPS NOTE TO READ: PROPS REQUESTING FL230 AND BELOW EXPECT THE HUBBARD DEPARTURE. PROPS DEPARTING DFW AND DAL REQUESTING FL240 AND ABOVE EXPECT THE WYLIE DEPARTURE. PROPS FROM OTHER AIRPORTS REQUESTING FL240 OR ABOVE EXPECT THE DALLAS DEPARTURE. 1703301846-1711091846EST.

FDC 7/3099 RBD SID DALLAS EXECUTIVE, DALLAS, TX. HUBBARD NINE DEPARTURE...CHANGE PROPS NOTE TO READ: FOR PROPS REQUESTING FL230 AND BELOW. PROPS DEPARTING DFW AND DAL REQUESTING FL 240 AND ABOVE EXPECT THE WYLIE DEPARTURE. PROPS FROM OTHER AIRPORTS REQUESTING FL240 OR ABOVE EXPECT THE DALLAS DEPARTURE. 1703301509-1711091509EST.

Dallas Love Field

FDC 7/8921 DAL SID DALLAS LOVE FIELD, DALLAS, TX. COYOTE EIGHT DEPARTURE...PROCEDURAL NOTES/TAKEOFF MINIMUMS NOTE: BOOMR TRANSITION: DME REQUIRED. ALL OTHER DATA REMAINS AS PUBLISHED. 1701292225-1709102225EST.

FDC 7/8580 DAL IAP DALLAS LOVE FIELD, DALLAS, TX. RNAV (GPS) Y RWY 13R, ORIG-A...LNAV MDA 1000/ HAT 524 ALL CATS. VIS CATS C/D 1 1/2. 2 CRANES, UP TO 700 MSL, 2773 FT SOUTH OF APPROACH END RWY 13R, (2016-ASW-4702, 4703-OE). 1705021331-1710281331EST.

FDC 7/6758 DAL IAP DALLAS LOVE FIELD, DALLAS, TX. RNAV (RNP) Z RWY 31R, ORIG-B...RNP 0.16 DA 815/HAT 328 ALL CATS; VIS ALL CATS RVR 3000. CRANE, 727 MSL, 2827 FT WEST OF APPROACH END RWY 31R, 2016-ASW-1176 THRU 1188-NRA. 1704271800-1712071800EST.

FDC 7/6757 DAL IAP DALLAS LOVE FIELD, DALLAS, TX. RNAV (GPS) Y RWY 31R, AMDT 2...LPV DA 752/HAT 265 ALL CATS. FOR INOP MALSR, INCREASE LPV VISIBILITY ALL CATS TO RVR 6000 AND LNAV/VNAV VISIBILITY ALL CATS TO 1 3/8 MILE. CRANE, 727 MSL, 2827 FT WEST OF APPROACH END RWY 31R, 2016-ASW-1176 THRU 1188-NRA. 1704271800-1712071800EST.

FDC 7/6756 DAL IAP DALLAS LOVE FIELD, DALLAS, TX. RNAV (GPS) Z RWY 13L, AMDT 3...LNAV/VNAV DA 769/HAT 284 ALL CATS. CRANE, 727 MSL, 5137 FT SOUTHEAST OF APPROACH END RWY 13L, 2016-ASW-1176 THRU 1188-NRA. 1704271800-1712071800EST.

FDC 7/4979 DAL SID DALLAS LOVE FIELD, DALLAS, TX. LOVE THREE DEPARTURE...DEPARTURE ROUTE DESCRIPTION: TAKEOFF RWY 13R: TURN RIGHT HEADING 163 NOT LATER THAN 0.7 DME OUTBOUND ON THE I-DPX LOCALIZER SOUTHEAST COURSE, TO INTERCEPT AND CLIMB VIA THE CVE R-139 OUTBOUND. EXPECT RADAR VECTORS TO APPROPRIATE ROUTE, UNLESS OTHERWISE ADVISED MAINTAIN 5000 AND EXPECT FILED ALTITUDE 10 MINUTES AFTER DEPARTURE. TAKE-OFF MINIMUMS: RWY 13L, 18, 31 L/R, 36: NA - NOISE ABATEMENT. RWY 13R: STANDARD WITH MINIMUM CLIMB OF 315 FT PER NM TO 1700. NOTE: RWY 13R, POLES AND FENCES BEGINNING 693 FT FROM DER, 601 FT RIGHT OF CENTERLINE, UP TO 29 FT AGL/ 501 FT MSL. SIGN 779 FT FROM DER, 669 FT LEFT OF CENTERLINE, 30 FT AGL/503 FT MSL. TREES BEGINNING 1122 FT FROM DER, 670 FT LEFT AND RIGHT OF CENTERLINE, UP TO 40 FT AGL/514 FT MSL. SIGN 1424 FT FROM DER, 763 FT LEFT OF CENTERLINE, 45 FT AGL/ 516 FT MSL. ROD ON STAKE 2234 FT FROM DER, 979 FT LEFT OF CENTERLINE, 65 FT AGL/ 537 FT MSL. TUCUMCARI TRANSITION: NA EXCEPT FOR AIRCRAFT EQUIPPED WITH SUITABLE RNAV SYSTEM WITH GPS. ALL OTHER DATA REMAINS AS PUBLISHED. 1704251258-1712051258EST.

FDC 7/4977 DAL SID DALLAS LOVE FIELD, DALLAS, TX. BACHMAN SIX DEPARTURE...KRUMM FIVE DEPARTURE...TRINITY SEVEN DEPARTURE...DEPARTURE ROUTE DESCRIPTION: TAKEOFF RWY 13R:TURN RIGHT HEADING 163 NOT LATER THAN 0.7 DME OUTBOUND ON THE I-DPX LOCALIZER SOUTHEAST COURSE, TO INTERCEPT AND CLIMB VIA THE CVE R-139 OUTBOUND. EXPECT RADAR VECTORS TO APPROPRIATE ROUTE, UNLESS OTHERWISE ADVISED MAINTAIN 5000 AND EXPECT FILED ALTITUDE 10 MINUTES AFTER DEPARTURE. TAKE-OFF MINIMUMS RWY 13L,18, 31L, 31R, 36: NA - NOISE ABATEMENT. TAKE-OFF MINIMUMS RWY 13R: STANDARD WITH MINIMUM CLIMB OF 315 FT PER NM TO 1700. NOTE: RWY 13R, POLES AND FENCES BEGINNING 693 FT FROM DER, 601 FT RIGHT OF CENTERLINE, UP TO 29 FT AGL/ 501 FT MSL. SIGN 779 FT FROM DER, 669 FT LEFT OF CENTERLINE, 30 FT AGL/503 FT MSL. TREES BEGINNING 1122 FT FROM DER, 670 FT LEFT AND RIGHT OF CENTERLINE, UP TO 40 FT AGL/514 FT MSL. SIGN 1424 FT FROM DER, 763 FT LEFT OF CENTERLINE, 45 FT AGL/ 516 FT MSL. ROD ON STAKE 2234 FT FROM DER, 979 FT LEFT OF CENTERLINE, 65 FT AGL/ 537 FT MSL. ALL OTHER DATA REMAINS AS PUBLISHED. 1704251256-1712051256EST.

FDC 7/3101 DAL SID DALLAS LOVE FIELD, DALLAS, TX. DALLAS FOUR DEPARTURE...CHANGE PROPS NOTE TO READ: PROPS REQUESTING FL230 AND BELOW EXPECT THE HUBBARD DEPARTURE. PROPS DEPARTING DFW AND DAL REQUESTING FL240 AND ABOVE EXPECT THE WYLIE DEPARTURE. PROPS FROM OTHER AIRPORTS REQUESTING FL240 OR ABOVE EXPECT THE DALLAS DEPARTURE. 1703301513-1711091513EST.

FDC 7/2858 DAL SID DALLAS LOVE FIELD, DALLAS, TX. HUBBARD NINE DEPARTURE...CHANGE PROPS NOTE TO READ: FOR PROPS REQUESTING FL230 AND BELOW. PROPS DEPARTING DFW AND DAL REQUESTING FL 240 AND ABOVE EXPECT THE WYLIE DEPARTURE. PROPS FROM OTHER AIRPORTS REQUESTING FL240 OR ABOVE EXPECT THE DALLAS DEPARTURE. 1703301248-1711091248EST.

FDC 7/2731 DAL SID DALLAS LOVE FIELD, DALLAS, TX. GARLAND SIX DEPARTURE...CHANGE PROPS NOTE TO READ: PROPS DEPARTING DFW AND DAL EXPECT WYLIE OR HUBBARD DEPARTURE. PROPS FROM OTHER AIRPORTS EXPECT THE DALLAS OR HUBBARD DEPARTURE. 1703301149-1711091149EST.

FDC 7/0903 DAL IAP DALLAS LOVE FIELD, DALLAS, TX. RNAV (RNP) W RWY 13R, ORIG-C...RNAV (RNP) X RWY 13R, ORIG-C...RNP 0.20 DA 839 HAT 361 ALL CATS. VIS RVR 6000 ALL CATS. CRANE, 670 MSL, 2727 FT SOUTH OF APPROACH END RWY 13R, (2016-ASW-11107-OE). 1704171110-1709131110EST.

FDC 7/0902 DAL IAP DALLAS LOVE FIELD, DALLAS, TX. RNAV (GPS) Z RWY 13R, AMDT 2...LPV DA 685/HAT 207 ALL CATS. LNAV/VNAV DA 881/HAT 403 ALL CATS. VIS 1 3/8 ALL CATS. CRANE, 727 MSL, 4955 FT SOUTHEAST OF APPROACH END RWY 13R, (2016-ASW-1176 THRU 1188-NRA) CRANE, 670 MSL, 2727 FT SOUTH OF APPROACH END RWY 13R, (2016-ASW-11107-OE). 1704171110-1709131110EST.

FDC 7/0901 DAL IAP DALLAS LOVE FIELD, DALLAS, TX. RNAV (RNP) W RWY 13L, ORIG-B...RNAV (RNP) X RWY 13L, ORIG-B...RNP 0.11 DA 770/HAT 285 ALL CATS. CRANE, 727 MSL, 5137 FT SOUTHEAST OF APPROACH END RWY 13L, 2016-ASW-1176 THRU 1188-NRA. RNP 0.30 DA 885/HAT 400 ALL CATS. VIS RVR 4500 ALL CATS. CRANE, 670 MSL, 5501 FT SW OF APPROACH END RWY 13L (2016-ASW-11107-OE). 1704171110-1709131110EST.

FDC 7/0749 DAL IAP DALLAS LOVE FIELD, DALLAS, TX. ILS OR LOC RWY 31L, AMDT 22...ENTRA FIX MINIMUMS: S-LOC 31L MDA 1220/HAT 744 ALL CATS. VIS CAT B RVR 4000, CAT C/D 1 3/4. CIRCLING CATS A/B MDA 1220/HAA 733, CAT C 1280/HAA 793. VIS CAT B 1 1/4, CAT C 2 1/4. VDP NA.. CRANE, 920 MSL, 3.61 NM SE OF AIRPORT, 2016-ASW-11940-OE. 1701041939-1708161939EST.

FDC 7/0748 DAL IAP DALLAS LOVE FIELD, DALLAS, TX. ILS Y OR LOC Y RWY 13R, AMDT 6...RNAV (GPS) Z RWY 13R, AMDT 2...CIRCLING CAT C MDA 1280/HAA 793. VIS CAT C 2 1/4. CRANE, 920 MSL, 3.61 NM SE OF AIRPORT, 2016-ASW-11940-OE. 1701041939-1708161939EST.

FDC 7/0747 DAL IAP DALLAS LOVE FIELD, DALLAS, TX. ILS Y OR LOC Y RWY 13L, AMDT 33...RNAV (GPS) Y RWY 13L, AMDT 1B...RNAV (GPS) Y RWY 13R, ORIG-A...RNAV (GPS) Y RWY 31R, AMDT 2...RNAV (GPS) Z RWY 13L, AMDT 3...CIRCLING CAT C MDA 1280/HAA 793. VIS CAT C 2 1/4. CRANE, 920 MSL, 3.61 NM SE OF AIRPORT, 2016-ASW-11940-OE. 1701041939-1708161939EST.

FDC 7/0745 DAL IAP DALLAS LOVE FIELD, DALLAS, TX. ILS OR LOC RWY 31R, AMDT 6A...BOKLE FIX MINIMUMS (DME REQUIRED) CIRCLING CAT C MDA 1280/HAA 793. VIS CAT C 2 1/4. CRANE, 920 MSL, 3.61 NM SE OF AIRPORT, 2016-ASW-11940-OE. 1701041939-1708161939EST.

FDC 6/9870 DAL IAP DALLAS LOVE FIELD, DALLAS, TX. ILS OR LOC RWY 31R, AMDT 6A...S-ILS RWY 31R DA 742/HAT 255 ALL CATS. DISREGARD NOTE: (ASTERISK ASTERISK) RVR 1800 AUTHORIZED WITH USE OF FD OR AP OR HUD TO DA. CRANE, 727 MSL, 2827 FT WEST OF APPROACH END RWY 31R, 2016-ASW-1176 THRU 1188-NRA. 1609281833-1705101833EST.

FDC 6/7985 DAL SID DALLAS LOVE FIELD, DALLAS, TX. GARLAND SIX DEPARTURE...DEPARTURE PROCEDURE DP ROUTE DESCRIPTION. CHANGE DP ROUTE DESCRIPTION TO READ TAKEOFF RWYS 13L/R: CLIMB HEADING 133, EXPECT VECTOR TO APPROPRIATE ROUTE, MAINTAIN 8000 AND EXPECT FILED ALTITUDE 10 MINUTES AFTER DEPARTURE. ALL OTHER DATA REMAINS AS PUBLISHED. 1612071515-1707191515EST.

FDC 6/5655 DAL IAP DALLAS LOVE FIELD, DALLAS, TX. ILS Y OR LOC Y RWY 13R, AMDT 6...S-ILS 13R DA 680/HAT 202 ALL CATS. CRANE, 727 MSL, 2827 FT SE OF APPROACH END RWY 13R, 2016-ASW-1176 THRU 1188-NRA 1611100939-1706220939EST.

Mckinney National

FDC 7/5220 TKI SID MCKINNEY NATIONAL, DALLAS, TX. KUSSO THREE DEPARTURE (RNAV)...SWABR FOUR DEPARTURE (RNAV)...CHANGE AIRPORT NAME FROM COLLIN COUNTY RGNL AT MC KINNEY TO MCKINNEY NATIONAL. 1702161633-1709281633EST.

FDC 7/3650 TKI SID MCKINNEY NATIONAL, DALLAS, TX. DALLAS FOUR DEPARTURE...CHANGE PROPS NOTE TO READ: PROPS REQUESTING FL230 AND BELOW EXPECT THE HUBBARD DEPARTURE. PROPS DEPARTING DFW AND DAL REQUESTING FL240 AND ABOVE EXPECT THE WYLIE DEPARTURE. PROPS FROM OTHER AIRPORTS REQUESTING FL240 OR ABOVE EXPECT THE DALLAS DEPARTURE. 1703311305-1711101305EST.

FDC 7/3124 TKI SID MCKINNEY NATIONAL, DALLAS, TX. HUBBARD NINE DEPARTURE...CHANGE PROPS NOTE TO READ: FOR PROPS REQUESTING FL230 AND BELOW. PROPS DEPARTING DFW AND DAL REQUESTING FL 240 AND ABOVE EXPECT THE WYLIE DEPARTURE. PROPS FROM OTHER AIRPORTS REQUESTING FL240 OR ABOVE EXPECT THE DALLAS DEPARTURE. 1703301523-1711091523EST.

DALLAS-FORT WORTH

Dallas-Fort Worth Intl

FDC 7/8919 DFW SID DALLAS-FORT WORTH INTL, DALLAS-FORT WORTH, TX. COYOTE EIGHT DEPARTURE...PROCEDURAL NOTES/TAKEOFF MINIMUMS NOTE: BOOMR TRANSITION: DME REQUIRED. ALL OTHER DATA REMAINS AS PUBLISHED. 1701292223-1709102223EST.

FDC 7/4399 DFW SID DALLAS-FORT WORTH INTL, DALLAS-FORT WORTH, TX. DALLAS FOUR DEPARTURE...DEPARTURE ROUTE DESCRIPTION: TAKEOFF RWYS 35L/C: CLIMB HEADING 010, THENCE...1704241359-1712041359EST.

FDC 7/4395 DFW SID DALLAS-FORT WORTH INTL, DALLAS-FORT WORTH, TX. JOE POOL NINE DEPARTURE...TEXOMA FIVE DEPARTURE...DEPARTURE ROUTE DESCRIPTION: TAKEOFF RUNWAYS 18L/R: CLIMB HEADING 190, THENCE...TAKEOFF RUNWAYS 35L/C: CLIMB HEADING 010, THENCE...ALL OTHER DATA REMAINS AS PUBLISHED.. 1704241354-1712041354EST.

FDC 7/4387 DFW SID DALLAS-FORT WORTH INTL, DALLAS-FORT WORTH, TX. DARTZ SEVEN DEPARTURE (RNAV)...DEPARTURE ROUTE DESCRIPTION TAKEOFF RWYS 31L/R: CLIMB HEADING ASSIGNED BY ATC, EXPECT RADAR VECTORS TO DARTZ, MAINTAIN 5000, EXPECT FILED ALTITUDE TEN MINUTES AFTER DEPARTURE. TAKEOFF RWYS 31L/R: TOP ALTITUDE 5000. ALL OTHER DATA REMAINS AS PUBLISHED. 1704241350-1712041350EST.

FDC 7/3117 DFW SID DALLAS-FORT WORTH INTL, DALLAS-FORT WORTH, TX. DALLAS FOUR DEPARTURE...CHANGE PROPS NOTE TO READ: PROPS REQUESTING FL230 AND BELOW EXPECT THE HUBBARD DEPARTURE. PROPS DEPARTING DFW AND DAL REQUESTING FL240 AND ABOVE EXPECT THE WYLIE DEPARTURE. PROPS FROM OTHER AIRPORTS REQUESTING FL240 OR ABOVE EXPECT THE DALLAS DEPARTURE. 1703301516-1711091516EST.

FDC 7/2733 DFW SID DALLAS-FORT WORTH INTL, DALLAS-FORT WORTH, TX. GARLAND SIX DEPARTURE...CHANGE PROPS NOTE TO READ: PROPS DEPARTING DFW AND DAL EXPECT WYLIE OR HUBBARD DEPARTURE. PROPS FROM OTHER AIRPORTS EXPECT THE DALLAS OR HUBBARD DEPARTURE. 1703301151-1711091150EST.

FDC 7/1225 DFW IAP DALLAS-FORT WORTH INTL, DALLAS-FORT WORTH, TX. ILS OR LOC RWY 13R, AMDT 9A...ANIME FIX MINIMUMS NA. VDP NA. DISREGARD I-LWN 1.7 DME. 1703281359-1711071358EST.

FDC 7/1136 DFW SID DALLAS-FORT WORTH INTL, DALLAS-FORT WORTH, TX. ARDIA SIX DEPARTURE (RNAV)...DEPARTURE ROUTE DESCRIPTION TAKEOFF RWYS 31L/R: CLIMB HEADING ASSIGNED BY ATC, EXPECT RADAR VECTORS TO ARDIA, MAINTAIN 5000, EXPECT FILED ALTITUDE TEN MINUTES AFTER DEPARTURE. TAKEOFF RWYS 31L/R: TOP ALTITUDE 5000. ALL OTHER DATA REMAINS AS PUBLISHED 1704171357-1711271357EST.

FDC 7/1134 DFW SID DALLAS-FORT WORTH INTL, DALLAS-FORT WORTH, TX. LOWGN SEVEN DEPARTURE (RNAV)...DEPARTURE ROUTE DESCRIPTION TAKEOFF RWYS 31L/R: CLIMB HEADING ASSIGNED BY ATC, EXPECT RADAR VECTORS TO LOWGN, MAINTAIN 5000, EXPECT FILED ALTITUDE TEN MINUTES AFTER DEPARTURE. TAKEOFF RWYS 31L/R: TOP ALTITUDE 5000. ALL OTHER DATA REMAINS AS PUBLISHED 1704171355-1711271355EST.

FDC 7/1129 DFW SID DALLAS-FORT WORTH INTL, DALLAS-FORT WORTH, TX. NELYN FIVE DEPARTURE (RNAV)...DEPARTURE ROUTE DESCRIPTION TAKEOFF RWYS 31L/R: CLIMB HEADING ASSIGNED BY ATC, EXPECT RADAR VECTORS TO NELYN, MAINTAIN 5000, EXPECT FILED ALTITUDE TEN MINUTES AFTER DEPARTURE. TAKEOFF RWYS 31L/R: TOP ALTITUDE 5000. ALL OTHER DATA REMAINS AS PUBLISHED 1704171353-1711271353EST.

FDC 7/1124 DFW SID DALLAS-FORT WORTH INTL, DALLAS-FORT WORTH, TX. AKUNA SIX DEPARTURE (RNAV)...DEPARTURE ROUTE DESCRIPTION TAKEOFF RWYS 31L/R: CLIMB HEADING ASSIGNED BY ATC, EXPECT RADAR VECTORS TO AKUNA, MAINTAIN 5000, EXPECT FILED ALTITUDE TEN MINUTES AFTER DEPARTURE. TAKEOFF RWYS 31L/R: TOP ALTITUDE 5000. ALL OTHER DATA REMAINS AS PUBLISHED 1704171351-1711271350EST.

FDC 7/1122 DFW SID DALLAS-FORT WORTH INTL, DALLAS-FORT WORTH, TX. JASPA FIVE DEPARTURE (RNAV)...DEPARTURE ROUTE DESCRIPTION TAKEOFF RWYS 31L/R: CLIMB HEADING ASSIGNED BY ATC, EXPECT RADAR VECTORS TO JASPA, MAINTAIN 5000, EXPECT FILED ALTITUDE TEN MINUTES AFTER DEPARTURE. TAKEOFF RWYS 31L/R: TOP ALTITUDE 5000. ALL OTHER DATA REMAINS AS PUBLISHED. 1704171349-1711271349EST.

FDC 6/5661 DFW SID DALLAS-FORT WORTH INTL, DALLAS-FORT WORTH, TX. DALLAS FOUR DEPARTURE...DARTZ SEVEN DEPARTURE (RNAV)...JOE POOL NINE DEPARTURE...KEENE NINE DEPARTURE...TRI-GATE NINE DEPARTURE...WYLIE NINE DEPARTURE...NOTE: RWY 35L, 2 CRANES, STARTING 5529 FT FROM DEPARTURE END OF RWY, 1149 FT RIGHT OF CENTERLINE, 708 MSL/160 AGL, 2015-ASW-4833 THRU 4836-NRA. RWY 35C, 3 CRANES, STARTING 4218 FT FROM DEPARTURE END OF RWY, 51 FT LEFT OF CENTERLINE, UP TO 708 MSL/160 AGL, 2015-ASW-4835, 4853 AND 4854-NRA, CRANE, 5528 FT FROM DEPARTURE END OF RWY, 278 FT RIGHT OF CENTERLINE, 708 MSL/160 AGL, 2015-ASW-4836-NRA, ALL OTHER DATA REMAINS AS PUBLISHED 1611100944-1706220944EST.

FDC 6/5660 DFW SID DALLAS-FORT WORTH INTL, DALLAS-FORT WORTH, TX. AKUNA SIX DEPARTURE (RNAV).ALIAN TWO DEPARTURE (RNAV).ARDIA SIX DEPARTURE (RNAV).BLECO SEVEN DEPARTURE (RNAV).COYOTE EIGHT DEPARTURE.FORCK TWO DEPARTURE (RNAV).GARLAND SIX DEPARTURE.GRABE SEVEN DEPARTURE (RNAV).HRPER THREE DEPARTURE (RNAV).HUBBARD NINE DEPARTURE.HUDAD TWO DEPARTURE (RNAV).JACKY SEVEN DEPARTURE.JASPA FIVE DEPARTURE (RNAV).KATZZ TWO DEPARTURE (RNAV).KINGDOM TWO DEPARTURE.KUSSO THREE DEPARTURE (RNAV).LOWGN SEVEN DEPARTURE (RNAV).MRSSH TWO DEPARTURE (RNAV).NELYN FIVE DEPARTURE (RNAV).SWABR FOUR DEPARTURE (RNAV).ALL OTHER DATA REMAINS AS PUBLISHED. FDC 6/5660 DFW SID DALLAS-FORT WORTH INTL, DALLAS-FORT WORTH, TX. TEXOMA FIVE DEPARTURE. TRYTN TWO DEPARTURE (RNAV). WORTH ONE DEPARTURE. WSTEX TWO DEPARTURE (RNAV). ZACHH TWO DEPARTURE (RNAV). NOTE: RWY 35L, 2 CRANES, STARTING 5529 FT FROM DEPARTURE END OF RWY, 1149 FT RIGHT OF CENTERLINE, 708 MSL/160 AGL, 2015-ASW-4833 THRU 4836-NRA. RWY 35C, 3 CRANES, STARTING 4218 FT FROM DEPARTURE END OF RWY, 51 FT LEFT OF CENTERLINE, UP TO 708 MSL/160 AGL, 2015-ASW-4835, 4853 AND 4854-NRA, CRANE, 5528 FT FROM DEPARTURE END OF RWY, 278 FT RIGHT OF CENTERLINE, 708 MSL/160 AGL, 2015-ASW-4836-NRA. ALL OTHER DATA REMAINS AS PUBLISHED. 1611100944-1706220944EST

FDC 6/1361 DFW ODP DALLAS-FORT WORTH INTL, DALLAS-FORT WORTH, TX. TAKEOFF MINIMUMS AND (OBSTACLE) DEPARTURE PROCEDURES AMDT 6...NOTE: RWY 35L, 2 CRANES, STARTING 5529 FT FROM DEPARTURE END OF RWY, 1149 FT RIGHT OF CENTERLINE, 708 MSL/160 AGL, 2015-ASW-4833 THRU 4836-NRA. RWY 35C, 3 CRANES, STARTING 4218 FT FROM DEPARTURE END OF RWY, 51 FT LEFT OF CENTERLINE, UP TO 708 MSL/160 AGL, 2015-ASW-4835, 4853 AND 4854-NRA, CRANE, 5528 FT FROM DEPARTURE END OF RWY, 278 FT RIGHT OF CENTERLINE, 708 MSL/160 AGL, 2015-ASW-4836-NRA. ALL OTHER DATA REMAINS AS PUBLISHED. 1609301853-1705121852EST.

DECATUR

Decatur Muni

FDC 7/7331 LUD IAP DECATUR MUNI, DECATUR, TX. VOR/DME RWY 17, AMDT 2A...PROCEDURE NA EXCEPT FOR AIRCRAFT EQUIPPED WITH SUITABLE RNAV SYSTEM WITH GPS, UKW TACAN OUT OF SERVICE. 1703211343-1705231343EST.

FDC 7/3085 LUD SID DECATUR MUNI, DECATUR, TX. HUBBARD NINE DEPARTURE...CHANGE PROPS NOTE TO READ: FOR PROPS REQUESTING FL230 AND BELOW. PROPS DEPARTING DFW AND DAL REQUESTING FL 240 AND ABOVE EXPECT THE WYLIE DEPARTURE. PROPS FROM OTHER AIRPORTS REQUESTING FL240 OR ABOVE EXPECT THE DALLAS DEPARTURE. 1703301506-1711091506EST.

DEL RIO

Del Rio Intl

FDC 6/8672 DRT IAP DEL RIO INTL, DEL RIO, TX. ILS OR LOC RWY 13, ORIG...CIRCLING CAT A MDA 1460/HAA 458, CAT B MDA 1560/HAA 558, CAT C/D MDA 1740/HAA 738.. 1612072249-1707192249EST.

DENTON

Denton Enterprise

FDC 7/9640 DTO ODP DENTON ENTERPRISE, DENTON, TX. TAKEOFF MINIMUMS AND (OBSTACLE) DEPARTURE PROCEDURES AMDT 3A...NOTE: RWY 18, WORKOVER RIG, 4067 FT FROM DEPARTURE END OF RWY, 497 FT LEFT OF CENTERLINE, 112 AGL/729 MSL. (2015-ASW-4516-OE). ALL OTHER DATA REMAINS AS PUBLISHED. 1705031704-1706301704EST.

FDC 7/9638 DTO IAP DENTON ENTERPRISE, DENTON, TX. RNAV (GPS) RWY 36, AMDT 2B...LNAV/VNAV DA 940/HAT 311 ALL CATS. VIS 1 ALL CATS. LNAV MDA 1040/HAT 411 ALL CATS. VIS CAT C/D 1 1/8. VDP 1.13 NM TO RW36. WORKOVER RIG, 729 MSL, 4098 FT SOUTH OF APPROCH END RWY 36, (2015-ASW-4516-OE). 1705031704-1706301704EST.

FDC 7/9636 DTO SID DENTON ENTERPRISE, DENTON, TX. DALLAS FOUR DEPARTURE...GARLAND SIX DEPARTURE...HUBBARD NINE DEPARTURE...JOE POOL NINE DEPARTURE...KINGDOM FOUR DEPARTURE...KUSSO THREE DEPARTURE (RNAV)...SWABR FOUR DEPARTURE (RNAV)...TEXOMA FIVE DEPARTURE...WORTH ONE DEPARTURE...NOTE: RWY 18, WORKOVER RIG, 4067 FT FROM DEPARTURE END OF RWY, 497 FT LEFT OF CENTERLINE, 112 AGL/729 MSL. (2015-ASW-4516-OE). ALL OTHER DATA REMAINS AS PUBLISHED. 1705031704-1706301704EST.

FDC 7/7183 DTO IAP DENTON ENTERPRISE, DENTON, TX. ILS OR LOC RWY 18, AMDT 9B...RNAV (GPS) RWY 18, ORIG-B...RNAV (GPS) RWY 36, AMDT 2B...CIRCLING CAT C MDA 1260/HAA 618. CAT C VIS 1 3/4. CRANE, 902 MSL, 1.93 NM NE OF KDTO, 2016-ASW-2910-OE. 1704281420-1705281420EST.

FDC 7/3312 DTO SID DENTON ENTERPRISE, DENTON, TX. DALLAS FOUR DEPARTURE...CHANGE PROPS NOTE TO READ: PROPS REQUESTING FL230 AND BELOW EXPECT THE HUBBARD DEPARTURE. PROPS DEPARTING DFW AND DAL REQUESTING FL240 AND ABOVE EXPECT THE WYLIE DEPARTURE. PROPS FROM OTHER AIRPORTS REQUESTING FL240 OR ABOVE EXPECT THE DALLAS DEPARTURE. 1703301825-1711091825EST.

FDC 7/3076 DTO SID DENTON ENTERPRISE, DENTON, TX. HUBBARD NINE DEPARTURE...CHANGE PROPS NOTE TO READ: FOR PROPS REQUESTING FL230 AND BELOW. PROPS DEPARTING DFW AND DAL REQUESTING FL 240 AND ABOVE EXPECT THE WYLIE DEPARTURE. PROPS FROM OTHER AIRPORTS REQUESTING FL240 OR ABOVE EXPECT THE DALLAS DEPARTURE. 1703301502-1711091502EST.

FDC 7/2761 DTO SID DENTON ENTERPRISE, DENTON, TX. GARLAND SIX DEPARTURE...CHANGE PROPS NOTE TO READ: PROPS DEPARTING DFW AND DAL EXPECT WYLIE OR HUBBARD DEPARTURE. PROPS FROM OTHER AIRPORTS EXPECT THE DALLAS OR HUBBARD DEPARTURE. 1703301209-1711091209EST.

EAGLE PASS

Comanche Ranch

FDC 7/0975 5TE0 SPECIAL COMANCHE RANCH, EAGLE PASS, TX. RNAV (GPS) RWY 33, ORIG...LNAV/VNAV DA 1300/HAT 596. VISIBILITY 2 ALL CATS. CHANGE ALTIMETER SETTING NOTE TO READ: OBTAIN LOCAL ALTIMETER ON CTAF; WHEN NOT RECEIVED USE COTULLA ALTIMETER SETTING AND INCREASE ALL DA 188 FEET AND ALL MDA 200 FEET; INCREASE LNAV/VNAV ALL CATS VISIBILITY 3/4 AND LNAV ALL CATS VISIBILITY 1/2. PROCEDURE NA WHEN NEITHER RECEIVED. 1704171215-1711271215EST.

EASTLAND

Eastland Muni

FDC 7/9829 ETN IAP EASTLAND MUNI, EASTLAND, TX. RNAV (GPS) RWY 17, ORIG-B...NOTE: NIGHT LANDING: RWY 17 NA. DISREGARD NOTE: WHEN VGSI INOP, PROCEDURE NA AT NIGHT. 1703241457-1711031457EST.

FDC 7/9826 ETN IAP EASTLAND MUNI, EASTLAND, TX. RNAV (GPS) RWY 35, AMDT 2A...NOTE: NIGHT LANDING: RWY 17 NA. DISREGARD NOTE: WHEN VGSI INOPERATIVE, CIRCLING RWY 17 NA AT NIGHT. 1703241452-1711031451EST.

EL PASO

El Paso Intl

FDC 7/9327 ELP IAP U.S. DOD EL PASO INTL, EL PASO, TX. HI VOR/DME OR TACAN RWY 26L, AMDT 4...CIRCLING CAT E MDA 4700/HAA 738. TOWER, 4336 MSL, 5.35 NM EAST OF KELP, 48-034996. 1705031343-1712131343EST.

FDC 7/9316 ELP IAP EL PASO INTL, EL PASO, TX. ILS OR LOC RWY 22, AMDT 32C...RADAR 1, AMDT 15A...VOR RWY 26L, AMDT 32A...CIRCLING CAT E MDA 4700/HAA 738. TOWER, 4336 MSL, 5.35 NM EAST OF KELP, 48-034996. 1705031339-1712131339EST.

FDC 7/4276 ELP IAP EL PASO INTL, EL PASO, TX. RNAV (RNP) Y RWY 4, ORIG-E...RNAV (RNP) Z RWY 4, ORIG-D...RNP 0.30 DA 4354/HAT 437 ALL CATS. VIS 1 1/2 ALL CATS.. 1701132101-1708252101EST.

FDC 7/4102 ELP IAP EL PASO INTL, EL PASO, TX. RNAV (GPS) Y RWY 26L, AMDT 1B...LNAV MDA 4400/HAT 438 ALL CATS. 4 TEMPORARY CRANES, 4095 MSL, 1.43 NM EAST OF APPROACH END RWY 26L, 2015-ASW-5548 THRU 5551-NRA. 1703131348-1710231348EST.

FDC 7/4101 ELP IAP EL PASO INTL, EL PASO, TX. VOR RWY 26L, AMDT 32A...CINAG FIX MINIMUMS (DUAL VOR RECEIVERS OR DME REQUIRED) S-26L MDA 4400/HAT 438 ALL CATS. VIS CATS C/D/E 1 1/4. 4 TEMPORARY CRANES, 4095 MSL, 1.43 NM EAST OF APPROACH END RWY 26L, 2015-ASW-5548 THRU 5551-NRA. 1703131348-1710231348EST.

FDC 7/4100 ELP IAP U.S. DOD EL PASO INTL, EL PASO, TX. HI VOR/DME OR TACAN RWY 26L, AMDT 4...S-26L CAT C/D/E MDA 4400/HAT 438. VIS CAT C/D/E 1 1/4. 4 TEMPORARY CRANES, 4095 MSL, 1.43 NM EAST OF APPROACH END RWY 26L, 2015-ASW-5548 THRU 5551-NRA. 1703131348-1710231348EST.

FDC 7/0145 ELP IAP EL PASO INTL, EL PASO, TX. RNAV (GPS) Y RWY 22, ORIG-D...LNAV MDA 4340/HAT 391 ALL CATS. VIS CAT C RVR 3500. 1703250117-1711040117EST.

ENNIS

Ennis Muni

FDC 7/2759 F41 SID ENNIS MUNI, ENNIS, TX. GARLAND SIX DEPARTURE...CHANGE PROPS NOTE TO READ: PROPS DEPARTING DFW AND DAL EXPECT WYLIE OR HUBBARD DEPARTURE. PROPS FROM OTHER AIRPORTS EXPECT THE DALLAS OR HUBBARD DEPARTURE. 1703301208-1711091208EST.

FLOYDADA

Floydada Muni

FDC 7/9251 41F IAP FLOYDADA MUNI, FLOYDADA, TX. RNAV (GPS) RWY 35, ORIG...DESCENT ANGLE 3.04/TCH 39 NA. 1703011511-1710111510EST.

FOLLETT

Follett/Lipscomb County

FDC 7/8954 T93 IAP FOLLETT/LIPSCOMB COUNTY, FOLLETT, TX. RNAV (GPS) RWY 35, ORIG...MSA RW35 25 NM 4400 WIND TURBINE, 3319 MSL, 22.10 NM WEST OF APPROACH END RWY 35, 2016-WTW-6317, 6318-OE. 1701292340-1709102340EST.

FORT HOOD/KILLEEN

Robert Gray AAF

FDC 7/2335 GRK IAP ROBERT GRAY AAF, FORT HOOD/KILLEEN, TX. RNAV (GPS) RWY 15, AMDT 1B...LPV DA NA. LNAV/VNAV DA NA. LNAV MDA CAT A/B VIS RVR 5500, CAT C/D/E VIS 1 1/2. VDP NA. RWY 15 DISPLACED THRESHOLD. CONSTRUCTION EQUIPMENT, 1035 MSL, 1021FT SE OF APPROACH END RWY 15 (2017-ASW-434-NRA). 1704191218-1711011218EST.

FDC 7/2334 GRK IAP ROBERT GRAY AAF, FORT HOOD/KILLEEN, TX. ILS OR LOC RWY 15, AMDT 6A...S-ILS 15 PROCEDURE NA. S-LOC 15 MDA CAT A/B VIS RVR 5500, CAT C/D/E VIS 1 3/8. HOLOD FIX MINIMUMS: S-LOC 15 MDA CAT A/B VIS RVR 5500, CAT C/D/E VIS 1 3/8. RWY 15 DISPLACED THRESHOLD. CONSTRUCTION EQUIPMENT, 1035 MSL, 1021FT SE OF APPROACH END RWY 15 (2017-ASW-434-NRA). 1704191218-1711011218EST.

FDC 7/2107 GRK IAP ROBERT GRAY AAF, FORT HOOD/KILLEEN, TX. NDB RWY 15, AMDT 6A...S-15 VISIBILITY CATS A/B RVR 5000, CATS C/D/E 2. FIPAG FIX MINIMUMS: S-15 VISIBILITY CATS A/B RVR 5000, CATS C/D/E 1 7/8. CONSTRUCTION EQUIPMENT 1021FT SOUTHEAST OF RWY 15 (2017-ASW-434-NRA). 1704181903-1711011903EST.

FDC 7/2090 GRK IAP ROBERT GRAY AAF, FORT HOOD/KILLEEN, TX. VOR/DME RWY 15, AMDT 3A...S-15 VISIBILITY CATS A/B RVR 5000, CATS C/D/E 1 3/8. VDP NA. CONSTRUCTION EQUIPMENT 1021FT SOUTHEAST OF RWY 15 (2017-ASW-434-NRA). 1704181851-1711011851EST.

FDC 7/2086 GRK SID ROBERT GRAY AAF, FORT HOOD/KILLEEN, TX. CONRA TWO DEPARTURE...LAMPS FIVE DEPARTURE...TAKEOFF MINIMUMS: RWY 33, NA - ENVIRONMENTAL. (2017-ASW-434-NRA). ALL OTHER DATA REMAINS AS PUBLISHED. 1704181851-1711011851EST.

FDC 7/2084 GRK ODP ROBERT GRAY AAF, FORT HOOD/KILLEEN, TX. TAKEOFF MINIMUMS AND (OBSTACLE) DEPARTURE PROCEDURES AMDT 1...TAKEOFF MINIMUMS: RWY 33, NA - ENVIRONMENTAL. (2017-ASW-434-NRA). ALL OTHER DATA REMAINS AS PUBLISHED. 1704181851-1711011851EST.

FORT STOCKTON

Fort Stockton-Pecos County

FDC 7/0452 FST IAP FORT STOCKTON-PECOS COUNTY, FORT STOCKTON, TX. VOR RWY 12, AMDT 8A...NOTE: CIRCLING RWY 3, 21, 30 NA AT NIGHT. 1701032206-1708152206EST.

FDC 7/0450 FST IAP FORT STOCKTON-PECOS COUNTY, FORT STOCKTON, TX. VOR/DME RWY 30, ORIG-A...NOTE: RWY 30 HELICOPTER VISIBILITY REDUCTION BELOW 1 SM NOT AUTHORIZED. NOTE: STRAIGHT-IN RWY 30 NA AT NIGHT, CIRCLING RWY 3, 21, 30 NA AT NIGHT. 1701032205-1708152205EST.

FDC 6/8692 FST IAP FORT STOCKTON-PECOS COUNTY, FORT STOCKTON, TX. RNAV (GPS) RWY 12, AMDT 1...DISREGARD NOTE: CIRCLING TO RWY 30 NA AT NIGHT. NOTE: CIRCLING RWY 3, 21, 30 NA AT NIGHT. 1612072307-1707192307EST.

FDC 6/8690 FST IAP FORT STOCKTON-PECOS COUNTY, FORT STOCKTON, TX. RNAV (GPS) RWY 30, AMDT 1...NOTE: RWY 30 HELICOPTER VISIBILITY REDUCTION BELOW 1 SM NOT AUTHORIZED. DISREGARD NOTE: VISIBILITY REDUCTION BY HELICOPTERS NA. NOTE: CIRCLING RWY 3, 21, 30 NA AT NIGHT. 1612072306-1707192305EST.

FORT WORTH

Bourland Field

FDC 7/2951 50F SID BOURLAND FIELD, FORT WORTH, TX. HUBBARD NINE DEPARTURE...CHANGE PROPS NOTE TO READ: FOR PROPS REQUESTING FL230 AND BELOW. PROPS DEPARTING DFW AND DAL REQUESTING FL 240 AND ABOVE EXPECT THE WYLIE DEPARTURE. PROPS FROM OTHER AIRPORTS REQUESTING FL240 OR ABOVE EXPECT THE DALLAS DEPARTURE. 1703301351-1711091351EST.

Fort Worth Alliance

FDC 7/7169 AFW IAP FORT WORTH ALLIANCE, FORT WORTH, TX. RNAV (GPS) RWY 16L, AMDT 1A...LNAV MDA 1180/HAT 465 ALL CATS. VIS CATS C/D/E RVR 5000. VDP 1.28 NM TO RW16L. FOR INOPERATIVE ALSF2, INCREASE LNAV/VNAV CAT E VISIBILITY TO 1 1/4 AND LNAV CAT C/D/E VISIBILITY TO 1 3/8 MILE. WORKOVER RIG, 878 MSL, 3.99 NM NORTH OF APPROACH END RWY 16L, (2015-ASW-7369-OE). 1704281401-1705281401EST.

FDC 7/7168 AFW IAP FORT WORTH ALLIANCE, FORT WORTH, TX. ILS OR LOC RWY 16L, AMDT 6A...S-LOC 16L MDA 1180/HAT 465 ALL CATS. VIS CAT C/D RVR 5000. SIDESTEP 16R MDA 1180/HAT 465 ALL CATS. WORKOVER RIG, 878 MSL, 3.99 NM NORTH OF APPROACH END RWY 16L, (2015-ASW-7369-OE). 1704281401-1705281401EST.

FDC 7/5644 AFW IAP FORT WORTH ALLIANCE, FORT WORTH, TX. ILS OR LOC RWY 16L, AMDT 6A...ILS RWY 16L (CAT II AND III), AMDT 6A...ALTERNATE MINIMUMS NA, UKW VORTAC UNMONITORED. 1704261407-1712061406EST.

FDC 7/3288 AFW SID FORT WORTH ALLIANCE, FORT WORTH, TX. DALLAS FOUR DEPARTURE...CHANGE PROPS NOTE TO READ: PROPS REQUESTING FL230 AND BELOW EXPECT THE HUBBARD DEPARTURE. PROPS DEPARTING DFW AND DAL REQUESTING FL240 AND ABOVE EXPECT THE WYLIE DEPARTURE. PROPS FROM OTHER AIRPORTS REQUESTING FL240 OR ABOVE EXPECT THE DALLAS DEPARTURE. 1703301804-1711091804EST.

FDC 7/2856 AFW SID FORT WORTH ALLIANCE, FORT WORTH, TX. HUBBARD NINE DEPARTURE...CHANGE PROPS NOTE TO READ: FOR PROPS REQUESTING FL230 AND BELOW. PROPS DEPARTING DFW AND DAL REQUESTING FL 240 AND ABOVE EXPECT THE WYLIE DEPARTURE. PROPS FROM OTHER AIRPORTS REQUESTING FL240 OR ABOVE EXPECT THE DALLAS DEPARTURE. 1703301246-1711091246EST.

FDC 7/2735 AFW SID FORT WORTH ALLIANCE, FORT WORTH, TX. GARLAND SIX DEPARTURE...CHANGE PROPS NOTE TO READ: PROPS DEPARTING DFW AND DAL EXPECT WYLIE OR HUBBARD DEPARTURE. PROPS FROM OTHER AIRPORTS EXPECT THE DALLAS OR HUBBARD DEPARTURE. 1703301152-1711091152EST.

Fort Worth Meacham Intl

FDC 7/5648 FTW IAP FORT WORTH MEACHAM INTL, FORT WORTH, TX. ILS OR LOC RWY 16, AMDT 8A...ALTERNATE MINIMUMS NA, UKW VORTAC UNMONITORED. 1704261408-1712061408EST.

FDC 7/3322 FTW SID FORT WORTH MEACHAM INTL, FORT WORTH, TX. DALLAS FOUR DEPARTURE...CHANGE PROPS NOTE TO READ: PROPS REQUESTING FL230 AND BELOW EXPECT THE HUBBARD DEPARTURE. PROPS DEPARTING DFW AND DAL REQUESTING FL240 AND ABOVE EXPECT THE WYLIE DEPARTURE. PROPS FROM OTHER AIRPORTS REQUESTING FL240 OR ABOVE EXPECT THE DALLAS DEPARTURE. 1703301839-1711091839EST.

Fort Worth NAS Jrb (Carswell Fld)

FDC 7/2949 NFW SID FORT WORTH NAS JRB (CARSWELL FLD), FORT WORTH, TX. HUBBARD NINE DEPARTURE...CHANGE PROPS NOTE TO READ: FOR PROPS REQUESTING FL230 AND BELOW. PROPS DEPARTING DFW AND DAL REQUESTING FL 240 AND ABOVE EXPECT THE WYLIE DEPARTURE. PROPS FROM OTHER AIRPORTS REQUESTING FL240 OR ABOVE EXPECT THE DALLAS DEPARTURE. 1703301349-1711091349EST.

FDC 7/2756 NFW SID FORT WORTH NAS JRB (CARSWELL FLD), FORT WORTH, TX. GARLAND SIX DEPARTURE...CHANGE PROPS NOTE TO READ: PROPS DEPARTING DFW AND DAL EXPECT WYLIE OR HUBBARD DEPARTURE. PROPS FROM OTHER AIRPORTS EXPECT THE DALLAS OR HUBBARD DEPARTURE. 1703301207-1711091207EST.

Fort Worth Spinks

FDC 7/3306 FWS SID FORT WORTH SPINKS, FORT WORTH, TX. DALLAS FOUR DEPARTURE...CHANGE PROPS NOTE TO READ: PROPS REQUESTING FL230 AND BELOW EXPECT THE HUBBARD DEPARTURE. PROPS DEPARTING DFW AND DAL REQUESTING FL240 AND ABOVE EXPECT THE WYLIE DEPARTURE. PROPS FROM OTHER AIRPORTS REQUESTING FL240 OR ABOVE EXPECT THE DALLAS DEPARTURE. 1703301819-1711091819EST.

FDC 7/2749 FWS SID FORT WORTH SPINKS, FORT WORTH, TX. GARLAND SIX DEPARTURE...CHANGE PROPS NOTE TO READ: PROPS DEPARTING DFW AND DAL EXPECT WYLIE OR HUBBARD DEPARTURE. PROPS FROM OTHER AIRPORTS EXPECT THE DALLAS OR HUBBARD DEPARTURE. 1703301203-1711091203EST.

FREDERICKSBURG

Gillespie County

FDC 7/4326 T82 IAP GILLESPIE COUNTY, FREDERICKSBURG, TX. RNAV (GPS) RWY 14, AMDT 1B...DESCENT ANGLE 3.00/TCH 43 NA. PROFILE NOTE: VISUAL SEGMENT - OBSTACLES. 1701132156-1708252156EST.

FDC 7/0011 T82 ODP GILLESPIE COUNTY, FREDERICKSBURG, TX. TAKEOFF MINIMUMS AND (OBSTACLE) DEPARTURE PROCEDURES AMDT 1...DEPARTURE PROCEDURE: RWY 14, CLIMB HEADING 140.73 TO 2400 BEFORE PROCEEDING ON COURSE. RWY 32, CLIMB HEADING 320.74 TO 2400 BEFORE PROCEEDING ON COURSE. NOTE: RWY 14, TREES BEGINNING 32 FT FROM DER, 299 FT RIGHT OF CENTERLINE, UP TO 15 FT AGL/1694 FT MSL. TREES AND POLES BEGINNING 203 FT FROM DER, 297 FT LEFT OF CENTERLINE, UP TO 39 FT AGL/1723 FT MSL. NOTE: RWY 32, TREES BEGINNING 85 FT FROM DER, LEFT AND RIGHT OF CENTERLINE, UP TO 63 FT AGL/1742 FT MSL. POLES BEGINNING 1028 FT FROM DER, 204 FT RIGHT OF CENTERLINE, UP TO 50 FT AGL/1734 FT MSL. TREES AND BUILDING BEGINNING 10 FT FROM DER, 366 FT RIGHT OF CENTERLINE, UP TO 31 FT AGL/1719 FT MSL. 1704131743-1711231743EST.

GALVESTON

Scholes Intl At Galveston

FDC 7/1232 GLS SID SCHOLES INTL AT GALVESTON, GALVESTON, TX. HOODO FOUR DEPARTURE (RNAV)...GPS REQUIRED, LEV VORTAC OUT OF SERVICE. 1704171511-1705171511EST.

GEORGETOWN

Georgetown Muni

FDC 7/6789 GTU STAR GEORGETOWN MUNI, GEORGETOWN, TX. MSTLO ONE RNAV ARRIVAL...ADD NOTE: OHSEE TRANSITION ATC ASSIGNED ONLY. 1701231800-1712310901.

GLADEWATER

Gladewater Muni

FDC 7/7044 07F IAP GLADEWATER MUNI, GLADEWATER, TX. VOR RWY 14, AMDT 3B...PROCEDURE NA EXCEPT FOR AIRCRAFT EQUIPPED WITH SUITABLE RNAV SYSTEM WITH GPS. 1703201624-1710301624EST.

FDC 7/7038 07F IAP GLADEWATER MUNI, GLADEWATER, TX. VOR RWY 14, AMDT 3B...DISREGARD NOTE: VISIBILITY REDUCTION BY HELICOPTERS NA. NOTE: RWY 32 HELICOPTER VISIBILITY REDUCTION BELOW 1 SM NOT AUTHORIZED. 1703201621-1710301621EST.

GRAHAM

Graham Muni

FDC 7/4686 RPH IAP GRAHAM MUNI, GRAHAM, TX.
RNAV (GPS) RWY 3, ORIG...DELETE: DESCENT
ANGLE 3.04 / TCH 40. PROFILE NOTE: VISUAL
SEGMENT - OBSTACLES. 1704241810-1712041810EST.

FDC 7/1479 RPH ODP GRAHAM MUNI, GRAHAM, TX.
TAKEOFF MINIMUMS AND (OBSTACLE) DEPARTURE
PROCEDURES AMDT 2A.TAKE-OFF MINIMUMS:
RWY 36, 300 - 1 1/2 OR STANDARD WITH MINIMUM
CLIMB OF 300 FT PER NM TO 1500. NOTE: RWY 3,
TREES, BEGINNING 46 FT FROM DER, 91 FT RIGHT
OF CENTERLINE, UP TO 1149 FT MSL. TREE 92 FT
FROM DER, 240 FT LEFT OF CENTERLINE, 1123 FT
MSL. TREE 253 FT FROM DER, 253 FT LEFT OF
CENTERLINE, 1131 FT MSL. TREE 322 FT FROM DER,
354 FT LEFT OF CENTERLINE, 1133 FT MSL. TREE
424 FT FROM DER, 290 FT LEFT OF CENTERLINE,
1140 FT MSL. TREE 439 FT FROM DER, 90 FT LEFT OF
CENTERLINE, 1145 FT MSL. TREE 550 FT FROM DER,
313 FT LEFT OF CENTERLINE, 1146 FT MSL. TREE
554 FT FROM DER, 219 FT LEFT OF CENTERLINE,
1148 FT MSL. POLE, TOWER, ANT, TREE, BEGINNING
599 FT FROM DER, 11 FT LEFT OF CENTERLINE, UP
TO 38 FT AGL/1154 FT MSL. TREES, BEGINNING 734
FT FROM DER, 88 FT RIGHT OF CENTERLINE, UP TO
1151 FT MSL. NOTE: RWY 21, TREES, BEGINNING 24
FT FROM DER, 249 FT LEFT OF CENTERLINE, UP TO
1127 FT MSL. POLE, TREE, BEGINNING 35 FT FROM
DER, 32 FT LEFT OF CENTERLINE, UP TO 29 FT
AGL/1139 FT MSL. POLE, TREE, BEGINNING 228 FT
FROM DER, 252 FT RIGHT OF CENTERLINE, UP TO 45
FT AGL/1159 FT MSL. T-L TWR, BEGINNING 1598 FT
FROM DER, 107 FT LEFT OF CENTERLINE, UP TO 80
FT AGL/1170 FT MSL. NOTE: RWY ALL OTHER DATA
REMAINS AS PUBLISHED. TREE 529 FT FROM DER,
602 FT LEFT OF CENTERLINE, 1211 FT MSL. CHANGE
ALL REFERENCE FROM RWY 17/35 TO 18/36. ALL
OTHER DATA REMAINS AS PUBLISHED.
1704171833-1711271833EST

GRAND PRAIRIE

Grand Prairie Muni

FDC 7/3308 GPM SID GRAND PRAIRIE MUNI,
GRAND PRAIRIE, TX. DALLAS FOUR
DEPARTURE...CHANGE PROPS NOTE TO READ:
PROPS REQUESTING FL230 AND BELOW EXPECT
THE HUBBARD DEPARTURE. PROPS DEPARTING
DFW AND DAL REQUESTING FL240 AND ABOVE
EXPECT THE WYLIE DEPARTURE. PROPS FROM
OTHER AIRPORTS REQUESTING FL240 OR ABOVE
EXPECT THE DALLAS DEPARTURE.
1703301821-1711091821EST.

FDC 7/2947 GPM SID GRAND PRAIRIE MUNI,
GRAND PRAIRIE, TX. HUBBARD NINE
DEPARTURE...CHANGE PROPS NOTE TO READ: FOR
PROPS REQUESTING FL230 AND BELOW. PROPS
DEPARTING DFW AND DAL REQUESTING FL 240
AND ABOVE EXPECT THE WYLIE DEPARTURE.
PROPS FROM OTHER AIRPORTS REQUESTING FL240
OR ABOVE EXPECT THE DALLAS DEPARTURE.
1703301347-1711091347EST.

HARLINGEN

Valley Intl

FDC 7/6352 HRL IAP VALLEY INTL, HARLINGEN, TX.
VOR/DME Y OR TACAN RWY 31, AMDT 1A...MSA
BRO VORTAC 25 NM 360-240 1600. TOWER, 539 MSL,
20.12 NM SOUTH OF KHRL, 48-014825.
1703162209-1710262209EST.

FDC 6/9772 HRL IAP VALLEY INTL, HARLINGEN, TX.
VOR/DME Y OR TACAN RWY 31, AMDT
1A...PROCEDURE NA, BRO VORTAC OUT OF
SERVICE. 1611171721-1706291719EST.

HEREFORD

Hereford Muni

FDC 7/1223 HRX IAP HEREFORD MUNI, HEREFORD,
TX. RNAV (GPS) RWY 2, ORIG-A...MSA RW02 25 NM
5700. WIND TURBINE, 4669 MSL, 25.05 NM WEST OF
RW02 APPROACH END , 2014-WTW-4722-OE.
1703281357-1711071356EST.

FDC 6/8391 HRX IAP HEREFORD MUNI, HEREFORD,
TX. RNAV (GPS) RWY 20, ORIG-A...LNAV MDA 4220/
HAT 434 ALL CATS. VIS CAT C/D 1 1/4. VDP 1.21 NM
TO RWY 20. MSA RW20 25 NM 5700.
1612071938-1707191938EST.

HIGGINS

Higgins-Lipscomb County

FDC 6/1631 1X1 IAP HIGGINS-LIPSCOMB COUNTY,
HIGGINS, TX. VOR/DME-A, AMDT 1...CIRCLING MDA
3220/HAA 654 CATS A/B/C; VISIBILITY CAT C 1 3/4.
CHANGE BACK-UP ALTIMETER SETTING NOTE TO
READ: USE CANADIAN ALTIMETER SETTING; WHEN
NOT RECEIVED, USE GAGE, OK ALTIMETER
SETTING: INCREASE ALL MDAS 20 FEET AND
VISIBILITY CAT C 1/4 SM.
1611202349-1707022349EST.

HONDO

South Texas Rgnl At Hondo

FDC 7/6385 HDO IAP SOUTH TEXAS RGNL AT
HONDO, HONDO, TX. RNAV (GPS) RWY 17L, AMDT
1...NOTE: VGSI AND RNAV GLIDEPATH NOT
COINCIDENT.. 1701202052-1709012051EST.

HOUSTON

Conroe-North Houston Rgnl

FDC 7/9635 CXO SID LONE STAR EXECUTIVE, HOUSTON, TX. LAKE CHARLES FOUR DEPARTURE...DEPARTURE PROCEDURE NA EXCEPT FOR AIRCRAFT EQUIPPED WITH SUITABLE RNAV SYSTEM WITH GPS, LCH VOR OUT OF SERVICE. 1705031659-1706031659EST.

FDC 7/1222 CXO SID LONE STAR EXECUTIVE, HOUSTON, TX. HOODO FOUR DEPARTURE (RNAV)...GPS REQUIRED, LEV VORTAC OUT OF SERVICE. 1704171511-1705171511EST.

FDC 6/2176 CXO STAR LONE STAR EXECUTIVE, HOUSTON, TX. RICE SEVEN ARRIVAL...REVISE NOTE: DME/DME/IRU OR GPS EQUIPPED TURBOJET AIRCRAFT LANDING IAH CAPABLE OF 280K OR GREATER MUST FILE THE DRLLR/GUSHR (RNAV) STARS. 1607071510-1712312359EST.

David Wayne Hooks Memorial

FDC 7/9634 DWH SID DAVID WAYNE HOOKS MEMORIAL, HOUSTON, TX. LAKE CHARLES FOUR DEPARTURE...DEPARTURE PROCEDURE NA EXCEPT FOR AIRCRAFT EQUIPPED WITH SUITABLE RNAV SYSTEM WITH GPS, LCH VOR OUT OF SERVICE. 1705031659-1706031659EST.

FDC 7/3530 DWH IAP DAVID WAYNE HOOKS MEMORIAL, HOUSTON, TX. LOC RWY 17R, AMDT 3C...RNAV (GPS) RWY 17R, AMDT 1D...RNAV (GPS) RWY 35L, AMDT 1C...CIRCLING CAT C MDA 740/HAA 588. CRANE, 380 MSL, 3.21 NM NORTH OD KDWH (2017-ASW-808-OE). 1703311500-1710061130EST.

FDC 7/1230 DWH SID DAVID WAYNE HOOKS MEMORIAL, HOUSTON, TX. HOODO FOUR DEPARTURE (RNAV)...GPS REQUIRED, LEV VORTAC OUT OF SERVICE. 1704171511-1705171511EST.

FDC 6/2173 DWH STAR DAVID WAYNE HOOKS MEMORIAL, HOUSTON, TX. RICE SEVEN ARRIVAL...REVISE NOTE: DME/DME/IRU OR GPS EQUIPPED TURBOJET AIRCRAFT LANDING IAH CAPABLE OF 280K OR GREATER MUST FILE THE DRLLR/GUSHR (RNAV) STARS. 1607071510-1712312359EST.

Ellington

FDC 7/1231 EFD SID ELLINGTON, HOUSTON, TX. HOODO FOUR DEPARTURE (RNAV)...GPS REQUIRED, LEV VORTAC OUT OF SERVICE. 1704171511-1705171511EST.

George Bush Intercontinental/Houston

FDC 7/7725 IAH STAR GEORGE BUSH INTERCONTINENTAL/HOUSTON, HOUSTON, TX. TEJAS FOUR (RNAV) ARRIVAL...REVISE NOTE: TURBOJET AND TURBOPROP AIRCRAFT CAPABLE OF 280K OR GREATER ONLY. 1704101440-1812310901.

FDC 7/1219 IAH SID GEORGE BUSH INTERCONTINENTAL/HOUSTON, HOUSTON, TX. HOODO FOUR DEPARTURE (RNAV)...GPS REQUIRED, LEV VORTAC OUT OF SERVICE. 1704171511-1705171511EST.

FDC 6/4818 IAH STAR GEORGE BUSH INTERCONTINENTAL/HOUSTON, HOUSTON, TX. GUSHR THREE (RNAV) ARRIVAL...REVISE NOTE: TURBOJET AIRCRAFT DESCEND VIA MACH NUMBER UNTIL INTERCEPTING 280K. MAINTAIN 280K UNTIL SLOWED BY THE STAR. 1606211550-1712312359EST.

FDC 6/2373 IAH STAR GEORGE BUSH INTERCONTINENTAL/HOUSTON, HOUSTON, TX. ZEEKK ONE (RNAV) ARRIVAL...REVISE NOTE: TURBOJET AND TURBOPROP ACFT CAPABLE OF 280K OR GREATER ONLY. 1607071645-1712312359EST.

FDC 6/2369 IAH STAR GEORGE BUSH INTERCONTINENTAL/HOUSTON, HOUSTON, TX. TOTORO THREE (RNAV) ARRIVAL...REVISE NOTE: TURBOJET AND TURBOPROP ACFT CAPABLE OF 280K OR GREATER ONLY. 1607071645-1712312359EST.

FDC 6/2330 IAH STAR GEORGE BUSH INTERCONTINENTAL/HOUSTON, HOUSTON, TX. SKNRD FOUR (RNAV) ARRIVAL...REVISE NOTE: TURBOJET AND TURBOPROP ACFT CAPABLE OF 280K OR GREATER ONLY. 1607071640-1712312359EST.

FDC 6/2327 IAH STAR GEORGE BUSH INTERCONTINENTAL/HOUSTON, HOUSTON, TX. OHIO THREE ARRIVAL...REVISE NOTE: DME/DME/IRU OR GPS EQUIPPED TURBOJET AND TURBOPROP AIRCRAFT LANDING IAH CAPABLE OF 280K OR GREATER MUST FILE THE GESNR/ZEEKK OR DOOBI/SKNRD (RNAV) STARS. 1607071635-1712312359EST.

FDC 6/2322 IAH STAR GEORGE BUSH INTERCONTINENTAL/HOUSTON, HOUSTON, TX. NNCEE ONE (RNAV) ARRIVAL...REVISE NOTE: TURBOJET AND TURBOPROP AIRCRAFT CAPABLE OF 280K OR GREATER ONLY. 1607071630-1712312359EST.

FDC 6/2321 IAH STAR GEORGE BUSH INTERCONTINENTAL/HOUSTON, HOUSTON, TX. MSCOT FOUR (RNAV) ARRIVAL...REVISE NOTE: TURBOJET AND TURBOPROP AIRCRAFT CAPABLE OF 280K OR GREATER ONLY. 1607071630-1712312359EST.

FDC 6/2320 IAH STAR GEORGE BUSH
INTERCONTINENTAL/HOUSTON, HOUSTON, TX.
LINKK ONE (RNAV) ARRIVAL...REVISE NOTE:
TURBOJET AND TURBOPROP AIRCRAFT CAPABLE
OF 280K OR GREATER ONLY.
1607071630-1712312359EST.

FDC 6/2319 IAH STAR GEORGE BUSH
INTERCONTINENTAL/HOUSTON, HOUSTON, TX.
DUUUK TWO ARRIVAL...REVISE NOTE:
DME/DME/IRU OR GPS EQUIPPED TURBOJET AND
TURBOPROP AIRCRAFT CAPABLE OF 280K OR
GREATER MUST FILE THE HTOWN/TEJAS(RNAV)
STARS. 1607071625-1712312359EST.

FDC 6/2309 IAH STAR GEORGE BUSH
INTERCONTINENTAL/HOUSTON, HOUSTON, TX.
HTOWN TWO (RNAV) ARRIVAL...REVISE NOTE:
TURBOJET AND TURBOPROP AIRCRAFT CAPABLE
OF 280K OR GREATER ONLY.
1607071615-1712312359EST.

FDC 6/2308 IAH STAR GEORGE BUSH
INTERCONTINENTAL/HOUSTON, HOUSTON, TX.
GUSHR THREE (RNAV) ARRIVAL...REVISE NOTE:
TURBOJET AND TURBOPROP AIRCRAFT CAPABLE
OF 280K OR GREATER ONLY.
1607071615-1712312359EST.

FDC 6/2263 IAH STAR GEORGE BUSH
INTERCONTINENTAL/HOUSTON, HOUSTON, TX.
GILCO FOUR ARRIVAL...REVISE NOTE:
DME/DME/IRU OR GPS EQUIPPED TURBOJET AND
TURBOPROP AIRCRAFT CAPABLE OF 280K OR
GREATER MUST FILE THE LINKK/NNCEE (RNAV)
STARS. 1607071615-1712312359EST.

FDC 6/2261 IAH STAR GEORGE BUSH
INTERCONTINENTAL/HOUSTON, HOUSTON, TX.
GESNR ONE(RNAV) ARRIVAL...REVISE NOTE:
TURBOJET AND TURBOPROP AIRCRAFT CAPABLE
OF 280K OR GREATER ONLY.
1607071615-1712312359EST.

FDC 6/2171 IAH STAR GEORGE BUSH
INTERCONTINENTAL/HOUSTON, HOUSTON, TX.
RIICE SEVEN ARRIVAL...REVISE NOTE:
DME/DME/IRU OR GPS EQUIPPED TURBOJET OR
TURBOPROP AIRCRAFT LANDING IAH CAPABLE OF
280K OR GREATER MUST FILE THE DRLLR/GUSHR
(RNAV) STARS. 1607071510-1712312359EST.

Houston Executive

FDC 7/1247 TME SID HOUSTON EXECUTIVE,
HOUSTON, TX. HOODO FOUR DEPARTURE
(RNAV)...GPS REQUIRED, LEV VORTAC OUT OF
SERVICE. 1704171511-1705171511EST.

Houston-Southwest

FDC 7/9987 AXH IAP HOUSTON-SOUTHWEST,
HOUSTON, TX. RNAV (GPS) RWY 9, AMDT 2...LPV DA
NA. LNAV/VNAV DA NA. 1704131733-1711231733EST.

FDC 7/1229 AXH SID HOUSTON-SOUTHWEST,
HOUSTON, TX. HOODO FOUR DEPARTURE
(RNAV)...GPS REQUIRED, LEV VORTAC OUT OF
SERVICE. 1704171511-1705171511EST.

Pearland Rgnl

FDC 7/1238 LVJ SID PEARLAND RGNL, HOUSTON,
TX. HOODO FOUR DEPARTURE (RNAV)...GPS
REQUIRED, LEV VORTAC OUT OF SERVICE.
1704171511-1705171511EST.

Sugar Land Rgnl

FDC 7/8837 SGR IAP SUGAR LAND RGNL,
HOUSTON, TX. RNAV (GPS) RWY 17, AMDT
2...LNAV/VNAV DA 704/HAT 622.
1703231318-1711021318EST.

FDC 7/1239 SGR SID SUGAR LAND RGNL,
HOUSTON, TX. HOODO FOUR DEPARTURE
(RNAV)...GPS REQUIRED, LEV VORTAC OUT OF
SERVICE. 1704171511-1705171511EST.

West Houston

FDC 7/3566 IWS IAP WEST HOUSTON, HOUSTON,
TX. VOR-D, AMDT 1...PROCEDURE NA.
1702112037-1709232037EST.

FDC 7/1235 IWS SID WEST HOUSTON, HOUSTON,
TX. HOODO FOUR DEPARTURE (RNAV)...GPS
REQUIRED, LEV VORTAC OUT OF SERVICE.
1704171511-1705171511EST.

FDC 7/1025 IWS IAP WEST HOUSTON, HOUSTON,
TX. RNAV (GPS) RWY 33, AMDT 1A...LNAV MDA
640/HAT 529 ALL CATS. VIS CAT C 1 1/2. NOTE: USE
GEORGE BUSH INTERCONTINENTAL/HOUSTON
ALTIMETER SETTING. DISREGARD NOTE: OBTAIN
LOCAL ALTIMETER SETTING ON CTAF; WHEN NOT
RECEIVED, USE GEORGE BUSH
INTERCONTINENTAL/HOUSTON ALTIMETER
SETTING AND INCREASE ALL MDA 60 FT. NOTE:
PROCEDURE NA AT NIGHT. DISREGARD
NOTE: WHEN VGSI INOP, CIRCLING RWY 15 NA AT
NIGHT. DISREGARD NOTE: WHEN VGSI INOP,
STRAIGHT-IN/CIRCLING RWY 33 PROCEDURE NA AT
NIGHT. 1704171248-1711271248EST.

FDC 7/1006 IWS IAP WEST HOUSTON, HOUSTON, TX. RNAV (GPS) RWY 15, AMDT 1B...LP MDA 540/HAT 429. VIS CAT C 1 1/4. LNAV CAT A/B/C MDA 600/HAT 489. VIS CAT C 1 3/8. NOTE: USE GEORGE BUSH INTERCONTINENTAL/HOUSTON ALTIMETER SETTING. DISREGARD NOTE: OBTAIN LOCAL ALTIMETER SETTING ON CTAF; WHEN NOT RECEIVED, USE GEORGE BUSH INTERCONTINENTAL/HOUSTON ALTIMETER SETTING AND INCREASE ALL MDA 60 FT, INCREASE LP CAT C VISIBILITY 1/4 MILE AND LNAV CAT C VISIBILITY 1/8 MILE. NOTE: PROCEDURE NA AT NIGHT. DISREGARD NOTE: WHEN VGSI INOP, CIRCLING RWY 33 NA AT NIGHT. DISREGARD NOTE: WHEN VGSI INOP, STRAIGHT-IN/CIRCLING RWY 15 PROCEDURE NA AT NIGHT. 1704171242-1711271242EST.

William P Hobby

FDC 7/7777 HOU STAR WILLIAM P HOBBY, HOUSTON, TX. TKNIQ TWO (RNAV)ARRIVAL...REVISE NOTE: TURBOJET AND TURBOPROP AIRCRAFT CAPABLE OF 280K OR GREATER ONLY. 1704101540-1812312359.

FDC 7/1220 HOU SID WILLIAM P HOBBY, HOUSTON, TX. HOODO FOUR DEPARTURE (RNAV)...GPS REQUIRED, LEV VORTAC OUT OF SERVICE. 1704171511-1705171511EST.

FDC 6/2428 HOU STAR WILLIAM P HOBBY, HOUSTON, TX. TCHDN TWO ARRIVAL...REVISE NOTE: DME/DME/IRU OR GPS EQUIPPED TURBOJET AND TURBOPROP ACFT LANDING HOU CAPABLE OF 280K OR GREATER MUST FILE THE BELLR (RNAV) STAR. 1607071715-1712312359EST.

FDC 6/2315 HOU STAR WILLIAM P HOBBY, HOUSTON, TX. HUDZY TWO ARRIVAL...REVISE NOTE: DME/DME/IRU OR GPS EQUIPPED TURBOJET AND TURBOPROP AIRCRAFT CAPABLE OF 280K OR GREATER MUST FILE THE WAPPL (RNAV) STAR. 1607071620-1712312359EST.

FDC 6/2164 HOU STAR WILLIAM P HOBBY, HOUSTON, TX. QTRBK ONE ARRIVAL...REVISE NOTE: DME/DME/IRU OR GPS EQUIPPED TURBOJET OR TURBOPROP AIRCRAFT LANDING HOU CAPABLE OF 280K OR GREATER MUST FILE THE KIDDZ (RNAV) STAR. 1607071500-1712312359EST.

JACKSONVILLE

Cherokee County

FDC 7/0782 JSO IAP CHEROKEE COUNTY, JACKSONVILLE, TX. RNAV (GPS) RWY 14, AMDT 1...LPV CAT A/B/C DA 928/HAT 250. CHART TDZE 678, DELETE THRE 678. THIS IS RNAV (GPS) RWY 14, AMDT 1A. 1703031819-PERM.

JASPER

Jasper County-Bell Field

FDC 7/4641 JAS IAP JASPER COUNTY-BELL FIELD, JASPER, TX. RNAV (GPS) RWY 18, ORIG...PROFILE NOTE: VGSI AND RNAV GLIDEPATH NOT COINCIDENT (VGSI ANGLE 3.15/TCH 40.6). 1704241746-1712041746EST.

KERRVILLE

Kerrville Muni/Louis Schreiner Field

FDC 7/9578 ERV ODP KERRVILLE MUNI/LOUIS SCHREINER FIELD, KERRVILLE, TX. TAKEOFF MINIMUMS AND (OBSTACLE) DEPARTURE PROCEDURES AMDT 1...TAKEOFF MINIMUMS: RWY3, STANDARD WITH MINIMUM CLIMB OF 437 FT PER NM TO 2800 OR 1000-3 FOR CLIMB IN VISUAL CONDITIONS. ALL OTHER DATA REMAINS AS PUBLISHED.. 1704131209-1711231209EST.

FDC 7/3283 ERV IAP KERRVILLE MUNI/LOUIS SCHREINER FIELD, KERRVILLE, TX. VOR-A, AMDT 3A...NOTE: CIRCLING RWY 21 NA AT NIGHT. DISREGARD NOTE: WHEN VGSI INOP CIRCLING RWY 3/12/21 NA AT NIGHT. 1703092047-1710192047EST.

FDC 7/3282 ERV IAP KERRVILLE MUNI/LOUIS SCHREINER FIELD, KERRVILLE, TX. LOC RWY 30, AMDT 4A...NOTE: CIRCLING RWY 21 NA AT NIGHT. NOTE: RWY 30 HELICOPTER VISIBILITY REDUCTION BELOW 3/4 SM NOT AUTHORIZED. DISREGARD NOTE: WHEN VGSI INOP, CIRCLING RWY 3/12/21 NA AT NIGHT. DISREGARD NOTE: VISIBILITY REDUCTION BY HELICOPTERS NA. 1703092047-1710192047EST.

FDC 7/3281 ERV IAP KERRVILLE MUNI/LOUIS SCHREINER FIELD, KERRVILLE, TX. RNAV (GPS) RWY 30, ORIG-A...NOTE: CIRCLING RWY 21 NA AT NIGHT. NOTE: RWY 30 HELICOPTER VISIBILITY REDUCTION BELOW 3/4 SM NOT AUTHORIZED. DISREGARD NOTE: WHEN VGSI INOP, CIRCLING RWY 3/12/21 NA AT NIGHT. DISREGARD NOTE: VISIBILITY REDUCTION BY HELICOPTERS NA. 1703092047-1710192047EST.

FDC 7/3280 ERV IAP KERRVILLE MUNI/LOUIS SCHREINER FIELD, KERRVILLE, TX. RNAV (GPS) RWY 12, AMDT 1...LNAV/VNAV DA 1976/HAT 400 ALL CATS. LNAV MDA 2500/HATH 924 ALL CATS, VISIBILITY CATS A/B 1 1/4, CATS C/D 2 1/2. DISREGARD HALOL STEPDOWN FIX AND ALTITUDE. CIRCLING MDA 2500/HAA 883 ALL CATS, VISIBILITY CATS A/B 1 1/4, CAT C 2 3/4, CAT D 3. CHANGE ALTIMETER NOTE TO READ: WHEN LOCAL ALTIMETER SETTING NOT RECEIVED, USE GILLESPIE COUNTY ALTIMETER SETTING AND INCREASE ALL DA 54 FEET AND ALL MDA 60 FEET; INCREASE LNAV/VNAV VISIBILITY ALL CATS, LNAV CAT B AND CIRCLING CATS B/C VISIBILITY 1/4 MILE, INCREASE LNAV CATS C/D VISIBILITY 1/2 MILE. NOTE: CIRCLING RWY 21 NA AT NIGHT. NOTE: RWY 12 HELICOPTER VISIBILITY REDUCTION BELOW 3/4 SM NOT AUTHORIZED. DISREGARD NOTE: VISIBILITY REDUCTION BY HELICOPTERS NA. DISREGARD NOTE: WHEN VGSI INOP PROCEDURE NA AT NIGHT. DISREGARD NOTE: WHEN VGSI INOP CIRCLING RWY 3/21 NA AT NIGHT. 1703092047-1710192047EST.

KILLEEN

Skylark Field

FDC 7/8240 ILE IAP SKYLARK FIELD, KILLEEN, TX. VOR-A, AMDT 4...NOTE: CIRCLING RWY 19 NA AT NIGHT. NOTE: RWY 19 HELICOPTER VISIBILITY REDUCTION BELOW 1 SM NOT AUTHORIZED. 1702261957-1710081957EST.

KOUNTZE/SILSBEE

Hawthorne Field

FDC 7/1075 45R IAP HAWTHORNE FIELD, KOUNTZE/SILSBEE, TX. NDB RWY 13, AMDT 3...NOTE: PROCEDURE NA AT NIGHT. 1704171329-1711271329EST.

FDC 7/1053 45R IAP HAWTHORNE FIELD, KOUNTZE/SILSBEE, TX. RNAV (GPS) RWY 13, AMDT 1A...LP MDA NA. DESCENT ANGLE 3.00/TCH 40 NA. NOTE: PROCEDURE NA AT NIGHT. DISREGARD NOTE: WHEN VGSI INOP, STRAIGHT-IN/CIRCLING RWY 13 PROCEDURE NA AT NIGHT. DISREGARD NOTE: WHEN VGSI INOP, CIRCLING RWY 31 NA AT NIGHT. 1704171302-1711271301EST.

LA GRANGE

Fayette Rgnl Air Center

FDC 7/9824 3T5 IAP FAYETTE RGNL AIR CENTER, LA GRANGE, TX. RNAV (GPS) RWY 16, AMDT 2A...DISREGARD NOTE: WHEN VGSI INOP, CIRCLING RWY 34 NA AT NIGHT. DISREGARD NOTE: WHEN VGSI INOP, STRAIGHT-IN / CIRCLING RWY 16 PROCEDURE NA AT NIGHT. 1703241449-1711031449EST.

FDC 7/9820 3T5 IAP FAYETTE RGNL AIR CENTER, LA GRANGE, TX. RNAV (GPS) RWY 34, AMDT 2A...DISREGARD NOTE: WHEN VGSI INOP, CIRCLING RWY 16 NA AT NIGHT. DISREGARD NOTE: WHEN VGSI INOP, STRAIGHT-IN / CIRCLING RWY 34 PROCEDURE NA AT NIGHT. 1703241446-1711031446EST.

FDC 7/8534 3T5 ODP FAYETTE RGNL AIR CENTER, LA GRANGE, TX. TAKEOFF MINIMUMS AND (OBSTACLE) DEPARTURE PROCEDURES ORIG.NOTE: RWY 16, TREES, GROUND BEGINNING 146 FT FROM DEPARTURE END OF RWY, 389 FT RIGHT OF CENTERLINE, UP TO 45 FT AGL/378 FT MSL. PAVED RD BEGINNING 199 FT FROM DEPARTURE END OF RWY, 481 FT LEFT OF CENTERLINE, UP TO 15 FT AGL/336 FT MSL. TREES BEGINNING 246 FT FROM DEPARTURE END OF RWY, 454 FT RIGHT OF CENTERLINE, UP TO 47 FT AGL/381 FT MSL. TREES 525 FT FROM DEPARTURE END OF RWY, 533 FT RIGHT OF CENTERLINE, 49 FT AGL/383 FT MSL. TREES 570 FT FROM DEPARTURE END OF RWY, 540 FT LEFT OF CENTERLINE, 35 FT AGL/355 FT MSL. TREES, BUILDING BEGINNING 760 FT FROM DEPARTURE END OF RWY, 527 FT RIGHT OF CENTERLINE, UP TO 45 FT AGL/384 FT MSL. TREES 769 FT FROM DEPARTURE END OF RWY, 569 FT LEFT OF CENTERLINE, 43 FT AGL/361 FT MSL. TREES 880 FT FROM DEPARTURE END OF RWY, 524 FT RIGHT OF CENTERLINE, 45 FT AGL/386 FT MSL. TREES, POLE, CATENARY BEGINNING 926 FT FROM DEPARTURE END OF RWY, 589 FT RIGHT OF CENTERLINE, UP TO 48 FT AGL/390 FT MSL. TREES 945 FT FROM DEPARTURE END OF RWY, 532 FT LEFT OF CENTERLINE, 45 FT AGL/364 FT MSL. TREES BEGINNING 1005 FT FROM DEPARTURE END OF RWY, 367 FT LEFT OF CENTERLINE, UP TO 46 FT AGL/365 FT MSL. TREES 1183 FT FROM DEPARTURE END OF RWY, 632 FT RIGHT OF CENTERLINE, 49 FT AGL/396 FT MSL. TREES BEGINNING 1319 FT FROM DEPARTURE END OF RWY, 259 FT LEFT OF CENTERLINE, UP TO 44 FT AGL/369 FT MSL. TREES BEGINNING 1465 FT FROM DEPARTURE END OF RWY, 297 FT RIGHT OF CENTERLINE, UP TO 56 FT AGL/406 FT MSL. TREES BEGINNING 1467 FT FROM DEPARTURE END OF RWY, 28 FT LEFT OF CENTERLINE, UP TO 48 FT AGL/380 FT MSL. TREES 1570 FT FROM DEPARTURE END OF RWY, 652 FT RIGHT OF CENTERLINE, 54 FT AGL/407 FT MSL. TREES, CATENARY, POLE BEGINNING 1625 FT FROM DEPARTURE END OF RWY, 32 FT RIGHT OF CENTERLINE, UP TO 56 FT AGL/411 FT MSL. TREE 2052 FT FROM DEPARTURE END OF RWY, 188 FT LEFT OF CENTERLINE, 34 FT AGL/381 FT MSL. TREES 2111 FT FROM DEPARTURE

LA PORTE

La Porte Muni

FDC 7/9116 T41 IAP LA PORTE MUNI, LA PORTE, TX. VOR-A, ORIG-A...CIRCLING CAT A,B,C MDA 680/HAT 655. NOTE: HELICOPTER VISIBILITY REDUCTION BELOW 1 SM NOT AUTHORIZED. NOTE: CIRCLING RWY 5, 23 NA AT NIGHT. 1703011327-1710111327EST.

FDC 7/1241 T41 SID LA PORTE MUNI, LA PORTE, TX. HOODO FOUR DEPARTURE (RNAV)...GPS REQUIRED, LEV VORTAC OUT OF SERVICE. 1704171511-1705171511EST.

LA PRYOR

Chaparrosa Ranch

FDC 7/2068 72TE SPECIAL CHAPARROSA RANCH, LA PRYOR, TX. NDB RWY 15, AMDT 1...NOTE STRAIGHT-IN MINIMUMS NA. FINAL APPROACH FIX (FAF) MINIMUM ALTITUDE 1700. 1702072121-1709192121EST.

LAGO VISTA

Lago Vista Tx - Rusty Allen

FDC 7/6800 RYW STAR LAGO VISTA TX - RUSTY ALLEN, LAGO VISTA, TX. MSTLO ONE RNAV ARRIVAL...ADD NOTE: OHSEE TRANSITION ATC ASSIGNED ONLY. 1701231805-1712310901.

LAKEWAY

Lakeway Airpark

FDC 7/6785 3R9 STAR LAKEWAY AIRPARK, LAKEWAY, TX. MSTLO ONE RNAV ARRIVAL...ADD NOTE: OHSEE TRANSITION ATC ASSIGNED ONLY. 1701231800-1712310901.

FDC 6/4580 3R9 IAP LAKEWAY AIRPARK, LAKEWAY, TX. RNAV (GPS) RWY 16, AMDT 1A...DESCENT ANGLE 3.00/TCH 40 NA. 1612222041-1708032041EST.

LAMPASAS

Lampasas

FDC 7/1439 LZZ IAP LAMPASAS, LAMPASAS, TX. RNAV (GPS) RWY 34, ORIG...NOTE: NIGHT LANDING: RWY 16 NA. NOTE: HELICOPTER VISIBILITY REDUCTION BELOW 1 SM NOT AUTHORIZED. DISREGARD VDP. 34:1 IS NOT CLEAR. 1704171759-1711271759EST.

FDC 7/1437 LZZ IAP LAMPASAS, LAMPASAS, TX. VOR-A, AMDT 4...NOTE: NIGHT LANDING: RWY 16 NA. NOTE: HELICOPTER VISIBILITY REDUCTION BELOW 1 SM NOT AUTHORIZED. 1704171757-1711271757EST.

LANCASTER

Lancaster Rgnl

FDC 7/3292 LNC SID LANCASTER RGNL, LANCASTER, TX. DALLAS FOUR DEPARTURE...CHANGE PROPS NOTE TO READ: PROPS REQUESTING FL230 AND BELOW EXPECT THE HUBBARD DEPARTURE. PROPS DEPARTING DFW AND DAL REQUESTING FL240 AND ABOVE EXPECT THE WYLIE DEPARTURE. PROPS FROM OTHER AIRPORTS REQUESTING FL240 OR ABOVE EXPECT THE DALLAS DEPARTURE. 1703301805-1711091805EST.

FDC 7/2747 LNC SID LANCASTER RGNL, LANCASTER, TX. GARLAND SIX DEPARTURE...CHANGE PROPS NOTE TO READ: PROPS DEPARTING DFW AND DAL EXPECT WYLIE OR HUBBARD DEPARTURE. PROPS FROM OTHER AIRPORTS EXPECT THE DALLAS OR HUBBARD DEPARTURE. 1703301202-1711091201EST.

LIBERTY

Liberty Muni

FDC 7/1242 T78 SID LIBERTY MUNI, LIBERTY, TX. HOODO FOUR DEPARTURE (RNAV)...GPS REQUIRED, LEV VORTAC OUT OF SERVICE. 1704171511-1705171511EST.

FDC 6/2182 T78 STAR LIBERTY MUNI, LIBERTY, TX. RIICE SEVEN ARRIVAL...REVISE NOTE: DME/DME/IRU OR GPS EQUIPPED TURBOJET AIRCRAFT LANDING IAH CAPABLE OF 280K OR GREATER MUST FILE THE DRLLR/GUSHR (RNAV) STARS. 1607071515-1712312359EST.

LLANO

Llano Muni

FDC 6/1629 AQO IAP LLANO MUNI, LLANO, TX. RNAV (GPS) RWY 17, ORIG...RNAV (GPS) RWY 35, ORIG...VOR-A, AMDT 4...NIGHT LANDING: RWY 35 NA. 1611202347-1707022347EST.

LUBBOCK

Lubbock Preston Smith Intl

FDC 7/9964 LBB IAP LUBBOCK PRESTON SMITH INTL, LUBBOCK, TX. RNAV (GPS) RWY 26, AMDT 2A...NOTE: PROCEDURE NA FOR ARRIVALS AT SLIDE ON V76-81 SOUTHBOUND. DISREGARD NOTE: PROCEDURE NA FOR ARRIVALS AT SLIDE ON V76-81 NORTHBOUND. 1702012039-1709132039EST.

LUFKIN

Angelina County

FDC 7/9425 LFK IAP ANGELINA COUNTY, LUFKIN, TX. ILS OR LOC RWY 7, AMDT 2B...S-ILS DA 536/HAT 250 ALL CATS. CIRCLING CAT C MDA 800/HAA 504. NOTE: NIGHT LANDING RWY 15, 25 NA. 1704121941-1711221941EST.

FDC 7/9419 LFK IAP ANGELINA COUNTY, LUFKIN, TX. VOR/DME RWY 15, AMDT 3...S-15 MDA 760/HAT 471 ALL CATS. CIRCLING CAT C MDA 800/HAA 504. PLANVIEW: 16 DME ARC INITIAL ROUTE FROM LFK R-199 CW TO LFK R-332 MINIMUM ALTITUDE 2100. PROFILE VIEW: PROCEDURE TURN INITIAL ALTITUDE 2100. NOTE: NIGHT LANDING RWY 15, 25 NA. NOTE: HELICOPTER VISIBILITY REDUCTION BELOW 1 SM NOT AUTHORIZED. 1704121939-1711221939EST.

FDC 7/9416 LFK IAP ANGELINA COUNTY, LUFKIN, TX. RNAV (GPS) RWY 7, ORIG-A...CIRCLING CAT C MDA 800/HAA 504. NOTE: NIGHT LANDING RWY 15, 25 NA. 1704121936-1711221936EST.

FDC 7/9414 LFK IAP ANGELINA COUNTY, LUFKIN, TX. RNAV (GPS) RWY 15, ORIG-A...CIRCLING CAT C MDA 800/HAA 504. PROFILE VIEW: DISREGARD VDP DATA AND SYMBOL. 1704121932-1711221932EST.

FDC 7/9394 LFK IAP ANGELINA COUNTY, LUFKIN, TX. RNAV (GPS) RWY 25, AMDT 1A...LNAV MDA 700/HAT 404 ALL CATS. LNAV CAT C/D VISIBILITY 1 1/8 MILE. CIRCLING CAT C MDA 800/HAA 504. 1704121929-1711221929EST.

FDC 7/9390 LFK IAP ANGELINA COUNTY, LUFKIN, TX. RNAV (GPS) RWY 33, AMDT 1A...VOR RWY 33, AMDT 14B...CIRCLING CAT C MDA 800/HAA 504. 1704121926-1711221926EST.

MASON

Mason County

FDC 7/9793 T92 IAP MASON COUNTY, MASON, TX. RNAV (GPS) RWY 18, ORIG-B...VISUAL DESCENT ANGLE 3.00/40 TCH NOT AUTHORIZED. 1703241428-1711031428EST.

MC ALLEN

Mc Allen Miller Intl

FDC 7/8018 MFE ODP MC ALLEN MILLER INTL, MC ALLEN, TX. TAKEOFF MINIMUMS AND (OBSTACLE) DEPARTURE PROCEDURES AMDT 2...NOTE: RWY 32, CRANE 5320 FT FROM DEPARTURE END OF RWY, 902 FEET RIGHT OF CENTERLINE, 130 AGL/241 MSL, (2017-ASW-5363-OE), EXCEPT WHEN ADVISED BY ATCT THAT THIS CRANE IS DOWN.. ALL OTHER DATA REMAINS AS PUBLISHED. 1705011422-1705201422EST.

FDC 7/8016 MFE IAP MC ALLEN MILLER INTL, MC ALLEN, TX. ILS OR LOC RWY 32, AMDT 1...RNAV (GPS) RWY 14, AMDT 1...RNAV (GPS) RWY 32, AMDT 2...CIRCLING MDA CATS A/B/C 600/HAA 496. EXCEPT WHEN ADVISED BY ATCT THAT THIS CRANE IS DOWN. CRANE, 241 MSL, 1.47 NM NW OF KMFE (2017-ASW-5363-OE). 1705011422-1705201422EST.

FDC 7/3546 MFE IAP MC ALLEN MILLER INTL, MC ALLEN, TX. ILS OR LOC RWY 14, AMDT 9...CHANGE GLIDE SLOPE FROM 3.00/TCH 61 TO 3.00/TCH 56. 1701111932-1708231932EST.

MESQUITE

Mesquite Metro

FDC 7/3686 HQZ SID MESQUITE METRO, MESQUITE, TX. SWABR FOUR DEPARTURE (RNAV)...CHANGE CTAF FREQUENCY FROM 123.05 TO 120.3. 1703311339-1711101339EST.

FDC 7/2741 HQZ SID MESQUITE METRO, MESQUITE, TX. GARLAND SIX DEPARTURE...CHANGE PROPS NOTE TO READ: PROPS DEPARTING DFW AND DAL EXPECT WYLIE OR HUBBARD DEPARTURE. PROPS FROM OTHER AIRPORTS EXPECT THE DALLAS OR HUBBARD DEPARTURE. 1703301157-1711091157EST.

MEXIA

Mexia-Limestone Co

FDC 6/1448 LXY IAP MEXIA-LIMESTONE CO, MEXIA, TX. NDB-A, AMDT 4...RNAV (GPS) RWY 36, ORIG-A...DISREGARD NOTE: WHEN VGSI INOP, PROCEDURE NA AT NIGHT. NOTE: RWY 36 HELICOPTER VISIBILITY REDUCTION BELOW 3/4 SM NOT AUTHORIZED. 1611202003-1707022003EST.

MIDLAND

Midland Intl Air And Space Port

FDC 7/9141 MAF IAP U.S. DOD MIDLAND INTL, MIDLAND, TX. HI - VOR/DME OR TACAN RWY 16R, AMDT 3...HI - VOR/DME OR TACAN RWY 34L, AMDT 2...ILS OR LOC RWY 10, AMDT 16B...RADAR 1, AMDT 6...RNAV (GPS) RWY 10, AMDT 2A...RNAV (GPS) RWY 16R, AMDT 1A...RNAV (GPS) RWY 22, AMDT 1A...RNAV (GPS) RWY 28, AMDT 2A...RNAV (GPS) RWY 34L, AMDT 1A...RNAV (GPS) RWY 4, AMDT 1B...VOR OR TACAN RWY 16R, AMDT 23A...VOR/DME OR TACAN RWY 34L, AMDT 10A...CHANGE AIRPORT NAME TO MIDLAND INTL AIR AND SPACE PORT. 1703011343-1710111343EST.

FDC 7/9138 MAF ODP MIDLAND INTL, MIDLAND, TX. TAKEOFF MINIMUMS AND (OBSTACLE) DEPARTURE PROCEDURES AMDT 1...CHANGE AIRPORT NAME TO MIDLAND INTL AIR AND SPACE PORT. ALL OTHER DATA REMAINS AS PUBLISHED. 1703011339-1710111339EST.

FDC 7/4435 MAF IAP MIDLAND INTL AIR AND SPACE PORT, MIDLAND, TX. RNAV (GPS) RWY 28, AMDT 2A...LNAV/VNAV DA 3241/HAT 413 ALL CATS. VIS 1 1/8 ALL CATS. 1704241423-1712041423EST.

FDC 7/4213 MAF IAP MIDLAND INTL, MIDLAND, TX. RNAV (GPS) RWY 34L, AMDT 1A...LNAV/VNAV DA 3334/HAT 476 ALL CATS. VIS 1 5/8 ALL CATS. DRILLING RIG, 3000 MSL, 1.03 NM SE OF APPROACH END RWY 34L, 2016-ASW-7815-OE. 1703131425-1710231425EST.

FDC 7/2942 MAF ODP MIDLAND INTL AIR AND SPACE PORT, MIDLAND, TX. TAKEOFF MINIMUMS AND (OBSTACLE) DEPARTURE PROCEDURES AMDT 1...TAKE-OFF MINIMUMS RWY 04, 200-1 1/4 OR STANDARD WITH MINIMUM CLIMB OF 275 FT PER NM TO 3200. NOTE: RWY 4, DRILLING RIG, 6024 FT FROM DEPARTURE END OF RWY, 556 FT LEFT OF CENTERLINE, 170 AGL/3062 MSL (2017-ASW-1387-OE). ALL OTHER DATA REMAINS AS PUBLISHED. 1704201200-1706041135EST.

FDC 7/2941 MAF IAP MIDLAND INTL AIR AND SPACE PORT, MIDLAND, TX. RNAV (GPS) RWY 22, AMDT 1A...LPV DA 3327/HAT 472 ALL CATS. VIS 1 5/8 ALL CATS. LNAV/VNAV DA 3349/HAT 494 ALL CATS. VIS 1 5/8 ALL CATS. DRILLING RIG, 3062 MSL, 1.00 NM NE OF APPROACH END RWY 22 (2017-ASW-1387-OE). 1704201200-1706041135EST.

FDC 7/2940 MAF IAP MIDLAND INTL AIR AND SPACE PORT, MIDLAND, TX. RADAR 1, AMDT 6...ASR RWY 28 MDA 3320/HAT 465 ALL CATS. VIS CATS C/D/E 1 1/8. FOR INOPERATIVE MALS, INCREASE S-28 CAT E VISIBILITY TO 1 1/2 MILE. DRILLING RIG, 3062 MSL, 1.02 NM NE OF APPROACH END RWY 28 (2017-ASW-1387-OE). 1704201200-1706041135EST.

MIDLOTHIAN/WAXAHACHIE

Mid-Way Rgnl

FDC 7/2737 JWY SID MID-WAY RGNL, MIDLOTHIAN/WAXAHACHIE, TX. GARLAND SIX DEPARTURE...CHANGE PROPS NOTE TO READ: PROPS DEPARTING DFW AND DAL EXPECT WYLIE OR HUBBARD DEPARTURE. PROPS FROM OTHER AIRPORTS EXPECT THE DALLAS OR HUBBARD DEPARTURE. 1703301154-1711091154EST.

MINEOLA

Mineola Wisener Field

FDC 7/0020 3F9 ODP MINEOLA WISENER FIELD, MINEOLA, TX. TAKEOFF MINIMUMS AND (OBSTACLE) DEPARTURE PROCEDURES ORIG...DELETE TAKEOFF MINIMUMS: RWYS 17, 35, NA-OBSTACLES. CHART TAKEOFF MINIMUMS: RWY 17, 35: NA - OBSTACLES. RWY 17R, 35L: NA - ENVIRONMENTAL. THIS IS TAKEOFF MINIMUMS AND (OBSTACLE) DEPARTURE PROCEDURES, ORIG-A. 1704131748-PERM.

MULESHOE

Muleshoe Muni

FDC 7/8925 2T1 IAP MULESHOE MUNI, MULESHOE, TX. RNAV (GPS)-B, ORIG...VOR/DME-A, AMDT 1A...TEXICO (TXO) VORTAC (IAF) MINIMUM ALTITUDE 7000. MISSED APPROACH: CLIMBING RIGHT TURN TO 7000 DIRECT TXO VORTAC AND HOLD. 1701292228-1709102228EST.

ODESSA

Odessa-Schlemeyer Field

FDC 7/6538 ODO IAP ODESSA-SCHLEMEYER FIELD, ODESSA, TX. RNAV (GPS) RWY 11, ORIG-B...RNAV (GPS) RWY 20, ORIG...RNAV (GPS) RWY 29, ORIG...VOR-A, AMDT 7...CIRCLING MDA CATS C/D 3600/HAA 596. 1704271553-1712071553EST.

PADUCAH

Dan E Richards Muni

FDC 7/9469 3F6 IAP DAN E RICHARDS MUNI, PADUCAH, TX. VOR/DME OR GPS RWY 35, AMDT 1...VOR/DME PORTION NA. 1705031418-1712131418EST.

PALACIOS

Palacios Muni

FDC 7/4639 PSX IAP PALACIOS MUNI, PALACIOS, TX. RNAV (GPS) RWY 13, ORIG-A...VOR RWY 13, AMDT 10D...CIRCLING CAT A MDA 460/HAA 446.. 1704241744-1712041744EST.

PALESTINE

Palestine Muni

FDC 7/3957 PSN ODP PALESTINE MUNI, PALESTINE, TX. TAKEOFF MINIMUMS AND (OBSTACLE) DEPARTURE PROCEDURES AMDT 2...TAKEOFF MINIMUMS: RWY 9, STANDARD WITH A MINIMUM CLIMB OF 313 FT PER NM TO 1200, OR 1000-3 FOR CLIMB IN VISUAL CONDITIONS. DEPARTURE PROCEDURE: RWY 9, FOR CLIMB IN VISUAL CONDITIONS: CROSS PALESTINE MUNICIPAL AIRPORT AT OR ABOVE 1300. ALL OTHER DATA REMAINS AS PUBLISHED.. 1703121922-1710221922EST.

FDC 7/3955 PSN IAP PALESTINE MUNI, PALESTINE, TX. RNAV (GPS) RWY 18, ORIG-A...CHANGE TAA TO READ: FROM 267/30 CW 357/30 TO DUCAL (IAF) MINIMUM ALTITUDE 3000. ALL OTHER TAA DATA REMAINS AS PUBLISHED. 1703121920-1710221920EST.

FDC 6/1323 PSN IAP PALESTINE MUNI, PALESTINE, TX. NDB RWY 36, AMDT 8...RNAV (GPS) RWY 36, AMDT 1A...VOR/DME RWY 18, AMDT 5A...CIRCLING RWY 9, 27 NA AT NIGHT. 1611201859-1707021859EST.

PEARSALL

Mc Kinley Field

FDC 7/8742 T30 IAP MC KINLEY FIELD, PEARSALL, TX. VOR/DME OR GPS-A, AMDT 2A...PROCEDURE NA AT NIGHT. 1704121202-1711221202EST.

PECOS

Pecos Muni

FDC 7/7831 PEQ ODP PECOS MUNI, PECOS, TX. TAKEOFF MINIMUMS AND (OBSTACLE) DEPARTURE PROCEDURES ORIG...TAKE-OFF MINIMUMS RWY 27, 300-1 1/2 OR STANDARD WITH MINIMUM CLIMB OF 226 FT PER NM TO 2900 OR ALTERNATIVELY, WITH A NORMAL 200 FT PER NM CLIMB GRADIENT, TAKEOFF MUST OCCUR NO LATER THAN 1800 FT PRIOR TO DER. NOTE: RWY 27, DRILLING RIG, 1973 FT FROM DEPARTURE END OF RWY, 1973 FT RIGHT OF CENTERLINE, 188 AGL/2816 MSL (2017-ASW-1604-OE). ALL OTHER DATA REMAINS AS PUBLISHED. 1705011135-1707051135EST.

FDC 7/7830 PEQ IAP PECOS MUNI, PECOS, TX. RNAV (GPS) RWY 14, ORIG-A...RNAV (GPS) RWY 32, ORIG-A...VOR RWY 14, AMDT 7C...CIRCLING CAT A/B MDA 3120/HAA 507. DRILLING RIG, 2816 MSL, 1.60 NM WEST OF KPEQ (2017-ASW-1604-OE). 1705011135-1707051135EST.

FDC 7/4158 PEQ IAP PECOS MUNI, PECOS, TX. RNAV (GPS) RWY 32, ORIG-A...LNAV MDA 2940/HAT 335 ALL CATS. VDP 0.93 NM TO RW32.. 1704241143-1712041143EST.

FDC 7/1444 PEQ ODP PECOS MUNI, PECOS, TX. TAKEOFF MINIMUMS AND (OBSTACLE) DEPARTURE PROCEDURES ORIG...NOTE: RWY 9, POWER LINE, 2020 FT FROM DEPARTURE END OF RWY, 862 FT RIGHT OF CENTERLINE, 62 AGL/2654 MSL, 2015-ASW-6720-OE. ALL OTHER DATA REMAINS AS PUBLISHED. 1704171804-1711271804EST.

PORT ISABEL

Port Isabel-Cameron County

FDC 7/7521 PIL IAP PORT ISABEL-CAMERON COUNTY, PORT ISABEL, TX. VOR/DME-B, AMDT 3A...PROCEDURE NA EXCEPT FOR AIRCRAFT EQUIPPED WITH SUITABLE RNAV SYSTEM WITH GPS. BRO DME UNUSABLE BEYOND 11 NM. 1704101205-1711201205EST.

FDC 7/2215 PIL ODP PORT ISABEL-CAMERON COUNTY, PORT ISABEL, TX. TAKEOFF MINIMUMS AND (OBSTACLE) DEPARTURE PROCEDURES AMDT 2A...TAKE-OFF MINIMUMS RWY 17, STANDARD WITH MINIMUM CLIMB OF 273 FT PER NM TO 600. RWY 21, 600 - 2 1/2 OR STANDARD WITH MINIMUM CLIMB OF 307 FT PER NM TO 700. DEPARTURE PROCEDURE: RWY 13, FLY HEADING 129.84 TO 500 BEFORE TURNING RIGHT. NOTE: RWY 21, WIND TURBINE, 2.13 NM FROM DEPARTURE END OF RWY, 2519 FT LEFT OF CENTERLINE, 499 FT AGL/518 FT MSL, 2015-WTW-3184-OE. ALL OTHER DATA REMAINS AS PUBLISHED. 1702072325-1709192325EST.

FDC 7/2213 PIL IAP PORT ISABEL-CAMERON COUNTY, PORT ISABEL, TX. VOR-A, AMDT 6A...CIRCLING CAT A/B/C MDA 780/HAA 761. VIS CAT C 2 1/4. WIND TURBINE, 522 MSL, 2.95 NM SW OF KPIL, 2015-WTW-3182-OE. 1702072324-1709192324EST.

FDC 6/9770 PIL IAP PORT ISABEL-CAMERON COUNTY, PORT ISABEL, TX. VOR-A, AMDT 6A...VOR/DME-B, AMDT 3A...PROCEDURE NA, BRO VORTAC OUT OF SERVICE. 1611171715-1706291715EST.

PORT LAVACA

Calhoun County

FDC 7/9187 PKV ODP CALHOUN COUNTY, PORT LAVACA, TX. TAKEOFF MINIMUMS AND (OBSTACLE) DEPARTURE PROCEDURES ORIG...TAKE-OFF MINIMUMS: RWY 5, 23, NA - ENVIRONMENTAL. ALL OTHER DATA REMAINS AS PUBLISHED. 1703011442-1710111442EST.

ROCKWALL

Ralph M Hall/Rockwall Muni

FDC 7/2886 F46 SID RALPH M HALL/ROCKWALL MUNI, ROCKWALL, TX. HUBBARD NINE DEPARTURE...CHANGE PROPS NOTE TO READ: FOR PROPS REQUESTING FL230 AND BELOW. PROPS DEPARTING DFW AND DAL REQUESTING FL 240 AND ABOVE EXPECT THE WYLIE DEPARTURE. PROPS FROM OTHER AIRPORTS REQUESTING FL240 OR ABOVE EXPECT THE DALLAS DEPARTURE. 1703301300-1711091300EST.

FDC 7/2743 F46 SID RALPH M HALL/ROCKWALL MUNI, ROCKWALL, TX. GARLAND SIX DEPARTURE...CHANGE PROPS NOTE TO READ: PROPS DEPARTING DFW AND DAL EXPECT WYLIE OR HUBBARD DEPARTURE. PROPS FROM OTHER AIRPORTS EXPECT THE DALLAS OR HUBBARD DEPARTURE. 1703301159-1711091159EST.

SAN ANTONIO

Boerne Stage Field

FDC 7/0389 5C1 ODP BOERNE STAGE FIELD, SAN ANTONIO, TX. TAKEOFF MINIMUMS AND (OBSTACLE) DEPARTURE PROCEDURES ORIG...DEPARTURE PROCEDURE NA. 1702021636-1709141636EST.

San Antonio Intl

FDC 7/9816 SAT IAP SAN ANTONIO INTL, SAN ANTONIO, TX. ILS OR LOC RWY 13R, AMDT 14C...ILS OR LOC RWY 31L, AMDT 10C...ILS OR LOC RWY 4, AMDT 22B...RNAV (GPS) Y RWY 13R, AMDT 1B...RNAV (GPS) Y RWY 22, AMDT 2B...RNAV (GPS) Y RWY 31L, AMDT 1B...RNAV (GPS) Y RWY 4, AMDT 3B...CIRCLING MINIMUMS NA. 1703020901-1710112208EST.

FDC 7/9553 SAT IAP SAN ANTONIO INTL, SAN ANTONIO, TX. ILS OR LOC RWY 4, AMDT 22B...S-ILS 4 DA 1115/HAT 329 ALL CATS. ZINON FIX MINIMUMS NA. VDP AT 2.68 DME; DISTANCE VDP TO THLD 1.12 MILES. CRANES, UP TO 1007 MSL, 1098 FT NW OF APPROACH END RWY 4, 2015-ASW-7559 THRU 7563-NRA. 1704131123-1711231123EST.

FDC 7/9552 SAT IAP SAN ANTONIO INTL, SAN ANTONIO, TX. RNAV (GPS) Y RWY 4, AMDT 3B...LPV DA 1115/HAT 329 ALL CATS. CRANES, UP TO 1007 MSL, 1098 FT NW OF APPROACH END RWY 4, 2015-ASW-7559 THRU 7563-NRA. 1704131123-1711231123EST.

FDC 7/9551 SAT IAP SAN ANTONIO INTL, SAN ANTONIO, TX. ILS OR LOC RWY 31L, AMDT 10C...S-ILS 31L DA 1083/HAT 293 ALL CATS. DISREGARD NOTE: # RVR 1800 AUTHORIZED WITH THE USE OF FD OR HUD TO DA. CRANE, 1957 FT WEST OF APPROACH END RWY 30L, UP TO 1007 MSL, 2015-ASW-7559 THRU 7563-NRA. 1704131123-1711231123EST.

SANTA ELENA

Diamond O Ranch

FDC 7/1746 XS93 IAP DIAMOND O RANCH, SANTA ELENA, TX. NDB-A, AMDT 3...PROCEDURE NA. 1704181259-1711281259EST.

SEYMOUR

Seymour Muni

FDC 7/5440 60F IAP SEYMOUR MUNI, SEYMOUR, TX. GPS RWY 17, ORIG-A...MSA SEALE 25 NM 3100. ANTENNA TOWER, 2004 MSL, 28.18 NM WEST OF R17, 48-008886. 1702162123-1709282123EST.

SINTON

Alfred C 'Bubba' Thomas

FDC 6/2823 T69 IAP ALFRED C BUBBA THOMAS, SINTON, TX. VOR/DME RWY 14, AMDT 1B...PROCEDURE NA. 1611261509-1707081508EST.

SLATON

Slaton Muni

FDC 7/0933 F49 IAP SLATON MUNI, SLATON, TX. RNAV (GPS) RWY 36-ORIG...RNAV (GPS) RWY 18-ORIG...PROCEDURE NA AT NIGHT. 1701051156-1708171154EST.

STEPHENVILLE

Stephenville Clark Rgnl

FDC 7/1087 SEP ODP STEPHENVILLE CLARK RGNL, STEPHENVILLE, TX. TAKEOFF MINIMUMS AND (OBSTACLE) DEPARTURE PROCEDURES ORIG...CHANGE TAKEOFF OBSTACLE NOTES TO READ: NOTE: RWY 14, TREE 296FT FROM DER, 254FT LEFT OF CENTERLINE, 1317FT MSL. TREES BEGINNING 338FT FROM DER, 436FT LEFT OF CENTERLINE, UP TO 1326FT MSL. VEHICLE ON ROAD 210FT FROM DER, CROSSING LEFT AND RIGHT OF CENTERLINE, 1298FT MSL. TREES BEGINNING 199FT FROM DER, 135FT RIGHT OF CENTERLINE, UP TO 1327FT MSL. TREES BEGINNING 220FT FROM DER, 206FT RIGHT OF CENTERLINE, UP TO 1340FT MSL. RWY 32, TREES AND POLES BEGINNING 230FT FROM DER, 387FT LEFT OF CENTERLINE, UP TO 1342FT MSL. POLE 540FT FROM DER, 400FT LEFT OF CENTERLINE, 1335FT MSL. TREES AND POLE BEGINNING 540FT FROM DER, 31FT LEFT OF CENTERLINE, UP TO 1355FT MSL. TREE 128FT FROM DER, 446FT RIGHT OF CENTERLINE, 1364FT MSL. TREES AND POLE BEGINNING 242FT FROM DER, 244FT RIGHT OF CENTERLINE, UP TO 1369FT MSL. TREES AND POLE BEGINNING 746FT FROM DER, 3FT RIGHT OF CENTERLINE, UP TO 1351FT MSL. ALL OTHER DATA REMAINS AS PUBLISHED. 1703061918-1710161918EST.

SULPHUR SPRINGS

Sulphur Springs Muni

FDC 7/7538 SLR IAP SULPHUR SPRINGS MUNI, SULPHUR SPRINGS, TX. RNAV (GPS) RWY 19, ORIG-A...LPV DA 726/HAT 250, VIS 7/8 ALL CATS. CHANGE LOCAL ALTIMETER SETTING NOTE TO READ: WHEN LOCAL ALTIMETER SETTING NOT RECEIVED, USE PARIS ALTIMETER SETTING: INCREASE LPV DA TO 803 FEET, LNAV/VNAV DA TO 853 FEET AND ALL VISIBILITIES 3/8 SM; INCREASE ALL MDAS 80 FEET AND VISIBILITY CAT C 3/8 SM. 1702232221-1710052221EST.

SWEETWATER

Avenger Field

FDC 7/8004 SWW ODP AVENGER FIELD, SWEETWATER, TX. TAKEOFF MINIMUMS AND (OBSTACLE) DEPARTURE PROCEDURES ORIG...NOTE: RWY 17, BUILDING, 1062 FEET FROM DEPARTURE END OF RWY, 753 FEET LEFT OF CENTERLINE, 31 FEET AGL/ 2415 MSL. ALL OTHER DATA REMAINS AS PUBLISHED. 1704111200-1711211200EST.

TAYLOR

Taylor Muni

FDC 7/9260 T74 IAP TAYLOR MUNI, TAYLOR, TX. VOR/DME RWY 17, AMDT 1B...DISREGARD NOTE: PROCEDURE NA AT NIGHT. DISREGARD NOTE: HELICOPTER VISIBILITY REDUCTION BELOW 1 SM NA. NOTE: HELICOPTER VISIBILITY REDUCTION BELOW 3/4 SM NA. 1703011516-1710111515EST.

FDC 7/6792 T74 STAR TAYLOR MUNI, TAYLOR, TX. MSTLO ONE RNAV ARRIVAL...ADD NOTE: OHSEE TRANSITION ATC ASSIGNED ONLY. 1701231800-1712310901.

TYLER

Tyler Pounds Rgnl

FDC 7/8956 TYR IAP TYLER POUNDS RGNL, TYLER, TX. RNAV (GPS) RWY 4, AMDT 2A...PROCEDURE NA. 1701292342-1709102342EST.

FDC 7/6295 TYR ODP TYLER POUNDS RGNL, TYLER, TX. TAKEOFF MINIMUMS AND (OBSTACLE) DEPARTURE PROCEDURES AMDT 2...RWY 22, NA - ENVIRONMENTAL. ALL OTHER DATA REMAINS AS PUBLISHED. 1704061340-1711161340EST.

UNIVERSAL CITY

Randolph AFB

FDC 6/8712 RND STAR RANDOLPH AFB, UNIVERSAL CITY, TX. STONEWALL ONE ARRIVAL...TRANSITION FROM STV VORTAC TO RND NA EXCEPT FOR ACFT EQUIPPED WITH SUITABLE RNAV SYSTEM WITH GPS. 1605041430-1706220901.

VAN HORN

Culberson County

FDC 7/3575 VHN ODP CULBERSON COUNTY, VAN HORN, TX. TAKEOFF MINIMUMS AND (OBSTACLE) DEPARTURE PROCEDURES ORIG...DELETE ALL REFERENCES TO RUNWAYS 17 AND 35. TAKEOFF OBSTACLE NOTES: NOTE: RWY 3, TREE 16 FT FROM DER, 133 FT RIGHT OF CENTERLINE, 11 FT AGL/3928 FT MSL. TREE, BUSH, RD (N) BEGINNING 45 FT FROM DER, 143 FT LEFT OF CENTERLINE, UP TO 11 FT AGL/3931 FT MSL. NOTE: RWY 21, TREE AND BUSH BEGINNING 49 FT FROM DER, 291 FT RIGHT OF CENTERLINE, UP TO 10 FT AGL/3969 FT MSL. BUSHES 83 FT FROM DER, 404 FT LEFT OF CENTERLINE, 3961 FT MSL. ALL OTHER DATA REMAINS AS PUBLISHED. 1702112044-1709232044EST.

WACO

Mc Gregor Executive

FDC 7/6627 PWG IAP MC GREGOR EXECUTIVE, WACO, TX. VOR RWY 17, AMDT 10C...PROCEDURE TURN MINIMUM ALTITUDE 2100. MISSED APPROACH: CLIMBING RIGHT TURN TO 2100 DIRECT ACT VORTAC AND HOLD. 1701222113-1709032113EST.

WEATHERFORD

Parker County

FDC 7/2880 WEA SID PARKER COUNTY, WEATHERFORD, TX. HUBBARD NINE DEPARTURE...CHANGE PROPS NOTE TO READ: FOR PROPS REQUESTING FL230 AND BELOW. PROPS DEPARTING DFW AND DAL REQUESTING FL 240 AND ABOVE EXPECT THE WYLIE DEPARTURE. PROPS FROM OTHER AIRPORTS REQUESTING FL240 OR ABOVE EXPECT THE DALLAS DEPARTURE. 1703301258-1711091258EST.

FDC 7/2739 WEA SID PARKER COUNTY, WEATHERFORD, TX. GARLAND SIX DEPARTURE...CHANGE PROPS NOTE TO READ: PROPS DEPARTING DFW AND DAL EXPECT WYLIE OR HUBBARD DEPARTURE. PROPS FROM OTHER AIRPORTS EXPECT THE DALLAS OR HUBBARD DEPARTURE. 1703301156-1711091156EST.

WHARTON

Wharton Rgnl

FDC 6/2911 ARM IAP WHARTON RGNL, WHARTON, TX. NDB RWY 14, ORIG...NDB RWY 32, ORIG...MSA FROM ARM NDB: 2600. TERMINAL ROUTE FROM PSX VORTAC TO ARM NDB MINIMUM ALTITUDE 2100. 1611272145-1707092145EST.

WHEELER

Wheeler Muni

FDC 7/6377 T59 IAP WHEELER MUNI, WHEELER, TX. RNAV (GPS)-A, ORIG...TERMINAL ROUTE BRISC TO FIVWI AND EYMUUV TO LUDYI NA. 1704271332-1712071332EST.

FDC 7/6375 T59 IAP WHEELER MUNI, WHEELER, TX. RNAV (GPS)-B, ORIG...TERMINAL ROUTE BRISC TO WUXOR AND ZASPA TO XANZI NA. 1704271332-1712071332EST.

YOAKUM

Yoakum Muni

FDC 6/4130 T85 IAP YOAKUM MUNI, YOAKUM, TX. NDB RWY 31, AMDT 3A...RNAV (GPS) RWY 31, ORIG-B...DISREGARD NOTE: PROCEDURE NOT AUTHORIZED AT NIGHT. 1612202141-1708012141EST.

UTAH

BEAVER

Beaver Muni

FDC 7/5670 U52 ODP BEAVER MUNI, BEAVER, UT. TAKEOFF MINIMUMS AND (OBSTACLE) DEPARTURE PROCEDURES ORIG...ADD NOTE: RWY 13, SHRUB 429FT FROM DER, 46FT RIGHT OF CENTERLINE, 5877FT MSL. TREE 642FT FROM DER, 49FT RIGHT OF CENTERLINE, 5886FT MSL. TREE 4272FT FROM DER, 1344FT RIGHT OF CENTERLINE, 6024FT MSL. TREE 4293FT FROM DER, 1086FT RIGHT OF CENTERLINE, 6024FT MSL. TERRAIN AND TREE, BEGINNING 4454FT FROM DER, 933FT RIGHT OF CENTERLINE, UP TO 6039FT MSL. TREE AND TERRAIN, BEGINNING 4997FT FROM DER, 1071FT RIGHT OF CENTERLINE, UP TO 6074FT MSL. TERRAIN 1NM FROM DER, 1996FT RIGHT OF CENTERLINE, 6115FT MSL. TREE 1NM FROM DER, 1184FT RIGHT OF CENTERLINE, 6117FT MSL. TREES, BEGINNING 1.1NM FROM DER, 1236FT RIGHT OF CENTERLINE, UP TO 6142FT MSL. TREE 1.2NM FROM DER, 1557FT RIGHT OF CENTERLINE, 6153FT MSL. TREE 1.2NM FROM DER, 1987FT RIGHT OF CENTERLINE, 6174FT MSL. TREE 1.3NM FROM DER, 1812FT RIGHT OF CENTERLINE, 6180FT MSL. TREE 1.3NM FROM DER, 2263FT RIGHT OF CENTERLINE, 6196FT MSL. TREE 1.4NM FROM DER, 2547FT RIGHT OF CENTERLINE, 6218FT MSL. ALL OTHER DATA REMAINS AS PUBLISHED. 1702171845-1709291845EST.

FDC 7/0262 U52 IAP BEAVER MUNI, BEAVER, UT. RNAV (GPS)-A, ORIG...NOTE: NIGHT LANDING: RWY 07, 27, 31 NA. NOTE: HELICOPTER VISIBILITY REDUCTION BELOW 1 SM NA.. 1703252348-1711042348EST.

CEDAR CITY

Cedar City Rgnl

FDC 7/3324 CDC ODP CEDAR CITY RGNL, CEDAR CITY, UT. TAKEOFF MINIMUMS AND (OBSTACLE) DEPARTURE PROCEDURES AMDT 3...DEPARTURE PROCEDURE RWY 2, 8, 20, 26: CHANGE THENCE INSTRUCTIONS TO READ CONTINUE CLIMB ON EHK VOR/DME R-278 UNTIL REACHING THE MEA/MCA FOR DIRECTION OF FLIGHT. VCOA RWY 8, 20, 26: CHANGE THEN ON EHK VOR/DME R-287 UNTIL REACHING THE MEA/MCA FOR ROUTE OF FLIGHT TO READ THEN ON EHK VOR/DME R-278 UNTIL REACHING THE MEA/MCA FOR ROUTE OF FLIGHT. ALL OTHER DATA REMAINS AS PUBLISHED.. 1704201741-1711301741EST.

FDC 7/2231 CDC IAP CEDAR CITY RGNL, CEDAR CITY, UT. ILS OR LOC RWY 20, AMDT 4...S-ILS 20** DA 5820/HAT 220. 1701091608-1708211608EST.

FDC 7/0783 CDC IAP CEDAR CITY RGNL, CEDAR CITY, UT. RNAV (GPS) RWY 20, AMDT 1...PROCEDURE NA. 1701050901-1708162047EST.

PRICE

Carbon County Rgnl/Buck Davis Field

FDC 7/9431 PUC IAP CARBON COUNTY RGNL/BUCK DAVIS FIELD, PRICE, UT. ILS OR LOC/DME RWY 1, AMDT 1...VOR/DME RWY 1, AMDT 1...NOTE: CIRCLING RWY 8, 19, 26, 33 NA AT NIGHT. DISREGARD NOTE: NIGHT LANDING: RWY 15, 33 NA.. 1704121946-1711221946EST.

FDC 7/6273 PUC IAP CARBON COUNTY RGNL/BUCK DAVIS FIELD, PRICE, UT. RNAV (GPS) RWY 1, AMDT 2...PROCEDURE NA. 1704061331-1711161331EST.

SALT LAKE CITY

Salt Lake City Intl

FDC 7/4204 SLC IAP SALT LAKE CITY INTL, SALT LAKE CITY, UT. RNAV (GPS) RWY 35, AMDT 2A...LP MDA NA. 1704241233-1712041233EST.

South Valley Rgnl

FDC 7/6890 U42 SID SOUTH VALLEY RGNL, SALT LAKE CITY, UT. ITOFO TWO DEPARTURE (RNAV)...TAKE-OFF MINIMUMS RWY 16: NA. ALL OTHER DATA REMAINS AS PUBLISHED. 1703201206-1710301206EST.

FDC 7/6889 U42 ODP SOUTH VALLEY RGNL, SALT LAKE CITY, UT. TAKEOFF MINIMUMS AND (OBSTACLE) DEPARTURE PROCEDURES AMDT 5...TAKE-OFF MINIMUMS RWY 16, NA. ALL OTHER DATA REMAINS AS PUBLISHED. 1703201206-1710301206EST.

FDC 7/6888 U42 IAP SOUTH VALLEY RGNL, SALT LAKE CITY, UT. RNAV (GPS) Y RWY 34, ORIG-B...RNAV (GPS) Z RWY 34, ORIG-A...LNAV MDA NA. 1703201206-1710301206EST.

FDC 6/5686 U42 IAP SOUTH VALLEY RGNL, SALT LAKE CITY, UT. RNAV (GPS) Y RWY 34, ORIG-B...RNAV (GPS) Z RWY 34, ORIG-A...NOTE: RWY 34 HELICOPTER VISIBILITY REDUCTION BELOW 3/4 SM NOT AUTHORIZED. 1612301546-1708111546EST.

ST GEORGE

St George Rgnl

FDC 7/3285 SGU IAP ST GEORGE RGNL, ST GEORGE, UT. VOR/DME-A, ORIG-A...PROCEDURE NA. 1703301801-1711091801EST.

FDC 7/3271 SGU SID ST GEORGE RGNL, ST GEORGE, UT. JITKA TWO DEPARTURE...RWY 19 DEPARTURE PROCEDURE: NA EXCEPT FOR AIRCRAFT EQUIPPED WITH SUITABLE RNAV SYSTEM WITH GPS. 1703301751-1711091751EST.

VERNAL

Vernal Rgnl

FDC 7/5678 VEL ODP VERNAL RGNL, VERNAL, UT. TAKEOFF MINIMUMS AND (OBSTACLE) DEPARTURE PROCEDURES AMDT 1.NOTE RWY 07, TREE 70 FT FROM DER, 227 FT LEFT OF CENTERLINE, 5247 FT MSL. POLE 407 FT FROM DER, 277 FT RIGHT OF CENTERLINE, 5256 FT MSL. POLE 750 FT FROM DER, 62 FT LEFT OF CENTERLINE, 5259 FT MSL. NOTE RWY 16, TREE 49 FT FROM DER, 462 FT RIGHT OF CENTERLINE, 5302 FT MSL. BUSH 274 FT FROM DER, 352 FT LEFT OF CENTERLINE, 5272 FT MSL. TREE 611 FT FROM DER, 392 FT RIGHT OF CENTERLINE, 5290 FT MSL. TREES BEGINNING 784 FT FROM DER, 165 FT LEFT OF CENTERLINE, UP TO 5303 FT MSL. TREES BEGINNING 3634 FT FROM DER, 222 FT RIGHT OF CENTERLINE, UP TO 5369 FT MSL. NOTE RWY 25, ROAD 663 FT FROM DER, ON CENTERLINE, 5302 FT MSL. TREES BEGINNING 873 FT FROM DER, 160 FT LEFT OF CENTERLINE, UP TO 5338 FT MSL. BLDG BEGINNING 2297 FT FROM DER, 344 FT RIGHT OF CENTERLINE, UP TO 41 FT AGL/5350 FT MSL. TREE 1.3 NM FROM DER, 2518 FT LEFT OF CENTERLINE, 100 FT AGL/5499 FT MSL. NOTE RWY 34, TREES BEGINNING 508 FT FROM DER, 430 FT RIGHT OF CENTERLINE, UP TO 5302 FT MSL. POLE 599 FT FROM DER, 352 FT RIGHT OF CENTERLINE, 5295 FT MSL. BUSH 776 FT FROM DER, 340 FT LEFT OF CENTERLINE, 5287 FT MSL. POLE 1133 FT FROM DER, 365 FT RIGHT OF CENTERLINE, 5300 FT MSL. ALL OTHER DATA REMAINS AS PUBLISHED. FDC 7/5678 VEL ODP VERNAL RGNL, VERNAL, UT. TAKEOFF MINIMUMS: RWY 25, 390 FT PER NM TO 7000. ALL OTHER DATA REMAINS AS PUBLISHED. 1702171852-1709291852EST

VERMONT

BURLINGTON

Burlington Intl

FDC 7/9959 BTV IAP BURLINGTON INTL, BURLINGTON, VT. ILS OR LOC/DME RWY 15, AMDT 24A...CHART NOTE: ADF OR DME REQUIRED.. 1704131711-1711231711EST.

FDC 7/9957 BTV IAP BURLINGTON INTL, BURLINGTON, VT. RNAV (GPS) Y RWY 33, ORIG-A...LNAV MDA 740/HAT 405 ALL CATS. VIS CAT C RVR 5000. 1704131709-1711231709EST.

FDC 7/9953 BTV IAP BURLINGTON INTL,
BURLINGTON, VT. VOR/DME RWY 1, ORIG...S-1
CATS A/B/C MDA 900/HAT 567. VIS CAT C 1 5/8.
CIRCLING CATS A/B MDA 900/HAA 565. TOWER 581
MSL 1.93 NM SW OF RWY 1.
1704131707-1711231707EST.

FDC 7/9946 BTV IAP BURLINGTON INTL,
BURLINGTON, VT. RNAV (GPS) RWY 15, AMDT
1...LPV MINIMUMS NA.. 1704131705-1711231705EST.

HIGHGATE

Franklin County State

FDC 7/7895 FSO IAP FRANKLIN COUNTY STATE,
HIGHGATE, VT. RNAV (GPS) RWY 19, AMDT
1A...DELETE: DESCENT ANGLE 3.00/TCH 45.
PROFILE NOTE: VISUAL SEGMENT - OBSTACLES.
1702241904-1710061904EST.

NEWPORT

Newport State

FDC 7/3544 EFK IAP NEWPORT STATE, NEWPORT,
VT. RNAV (GPS) RWY 36, AMDT 1...DISREGARD
"DESCENT ANGLE 3.00/TCH 40". PROFILE NOTE:
VISUAL SEGMENT OBSTACLES.
1703311148-1711101148EST.

RUTLAND

Rutland - Southern Vermont Rgnl

FDC 7/5302 RUT IAP RUTLAND - SOUTHERN
VERMONT RGNL, RUTLAND, VT. RNAV (GPS) Z RWY
19, ORIG...LPV DA 1201. LNAV/VNAV DA 2081. LNAV
HAT CATS A/B/C 1053. CIRCLING CAT B MDA
2020/HAA 1233, CAT C MDA 2540/HAA 1753. CHART
TDZE 787, DELETE THRE 774. CHART NOTE:
CIRCLING RWY 31 NA AT NIGHT. CHART NOTE: RWY
1, 13, 31 HELICOPTER VISIBILITY REDUCTION
BELOW 1 SM NOT AUTHORIZED. CHART NOTE: RWY
19 HELICOPTER VISIBILITY REDUCTION BELOW 3/4
SM NOT AUTHORIZED. DELETE NOTE: CIRCLING TO
RWY 31 NA AT NIGHT. CHART CIRCLING ICON.
ALTERNATE MINIMUMS: CAT A 1200-2, CAT B 1300-2,
CAT C 1800-3. NA WHEN LOCAL WEATHER NOT
AVAILABLE. THIS IS RNAV (GPS) Z RWY 19, ORIG-A.
1702161831-PERM.

FDC 7/5301 RUT IAP RUTLAND - SOUTHERN
VERMONT RGNL, RUTLAND, VT. ILS OR LOC/DME Z
RWY 19, ORIG.....S-ILS 19 DA 1201. S-LOC 19 HAT
CATS A/B/C 493. CHART TDZE 787, DELETE THRE
774. CIRCLING CAT B MDA 2020/HAA 1233, CAT C
MDA 2540/HAA 1753. CHART NOTE: CIRCLING RWY
31 NA AT NIGHT. CHART NOTE: RWY 1, 13, 31
HELICOPTER VISIBILITY REDUCTION BELOW 1 SM
NOT AUTHORIZED. CHART NOTE: RWY 19
HELICOPTER VISIBILITY REDUCTION BELOW 3/4
SM NOT AUTHORIZED. DELETE NOTE: CIRCLING TO
RWY 31 NA AT NIGHT. CHART NOTE: DME
REQUIRED. CHART CIRCLING ICON. ALTERNATE
MINIMUMS: CAT A 1200-2, CAT B 1300-2, CAT C
1800-3. NA WHEN LOCAL WEATHER NOT
AVAILABLE. THIS IS ILS Z OR LOC Z RWY 19, ORIG-A
1702161831-PERM.

FDC 7/5300 RUT IAP RUTLAND - SOUTHERN
VERMONT RGNL, RUTLAND, VT. ILS OR LOC/DME Y
RWY 19, ORIG...S-ILS 19 1902. S-LOC 19 HAT CATS
A/B/C 1493. CHART TDZE 787, DELETE THRE 774.
CHART NOTE: CIRCLING RWY 31 NA AT NIGHT.
CHART NOTE: RWY 1, 13, 31 HELICOPTER
VISIBILITY REDUCTION BELOW 1 SM NOT
AUTHORIZED. CHART NOTE: RWY 19 HELICOPTER
VISIBILITY REDUCTION BELOW 3/4 SM NOT
AUTHORIZED. DELETE NOTE: CIRCLING TO RWY 31
NA AT NIGHT. CHART NOTE: DME REQUIRED.
CHART CIRCLING ICON. CIRCLING CAT C MDA
2540/HAA 1753. ALTERNATE MINIMUMS: CAT A/B
1500-2, CAT C 1800-3. NA WHEN LOCAL WEATHER
NOT AVAILABLE. THIS IS ILS Y OR LOC Y RWY 19,
ORIG-A 1702161831-PERM.

FDC 7/5299 RUT IAP RUTLAND - SOUTHERN
VERMONT RGNL, RUTLAND, VT. RNAV (GPS) Y RWY
19, AMDT 2...LPV DA 2442. LNAV/VNAV DA 2253.
LNAV HAT CATS A/B/C 1773. CHART TDZE 787,
DELETE THRE 774. CHART NOTE: CIRCLING RWY 31
NA AT NIGHT. CHART NOTE: RWY 1, 13, 31
HELICOPTER VISIBILITY REDUCTION BELOW 1 SM
NOT AUTHORIZED. CHART NOTE: RWY 19
HELICOPTER VISIBILITY REDUCTION BELOW 3/4
SM NOT AUTHORIZED. DELETE NOTE: CIRCLING TO
RWY 31 NA AT NIGHT. CHART CIRCLING ICON. THIS
IS RNAV (GPS) Y RWY 19, AMDT 2A.
1702161831-PERM.

VIRGIN ISLANDS

CHARLOTTE AMALIE

Cyril E King

FDC 7/4419 STT IAP CYRIL E KING, CHARLOTTE
AMALIE, VI. ILS OR LOC RWY 10, AMDT
1B...TERMINAL ROUTE TOURO TO KUTHO NA. COY
VOR R-320 TO R-350 UNUSABLE.
1704241410-1712041408EST.

FDC 7/2009 STT IAP CYRIL E KING, CHARLOTTE AMALIE, VI. VOR-A, AMDT 14C...PROCEDURE NA. 1703291234-1711081234EST.

CHRISTIANSTED

Henry E Rohlsen

FDC 7/4911 STX IAP HENRY E ROHLSSEN, CHRISTIANSTED, VI. ILS OR LOC RWY 10, AMDT 7B...CIRCLING CAT A MDA 500/HAA 426. TEMP CRANE 142 MSL 1.16 NM EAST OF AIRPORT (2014-ASO-886-NRA). 1704031755-1711131754EST.

FDC 7/2214 STX IAP HENRY E ROHLSSEN, CHRISTIANSTED, VI. VOR RWY 28, AMDT 19B...PROCEDURE NA. 1703081449-1710181449EST.

VIRGINIA

ABINGDON

Virginia Highlands

FDC 7/3427 VJI IAP VIRGINIA HIGHLANDS, ABINGDON, VA. RNAV (GPS) RWY 24, AMDT 1A...LNAV/VNAV DA 2528/HAT 441, VIS 1-1/2 ALL CATS. 1702101934-1709221934EST.

FDC 7/3425 VJI IAP VIRGINIA HIGHLANDS, ABINGDON, VA. RNAV (GPS) RWY 6, AMDT 1A...LNAV/VNAV DA 2492/HAT 424, VIS 1-1/2 ALL CATS. MISSED APPROACH: CLIMB TO 7000 DIRECT KURRU AND HOLD, CONTINUE CLIMB-IN-HOLD TO 7000. 1702101933-1709221933EST.

FDC 7/3311 VJI ODP VIRGINIA HIGHLANDS, ABINGDON, VA. TAKEOFF MINIMUMS AND (OBSTACLE) DEPARTURE PROCEDURES AMDT 2...TAKE-OFF MINIMUMS RWY 24: STANDARD WITH MINIMUM CLIMB OF 210 FT PER NM TO 5500. ALL OTHER DATA REMAINS AS PUBLISHED. 1702101341-1709221341EST.

FDC 7/0304 VJI IAP VIRGINIA HIGHLANDS, ABINGDON, VA. VOR/DME-B, AMDT 6...PROCEDURE NA. 1703260437-1711050437EST.

BLACKSBURG

Virginia Tech/Montgomery Executive

FDC 6/4960 BCB IAP VIRGINIA TECH/MONTGOMERY EXECUTIVE, BLACKSBURG, VA. RNAV (GPS) RWY 12, AMDT 2A...DISREGARD NOTE: PROCEDURE NA AT NIGHT FOR CAT C AIRCRAFT. 1611302109-1707122109EST.

FDC 6/4959 BCB IAP VIRGINIA TECH/MONTGOMERY EXECUTIVE, BLACKSBURG, VA. LOC/DME RWY 12, AMDT 1B...DISREGARD NOTE: WHEN VGSI INOP, PROCEDURE NA AT NIGHT. 1611302109-1707122109EST.

BLACKSTONE

Allen C Perkinson Blackstone AAF

FDC 7/1010 BKT IAP ALLEN C PERKINSON BLACKSTONE AAF, BLACKSTONE, VA. RNAV (GPS) RWY 22, AMDT 1...CHART TDZE 437, DELETE THRE 437. CHART NOTE: RWY 22 HELICOPTER VISIBILITY REDUCTION BELOW 3/4 SM NOT AUTHORIZED. CHART NOTE: CIRCLING NA E OF RWY 4-22. DELETE NOTE: HELICOPTER VISIBILITY REDUCTION BELOW 3/4 SM NOT AUTHORIZED. DELETE NOTE: CIRCLING NA EAST OF RWY 4-22. THIS IS RNAV (GPS) RWY 22, AMDT 1A. 1702032122-PERM.

FDC 7/1009 BKT IAP ALLEN C PERKINSON BLACKSTONE AAF, BLACKSTONE, VA. RNAV (GPS) RWY 4, AMDT 1...LPV DA CATS A/B/C 745. LNAV/VNAV DA CATS A/B/C 782. LNAV HAT CATS A/B/C 432. CHART TDZE 428, DELETE THRE 400. CHART NOTE: RWY 4 HELICOPTER VISIBILITY REDUCTION BELOW 3/4 SM NOT AUTHORIZED. CHART NOTE: CIRCLING NA E OF RWY 4-22. DELETE NOTE: HELICOPTER VISIBILITY REDUCTION BELOW 3/4 SM NOT AUTHORIZED. DELETE NOTE: CIRCLING NA EAST OF RWY 4-22. THIS IS RNAV (GPS) RWY 4, AMDT 1A. 1702032122-PERM.

BLUEMONT

Bluegrass

FDC 7/3533 9VA5 IAP BLUEGRASS, BLUEMONT, VA. COPTER VOR/DME, ORIG...PROCEDURE NA. 1702112013-1709232013EST.

BROOKNEAL

Brookneal/Campbell County

FDC 7/3833 0V4 IAP BROOKNEAL/CAMPBELL COUNTY, BROOKNEAL, VA. RNAV (GPS) RWY 24, AMDT 1...LP HAT CATS A/B 344. LNAV HAT CATS A/B 364. CHART TDZE 596, DELETE THRE 589. THIS IS RNAV (GPS) RWY 24, AMDT 1A. 1702131653-PERM.

FDC 7/3832 0V4 IAP BROOKNEAL/CAMPBELL COUNTY, BROOKNEAL, VA. RNAV (GPS) RWY 6, ORIG-A...CHART TDZE 596, DELETE THRE 596. CHART NOTE: RWY 6 HELICOPTER VISIBILITY REDUCTION BELOW 3/4 SM NOT AUTHORIZED. DELETE NOTE: HELICOPTER VISIBILITY REDUCTION BELOW 3/4 SM NOT AUTHORIZED. THIS IS RNAV (GPS) RWY 6, ORIG-B. 1702131653-PERM.

CHARLOTTESVILLE

Charlottesville-Albemarle

FDC 7/1963 CHO IAP
CHARLOTTESVILLE-ALBEMARLE,
CHARLOTTESVILLE, VA. ILS OR LOC RWY 3, AMDT
1...JITIV FIX MINIMUMS (DUAL VOR RECEIVERS OR
DME REQUIRED) S-LOC 3 MDA 1000/HAT 360.
CIRCLING CAT A MDA 1100/HAA 460.
1703291204-1711081204EST.

FDC 7/1751 CHO IAP
CHARLOTTESVILLE-ALBEMARLE,
CHARLOTTESVILLE, VA. RNAV (GPS) RWY 3, AMDT
3...RNAV (GPS) Y RWY 21, AMDT 2A...CIRCLING CAT
A MDA 1100/HAA 460.. 1703282113-1711072113EST.

FDC 7/1431 CHO IAP
CHARLOTTESVILLE-ALBEMARLE,
CHARLOTTESVILLE, VA. RNAV (GPS) Z RWY 21,
AMDT 1A...LNAV/VNAV DA 1588/HAT 962..
1703281658-1711071658EST.

CREWE

Crewe Muni

FDC 6/3891 W81 IAP CREWE MUNI, CREWE, VA.
RNAV (GPS) RWY 33, ORIG...LNAV MDA NA.
DISREGARD NOTE: PROCEDURE NA AT NIGHT.
1612192054-1707312054EST.

DANVILLE

Danville Rgnl

FDC 7/3545 DAN IAP DANVILLE RGNL, DANVILLE,
VA. RNAV (GPS) RWY 31, ORIG-A...VGSI AND RNAV
GLIDEPATH NOT COINCIDENT.
1702112021-1709232021EST.

DUBLIN

New River Valley

FDC 7/0059 PSK IAP NEW RIVER VALLEY, DUBLIN,
VA. ILS OR LOC Y RWY 6, ORIG...ILS OR LOC Z RWY
6, AMDT 5...RNAV (GPS) RWY 6, ORIG...NOTE: VGSI
NOT COINCIDENT WITH ELECTRONIC GLIDEPATH.
1703241951-1711031951EST.

EMPORIA

Emporia-Greenville Rgnl

FDC 7/6887 EMV IAP EMPORIA-GREENSVILLE
RGNL, EMPORIA, VA. LOC RWY 34, AMDT 1A...SIPLE
FIX MINIMUMS NA EXCEPT FOR AIRCRAFT
EQUIPPED WITH SUITABLE RNAV SYSTEM WITH
GPS, FKN VORTAC OUT OF SERVICE.
1701232218-1709042217EST.

FOREST

New London

FDC 6/6684 W90 IAP NEW LONDON, FOREST, VA.
RNAV (GPS) RWY 36, ORIG-A...LNAV MDA 1840/HAT
1009. CIRCLING MDA 1860/HAA 1018. CHANGE
HELICOPTER VISIBILITY REDUCTION NOTE TO
READ: HELICOPTER VISIBILITY REDUCTION
BELOW 1 SM NOT AUTHORIZED. DELETE DESCENT
ANGLE 3.01/TCH 40. PROFILE NOTE: VISUAL
SEGMENT - OBSTACLES. 1612061309-1707181309EST.

FDC 6/6681 W90 IAP NEW LONDON, FOREST, VA.
RNAV (GPS) RWY 18, ORIG-A...LNAV MDA 1860/HAT
1018 ALL CATS. CIRCLING MDA 1860/HAA 1018 ALL
CATS. CHANGE HELICOPTER VISIBILITY
REDUCTION NOTE TO READ: HELICOPTER
VISIBILITY REDUCTION BELOW 1 SM NOT
AUTHORIZED. DELETE DESCENT ANGLE 3.01/TCH
40. PROFILE NOTE: VISUAL SEGMENT - OBSTACLES.
1612061309-1707181309EST.

FREDERICKSBURG

Shannon

FDC 7/8942 EZF IAP SHANNON, FREDERICKSBURG,
VA. RNAV (GPS) RWY 24, ORIG-A...DESCENT ANGLE
3.00/TCH 40 NA. DISREGARD PROFILE NOTE: VGSI
AND DESCENT ANGLES NOT COINCIDENT. PROFILE
NOTE: VISUAL SEGMENT - OBSTACLES.
1701292329-1709102329EST.

FRONT ROYAL

Front Royal-Warren County

FDC 7/8816 FRR IAP FRONT ROYAL-WARREN
COUNTY, FRONT ROYAL, VA. VOR-B,
ORIG-B...PROCEDURE NA.
1703231303-1711021303EST.

LOUISA

Louisa County/Freeman Field

FDC 7/5575 LKU IAP LOUISA COUNTY/FREEMAN
FIELD, LOUISA, VA. RNAV (GPS) RWY 9,
ORIG...PROCEDURE NA. 1704261321-1712061321EST.

FDC 7/5563 LKU IAP LOUISA COUNTY/FREEMAN FIELD, LOUISA, VA. LOC/DME RWY 27, AMDT 3...RNAV (GPS) RWY 27, AMDT 1...NOTE: CIRCLING RWY 9 NA AT NIGHT. 1704261303-1706091303EST.

LYNCHBURG

Lynchburg Rgnl/Preston Glenn Fld

FDC 7/1463 LYH IAP LYNCHBURG RGNL/PRESTON GLENN FLD, LYNCHBURG, VA. RNAV (GPS) RWY 17, ORIG-A...NOTE: PROCEDURE NA AT NIGHT. CHANGE HELICOPTER VISIBILITY REDUCTION NOTE TO READ: HELICOPTER VISIBILITY REDUCTION BELOW 1 SM NA. 1704171823-1711271823EST.

FDC 7/1460 LYH IAP LYNCHBURG RGNL/PRESTON GLENN FLD, LYNCHBURG, VA. RNAV (GPS) RWY 22, ORIG-A...RNAV (GPS) RWY 35, ORIG-A...VOR/DME RWY 22, AMDT 8C...NOTE: NIGHT LANDING: RWY 17 NA. CHANGE HELICOPTER VISIBILITY REDUCTION NOTE TO READ: HELICOPTER VISIBILITY REDUCTION BELOW 1 SM NA. 1704171822-1711271822EST.

FDC 7/1456 LYH IAP LYNCHBURG RGNL/PRESTON GLENN FLD, LYNCHBURG, VA. ILS OR LOC RWY 4, AMDT 17A...RNAV (GPS) RWY 4, ORIG-A...NOTE: NIGHT LANDING: RWY 17 NA. NOTE: HELICOPTER VISIBILITY REDUCTION BELOW 1 SM NA. 1704171820-1711271820EST.

MARTINSVILLE

Blue Ridge

FDC 7/7532 MTV IAP BLUE RIDGE, MARTINSVILLE, VA. LOC RWY 30, AMDT 1C...HOMGU FIX MINIMUMS: S-30 1420/HAT 495. HOMGU FIX MINIMUMS: CIRCLING CAT C 1440/HAA 499, CIRCLING CAT D 1540/HAA 599. RWY 30 HELICOPTER VISIBILITY REDUCTION BELOW 3/4 SM NOT AUTHORIZED. 1702232217-1710052217EST.

FDC 7/7530 MTV IAP BLUE RIDGE, MARTINSVILLE, VA. RNAV (GPS) RWY 30, AMDT 2A...RWY 30 HELICOPTER VISIBILITY REDUCTION BELOW 3/4 SM NOT AUTHORIZED. 1702232216-1710052216EST.

FDC 7/7526 MTV IAP BLUE RIDGE, MARTINSVILLE, VA. RNAV (GPS) RWY 12, AMDT 1...LNAV MDA 1440/HAT 499 ALL CATS. CIRCLING CATS A/B/C MDA 1440/HAA 499. CIRCLING CAT D MDA 1540/HAA 599. CHANGE HELICOPTER VISIBILITY NOTE TO READ: RWY 30 HELICOPTER VISIBILITY REDUCTION BELOW 3/4 SM NOT AUTHORIZED. 1702232215-1710052215EST.

MELFA

Accomack County

FDC 7/7600 MFV IAP ACCOMACK COUNTY, MELFA, VA. VOR/DME RWY 3, AMDT 1...S-3 MDA 480/HAT 433 ALL CATS. 1704101303-1711201303EST.

FDC 7/2284 MFV IAP ACCOMACK COUNTY, MELFA, VA. LOC RWY 3, ORIG...RNAV (GPS) RWY 3, AMDT 1...VOR/DME RWY 3, AMDT 1...NOTE: NIGHT LANDING: RWY 21 NA. 1703081506-1710181506EST.

FDC 7/2240 MFV IAP ACCOMACK COUNTY, MELFA, VA. RNAV (GPS) RWY 21, ORIG...LPV DA NA. LNAV/VNAV DA NA. NOTE: NIGHT LANDING: RWY 21 NA. 1703081455-1710181455EST.

MONETA

Smith Mountain Lake

FDC 7/8785 W91 ODP SMITH MOUNTAIN LAKE, MONETA, VA. TAKEOFF MINIMUMS AND (OBSTACLE) DEPARTURE PROCEDURES AMDT 1...DEPARTURE PROCEDURE: RWY 5, CLIMB ON HEADING 054 DEGREES TO 2500 BEFORE PROCEEDING ON COURSE. DEPARTURE PROCEDURE: RWY 23, CLIMB ON HEADING 234 DEGREES TO 1800 BEFORE PROCEEDING ON COURSE. ALL OTHER DATA REMAINS AS PUBLISHED. 1701291603-1709101603EST.

NEW MARKET

New Market

FDC 7/2186 8W2 IAP NEW MARKET, NEW MARKET, VA. RNAV (GPS)-B, ORIG...DELETE DESCENT ANGLE 3.77/TCH 40. PROFILE NOTE: VISUAL SEGMENT - OBSTACLES. 1702072306-1709192305EST.

NEWPORT NEWS

Newport News/Williamsburg Intl

FDC 7/0912 PHF IAP NEWPORT NEWS/WILLIAMSBURG INTL, NEWPORT NEWS, VA. LOC/DME RWY 20, AMDT 1B...DISREGARD NOTE: WHEN RWY 20 VGSi INOP, CIRCLING TO RWY 20 NA AT NIGHT. 1704171142-1711271142EST.

FDC 7/0910 PHF IAP NEWPORT NEWS/WILLIAMSBURG INTL, NEWPORT NEWS, VA. RNAV (GPS) RWY 20, AMDT 2A...NOTE: RWY 20 HELICOPTER VISIBILITY REDUCTION BELOW 3/4 SM NOT AUTHORIZED. DISREGARD NOTE: WHEN VGSi INOP, STRAIGHT-IN AND CIRCLING MINIMUMS NA AT NIGHT. DISREGARD NOTE: HELICOPTER VISIBILITY REDUCTION BELOW 1 SM NA. 1704171133-1711271133EST.

FDC 6/3861 PHF IAP NEWPORT
NEWS/WILLIAMSBURG INTL, NEWPORT NEWS, VA.
ILS OR LOC RWY 25, AMDT 1C...ILS OR LOC RWY 7,
AMDT 33A...RNAV (GPS) RWY 2, AMDT 1A...RNAV
(GPS) RWY 25, AMDT 2B...DISREGARD NOTE: WHEN
VGSI INOP CIRCLING TO RWY 20 NA AT NIGHT.
1612191907-1707311907EST.

NORFOLK

Chesapeake Rgnl

FDC 7/7643 CPK IAP CHESAPEAKE RGNL,
NORFOLK, VA. ILS OR LOC RWY 5, AMDT 1A...NOTE:
VGSI AND ILS GLIDEPATH NOT COINCIDENT.
1703211826-1710311826EST.

FDC 7/7642 CPK IAP CHESAPEAKE RGNL,
NORFOLK, VA. RNAV (GPS) RWY 5, AMDT 1A...NOTE:
VGSI AND RNAV GLIDEPATH NOT COINCIDENT.
1703211826-1710311826EST.

FDC 7/3926 CPK IAP CHESAPEAKE RGNL,
NORFOLK, VA. VOR/DME RWY 23, AMDT
1A...PROCEDURE NA. 1704211636-1712011636EST.

FDC 7/2517 CPK IAP CHESAPEAKE RGNL,
NORFOLK, VA. VOR/DME RWY 23, AMDT 1A...S-23
NA. 1703292025-1711082025EST.

Norfolk Intl

FDC 7/6755 ORF IAP NORFOLK INTL, NORFOLK, VA.
ILS OR LOC RWY 23, AMDT 7A...ILS OR LOC RWY 5,
AMDT 26B...RNAV (GPS) RWY 14, ORIG-E...RNAV
(GPS) Z RWY 23, AMDT 1A...VOR/DME RWY 14,
AMDT 2F...CIRCLING MDA 600/HAA 573 ALL CATS.
TEMP CRANE 241 MSL 2710 FT SE OF RWY 5
(2016-AEA-1940-OE). 1704271758-1706181758EST.

FDC 7/6754 ORF IAP NORFOLK INTL, NORFOLK, VA.
VOR/DME RWY 32, AMDT 4E...S-32 MDA 560/HAT 535
ALL CATS. CIRCLING MDA 600/HAA 573 ALL CATS.
TEMP CRANE 241 MSL 2710 FT SE OF RWY 5
(2016-AEA-1940-OE). 1704271758-1706181758EST.

FDC 7/5487 ORF STAR NORFOLK, VIRGINIA DRONE
ONE ARRIVAL DME OR GPS REQUIRED
1701181800-PERM.

ORANGE

Orange County

FDC 7/6486 OMH IAP ORANGE COUNTY, ORANGE,
VA. RNAV (GPS) RWY 26, ORIG...CHART TDZE 464,
DELETE THRE 464. CHART NOTE: VISUAL SEGMENT
- OBSTACLES. CHART NOTE: RWY 26 HELICOPTER
VISIBILITY REDUCTION BELOW 1 SM NOT
AUTHORIZED. CHART NOTE: STRAIGHT-IN RWY 26
NA AT NIGHT, CIRCLING RWY 26 NA AT NIGHT.
DELETE NOTE: RWY 26 STRAIGHT-IN AND
CIRCLING MINIMUMS NA AT NIGHT. DELETE:
DESCENT ANGLE 3.00/TCH 40. DELETE NOTE:
HELICOPTER VISIBILITY REDUCTION BELOW 1 SM
NA. THIS IS RNAV (GPS) RWY 26, ORIG-A.
1703171442-PERM.

FDC 7/6485 OMH IAP ORANGE COUNTY, ORANGE,
VA. RNAV (GPS) RWY 8, ORIG...LNAV HAT 579 ALL
CATS. CHART TDZE 461, DELETE THRE 445. CHART
NOTE: VISUAL SEGMENT - OBSTACLES. CHART
NOTE: CIRCLING RWY 26 NA AT NIGHT. CHART
NOTE: RWY 8 HELICOPTER VISIBILITY REDUCTION
BELOW 3/4 SM NOT AUTHORIZED. CHART NOTE:
RWY 26 HELICOPTER VISIBILITY REDUCTION
BELOW 1 SM NOT AUTHORIZED. DELETE NOTE:
HELICOPTER VISIBILITY REDUCTION BELOW 3/4
SM NA. DELETE NOTE: CIRCLING TO RWY 26 NA AT
NIGHT. DELETE: DESCENT ANGLE 3.00/TCH 40. THIS
IS RNAV (GPS) RWY 8, ORIG-A. 1703171442-PERM.

QUINTON

New Kent County

FDC 7/4381 W96 IAP NEW KENT COUNTY,
QUINTON, VA. RNAV (GPS) RWY 29, AMDT 2A...LNAV
MDA 580/HAT 460 ALL CATS. NOTE: CIRCLING RWY
11 NA AT NIGHT. NOTE: RWY 11 HELICOPTER
VISIBILITY REDUCTION BELOW 1 SM NA.
DISREGARD NOTE: HELICOPTER VISIBILITY
REDUCTION BELOW 1 SM NA. DISREGARD NOTE:
PROCEDURE NA AT NIGHT.
1704241345-1712041345EST.

FDC 7/0057 W96 IAP NEW KENT COUNTY,
QUINTON, VA. RNAV (GPS) RWY 11, AMDT
2A...PROCEDURE NA. 1703241948-1711031947EST.

RICHMOND

Richmond Intl

FDC 7/9766 RIC IAP RICHMOND INTL, RICHMOND,
VA. RNAV (GPS) Z RWY 20, AMDT 2B...LPV DA
464/HAT 297 ALL CATS, VIS 1 ALL CATS.
1704131436-1711231436EST.

FDC 7/9759 RIC IAP RICHMOND INTL, RICHMOND,
VA. RNAV (RNP) Y RWY 2, ORIG-A...RNP 0.11 DA
507/HAT 345 ALL CATS. 1704131407-1711231407EST.

FDC 7/9750 RIC IAP RICHMOND INTL, RICHMOND,
VA. RNAV (RNP) Y RWY 34, ORIG-B...RNP 0.11 DA
478/HAT 317 ALL CATS. 1704131404-1711231404EST.

FDC 7/9720 RIC SID RICHMOND INTL, RICHMOND, VA. COLIN SIX DEPARTURE.TAKEOFF OBSTACLE NOTES: NOTE: RWY 2, NAVAID 40 FT FROM DEP END OF RWY, 114 FT LEFT OF CENTERLINE, 168 FT MSL. NAVAID 40 FT FROM DEP END OF RWY, 115 FT RIGHT OF CENTERLINE, 168 FT MSL. TREE 2339 FT FROM DEP END OF RWY, 335 FT LEFT OF CENTERLINE, 224 FT MSL. TREE 2377 FT FROM DEP END OF RWY, 316 FT LEFT OF CENTERLINE, 235 FT MSL. TREES, BEGINNING 2454 FT FROM DEP END OF RWY, 200 FT LEFT OF CENTERLINE, UP TO 241 FT MSL. TREE 2469 FT FROM DEP END OF RWY, 815 FT RIGHT OF CENTERLINE, 228 FT MSL. TREE 2540 FT FROM DEP END OF RWY, 994 FT RIGHT OF CENTERLINE, 241 FT MSL. TREES, BEGINNING 2628 FT FROM DEP END OF RWY, 5 FT RIGHT OF CENTERLINE, UP TO 252 FT MSL. TREES, BEGINNING 2645 FT FROM DEP END OF RWY, 289 FT LEFT OF CENTERLINE, UP TO 246 FT MSL. TREES, BEGINNING 2751 FT FROM DEP END OF RWY, 1 FT LEFT OF CENTERLINE, UP TO 248 FT MSL. TREES, BEGINNING 2917 FT FROM DEP END OF RWY, 21 FT RIGHT OF CENTERLINE, UP TO 258 FT MSL. TREES, BEGINNING 3127 FT FROM DEP END OF RWY, 357 FT RIGHT OF CENTERLINE, UP TO 263 FT MSL. TREES, BEGINNING 3387 FT FROM DEP END OF RWY, 504 FT RIGHT OF CENTERLINE, UP TO 274 FT MSL. COMMUNICATION TWR 5423 FT FROM DEP END OF RWY, 1709 FT LEFT OF CENTERLINE, 159 FT 322 FT MSL. TOWER 5423 FT FROM DEP END OF RWY, 1709 FT LEFT OF CENTERLINE, 321 FT MSL. NOTE: RWY 16, RWY LT 2 FT FROM DEP END OF RWY, 80 FT RIGHT OF CENTERLINE, 161 FT MSL. RWY LT 3 FT FROM DEP END OF RWY, 80 FT LEFT OF CENTERLINE, 161 FT MSL. TREE 1664 FT FROM DEP END OF RWY, 924 FT RIGHT OF CENTERLINE, 209 FT MSL. TREE 2874 FT FROM DEP END OF RWY, 1217 FT LEFT OF CENTERLINE, 241 FT MSL. NOTE: RWY 20, RWY LT 4 FT FROM DEP END OF RWY, 4 FT RIGHT OF CENTERLINE, 160 FT MSL. RWY LT 4 FT FROM DEP END OF RWY, 5 FT LEFT OF CENTERLINE, 160 FT MSL. BLDG BEGINNING 817 FT FROM DEP END OF RWY, 654 FT RIGHT OF CENTERLINE, UP TO 212 FT MSL. TREES BEGINNING 1988 FT FROM DEP END OF RWY, 723 FT RIGHT OF CENTERLINE, UP TO 255 FT MSL

FDC 7/9712 RIC ODP RICHMOND INTL, RICHMOND, VA. TAKEOFF MINIMUMS AND (OBSTACLE) DEPARTURE PROCEDURES AMDT 2.TAKEOFF OBSTACLE NOTES: NOTE: RWY 2, NAVAID 40 FT FROM DEP END OF RWY, 114 FT LEFT OF CENTERLINE, 168 FT MSL. NAVAID 40 FT FROM DEP END OF RWY, 115 FT RIGHT OF CENTERLINE, 168 FT MSL. TREE 2339 FT FROM DEP END OF RWY, 335 FT LEFT OF CENTERLINE, 224 FT MSL. TREE 2377 FT FROM DEP END OF RWY, 316 FT LEFT OF CENTERLINE, 235 FT MSL. TREES, BEGINNING 2454 FT FROM DEP END OF RWY, 200 FT LEFT OF CENTERLINE, UP TO 241 FT MSL. TREE 2469 FT FROM DEP END OF RWY, 815 FT RIGHT OF CENTERLINE, 228 FT MSL. TREE 2540 FT FROM DEP END OF RWY, 994 FT RIGHT OF CENTERLINE, 241 FT MSL. TREES, BEGINNING 2628 FT FROM DEP END OF RWY, 5 FT RIGHT OF CENTERLINE, UP TO 252 FT MSL. TREES, BEGINNING 2645 FT FROM DEP END OF RWY, 289 FT LEFT OF CENTERLINE, UP TO 246 FT MSL. TREES, BEGINNING 2751 FT FROM DEP END OF RWY, 1 FT LEFT OF CENTERLINE, UP TO 248 FT MSL. TREES, BEGINNING 2917 FT FROM DEP END OF RWY, 21 FT RIGHT OF CENTERLINE, UP TO 258 FT MSL. TREES, BEGINNING 3127 FT FROM DEP END OF RWY, 357 FT RIGHT OF CENTERLINE, UP TO 263 FT MSL. TREES, BEGINNING 3387 FT FROM DEP END OF RWY, 504 FT RIGHT OF CENTERLINE, UP TO 274 FT MSL. COMMUNICATION TWR 5423 FT FROM DEP END OF RWY, 1709 FT LEFT OF CENTERLINE, 159 FT 322 FT MSL. TOWER 5423 FT FROM DEP END OF RWY, 1709 FT LEFT OF CENTERLINE, 321 FT MSL. NOTE: RWY 7, RWY LT 9 FT FROM DEP END OF RWY, 30 FT RIGHT OF CENTERLINE, 2 FT AGL/161 FT MSL. RWY LT 9 FT FROM DEP END OF RWY, 29 FT LEFT OF CENTERLINE, 2 FT AGL/161 FT MSL. TREE 1261 FT FROM DEP END OF RWY, 703 FT RIGHT OF CENTERLINE, 227 FT MSL. TREE 1279 FT FROM DEP END OF RWY, 791 FT LEFT OF CENTERLINE, 200 FT MSL. TREES BEGINNING 1351 FT FROM DEP END OF RWY, 273 FT RIGHT OF CENTERLINE, UP TO 241 FT MSL. TREE 1430 FT FROM DEP END OF RWY, 795 FT LEFT OF CENTERLINE, 224 FT MSL. TREES, BEGINNING 1718 FT FROM DEP END OF RWY, 10 FT LEFT OF CENTERLINE, UP TO 233 FT MSL. TREES, BEGINNING 2126 F

FDC 7/9704 RIC SID RICHMOND INTL, RICHMOND, VA. KALLI THREE DEPARTURE (RNAV).LUCYL THREE DEPARTURE (RNAV).READE FOUR DEPARTURE.TAKEOFF OBSTACLE NOTES: NOTE: RWY 2, NAVAID 40 FT FROM DEP END OF RWY, 114 FT LEFT OF CENTERLINE, 168 FT MSL. NAVAID 40 FT FROM DEP END OF RWY, 115 FT RIGHT OF CENTERLINE, 168 FT MSL. TREE 2339 FT FROM DEP END OF RWY, 335 FT LEFT OF CENTERLINE, 224 FT MSL. TREE 2377 FT FROM DEP END OF RWY, 316 FT LEFT OF CENTERLINE, 235 FT MSL. TREES, BEGINNING 2454 FT FROM DEP END OF RWY, 200 FT LEFT OF CENTERLINE, UP TO 241 FT MSL. TREE 2469 FT FROM DEP END OF RWY, 815 FT RIGHT OF CENTERLINE, 228 FT MSL. TREE 2540 FT FROM DEP END OF RWY, 994 FT RIGHT OF CENTERLINE, 241 FT MSL. TREES, BEGINNING 2628 FT FROM DEP END OF RWY, 5 FT RIGHT OF CENTERLINE, UP TO 252 FT MSL. TREES, BEGINNING 2645 FT FROM DEP END OF RWY, 289 FT LEFT OF CENTERLINE, UP TO 246 FT MSL. TREES, BEGINNING 2751 FT FROM DEP END OF RWY, 1 FT LEFT OF CENTERLINE, UP TO 248 FT MSL. TREES, BEGINNING 2917 FT FROM DEP END OF RWY, 21 FT RIGHT OF CENTERLINE, UP TO 258 FT MSL. TREES, BEGINNING 3127 FT FROM DEP END OF RWY, 357 FT RIGHT OF CENTERLINE, UP TO 263 FT MSL. TREES, BEGINNING 3387 FT FROM DEP END OF RWY, 504 FT RIGHT OF CENTERLINE, UP TO 274 FT MSL. COMMUNICATION TWR 5423 FT FROM DEP END OF RWY, 1709 FT LEFT OF CENTERLINE, 159 FT 322 FT MSL. TOWER 5423 FT FROM DEP END OF RWY, 1709 FT LEFT OF CENTERLINE, 321 FT MSL. NOTE: RWY 7, RWY LT 9 FT FROM DEP END OF RWY, 30 FT RIGHT OF CENTERLINE, 2 FT AGL/161 FT MSL. RWY LT 9 FT FROM DEP END OF RWY, 29 FT LEFT OF CENTERLINE, 2 FT AGL/161 FT MSL. TREE 1261 FT FROM DEP END OF RWY, 703 FT RIGHT OF CENTERLINE, 227 FT MSL. TREE 1279 FT FROM DEP END OF RWY, 791 FT LEFT OF CENTERLINE, 200 FT MSL. TREES BEGINNING 1351 FT FROM DEP END OF RWY, 273 FT RIGHT OF CENTERLINE, UP TO 241 FT MSL. TREE 1430 FT FROM DEP END OF RWY, 795 FT LEFT OF CENTERLINE, 224 FT MSL. TREES, BEGINNING 1718 FT FROM DEP END OF RWY, 10 FT LEFT OF CENTERLINE, UP TO 233 FT MSL. TREE

RICHMOND/ASHLAND

Hanover County Muni

FDC 7/4047 OFP IAP HANOVER COUNTY MUNI, RICHMOND/ASHLAND, VA. VOR RWY 16, AMDT 2D...BICAT FIX MINIMUMS MDA 800/HAT 595 ALL CATS.. 1701130003-1708250003EST.

FDC 6/1636 OFP IAP HANOVER COUNTY MUNI, RICHMOND/ASHLAND, VA. RNAV (GPS) RWY 16, ORIG-D...PROFILE NOTE: VGSI AND RNAV GLIDEPATH NOT COINCIDENT. 1611202352-1707022352EST.

ROANOKE

Roanoke-Blacksburg Rgnl/Woodrum Field

FDC 7/7773 ROA IAP ROANOKE-BLACKSBURG RGNL/WOODRUM FIELD, ROANOKE, VA. RNAV (GPS) RWY 24, AMDT 1B...CHART PROFILE NOTE: VISUAL SEGMENT - OBSTACLES. DELETE PROFILE NOTE: DESCENT ANGLE NA. THIS IS RNAV (GPS) RWY 24, AMDT 1C. 1701251812-PERM.

FDC 6/1462 ROA SID ROANOKE-BLACKSBURG RGNL/WOODRUM FIELD, ROANOKE, VA. SCUTA TWO DEPARTURE (RNAV)...TOP ALTITUDE 5000. ALL OTHER DATA REMAINS AS PUBLISHED. 1611202011-1707022011EST.

TANGIER

Tangier Island

FDC 7/8352 TGI IAP TANGIER ISLAND, TANGIER, VA. VOR/DME-A, ORIG...PROCEDURE NA. 1701262154-1709072153EST.

TAPPAHANNOCK

Tappahannock-Essex County

FDC 7/7894 XSA IAP TAPPAHANNOCK-ESSEX COUNTY, TAPPAHANNOCK, VA. RNAV (GPS) RWY 10, AMDT 1...DELETE: DESCENT ANGLE 3.05/TCH 40. PROFILE NOTE: VISUAL SEGMENT - OBSTACLES. 1702241857-1710061857EST.

WAKEFIELD

Wakefield Muni

FDC 7/1079 AKQ ODP WAKEFIELD MUNI, WAKEFIELD, VA. TAKEOFF MINIMUMS AND (OBSTACLE) DEPARTURE PROCEDURES ORIG.NOTE: RWY 02: TREES BEGINNING 54 FT FROM DER, 83 FT RIGHT OF CENTERLINE, UP TO 183 FT MSL. TREES BEGINNING 412 FT FROM DER, 344 FT LEFT OF CENTERLINE, UP TO 188 FT MSL. VEHICLE 582 FT FROM DER, 39 FT LEFT OF CENTERLINE, 129 FT MSL. TREES BEGINNING 771 FT FROM DER, 41 FT RIGHT OF CENTERLINE, UP TO 169 FT MSL. NOTE: RWY 20: POLE BEGINNING 16 FT FROM DER, 352 FT LEFT OF CENTERLINE, UP TO 140 FT MSL. TREES 67 FT FROM DER, 390 FT RIGHT OF CENTERLINE, 170 FT MSL. BLDG 82 FT FROM DER, 281 FT RIGHT OF CENTERLINE, 140 FT MSL. TREES, BEGINNING 119 FT FROM DER, 13 FT RIGHT OF CENTERLINE, UP TO 134 FT MSL. POLE BEGINNING 140 FT FROM DER, 320 FT LEFT OF CENTERLINE, UP TO 144 FT MSL. TREES BEGINNING 256 FT FROM DER, 72 FT LEFT OF CENTERLINE, UP TO 175 FT MSL. POLE 1138 FT FROM DER, 419 FT LEFT OF CENTERLINE, 148 FT MSL. TREES BEGINNING 1265 FT FROM DER, 40 FT LEFT OF CENTERLINE, UP TO 193 FT MSL. TREES 1344 FT FROM DER, 416 LEFT OF CENTERLINE, 206 FT MSL. UTILITY LINE 2114 FT FROM DER, 530 FT RIGHT OF CENTERLINE, 175 FT MSL. TREES BEGINNING 2088 FT FROM DER, 27 FT RIGHT OF CENTERLINE, UP TO 189 FT MSL. TRMSN TWR 2419 FT FROM DER, 43 FT LEFT OF CENTERLINE, 169 FT MSL. TREES BEGINNING 2388 FT FROM DER, 45 FT LEFT OF CENTERLINE, UP TO 196 FT ALL OTHER DATA REMAINS AS PUBLISHED. MSL. ALL OTHER DATA REMAINS AS PUBLISHED. 1704171340-1711271339EST

WILLIAMSBURG

Camp Peary Lndg Strip

FDC 7/0033 W94 IAP U.S. DOD CAMP PEARY LNDG STRIP, WILLIAMSBURG, VA. RNAV (GPS) RWY 5, ORIG-A...VDA 3.04 TCH 45 NA. 1703241929-1711031929EST.

WINCHESTER

Winchester Rgnl

FDC 7/1710 OKV IAP WINCHESTER RGNL, WINCHESTER, VA. ILS OR LOC RWY 32, AMDT 2...RNAV (GPS) RWY 32, ORIG...VOR/DME-A, AMDT 5...CIRCLING CATS A/B/C MDA 1280/HAA 554. TEMP CRANE 920 MSL 5495 FT N OF RWY 14 (2016-AEA-9155-OE). 1702081100-1709191630EST.

FDC 7/1709 OKV IAP WINCHESTER RGNL, WINCHESTER, VA. RNAV (GPS) RWY 14, AMDT 1...LNAV/VNAV DA 1131/HAT 405, VIS 1 3/8 ALL CATS. LNAV MDA 1220/HAT 494 ALL CATS. VIS CATS C/D 1 3/8. CIRCLING CATS A/B MDA 1280/HAA 554. VDP NA. TEMP CRANE 920 MSL 5495 FT N OF RWY 14 (2016-AEA-9155-OE). 1702081100-1709191630EST.

WISE

Lonesome Pine

FDC 7/4667 LNP IAP LONESOME PINE, WISE, VA. LOC/DME RWY 24, ORIG-A...RNAV (GPS) RWY 24, ORIG...NIGHT LANDING: RWY 6 NA. 1704241806-1712041806EST.

FDC 7/4665 LNP IAP LONESOME PINE, WISE, VA. RNAV (GPS) RWY 6, ORIG...PROCEDURE NA. 1704241803-1712041803EST.

WASHINGTON

EASTSOUND

Orcas Island

FDC 7/4511 ORS SID ORCAS ISLAND, EASTSOUND, WA. FEGBA ONE DEPARTURE (RNAV)...CHANGE TAKEOFF MINIMUMS TO READ: TAKEOFF MINIMUMS: RWY 16, 400-1 WITH MINIMUM CLIMB OF 500 FT PER NM TO 1900 OR STANDARD WITH MINIMUM CLIMB OF 901 FT PER NM TO 600 1701141934-1708261934EST.

EVERETT

Snohomish County (Paine Fld)

FDC 7/3898 PAE IAP SNOHOMISH COUNTY (PAINE FLD), EVERETT, WA. VOR/DME RWY 16R, ORIG-A...PROFILE NOTE: VGSI AND DESCENT ANGLES NOT COINCIDENT (VGSI ANGLE {3.00}/TCH {74}). 1703121748-1710221748EST.

OLYMPIA

Olympia Rgnl

FDC 7/3984 OLM ODP OLYMPIA RGNL, OLYMPIA, WA. TAKEOFF MINIMUMS AND (OBSTACLE) DEPARTURE PROCEDURES AMDT 5A...TAKE-OFF MINIMUMS RWY 17: 300-2 OR STANDARD WITH MINIMUM CLIMB OF 706 FT PER NM TO 600, OR 2600-3 VCOA. DEPARTURE PROCEDURE: RWY 17: CLIMB HEADING 172 TO 1200 THEN CLIMBING RIGHT TURN DIRECT OLM VORTAC, THENCE...OR CLIMB IN VISUAL CONDITIONS TO CROSS OLM VORTAC AT OR ABOVE 2500, THENCE.....ALL OTHER DATA REMAINS AS PUBLISHED. 1701122301-1708242301EST.

PORT ANGELES

William R Fairchild Intl

FDC 7/3831 CLM IAP WILLIAM R FAIRCHILD INTL, PORT ANGELES, WA. RNAV (GPS) RWY 26, AMDT 1...DELETE PLANVIEW NOTE: PROCEDURE NA FOR ARRIVALS AT JAWBN ON V4 EASTBOUND. CHART PLANVIEW NOTE: PROCEDURE NA FOR ARRIVALS AT JAWBN ON V4 EASTBOUND AND V495 SOUTHEAST BOUND. THIS IS RNAV (GPS) RWY 26, AMDT 1A. 1703121548-PERM.

PORT TOWNSEND

Jefferson County Intl

FDC 7/3830 0S9 IAP JEFFERSON COUNTY INTL, PORT TOWNSEND, WA. RNAV (GPS)-A, ORIG-A...DELETE PLANVIEW NOTE: PROCEDURE NA FOR ARRIVALS AT JAWBN ON V4 EASTBOUND. CHART PLANVIEW NOTE: PROCEDURE NA FOR ARRIVALS AT JAWBN ON V4 EASTBOUND AND V495 SOUTHEAST BOUND.. THIS IS RNAV (GPS)-A, ORIG-B. 1703121545-PERM.

RICHLAND

Richland

FDC 7/2708 RLD IAP RICHLAND, RICHLAND, WA. RNAV (GPS) RWY 26, AMDT 2A...CHART NOTE: NIGHT LANDING: RWY 26 OPERATIONAL VGSI REQUIRED, REMAIN ON OR ABOVE VGSI GLIDEPATH UNTIL THRESHOLD. 1703301137-1711091137EST.

FDC 6/1185 RLD IAP RICHLAND, RICHLAND, WA. RNAV (GPS) Z RWY 19, AMDT 1...LNAV/VNAV DA 715/ HAT 325 ALL CATS, VISIBILITY ALL CATS 1. CHANGE INOP NOTES TO READ: FOR INOPERATIVE MALS, INCREASE LNAV/VNAV ALL CATS VISIBILITY TO 1 1/8 MILE AND INCREASE LNAV CAT D VISIBILITY TO 1 3/8 MILE. FOR INOPERATIVE MALS WHEN USING PASCO ALTIMETER SETTING, INCREASE LNAV/VNAV ALL CATS VISIBILITY TO 1 1/8 MILE AND INCREASE LNAV CATS C AND D VISIBILITY TO 1 1/2 MILE. TEMPORARY CRANE 502 MSL 1912FT EAST OF RWY 19 (2016-ANM-1470-OE). 1609301441-1705121441EST.

FDC 6/1184 RLD IAP RICHLAND, RICHLAND, WA. RNAV (GPS) RWY 26, AMDT 2A...LNAV/VNAV DA 715/ HAT 326 ALL CATS, VISIBILITY CATS A/B 1. LNAV MDA 820/ HAT 431, VISIBILITY CATS C/D 1 1/4. TEMPORARY CRANE 502 MSL 1200FT NORTHEAST OF RWY 26 (2016-ANM-1470-OE). 1609301441-1705121441EST.

SEATTLE

Boeing Field/King County Intl

FDC 6/1516 BFI IAP BOEING FIELD/KING COUNTY INTL, SEATTLE, WA. RNAV (RNP) Z RWY 13R, ORIG-C...RNP 0.15 DA 657/HAT 639, VIS 1 7/8 ALL CATS. RNP 0.30 DA 754/HAT 736, VIS 2 1/2 ALL CATS. FOR INOPERATIVE MALSF, INCREASE RNP 0.15 VISIBILITY TO 2 1/2. INOPERATIVE TABLE DOES NOT APPLY TO RNP 0.30. 1611202039-1707022039EST.

Seattle-Tacoma Intl

FDC 7/9339 SEA IAP SEATTLE-TACOMA INTL, SEATTLE, WA. BAY VISUAL RWY 16 R/C/L, AMDT 5.HUSKY VISUAL RWY 16 R/C/L, AMDT 5.ILS OR LOC RWY 16C, AMDT 16.ILS OR LOC RWY 16L, AMDT 7.ILS OR LOC RWY 16R, AMDT 4.ILS OR LOC RWY 34C, AMDT 3C.ILS OR LOC RWY 34L, AMDT 1D.ILS OR LOC RWY 34R, AMDT 2C.MALL VISUAL RWY 34 R/C/L, AMDT 6.RNAV (GPS) Y RWY 16C, AMDT 3.RNAV (GPS) Y RWY 16L, AMDT 5.RNAV (GPS) Y RWY 16R, AMDT 2.RNAV (GPS) Y RWY 34C, AMDT 2B.RNAV (GPS) Y RWY 34L, AMDT 1B.RNAV (GPS) Y RWY 34R, AMDT 2C.RNAV (RNP) M RWY 16R, AMDT 2.RNAV (RNP) M RWY 34L, AMDT 3.RNAV (RNP) Z RWY 16C, AMDT 1.RNAV (RNP) Z RWY 16L, AMDT 2.RNAV (RNP) Z RWY 16R, AMDT 1 FDC 7/9339 SEA IAP SEATTLE-TACOMA INTL, SEATTLE, WA. RNAV (RNP) Z RWY 34C, AMDT 2. RNAV (RNP) Z RWY 34L, AMDT 2. RNAV (RNP) Z RWY 34R, AMDT 1. CHANGE ALL REFERENCE TO SEATTLE APP CON 125.9, 290.9 TO 133.65, 273.45. 1703011557-1710111556EST

FDC 6/7423 SEA IAP SEATTLE-TACOMA INTL, SEATTLE, WA. RNAV (RNP) Z RWY 34R, AMDT 1...RNP 0.28 DA 892/ HAT 520 ALL CATS, VISIBILITY ALL CATS 1 3/8. RNP 0.30 DA 896/ HAT 524 ALL CATS, VISIBILITY ALL CATS 1 1/2. CHANGE INOP NOTE TO READ: FOR INOPERATIVE MALSR, INCREASE RNP 0.28 ALL CATS VISIBILITY TO 1 7/8 MILE AND RNP 0.30 ALL CATS VISIBILITY TO 2 MILES. TEMPORARY CRANES UP TO 582 MSL BEGINNING 1.28 NM SOUTH OF RWY 34R (2016-ANM-1252-OE). 1610121237-1705241237EST.

FDC 6/7421 SEA ODP SEATTLE-TACOMA INTL, SEATTLE, WA. TAKEOFF MINIMUMS AND (OBSTACLE) DEPARTURE PROCEDURES AMDT 4...TAKEOFF MINIMUMS: RWY 16L, 300-1 1/2 OR STANDARD WITH A MINIMUM CLIMB OF 244FT PER NM TO 700. ADD NOTE: RWY 16L, TEMPORARY CRANES BEGINNING 1.27NM FROM DER, 612FT LEFT OF CENTERLINE, UP TO 250FT AGL/ 582FT MSL (2016-ANM-1252-OE). ALL OTHER DATA REMAINS AS PUBLISHED. 1610121237-1705241237EST.

FDC 6/7420 SEA IAP SEATTLE-TACOMA INTL, SEATTLE, WA. ILS OR LOC RWY 34R, AMDT 2C...S-LOC 34R MDA 840/ HAT 468 ALL CATS, VISIBILITY CATS A/B RVR 4000, CATS C/D RVR 5000. SIDESTEP 34C MDA 840/ HAT 453 ALL CATS. VDP AT I-SEA 1.59 DME; DISTANCE VDP TO THLD 1.40 MILES. TEMPORARY CRANES UP TO 582 MSL BEGINNING 1.28 NM SOUTH OF RWY 34R (2016-ANM-1252-OE). 1610121237-1705241237EST.

SPOKANE

Spokane Intl

FDC 7/9310 GEG SID SPOKANE INTL, SPOKANE, WA. SPOKANE THREE DEPARTURE...TAKE-OFF MINIMUMS: RWY 25, STANDARD WITH MINIMUM CLIMB OF 250 FT PER NM TO 5100. ALL OTHER DATA REMAINS AS PUBLISHED. 1705031329-1712131329EST.

FDC 7/9305 GEG IAP SPOKANE INTL, SPOKANE, WA. RNAV (GPS) Y RWY 25, AMDT 4A...CIRCLING CAT C MDA 3300/HAA 915, VIS 2 3/4. 1705031325-1712131325EST.

FDC 6/8645 GEG IAP SPOKANE INTL, SPOKANE, WA. RNAV (RNP) Z RWY 3, ORIG...PROFILE NOTE: VGSI AND RNAV GLIDEPATH NOT COINCIDENT. 1612072239-1707192238EST.

TACOMA

Tacoma Narrows

FDC 7/4516 TIW ODP TACOMA NARROWS, TACOMA, WA. TAKEOFF MINIMUMS AND (OBSTACLE) DEPARTURE PROCEDURES AMDT 3...NOTE: RWY 17: TREES AND BUSH BEGINNING 177 FEET FROM DER, 527 FEET RIGHT OF CENTERLINE, UP TO 28 FEET AGL/328 FEET MSL. TREES 746 FEET FROM DER, 512 FEET RIGHT OF CENTERLINE, UP TO 20 FEET AGL/340 FEET MSL. TREES 1381 FEET FROM DER, 706 FEET RIGHT OF CENTERLINE, UP TO 64 FEET AGL/364 FEET MSL. ALL OTHER DATA REMAINS AS PUBLISHED. 1704241501-1712041501EST.

VANCOUVER

Pearson Field

FDC 7/2235 VUO ODP PEARSON FIELD, VANCOUVER, WA. TAKEOFF MINIMUMS AND (OBSTACLE) DEPARTURE PROCEDURES AMDT 3...TAKE-OFF MINIMUMS RWY 8 STANDARD WITH MINIMUM CLIMB OF 425 FT PER NM TO 600, OR 500-2 1/2 WITH MINIMUM CLIMB OF 267 FT PER NM TO 600, OR 900-2 1/2 FOR CLIMB IN VISUAL CONDITIONS. CHANGE NOTE RWY 8, TREE 1.2 NM FROM DER, 2366 FT LEFT OF CENTERLINE, 100 FT AGL/435 FT MSL. MULTIPLE TREES BEGINNING 1.4 NM FROM DER, 701 FT LEFT OF CENTERLINE, UP TO 100FT AGL/426 FT MSL. ALL OTHER DATA REMAINS AS PUBLISHED. 1702072341-1709192341EST.

WENATCHEE

Pangborn Memorial

FDC 7/4354 EAT SID PANGBORN MEMORIAL, WENATCHEE, WA. WENATCHEE ONE DEPARTURE (OBSTACLE)...CHANGE RWY 12, RWY 30, AND VCOA CLIMB-IN-HOLD INSTRUCTIONS TO READ: CLIMB IN HOLDING PATTERN (E, RT, 257 INBOUND) TO CROSS EAT VOR/DME AT OR ABOVE THE MCA/MEA FOR DIRECTION OF FLIGHT. ALL OTHER DATA REMAINS AS PUBLISHED. 1704241321-1712041321EST.

WEST VIRGINIA

BECKLEY

Raleigh County Memorial

FDC 7/4015 BKW IAP RALEIGH COUNTY MEMORIAL, BECKLEY, WV. VOR RWY 10, AMDT 13...PROCEDURE NA. 1701122329-1708242328EST.

BERKELEY SPRINGS

Potomac Airpark

FDC 7/9246 W35 ODP POTOMAC AIRPARK, BERKELEY SPRINGS, WV. TAKEOFF MINIMUMS AND (OBSTACLE) DEPARTURE PROCEDURES AMDT 1.TAKEOFF MINIMUMS: RWY 11 29, 1900-2 WITH MINIMUM CLIMB OF 402 FT PER NM TO 2600. NOTE: RWY 11, BUSH 30 FT FROM DER, 21 FT LEFT OF CENTERLINE, 416 FT MSL. TREES BEGINNING 43 FT FROM DER, 44 FT RIGHT OF CENTERLINE, UP TO 94 FT AGL/502 FT MSL. TREES BEGINNING 193 FT FROM DER, 16 FT LEFT OF CENTERLINE, UP TO 470 FT MSL. TREES BEGINNING 434 FT FROM DER, 150 FT RIGHT OF CENTERLINE, UP TO 544 FT MSL. TREES 543 FT FROM DER, 251 FT LEFT OF CENTERLINE, UP TO 480 FT MSL. TREES BEGINNING 789 FT FROM DER, 24 FT LEFT OF CENTERLINE, UP TO 518 FT MSL. TREES BEGINNING 960 FT FROM DER, 28 FT RIGHT OF CENTERLINE, UP TO 614 FT MSL. TREES BEGINNING 1358 FT FROM DER, 17 FT LEFT OF CENTERLINE, UP TO 521 FT MSL. TREES BEGINNING 1471 FT FROM DER, 424 FT RIGHT OF CENTERLINE, UP TO 646 FT MSL. TREES BEGINNING 1544 FT FROM DER, 208 FT RIGHT OF CENTERLINE, UP TO 650 FT MSL. TREES, POLE, BUSH BEGINNING 1774 FT FROM DER, 106 FT RIGHT OF CENTERLINE, UP TO 658 FT MSL. TREES BEGINNING 2031 FT FROM DER, 6 FT LEFT OF CENTERLINE, UP TO 530 FT MSL. TREES, GRD, BUSH, BLDG BEGINNING 2151 FT FROM DER, 3 FT RIGHT OF CENTERLINE, UP TO 668 FT MSL. TREES BEGINNING 3472 FT FROM DER, 255 FT RIGHT OF CENTERLINE, UP TO 698 FT MSL. TREES BEGINNING 3737 FT FROM DER, 503 FT RIGHT OF CENTERLINE, UP TO 715 FT MSL. TREES, GRD BEGINNING 3833 FT FROM DER, 394 FT RIGHT OF CENTERLINE, UP TO 729 FT MSL. TREES BEGINNING 4134 FT FROM DER, 686 FT RIGHT OF CENTERLINE, UP TO 732 FT MSL. TREES BEGINNING 4157 FT FROM DER, 117 FT LEFT OF CENTERLINE, UP TO 581 FT MSL. TREES BEGINNING 4438 FT FROM DER, 541 FT RIGHT OF CENTERLINE, UP TO 748 FT MSL. TREES BEGINNING 4463 FT FROM DER, 1395 FT LEFT OF CENTERLINE, UP TO 603 FT MSL. TREES, VEHICLE ON RD BEGINNING 4487 FT FROM DER, 536 FT RIGHT OF CENTERLINE, UP TO 766 FT MSL. TREES BEGINNING 4769 FT FROM DER, 1377 FT LEFT OF CENTERLINE, UP TO 649 FT MSL. TREES, GRD

BUCKHANNON

Upshur County Rgnl

FDC 6/4380 W22 IAP UPSHUR COUNTY RGNL, BUCKHANNON, WV. RNAV (GPS) RWY 11, AMDT 2B...RNAV (GPS) RWY 29, AMDT 2B...VOR-A, AMDT 1A...DISREGARD NOTE: NIGHT LANDING: RWY 11 NA. 1612211838-1708021838EST.

CHARLESTON

Yeager

FDC 7/9923 CRW IAP YEAGER, CHARLESTON, WV. RNAV (GPS) Y RWY 23, AMDT 1A...LPV MINIMUMS NA. 1704131650-1711231650EST.

ELKINS

Elkins-Randolph Co-Jennings Randolph Fld

FDC 7/7539 EKN IAP ELKINS-RANDOLPH CO-JENNINGS RANDOLPH FLD, ELKINS, WV. RNAV (GPS) RWY 14, ORIG...PROCEDURE NA. 1704101225-1711201225EST.

FDC 7/5133 EKN IAP ELKINS-RANDOLPH CO-JENNINGS RANDOLPH FLD, ELKINS, WV. RNAV (GPS) RWY 23, ORIG...DISREGARD PROFILE NOTE: DESCENT ANGLE 3.05/TCH 45. DISREGARD PROFILE NOTE: VGSI AND DESCENT ANGLES NOT COINCIDENT (VGSI ANGLE 5.00/TCH 45). PROFILE NOTE: VISUAL SEGMENT - OBSTACLES. 1702161403-1709281354EST.

FDC 7/0652 EKN IAP ELKINS-RANDOLPH CO-JENNINGS RANDOLPH FLD, ELKINS, WV. RNAV (GPS) RWY 23, ORIG...RNAV (GPS) RWY 5, ORIG...PROCEDURE NA AT NIGHT. 1703031414-1710131414EST.

FAIRMONT

Fairmont Muni-Frankman Field

FDC 7/4577 4G7 IAP FAIRMONT MUNI-FRANKMAN FIELD, FAIRMONT, WV. RNAV (GPS) RWY 23, AMDT 1A...LNAV CAT A/B/C HAT 808. CHANGE TDZE FROM 1012 TO 1032. 1703141244-1710241240EST.

FDC 7/1961 4G7 IAP FAIRMONT MUNI-FRANKMAN FIELD, FAIRMONT, WV. VOR/DME-A, AMDT 1...DISREGARD NOTE: CIRCLING TO RWY 05 NA AT NIGHT. NOTE: PROCEDURE NA AT NIGHT. NOTE: RWY 5, 23 HELICOPTER VISIBILITY REDUCTION BELOW 1 SM NOT AUTHORIZED. 1704181559-1711281559EST.

FDC 7/1960 4G7 IAP FAIRMONT MUNI-FRANKMAN FIELD, FAIRMONT, WV. RNAV (GPS) RWY 23, AMDT 1A...LNAV CAT A/B/C HAT 808. CHANGE TDZE FROM 1012 TO 1032. DISREGARD NOTE: NIGHT LANDING: RWY 5 NA. NOTE: PROCEDURE NA AT NIGHT. DISREGARD NOTE: HELICOPTER VISIBILITY REDUCTION BELOW 3/4 SM NA. NOTE: RWY 5, 23 HELICOPTER VISIBILITY REDUCTION BELOW 1 SM NOT AUTHORIZED. 1704181559-1711281559EST.

HUNTINGTON

Tri-State/Milton J Ferguson Field

FDC 7/1092 HTS IAP TRI-STATE/MILTON J FERGUSON FIELD, HUNTINGTON, WV. RADAR 1, AMDT 8A...ASR RWY 12 MINIMUMS NA. 1704171346-1711271346EST.

FDC 7/0778 HTS IAP TRI-STATE/MILTON J
FERGUSON FIELD, HUNTINGTON, WV. ILS OR LOC
RWY 30, AMDT 7A...S-LOC 30 MDA 1220/HAT 392 ALL
CATS, VISIBILITY CAT C/D 1 1/8.
1703271918-1711061918EST.

FDC 7/0775 HTS IAP TRI-STATE/MILTON J
FERGUSON FIELD, HUNTINGTON, WV. RNAV (GPS)
RWY 30, AMDT 1A...LNAV MDA 1260/HAT 432 ALL
CATS, VISIBILITY CAT C/D 1 1/4. DISREGARD NOTE
FOR UNCOMPENSATED BARO-VNAV SYSTEM,
LNNV/VNAV NA BELOW 16 C (3 F) OR ABOVE 38 C
(100 F). NOTE FOR UNCOMPENSATED BARO-VNAV
SYSTEM, LNNV/VNAV NA BELOW 16 C (3 F) OR
ABOVE 53 C (130 F). 1703271911-1711061911EST.

FDC 7/0086 HTS IAP TRI-STATE/MILTON J
FERGUSON FIELD, HUNTINGTON, WV. RNAV (GPS)
RWY 12, AMDT 3A...LNAV MDA/HAT 1220/392 ALL
CATS. CHART VDP AT 1.05 MILES TO RWY12*.
CHANGE INOPERATIVE MALSR NOTE TO READ:
FOR INOPERATIVE MALSR, INCREASE LNAV/VNAV
ALL CATS VISIBILITY TO RVR 4500, LNAV CAT A/B
TO RVR 5500, CAT C/D TO RVR 6000. CHART FAS
OBST: 960 TREE 382257N-0823501W.
1703242126-1711032126EST.

LEWISBURG

Greenbrier Valley

FDC 7/8769 LWB IAP GREENBRIER VALLEY,
LEWISBURG, WV. ILS OR LOC RWY 4, AMDT
11...NOTE: HELICOPTER VISIBILITY REDUCTION
BELOW 3/4 SM NOT AUTHORIZED.
1701291535-1709101535EST.

FDC 7/8763 LWB IAP GREENBRIER VALLEY,
LEWISBURG, WV. RNAV (GPS) RWY 4, ORIG...LNAV
MDA 2700/HAT 412 ALL CATS. CIRCLING CAT A MDA
2840/HAA 538. CHANGE VISIBILITY REDUCTION BY
HELICOPTERS NA NOTE TO READ: HELICOPTER
VISIBILITY REDUCTION BELOW 3/4 SM NOT
AUTHORIZED. 1703231301-1711021300EST.

FDC 7/8761 LWB IAP GREENBRIER VALLEY,
LEWISBURG, WV. VOR RWY 22, AMDT 1...S-22 MDA
2780/HAT 478 ALL CATS. VIS CAT C 1 3/8. CIRCLING
CAT A MDA 2840/HAA 538. CHANGE VISIBILITY
REDUCTION BY HELICOPTERS NA NOTE TO READ:
HELICOPTER VISIBILITY REDUCTION BELOW 3/4
SM NOT AUTHORIZED. 1703231259-1711021258EST.

FDC 7/8725 LWB IAP GREENBRIER VALLEY,
LEWISBURG, WV. RNAV (GPS) RWY 22,
ORIG...CIRCLING CAT A MDA 2840/HAA 538.
CHANGE VISIBILITY REDUCTION BY HELICOPTERS
NA NOTE TO READ: HELICOPTER VISIBILITY
REDUCTION BELOW 3/4 SM NOT AUTHORIZED.
1703231257-1711021256EST.

FDC 7/4043 LWB ODP GREENBRIER VALLEY,
LEWISBURG, WV. TAKEOFF MINIMUMS AND
(OBSTACLE) DEPARTURE PROCEDURES AMDT
4...DEPARTURE PROCEDURE: RWY 4, CLIMB
HEADING 043 TO 4100 BEFORE PROCEEDING ON
COURSE. RWY 22, CLIMB HEADING 223 TO 3300
BEFORE PROCEEDING ON COURSE. ALL OTHER
DATA REMAINS AS PUBLISHED.
1701122354-1708242354EST.

LOGAN

Logan County

FDC 7/2206 6L4 IAP LOGAN COUNTY, LOGAN, WV.
RNAV (GPS) RWY 24, ORIG-B...DISREGARD NOTE:
NIGHT LANDING: RWY 6 NA..
1703081442-1710181442EST.

FDC 7/2126 6L4 IAP LOGAN COUNTY, LOGAN, WV.
RNAV (GPS) RWY 6, ORIG-B...DISREGARD NOTE:
NIGHT LANDING: RWY 6 NA. DISREGARD NOTE:
HELICOPTER VISIBILITY REDUCTION BELOW 1 SM
NOT AUTHORIZED. DESCENT ANGLE 3.00/TCH 58
NA. 1703081416-1710181416EST.

MARTINSBURG

Eastern Wv Rgnl/Shepherd Fld

FDC 7/8959 MRB IAP EASTERN WV
RGNL/SHEPHERD FLD, MARTINSBURG, WV. VOR-A,
AMDT 10...PROCEDURE NA.
1704121346-1711221346EST.

FDC 7/6376 MRB SID EASTERN WV
RGNL/SHEPHERD FLD, MARTINSBURG, WV. SCRAM
THREE DEPARTURE (RNAV)...CHANGE TAKEOFF
RWY 8 NOTE TO READ: IF ISSUED AN ATC HEADING
THAT REQUIRES A WESTBOUND TURN, CLIMB
HEADING 079 TO 1200 PRIOR TO TURNING FOR
OBSTACLE AVOIDANCE. ALL OTHER DATA
REMAINS AS PUBLISHED.
1704061429-1711161429EST.

FDC 7/3348 MRB SID EASTERN WV
RGNL/SHEPHERD FLD, MARTINSBURG, WV. TRIXY
FIVE DEPARTURE...KESSEL TRANSITION NA
EXCEPT FOR AIRCRAFT EQUIPPED WITH SUITABLE
RNAV SYSTEM WITH GPS, ESL VOR/DME OUT OF
SERVICE. 1702101512-1709221512EST.

MILTON

Ona Airpark

FDC 7/8861 12V IAP ONA AIRPARK, MILTON, WV.
RNAV (GPS)-A, ORIG...DESCENT ANGLE 3.19/TCH 40
NA. 1701292136-1709102136EST.

FDC 6/0543 12V IAP ONA AIRPARK, MILTON, WV. VOR-A, AMDT 2...PROCEDURE NA. 1612121542-1707241542EST.

MORGANTOWN

Morgantown Muni-Walter L Bill Hart Fld

FDC 7/9270 MGW IAP MORGANTOWN MUNI-WALTER L BILL HART FLD, MORGANTOWN, WV. VOR-A, AMDT 13...PROCEDURE NA. 1705031243-1712131243EST.

PETERSBURG

Grant County

FDC 7/8653 W99 IAP GRANT COUNTY, PETERSBURG, WV. RNAV (GPS)-C, ORIG...DISREGARD NOTE: PROCEDURE NA AT NIGHT. NOTE: STRAIGHT-IN RWY 13 NA AT NIGHT, CIRCLING RWY 13 NA AT NIGHT. 1701272101-1709082101EST.

FDC 7/8652 W99 IAP GRANT COUNTY, PETERSBURG, WV. LDA/DME-B, AMDT 3B...VOR/DME-A, AMDT 2B...DISREGARD NOTE: PROCEDURE NA AT NIGHT. NOTE: CIRCLING RWY 13 NA AT NIGHT. 1701272101-1709082101EST.

FDC 7/8651 W99 IAP GRANT COUNTY, PETERSBURG, WV. RNAV (GPS) Y RWY 31, ORIG-A...RNAV (GPS) Z RWY 31, ORIG-A...DISREGARD NOTE: PROCEDURE NA AT NIGHT. NOTE: CIRCLING RWY 13 NA AT NIGHT. 1701272101-1709082101EST.

FDC 7/3349 W99 IAP GRANT COUNTY, PETERSBURG, WV. LDA/DME-B, AMDT 3B...PROCEDURE NA EXCEPT FOR AIRCRAFT EQUIPPED WITH SUITABLE RNAV SYSTEM WITH GPS, ESL VOR/DME OUT OF SERVICE. 1702101512-1709221512EST.

FDC 7/3346 W99 ODP GRANT COUNTY, PETERSBURG, WV. TAKEOFF MINIMUMS AND (OBSTACLE) DEPARTURE PROCEDURES AMDT 1...DEPARTURE PROCEDURE NA EXCEPT FOR AIRCRAFT EQUIPPED WITH SUITABLE RNAV SYSTEM WITH GPS, ESL VOR/DME OUT OF SERVICE. 1702101512-1709221512EST.

PINEVILLE

Kee Field

FDC 7/8859 I16 IAP KEE FIELD, PINEVILLE, WV. GPS RWY 8, ORIG-B...DESCENT ANGLE 3.0/TCH 40 NA. 1701292135-1709102135EST.

FDC 7/8857 I16 IAP KEE FIELD, PINEVILLE, WV. GPS RWY 26, ORIG-B...DESCENT ANGLE 2.89/TCH 40 NA. 1701292133-1709102132EST.

FDC 7/7636 I16 ODP KEE FIELD, PINEVILLE, WV. TAKEOFF MINIMUMS AND (OBSTACLE) DEPARTURE PROCEDURES AMDT 1...DEPARTURE PROCEDURE NA. 1704101329-1711201329EST.

POINT PLEASANT

Mason County

FDC 7/9344 3I2 IAP MASON COUNTY, POINT PLEASANT, WV. RNAV (GPS) RWY 25, ORIG...PROCEDURE NA. 1705031346-1712131346EST.

RAVENSWOOD

Jackson County

FDC 7/4250 I18 IAP JACKSON COUNTY, RAVENSWOOD, WV. RNAV (GPS) RWY 22, ORIG-A...NOTE: RWY 4, 22 HELICOPTER VISIBILITY REDUCTION BELOW 1 SM NA. NOTE: STRAIGHT-IN RWY 22 NA AT NIGHT. NOTE: CIRCLING RWY 4 NA AT NIGHT. DISREGARD NOTE: HELICOPTER VISIBILITY REDUCTION BELOW 1 SM NA. DISREGARD NOTE: NIGHT LANDING: RWY 22 NA. 1701131920-1708251920EST.

FDC 7/4174 I18 IAP JACKSON COUNTY, RAVENSWOOD, WV. RNAV (GPS) RWY 4, ORIG...LPV DA NA. LNAV/VNAV DA NA. NOTE: RWY 4, 22 HELICOPTER VISIBILITY REDUCTION BELOW 1 SM NA. NOTE: STRAIGHT-IN RWY 4 NA AT NIGHT. NOTE: CIRCLING RWY 22 NA AT NIGHT. CHANGE LOCAL ALTIMETER SETTING NOTE TO READ: WHEN LOCAL ALTIMETER SETTING NOT RECEIVED, USE POINT PLEASANT ALTIMETER SETTING AND INCREASE ALL MDA 60 FEET AND LNAV CAT C VISIBILITY MILE AND CIRCLING CAT C VISIBILITY 1/4 MILE. DISREGARD NOTE: WHEN VGSI INOPERATIVE, CIRCLING RWY 22 NA. DISREGARD NOTE: FOR UNCOMPENSATED BARO-VNAV SYSTEMS, LNAV/VNAV NA BELOW -16C (4F) OR ABOVE 54C (130F). DISREGARD NOTE: BARO-VNAV AND VDP NA WITH POINT PLEASANT ALTIMETER SETTING. 1701131559-1708251559EST.

SUTTON

Braxton County

FDC 7/2125 48I IAP BRAXTON COUNTY, SUTTON, WV. RNAV (GPS) RWY 20, AMDT 1...NOTE: HELICOPTER VISIBILITY REDUCTION BELOW 1SM NOT AUTHORIZED. CHANGE LOCAL ALTIMETER SETTING NOTE TO READ: WHEN LOCAL ALTIMETER SETTING NOT RECEIVED, USE CLARKSBURG ALTIMETER SETTING AND INCREASE ALL MDA 260 FEET AND LNAV CAT A/B AND CIRCLING ALL CATS VISIBILITY 1/4 MILE AND LNAV CAT C VISIBILITY 3/4 MILE. ALTERNATE MINIMUMS: NA. 1702072238-1709192238EST.

FDC 6/1521 48I ODP BRAXTON COUNTY, SUTTON, WV. TAKEOFF MINIMUMS AND (OBSTACLE) DEPARTURE PROCEDURES ORIG...TAKEOFF MINIMUMS: RWY 2, 300-1 WITH MINIMUM CLIMB OF 245 FT PER NM TO 2100 OR 1200-3 FOR CLIMB IN VISUAL CONDITIONS. DEPARTURE PROCEDURE: RWY 2, CLIMB HEADING 014 TO 2200 BEFORE PROCEEDING ON COURSE. FOR CLIMB IN VISUAL CONDITIONS: CROSS BRAXTON COUNTY AIRPORT AT OR ABOVE 2300. WHEN EXECUTING VCOA, NOTIFY ATC PRIOR TO DEPARTURE. ALL OTHER DATA REMAINS AS PUBLISHED. 1611202041-1707022041EST.

WHEELING

Wheeling Ohio Co

FDC 7/3234 HLG IAP WHEELING OHIO CO, WHEELING, WV. VOR RWY 21, AMDT 15...PROCEDURE NA. 1703301705-1711091705EST.

FDC 7/0950 HLG IAP WHEELING OHIO CO, WHEELING, WV. RNAV (GPS) RWY 34, ORIG-A...DISREGARD NOTE: NIGHT LANDING: RWY 16 NA. 1702031806-1709151806EST.

FDC 7/0949 HLG IAP WHEELING OHIO CO, WHEELING, WV. RNAV (GPS) RWY 16, ORIG...DISREGARD NOTE: STRAIGHT-IN/CIRCLING RWY 16 PROCEDURE NA AT NIGHT. 1702031806-1709151806EST.

WISCONSIN

ANTIGO

Langlade County

FDC 7/9583 AIG IAP LANGLADE COUNTY, ANTIGO, WI. RNAV (GPS) RWY 27, ORIG-A...LPV VIS 1 ALL CATS. LNAV MDA 2200/HAT 677 ALL CATS, VIS CAT C/D 1 7/8. CIRCLING MDA 2200/HAA 677 ALL CATS, VIS CAT C 2, CAT D 2 1/4. CHANGE LOCAL ALTIMETER SETTING NOTE TO READ: WHEN LOCAL ALTIMETER SETTING NOT RECEIVED, USE WAUSAU DOWNTOWN ALTIMETER SETTING AND INCREASE ALL DA 105 FEET AND ALL VISIBILITIES 1/4 MILE; INCREASE ALL MDA 120 FEET, LNAV CAT C/D VISIBILITY 5/8 MILE AND CIRCLING CAT C 1/2 MILE AND CAT D 1/4 MILE. ALTERNATE MINIMUMS STANDARD EXCEPT CAT D 800-2 1/4. 1704131215-1711231215EST.

BARABOO

Baraboo Wisconsin Dells

FDC 7/1996 DLL ODP BARABOO WISCONSIN DELLS, BARABOO, WI. TAKEOFF MINIMUMS AND (OBSTACLE) DEPARTURE PROCEDURES AMDT 1...RWY 14, 32 NA, ENVIRONMENTAL. ALL OTHER DATA REMAINS AS PUBLISHED. 1703081324-1710181324EST.

BELOIT

Beloit

FDC 7/5625 44C IAP BELOIT, BELOIT, WI. VOR OR GPS-A, AMDT 5B...CIRCLING CAT A/B MDA 1440/HAA 623. ROCKFORD ALTIMETER SETTING MINIMUMS. CIRCLING CAT A/B MDA 1480/HAA 663. 1702171546-1709291546EST.

BOSCOBEL

Boscobel

FDC 6/5156 OVS IAP BOSCOBEL, BOSCOBEL, WI. RNAV (GPS) RWY 7, ORIG...NOTE: VGSI AND RNAV GLIDEPATH ANGLE NOT COINCIDENT. 1612272201-1708082201EST.

BURLINGTON

Burlington Muni

FDC 7/2066 BUU IAP BURLINGTON MUNI, BURLINGTON, WI. RNAV (GPS) RWY 11, ORIG-A...RNAV (GPS) RWY 29, AMDT 1A...VOR RWY 29, AMDT 8B...VOR-A, AMDT 2...NOTE: CIRCLING TO RWYS 1, 19 NA. 1702072119-1709192119EST.

CHETEK

Chetek Muni-Southworth

FDC 6/4455 Y23 IAP CHETEK MUNI-SOUTHWORTH, CHETEK, WI. RNAV (GPS) RWY 17, ORIG-D...RNAV (GPS) RWY 35, ORIG-C...DISREGARD NOTE: PROCEDURE NA AT NIGHT. 1612212025-1708022025EST.

CLINTONVILLE

Clintonville Muni

FDC 7/5544 CLI ODP CLINTONVILLE MUNI, CLINTONVILLE, WI. TAKEOFF MINIMUMS AND (OBSTACLE) DEPARTURE PROCEDURES AMDT 1...TAKE-OFF MINIMUMS: RWY 22, NA - ENVIRONMENTAL. ALL OTHER DATA REMAINS AS PUBLISHED. 1704051229-1711151229EST.

EAU CLAIRE

Chippewa Valley Rgnl

FDC 7/5524 EAU IAP CHIPPEWA VALLEY RGNL, EAU CLAIRE, WI. LOC BC RWY 4, AMDT 10...S-4 NA. CIRCLING CAT B/C MDA 1540/HAA 627, CAT C VISIBILITY 1 3/4. 1704051156-1711151156EST.

FDC 7/3694 EAU IAP CHIPPEWA VALLEY RGNL, EAU CLAIRE, WI. ILS OR LOC RWY 22, AMDT 8A...RNAV (GPS) RWY 22, ORIG-A...CIRCLING CAT B/C MDA 1540/HAA 627, CAT C VISIBILITY 1 3/4. 1703311346-1711101346EST.

Mayo Clinic Health System-Eau Claire

FDC 6/7252 WS38 SPECIAL MAYO CLINIC HEALTH SYSTEM-EAU CLAIRE, EAU CLAIRE, WI. COPTER RNAV (GPS) 065, ORIG...NOTE: PROCEED VFR FROM CULBI OR CONDUCT SPECIFIED MISSED APPROACH PROCEDURE. 1612061745-1707181745EST.

FOND DU LAC

Fond Du Lac County

FDC 7/6423 FLD IAP FOND DU LAC COUNTY, FOND DU LAC, WI. VOR/DME RWY 36, AMDT 6B...S-36 CAT A/B VISIBILITY 3/4 MILE. NOTE: NIGHT LANDING: RWY 09, 27 NA. NOTE: RWY 36 HELICOPTER VISIBILITY REDUCTION BELOW 3/4 SM NOT AUTHORIZED. 1704061440-1711161439EST.

FDC 7/3943 FLD ODP FOND DU LAC COUNTY, FOND DU LAC, WI. TAKEOFF MINIMUMS AND (OBSTACLE) DEPARTURE PROCEDURES AMDT 1B...NOTE: RWY 18: TREE 2 FT FROM DER, 473 FT LEFT OF CENTERLINE, UP TO 82 FT AGL/852 FT MSL. TREE 2592 FT FROM DER, 631 FT LEFT OF CENTERLINE, UP TO 86 FT AGL/866 FT MSL. TREES 2701 FT FROM DER, 872 FT RIGHT OF CENTERLINE, UP TO 70 FT AGL/885 FT MSL. TREES 3677 FT FROM DER, 1252 RIGHT OF CENTERLINE, UP TO 90 FT AGL/913 FT MSL. NOTE: RWY 36: BLDG 465 FT FROM DER, 467 FT RIGHT OF CENTERLINE, 29 FT AGL/803 FT MSL. TREE 646 FT FROM DER, 413 FT LEFT OF CENTERLINE, 40 FT AGL/817 FT MSL. SIGN 1073 FT FROM DER, 330 FT RIGHT OF CENTERLINE, 40 FT AGL/815 FT MSL. TREE 1598 FT FROM DER, 618 FT LEFT OF CENTERLINE, 50 FT AGL/826 FT MSL. ALL OTHER DATA REMAINS AS PUBLISHED. 1703121851-1710221851EST.

FORT ATKINSON

Fort Atkinson Muni

FDC 7/0079 61C IAP FORT ATKINSON MUNI, FORT ATKINSON, WI. RNAV (GPS) RWY 21, ORIG-A...NOTE: NIGHT LANDING: RWY 3 NA. DISREGARD NOTE: PROCEDURE NA AT NIGHT. CHANGE HELICOPTER NOTE TO READ: HELICOPTER VISIBILITY REDUCTION BELOW 3/4 SM NA. 1704131824-1711231824EST.

FDC 7/0074 61C IAP FORT ATKINSON MUNI, FORT ATKINSON, WI. RNAV (GPS) RWY 3, ORIG-A...NOTE: NIGHT LANDING: RWY 3 NA. DISREGARD NOTE: PROCEDURE NA AT NIGHT. DISREGARD SYMBOL REPRESENTING VISUAL 34:1 SLOPE IS CLEAR. 1704131821-1711231821EST.

FDC 7/0067 61C IAP FORT ATKINSON MUNI, FORT ATKINSON, WI. VOR-A, ORIG-C...NOTE: NIGHT LANDING: RWY 3 NA. DISREGARD NOTE: PROCEDURE NA AT NIGHT. 1704131819-1711231819EST.

FRIENDSHIP (ADAMS)

Adams County Legion Field

FDC 7/1161 63C ODP ADAMS COUNTY LEGION FIELD, FRIENDSHIP (ADAMS), WI. TAKEOFF MINIMUMS AND (OBSTACLE) DEPARTURE PROCEDURES AMDT 1...TAKE-OFF MINIMUMS RWY 33, 500-2 1/4 OR STANDARD WITH A MINIMUM CLIMB OF 400 FT PER NM TO 1600.. DEPARTURE PROCEDURE: RWY 33, CLIMB HEADING 335 TO 1500 BEFORE PROCEEDING ON COURSE. ALL OTHER DATA REMAINS AS PUBLISHED. 1704171411-1711271411EST.

GREEN BAY

County Rescue Services

FDC 7/0148 4WN7 SPECIAL COUNTY RESCUE SERVICES, GREEN BAY, WI. COPTER RNAV (GPS) 045, ORIG...IFR DEPARTURE NA. 1703250119-1711040119EST.

Green Bay-Austin Straubel Intl

FDC 6/7963 GRB IAP GREEN BAY-AUSTIN STRAUBEL INTL, GREEN BAY, WI. ILS OR LOC RWY 36, AMDT 9...CHANGE AIRPORT NAME FROM AUSTIN STRAUBEL INTL TO GREEN BAY-AUSTIN STRAUBEL INTL. 1612071438-1707191438EST.

FDC 6/7961 GRB IAP GREEN BAY-AUSTIN STRAUBEL INTL, GREEN BAY, WI. ILS OR LOC RWY 6, AMDT 21B...CHANGE AIRPORT NAME FROM AUSTIN STRAUBEL INTL TO GREEN BAY-AUSTIN STRAUBEL INTL. 1612071438-1707191438EST.

FDC 6/7954 GRB IAP GREEN BAY-AUSTIN STRAUBEL INTL, GREEN BAY, WI. VOR-A, ORIG-A...CHANGE AIRPORT NAME FROM AUSTIN STRAUBEL INTL TO GREEN BAY-AUSTIN STRAUBEL INTL. 1612071438-1707191438EST.

FDC 6/7953 GRB IAP GREEN BAY-AUSTIN STRAUBEL INTL, GREEN BAY, WI. RADAR 1, AMDT 9C...CHANGE AIRPORT NAME FROM AUSTIN STRAUBEL INTL TO GREEN BAY-AUSTIN STRAUBEL INTL. 1612071438-1707191438EST.

FDC 6/7948 GRB ODP GREEN BAY-AUSTIN STRAUBEL INTL, GREEN BAY, WI. TAKEOFF MINIMUMS AND (OBSTACLE) DEPARTURE PROCEDURES AMDT 2...CHANGE AIRPORT NAME FROM AUSTIN STRAUBEL INTL TO GREEN BAY-AUSTIN STRAUBEL INTL. 1612071438-1707191438EST.

HAYWARD

Sawyer County

FDC 6/4170 HYR IAP SAWYER COUNTY, HAYWARD, WI. ILS OR LOC/DME RWY 20, ORIG...CHANGE REFERENCE FROM RWY 20 TO RWY 21. 1612202224-1708012224EST.

JUNEAU

Dodge County

FDC 7/3969 UNU ODP DODGE COUNTY, JUNEAU, WI. TAKEOFF MINIMUMS AND (OBSTACLE) DEPARTURE PROCEDURES ORIG...TAKE-OFF MINIMUMS: RWY 20, 300-1 OR STANDARD WITH MINIMUM CLIMB OF 432 FT PER NM TO 1200. NOTE: RWY 2, TREES 509 FT FROM DER, 526 FT LEFT OF CENTERLINE, UP TO 55 FT AGL/969 FT MSL. OL ON WSK, 517 FT FROM DER, 394 FT RIGHT OF CENTERLINE, 14 FT AGL/958 FT MSL. TREES AND POLES BEGINNING 561 FT FROM DER, 536 FT RIGHT OF CENTERLINE, UP TO 47 FT AGL/990 FT MSL. ANTENNA 888 FT FROM DER, 414 FT RIGHT OF CENTERLINE, 23 FT AGL/966 FT MSL. RWY 8, BLDGS BEGINNING 372 FT FROM DER, 390 FT LEFT OF CENTERLINE, UP TO 33 FT AGL/976 FT MSL. TREES BEGINNING 564 FT FROM DER, 363 FT LEFT OF CENTERLINE, UP TO 45 FT AGL/989 FT MSL. POLE 573 FT FROM DER, 454 FT LEFT OF CENTERLINE, 24 FT AGL/967 FT MSL TREES BEGINNING 635 FT FROM DER, 72 FT RIGHT OF CENTERLINE, UP TO 69 FT AGL/987 FT MSL. ANTENNA 995 FT FROM DER, 691 FT RIGHT OF CENTERLINE, 44 FT AGL/962 FT MSL. RWY 26, TREES BEGINNING 664 FT FROM DER, ON CENTERLINE, UP TO 111 FT AGL/1036 FT MSL. POLE 1377 FT FROM DER, 611 FT LEFT OF CENTERLINE, 27 FT AGL/925 FT MSL. TREES BEGINNING 581 FT FROM DER, 111 FT RIGHT OF CENTERLINE, UP TO 86 FT AGL/1009 FT MSL. ALL OTHER DATA REMAINS AS PUBLISHED. 1703121936-1710221936EST.

KENOSHA

Kenosha Rgnl

FDC 7/2705 ENW IAP KENOSHA RGNL, KENOSHA, WI. ILS OR LOC RWY 7L, AMDT 3...RNAV (GPS) RWY 15, ORIG...RNAV (GPS) RWY 25R, ORIG...RNAV (GPS) RWY 33, ORIG...RNAV (GPS) RWY 7L, ORIG...VOR RWY 25R, AMDT 1...NOTE: NIGHT LANDING: RWY 7R, 15 NA. 1703301135-1711091135EST.

LA CROSSE

La Crosse Rgnl

FDC 7/8733 LSE IAP LA CROSSE RGNL, LA CROSSE, WI. RNAV (GPS) RWY 18, ORIG-D...RNAV (GPS) RWY 36, ORIG-C...CHANGE CHART NOTE TO READ: CIRCLING RWY 22, NA AT NIGHT.. 1702281304-1710101304EST.

FDC 7/6104 LSE CHART LA CROSSE RGNL, LA CROSSE, WI. ILS OR LOC RWY 18, AMDT 21A...CORRECT BRIEFING STRIP: CHANGE COLD TEMPERATURE TO READ -20C INSTEAD OF -20F. 1704271115-PERM.

LADYSMITH

Rusk County

FDC 6/8593 RCX IAP RUSK COUNTY, LADYSMITH, WI. RNAV (GPS) RWY 14, ORIG-A...LPV DA NA. LNAV/VNAV DA NA. NOTE: STRAIGHT-IN RWY 14 NA AT NIGHT, CIRCLING RWY 01, 14, 19 NA AT NIGHT. DISREGARD NOTE: CIRCLING TO RWY 1/19 NA AT NIGHT. NOTE: HELICOPTER VISIBILITY REDUCTION BELOW 1 SM NOT AUTHORIZED. VDP NA. DISREGARD SYMBOL REPRESENTING VISUAL 34:1 SLOPE IS CLEAR. 1612072210-1707192210EST.

FDC 6/8591 RCX IAP RUSK COUNTY, LADYSMITH, WI. RNAV (GPS) RWY 32, ORIG-B...NOTE: CIRCLING RWY 01, 14, 19 NA AT NIGHT. DISREGARD NOTE: CIRCLING TO RWY 1/19 NA AT NIGHT. 1612072209-1707192209EST.

FDC 6/8589 RCX IAP RUSK COUNTY, LADYSMITH, WI. NDB RWY 32, AMDT 3A...NOTE: PROCEDURE NAT AT NIGHT. DISREGARD NOTE: CIRCLING TO RWY 1/19 NA AT NIGHT. DISREGARD NOTE: WHEN VGSI INOP, STRAIGHT-IN/CIRCLING RWY 32 NA AT NIGHT. CHANGE HELICOPTER VISIBILITY REDUCTION NOTE TO READ: HELICOPTER VISIBILITY REDUCTION BELOW 1 SM NOT AUTHORIZED.. 1612072208-1707192207EST.

LAKE GENEVA

Grand Geneva Resort

FDC 7/7572 C02 IAP GRAND GENEVA RESORT, LAKE GENEVA, WI. RNAV (GPS) RWY 23, ORIG-A...DELETE: DESCENT ANGLE 3.00/TCH 40. PROFILE NOTE:VISUAL SEGMENT - OBSTACLES. 1704101241-1711201241EST.

MADISON

Dane County Rgnl-Truax Field

FDC 7/8896 MSN IAP DANE COUNTY RGNL-TRUAX FIELD, MADISON, WI. ILS OR LOC RWY 21, ORIG-C...RNAV (GPS) RWY 14, AMDT 2E...RNAV (GPS) RWY 18, AMDT 2E...RNAV (GPS) RWY 21, AMDT 2C...RNAV (GPS) RWY 3, ORIG-C...RNAV (GPS) RWY 32, AMDT 2E...RNAV (GPS) RWY 36, AMDT 2D...CIRCLING CAT D MDA 1720/HAA 833. VIS CAT D 2 3/4. 1701292203-1709102203EST.

FDC 7/8889 MSN IAP DANE COUNTY RGNL-TRUAX FIELD, MADISON, WI. VOR RWY 21, ORIG...S-21 MDA 1720/HAT 833 ALL CATS. CIRCLING MDA 1720/HAA 833 ALL CATS. VIS CAT A 1 1/4. 1701292157-1709102157EST.

FDC 7/4397 MSN IAP DANE COUNTY RGNL-TRUAX FIELD, MADISON, WI. ILS OR LOC/DME RWY 18, AMDT 2...ILS OR LOC/DME RWY 36, AMDT 2...RADAR 1, AMDT 18...CIRCLING CATS D/E MDA 1720/HAA 833. VIS CAT D 2 3/4, CAT E 3. 1704241357-1712041356EST.

MANITOWOC

Manitowoc County

FDC 7/8964 MTW IAP MANITOWOC COUNTY, MANITOWOC, WI. ILS OR LOC RWY 17, AMDT 5...S-ILS 17 NA. 1703231345-1711021345EST.

FDC 7/8943 MTW IAP MANITOWOC COUNTY, MANITOWOC, WI. RNAV (GPS) RWY 17, AMDT 1...LPV DA NA. 1703231343-1711021343EST.

MARSHFIELD

Marshfield Muni

FDC 7/1304 MFI IAP MARSHFIELD MUNI, MARSHFIELD, WI. SDF RWY 34, AMDT 6C...RADAR REQUIRED FOR PROCEDURE ENTRY EXCEPT FOR AIRCRAFT EQUIPPED WITH SUITABLE RNAV SYSTEM WITH GPS, STE VORTAC OUT OF SERVICE. 1704171638-1706291638EST.

MEDFORD

Taylor County

FDC 7/6361 MDZ IAP TAYLOR COUNTY, MEDFORD, WI. RNAV (GPS) RWY 16, ORIG-A...DISREGARD NOTE: WHEN VGSI INOP, CIRCLING RWY 9/34 NA AT NIGHT. DISREGARD NOTE: WHEN VGSI INOP, STRAIGHT-IN/CIRCLING RWY 16 PROCEDURE NA AT NIGHT. CHANGE HELICOPTER VISIBILITY REDUCTION NOTE TO READ: RWY 16 HELICOPTER VISIBILITY REDUCTION BELOW 3/4 SM NOT AUTHORIZED. 1704061420-1711161420EST.

FDC 7/6349 MDZ IAP TAYLOR COUNTY, MEDFORD, WI. RNAV (GPS) RWY 9, ORIG-A...DISREGARD NOTE: VISIBILITY REDUCTION BY HELICOPTERS NA. DISREGARD NOTE: WHEN VGSI INOP, STRAIGHT-IN/CIRCLING RWY 9 PROCEDURE NA AT NIGHT. DISREGARD NOTE: WHEN VGSI INOP, CIRCLING RWY 16 AND RWY 34 NA AT NIGHT. 1704061416-1711161416EST.

FDC 7/6341 MDZ IAP TAYLOR COUNTY, MEDFORD, WI. RNAV (GPS) RWY 34, ORIG-A...DISREGARD NOTE: WHEN VGSI INOP, CIRCLING RWY 9/16 NA AT NIGHT. DISREGARD NOTE: WHEN VGSI INOP, STRAIGHT-IN/CIRCLING RWY 34 PROCEDURE NA AT NIGHT. DISREGARD NOTE: VISIBILITY REDUCTION BY HELICOPTERS NA. 1704061414-1711161414EST.

MIDDLETON

Middleton Muni - Morey Field

FDC 7/1760 C29 ODP MIDDLETON MUNI - MOREY FIELD, MIDDLETON, WI. TAKEOFF MINIMUMS AND (OBSTACLE) DEPARTURE PROCEDURES AMDT 1...TAKEOFF OBSTACLE NOTES: NOTE RWY 10, MULTIPLE TREES BEGINNING 584 FT FROM DER, 518 FT RIGHT OF CENTERLINE, 100 FT AGL/953 FT MSL. TREES BEGINNING 1152 FT FROM DER, LEFT AND RIGHT OF CENTERLINE, 100 FT AGL/1005 FT MSL... ALL OTHER DATA REMAINS AS PUBLISHED. 1704181314-1711281314EST.

MILWAUKEE

Lawrence J Timmerman

FDC 7/9186 MWC IAP LAWRENCE J TIMMERMAN, MILWAUKEE, WI. LOC RWY 15L, AMDT 6B...DISREGARD NOTE: NIGHT LANDING: RWY 4L/R, 15L, 22L/R, 33L/R NA. CHANGE HELICOPTER VISIBILITY REDUCTION NOTE TO READ: HELICOPTER VISIBILITY REDUCTION BELOW 3/4 SM NA. NOTE: CIRCLING NA TO RWYS 4R/22L AND 15R/33L. 1705031217-1712131217EST.

FDC 7/9184 MWC IAP LAWRENCE J TIMMERMAN, MILWAUKEE, WI. RNAV (GPS) RWY 15L, ORIG-B...RNAV (GPS) RWY 22R, ORIG-C...RNAV (GPS) RWY 4L, ORIG-B...VOR RWY 4L, AMDT 9B...DISREGARD NOTE: WHEN VGSI INOPERATIVE, PROCEDURE NA AT NIGHT. DISREGARD NOTE: CIRCLING TO RWY 4R, 15R, 22L, 33L NA AT NIGHT. NOTE: CIRCLING TO RWYS 4R/22L AND 15R/33L NA. 1705031215-1712131215EST.

MINOCQUA-WOODRUFF

Lakeland/Noble F Lee Memorial Field

FDC 7/1396 ARV IAP LAKELAND/NOBLE F LEE MEMORIAL FIELD, MINOCQUA-WOODRUFF, WI. LOC RWY 36, AMDT 1...PROCEDURE NA EXCEPT FOR AIRCRAFT EQUIPPED WITH SUITABLE RNAV SYSTEM WITH GPS. DOUGY (DO) LOM OUT OF SERVICE. 1703071432-1710171429EST.

FDC 7/0060 ARV IAP LAKELAND/NOBLE F LEE MEMORIAL FIELD, MINOCQUA-WOODRUFF, WI. LOC RWY 36, AMDT 1...RNAV (GPS) RWY 18, ORIG-A...RNAV (GPS) RWY 36, ORIG...NOTE: NIGHT LANDING: RWY 10, 28 NA. 1704131816-1711231816EST.

FDC 6/8669 ARV IAP LAKELAND/NOBLE F LEE MEMORIAL FIELD, MINOCQUA-WOODRUFF, WI. RNAV (GPS) RWY 36, ORIG...LNAV MDA 2000/HAT 373 ALL CATS. CHANGE INOPERATIVE TABLE DOES NOT APPLY NOTE TO READ: INOPERATIVE TABLE DOES NOT APPLY TO LNAV ALL CATS. 1612072247-1707192247EST.

FDC 6/6393 ARV IAP LAKELAND/NOBLE F LEE MEMORIAL FIELD, MINOCQUA-WOODRUFF, WI. LOC RWY 36, AMDT 1...DISREGARD ALL REFERENCE TO I-DOF DME. EBIWE FIX MINIMUMS NA EXCEPT FOR AIRCRAFT EQUIPPED WITH SUITABLE RNAV SYSTEM WITH GPS, I-DOF DME OTS. 1612051907-1707171906EST.

MOSINEE

Central Wisconsin

FDC 7/7509 CWA IAP CENTRAL WISCONSIN, MOSINEE, WI. ILS OR LOC RWY 35, AMDT 2B...RADAR REQUIRED FOR PROCEDURE ENTRY EXCEPT FOR AIRCRAFT EQUIPPED WITH SUITABLE RNAV SYSTEM WITH GPS. STE VOR OUT OF SERVICE. 1703211639-1710311639EST.

FDC 6/5405 CWA IAP CENTRAL WISCONSIN, MOSINEE, WI. ILS OR LOC RWY 8, AMDT 13B...RADAR REQUIRED FOR PROCEDURE ENTRY EXCEPT FOR AIRCRAFT EQUIPPED WITH SUITABLE RNAV SYSTEM WITH GPS. DME REQUIRED EXCEPT FOR AIRCRAFT EQUIPPED WITH SUITABLE RNAV SYSTEM WITH GPS. STEVENS POINT (STE) VORTAC OUT OF SERVICE. 1610241319-1706051319EST.

NEILLSVILLE

Neillsville Muni

FDC 7/7647 VIQ IAP NEILLSVILLE MUNI, NEILLSVILLE, WI. RNAV (GPS) RWY 28, ORIG...DELETE DESCENT ANGLE 3.00/TCH 40. PROFILE NOTE: VISUAL SEGMENT - OBSTACLES. 1704101338-1711201338EST.

OSCEOLA

L O Simenstad Muni

FDC 7/3959 OEO IAP L O SIMENSTAD MUNI, OSCEOLA, WI. RNAV (GPS) RWY 10, ORIG-A...CHANGE TAA TO READ: FROM 013/15 CW 193/15 TO WESUS (IF/IAF) MINIMUM ALTITUDE 3100. ALL OTHER TAA DATA REMAINS AS PUBLISHED. 1703121925-1710221925EST.

PARK FALLS

Park Falls Muni

FDC 7/7559 PKF ODP PARK FALLS MUNI, PARK FALLS, WI. TAKEOFF MINIMUMS AND (OBSTACLE) DEPARTURE PROCEDURES ORIG...TAKE-OFF MINIMUMS: RWY 18, STANDARD. RWY 36, 300 - 2 1/4 OR STANDARD WITH A MINIMUM CLIMB OF 230 FEET PER NM TO 1900 OR ALTERNATIVELY, WITH STANDARD TAKEOFF MINIMUMS AND A NORMAL 200 FEET PER NM CLIMB GRADIENT, TAKEOFF MUST OCCUR NO LATER THAN 2100 FEET PRIOR TO DER. DEPARTURE PROCEDURE: RWY 18, CLIMB HEADING 184 TO 3400 FEET BEFORE TURNING EAST. RWY 36, CLIMB HEADING 004 TO 3400 FEET BEFORE TURNING EAST. NOTE: RWY 18, TREES BEGINNING 223 FEET FROM DER, LEFT AND RIGHT OF CENTERLINE, UP TO 60 FEET AGL / 1622 FEET MSL. ROAD BEGINNING 413 FEET FROM DER, LEFT AND RIGHT OF CENTERLINE, UP TO 17 FEET AGL / 1513 FEET MSL. RWY 36, TREES AND MULTIPLE TRANSMISSION TOWERS BEGINNING 98 FEET FROM DER, LEFT AND RIGHT OF CENTERLINE, UP TO 60 FEET AGL / 1651 FEET MSL. 1702232234-1710052234EST.

PHILLIPS

Price County

FDC 7/0069 PBH ODP PRICE COUNTY, PHILLIPS, WI. TAKEOFF MINIMUMS AND (OBSTACLE) DEPARTURE PROCEDURES AMDT 1...TAKE-OFF MINIMUMS: RWY 19 NA - ENVIRONMENTAL. ALL OTHER DATA REMAINS AS PUBLISHED. 1704131819-1711231818EST.

FDC 7/0023 PBH IAP PRICE COUNTY, PHILLIPS, WI. RNAV (GPS) RWY 1, ORIG-B...LPV DA NA, LNAV/VNAV DA NA, LNAV MDA NA. 1704131750-1711231750EST.

PRAIRIE DU SAC

Sauk-Prairie

FDC 7/2511 91C IAP SAUK-PRAIRIE, PRAIRIE DU SAC, WI. RNAV (GPS) RWY 18, ORIG-A...RNAV (GPS) RWY 36, ORIG...CIRCLING CAT A/B MDA 1480/HAA 648. 1703292017-1711082017EST.

RACINE

Batten Intl

FDC 7/8224 RAC SID JOHN H BATTEN, RACINE, WI. UECKR TWO DEPARTURE (RNAV)...DEPARTURE ROUTE DESCRIPTION: CLIMB ON ASSIGNED HEADING FOR RADAR VECTORS TO PRFEC, THENCE...ON TRACK 178.88 TO CROSS OZAUK AT OR ABOVE 11000, THEN ON TRACK 178.60 TO CROSS MAULT AT OR ABOVE 13000, THEN ON TRACK 190.97 TO CROSS UECKR AT OR ABOVE 16000, THEN VIA (TRANSITION). MAINTAIN ALTITUDE ASSIGNED BY ATC, EXPECT FILED ALTITUDE TEN MINUTES AFTER DEPARTURE. ALL OTHER DATA REMAINS AS PUBLISHED. 1702261942-1710081941EST.

FDC 7/6619 RAC IAP JOHN H BATTEN, RACINE, WI. ILS OR LOC RWY 4, AMDT 4E...NOTE: HELICOPTER VISIBILITY REDUCTION BELOW 3/4 SM NOT AUTHORIZED. DISREGARD NOTE: CIRCLING TO RWY 32 NA AT NIGHT. DISREGARD NOTE: WHEN VGSI INOP, CIRCLING RWY 14 AND RWY 22 NA AT NIGHT. DISREGARD NOTE: VISIBILITY REDUCTION BY HELICOPTERS NA. DISREGARD NOTE: WHEN VGSI INOP, STRAIGHT-IN MINIMUMS NA AT NIGHT. NOTE: NIGHT LANDING: RWY 14 NA. 1701222108-1709032108EST.

FDC 7/6617 RAC IAP JOHN H BATTEN, RACINE, WI. RNAV (GPS) RWY 4, ORIG-A...VOR RWY 4, AMDT 1C...NOTE: HELICOPTER VISIBILITY REDUCTION BELOW 3/4 SM NOT AUTHORIZED. DISREGARD NOTE: VISIBILITY REDUCTION BY HELICOPTERS NA. DISREGARD NOTE: WHEN VGSI INOP, STRAIGHT-IN/CIRCLING RWY 4 PROCEDURE NA AT NIGHT. DISREGARD NOTE: WHEN VGSI INOP, CIRCLING RWY 14 AND RWY 22 NA AT NIGHT. DISREGARD NOTE: CIRCLING RWY 32 NA AT NIGHT. NOTE: NIGHT LANDING: RWY 14 NA. 1701222107-1709032107EST.

FDC 7/6615 RAC IAP JOHN H BATTEN, RACINE, WI. RNAV (GPS) RWY 32, ORIG-A...NOTE: HELICOPTER VISIBILITY REDUCTION BELOW 3/4 SM NOT AUTHORIZED. DISREGARD NOTE: VISIBILITY REDUCTION BY HELICOPTERS NA. DISREGARD NOTE: STRAIGHT-IN/CIRCLING RWY 32 PROCEDURE NA AT NIGHT. DISREGARD NOTE: WHEN VGSI INOP, CIRCLING RWY 14 AND 22 NA AT NIGHT. NOTE: NIGHT LANDING: RWY 14 NA. 1701222106-1709032106EST.

FDC 7/6613 RAC IAP JOHN H BATTEN, RACINE, WI. RNAV (GPS) RWY 22, ORIG-A...NOTE: HELICOPTER VISIBILITY REDUCTION BELOW 1 SM NOT AUTHORIZED. DISREGARD NOTE: WHEN VGSI INOP, CIRCLING RWY 14 PROCEDURE NA AT NIGHT. DISREGARD NOTE: WHEN VGSI INOP, STRAIGHT-IN/CIRCLING RWY 22 PROCEDURE NA AT NIGHT. DISREGARD NOTE: CIRCLING RWY 32 PROCEDURE NA AT NIGHT. NOTE: NIGHT LANDING: RWY 14 NA. 1701222105-1709032105EST.

SHAWANO

Shawano Muni

FDC 7/9979 EZS IAP SHAWANO MUNI, SHAWANO, WI. RNAV (GPS) RWY 12, ORIG-A...CHANGE ZASRU MINIMUM ALTITUDE TO 2900. CHANGE HOLD IN LIEU OF PT AT ZASRU MINIMUM ALTITUDE TO 2900. CHANGE TAA FROM 024/8 CW 204/8 TO ZASRU MINIMUM ALTITUDE TO 2900. 1704131726-1711231726EST.

FDC 7/9973 EZS IAP SHAWANO MUNI, SHAWANO, WI. RNAV (GPS) RWY 30, ORIG-B...LNAV MDA 1620/HATH 810 ALL CATS. VISIBILITY CAT B 1 1/4, CAT C/D 2 1/2. CIRCLING MDA 1620/HAA 807 ALL CATS. VISIBILITY CAT B 1 1/4, CAT C 2 1/2. CHANGE LOCAL ALTIMETER NOTE TO READ: WHEN LOCAL ALTIMETER SETTING NOT RECEIVED, USE GREEN BAY ALTIMETER SETTING AND INCREASE ALL DA 77 FEET AND ALL MDA 80 FEET AND INCREASE LPV ALL CATS, LNAV/VNAV ALL CATS, LNAV CAT A, CIRCLING CAT C 1/4 MILE, AND CIRCLING CAT D 1/2 MILE. ALTERNATE MINIMUMS: CAT A/B 900-2, CAT C/D 900-2 1/2, EXCEPT NA WHEN LOCAL WEATHER NOT AVAILABLE. 1704131723-1711231723EST.

SHEBOYGAN

Sheboygan County Memorial

FDC 7/9196 SBM IAP SHEBOYGAN COUNTY MEMORIAL, SHEBOYGAN, WI. RNAV (GPS) RWY 13, ORIG-A...DELETE: DESCENT ANGLE 3.05/TCH 40. PROFILE NOTE: VISUAL SEGMENT - OBSTACLES. 1705031223-1712131223EST.

STEVENS POINT

Stevens Point Muni

FDC 7/9080 STE IAP STEVENS POINT MUNI, STEVENS POINT, WI. RNAV (GPS) RWY 3, ORIG-A...LNAV/VNAV DA 1589/481 HAT. WHEN LOCAL ALTIMETER SETTING NOT RECEIVED, USE MOSINEE ALTIMETER SETTING AND INCREASE LPV DA TO 1468 FEET, LNAV/VNAV DA TO 1648 FEET, INCREASE ALL MDA 60 FEET, INCREASE LPV AND LNAV/VNAV VISIBILITY ALL CATS 1/4 MILE, INCREASE LNAV CAT C VISIBILITY 1/4 MILE AND CIRCLING CAT C AND D VISIBILITY 1/4 MILE. 1703011256-1710111256EST.

FDC 7/2603 STE IAP STEVENS POINT MUNI, STEVENS POINT, WI. RNAV (GPS) RWY 21, ORIG...LPV DA 1360/HAT 250 ALL CATS. 1703081831-1710181831EST.

FDC 7/2602 STE IAP STEVENS POINT MUNI, STEVENS POINT, WI. ILS OR LOC RWY 21, ORIG-A...RADAR REQUIRED FOR PROCEDURE ENTRY EXCEPT FOR AIRCRAFT EQUIPPED WITH SUITABLE RNAV SYSTEM WITH GPS. S-ILS 21 DA 1360/HAT 250 ALL CATS. S-LOC 21 MINIMUMS AND UKENE FIX MINIMUMS: DME REQUIRED. MISSED APPROACH: CLIMB TO 2500 THEN CLIMBING RIGHT TURN TO 3000 DIRECT AUW VORTAC AND HOLD N, RT, 193.46 INBOUND. STE VORTAC OUT OF SERVICE, AUW VORTAC RESTRICTIONS. 1703081831-1710181831EST.

FDC 6/4144 STE IAP STEVENS POINT MUNI, STEVENS POINT, WI. RNAV (GPS) RWY 3, ORIG-A...PROFILE NOTE: VGSI AND RNAV GLIDEPATH NOT COINCIDENT. 1612202204-1708012204EST.

STURGEON BAY

Door County Cherryland

FDC 7/3947 SUE IAP DOOR COUNTY CHERRYLAND, STURGEON BAY, WI. RNAV (GPS) RWY 10, ORIG-A...RNAV (GPS) RWY 2, AMDT 1B...RNAV (GPS) RWY 20, AMDT 1A...CIRCLING MDA 1340 / HAA 616 ALL CATS, VIS CAT C 1 3/4. TEMPORARY CRANE 980 FT MSL 1.2 NM E OF APCH END RWY 28. 1703121906-1710221906EST.

FDC 7/3945 SUE ODP DOOR COUNTY CHERRYLAND, STURGEON BAY, WI. TAKEOFF MINIMUMS AND (OBSTACLE) DEPARTURE PROCEDURES ORIG...TAKEOFF MINIMUMS RWY 10, 300 - 1 1/2 OR STANDARD WITH MINIMUM CLIMB OF 365 FT PER NM TO 1200. TEMPORARY CRANE BEGINNING 1.2 NM FROM DER, 40 FT RIGHT OF CENTERLINE, 390 FT AGL / 980 FT MSL. ALL OTHER DATA REMAINS AS PUBLISHED. 1703121854-1710221853EST.

FDC 6/1358 SUE IAP DOOR COUNTY CHERRYLAND, STURGEON BAY, WI. RNAV (GPS) RWY 28, ORIG-A...LNAV MDA 1280 / HAT 564 ALL CATS, VIS CAT C 1 5/8. CIRCLING MDA 1340 / HAA 616 ALL CATS, VIS CAT C 1 3/4. TEMPORARY CRANE 980 FT MSL 1.2 NM E OF APCH END RWY 28. DELETE: DESCENT ANGLE 3.05 / TCH 35. PROFILE NOTE: VISUAL SEGMENT - OBSTACLES. 1609301850-1705121850EST.

SUPERIOR

Richard I Bong

FDC 7/4720 SUW IAP RICHARD I BONG, SUPERIOR, WI. RNAV (GPS) RWY 14, ORIG-A...RNAV (GPS) RWY 4, ORIG-A...DISREGARD NOTE: CIRCLING RWY 22 NA AT NIGHT. DISREGARD NOTE: WHEN VGSI INOP, CIRCLING RWY 32 NA AT NIGHT. NOTE: NIGHT LANDING RWY 32 NA. 1704241842-1712041842EST.

FDC 7/4718 SUW IAP RICHARD I BONG, SUPERIOR, WI. RNAV (GPS) RWY 22, ORIG-A...DISREGARD NOTE: WHEN VGSI INOP, CIRCLING RWY 32 NA AT NIGHT. DISREGARD NOTE: STRAIGHT-IN/CIRCLING RWY 22 PROCEDURE NA AT NIGHT. NOTE: NIGHT LANDING RWY 32 NA. 1704241840-1712041840EST.

FDC 7/4706 SUW IAP RICHARD I BONG, SUPERIOR, WI. RNAV (GPS) RWY 32, ORIG-A...DISREGARD NOTE: CIRCLING RWY 22 NA AT NIGHT. DISREGARD NOTE: WHEN VGSI INOP, STRAIGHT-IN/CIRCLING RWY 32 PROCEDURE NA AT NIGHT. NOTE: NIGHT LANDING RWY 32 NA. 1704241832-1712041832EST.

TOMAHAWK

Tomahawk Rgnl

FDC 6/0791 TKV IAP TOMAHAWK RGNL, TOMAHAWK, WI. RNAV (GPS) RWY 27, AMDT 2A...DISREGARD NOTE: WHEN VGSI INOP, CIRCLING RWY 9 NA AT NIGHT. DISREGARD NOTE: WHEN VGSI INOP, STRAIGHT-IN/CIRCLING RWY 27 NA AT NIGHT. 1612122141-1707242141EST.

WATERTOWN

Watertown Muni

FDC 7/9360 RYV IAP WATERTOWN MUNI, WATERTOWN, WI. RNAV (GPS) RWY 23, ORIG...NOTE: NIGHT LANDING: RWY 23 NA. DISREGARD NOTE: STRAIGHT-IN MINIMUMS TO RWY 23 AND CIRCLING TO RWY 5/23 NA AT NIGHT. 1704121856-1711221856EST.

FDC 7/9204 RYV IAP WATERTOWN MUNI, WATERTOWN, WI. RNAV (GPS) RWY 11, ORIG...NOTE: NIGHT LANDING: RWY 23 NA. DISREGARD NOTE: CIRCLING TO RWY 5/23 NA AT NIGHT. 1704121621-1711221620EST.

FDC 7/9202 RYV IAP WATERTOWN MUNI, WATERTOWN, WI. NDB RWY 5, AMDT 1C...S-5 MDA 1460/HAT 639 ALL CATS. CIRCLING CAT A/B/C MDA 1460/HAA 627. NOTE: NIGHT LANDING RWY 5, 23 NA. NOTE: HELICOPTER VISIBILITY REDUCTION BELOW 1 SM NOT AUTHORIZED. 1704121617-1711221617EST.

FDC 7/9200 RYV IAP WATERTOWN MUNI, WATERTOWN, WI. NDB RWY 23, AMDT 2...RNAV (GPS) RWY 29, ORIG...VOR/DME RWY 29, ORIG-B...NOTE: NIGHT LANDING: RWY 23 NA. 1704121611-1711221611EST.

FDC 7/4492 RYV ODP WATERTOWN MUNI, WATERTOWN, WI. TAKEOFF MINIMUMS AND (OBSTACLE) DEPARTURE PROCEDURES ORIG...TEXTUAL DEPARTURE PROCEDURE NA. 1704241447-1712041447EST.

WAUKESHA

Waukesha County

FDC 7/8226 UES SID WAUKESHA COUNTY, WAUKESHA, WI. UECKR TWO DEPARTURE (RNAV)...DEPARTURE ROUTE DESCRIPTION: CLIMB ON ASSIGNED HEADING FOR RADAR VECTORS TO PRFEC, THENCE...ON TRACK 178.88 TO CROSS OZAUK AT OR ABOVE 11000, THEN ON TRACK 178.60 TO CROSS MAULT AT OR ABOVE 13000, THEN ON TRACK 190.97 TO CROSS UECKR AT OR ABOVE 16000, THEN VIA (TRANSITION). MAINTAIN ALTITUDE ASSIGNED BY ATC, EXPECT FILED ALTITUDE TEN MINUTES AFTER DEPARTURE. ALL OTHER DATA REMAINS AS PUBLISHED. 1702261943-1710081943EST.

FDC 7/4724 UES IAP WAUKESHA COUNTY, WAUKESHA, WI. ILS OR LOC RWY 10, AMDT 2A...DISREGARD NOTE: WHEN VGSI INOPERATIVE, CIRCLING RWY 28 NA AT NIGHT. ALTERNATE MINIMUMS NA WHEN CONTROL TOWER CLOSED. 1704241844-1712041836EST.

FDC 6/2887 UES IAP WAUKESHA COUNTY, WAUKESHA, WI. RNAV (GPS) RWY 28, ORIG...TERMINAL ROUTE: BAE VORTAC TO WIGBA NA. NOTE: RADAR REQUIRED FOR PROCEDURE ENTRY. 1611271609-1707091609EST.

WAUPUN

Waupun Memorial Hospital

FDC 7/4540 WS75 SPECIAL WAUPUN MEMORIAL HOSPITAL, WAUPUN, WI. COPTER RNAV (GPS) 102, ORIG...MDA 1460/HAS 516. IFR DEPARTURE NA. 1701142018-1708262018EST.

WAUSAU

Wausau Downtown

FDC 7/5315 AUW IAP WAUSAU DOWNTOWN, WAUSAU, WI. RNAV (GPS) RWY 13, AMDT 1A...LPV DA 1446/HAT 250. VIS 7/8. 1702161908-1709281908EST.

WEST BEND

West Bend Muni

FDC 7/8256 ETB IAP WEST BEND MUNI, WEST BEND, WI. RNAV (GPS) RWY 6, ORIG-B...LNAV MDA 1460/HAT 573 ALL CATS. CIRCLING CAT A/B MDA 1460/HAA 573. 1702262013-1710082013EST.

WISCONSIN RAPIDS

Alexander Field South Wood County

FDC 6/5430 ISW IAP ALEXANDER FIELD SOUTH WOOD COUNTY, WISCONSIN RAPIDS, WI. NDB RWY 2, AMDT 6A...SDF RWY 2, AMDT 5A...PROCEDURE NA EXCEPT FOR AIRCRAFT EQUIPPED WITH SUITABLE RNAV SYSTEM WITH GPS. CIRCLING RWY 18/36 NA, STE VORTAC OUT OF SERVICE. 1610241355-1706051355EST.

WYOMING

BIG PINEY

Miley Memorial Field

FDC 7/4379 BPI IAP MILEY MEMORIAL FIELD, BIG PINEY, WY. RNAV (GPS) RWY 31, ORIG-C...VOR RWY 31, AMDT 3D...NOTE: NIGHT LANDING RWY 8/26 NA. 1704241343-1712041343EST.

CASPER

Casper/Natrona County Intl

FDC 7/5676 CPR IAP CASPER/NATRONA COUNTY INTL, CASPER, WY. ILS OR LOC RWY 8, AMDT 25B...S-ILS MINIMUMS NA. 1702171850-1709291850EST.

CHEYENNE

Cheyenne Rgnl/Jerry Olson Field

FDC 7/8587 CYS IAP CHEYENNE RGNL/JERRY OLSON FIELD, CHEYENNE, WY. ILS OR LOC RWY 27, AMDT 35...TACAN AIRCRAFT: PROCEDURE NA EXCEPT FOR AIRCRAFT EQUIPPED WITH SUITABLE RNAV SYSTEM WITH GPS, CYS TACAN OUT OF SERVICE. 1705021349-1705091349EST.

FDC 7/8586 CYS IAP CHEYENNE RGNL/JERRY OLSON FIELD, CHEYENNE, WY. VOR OR TACAN-A, AMDT 10A...TACAN PORTION NA EXCEPT FOR AIRCRAFT EQUIPPED WITH SUITABLE RNAV SYSTEM WITH GPS, CYS TACAN OUT OF SERVICE. 1705021349-1705091349EST.

FDC 7/7645 CYS IAP CHEYENNE RGNL/JERRY OLSON FIELD, CHEYENNE, WY. ILS OR LOC RWY 27, AMDT 35...CHANGE (IF) COLLA INT I-CYS 14.5 DME TO (IF/IAF) COLLA INT I-CYS 14.5 DME. 1702241246-1710061246EST.

FDC 7/6327 CYS IAP U.S. DOD CHEYENNE RGNL/JERRY OLSON FIELD, CHEYENNE, WY. RADAR 1, AMDT 1C...ASR RWY 27 MDA 6560/HAT 401 ALL CATS. CIRCLING CATS A/B MDA 6860/HAA 701, VISIBILITY CATS A/B 1. CIRCLING CAT C MDA 6860/HAA 701, VISIBILITY CAT C 2. CIRCLING CAT D MDA 6860/HAA 701, VISIBILITY CAT D 2 1/4. 1703162138-1710262138EST.

GREYBULL

South Big Horn County

FDC 7/8760 GEY IAP SOUTH BIG HORN COUNTY, GREYBULL, WY. RNAV (GPS) RWY 7, ORIG-C...PROCEDURE NA. 1704121217-1711221217EST.

JACKSON

Jackson Hole

FDC 6/1508 JAC IAP JACKSON HOLE, JACKSON, WY. ILS Y OR LOC RWY 19, ORIG-A...ADD S-ILS 19 WITH MISSED APPROACH MINIMUM CLIMB OF 235 FT PER NM TO 10600; DA 6651/HATH 200, VIS 3/4 ALL CATS. MISSED APPROACH CLIMB TO 6900 BEFORE TURNING RIGHT ON JAC R192 REQUIRED FOR 200 FT HATH ILS. FLY VISUAL DOES NOT APPLY TO 235 FT PER NM MISSED APPROACH CLIMB MINIMUMS.. 1611202034-1707022034EST.

NEWCASTLE

Mondell Field

FDC 6/2808 ECS IAP MONDELL FIELD, NEWCASTLE, WY. RNAV (GPS) RWY 14, AMDT 1...PROFILE NOTE: VGS1 AND RNAV GLIDEPATH NOT COINCIDENT. ... 1611260001-1707080001EST.

FDC 6/1512 ECS IAP MONDELL FIELD, NEWCASTLE, WY. RNAV (GPS) RWY 32, AMDT 1...STRAIGHT-IN MINIMUMS NA 1611202037-1707022037EST.

FDC 6/1510 ECS IAP MONDELL FIELD, NEWCASTLE, WY. VOR RWY 32, AMDT 4A...STRAIGHT-IN MINIMUMS NA. 1611202036-1707022036EST.

RIVERTON

Riverton Rgnl

FDC 7/7838 RIW IAP RIVERTON RGNL, RIVERTON, WY. VOR RWY 10, AMDT 10A...WUNIB FIX MINIMUMS: NA EXCEPT FOR AIRCRAFT EQUIPPED WITH SUITABLE RNAV SYSTEM WITH GPS, RIW DME OUT OF SERVICE. 1704101755-1705101755EST.

FDC 7/7837 RIW IAP RIVERTON RGNL, RIVERTON, WY. VOR RWY 28, AMDT 10A...VDP NA, RIW DME OUT OF SERVICE. 1704101755-1705101755EST.

FDC 7/7835 RIW IAP RIVERTON RGNL, RIVERTON, WY. ILS OR LOC RWY 28, AMDT 3A...TERMINAL ROUTE: FETIK DME ARC NA EXCEPT FOR AIRCRAFT EQUIPPED WITH SUITABLE RNAV SYSTEM WITH GPS. TERMINAL ROUTE: HONOX DME ARC NA EXCEPT FOR AIRCRAFT EQUIPPED WITH SUITABLE RNAV SYSTEM WITH GPS., RIW DME OUT OF SERVICE. 1704101755-1705101755EST.

SARATOGA

Shively Field

FDC 7/4642 SAA ODP SHIVELY FIELD, SARATOGA, WY. TAKEOFF MINIMUMS AND (OBSTACLE) DEPARTURE PROCEDURES ORIG...DEPARTURE PROCEDURE NA EXCEPT FOR AIRCRAFT EQUIPPED WITH SUITABLE RNAV SYSTEM WITH GPS, SAA NDB OUT OF SERVICE. 1703141311-1705121310EST.

FDC 7/4512 SAA ODP SHIVELY FIELD, SARATOGA, WY. TAKEOFF MINIMUMS AND (OBSTACLE) DEPARTURE PROCEDURES ORIG...TAKEOFF OBSTACLES: NOTE: RWY 5: ROAD BEGINNING 81 FEET FROM DER, 507 FEET LEFT OF CENTERLINE, UP TO 15 FEET AGL/6867 FEET MSL. WIND SOCK 130 FEET FROM DER, 506 FEET RIGHT OF CENTERLINE, 22 FEET AGL/6880 FEET MSL. ALL OTHER DATA REMAINS AS PUBLISHED. 1704241459-1712041459EST.

SHERIDAN

Sheridan County

FDC 7/9840 SHR ODP SHERIDAN COUNTY, SHERIDAN, WY. TAKEOFF MINIMUMS AND (OBSTACLE) DEPARTURE PROCEDURES AMDT 4...TAKEOFF MINIMUMS: RWY 15, STANDARD WITH A MINIMUM CLIMB OF 265 FT PER NM TO 6400. ALL OTHER DATA REMAINS AS PUBLISHED. 1704131523-1711231523EST.

FDC 6/1968 SHR IAP SHERIDAN COUNTY, SHERIDAN, WY. RNAV (GPS) RWY 33, AMDT 1...DISREGARD NOTE: VGSI AND RNAV GLIDEPATH NOT COINCIDENT (VGSI ANGLE 3.00/TCH 53). 1611221433-1707041433EST.


WORLAND

Worland Muni

FDC 6/4004 WRL IAP WORLAND MUNI, WORLAND, WY. VOR RWY 16, AMDT 6B...VDP NA. IKETY FIX MINIMUMS NA EXCEPT FOR AIRCRAFT EQUIPPED WITH SUITABLE RNAV SYSTEM WITH GPS, RLY DME OUT OF SERVICE. 1612201533-1708011532EST.

Part 1. FDC NOTAMs

Section 3. General NOTAMs



Shaded text indicates new or revised NOTAMs.

FDC 7/0415 FDC PART 1 OF 17 LIST 1705041715 FDC 7/0001 F45 FDC 7/0002 F45 FDC 7/0003 PBI FDC 7/0004 PBI FDC 7/0006 PBI FDC 7/0007 FLL FDC 7/0009 FXE FDC 7/0010 LCQ FDC 7/0012 GNV FDC 7/0015 VQQ FDC 7/0017 PHX FDC 7/0019 PHX FDC 7/0022 CNL 7/5752 PHX FDC 7/0024 ZMA FDC 7/0028 CNL 6/1306 ZMA FDC 7/0032 BEC FDC 7/0034 BEC FDC 7/0038 ZJX FDC 7/0042 CNL 6/1310 ZJX FDC 7/0044 ZJX FDC 7/0045 CNL 6/1318 ZJX FDC 7/0046 BBW FDC 7/0047 CNL 6/1320 BBW FDC 7/0050 PSN FDC 7/0052 CNL 6/1323 PSN FDC 7/0053 ADM FDC 7/0055 CNL 6/1331 ADM FDC 7/0058 VTA FDC 7/0062 BHK FDC 7/0065 CNL 7/4337 VDF FDC 7/0068 CNL 7/4339 VDF FDC 7/0071 CNL 7/4341 VDF FDC 7/0072 ADM FDC 7/0073 CNL 6/1333 ADM FDC 7/0075 AST FDC 7/0077 CNL 6/1340 AST FDC 7/0081 AST FDC 7/0089 CNL 6/1343 AST FDC 7/0093 MIV FDC 7/0094 CNL 6/1347 MIV FDC 7/0095 LWM FDC 7/0096 CNL 7/9314 LWM FDC 7/0098 CNL 6/6639 OKC FDC 7/0100 CNL 7/3315 OKC FDC 7/0102 N07 FDC 7/0103 CNL 6/1363 N07 END PART 1 OF 17

FDC 7/0415 FDC PART 2 OF 17 LIST 1705041715 FDC 7/0104 CNL 6/9495 OKC FDC 7/0105 OKC FDC 7/0106 CNL 7/0010 LCQ FDC 7/0107 CNL 7/0012 GNV FDC 7/0108 CNL 7/0015 VQQ FDC 7/0109 MBY FDC 7/0110 CNL 6/1370 MBY FDC 7/0111 RBD FDC 7/0112 HQZ FDC 7/0113 FTW FDC 7/0114 DTO FDC 7/0115 ADS FDC 7/0116 GPM FDC 7/0117 GKY FDC 7/0118 TKI FDC 7/0119 DFW FDC 7/0121 DAL FDC 7/0122 NFW FDC 7/0123 LNC FDC 7/0125 AFW FDC 7/0126 MEI FDC 7/0127 MEI FDC 7/0128 FWS FDC 7/0129 SGT FDC 7/0130 CNL 7/0105 OKC FDC 7/0131 HGR FDC 7/0132 HGR FDC 7/0133 W35 FDC 7/0134 AOO FDC 7/0136 N71 FDC 7/0138 HSP FDC 7/0140 BKW FDC 7/0142 LWB FDC 7/0143 LWB FDC 7/0144 EVM FDC 7/0147 CNL 6/1373 EVM FDC 7/0149 MJD FDC 7/0151 CNL 6/1375 MJD FDC 7/0153 ZMP FDC 7/0155 ZMP FDC 7/0158 FFL FDC 7/0160 CNL 6/1377 FFL FDC 7/0162 LIH FDC 7/0164 CNL 6/1379 LIH FDC 7/0168 RFD FDC 7/0170 RFD END PART 2 OF 17

FDC 7/0415 FDC PART 3 OF 17 LIST 1705041715 FDC 7/0171 SQI FDC 7/0172 LIH FDC 7/0173 CNL 6/1395 LIH FDC 7/0174 LIH FDC 7/0175 CNL 6/1405 LIH FDC 7/0176 LIH FDC 7/0177 CNL 6/1407 LIH FDC 7/0178 RST FDC 7/0179 CNL 6/1411 RST FDC 7/0180 RST FDC 7/0181 CNL 6/1413 RST FDC 7/0182 INT FDC 7/0183 RST FDC 7/0184 CNL 6/1418 RST FDC 7/0185 PTN FDC 7/0186 CNL 6/1424 PTN FDC 7/0187 MOD FDC 7/0188 CNL 6/1426 MOD FDC 7/0189 MOD FDC 7/0190 CNL 6/1431 MOD FDC 7/0191 FFX FDC 7/0192 CNL 6/1433 FFX FDC 7/0193 ELP FDC 7/0194 ELP FDC 7/0196 MYZ FDC 7/0197 CNL 6/1437 MYZ FDC 7/0198 CNL 7/8023 ZOB FDC 7/0199 RKR FDC 7/0200 CNL 6/1443 RKR FDC 7/0201 JQF FDC 7/0203 CNL 6/1446 JQF FDC 7/0204 LXY FDC 7/0205 CNL 6/1448 LXY FDC 7/0206 1F4 FDC 7/0207 CNL 6/1450 1F4 FDC 7/0210 3B1 FDC 7/0211 CNL 6/1455 3B1 FDC 7/0212 1R7 FDC 7/0213 CNL 6/1460 1R7 FDC 7/0214 ROA FDC 7/0217 CNL 6/1462 ROA FDC 7/0218 ACV FDC 7/0219 CNL 6/1465 ACV FDC 7/0220 CNL 7/0129 SGT FDC 7/0221 ASD FDC 7/0222 CNL 6/1474 ASD END PART 3 OF 17

FDC 7/0415 FDC PART 4 OF 17 LIST 1705041715 FDC 7/0223 CNL 7/9990 SAZ FDC 7/0224 CNL 7/9992 PKD FDC 7/0225 CNL 7/9996 BJI FDC 7/0226 CNL 7/9998 BJI FDC 7/0227 OGB FDC 7/0228 CNL 6/1477 OGB FDC 7/0229 CNL 7/0058 VTA FDC 7/0230 POC FDC 7/0231 CNL 6/1479 POC FDC 7/0232 ZMP 99.7 FDC 7/0233 ZLA FDC 7/0234 BGD FDC 7/0235 CNL 6/1482 BGD FDC 7/0236 TUS FDC 7/0237 CNL 6/1488 TUS FDC 7/0238 TUS FDC 7/0239 CNL 6/1492 TUS FDC 7/0240 TUS FDC 7/0241 CNL 6/1495 TUS FDC 7/0242 JST FDC 7/0243 CNL 6/1497 JST FDC 7/0244 ONL FDC 7/0245 CNL 6/1499 ONL FDC 7/0246 MBA FDC 7/0247 CNL 6/1501 MBA FDC 7/0248 BAF FDC 7/0249 CNL 6/1504 BAF FDC 7/0250 DEN FDC 7/0252 EIK FDC 7/0254 OFK FDC 7/0257 JAC FDC 7/0259 CNL 6/1508 JAC FDC 7/0261 HCD FDC 7/0263 MSP FDC 7/0265 ECS FDC 7/0267 CNL 6/1510 ECS FDC 7/0269 ECS FDC 7/0271 CNL 6/1512 ECS FDC 7/0273 RAP FDC 7/0274 BFI FDC 7/0275 CNL 6/1516 BFI FDC 7/0276 SJN FDC 7/0278 GPI FDC 7/0279 PIB FDC 7/0281 CNL 6/1518 PIB FDC 7/0283 CNL 7/9631 LCH END PART 4 OF 17

FDC 7/0415 FDC PART 5 OF 17 LIST 1705041715 FDC 7/0285 CNL 7/9632 CWF FDC 7/0287 CNL 7/9633 UXL FDC 7/0289 CNL 7/9634 DWH FDC 7/0290 CNL 7/9635 CXO FDC 7/0292 CNL 7/8245 ZLA FDC 7/0294 48I FDC 7/0295 CNL 6/1521 48I FDC 7/0296 CNL 7/0182 INT FDC 7/0297 GWO FDC 7/0298 GWO FDC 7/0299 GWO FDC 7/0300 GWO FDC 7/0301 GWO FDC 7/0302 ZBW 91.141 FDC 7/0303 CNL 6/5266 GWO FDC 7/0305 ZNY 91.141 FDC 7/0307 MJX FDC 7/0309 CNL 6/1530 MJX FDC 7/0310 AKN FDC 7/0311 CNL 6/1532 AKN FDC 7/0312 CNL 7/0111 RBD FDC 7/0313 CNL 7/0112 HQZ FDC 7/0314 CNL 7/0113 FTW FDC 7/0315 CNL 7/0114 DTO FDC 7/0316 CNL 7/0115 ADS FDC 7/0317 CNL 7/0116 GPM FDC 7/0318 CNL 7/0117 GKY FDC 7/0319 CNL 7/0118 TKI FDC 7/0320 CNL 7/0119 DFW FDC 7/0321 CNL 7/0121 DAL FDC 7/0322 CNL 7/0122 NFW FDC 7/0323 CNL 7/0123 LNC FDC 7/0324 CNL 7/0125 AFW FDC 7/0325 CNL 7/0126 MEI FDC 7/0326 CNL 7/0127 MEI FDC 7/0327 CNL 7/0128 FWS FDC 7/0328 CNL 7/0278 GPI FDC 7/0329 MYU FDC 7/0330 CNL 6/1534 MYU FDC 7/0331 LHX FDC 7/0332 LAA FDC 7/0333 AZO FDC 7/0334 CNL 6/1536 AZO FDC 7/0335 I76 FDC 7/0336 SPF FDC 7/0337 CNL 6/1540 SPF END PART 5 OF 17

FDC 7/0415 FDC PART 6 OF 17 LIST 1705041715 FDC 7/0338 CNL 7/9962 ZBW FDC 7/0339 CNL 7/7437 HGR FDC 7/0340 CNL 7/9960 ZNY FDC 7/0341 CNL 7/0261 HCD FDC 7/0342 CNL 7/0263 MSP FDC 7/0343 LWS FDC 7/0344 LWS FDC 7/0346 PUW FDC 7/0347 LWS FDC 7/0348 SLR FDC 7/0349 08A FDC 7/0350 2F7 FDC 7/0351 CNL 7/9458 AOO FDC 7/0352 CNL 7/9459 AOO FDC 7/0353 CNL 7/0168 RFD FDC 7/0354 CNL 7/0170 RFD FDC 7/0355 CNL 7/0171 SQI FDC 7/0356 CNL 7/0138 HSP FDC 7/0357 CNL 7/0140 BKW FDC 7/0358 CNL 7/0142 LWB FDC 7/0359 CNL 7/0143 LWB FDC 7/0360 JGG FDC 7/0361 PHF FDC 7/0362 FYJ FDC 7/0363 DAN FDC 7/0364 DAN FDC 7/0365 EWR FDC 7/0367 CNL 7/9902 SGH FDC 7/0368 CNL 7/9999 PBI FDC 7/0369 CNL 7/0001 F45 FDC 7/0370 CNL 7/0002 F45 FDC 7/0371 CNL

7/0003 PBI FDC 7/0372 CNL 7/0004 PBI FDC 7/0373 CNL 7/0006 PBI FDC 7/0374 CNL 7/0007 FLL FDC 7/0376 CNL 7/0009 FXE FDC 7/0377 CNL 7/0273 RAP FDC 7/0378 LUD FDC 7/0380 CNL 7/8724 ZMP FDC 7/0382 ASJ FDC 7/0384 EAU FDC 7/0386 BKF FDC 7/0387 APA FDC 7/0388 BJC FDC 7/0390 FTG FDC 7/0392 FNL END PART 6 OF 17

FDC 7/9539 FDC CHART CORRECT U.S. GOVERNMENT SAN FRANCISCO VFR SECTIONAL AERONAUTICAL CHART, 98TH EDITION, EFFECTIVE 02 MAR 2017... CHANGE RUNWAY LENGTH AT PARKER CARSON AIRPORT (2Q5), CARSON CITY, NEVADA FROM 17 TO 08, LOCATED AT 39 12 05N, 119 41 00W.. 1705031517-PERM

FDC 7/9108 FDC CHART CORRECT U.S. GOVERNMENT IFR ENROUTE LOW ALTITUDE CHART L-15, PANEL C, EFFECTIVE 02 FEB 2017... FOR CHART SERIES EFFECTIVE 27 APRIL 2017, V272 BETWEEN BURNS FLAT (BFV) VORTAC AND BORGER (BGD) VORTAC SHOULD HAVE A TOTAL MILEAGE OF 112 NAUTICAL MILES. UPDATE WILL BE PUBLISHED JUNE 22, 2017. 1705031107-PERM

FDC 7/8747 FDC CHART CORRECT U.S. GOVERNMENT IFR ENROUTE LOW ALTITUDE CHART L-29, PANEL E, EFFECTIVE 05 JAN 2017... EFFECTIVE 27 APR 2017 V268 WESTMINSTER (EMI) VORTAC TO BALTIMORE (BAL) VORTAC BEARING SHOULD BE 151. CORRECTION WILL BE PUBLISHED ON 22 JUN 2017 EFFECTIVE DATE. 1705021637-PERM

FDC 7/8441 FDC CHART CORRECT U.S. GOVERNMENT IFR ENROUTE LOW ALTITUDE CHART L-34, PANEL H, EFFECTIVE 05 JAN 2017... SHOWN ON CURRENT CHART EFFECTIVE DATE 27 APRIL 2017. CO-LOCATED ROUTES V3, V405 AND V419 FROM SOLBERG (SBJ) VOR/DME TO FALLZ REPORTING POINT SHOULD SHOW A 3000 MEA AND A 2500 MOCA. A CORRECTION WILL BE PUBLISHED ON THE 22 JUNE 2017 EFFECTIVE DATE.. 1705021043-PERM

FDC 7/8249 FDC CHART CORRECT U.S. GOVERNMENT IFR ENROUTE HIGH ALTITUDE CHART H-8, PANEL J, EFFECTIVE 02 FEB 2017... EFFECTIVE 27 APRIL 2017:SUA TAB SHOULD CONTAIN (MY)D3003C EFFECTIVE ALTITUDE UNLIMITED. EFFECTIVE TIME BY NOTAM, CONTROLLING TIME BY NOTAM, CONTROLLING AGENCY NASSAU ACC. 1705011741-PERM

FDC 7/8229 FDC CHART CORRECT U.S. GOVERNMENT IFR ENROUTE HIGH ALTITUDE CHART H-8, PANEL J, EFFECTIVE 05 JAN 2017... EFFECTIVE 27 APRIL 2017 ON BR2L AT NDB SAN SALVADOR (ZSJ) BEARING SHOULD BE 063.. 1705011714-PERM

FDC 7/8225 FDC CHART CORRECT U.S. GOVERNMENT IFR ENROUTE HIGH ALTITUDE CHART H-8, PANEL, EFFECTIVE 05 JAN 2017... EFFECTIVE 27 APRIL: 2017:SUA TAB SHOULD CONTAIN (MY)D3003C EFFECTIVE ALTITUDE UNLTD, EFFECTIVE TIMES BY NOTAM, CONTROLLING AGENCY NASSAU ACC.. 1705011711-PERM

FDC 7/8219 FDC CHART CORRECT U.S. GOVERNMENT IFR ENROUTE HIGH ALTITUDE CHART H-8, PANEL J, EFFECTIVE 05 JAN 2017... EFFECTIVE 27 APRIL 2017: SUA TAB SHOULD CONTAIN (MY)D3003B EFFECTIVE ALTITUDE UNLTD, EFFECTIVE TIME BY NOTAM, CONTROLLING AGENCY NASSAU ACC.. 1705011706-PERM

FDC 7/8211 FDC CHART CORRECT U.S. GOVERNMENT IFR ENROUTE HIGH ALTITUDE CHART H-8, PANEL J, EFFECTIVE 02 FEB 2017... EFFECTIVE 27 APRIL 2017; SUA TAB SHOULD CONTAIN (MY)D3003A, EFFECTIVE ALTITUDE UNLTD, EFFECTIVE TIME BY NOTAMS, CONTROLLING AGENCY NASSAU ACC.. 1705011702-PERM

FDC 7/8184 FDC CHART CORRECT U.S. GOVERNMENT IFR ENROUTE LOW ALTITUDE CHART L-36, PANEL J, EFFECTIVE 05 JAN 2017... SHOWN ON CURRENT CHART EFFECTIVE DATE 27 APRIL 2017. V268 WESTMINSTER (EMI) VORTAC TO BALTIMORE (BAL) VORTAC BEARING SHOULD BE 151. CORRECTION WILL BE PUBLISHED ON 22 JUNE 2017 EFFECTIVE DATE.. 1705011638-PERM

FDC 7/8182 FDC CHART CORRECT U.S. GOVERNMENT IFR ENROUTE LOW ALTITUDE CHART L-34, PANEL F, EFFECTIVE 05 JAN 2017... SHOWN ON CURRENT CHART EFFECTIVE DATE 27 APRIL 2017. V268 WESTMINSTER (EMI) VORTAC TO BALTIMORE (BAL) VORTAC BEARING SHOULD BE 151. CORRECTION WILL BE PUBLISHED ON 22 JUNE 2017 EFFECTIVE DATE. 1705011636-PERM

FDC 7/7281 FDC CHART CORRECT U.S. GOVERNMENT IFR ENROUTE LOW ALTITUDE CHART L-28, PANEL J, EFFECTIVE 02 FEB 2017... EFFECTIVE 27 APR 2017 V96 MOCA 2300 FROM VORTAC (FWA) FORT WAYNE TO ILLIE, OH FIX AND MOCA 2100 FROM ANNTS, OH FIX TO VOR/DME (DXO) DETROIT. 1704281702-PERM

FDC 7/6935 FDC CHART CORRECT U.S. GOVERNMENT IFR ENROUTE HIGH ALTITUDE CHART AKH2, PANEL K, EFFECTIVE 02 FEB 2017... EFFECTIVE 27 APRIL 2017 SYMBOL IS MISSING FOR WILLOW AIRPORT (UOO) LOCATED AT N61 45.25' / W150 3.10'. 1704272105-PERM

FDC 7/6933 FDC CHART CORRECT U.S. GOVERNMENT IFR ENROUTE HIGH ALTITUDE CHART H-4, PANEL I, EFFECTIVE 02 FEB 2017... EFFECTIVE 27 APRIL 2017, GOG DME GOODSPRINGS FREQ SHOULD BE 112.05.. 1704272057-PERM

FDC 7/6776 FDC CHART CORRECT U.S. GOVERNMENT IFR ENROUTE LOW ALTITUDE CHART L-14, PANEL J, EFFECTIVE 02 FEB 2017... EFFECTIVE 27 APR 2017: ADD UNUSABLE ROUTE SEGMENT SYMBOL TO AIRWAY V63 BETWEEN WAUSAU (AUW) AND RHINELANDER (RHI) AND REMOVE UNUSABLE BEYOND 10NM NOTES FROM EACH AIRWAY SEGMENT END AS ENTIRE ROUTE SEGMENT IS UNUSABLE.. 1704271837-PERM

FDC 7/6165 FDC CHART CORRECT U.S. GOVERNMENT IFR ENROUTE LOW ALTITUDE CHART L-1, E, EFFECTIVE 02 FEB 2017... EFFECTIVE DATE: 27 APR 2017 ADD G TO MEA 7000 ON T609 FROM RNAV WAYPOINT VIBGA TO RNAV WAYPOINT DASMU AND G TO MEA 7400 ON T609 FROM RNAV WAYPOINT DASMU TO RNAV WAYPOINT NOXAG. 1704271205-PERM

FDC 7/6112 FDC CHART CORRECT U.S. GOVERNMENT IFR ENROUTE LOW ALTITUDE CHART L-35, PANEL B, EFFECTIVE 02 FEB 2017... CHART SERIES EFFECTIVE 27 APR 2017 THE LABEL FOR TACAN BOGUE (NJM) IS MISSING THE FREQUENCY. THE FREQUENCY IS 134.0. THE CHANNEL SHOULD ALSO BE UNDERLINED BECAUSE SIMULATED VOICE IS UNAVAILABLE.. 1704271126-PERM

FDC 7/6076 FDC CHART CORRECT U.S. GOVERNMENT IFR ENROUTE LOW ALTITUDE CHART L-1, C, EFFECTIVE 02 FEB 2017... EFFECTIVE 27 APR 2017 ADD DME 12 MAKEUP FROM NEWBURG/UBG VOR/DME TO FIX/NOONS ON BEARING 334 DEGREES. 1704271044-PERM

FDC 7/6060 FDC CHART CORRECT U.S. GOVERNMENT IFR ENROUTE LOW ALTITUDE CHART L-14, PANEL F, EFFECTIVE 02 FEB 2017... EFFECTIVE 27 APR 2017: CHANGE 018 RADIAL BEARING FROM DEERING (MIB) TACAN TO CONEI REPORTING POINT FROM 018 TO 021. 1704271013-PERM

FDC 7/6058 FDC CHART CORRECT U.S. GOVERNMENT IFR ENROUTE LOW ALTITUDE CHART L-17, PANEL B, EFFECTIVE 02 FEB 2017... EFFECTIVE 27 APR 2017: CHANGE INBOUND BEARING FROM NUGEN REPORTING POINT TO TOMHI (AB) LOM FROM 180 TO 174.. 1704271009-PERM

FDC 7/2639 FDC CHART CORRECT U.S. GOVERNMENT IFR ENROUTE HIGH ALTITUDE CHART AKH2, PANEL J, EFFECTIVE 02 FEB 2017... EFFECTIVE 27 APRIL 2017 SYMBOL IS MISSING FOR WILDER/NATWICK LLC AIRPORT (AK51) LOCATED AT N60 11.92' / W154 19.48'. 1704191552-PERM

FDC 7/2638 FDC CHART CORRECT U.S. GOVERNMENT IFR ENROUTE HIGH ALTITUDE CHART AKH2, PANEL I, EFFECTIVE 02 FEB 2017... EFFECTIVE 27 APRIL 2017 SYMBOL IS MISSING FOR UNALASKA AIRPORT (DUT) LOCATED AT N53 53.94' / W166 32.70'. 1704191552-PERM

FDC 7/2637 FDC CHART CORRECT U.S. GOVERNMENT IFR ENROUTE HIGH ALTITUDE CHART AKH2, PANEL J, EFFECTIVE 02 FEB 2017... EFFECTIVE 27 APRIL 2017 SYMBOL IS MISSING FOR UGASHIK BAY AIRPORT (UGB) LOCATED AT N57 25.52' / W157 44.39'. 1704191551-PERM

FDC 7/2635 FDC CHART CORRECT U.S. GOVERNMENT IFR ENROUTE HIGH ALTITUDE CHART AKH2, PANEL K, EFFECTIVE 02 FEB 2017... CTIVE 27 APRIL 2017 SYMBOL IS MISSING FOR TRADING BAY PRODUCTION AIRPORT (5AK0) LOCATED AT N60 48.93' / W151 47.94'. 1704191550-PERM

FDC 7/2634 FDC CHART CORRECT U.S. GOVERNMENT IFR ENROUTE HIGH ALTITUDE CHART AKH2, PANEL J, EFFECTIVE 02 FEB 2017... EFFECTIVE 27 APRIL 2017 SYMBOL IS MISSING FOR TOGIAC AIRPORT (TOG) LOCATED AT N59 3.21' / W160 23.81'. 1704191549-PERM

FDC 7/2632 FDC CHART CORRECT U.S. GOVERNMENT IFR ENROUTE HIGH ALTITUDE CHART AKH2, PANEL J, EFFECTIVE 02 FEB 2017... EFFECTIVE 27 APRIL 2017 SYMBOL IS MISSING FOR ST MICHAEL AIRPORT (SMK) LOCATED AT N63 29.40' / W162 6.62'. 1704191548-PERM

FDC 7/2628 FDC CHART CORRECT U.S. GOVERNMENT IFR ENROUTE HIGH ALTITUDE CHART AKH2, PANEL J, EFFECTIVE 02 FEB 2017... EFFECTIVE 27 APRIL 2017 SYMBOL IS MISSING FOR ST MARYS AIRPORT (KSM) LOCATED AT N62 3.65' / W163 18.11'. 1704191544-PERM

FDC 7/2627 FDC CHART CORRECT U.S. GOVERNMENT IFR ENROUTE HIGH ALTITUDE CHART AKH2, PANEL I, EFFECTIVE 02 FEB 2017... EFFECTIVE 27 APRIL 2017 SYMBOL IS MISSING FOR ST GEORGE AIRPORT (PBV) LOCATED AT N56 34.64' / W169 39.82'. 1704191543-PERM

FDC 7/2626 FDC CHART CORRECT U.S. GOVERNMENT IFR ENROUTE HIGH ALTITUDE CHART AKH2, PANEL J, EFFECTIVE 02 FEB 2017... EFFECTIVE 27 APRIL 2017 SYMBOL IS MISSING FOR SPARREVOHN LRRS AIRPORT (SVW) LOCATED AT N61 5.83' / W155 34.49'. 1704191542-PERM

FDC 7/2625 FDC CHART CORRECT U.S. GOVERNMENT IFR ENROUTE HIGH ALTITUDE CHART AKH2, PANEL J, EFFECTIVE 02 FEB 2017... EFFECTIVE 27 APRIL 2017 SYMBOL IS MISSING FOR SHAKTOOLIK AIRPORT (2C7) LOCATED AT N64 22.26' / W161 13.44'. 1704191541-PERM

FDC 7/2624 FDC CHART CORRECT U.S. GOVERNMENT IFR ENROUTE HIGH ALTITUDE CHART AKH2, PANEL K, EFFECTIVE 02 FEB 2017... EFFECTIVE 27 APRIL 2017 SYMBOL IS MISSING FOR SEWARD AIRPORT (SWD) LOCATED AT N60 7.80' / W149 25.01'. 1704191541-PERM

FDC 7/2623 FDC CHART CORRECT U.S. GOVERNMENT IFR ENROUTE HIGH ALTITUDE CHART AKH2, PANEL I, EFFECTIVE 02 FEB 2017... EFFECTIVE 27 APRIL 2017 SYMBOL IS MISSING FOR SAVOONGA AIRPORT (SVA) LOCATED AT N63 41.18' / W170 29.59'. 1704191540-PERM

FDC 7/2622 FDC CHART CORRECT U.S. GOVERNMENT IFR ENROUTE HIGH ALTITUDE CHART AKH2, PANEL J, EFFECTIVE 02 FEB 2017... EFFECTIVE 27 APRIL 2017 SYMBOL IS MISSING FOR RUBY AIRPORT (RBY) LOCATED AT N64 43.63' / W155 28.19'. 1704191539-PERM

FDC 7/2621 FDC CHART CORRECT U.S. GOVERNMENT IFR ENROUTE HIGH ALTITUDE CHART AKH2, PANEL J, EFFECTIVE 02 FEB 2017... EFFECTIVE 27 APRIL 2017 SYMBOL IS MISSING FOR RED DEVIL AIRPORT (RDV) LOCATED AT N61 47.28' / W157 21.01'. 1704191537-PERM

FDC 7/2620 FDC CHART CORRECT U.S. GOVERNMENT IFR ENROUTE HIGH ALTITUDE CHART AKH2, PANEL J, EFFECTIVE 02 FEB 2017... EFFECTIVE 27 APRIL 2017 SYMBOL IS MISSING FOR RANDY BRIGGS MEMORIAL FIELD AIRPORT (AK96) LOCATED AT N57 30.98' / W157 23.16'. 1704191535-PERM

FDC 7/2619 FDC CHART CORRECT U.S. GOVERNMENT IFR ENROUTE HIGH ALTITUDE CHART AKH2, PANEL K, EFFECTIVE 02 FEB 2017... EFFECTIVE 27 APRIL 2017 SYMBOL IS MISSING FOR RALPH M CALHOUN MEMORIAL AIRPORT (TAL) LOCATED AT N65 10.46' / W152 6.49'. 1704191534-PERM

FDC 7/2618 FDC CHART CORRECT U.S. GOVERNMENT IFR ENROUTE HIGH ALTITUDE CHART AKH2, PANEL J, EFFECTIVE 02 FEB 2017... EFFECTIVE 27 APRIL 2017 SYMBOL IS MISSING FOR QUINHAGAK AIRPORT (AQH) LOCATED AT N59 45.31' / W161 50.72'. 1704191533-PERM

FDC 7/2615 FDC CHART CORRECT U.S. GOVERNMENT IFR ENROUTE HIGH ALTITUDE CHART AKH2, PANEL J, EFFECTIVE 02 FEB 2017... EFFECTIVE 27 APRIL 2017 SYMBOL IS MISSING FOR PORT HEIDEN AIRPORT (PTH) LOCATED AT N56 57.55' / W158 38.00'. 1704191532-PERM

FDC 7/2614 FDC CHART CORRECT U.S. GOVERNMENT IFR ENROUTE HIGH ALTITUDE CHART AKH2, PANEL J, EFFECTIVE 02 FEB 2017... EFFECTIVE 27 APRIL 2017 SYMBOL IS MISSING FOR PLATINUM AIRPORT (PTU) LOCATED AT N59 1.07' / W161 49.63'. 1704191531-PERM

FDC 7/2613 FDC CHART CORRECT U.S. GOVERNMENT IFR ENROUTE HIGH ALTITUDE CHART AKH2, PANEL J, EFFECTIVE 02 FEB 2017... EFFECTIVE 27 APRIL 2017 SYMBOL IS MISSING FOR NULATO AIRPORT (NUL) LOCATED AT N64 43.76' / W158 4.45'. 1704191530-PERM

FDC 7/2612 FDC CHART CORRECT U.S. GOVERNMENT IFR ENROUTE HIGH ALTITUDE CHART AKH2, PANEL J, EFFECTIVE 02 FEB 2017... EFFECTIVE 27 APRIL 2017 SYMBOL IS MISSING FOR NIXON FORK MINE AIRPORT (AK40) LOCATED AT N63 13.75' / W154 45.62'. 1704191529-PERM

FDC 7/2611 FDC CHART CORRECT U.S. GOVERNMENT IFR ENROUTE HIGH ALTITUDE CHART AKH2, PANEL K, EFFECTIVE 02 FEB 2017... EFFECTIVE 27 APRIL 2017 SYMBOL IS MISSING FOR NIKOLAI CREEK AIRPORT (9AK3) LOCATED AT N61 0.83' / W151 26.93'. 1704191528-PERM

FDC 7/2601 FDC CHART CORRECT U.S. GOVERNMENT IFR ENROUTE HIGH ALTITUDE CHART AKH2, PANEL K, EFFECTIVE 02 FEB 2017... EFFECTIVE 27 APRIL 2017 SYMBOL IS MISSING FOR NIKOLAI AIRPORT (FSP) LOCATED AT N63 1.11' / W154 21.51'. 1704191526-PERM

FDC 7/2600 FDC CHART CORRECT U.S. GOVERNMENT IFR ENROUTE HIGH ALTITUDE CHART AKH2, PANEL K, EFFECTIVE 02 FEB 2017... EFFECTIVE 27 APRIL 2017 SYMBOL IS MISSING FOR NENANA MUNICIPAL AIRPORT

(ENN) LOCATED AT N64 32.84' / W149 4.44'. 1704191525-PERM

FDC 7/2599 FDC CHART CORRECT U.S. GOVERNMENT IFR ENROUTE HIGH ALTITUDE CHART AKH2, PANEL J, EFFECTIVE 02 FEB 2017... EFFECTIVE 27 APRIL 2017 SYMBOL IS MISSING FOR NELSON LAGOON AIRPORT (OUL) LOCATED AT N56 0.45' / W161 9.62'. 1704191524-PERM

FDC 7/2598 FDC CHART CORRECT U.S. GOVERNMENT IFR ENROUTE HIGH ALTITUDE CHART AKH2, PANEL K, EFFECTIVE 02 FEB 2017... EFFECTIVE 27 APRIL 2017 SYMBOL IS MISSING FOR MINCHUMINA AIRPORT (MHM) LOCATED AT N63 53.16' / W152 18.11'. 1704191521-PERM

FDC 7/2584 FDC CHART CORRECT U.S. GOVERNMENT IFR ENROUTE HIGH ALTITUDE CHART AKH2, PANEL K, EFFECTIVE 02 FEB 2017... EFFECTIVE 27 APRIL 2017 SYMBOL IS MISSING FOR MERRILL FIELD AIRPORT (MRI) LOCATED AT N61 12.81' / W149 50.68'. 1704191519-PERM

FDC 7/2580 FDC CHART CORRECT U.S. GOVERNMENT IFR ENROUTE HIGH ALTITUDE CHART AKH2, PANEL K, EFFECTIVE 02 FEB 2017... EFFECTIVE 27 APRIL 2017 SYMBOL IS MISSING FOR MCGAHAN INDUSTRIAL AIRPARK AIRPORT (AK73) LOCATED AT N60 43.52' / W151 18.13'. 1704191518-PERM

FDC 7/2578 FDC CHART CORRECT U.S. GOVERNMENT IFR ENROUTE HIGH ALTITUDE CHART AKH2, PANEL J, EFFECTIVE 02 FEB 2017... EFFECTIVE 27 APRIL 2017 SYMBOL IS MISSING FOR KULIK LAKE AIRPORT (LKK) LOCATED AT N58 57.90' / W155 5.74'. 1704191517-PERM

FDC 7/2574 FDC CHART CORRECT U.S. GOVERNMENT IFR ENROUTE HIGH ALTITUDE CHART AKH2, PANEL J, EFFECTIVE 02 FEB 2017... EFFECTIVE 27 APRIL 2017 SYMBOL IS MISSING FOR KOYUKUK AIRPORT (KYU) LOCATED AT N64 52.55' / W157 43.83'. 1704191515-PERM

FDC 7/2570 FDC CHART CORRECT U.S. GOVERNMENT IFR ENROUTE HIGH ALTITUDE CHART AKH2, PANEL J, EFFECTIVE 02 FEB 2017... EFFECTIVE 27 APRIL 2017 SYMBOL IS MISSING FOR KOTLIK AIRPORT (2A9) LOCATED AT N63 1.83' / W163 31.96'. 1704191513-PERM

FDC 7/2568 FDC CHART CORRECT U.S. GOVERNMENT IFR ENROUTE HIGH ALTITUDE CHART AKH2, PANEL J, EFFECTIVE 02 FEB 2017... EFFECTIVE 27 APRIL 2017 SYMBOL IS MISSING FOR KALAKAKET CREEK AS AIRPORT (1KC) LOCATED AT N64 25.47' / W156 50.60'. 1704191512-PERM

FDC 7/2566 FDC CHART CORRECT U.S. GOVERNMENT IFR ENROUTE HIGH ALTITUDE CHART AKH2, PANEL J, EFFECTIVE 02 FEB 2017... EFFECTIVE 27 APRIL 2017 SYMBOL IS MISSING FOR HOLY CROSS AIRPORT (HCA) LOCATED AT N62 11.30' / W159 46.50'. 1704191507-PERM

FDC 7/2565 FDC CHART CORRECT U.S. GOVERNMENT IFR ENROUTE HIGH ALTITUDE CHART AKH2, PANEL J, EFFECTIVE 02 FEB 2017... EFFECTIVE 27 APRIL 2017 SYMBOL IS MISSING FOR GRAYLING AIRPORT (KGX) LOCATED AT N62 53.53' / W160 3.98'. 1704191504-PERM

FDC 7/2564 FDC CHART CORRECT U.S. GOVERNMENT IFR ENROUTE HIGH ALTITUDE CHART AKH2, PANEL J, EFFECTIVE 02 FEB 2017... EFFECTIVE 27 APRIL 2017 SYMBOL IS MISSING FOR GOLOVIN AIRPORT (GLV) LOCATED AT N64 33.03' / W163 0.43'. 1704191502-PERM

FDC 7/2562 FDC CHART CORRECT U.S. GOVERNMENT IFR ENROUTE HIGH ALTITUDE CHART AKH2, PANEL J, EFFECTIVE 02 FEB 2017... EFFECTIVE 27 APRIL 2017 SYMBOL IS MISSING FOR FORT JENSEN AIRPORT (AK60) LOCATED AT N57 53.11' / W157 5.81'. 1704191455-PERM

FDC 7/2561 FDC CHART CORRECT U.S. GOVERNMENT IFR ENROUTE HIGH ALTITUDE CHART AKH2, PANEL J, EFFECTIVE 02 FEB 2017... EFFECTIVE 27 APRIL 2017 SYMBOL IS MISSING FOR FLAT AIRPORT (FLT) LOCATED AT N62 27.16' / W157 59.34'. 1704191454-PERM

FDC 7/2559 FDC CHART CORRECT U.S. GOVERNMENT IFR ENROUTE HIGH ALTITUDE CHART AKH2, PANEL K, EFFECTIVE 02 FEB 2017... EFFECTIVE 27 APRIL 2017 SYMBOL IS MISSING FOR FAREWELL AIRPORT (0AA4) LOCATED AT N62 30.55' / W153 53.42'. 1704191452-PERM

FDC 7/2558 FDC CHART CORRECT U.S. GOVERNMENT IFR ENROUTE HIGH ALTITUDE CHART AKH2, PANEL J, EFFECTIVE 02 FEB 2017... EFFECTIVE 27 APRIL 2017 SYMBOL IS MISSING FOR EMMONAK AIRPORT (ENM) LOCATED AT N62 47.17' / W164 29.44'. 1704191451-PERM

FDC 7/2552 FDC CHART CORRECT U.S. GOVERNMENT IFR ENROUTE HIGH ALTITUDE CHART AKH2, PANEL J, EFFECTIVE 02 FEB 2017... EFFECTIVE 27 APRIL 2017 SYMBOL IS MISSING FOR EGEGIK AIRPORT (EII) LOCATED AT N58 11.13' / W157 22.53'. 1704191448-PERM

FDC 7/2542 FDC CHART CORRECT U.S. GOVERNMENT IFR ENROUTE HIGH ALTITUDE CHART AKH2, PANEL K, EFFECTIVE 02 FEB 2017... EFFECTIVE 27 APRIL 2017 SYMBOL IS MISSING FOR DRIFT RIVER AIRPORT (3AK5) LOCATED AT N60 35.33' / W152 9.72'. 1704191445-PERM

FDC 7/2539 FDC CHART CORRECT U.S. GOVERNMENT IFR ENROUTE HIGH ALTITUDE CHART AKH2, PANEL J, EFFECTIVE 02 FEB 2017... EFFECTIVE 27 APRIL 2017 SYMBOL IS MISSING FOR DONLIN CREEK AIRPORT (01AA) LOCATED AT N62 1.95' / W158 14.18'. 1704191437-PERM

FDC 7/2538 FDC CHART CORRECT U.S. GOVERNMENT IFR ENROUTE HIGH ALTITUDE CHART AKH2, PANEL K, EFFECTIVE 02 FEB 2017... EFFECTIVE 27 APRIL 2017 SYMBOL IS MISSING FOR DENALI AIRPORT (AK06) LOCATED AT N63 38.71' / W148 47.89'. 1704191436-PERM

FDC 7/2537 FDC CHART CORRECT U.S. GOVERNMENT IFR ENROUTE HIGH ALTITUDE CHART AKH2, PANEL K, EFFECTIVE 02 FEB 2017... EFFECTIVE 27 APRIL 2017 SYMBOL IS MISSING FOR CHENA MARINA AIRPORT (AK28) LOCATED AT N64 48.84' / W147 55.11'. 1704191435-PERM

FDC 7/2536 FDC CHART CORRECT U.S. GOVERNMENT IFR ENROUTE HIGH ALTITUDE CHART AKH2, PANEL K, EFFECTIVE 02 FEB 2017... EFFECTIVE 27 APRIL 2017 SYMBOL IS MISSING FOR CAMPBELL AIRSTRIPE AIRPORT (CSR) LOCATED AT N61 9.52' / W149 46.84'. 1704191433-PERM

FDC 7/2535 FDC CHART CORRECT U.S. GOVERNMENT IFR ENROUTE HIGH ALTITUDE CHART AKH2, PANEL K, EFFECTIVE 02 FEB 2017... EFFECTIVE 27 APRIL 2017 SYMBOL IS MISSING FOR BRYANT AAF AIRPORT (FRN) LOCATED AT N61 15.95' / W149 39.20'. 1704191433-PERM

FDC 7/2532 FDC CHART CORRECT U.S. GOVERNMENT IFR ENROUTE HIGH ALTITUDE CHART AKH2, PANEL K, EFFECTIVE 02 FEB 2017... EFFECTIVE 27 APRIL 2017 SYMBOL IS MISSING FOR BIRCHWOOD AIRPORT (BCV) LOCATED AT N61 24.96' / W149 30.54'. 1704191431-PERM

FDC 7/2527 FDC CHART CORRECT U.S. GOVERNMENT IFR ENROUTE HIGH ALTITUDE CHART AKH2, PANEL J, EFFECTIVE 02 FEB 2017... EFFECTIVE 27 APRIL 2017 SYMBOL IS MISSING FOR BIG MOUNTAIN AIRPORT (37AK) LOCATED AT N59 21.67' / W155 15.53'. 1704191430-PERM

FDC 7/2525 FDC CHART CORRECT U.S. GOVERNMENT IFR ENROUTE HIGH ALTITUDE CHART AKH2, PANEL K, EFFECTIVE 02 FEB 2017... EFFECTIVE 27 APRIL 2017 SYMBOL IS MISSING FOR BELUGA AIRPORT (BLG) LOCATED AT N61 10.38' / W151 2.72'. 1704191428-PERM

FDC 7/2518 FDC CHART CORRECT U.S. GOVERNMENT IFR ENROUTE HIGH ALTITUDE CHART AKH2, PANEL J, EFFECTIVE 02 FEB 2017... EFFECTIVE 27 APRIL 2017 SYMBOL IS MISSING FOR ANVIK AIRPORT (ANV) LOCATED AT N62 38.84' / W160 11.40'. 1704191426-PERM

FDC 7/2514 FDC CHART CORRECT U.S. GOVERNMENT IFR ENROUTE HIGH ALTITUDE CHART AKH2, PANEL J, EFFECTIVE 02 FEB 2017... EFFECTIVE 27 APRIL 2017 SYMBOL IS MISSING FOR AKUTAN AIRPORT (AUK) LOCATED AT N62 40.98' / W164 43.33'. 1704191425-PERM

FDC 7/2510 FDC CHART CORRECT U.S. GOVERNMENT IFR ENROUTE HIGH ALTITUDE CHART AKH2, PANEL I, EFFECTIVE 02 FEB 2017... EFFECTIVE 27 APRIL 2017 SYMBOL IS MISSING FOR AKUTAN AIRPORT (7AK) LOCATED AT N54 8.68' / W165 36.25'. 1704191423-PERM

FDC 7/2504 FDC CHART CORRECT U.S. GOVERNMENT IFR ENROUTE HIGH ALTITUDE CHART AKH2, PANEL I, EFFECTIVE 02 FEB 2017... EFFECTIVE 27 APRIL 2017 SYMBOL IS MISSING FOR ATKA AIRPORT (AKA) LOCATED AT N52 13.23' / W174 12.37'. 1704191420-PERM

FDC 7/2475 FDC CHART CORRECT U.S. GOVERNMENT IFR ENROUTE LOW ALTITUDE CHART L-9, PANEL D, EFFECTIVE 02 FEB 2017... EFFECTIVE APRIL 27 2017 ADD NON-DME MAKEUP ARROW FROM GRAND JUNCTION VOR/DME (JNC) TO RENAE N40 25.23-W108 54.62. 1704191355-PERM

FDC 7/8570 FDC CHART CORRECT U.S. GOVERNMENT NEW YORK VFR SECTIONAL AERONAUTICAL CHART, 94TH EDITION, EFFECTIVE 10 NOV 2016... ADD RP* TO FREEHOLD AIRPORT (1I5), FREEHOLD, NEW YORK AT 42

21 50.4N, 74 03 54.1W TO INDICATE RWY RIGHT TFC PATTERN FOR GLIDERS. 1704112210-PERM

FDC 7/7282 FDC PART 1 OF 3 SECURITY..SPECIAL SECURITY INSTRUCTIONS FOR UNMANNED AIRCRAFT SYSTEM (UAS) OPERATIONS FOR MULTIPLE LOCATIONS NATIONWIDE APRIL 14, 2017 APRIL 13, 2019 LOCAL. THIS NOTAM REPLACES NOTAM 7/7137 DUE SOFTWARE COMPATABILITY ERROR. PURSUANT TO 49 USC 40103(B)(3), THE FEDERAL AVIATION ADMINISTRATION (FAA) CLASSIFIES THE AIRSPACE DEFINED IN THIS NOTAM AS 'NATIONAL DEFENSE AIRSPACE'. OPERATORS WHO DO NOT COMPLY WITH THE FOLLOWING PROCEDURES MAY FACE THE FOLLOWING ENFORCEMENT ACTIONS: A) THE UNITED STATES GOVERNMENT MAY PURSUE CRIMINAL CHARGES, INCLUDING CHARGES UNDER 49 USC 46307. B) THE FAA MAY TAKE ADMINISTRATIVE ACTION, INCLUDING IMPOSING CIVIL PENALTIES AND THE REVOCATION OF FAA CERTIFICATES OR AUTHORIZATIONS TO OPERATE UNDER TITLE 49 USC 44709 AND 46301. PURSUANT TO 14 CFR 99.7, SPECIAL SECURITY INSTRUCTIONS (SSI), ALL UAS FLIGHT OPERATIONS, INCLUDING PUBLIC, CIVIL, AND MODEL AIRCRAFT, ARE PROHIBITED WI THE AIRSPACE OVER SELECT NATIONAL SECURITY SENSITIVE FACILITIES, SFC-400FT AGL, EXCEPT AS PROVIDED FOR BELOW. THE LIST OF SELECTED FACILITIES, DEFINITIONS OF THE ASSOCIATED AIRSPACE IN WHICH UAS OPERATIONS ARE PROHIBITED, DESIGNATED FACILITY CONTACTS, AND OTHER IMPORTANT INFORMATION ARE PROVIDED AT THE 1704140000-1904132359
END PART 1 OF 3

FDC 7/7282 FDC PART 2 OF 3 SECURITY..SPECIAL SECURITY INSTRUCTIONS FOR UNMANNED FOLLOWING FAA WEBSITE: [HTTP://UAS.FAA.OPENDATA.ARCGIS.COM](http://uas.faa.opendata.arcgis.com). UAS OPERATIONS ARE AUTHORIZED WI THE DEFINED SSI AIRSPACE IF IN COMPLIANCE WITH THE REQUIREMENTS LISTED BELOW: 1) THE UAS FLIGHT OPERATION HAS BEEN PRE-APPROVED BY THE DESIGNATED FACILITY CONTACT BASED ON CRITERIA ESTABLISHED BY THE SPONSORING FEDERAL AGENCY IN COORDINATION WITH THE FAA; OR 2) IF THE UAS FLIGHT OPERATION IS CONDUCTED IN DIRECT SUPPORT OF AN ACTIVE NATIONAL DEFENSE, HOMELAND SECURITY, LAW ENFORCEMENT, FIREFIGHTING, SEARCH AND RESCUE, OR DISASTER RESPONSE MISSION, AND PRIOR NOTIFICATION HAS BEEN PROVIDED TO THE DESIGNATED FACILITY CONTACT; OR 3) IF THE UAS FLIGHT OPERATION IS CONDUCTED IN DIRECT SUPPORT OF A SIGNIFICANT AND URGENT GOVERNMENTAL INTEREST AND IS APPROVED BY THE FAAS SYSTEM OPERATIONS SUPPORT CENTER (SOSC) IN ADVANCE OF ENTERING THE DEFINED SSI AIRSPACE; AND 4) THE UAS FLIGHT OPERATION COMPLIES WITH ALL OTHER APPLICABLE FEDERAL AVIATION REGULATIONS. IF YOU HAVE GENERAL QUESTIONS REGARDING UAS OPERATIONS, PLEASE REFER 1704140000-1904132359
END PART 2 OF 3

FDC 7/7282 FDC PART 3 OF 3 SECURITY..SPECIAL SECURITY INSTRUCTIONS FOR UNMANNED TO [WWW.FAA.GOV/UAS/CONTACT/](http://www.faa.gov/uas/contact/); OR CONTACT THE FAA VIA EMAIL AT UASHELP@FAA.GOV OR PHONE AT (844) FLY-MY-UA. IF YOU HAVE QUESTIONS REGARDING THESE UAS SSI, PLEASE REFER TO THE FOLLOWING FAA WEBSITE: [HTTP://UAS.FAA.OPENDATA.ARCGIS.COM](http://uas.faa.opendata.arcgis.com); OR CONTACT THE FAAS SOSC AT (202)267-8276. 1704140000-1904132359
END PART 3 OF 3

FDC 7/3599 FDC CHART CORRECT U.S. GOVERNMENT VFR PHOENIX TERMINAL AREA CHART (TAC)/FLYWAY, 55TH EDITION, EFFECTIVE 13 OCT 2016... REMOVE 5500FT MSL SYMBOLOGY FM THE AREA WI THE BOUNDARIES OF THE PHOENIX CLASS E6. THAT AIRSPACE EXTENDING UPWARD FM 1200FT ABV THE SFC WI AN AREA DEFINED AS 340100N1140000W TO 33312N1115121W TO 332930N1104545W TO 335230N1084500W TO 335000N1080000W TO 333500N1073600W TO 333500N1072800W TO 322500N1080000W TO 322500N1081200W TO 312000N1081200W TO 312000N1110500W TO 320600N1133030W TO 324415N1134105W TO 324100N1140000W THENCE TO THE POINT OF ORIGIN.... 1703311236-PERM

FDC 7/3235 FDC CHART CORRECT U.S. GOVERNMENT SAINT LOUIS VFR SECTIONAL AERONAUTICAL CHART, 95TH EDITION, EFFECTIVE 08 DEC 2016... CHANGE CLASS C APP FREQUENCY FROM 291.0 TO 290.225 AT UNIVERSITY OF ILLINOIS-WILLARD AIRPORT (CMI), CHAMPAIGN, ILLINOIS, LOCATED AT 40 02 19N, 88 16 40W. 1703301711-PERM

FDC 7/1350 FDC CHART CORRECT U.S. GOVERNMENT PHOENIX VFR SECTIONAL AERONAUTICAL CHART, 96TH EDITION, EFFECTIVE 13 OCT 2016... DELETE RIGHT TRAFFIC PATTERN RP 22 AT SELIGMAN AIRPORT (P23), SELIGMAN, ARIZONA, LOCATED AT 35 20 06N, 112 53 11W.. 1703281518-PERM

FDC 7/4378 FDC ROUTE ZID ZMP ZAU ZOB. V177 MADISON (MSN) VORTAC, WI TO STEVENS POINT (STE) VORTAC, WI MEA 3000. 1703131645-1710231645EST

FDC 7/9931 FDC CHART CORRECT U.S. GOVERNMENT VFR SAN FRANCISCO TERMINAL AREA CHART (TAC)/FLYWAY, 90TH EDITION, EFFECTIVE 02 MAR 2017... CHANGE CLASS E AIRSPACE FLOOR 5500 FEET ABOVE MEAN SEA LEVEL TO 1200 FEET ABOVE SURFACE, ALONG V 199 CORRIDOR FROM THE MOLEN FIX LOCATED AT 37 59 52N, 123 05 12W, TO THE DUBRY FIX LOCATED AT 37 52 56N, 122 52 04W.. 1703021142-PERM

FDC 7/8953 FDC CHART CORRECT U.S. GOVERNMENT KANSAS CITY VFR SECTIONAL AERONAUTICAL CHART, 97TH EDITION, EFFECTIVE 10 NOV 2016... CHANGE RUNWAY RIGHT TRAFFIC PATTERN AT SKY HAVEN AIRPORT (RCM), WARRENSBURG, MISSOURI FROM RP 13, 18 TO RP 14, 19 LOCATED AT 38 47 03N, 093 48 10W.. 1702281545-PERM

FDC 7/7836 FDC CHART CORRECT U.S. GOVERNMENT KANSAS CITY VFR SECTIONAL AERONAUTICAL CHART, 97TH EDITION, EFFECTIVE 10 NOV 2016... CHART CORRECT U.S. GOVT. KANSAS CITY SECTIONAL AERONAUTICAL CHART 97TH EDITION, EFFECTIVE 10 NOV 2016. CORRECT CHART BY ADDING ELEVATION DATA 463'; PART-TIME LIGHTING ; RUNWAY LENGTH 7500'; UNICOM 122.95; RUNWAY RIGHT TRAFFIC 8R,26R ATSPIRIT OF ST LOUIS AIRPORT (SUS) LOCATED AT 38 39 38N, 090 38 43W. 1702241700-PERM

FDC 6/5124 FDC CHART CORRECT U.S. GOVERNMENT CINCINNATI VFR SECTIONAL AERONAUTICAL CHART, 97TH EDITION, EFFECTIVE 08 DEC 2016... REVISE AIRPORT IDENTIFIER FROM 031 TO 03I AT CLARKS DREAM STRIP LOCATED AT 39 38 37N, 83 01 02W.. 1612272027-PERM

FDC 6/6429 FDC CHART CORRECT U.S. GOVERNMENT VFR LOS ANGELES TERMINAL AREA CHART (TAC)/FLYWAY, 74TH EDITION, EFFECTIVE 08 DEC 2016... ON VAN NUYS (VNY) ILS CAUTION NOTE, LOCATED AT 34 21N, 118 36W, CHANGE ALTITUDE 4300 FT TO 3800 FT FOR THE LOS ANGELES TERMINAL AREA AND VFR FLYWAY PLANNING CHARTS.. 1612051953-PERM

FDC 6/5307 FDC SPECIAL NOTICE. FOR THE TAKEOFF AND LANDING PERFORMANCE ASSESSMENT (TALPA) EFFECTIVE OCTOBER 1, 2016, TALPA RELATED CHANGES TO THE AIM AND THE AIP WILL APPEAR IN NOTICES LOCATED ON THE TALPA WEBSITE AT [HTTP://WWW.FAA.GOV/ABOUT/INITIATIVES/TALPA/](http://www.faa.gov/about/initiatives/talpa/). THE CHANGES WILL BE MADE TO THESE DOCUMENTS IN SPRING OF 2017. 1609201630-PERM

FDC 6/9640 FDC CHART CORRECT U.S. GOVERNMENT CHEYENNE VFR SECTIONAL AERONAUTICAL CHART, 94TH EDITION, EFFECTIVE 21 JUL 2016... CHANGE NOTE FOR CLASS D AND E EFFECTIVE HOURS PREDICATED ON CASPER/NATRONA CO INTL (CPR), CASPER, WYOMING LOCATED AT 42 54 21N, 106 27 49W TO READ "SEE NOTAMS/SUPPLEMENT FOR CLASS D/E (SFC) EFF HRS".. 1607211424-PERM

FDC 6/8818 FDC ...SPECIAL NOTICE...IN THE INTEREST OF NATIONAL SECURITY AND TO THE EXTENT PRACTICABLE, PILOTS AND UAS OPERATORS ARE STRONGLY ADVISED TO AVOID THE AIRSPACE ABOVE OR IN CLOSE PROXIMITY TO CRITICAL INFRASTRUCTURE AND OTHER SENSITIVE LOCATIONS SUCH AS POWER PLANTS (NUCLEAR, HYDRO-ELECTRIC, OR COAL), DAMS, REFINERIES, INDUSTRIAL COMPLEXES, MILITARY FACILITIES, CORRECTIONAL AND LAW ENFORCEMENT FACILITIES UNLESS OTHERWISE AUTHORIZED. PILOTS AND UAS OPERATORS SHOULD NOT CIRCLE AS TO LOITER IN THE VICINITY OVER THESE TYPES OF FACILITIES. 1603231538-PERM

FDC 6/4260 ZZZ PART 1 OF 6 SECURITY...SPECIAL SECURITY INSTRUCTIONS FOR FOREIGN STATE AIRCRAFT OPERATIONS TO OR FROM, WITHIN, OR TRANSITING UNITED STATES (U.S.) TERRITORIAL AIRSPACE. THE FOLLOWING SPECIAL SECURITY REQUIREMENTS FOR FOREIGN STATE AIRCRAFT OPERATIONS TO, FROM, WITHIN, OR TRANSITING U.S. TERRITORIAL AIRSPACE ARE IN EFFECT PURSUANT TO 14 CODE OF FEDERAL REGULATIONS (CFR) 99.7, SPECIAL SECURITY INSTRUCTIONS, AND 49 USC 40103 AND 41703, IN ADDITION TO THE REQUIREMENTS PRESCRIBED IN 14 CFR PART 99 (SECURITY CONTROL OF AIR TRAFFIC). THE REQUIREMENTS IN THIS NOTAM SUPERSEDE THE REQUIREMENTS FOR FOREIGN STATE AIRCRAFT OPERATIONS TO, FROM, WITHIN, OR TRANSITING U.S. TERRITORIAL AIRSPACE FORMERLY PUBLISHED IN FDC NOTAM 5/5806 (A0054/15). IN ADDITION TO THE REQUIREMENTS OF THIS NOTAM, FOREIGN STATE AIRCRAFT OPERATIONS MUST COMPLY WITH ALL OTHER APPLICABLE REGULATIONS PUBLISHED IN TITLE 14 CFR. PART I. STATE AIRCRAFT OPERATIONS TO OR FROM, WITHIN, OR TRANSITING U.S. TERRITORIAL AIRSPACE A. FOREIGN STATE AIRCRAFT MAY OPERATE TO OR FROM, WITHIN, OR IN TRANSIT OF THE TERRITORIAL AIRSPACE OF THE U.S. ONLY WHEN AUTHORIZED BY THE SECRETARY OF STATE BY MEANS OF A DIPLOMATIC CLEARANCE, EXCEPT 1601160030-PERM END PART 1 OF 6

FDC 6/4260 ZZZ PART 2 OF 6 SECURITY...SPECIAL SECURITY INSTRUCTIONS FOR FOREIGN AS DESCRIBED IN PARAGRAPH B OF PART I OF THIS NOTAM. DIPLOMATIC CLEARANCES MAY BE REQUESTED BY CONTACTING THE U.S. DEPARTMENT OF STATE POINT OF CONTACT LISTED IN PART II OF THIS NOTAM. 1) A FEDERAL AVIATION ADMINISTRATION (FAA) ROUTING AUTHORIZATION FOR STATE AIRCRAFT OPERATIONS OF SPECIAL INTEREST COUNTRIES LISTED IN PART IV, PARAGRAPH E, OF THIS NOTAM IS REQUIRED BEFORE THE U.S. STATE DEPARTMENT WILL ISSUE A DIPLOMATIC CLEARANCE FOR SUCH OPERATIONS. FOREIGN GOVERNMENTS OF SPECIAL INTEREST COUNTRIES MUST REQUEST FAA ROUTING AUTHORIZATIONS BY CONTACTING THE FAA POINT OF CONTACT LISTED IN PART II OF THIS NOTAM. 2) FOREIGN STATE AIRCRAFT OPERATIONS MUST NAVIGATE U.S. TERRITORIAL AIRSPACE ON AN ACTIVE IFR FLIGHT PLAN, UNLESS

SPECIFICALLY APPROVED FOR VFR FLIGHT OPERATIONS BY THE U.S. DEPARTMENT OF STATE IN THE DIPLOMATIC CLEARANCE. 3) A FOREIGN AIRCRAFT THAT OPERATES TO OR FROM, WITHIN, OR IN TRANSIT OF U.S. TERRITORIAL AIRSPACE WHILE CONDUCTING A STATE AIRCRAFT OPERATION IS NOT AUTHORIZED TO CHANGE ITS STATUS AS A STATE AIRCRAFT DURING ANY PORTION OF THE APPROVED, DIPLOMATICALLY CLEARED ITINERARY. 1601160030-PERM END PART 2 OF 6

FDC 6/4260 ZZZ PART 3 OF 6 SECURITY...SPECIAL SECURITY INSTRUCTIONS FOR FOREIGN 4) A FOREIGN AIRCRAFT DESCRIBED IN SUBPARAGRAPH A.3 MAY OPERATE FROM OR WITHIN U.S. TERRITORIAL AIRSPACE AS A CIVIL AIRCRAFT OPERATION, ONCE IT HAS COMPLETED ITS APPROVED, DIPLOMATICALLY CLEARED ITINERARY, IF THE OPERATOR IS: A FOREIGN AIR CARRIER THAT HOLDS VALID FAA PART 129 OPERATIONS SPECIFICATIONS; AND IS IN COMPLIANCE WITH ALL OTHER REQUIREMENTS APPLIED TO FOREIGN CIVIL AIRCRAFT OPERATIONS FROM OR WITHIN U.S. TERRITORIAL AIRSPACE. 5) FOREIGN STATE AIRCRAFT OPERATIONS ARE NOT AUTHORIZED TO OR FROM RONALD REAGAN WASHINGTON NATIONAL AIRPORT (KDCA). B. STATE AIRCRAFT OPERATIONS ON BEHALF OF THE GOVERNMENTS OF CANADA AND MEXICO CONDUCTED FOR THE PURPOSES OF AIR AMBULANCE, FIRE FIGHTING, LAW ENFORCEMENT, SEARCH AND RESCUE, OR EMERGENCY EVACUATION ARE AUTHORIZED TO TRANSIT U.S. TERRITORIAL AIRSPACE WITHIN 50 NM OF THEIR RESPECTIVE BORDERS WITH THE UNITED STATES, WITH OR WITHOUT AN ACTIVE FLIGHT PLAN, PROVIDED THEY HAVE RECEIVED AND CONTINUOUSLY TRANSMIT AN ATC ASSIGNED TRANSPONDER CODE. STATE AIRCRAFT OPERATIONS ON BEHALF OF THE GOVERNMENTS OF CANADA AND MEXICO CONDUCTED UNDER THIS PARAGRAPH B OF PART I ARE NOT REQUIRED TO OBTAIN A DIPLOMATIC CLEARANCE FROM THE U.S. DEPARTMENT OF STATE. 1601160030-PERM END PART 3 OF 6

FDC 6/4260 ZZZ PART 4 OF 6 SECURITY...SPECIAL SECURITY INSTRUCTIONS FOR FOREIGN PART II. U.S. STATE DEPARTMENT DIPLOMATIC CLEARANCE AND FAA ROUTING AUTHORIZATION INFORMATION A. INFORMATION ABOUT U.S. STATE DEPARTMENT DIPLOMATIC CLEARANCES FOR FOREIGN STATE AIRCRAFT FLIGHTS OPERATING TO OR FROM, WITHIN, OR TRANSITING U.S. TERRITORIAL AIRSPACE IS AVAILABLE AT: [HTTP://WWW.STATE.GOV/T/PM/ISO/C56895.HTM](http://www.state.gov/t/pm/iso/c56895.htm) (LOWER CASE ONLY) OR BY CONTACTING THE U.S. STATE DEPARTMENT AT 202-736-7158, OR AFTER HOURS AT 202-647-9000. B. INFORMATION ABOUT FAA ROUTING AUTHORIZATIONS FOR U.S. STATE DEPARTMENT-DESIGNATED SPECIAL INTEREST COUNTRY FLIGHT OPERATIONS TO OR FROM, WITHIN, OR TRANSITING U.S. TERRITORIAL AIRSPACE IS AVAILABLE BY COUNTRY AT: [HTTP://WWW.FAA.GOV/AIR_TRAFFIC/PUBLICATIONS/US_RESTRICTIONS/](http://www.faa.gov/air_traffic/publications/us_restrictions/) OR BY CONTACTING THE FAA SYSTEM OPERATIONS SUPPORT CENTER (SOSC) AT 202-267-8115. PART III. SPECIAL EMPHASIS A. PILOTS ARE REMINDED THAT THERE ARE INCREASED SECURITY MEASURES IN PLACE AT MANY AREAS. IN ACCORDANCE WITH 14 CFR 91.103, PRIOR TO DEPARTURE, PILOTS MUST BECOME FAMILIAR WITH ALL AVAILABLE 1601160030-PERM END PART 4 OF 6

FDC 6/4260 ZZZ PART 5 OF 6 SECURITY...SPECIAL SECURITY INSTRUCTIONS FOR FOREIGN INFORMATION CONCERNING THAT FLIGHT, INCLUDING ANY TEMPORARY FLIGHT RESTRICTIONS ALONG THEIR ROUTE OF FLIGHT OR AT THEIR POINT OF DEPARTURE/ARRIVAL. B. NONCOMPLIANCE WITH THESE SPECIAL SECURITY REQUIREMENTS MAY RESULT IN DENIAL OF FLIGHT ENTRY INTO U.S. TERRITORIAL AIRSPACE OR GROUND STOP OF THE FLIGHT AT A U.S. AIRPORT. C. PILOTS OF AIRCRAFT THAT DO NOT ADHERE TO THE PROCEDURES IN THE SPECIAL SECURITY REQUIREMENTS CONTAINED IN THIS NOTAM MAY BE INTERCEPTED, AND/OR DETAINED AND INTERVIEWED BY FEDERAL, STATE, OR LOCAL LAW ENFORCEMENT OR OTHER GOVERNMENT PERSONNEL. PART IV. DEFINITIONS A. AS USED IN THIS NOTAM, THE TERM U.S. TERRITORIAL AIRSPACE MEANS THE AIRSPACE OVER THE UNITED STATES, ITS TERRITORIES, AND POSSESSIONS, AND THE AIRSPACE OVER THE TERRITORIAL SEA OF THE UNITED STATES, WHICH EXTENDS 12 NAUTICAL MILES FROM THE BASELINES OF THE UNITED STATES DETERMINED IN ACCORDANCE WITH INTERNATIONAL LAW. B. TO OR FROM MEANS ANY FLIGHT THAT: 1) ENTERS U.S. TERRITORIAL AIRSPACE AFTER DEPARTURE FROM A LOCATION OUTSIDE OF THE U.S., ITS TERRITORIES OR POSSESSIONS, FOR LANDING AT A DESTINATION IN THE 1601160030-PERM END PART 5 OF 6

FDC 6/4260 ZZZ PART 6 OF 6 SECURITY...SPECIAL SECURITY INSTRUCTIONS FOR FOREIGN U.S., ITS TERRITORIES OR POSSESSIONS; OR 2) EXITS U.S. TERRITORIAL AIRSPACE AFTER DEPARTURE FROM A LOCATION IN THE U.S., ITS TERRITORIES OR POSSESSIONS. C. TRANSIT MEANS ANY FLIGHT DEPARTING FROM A LOCATION OUTSIDE OF THE U.S., ITS TERRITORIES OR POSSESSIONS, WHICH OPERATES IN U.S. TERRITORIAL AIRSPACE ENROUTE TO A LOCATION OUTSIDE THE U.S., ITS TERRITORIES OR POSSESSIONS WITHOUT LANDING AT A DESTINATION IN THE U.S. D. WITHIN MEANS ANY FLIGHT DEPARTING FROM A LOCATION INSIDE OF THE U.S., ITS TERRITORIES OR POSSESSIONS, WHICH OPERATES TO A LOCATION INSIDE THE U.S., ITS TERRITORIES OR POSSESSIONS. E. THE U.S. STATE DEPARTMENT-DESIGNATED SPECIAL INTEREST COUNTRIES ARE CUBA, IRAN, THE DEMOCRATIC PEOPLES REPUBLIC OF KOREA (NORTH KOREA), THE PEOPLE'S REPUBLIC OF CHINA, THE RUSSIAN FEDERATION, SUDAN, AND SYRIA. 1601160030-PERM END PART 6 OF 6

FDC 6/4256 ZZZ PART 1 OF 5 SECURITY...SPECIAL SECURITY INSTRUCTIONS FOR CIVIL AIRCRAFT OPERATIONS TO OR FROM THE TERRITORIAL AIRSPACE OF THE UNITED STATES (U.S.). THE FOLLOWING SPECIAL SECURITY REQUIREMENTS FOR CIVIL AIRCRAFT OPERATIONS TO AND FROM THE U.S. ARE IN EFFECT PURSUANT TO 14 CODE OF FEDERAL REGULATIONS (CFR) 99.7, SPECIAL SECURITY INSTRUCTIONS, AND 49 USC 40103 AND 41703, IN ADDITION TO THE REQUIREMENTS PRESCRIBED IN 14 CFR PART 99 (SECURITY CONTROL OF AIR TRAFFIC). THE REQUIREMENTS IN THIS NOTAM SUPERSEDE THE REQUIREMENTS FOR CIVIL AIRCRAFT OPERATIONS TO OR FROM U.S. TERRITORIAL AIRSPACE FORMERLY PUBLISHED IN FDC NOTAM 5/5782 (A0053/15). SECURITY REQUIREMENTS FOR CIVIL AIRCRAFT OPERATIONS WITHIN OR TRANSITING U.S. TERRITORIAL AIRSPACE ARE PROVIDED IN A SEPARATE NOTAM. IN ADDITION TO THE REQUIREMENTS OF THIS NOTAM, CIVIL AIRCRAFT OPERATIONS TO OR FROM THE TERRITORIAL AIRSPACE OF THE U.S. MUST COMPLY WITH ALL OTHER APPLICABLE REGULATIONS PUBLISHED IN TITLE 14 CFR. PART I. CIVIL AIRCRAFT OPERATIONS TO OR FROM U.S. TERRITORIAL AIRSPACE A. CIVIL AIRCRAFT, EXCEPT AS DESCRIBED IN PART I, PARAGRAPH B, ARE AUTHORIZED TO OPERATE TO OR FROM THE TERRITORIAL AIRSPACE OF THE 1601160030-PERM END PART 1 OF 5

FDC 6/4256 ZZZ PART 2 OF 5 SECURITY...SPECIAL SECURITY INSTRUCTIONS FOR CIVIL U.S. IF IN COMPLIANCE WITH ALL OF THE FOLLOWING CONDITIONS: 1) FILE AND ARE ON AN ACTIVE FLIGHT PLAN (IFR,VFR, OR DVFR); 2) ARE EQUIPPED WITH AN OPERATIONAL MODE C OR S TRANSPONDER, AND CONTINUOUSLY SQUAWK AN ATC ASSIGNED TRANSPONDER CODE; 3) MAINTAIN TWO-WAY COMMUNICATIONS WITH ATC; 4) COMPLY WITH ALL APPLICABLE U.S. CUSTOMS AND BORDER PROTECTION (CBP) REQUIREMENTS, INCLUDING ADVANCE PASSENGER INFORMATION SYSTEM (APIS) REQUIREMENTS, IN 19 CFR PART 122; AND 5) ARE IN RECEIPT OF A FEDERAL AVIATION ADMINISTRATION (FAA) ROUTING AUTHORIZATION IF THE AIRCRAFT IS REGISTERED IN A U.S. STATE DEPARTMENT-DESIGNATED SPECIAL INTEREST COUNTRY OR IS OPERATING WITH THE ICAO THREE LETTER DESIGNATOR OF A COMPANY IN A COUNTRY LISTED AS A U.S. STATE DEPARTMENT-DESIGNATED SPECIAL INTEREST COUNTRY, UNLESS THE OPERATOR HOLDS VALID FAA PART 129 OPERATIONS SPECIFICATIONS. VFR AND DVFR FLIGHT OPERATIONS ARE PROHIBITED FOR ANY AIRCRAFT REQUIRING AN FAA ROUTING AUTHORIZATION. B. CIVIL AIRCRAFT REGISTERED IN THE U.S., CANADA, OR MEXICO WITH A MAXIMUM CERTIFICATED TAKEOFF GROSS WEIGHT OF 100,309 POUNDS (45,500 KGS) OR LESS THAT ARE OPERATING WITHOUT AN OPERATIONAL MODE C OR S 1601160030-PERM END PART 2 OF 5

FDC 6/4256 ZZZ PART 3 OF 5 SECURITY...SPECIAL SECURITY INSTRUCTIONS FOR CIVIL TRANSPONDER, AND/OR THE ABILITY TO MAINTAIN TWO-WAY COMMUNICATIONS WITH ATC, ARE AUTHORIZED TO OPERATE TO OR FROM U.S. TERRITORIAL AIRSPACE OVER ALASKA IF IN COMPLIANCE WITH ALL OF THE FOLLOWING CONDITIONS: 1) DEPART AND LAND AT AN AIRPORT WITHIN THE U.S. OR CANADA; 2) ENTER OR EXIT U.S. TERRITORIAL AIRSPACE OVER ALASKA NORTH OF THE FIFTY-FOURTH PARALLEL; 3) FILE AND ARE ON AN ACTIVE FLIGHT PLAN; 4) SQUAWK 1200 IF VFR AND EQUIPPED WITH A TRANSPONDER; AND 5) COMPLY WITH ALL APPLICABLE U.S. CBP REQUIREMENTS, INCLUDING APIS REQUIREMENTS, IN 19 CFR PART 122. PART II. FAA ROUTING AUTHORIZATION AND CBP APIS INFORMATION. A. INFORMATION ABOUT FAA ROUTING AUTHORIZATIONS FOR U.S. STATE DEPARTMENT-DESIGNATED SPECIAL INTEREST COUNTRY FLIGHT OPERATIONS IN U.S. TERRITORIAL AIRSPACE IS AVAILABLE BY COUNTRY AT: [HTTP://WWW.FAA.GOV/AIR_TRAFFIC/PUBLICATIONS/US_RESTRICTIONS/](http://www.faa.gov/air_traffic/publications/us_restrictions/) OR BY CONTACTING THE FAA SYSTEM OPERATIONS SUPPORT CENTER (SOSC) AT 202-267-8115. B. INFORMATION ABOUT U.S. CBP APIS REQUIREMENTS IS AVAILABLE AT 1601160030-PERM END PART 3 OF 5

FDC 6/4256 ZZZ PART 4 OF 5 SECURITY...SPECIAL SECURITY INSTRUCTIONS FOR CIVIL [HTTP://WWW.CBP.GOV](http://www.cbp.gov) PART III. SPECIAL EMPHASIS A. PILOTS ARE REMINDED THAT THERE ARE INCREASED SECURITY MEASURES IN PLACE AT MANY AREAS. IN ACCORDANCE WITH 14 CFR 91.103, PRIOR TO DEPARTURE, PILOTS MUST BECOME FAMILIAR WITH ALL AVAILABLE INFORMATION CONCERNING THAT FLIGHT, INCLUDING ANY TEMPORARY FLIGHT RESTRICTIONS ALONG THEIR ROUTE OF FLIGHT OR AT THEIR POINT OF DEPARTURE/ARRIVAL. B. NONCOMPLIANCE WITH THESE SPECIAL SECURITY REQUIREMENTS MAY RESULT IN DENIAL OF FLIGHT ENTRY INTO U.S. TERRITORIAL AIRSPACE OR GROUND STOP OF THE FLIGHT AT A U.S. AIRPORT. C. PILOTS OF AIRCRAFT THAT DO NOT ADHERE TO THE PROCEDURES IN THE SPECIAL SECURITY REQUIREMENTS CONTAINED IN THIS NOTAM MAY BE INTERCEPTED, AND/OR DETAINED AND INTERVIEWED BY FEDERAL, STATE, OR LOCAL LAW ENFORCEMENT, OR OTHER GOVERNMENT PERSONNEL. PART IV. DEFINITIONS A. AS USED IN THIS NOTAM, THE TERM U.S. TERRITORIAL AIRSPACE MEANS THE AIRSPACE OVER THE UNITED STATES, ITS TERRITORIES, AND POSSESSIONS, AND THE AIRSPACE OVER THE TERRITORIAL SEA OF THE UNITED 1601160030-PERM END PART 4 OF 5

FDC 6/4256 ZZZ PART 5 OF 5 SECURITY...SPECIAL SECURITY INSTRUCTIONS FOR CIVIL STATES, WHICH EXTENDS 12 NAUTICAL MILES FROM THE BASELINES OF THE UNITED STATES DETERMINED IN ACCORDANCE WITH INTERNATIONAL LAW. B. TO OR FROM MEANS ANY FLIGHT THAT: 1) ENTERS U.S.

TERRITORIAL AIRSPACE AFTER DEPARTURE FROM A LOCATION OUTSIDE OF THE U.S., ITS TERRITORIES OR POSSESSIONS, FOR LANDING AT A DESTINATION IN THE U.S., ITS TERRITORIES OR POSSESSIONS; OR 2) EXITS U.S. TERRITORIAL AIRSPACE AFTER DEPARTURE FROM A LOCATION IN THE U.S., ITS TERRITORIES, OR POSSESSIONS, AND LANDS AT A DESTINATION OUTSIDE THE U.S., ITS TERRITORIES OR POSSESSIONS. C. THE U.S. STATE DEPARTMENT-DESIGNATED SPECIAL INTEREST COUNTRIES ARE CUBA, IRAN, THE DEMOCRATIC PEOPLES REPUBLIC OF KOREA (NORTH KOREA), THE PEOPLE'S REPUBLIC OF CHINA, THE RUSSIAN FEDERATION, SUDAN, AND SYRIA. 1601160030-PERM END PART 5 OF 5

FDC 6/4255 ZZZ PART 1 OF 10 SECURITY...SPECIAL SECURITY INSTRUCTIONS FOR CIVIL AIRCRAFT OPERATIONS WITHIN OR TRANSITING THE TERRITORIAL AIRSPACE OF THE UNITED STATES (U.S.). THE FOLLOWING SPECIAL SECURITY REQUIREMENTS FOR CIVIL AIRCRAFT OPERATIONS WITHIN OR TRANSITING U.S. TERRITORIAL AIRSPACE ARE IN EFFECT PURSUANT TO 14 CODE OF FEDERAL REGULATIONS (CFR) 99.7, SPECIAL SECURITY INSTRUCTIONS, AND 49 USC 40103 AND 41703, IN ADDITION TO THE REQUIREMENTS PRESCRIBED IN 14 CFR PART 99, SECURITY CONTROL OF AIR TRAFFIC. THE REQUIREMENTS IN THIS NOTAM SUPERSEDE THE REQUIREMENTS FOR CIVIL AIRCRAFT OPERATIONS WITHIN OR TRANSITING U.S. TERRITORIAL AIRSPACE FORMERLY PUBLISHED IN FDC NOTAM 5/6289 (A0056/15). SECURITY REQUIREMENTS FOR CIVIL AIRCRAFT OPERATIONS TO OR FROM U.S. TERRITORIAL AIRSPACE ARE PROVIDED IN A SEPARATE NOTAM. IN ADDITION TO THE REQUIREMENTS OF THIS NOTAM, CIVIL AIRCRAFT OPERATIONS WITHIN OR TRANSITING THE TERRITORIAL AIRSPACE OF THE U.S. MUST COMPLY WITH ALL OTHER APPLICABLE REGULATIONS PUBLISHED IN TITLE 14 CFR. PART I. CIVIL AIRCRAFT OPERATIONS WITHIN U.S. TERRITORIAL AIRSPACE A. CIVIL AIRCRAFT WITH A MAXIMUM CERTIFICATED TAKEOFF GROSS WEIGHT LESS THAN OR EQUAL TO 100,309 POUNDS (45,500 KGS) ARE AUTHORIZED TO 1601160030-PERM END PART 1 OF 10

FDC 6/4255 ZZZ PART 2 OF 10 SECURITY...SPECIAL SECURITY INSTRUCTIONS FOR CIVIL OPERATE WITHIN THE TERRITORIAL AIRSPACE OF THE U.S. IN ACCORDANCE WITH ALL APPLICABLE REGULATIONS AND VFR IN AIRPORT TRAFFIC PATTERN AREAS OF UNITED STATES AIRPORTS NEAR THE UNITED STATES BORDER WITH THE EXCEPTION DESCRIBED IN PART I, PARAGRAPH B. B. CIVIL AIRCRAFT WITH A MAXIMUM CERTIFICATED TAKEOFF GROSS WEIGHT LESS THAN OR EQUAL TO 100,309 POUNDS (45,500 KGS) AND REGISTERED IN A U.S. STATE DEPARTMENT-DESIGNATED SPECIAL INTEREST COUNTRY OR OPERATING WITH THE ICAO THREE LETTER DESIGNATOR OF A COMPANY IN A COUNTRY LISTED AS A U.S. STATE DEPARTMENT-DESIGNATED SPECIAL INTEREST COUNTRY, UNLESS THE OPERATOR HOLDS VALID FEDERAL AVIATION ADMINISTRATION (FAA) PART 129 OPERATIONS SPECIFICATIONS, MUST OPERATE WITHIN THE TERRITORIAL AIRSPACE OF THE U.S. IN ACCORDANCE WITH THE SAME REQUIREMENTS AS CIVIL AIRCRAFT WITH A MAXIMUM CERTIFICATED TAKEOFF GROSS WEIGHT GREATER THAN 100,309 POUNDS (45,500 KGS), AS DESCRIBED IN PART I, PARAGRAPH C. C. CIVIL AIRCRAFT WITH A MAXIMUM CERTIFICATED TAKEOFF GROSS WEIGHT GREATER THAN 100,309 POUNDS (45,500 KGS) ARE AUTHORIZED TO OPERATE WITHIN THE TERRITORIAL AIRSPACE OF THE U.S. IF IN COMPLIANCE WITH ALL OF THE FOLLOWING CONDITIONS: 1601160030-PERM END PART 2 OF 10

FDC 6/4255 ZZZ PART 3 OF 10 SECURITY...SPECIAL SECURITY INSTRUCTIONS FOR CIVIL 1) FILE AND ARE ON AN ACTIVE FLIGHT PLAN (IFR OR VFR); 2) ARE EQUIPPED WITH AN OPERATIONAL MODE C OR S TRANSPONDER, AND CONTINUOUSLY SQUAWK AN ATC ASSIGNED TRANSPONDER CODE; 3) MAINTAIN TWO-WAY COMMUNICATIONS WITH ATC; 4) AIRCRAFT NOT REGISTERED IN THE U.S. MUST OPERATE UNDER AN APPROVED TRANSPORTATION SECURITY ADMINISTRATION (TSA) AVIATION SECURITY PROGRAM OR IN ACCORDANCE WITH AN FAA/TSA AIRSPACE WAIVER; 5) ARE IN RECEIPT OF AND ARE OPERATING IN ACCORDANCE WITH AN FAA ROUTING AUTHORIZATION AND AN FAA/TSA AIRSPACE WAIVER IF THE AIRCRAFT IS REGISTERED IN A U.S. STATE DEPARTMENT-DESIGNATED SPECIAL INTEREST COUNTRY OR IS OPERATING WITH THE ICAO THREE LETTER DESIGNATOR OF A COMPANY IN A COUNTRY LISTED AS A U.S. STATE DEPARTMENT-DESIGNATED SPECIAL INTEREST COUNTRY, UNLESS THE OPERATOR HOLDS VALID FAA PART 129 OPERATIONS SPECIFICATIONS. FAA ROUTING AUTHORIZATION FOR OPERATIONS WITHIN U.S. TERRITORIAL AIRSPACE BY AIRCRAFT DESCRIBED IN THIS SUBPARAGRAPH C.5 WILL ONLY BE GRANTED FOR IFR OPERATIONS. VFR FLIGHT OPERATIONS ARE PROHIBITED WITHIN U.S. TERRITORIAL AIRSPACE FOR ANY AIRCRAFT REQUIRING AN FAA ROUTING AUTHORIZATION; AND 6) AIRCRAFT NOT REGISTERED IN THE U.S, WHEN CONDUCTING 1601160030-PERM END PART 3 OF 10

FDC 6/4255 ZZZ PART 4 OF 10 SECURITY...SPECIAL SECURITY INSTRUCTIONS FOR CIVIL POST-MAINTENANCE, MANUFACTURER, PRODUCTION, OR ACCEPTANCE FLIGHT TEST OPERATIONS, MUST MEET ALL OF THE FOLLOWING REQUIREMENTS: A) A U.S. COMPANY MUST HAVE OPERATIONAL CONTROL OF THE AIRCRAFT; B) AN FAA-CERTIFICATED PILOT MUST SERVE AS PILOT IN COMMAND; C) ONLY CREWMEMBERS ARE PERMITTED ONBOARD THE AIRCRAFT; AND D) MAINTENANCE FLIGHT IS INCLUDED IN THE REMARKS SECTION OF THE FLIGHT PLAN. PART II. CIVIL AIRCRAFT OPERATIONS THAT TRANSIT U.S. TERRITORIAL AIRSPACE A. CIVIL AIRCRAFT, EXCEPT THOSE OPERATING IN ACCORDANCE WITH PARAGRAPHS B, C, D, OR

E OF THIS PART II, ARE AUTHORIZED TO TRANSIT THE TERRITORIAL AIRSPACE OF THE U.S. IF IN COMPLIANCE WITH ALL OF THE FOLLOWING CONDITIONS: 1) FILE AND ARE ON AN ACTIVE FLIGHT PLAN (IFR OR DVFR); 2) ARE EQUIPPED WITH AN OPERATIONAL MODE C OR S TRANSPONDER AND CONTINUOUSLY SQUAWK AN ATC ASSIGNED TRANSPONDER CODE; 3) MAINTAIN TWO-WAY COMMUNICATIONS WITH ATC; 4) ARE OPERATING UNDER AN APPROVED TSA AVIATION SECURITY PROGRAM OR ARE OPERATING WITH AND IN ACCORDANCE WITH AN FAA/TSA AIRSPACE 1601160030-PERM END PART 4 OF 10

FDC 6/4255 ZZZ PART 5 OF 10 SECURITY...SPECIAL SECURITY INSTRUCTIONS FOR CIVIL WAIVER, IF: (A) THE AIRCRAFT IS NOT REGISTERED IN THE U.S.; OR (B) THE AIRCRAFT IS REGISTERED IN THE U.S. AND ITS MAXIMUM TAKEOFF GROSS WEIGHT IS GREATER THAN 100,309 POUNDS (45,500 KGS); 5) ARE IN RECEIPT OF AND ARE OPERATING IN ACCORDANCE WITH AN FAA ROUTING AUTHORIZATION IF THE AIRCRAFT IS REGISTERED IN A U.S. STATE DEPARTMENT-DESIGNATED SPECIAL INTEREST COUNTRY OR IS OPERATING WITH THE ICAO THREE LETTER DESIGNATOR OF A COMPANY IN A COUNTRY LISTED AS A U.S. STATE DEPARTMENT-DESIGNATED SPECIAL INTEREST COUNTRY, UNLESS THE OPERATOR HOLDS VALID FAA PART 129 OPERATIONS SPECIFICATIONS. FAA ROUTING AUTHORIZATION FOR TRANSIT OF U.S. TERRITORIAL AIRSPACE BY AIRCRAFT SUBJECT TO THIS PART II, SUBPARAGRAPH A.5 WILL ONLY BE GRANTED FOR IFR OPERATIONS. DVFR AND VFR FLIGHT OPERATIONS ARE PROHIBITED FOR ANY AIRCRAFT TRANSITING U.S. TERRITORIAL AIRSPACE REQUIRING AN FAA ROUTING AUTHORIZATION. B. CIVIL AIRCRAFT REGISTERED IN CANADA OR MEXICO, AND ENGAGED IN OPERATIONS FOR THE PURPOSES OF AIR AMBULANCE, FIRE FIGHTING, LAW ENFORCEMENT, SEARCH AND RESCUE, OR EMERGENCY EVACUATION ARE AUTHORIZED TO TRANSIT U.S. TERRITORIAL AIRSPACE WITHIN 50 NM OF 1601160030-PERM END PART 5 OF 10

FDC 6/4255 ZZZ PART 6 OF 10 SECURITY...SPECIAL SECURITY INSTRUCTIONS FOR CIVIL THEIR RESPECTIVE BORDERS WITH THE U.S., WITH OR WITHOUT AN ACTIVE FLIGHT PLAN, PROVIDED THEY HAVE RECEIVED AND CONTINUOUSLY TRANSMIT AN ATC-ASSIGNED TRANSPONDER CODE. C. CIVIL AIRCRAFT REGISTERED IN CANADA, MEXICO, BAHAMAS, BERMUDA, CAYMAN ISLANDS , OR THE BRITISH VIRGIN ISLANDS WITH A MAXIMUM CERTIFICATED TAKEOFF GROSS WEIGHT OF 100,309 POUNDS (45,500 KGS) OR LESS ARE AUTHORIZED TO TRANSIT U.S. TERRITORIAL AIRSPACE IF IN COMPLIANCE WITH ALL OF THE FOLLOWING CONDITIONS: 1) FILE AND ARE ON AN ACTIVE FLIGHT PLAN (IFR, VFR, OR DVFR) THAT ENTERS U.S. TERRITORIAL AIRSPACE DIRECTLY FROM ANY OF THE COUNTRIES LISTED IN PART II, PARAGRAPH C. FLIGHTS THAT INCLUDE A STOP IN A NON-LISTED COUNTRY PRIOR TO ENTERING U.S. TERRITORIAL AIRSPACE MUST COMPLY WITH THE REQUIREMENTS PRESCRIBED BY PART II, PARAGRAPH A, INCLUDING OPERATING UNDER AN APPROVED TSA AVIATION SECURITY PROGRAM OR OPERATING WITH AND IN ACCORDANCE WITH AN FAA/TSA AIRSPACE WAIVER. 2) ARE EQUIPPED WITH AN OPERATIONAL MODE C OR S TRANSPONDER AND CONTINUOUSLY SQUAWK AN ATC ASSIGNED TRANSPONDER CODE; AND 3) MAINTAIN TWO-WAY COMMUNICATIONS WITH ATC. D. CIVIL AIRCRAFT REGISTERED IN CANADA, MEXICO, BAHAMAS, BERMUDA, 1601160030-PERM END PART 6 OF 10

FDC 6/4255 ZZZ PART 7 OF 10 SECURITY...SPECIAL SECURITY INSTRUCTIONS FOR CIVIL CAYMAN ISLANDS, OR THE BRITISH VIRGIN ISLANDS WITH A MAXIMUM CERTIFICATED TAKEOFF GROSS WEIGHT GREATER THAN 100,309 POUNDS (45,500 KGS) MUST COMPLY WITH THE REQUIREMENTS PRESCRIBED BY PART II, PARAGRAPH A, INCLUDING OPERATING UNDER AN APPROVED TSA AVIATION SECURITY PROGRAM OR OPERATING WITH AND IN ACCORDANCE WITH AN FAA/TSA AIRSPACE WAIVER. E. CIVIL AIRCRAFT REGISTERED IN THE U.S., CANADA, OR MEXICO WITH A MAXIMUM CERTIFICATED TAKEOFF GROSS WEIGHT OF 100,309 POUNDS (45,500 KGS) OR LESS THAT ARE OPERATING WITHOUT AN OPERATIONAL MODE C OR S TRANSPONDER AND/OR THE ABILITY TO MAINTAIN TWO-WAY COMMUNICATIONS WITH ATC, ARE AUTHORIZED TO TRANSIT U.S. TERRITORIAL AIRSPACE OVER ALASKA IF IN COMPLIANCE WITH ALL OF THE FOLLOWING CONDITIONS: 1) ENTER AND EXIT U.S. TERRITORIAL AIRSPACE OVER ALASKA NORTH OF THE FIFTY-FOURTH PARALLEL; 2) FILE AND ARE ON AN ACTIVE FLIGHT PLAN; AND 3) SQUAWK 1200 IF VFR AND EQUIPPED WITH A TRANSPONDER. PART III. FAA/TSA AIRSPACE WAIVER, TSA AVIATION SECURITY PROGRAM, AND FAA ROUTING AUTHORIZATION INFORMATION. A. FAA/TSA AIRSPACE WAIVERS 1601160030-PERM END PART 7 OF 10

FDC 6/4255 ZZZ PART 8 OF 10 SECURITY...SPECIAL SECURITY INSTRUCTIONS FOR CIVIL 1) OPERATORS MAY SUBMIT REQUESTS FOR FAA/TSA AIRSPACE WAIVERS AT [HTTPS://WAIVERS.FAA.GOV](https://waivers.faa.gov) BY SELECTING INTERNATIONAL AS THE WAIVER TYPE. 2) INFORMATION REGARDING FAA/TSA AIRSPACE WAIVERS CAN BE FOUND AT: [HTTP://WWW.TSA.GOV/FOR-INDUSTRY/GENERAL-AVIATION](http://www.tsa.gov/for-industry/general-aviation) OR CAN BE OBTAINED BY CONTACTING TSA AT 571-227-2071. 3) ALL EXISTING FAA/TSA WAIVERS ISSUED UNDER PREVIOUS FDC NOTAMS REMAIN VALID UNTIL THE EXPIRATION DATE SPECIFIED IN THE WAIVER, UNLESS SOONER SUPERSEDED OR RESCINDED. B. TSA AVIATION SECURITY PROGRAMS 1) CONTACTS FOR INFORMATION REGARDING TSA AVIATION SECURITY PROGRAMS FOR APPLICANTS FOR U.S. AIR OPERATOR CERTIFICATES WILL BE PROVIDED BY THE U.S. DEPARTMENT OF TRANSPORTATION DURING THE CERTIFICATION PROCESS.

2) FOR INFORMATION ABOUT APPLICABLE TSA SECURITY PROGRAMS, U.S. AIR CARRIERS AND COMMERCIAL OPERATORS MUST CONTACT THEIR TSA PRINCIPAL SECURITY SPECIALIST (PSS), AND FOREIGN AIR CARRIERS MUST CONTACT THEIR INTERNATIONAL INDUSTRY REPRESENTATIVE (IIR). C. INFORMATION ABOUT FAA ROUTING AUTHORIZATIONS FOR U.S. STATE 1601160030-PERM END PART 8 OF 10

FDC 6/4255 ZZZ PART 9 OF 10 SECURITY...SPECIAL SECURITY INSTRUCTIONS FOR CIVIL DEPARTMENT-DESIGNATED SPECIAL INTEREST COUNTRY FLIGHT OPERATIONS IN U.S. TERRITORIAL AIRSPACE IS AVAILABLE BY COUNTRY AT: [HTTP://WWW.FAA.GOV/AIR_TRAFFIC/PUBLICATIONS/US_RESTRICTIONS/](http://www.faa.gov/air_traffic/publications/us_restrictions/) OR BY CONTACTING THE FAA SYSTEM OPERATIONS SUPPORT CENTER (SOSC) AT 202-267-8115. PART IV. SPECIAL EMPHASIS A. PILOTS ARE REMINDED THAT THERE ARE INCREASED SECURITY MEASURES IN PLACE AT MANY AREAS. IN ACCORDANCE WITH 14 CFR 91.103, PRIOR TO DEPARTURE, PILOTS MUST BECOME FAMILIAR WITH ALL AVAILABLE INFORMATION CONCERNING THAT FLIGHT, INCLUDING ANY TEMPORARY FLIGHT RESTRICTIONS ALONG THEIR ROUTE OF FLIGHT OR AT THEIR POINT OF DEPARTURE/ARRIVAL. B. NONCOMPLIANCE WITH THESE SPECIAL SECURITY REQUIREMENTS MAY RESULT IN DENIAL OF FLIGHT ENTRY INTO U.S. TERRITORIAL AIRSPACE OR GROUND STOP OF THE FLIGHT AT A U.S. AIRPORT. C. PILOTS OF AIRCRAFT THAT DO NOT ADHERE TO THE PROCEDURES IN THE SPECIAL SECURITY REQUIREMENTS CONTAINED IN THIS NOTAM MAY BE INTERCEPTED, AND/OR DETAINED AND INTERVIEWED BY FEDERAL, STATE, OR LOCAL LAW ENFORCEMENT, OR OTHER GOVERNMENT PERSONNEL. 1601160030-PERM END PART 9 OF 10

FDC 6/4255 ZZZ PART 10 OF 10 SECURITY...SPECIAL SECURITY INSTRUCTIONS FOR CIVIL PART V. DEFINITIONS A. AS USED IN THIS NOTAM, THE TERM U.S. TERRITORIAL AIRSPACE MEANS THE AIRSPACE OVER THE UNITED STATES, ITS TERRITORIES, AND POSSESSIONS, AND THE AIRSPACE OVER THE TERRITORIAL SEA OF THE UNITED STATES, WHICH EXTENDS 12 NAUTICAL MILES FROM THE BASELINES OF THE UNITED STATES DETERMINED IN ACCORDANCE WITH INTERNATIONAL LAW. B. WITHIN MEANS ANY FLIGHT DEPARTING FROM A LOCATION INSIDE OF THE U.S., ITS TERRITORIES, OR POSSESSIONS, WHICH OPERATES ENROUTE TO A LOCATION INSIDE THE U.S., ITS TERRITORIES, OR POSSESSIONS. C. TRANSIT MEANS ANY FLIGHT DEPARTING FROM A LOCATION OUTSIDE OF THE U.S., ITS TERRITORIES, OR POSSESSIONS, WHICH OPERATES IN U.S. TERRITORIAL AIRSPACE ENROUTE TO A LOCATION OUTSIDE THE U.S., ITS TERRITORIES OR POSSESSIONS WITHOUT LANDING AT A DESTINATION IN THE U.S., ITS TERRITORIES, OR POSSESSIONS. D. THE U.S. STATE DEPARTMENT-DESIGNATED SPECIAL INTEREST COUNTRIES ARE CUBA, IRAN, THE DEMOCRATIC PEOPLES REPUBLIC OF KOREA (NORTH KOREA), THE PEOPLE'S REPUBLIC OF CHINA, THE RUSSIAN FEDERATION, SUDAN, AND SYRIA. 1601160030-PERM END PART 10 OF 10

FDC 4/3621 FDC PART 1 OF 3 SPECIAL SECURITY NOTICE SPORTING EVENTS. THIS NOTAM REPLACES FDC NOTAM 9/5151 TO REFLECT A TRANSPORTATION SECURITY ADMINISTRATION (TSA) WEBSITE UPDATE AND ADDITIONAL INFORMATION CONCERNING AIRSPACE WAIVERS. FLIGHT RESTRICTIONS IN THIS NOTAM COMPLY WITH STATUTORY MANDATES DETAILED IN SECTION 352 OF PUBLIC LAW 108-7 AS AMENDED BY SECTION 521 OF PUBLIC LAW 108-199. PURSUANT TO 49 USC 40103(B), THE FEDERAL AVIATION ADMINISTRATION (FAA) CLASSIFIES THE AIRSPACE DEFINED IN THIS NOTAM AS 'NATIONAL DEFENSE AIRSPACE'. ANY PERSON WHO KNOWINGLY OR WILLFULLY VIOLATES THE RULES PERTAINING TO OPERATIONS IN THIS AIRSPACE MAY BE SUBJECT TO CERTAIN CRIMINAL PENALTIES UNDER 49 USC 46307. PILOTS WHO DO NOT ADHERE TO THE FOLLOWING PROCEDURES MAY BE INTERCEPTED, DETAINED AND INTERVIEWED BY LAW ENFORCEMENT/SECURITY PERSONNEL. PURSUANT TO 14 CFR SECTION 99.7, SPECIAL SECURITY INSTRUCTIONS, COMMENCING ONE HOUR BEFORE THE SCHEDULED TIME OF THE EVENT UNTIL ONE HOUR AFTER THE END OF THE EVENT. ALL AIRCRAFT OPERATIONS; INCLUDING PARACHUTE JUMPING, UNMANNED AIRCRAFT AND REMOTE CONTROLLED AIRCRAFT, ARE PROHIBITED WITHIN A 1410271420-PERM END PART 1 OF 3

FDC 4/3621 FDC PART 2 OF 3 SPECIAL 3NMR UP TO AND INCLUDING 3000FT AGL OF ANY STADIUM HAVING A SEATING CAPACITY OF 30,000 OR MORE PEOPLE WHERE EITHER A REGULAR OR POST SEASON MAJOR LEAGUE BASEBALL, NATIONAL FOOTBALL LEAGUE, OR NCAA DIVISION ONE FOOTBALL GAME IS OCCURRING. THIS NOTAM ALSO APPLIES TO NASCAR SPRINT CUP, INDY CAR, AND CHAMP SERIES RACES EXCLUDING QUALIFYING AND PRE-RACE EVENTS. FLIGHTS CONDUCTED FOR OPERATIONAL PURPOSES OF ANY EVENT, STADIUM OR VENUE AND BROADCAST COVERAGE FOR THE BROADCAST RIGHTS HOLDER ARE AUTHORIZED WITH AN APPROVED AIRSPACE WAIVER. AN FAA AIRSPACE WAIVER DOES NOT RELIEVE OPERATORS FROM OBTAINING ALL OTHER NECESSARY AUTHORIZATIONS AND COMPLYING WITH ALL APPLICABLE FEDERAL AVIATION REGULATIONS. THE RESTRICTIONS DESCRIBED ABOVE DO NOT APPLY TO THOSE AIRCRAFT AUTHORIZED BY AND IN CONTACT WITH ATC FOR OPERATIONAL OR SAFETY OF FLIGHT PURPOSES, DEPARTMENT OF DEFENSE, LAW ENFORCEMENT, AND AIR AMBULANCE FLIGHT OPERATIONS. ALL PREVIOUSLY ISSUED WAIVERS TO FDC NOTAM 9/5151 REMAIN VALID UNTIL THE SPECIFIED END DATE

BUT NOT TO EXCEED 90 DAYS FOLLOWING THE EFFECTIVE DATE OF THIS NOTAM. INFORMATION ABOUT AIRSPACE WAIVER APPLICATIONS 1410271420-PERM END PART 2 OF 3

FDC 4/3621 FDC PART 3 OF 3 SPECIAL AND TSA SECURITY AUTHORIZATIONS CAN BE FOUND AT [HTTP://WWW.TSA.GOV/STAKEHOLDERS/AIRSPACE-WAIVERS-0](http://www.tsa.gov/stakeholders/airspace-waivers-0) OR BY CALLING TSA AT 571-227-2071. SUBMIT REQUESTS FOR FAA AIRSPACE WAIVERS AT [HTTPS://WAIVERS.FAA.GOV](https://waivers.faa.gov). 1410271420-PERM END PART 3 OF 3

FDC 2/2422 FDC PART 1 OF 2 SPECIAL ADVISORY NOTICE. A WARNING SIGNAL FOR COMMUNICATING WITH AIRCRAFT IS DEPLOYED AND IS OPERATING WITHIN THE WASHINGTON DC SPECIAL FLIGHT RULES AREA (SFRA), INCLUDING THE FLIGHT RESTRICTED ZONE (FRZ). THE SIGNAL CONSISTS OF HIGHLY FOCUSED RED AND GREEN COLORED LIGHTS IN AN ALTERNATING RED/RED/GREEN SIGNAL PATTERN. THIS SIGNAL MAY BE DIRECTED AT SPECIFIC AIRCRAFT SUSPECTED OF MAKING UNAUTHORIZED ENTRY INTO THE SFRA/FRZ AND ARE ON A HEADING OR FLIGHT PATH THAT MAY BE INTERPRETED AS A THREAT OR AT THE REQUEST OF THE FAA. THE BEAM IS NOT INJURIOUS TO THE EYES OF PILOTS/AIRCRAFTS OR PASSENGERS, REGARDLESS OF ALTITUDE OR DISTANCE FROM THE SOURCE. IF YOU ARE IN COMMUNICATION WITH AIR TRAFFIC CONTROL AND THIS SIGNAL IS DIRECTED AT YOUR AIRCRAFT, WE ADVISE YOU TO IMMEDIATELY COMMUNICATE WITH ATC THAT YOU ARE BEING ILLUMINATED BY A VISUAL WARNING SIGNAL. IF THIS SIGNAL IS DIRECTED AT YOU AND YOU ARE NOT COMMUNICATING WITH ATC, WE ADVISE YOU TO TURN TO A HEADING AWAY FROM THE CENTER OF THE FRZ/SFRA AS SOON AS POSSIBLE AND IMMEDIATELY CONTACT ATC ON AN APPROPRIATE FREQUENCY, OR IF UNSURE OF THE FREQUENCY, CONTACT ATC ON VHF GUARD 121.5 OR UHF GUARD 243.0. BE ADVISED THAT FAILURE TO FOLLOW THE RECOMMENDED PROCEDURES OUTLINED ABOVE MAY RESULT IN INTERCEPTION BY MILITARY AIRCRAFT AND/OR THE USE OF FORCE. END PART 1 OF 2

FDC 2/2422 FDC PART 2 OF 2 SPECIAL ADVISORY NOTICE. THIS NOTICE ONLY APPLIES TO VFR AIRCRAFT OPERATING WITHIN THE SFRA/FRZ, INCLUDING DOD, LAW ENFORCEMENT, AND AEROMEDICAL OPERATIONS. THIS NOTICE DOES NOT CHANGE PROCEDURES ESTABLISHED FOR REPORTING UNAUTHORIZED LASER ILLUMINATION AS PUBLISHED IN ADVISORY CIRCULAR 70-2. "THIS SIGNAL MAY BE DIRECTED AT SPECIFIC AIRCRAFT SUSPECTED OF MAKING UNAUTHORIZED ENTRY INTO THE SFRA/FRZ AND ARE ON A HEADING OR FLIGHT PATH THAT MAY BE INTERPRETED AS A THREAT OR THAT OPERATE CONTRARY TO THE OPERATING RULES FOR THE SFRA/FRZ". END PART 2 OF 2

FDC 1/1155 ZDC DC .. FLIGHT RESTRICTIONS, WASHINGTON, DC. EFFECTIVE 1101102040 UTC UNTIL FURTHER NOTICE. THIS NOTICE WILL REPLACE NOTAM 0/9463 DUE TO TECHNICAL ERROR, NO CHANGES IN RESTRICTIONS. PURSUANT TO TITLE 14 CFR SECTION 99.7, SPECIAL SECURITY INSTRUCTIONS. A. EXCEPT FOR FAA APPROVED DOD, LAW ENFORCEMENT, AND WAIVERED LIFEGUARD/AIR AMBULANCE FLIGHTS, ALL VFR AIRCRAFT OPERATIONS WITHIN 30NM OF 385134N/0770211W OR THE WASHINGTON /DCA/ VOR/DME, FROM THE SURFACE UP TO BUT NOT INCLUDING FL180, ARE RESTRICTED TO AN INDICATED AIRSPEED OF 180 KNOTS OR LESS, IF CAPABLE. IF UNABLE, THE PILOT MUST CONTACT THE APPROPRIATE ATC FACILITY AND ADVISE THEM OF THE AIRCRAFT'S OPERATIONAL LIMITATIONS. B. ALL VFR AIRCRAFT OPERATIONS WITHIN THE AIRSPACE BETWEEN 30 NMR AND 60 NMR OF 385134N/0770211W OR THE WASHINGTON /DCA/ VOR/DME, FROM THE SURFACE UP TO BUT NOT INCLUDING FL180, ARE RESTRICTED TO AN INDICATED AIRSPEED OF 230 KNOTS OR LESS, IF CAPABLE. IF UNABLE THE PILOT MUST CONTACT THE APPROPRIATE ATC FACILITY AND ADVISE THEM OF THE AIRCRAFT'S OPERATIONAL LIMITATIONS PRIOR TO ENTERING THE 60 NMR OF THE WASHINGTON /DCA/ VOR/DME.

FDC 8/2435 FDC ... SPECIAL NOTICE ... PILOTS ARE REMINDED THAT THERE ARE INCREASED SECURITY MEASURES IN PLACE FOR AIRCRAFT ENTERING DOMESTIC AIRSPACE, INCLUDING THOSE ENTERING FLORIDA COASTAL WATERS. ALL PILOTS OF VFR AIRCRAFT ARE REQUIRED TO FILE A DEFENSE VISUAL FLIGHT RULES (DVFR) FLIGHT PLAN PRIOR TO ENTRY INTO THE AIR DEFENSE IDENTIFICATION ZONE(ADIZ)IN ACCORDANCE WITH CFR 99 TITLE 14 CHAPTER 1 PART 99 SECURITY CONTROL OF AIR TRAFFIC, SECTIONS 99.1 THROUGH 99.49. THE PILOT MUST ACTIVATE THE DVFR FLIGHT PLAN WITH U.S. FLIGHT SERVICE AND SET THE AIRCRAFT TRANSPONDER TO THE ASSIGNED DISCRETE BEACON CODE PRIOR TO ENTERING THE ADIZ. FAILURE TO COMPLY WITH ALL DVFR PROCEDURES MAY RESULT IN THE AIRCRAFT BEING INTERCEPTED BY DEPARTMENT OF DEFENSE AIRCRAFT.

FDC 4/4386 FDC SPECIAL NOTICE... NATIONAL AIRSPACE SYSTEM INTERCEPT PROCEDURES. AVIATORS SHALL REVIEW THE FEDERAL AVIATION ADMINISTRATION AERONAUTICAL INFORMATION MANUAL (AIM) FOR INTERCEPTION PROCEDURES, CHAPTER 5, SECTION 6, PARAGRAPH 5-6-2. ALL AIRCRAFT OPERATING IN UNITED STATES NATIONAL AIRSPACE, IF CAPABLE, SHALL MAINTAIN A LISTENING WATCH ON VHF GUARD 121.5 OR UHF 243.0. IF AN AIRCRAFT IS INTERCEPTED BY U.S. MILITARY AIRCRAFT AND FLARES ARE DISPENSED, THE FOLLOWING PROCEDURES ARE TO BE FOLLOWED: FOLLOW THE INTERCEPT'S VISUAL

SIGNALS, CONTACT AIR TRAFFIC CONTROL IMMEDIATELY ON THE LOCAL FREQUENCY OR ON VHF GUARD 121.5 OR UHF GUARD 243.0, AND COMPLY WITH THE INSTRUCTIONS GIVEN BY THE INTERCEPTING AIRCRAFT INCLUDING VISUAL SIGNALS IF UNABLE RADIO CONTACT. BE ADVISED THAT NONCOMPLIANCE MAY RESULT IN THE USE OF FORCE.

Part 2.

REVISIONS TO MINIMUM ENROUTE

IFR ALTITUDES & CHANGEOVER POINTS



[4910-13]

DEPARTMENT OF TRANSPORTATION

Federal Aviation Administration

14 CFR Part 95

[Docket No. 31129; Amdt. No. 532]

IFR Altitudes; Miscellaneous Amendments

AGENCY: Federal Aviation Administration (FAA), DOT.

ACTION: Final rule

SUMMARY: This amendment adopts miscellaneous amendments to the required IFR (instrument flight rules) altitudes and changeover points for certain Federal airways, jet routes, or direct routes for which a minimum or maximum en route authorized IFR altitude is prescribed. This regulatory action is needed because of changes occurring in the National Airspace System. These changes are designed to provide for the safe and efficient use of the navigable airspace under instrument conditions in the affected areas.

EFFECTIVE DATE: 0901 UTC, April 27, 2017.

FOR FURTHER INFORMATION CONTACT: Thomas J Nichols, Flight Procedure Standards Branch (AMCAFS-420), Flight Technologies and Programs Division, Flight Standards Service, Federal Aviation Administration, Mike Monroney Aeronautical Center, 6500 South MacArthur Blvd. Oklahoma City, OK. 73169 (Mail Address: P.O. Box 25082 Oklahoma City, OK. 73125) telephone: (405) 954-4164.

SUPPLEMENTARY INFORMATION: This amendment to part 95 of the Federal Aviation Regulations (14 CFR part 95) amends, suspends, or revokes IFR altitudes governing the operation of all aircraft in flight over a specified route or any portion of that route, as well as the changeover points (COPs) for Federal airways, jet routes, or direct routes as prescribed in part 95.


THE RULE

The specified IFR altitudes, when used in conjunction with the prescribed changeover points for those routes, ensure navigation aid coverage that is adequate for safe flight operations and free of frequency interference. The reasons and circumstances that create the need for this amendment involve matters of flight safety and operational efficiency in the National Airspace System, are related to published aeronautical charts that are essential to the user, and provide for the safe and efficient use of the navigable airspace. In addition, those various reasons or circumstances require making this amendment effective before the next scheduled charting and publication date of the flight information to assure its timely availability to the user. The effective date of this amendment reflects those considerations. In view of the close and immediate relationship between these regulatory changes and safety in air commerce, I find that notice and public procedure before adopting this amendment are impracticable and contrary to the public interest and that good cause exists for making the amendment effective in less than 30 days.

CONCLUSION

The FAA has determined that this regulation only involves an established body of technical regulations for which frequent and routine amendments are necessary to keep them operationally current. It, therefore--(1) is not a "significant regulatory action" under Executive Order 12866; (2) is not a "significant rule" under DOT Regulatory Policies and Procedures (44 FR 11034; February 26, 1979); and (3) does not warrant preparation of a regulatory evaluation as the anticipated impact is so minimal. For the same reason, the FAA certifies that this amendment will not have a significant economic impact on a substantial number of small entities under the criteria of the Regulatory Flexibility Act.

List of Subjects in 14 CFR Part 95 Airspace, Navigation (air). Issued in Washington, D.C. on March 24, 2017

A handwritten signature in blue ink, reading "John Duncan", with a stylized flourish extending to the right.

John Duncan
Director, Flight Standards Service

ADOPTION OF THE AMENDMENT

Accordingly, pursuant to the authority delegated to me by the Administrator, part 95 of the Federal Aviation Regulations (14 CFR part 95) is amended as follows effective at 0901 UTC, April 27, 2017.

1. The authority citation for part 95 continues to read as follows:

Authority: 49 U.S.C. 106(g), 40103, 40106, 40113, 40114, 40120, 44502, 44514, 44719, 44721.

2. Part 95 is amended to read as follows:

**REVISIONS TO IFR ALTITUDES & CHANGEOVER POINT
AMENDMENT 532
EFFECTIVE DATE April 27, 2017**

§95.6001 VICTOR ROUTES-U.S

FROM	TO	MEA
IS AMENDED TO READ IN PART		
PANHANDLE, TX VORTAC	MITBEE, OK VORTAC	5500

FROM	TO	MEA
IS AMENDED TO READ IN PART		
HOBART, OK VORTAC	CARFF, OK FIX	3700
CARFF, OK FIX	*DATTA, OK FIX	3000
*3500 - MRA		
*DATTA, OK FIX	WILL ROGERS, OK VORTAC	3000
*3500 - MRA		

FROM	TO	MEA
IS AMENDED TO READ IN PART		
CAMAR, OK FIX	MITBEE, OK VORTAC	
	W BND	4300
	E BND	4900

FROM	TO	MEA
IS AMENDED TO READ IN PART		
FORT WAYNE, IN VORTAC	*ILLIE, OH FIX	**5000
*16000 - MCA ILLIE, OH FIX , NE BND		
**2300 - MOCA		
ILLIE, OH FIX	*ANNTS, OH FIX	**16000
*16000 - MCA ANNTS, OH FIX , SW BND		
**2100 - MOCA		
ANNTS, OH FIX	DETROIT, MI VOR/DME	*3000
*2100 - MOCA		

§95.6140 VOR FEDERAL AIRWAY V140

FROM	TO	MEA
IS AMENDED BY ADDING		
PANHANDLE, TX VORTAC	BURNS FLAT, OK VORTAC	5300
BURNS FLAT, OK VORTAC	*HISLA, OK FIX	3600
*4000 - MRA		
*HISLA, OK FIX	KINGFISHER, OK VORTAC	**3600
*4000 - MRA		
**3000 - MOCA		
IS AMENDED TO DELETE		
PANHANDLE, TX VORTAC	ZESUS, TX FIX	5800
*3000 - MOCA		
ZESUS, TX FIX	SAYRE, OK VORTAC	
	E BND	*5000
	W BND	*5800
SAYRE, OK VORTAC	ODINS, OK FIX	4000
ODINS, OK FIX	KINGFISHER, OK VORTAC	*3500
*3100 - MOCA		

§95.6272 VOR FEDERAL AIRWAY V272

FROM	TO	MEA
IS AMENDED TO READ IN PART		
BORGER, TX VORTAC	BRISC, TX FIX	5000
IS AMENDED BY ADDING		
BRISC, TX FIX	BURNS FLAT, OK VORTAC	*5000
*4500 - MOCA		
BURNS FLAT, OK VORTAC	WILL ROGERS, OK VORTAC	4500
IS AMENDED TO DELETE		
BRISC, TX FIX	SAYRE, OK VORTAC	*5500
*4500 - MOCA		
SAYRE, OK VORTAC	SERTS, OK FIX	3900
SERTS, OK FIX	LIONS, OK FIX	*4500
*3100 - MOCA		
*3700 - GNSS MEA		
LIONS, OK FIX	WILL ROGERS, OK VORTAC	3300

§95.6280 VOR FEDERAL AIRWAY V280

FROM	TO	MEA
IS AMENDED TO READ IN PART		
PANHANDLE, TX VORTAC	MITBEE, OK VORTAC	5500

§95.6440 VOR FEDERAL AIRWAY V440


FROM	TO	MEA
IS AMENDED BY ADDING		
BRISC, TX FIX *4500 - MOCA	BURNS FLAT, OK VORTAC	*5000
BURNS FLAT, OK VORTAC	CARFF, OK FIX	3600
IS AMENDED TO DELETE		
BRISC, TX FIX *4500 - MOCA	SAYRE, OK VORTAC	*5500
SAYRE, OK VORTAC	CARFF, OK FIX	4000

§95.8003 VOR FEDERAL AIRWAY CHANGEOVER POINT

AIRWAY SEGMENT		CHANGEOVER POINTS	
FROM	TO	DISTANCE	FROM
V140			
IS AMENDED TO MODIFY CHANGEOVER POINT			
PANHANDLE, TX VORTAC	BURNS FLAT, OK VORTAC	56	PANHANDLE
V272			
IS AMENDED TO ADD CHANGEOVER POINT			
BORGER, TX VORTAC	BURNS FLAT, OK VORTAC	51	BORGER
IS AMENDED TO DELETE CHANGEOVER POINT			
SAYRE, OK VORTAC	WILL ROGERS, OK VORTAC	40	SAYRE

Part 3

INTERNATIONAL NOTICES TO AIRMEN



GENERAL

This section features significant international notices to airmen (NOTAM) information and special notices. These may affect a pilot's decision to enter or use areas of foreign or international airspace. This publication complements and expands data carried in the International Flight Information Manual (IFIM) which is available at http://www.faa.gov/air_traffic/publications/ifim/ on the internet.

Pilots should review the foreign airspace and entry restrictions published in the IFIM during the flight planning process. Foreign airspace penetration without official authorization can involve extreme danger to the aircraft and the imposition of severe penalties and inconvenience on both passengers and crew. A flight plan on file with ATC authorities does not necessarily constitute the prior permission required by certain authorities. The possibility of fatal consequences cannot be ignored in some areas of the world.

The information contained in the International Notices to Airmen section is derived from international notices and other official sources. International notices are of two types: Class One International Notices are those NOTAMs issued via telecommunications. They are made available to the U.S. flying public by the International NOTAM Office (Washington, DC) through the local Flight Service Station (FSS). Class Two International Notices are NOTAMs issued via postal services and are not readily available to the U.S. flying public. The International Notices to Airmen draws from both these sources and also includes information about temporary hazardous conditions which are not otherwise readily available to the flyer. Before any international flight, always update the International Notices to Airmen with a review of Class One International Notices available at your closest FSS.

Foreign notices carried in this publication are carried as issued to the maximum extent possible. Most abbreviations used in this publication are listed in ICAO Document DOC 8400. Wherever possible, the source of the information is included at the end of an entry. This allows the user to confirm the currency of the information with the originator. (See the IFIM for foreign NOTAM areas of responsibility and for a listing of foreign NOTAM offices which exchange information with the U.S. International NOTAM Office.)

International Information Source Code Table

<i>Code</i>	<i>Information Source</i>
I or II (followed by the NOTAM number)	Class One or Class Two NOTAMs
AIP	Aeronautical Information Publication (followed by the AIP change number)
AIC	Aeronautical Information Circular (followed by the AIC number)
DOS	Department of State advisories
FAA	Federal Aviation Administration.

The International Notices to Airmen section gives world wide coverage in each issue. Coverage for the U.S. and its external territories is limited and normally will not include data available on the domestic NOTAM circuit or published in other official sources available to the user.

Each issue of this section is complete in itself. Temporary data will be repeated in each issue until the condition ceases to exist. Permanent data will be carried until it is sufficiently published or is available in other permanent sources. New items will be indicated by a black bar running in the left or right margin.

This section includes data issued by foreign governments. The publication of this data in no way constitutes legal recognition of the validity of the data. This publication does not presume to tabulate all NOTAM data, although every effort is made to publish all pertinent data. The Federal Aviation Administration does not assume liability for failure to publish, or the accuracy of, any particular item.

INTERNATIONAL NOTICES TO AIRMEN

SECTION 1

Flight Prohibitions, Potentially Hostile Situations, and Foreign Notices

Introduction: This part contains FAA-issued flight prohibitions for countries and territories outside the United States, advisory notices on potentially hostile situations abroad, and notices issued by foreign governments and civil aviation authorities.

For more information on flight prohibitions and potentially hostile situations, please check the International Flight Information Manual, U.S. Prohibitions, Restrictions and Notices, available on the FAA Web site at http://www.faa.gov/air_traffic/publications/ifim/us_restrictions

All operators also should check the latest U.S. Department of State Travel Warnings and Public Announcements at <http://travel.state.gov>, and can obtain additional information by contacting the appropriate foreign government authorities.

BAHAMAS, THE

Communication Procedures for Aircraft Operations Within the Nassau and Grand Bahama Terminal Control Areas (TMAS')

Effective immediately, all aircraft operating or about to operate (IFR, VFR, including military unless specifically exempted, etc.) within the Nassau and Grand Bahama 'TMAS' and within a 50 nautical mile radius of Nassau and Freeport Int'l airports SHALL report, as a minimum, to the respective Approach Control Unit as follows:

- a. Their identification.
- b. Aircraft type.
- c. Position.
- d. Direction of flight.
- e. Cruising level.

These reports shall enable the respective approach control unit to provide a more effective advisory service to possible conflicting flights, controlled and uncontrolled within the 'TMAS'.

Pilots shall contact the appropriate approach control unit as follows:

- a. "Nassau Approach" on frequency 121.0 MHz.
- b. "Freeport Approach" on frequency 126.5 MHz.

(Bahamas AIC 2/20/2010)

COMMONWEALTH OF INDEPENDENT STATES (CIS)

Special Notice: Provideniya Bay Airport, CIS.

In accordance with Federal Aviation Administration (FAA) Order 8260.31B, The Alaska Region is modifying the arrival and departure minimums for Provideniya Bay Airport, CIS.

Provideniya Bay PAR+2 NDB RWY 01 Visual RWY 19:

Approach visibility minimums are 9 km (9000 meters) IFR or VFR.

Departure minimums IFR or VFR:

RWY 01 ceiling 750 meters, visibility 5 km (5000 meters)

RWY 19 ceiling 300 meters, visibility 1.5 km (1500 meters)

NOTE-

NDB minimums apply when using PAR (VIS 9 KM/9000 METERS).

(FAA/AAL-200 2/22/2010)

CHINA

Federal Aviation Administration (FAA) Flight Routing Authorization Requirements in United States Territorial Airspace

All aircraft with China registrations beginning with B; aircraft using the ICAO designator of a China company; or aircraft used for China diplomatic flights require FAA routing authorization for flights in United States Territorial Airspace, unless the aircraft is registered in Hong Kong, Macau, or Taiwan, or the aircraft is operated by a company with FAA Part 129 operations specifications.

Only IFR flights are eligible for FAA routing authorization. See current FAA KFDC NOTAMS for other requirements and information regarding Aircraft that Operate To or From or Within or Transit Territorial Airspace of the United States (US).

FAA routing authorization is in addition to any US State Department (DOS) diplomatic clearance or US Transportation Security Administration (TSA) waiver. To obtain FAA routing authorization, contact the FAA System Operations Support Center at 9-ATOR-HQ-RT-REQ@faa.gov or FAX 202-267-5289 (Attention FAA SOSOC), or call 202-267-8115.

Provide the following information:

1. Name and address of company or individual. Include a phone number (in case there are questions concerning your request) and a return E-Mail address. Aircraft Information: Callsign (including ICAO designator if assigned)/type/registration number.
2. General Route Itinerary: Date range. City (ICAO Location Identifier)- City (ICAO Location Identifier)- City (ICAO Location Identifier), etc.
3. Specific route information for each leg of the flight: Callsign, departure point, date/time (UTC), route, destination, date/time (UTC).
4. Purpose: Cargo, Passenger, Diplomatic, etc. for each leg of flight.

(FAA/AJR-2 System Operations Security 6/27/2013)

CUBA

Federal Aviation Administration (FAA) Flight Routing Authorization Requirements in United States Territorial Airspace

All aircraft with Cuba registration beginning with CU; aircraft using the ICAO designator of a Cuba company; or aircraft used for Cuba diplomatic flights require FAA routing authorization for flights in United States Territorial Airspace.

Only IFR flights are eligible for FAA routing authorization. See current FAA KFDC NOTAMS for other requirements and information regarding Aircraft that Operate To or From or Within or Transit Territorial Airspace of the United States (US).

FAA routing authorization is in addition to any US State Department (DOS) diplomatic clearance or US Transportation Security Administration (TSA) waiver. To obtain FAA routing authorization, contact the FAA System Operations Support Center at 9-ATOR-HQ-RT-REQ@faa.gov or FAX 202-267-5289 (Attention FAA SOSOC), or call 202-267-8115.

Provide the following information:

1. Name and address of company or individual. Include a phone number (in case there are questions concerning your request) and a return E-Mail address. Aircraft Information: Callsign (including ICAO designator if assigned)/type/registration number.

2. General Route Itinerary: Date range. City (ICAO Location Identifier)- City (ICAO Location Identifier)- City (ICAO Location Identifier), etc.
3. Specific route information for each leg of the flight: Callsign, departure point, date/time (UTC), route, destination, date/time (UTC).
4. Purpose: Cargo, Passenger, Diplomatic, etc. for each leg of flight.

(FAA/AJR-2 System Operations Security 6/27/2013)

EUROPE

EUROCONTROL Integrated Initial Flight Plan Processing System (IFPS).

All aircraft flying into, departing from, or transiting Europe within the General Air Traffic (GAT) Civil system must file an International Civil Aviation Organization (ICAO) flight plan with the Integrated Initial Flight Plan Processing System (IFPS) managed by the EUROCONTROL Central Flow Management Unit (CFMU). This system is the sole source for the distribution of the IFR/GAT portions of flight plan information to Air Traffic Control (ATC) within participating European Countries collectively known as the IFPS Zone (IFPZ). Flight plans and associated messages for all IFR flights, including the IFR portions of mixed IFR/VFR flights, entering, over flying or departing the IFPZ, shall be addressed only to the two IFPS addresses for that portion of the flight within the IFPZ. The IFPS addresses to be included in flight plans and associated messages submitted by operators that intend to fly into or through the IFPZ are as follows:

Network	IFPS Unit Addresses	
IFPU1		
Haren, Belgium	AFTN	EUCHZMFP
SITA BRUEP7X		
IFPU2		
Brétigny, France	AFTN	EUCBZMFP
SITA PAREP7X		

IFPS will ensure distribution of the accepted flight plan to all relevant ATS units within their area of responsibility. Flight plan message originators filing to IFPS are responsible for ensuring that the flight plan and any modifications made thereto are addressed to all the relevant ATS units outside the IFPZ. In order to ensure consistency between the flight plan data distributed within the IFPZ and that distributed outside the IFPZ, the EUROCONTROL CFMU has established a “re-addressing function”. The “re-addressing function” is intended primarily for flights originating within the IFPZ and proceeding outside the IFPZ.

Note.— Detailed procedures and information applicable to flight plan addressing and distribution are contained in the EUROCONTROL “Basic CFMU Handbook”.

Additional information may be obtained from Aeronautical Information Publications (AIP) and/or Aeronautical Information Circulars (AIC) issued by individual countries, through commercial flight planners, or by contacting EUROCONTROL, rue de la Fusee, 96, B-1130, Brussels, Belgium. Telephone: 32-2- 745-1950, FAX: 32-2- 729-9041 and on the EUROCONTROL Web site: www.eurocontrol.int.

NOTE-IFPS Zone Countries – Albania, Armenia, Austria, Belgium, Bosnia and Herzegovina, Bulgaria, Croatia, Cyprus, Czech Republic, Denmark, Estonia, Finland, France, Germany, Greece, Hungary, Ireland, Italy, Lithuania, Luxembourg, Former Yugoslav Republic of Macedonia, Malta, Monaco, Morocco, Netherlands, Norway, Poland, Portugal, Republic of Moldova, Romania, Slovak Republic, Slovenia, Spain, Sweden, Switzerland, Turkey, Ukraine, United Kingdom, Serbia and Montenegro.

(AEU-500 6/7/2010)

IRAN (ISLAMIC REPUBLIC OF)

Federal Aviation Administration (FAA) Flight Routing Authorization Requirements in United States Territorial Airspace

All aircraft with Iran registrations beginning with EP; aircraft using the ICAO designator of an Iran company; or aircraft used for Iran diplomatic flights require FAA routing authorization for flights in United States Territorial Airspace.

Only IFR flights are eligible for FAA routing authorization. See current FAA KFDC NOTAMS for other requirements and information regarding Aircraft that Operate To or From or Within or Transit Territorial Airspace of the United States (US).

FAA routing authorization is in addition to any US State Department (DOS) diplomatic clearance or US Transportation Security Administration (TSA) waiver. To obtain FAA routing authorization, contact the FAA System Operations Support Center at 9-ATOR-HQ-RT-REQ@faa.gov or FAX 202-267-5289 (Attention FAA SOSOC), or call 202-267-8115.

Provide the following information:

1. Name and address of company or individual. Include a phone number (in case there are questions concerning your request) and a return E-Mail address. Aircraft Information: Callsign (including ICAO designator if assigned)/type/registration number.
2. General Route Itinerary: Date range. City (ICAO Location Identifier)- City (ICAO Location Identifier)- City (ICAO Location Identifier), etc.
3. Specific route information for each leg of the flight: Callsign, departure point, date/time (UTC), route, destination, date/time (UTC).
4. Purpose: Cargo, Passenger, Diplomatic, etc. for each leg of flight.
(FAA/AJR-2 System Operations Security 6/27/2013)

IRAQ

Special Federal Aviation Regulation No. 77 – Prohibition Against Certain Flights Within the Territory and Airspace of Iraq.

1. **Applicability.** This rule applies to the following persons:
 - (a) All U.S. air carriers or commercial operators;
 - (b) All persons exercising the privileges of an airman certificate issued by the FAA except such persons operating U.S.-registered aircraft for a foreign air carrier; or
 - (c) All operators of aircraft registered in the United States except where the operator of such aircraft is a foreign air carrier.
2. **Flight prohibition.** No person may conduct flight operations over or within the territory of Iraq except as provided in paragraphs 3 and 4 of this SFAR or except as follows:
 - (a) Overflights of Iraq may be conducted above flight level (FL) 200 subject to the approval of, and in accordance with the conditions established by, the appropriate authorities of Iraq.
 - (b) Flights departing from countries adjacent to Iraq whose climb performance will not permit operation above FL 200 prior to entering Iraqi airspace may operate at altitudes below FL 200 within Iraq to the extent necessary to permit a climb above FL 200, subject to the approval of, and in accordance with the conditions established by, the appropriate authorities of Iraq.

(c) [Reserved]

3. Permitted operations. This SFAR does not prohibit persons described in paragraph 1 from conducting flight operations within the territory and airspace of Iraq where such operations are authorized either by another agency of the United States Government with the approval of the FAA or by an exemption issued by the Administrator.

4. Emergency situations. In an emergency that requires immediate decision and action for the safety of the flight, the pilot in command of an aircraft may deviate from this SFAR to the extent required by that emergency. Except for U.S. air carriers or commercial operators that are subject to the requirements of 14 CFR parts 119, 121, or 135, each person who deviates from this rule shall, within ten (10) days of the deviation, excluding Saturdays, Sundays, and Federal holidays, submit to the nearest FAA Flight Standards District Office a complete report of the operations of the aircraft involved in the deviation, including a description of the deviation and the reasons therefore.

5. Expiration. This Special Federal Aviation Regulation will remain in effect until further notice.
(FAA/AIA-100 11/19/03)

KOREA (NORTH), DEMOCRATIC REPUBLIC OF

FDC 8/1167

Special Federal Aviation Regulation (SFAR) No. 79 – Prohibition Against Certain Flights Within the Flight Information Region of the Democratic People’s Republic of Korea.

a. Applicability. This rule applies to the following persons:

1. All U.S. air carriers or commercial operators.
2. All persons exercising the privileges of an airman certificate issued by the FAA, except such persons operating U.S.-registered aircraft for a foreign air carrier.
3. All operators of aircraft registered in the United States except where the operator of such aircraft is a foreign air carrier.

b. Flight prohibition. Except as provided in paragraphs c and d of this SFAR, no person described in paragraph a may conduct flight through the Pyongyang FIR west of 132 degrees east longitude.

c. Permitted operations. This SFAR does not prohibit persons described in paragraph a from conducting flight operations within the Pyongyang FIR west of 132 degrees east longitude where such operations are authorized either by exemption issued by the Administrator or by another agency of the United States Government with FAA approval.

d. Emergency situations. In an emergency that requires immediate decision and action for the safety of the flight, the pilot in command of an aircraft may deviate from this SFAR to the extent required by that emergency. Except for U.S. air carriers and commercial operators that are subject to the requirements of 14 CFR parts 121, 125, or 135, each person who deviates from this rule shall, within ten (10) days of the deviation, excluding Saturdays, Sundays, and Federal holidays, submit to the nearest FAA Flight Standards District Office a complete report of the operations of the aircraft involved in the deviation, including a description of the deviation and the reasons therefore.

e. Expiration. This Special Federal Aviation Regulation No. 79 will remain in effect until further notice.

(FAA/AJR-2 System Operations Security 6/8/2010)

KOREA (NORTH), DEMOCRATIC REPUBLIC OF**FDC 9/8281**

The North Korean government stated on March 5, 2009 that it cannot guarantee the security of South Korean civil aircraft operating in the territory and airspace of North Korea or in airspace above the East Sea of Korea (Sea of Japan).

The exact nature of the potential danger, the extent to which it may pose a hazard to non-South Korean civil aircraft operations, and the exact area within which a potential hazard may exist are not clear.

All operators operating in the aforementioned area are urged to exercise caution. Additionally, U.S. operators are reminded of the provisions of Special Federal Aviation Regulation 79.

(FAA/AJR-2 System Operations Security 6/8/2010)

DEMOCRATIC PEOPLE'S REPUBLIC OF NORTH KOREA (DPRK)**Federal Aviation Administration (FAA) Flight Routing Authorization Requirements in United States Territorial Airspace**

All aircraft with DPRK registrations beginning with P; aircraft using the ICAO designator of a DPRK company; or aircraft used for DPRK diplomatic flights require FAA routing authorization for flights in United States Territorial Airspace.

Only IFR flights are eligible for FAA routing authorization. See current FAA KFDC NOTAMS for other requirements and information regarding Aircraft that Operate To or From or Within or Transit Territorial Airspace of the United States (US).

FAA routing authorization is in addition to any US State Department (DOS) diplomatic clearance or US Transportation Security Administration (TSA) waiver. To obtain FAA routing authorization, contact the FAA System Operations Support Center at 9-ATOR-HQ-RT-REQ@faa.gov or FAX 202-267-5289 (Attention FAA SOSC), or call 202-267-8115.

Provide the following information:

1. Name and address of company or individual. Include a phone number (in case there are questions concerning your request) and a return E-Mail address. Aircraft Information: Callsign (including ICAO designator if assigned)/type/registration number.
2. General Route Itinerary: Date range. City (ICAO Location Identifier)- City (ICAO Location Identifier)- City (ICAO Location Identifier), etc.
3. Specific route information for each leg of the flight: Callsign, departure point, date/time (UTC), route, destination, date/time (UTC).
4. Purpose: Cargo, Passenger, Diplomatic, etc. for each leg of flight.

(FAA/AJR-2 System Operations Security 6/27/2013)

RUSSIA FEDERATION**Federal Aviation Administration (FAA) Flight Routing Authorization Requirements in United States Territorial Airspace**

All aircraft with Russian Federation registrations beginning with RA; aircraft using the ICAO designator of a Russian Federation company; or aircraft used for Russian Federation diplomatic flights require FAA

routing authorization for flights in United States Territorial Airspace, unless the aircraft is operated by a company with FAA Part 129 operations specifications.

Only IFR flights are eligible for FAA routing authorization. See current FAA KFDC NOTAMS for other requirements and information regarding Aircraft that Operate To or From or Within or Transit Territorial Airspace of the United States (US).

FAA routing authorization is in addition to any US State Department (DOS) diplomatic clearance or US Transportation Security Administration (TSA) waiver. To obtain FAA routing authorization, contact the FAA System Operations Support Center at 9-ATOR-HQ-RT-REQ@faa.gov or FAX 202-267-5289 (Attention FAA SOSOC), or call 202-267-8115.

Provide the following information:

1. Name and address of company or individual. Include a phone number (in case there are questions concerning your request) and a return E-Mail address. Aircraft Information: Callsign (including ICAO designator if assigned)/type/registration number.
2. General Route Itinerary: Date range. City (ICAO Location Identifier)- City (ICAO Location Identifier)- City (ICAO Location Identifier), etc.
3. Specific route information for each leg of the flight: Callsign, departure point, date/time (UTC), route, destination, date/time (UTC).
4. Purpose: Cargo, Passenger, Diplomatic, etc. for each leg of flight.

(FAA/AJR-2 System Operations Security 6/27/2013)

SUDAN

Federal Aviation Administration (FAA) Flight Routing Authorization Requirements in United States Territorial Airspace

All aircraft with Sudan registrations beginning with ST; aircraft using the ICAO designator of a Sudan company; or aircraft used for Sudan diplomatic flights require FAA routing authorization for flights in United States Territorial Airspace.

Only IFR flights are eligible for FAA routing authorization. See current FAA KFDC NOTAMS for other requirements and information regarding Aircraft that Operate To or From or Within or Transit Territorial Airspace of the United States (US).

FAA routing authorization is in addition to any US State Department (DOS) diplomatic clearance or US Transportation Security Administration (TSA) waiver. To obtain FAA routing authorization, contact the FAA System Operations Support Center at 9-ATOR-HQ-RT-REQ@faa.gov or FAX 202-267-5289 (Attention FAA SOSOC), or call 202-267-8115.

Provide the following information:

1. Name and address of company or individual. Include a phone number (in case there are questions concerning your request) and a return E-Mail address. Aircraft Information: Callsign (including ICAO designator if assigned)/type/registration number.
2. General Route Itinerary: Date range. City (ICAO Location Identifier)- City (ICAO Location Identifier)- City (ICAO Location Identifier), etc.
3. Specific route information for each leg of the flight: Callsign, departure point, date/time (UTC), route, destination, date/time (UTC).
4. Purpose: Cargo, Passenger, Diplomatic, etc. for each leg of flight.

(FAA/AJR-2 System Operations Security 6/27/2013)

SYRIAN ARAB REPUBLIC**Federal Aviation Administration (FAA) Flight Routing Authorization Requirements in United States Territorial Airspace**

All aircraft with Syrian Arab Republic registrations beginning with YK; aircraft using the ICAO designator of a Syrian Arab Republic company; or aircraft used for Syrian Arab Republic diplomatic flights require FAA routing authorization for flights in United States Territorial Airspace.

Only IFR flights are eligible for FAA routing authorization. See current FAA KFDC NOTAMS for other requirements and information regarding Aircraft that Operate To or From or Within or Transit Territorial Airspace of the United States (US).

FAA routing authorization is in addition to any US State Department (DOS) diplomatic clearance or US Transportation Security Administration (TSA) waiver. To obtain FAA routing authorization, contact the FAA System Operations Support Center at 9-ATOR-HQ-RT-REQ@faa.gov or FAX 202-267-5289 (Attention FAA SOSOC), or call 202-267-8115.

Provide the following information:

1. Name and address of company or individual. Include a phone number (in case there are questions concerning your request) and a return E-Mail address. Aircraft Information: Callsign (including ICAO designator if assigned)/type/registration number.
2. General Route Itinerary: Date range. City (ICAO Location Identifier)- City (ICAO Location Identifier)- City (ICAO Location Identifier), etc.
3. Specific route information for each leg of the flight: Callsign, departure point, date/time (UTC), route, destination, date/time (UTC).
4. Purpose: Cargo, Passenger, Diplomatic, etc. for each leg of flight.

(FAA/AJR-2 System Operations Security 6/27/2013)

SECTION 2

INTERNATIONAL OCEANIC AIRSPACE NOTICES

INTRODUCTION

The following information contains the most current notices involving airspace matters pertaining to U.S. internationally delegated airspace. The information provided is divided into two sections: General and Region Specific.

Failure To Comply With ATC Clearances In Oceanic Airspace

The FAA has identified a number of events that have occurred in recent months in oceanic operations. During these events pilots either did not comply with an ATC clearance or did not adhere to Weather Deviation Procedures published in ICAO Document 4444 (Procedures For Air Navigation Services, Air Traffic Management). The following are examples of events observed:

1. Failure to comply with Conditional Clearances. The pilot did not comply with the provisions of a conditional clearance. The pilot was cleared to climb to a new flight level at a specified time but instead climbed when the clearance was received.
2. Failure to Request Revised Clearance. The pilot did not obtain an ATC clearance prior to changing flight level.
3. Non-adherence To Weather Deviation Procedures. The pilot did not contact ATC to request a revised clearance to avoid convective weather or to inform ATC of the pilot's intention to maneuver under the provisions of the ICAO Doc 4444 Weather Deviation Procedures.
4. Non-compliance With Revised Clearance. After receiving a revised route clearance, the pilot failed to re-program navigation computers with the revised route of flight. In another event, the pilot failed to clearly understand the revised clearance and did not comply with it.

Failure to comply with ATC clearances is a major cause of risk in oceanic airspace. Requirements to comply with ATC clearances are published in paragraph 3.6.2 (Adherence to flight plan) of ICAO Annex 2 (Rules of the Air) and 14 CFR (Code Of Federal Regulations), Part 91, Section 91.123 (Compliance with ATC clearances and instructions).

Operators must stress in pilot training and operations manuals the necessity to:

1. Comply fully with an ATC clearance.
2. Obtain a revised clearance prior to deviating from cleared track or flight level or, if unable to obtain a clearance prior to deviating, follow the appropriate deviation procedure for oceanic airspace (weather deviation or in-flight contingency).
3. Adhere to the provisions of published Weather Deviation Procedures.

Questions on this Notice may be directed to one of the following:

Madison Walton (FAA Flight Standards Performance Based Flight Systems Branch),
Phone (1) 202-267-8850; E-mail: Madison.Walton@faa.gov

Kevin Kelley (FAA Flight Standards Performance Based Flight Systems Branch).
Phone (1) 202-863-8854; E-mail: Kevin.C.Kelley@faa.gov

(Performance Based Flight Systems Branch, AFS-470, 3/11/10)

GENERAL

**Re-designation of North Atlantic Minimum Navigation
Performance Specification Airspace as NAT High Level Airspace**

1. Purpose. This notice serves to inform the U.S. aviation community that the ICAO North Atlantic Systems Planning Group re-designated the long-standing North Atlantic (NAT) Minimum Navigation Performance Specifications (MNPS) airspace as NAT High Level Airspace (HLA) on February 4, 2016. This change supports the MNPS to performance based navigation (PBN) transition plan. This action is taken in accordance with ICAO NAT Implementation Management Group Decision 45/2 which was announced in a January 5, 2015 letter to States and industry organizations from the ICAO European and North Atlantic office.

2. Boundaries of NAT HLA. The NAT HLA includes the following airspace, between flight levels 285 and 420: the oceanic control areas of Bodo Oceanic, Gander Oceanic, New York Oceanic East, Reykjavik, Santa Maria, and Shanwick, excluding the Shannon and Brest Ocean Transition Areas.

3. Letter X for Air Traffic Control Flight Plan. Item 10A of the flight plan filed with ATC should continue to be annotated with the letter “X” to indicate that the aircraft and operator meet the requirements for NAT HLA operations.

4. Effect on FAA Operations Specification (OpSpec), Management Specification (MSpec) and Letter of Authorization (LOA) B039. A new OpSpec/MSpec/LOA B039 was effective in June, 2016 under the title “Operations in North Atlantic High Level Airspace (NAT HLA).” Previous issuances of B039 (i.e. reflecting authorization for operations in MNPS airspace) may remain valid until January 2020 and permit operations in NAT HLA until then. All new issuances, and re-issuances, of B039 now require the operator to be capable of and authorized for a minimum of RNP 10.

5. FAA NAT Resource Guide for U.S. Operators. The NAT Resource Guide has been updated to reflect the ongoing transition from NAT MNPS to NAT HLA. The guide can be found at:

http://www.faa.gov/about/office_org/headquarters_offices/avs/offices/afs/afs400/afs470/media/NAT.pdf

6. Questions. If you have questions, please contact one of the following:

- Kevin Kelley, FAA Performance Based Flight Systems Branch (AFS-470), 202-267-8854, Kevin.C.Kelley@faa.gov
- Mark Wisniewski, SAIC, AFS-470 program support, 202-267-8843, Mark.CTR.Wisniewski@faa.gov
- Roy Grimes, CSSI, Inc. AFS-470 program support, 202-863-3692, RGrimes@cssiinc.com
- Madison Walton, AFS-470, 202-267-8850, Madison.Walton@faa.gov

(Performance Based Flight Systems Branch, AFS-470, revised 9/15/16)

SPECIAL NOTICE -- LOST COMMUNICATIONS

If the pilot of an aircraft operating in international airspace under U.S. jurisdiction and equipped with a coded radar beacon transponder experiences a loss of two-way radio capability, the pilot should:

- a. Adjust the transponder to reply on Mode 3/A, Code 7700 for a period of 1 (one) minute.

b. Then change to code 7600 and remain on 7600 for a period of 15 minutes or the remainder of the flight, whichever occurs first.

c. Repeat steps a and b as practicable.

The pilot should understand that s/he may not be in an area of radar coverage. Many radar facilities are also not presently equipped to automatically display code 7600 and will interrogate 7600 only when the aircraft is under direct radar control at the time of radio failure. However, replying on 7700 first increases the probability of early detection of a radio failure condition. (FAA)

SPECIAL NOTICE --INSPECTION OF MEANS OF CONVEYANCE FOR AIRCRAFT DEPARTING CONTINENTAL UNITED STATES

Inspection of aircraft prior to departure. No person shall move any aircraft from Hawaii to the continental United States, Puerto Rico, or the Virgin Islands of the United States, unless the person moving the aircraft has contacted an inspector and offered the inspector the opportunity to inspect the aircraft prior to departure and the inspector has informed the person proposing to move the aircraft that the aircraft may depart.

Inspection of aircraft moving to Guam. Any person who has moved an aircraft from Hawaii to Guam shall contact an inspector and offer the inspector the opportunity to inspect the aircraft upon the aircraft's arrival in Guam, unless the aircraft has been inspected and cleared in Hawaii prior to departure in accordance with arrangements made between the operator of the aircraft, the Animal and Plant Inspection Service, and the government of Guam. (USDA Regulation 318.13-9)

REGION SPECIFIC

GUIDANCE FOR U.S. OPERATORS: SPECIAL EMPHASIS ITEMS FOR OPERATION IN NORTH ATLANTIC REDUCED LATERAL SEPARATION MINIMUM (RLATSM) TRIALS – 2 FEBRUARY 2017 UPDATE –

1. Purpose of Notice. The purpose of this notice is to provide guidance to U.S. North Atlantic (NAT) operators on material to be included in pilot and dispatcher training programs and operations manuals to prepare them for NAT RLatSM operations. **Paragraph 2 provides information on the delay of RLatSM Phase 2. Paragraph 5h and Attachment A, paragraph 9 provide updated guidance for pilot contingency procedures.**

a. The **“FAA NAT Resource Guide for U.S. Operators”** provides information on NAT initiatives and programs, including this notice. It can be accessed at:

http://www.faa.gov/about/office_org/headquarters_offices/avs/offices/afs/afs400/afs470/media/NAT.pdf

It is recommended that “Google Chrome” be used to access this site.

b. **Operator attention is directed to Attachment A.** It provides a “quick reference” for the RLatSM Special Emphasis Items contained in this bulletin. It is intended to be used as a job aid for operators developing pilot and dispatcher training material.

c. The following is an explanation of the terms “should”, “must” and “shall” as used in this bulletin.

- (1) “Should” is used to indicate a recommended practice or policy that is considered as desirable for the safety of operations.

- (2) “Shall” and “must” are used to indicate a practice or policy that is considered as necessary for the safety of operations.

2. RLatSM Project Plan Overview. Phase 1 of the NAT RLatSM trial commenced in portions of the Gander and Shanwick oceanic control areas (OCA) in December 2015. **Phase 1 is continuing. However, the RLatSM Phase 2 start date has been delayed.** It will not start on 10 November 2016 as previously planned. At least two months’ notice will be given in advance of the new start date. RLatSM Phase 2 is still planned to be implemented in portions of the Gander, Shanwick and Reykjavik Oceanic Control Areas (OCA).

a. **During Phase 1 of the RLatSM trial**, 25 NM lateral separation minimum is applied by establishing $\frac{1}{2}$ degree track spacing between **three core** NAT Organized Track System (OTS) tracks. 25 NM lateral separation is applied between flight level (FL) 350–390 (inclusive).

b. **During Phase 2 of the RLatSM trial**, the 25 NM lateral separation minimum will be implemented by applying $\frac{1}{2}$ degree track spacing between **all NAT Organized Track System (OTS) tracks**. 25 NM lateral separation will continue to be applied between flight level (FL) 350–390 (inclusive).

c. OTS tracks separated using the reduced lateral separation minimum are established by publishing OTS tracks defined by $\frac{1}{2}$ degree waypoints (e.g., 54 degrees–30 minutes NORTH latitude/50 degrees WEST longitude) between adjacent tracks defined by whole degree waypoints (e.g. 54 degrees NORTH latitude/50 degrees WEST longitude, respectively).

Note: operators are advised that due to pre-tactical considerations, standard laterally separated tracks (60nm) may be contained within the NAT OTS structure. RLatSM tracks will be designated tracks identified in “Remark 3” of the NAT Track Message.

d. Only those operators/aircraft eligible for RLatSM operations will be allowed to operate on designated RLatSM tracks between FL 350–390 (inclusive). See paragraph 3 (Operator/Aircraft Eligibility).

e. Strategic Lateral Offset Procedures (SLOP) will continue to be used in accordance with NAT Doc 007 (NAT Operations and Airspace Manual), paragraph 8.5.

f. Enhanced ATC surveillance and communication will be provided via FANS 1/A (or equivalent) data link systems. Automatic Dependent Surveillance (ADS–C) will provide route conformance monitoring, periodic aircraft reporting and controller alerts for Lateral Deviation Events (LDE) and vertical deviation events (Level Range Deviation Events (LRDE). Controller–Pilot Data Link Communications (CPDLC) will enhance ATC intervention and communication capabilities.

3. Operator/Aircraft Eligibility. U.S. operators do not need to apply to participate in the trial. Operators will be eligible to flight plan and fly RLatSM tracks provided the flights are:

- Authorized Required Navigation Performance 4 (RNP 4)
- ADS-C and CPDLC equipped and authorized; and,
- Operating required Communications, Navigation and Surveillance (CNS) systems

Note: Job Aids for RNP 4 and Data Link operations authorization are available. See paragraph 6.

4. Flight Planning Provisions

a. Only those operators/aircraft eligible for RLatSM operations are allowed to operate on designated RLatSM tracks between FL 350–390 (inclusive). All RLatSM tracks and FLs are uniquely identified in Remark 3 of the OTS Track Message as shown below:

Westbound NAT Track Message Example: Phase 2 RLatSM Tracks

Note: See “Remark 3”. Tracks A, B, C, D and E are designated as RLatSM tracks between FL 350–390.

FF CYZZWNAT
 102151 EGGXZOZX
 (NAT–1/3 TRACKS FLS 310/390 INCLUSIVE
 FEB 11/1130Z TO FEB 11/1900Z
 PART ONE OF THREE PARTS–
 A PIKIL 57/20 58/30 59/40 58/50 DORYY
 EAST LVLS NIL
 WEST LVLS 310 320 330 340 350 360 370 380 390
 EUR RTS WEST NIL
 NAR NIL–
 B ETARI 5630/20 5730/30 5830/40 5730/50 ENNSO
 EAST LVLS NIL
 WEST LVLS 350 360 370 380 390
 EUR RTS WEST NIL
 NAR NIL–
 C RESNO 56/20 57/30 58/40 57/50 HOIST
 EAST LVLS NIL
 WEST LVLS 310 320 330 340 350 360 370 380 390
 EUR RTS WEST NIL
 NAR NIL–
 END OF PART ONE OF THREE PARTS)
 FF CYZZWNAT
 102151 EGGXZOZX
 (NAT–2/3 TRACKS FLS 310/390 INCLUSIVE
 FEB 11/1130Z TO FEB 11/1900Z
 PART TWO OF THREE PARTS–
 D VENER 5530/20 5630/30 5730/40 5630/50 IRLOK
 EAST LVLS NIL
 WEST LVLS 350 360 370 380 390
 EUR RTS WEST NIL
 NAR NIL–
 E DOGAL 55/20 56/30 57/40 56/50 JANJO

EAST LVLS NIL
 WEST LVLS 310 320 330 340 350 360 370 380 390
 EUR RTS WEST NIL
 NAR NIL–
 END OF PART TWO OF THREE PARTS)
 FF CYZZWNAT
 102152 EGGXZOZX
 (NAT–3/3 TRACKS FLS 310/390 INCLUSIVE
 FEB 11/1130Z TO FEB 11/1900Z
 PART THREE OF THREE PARTS–
 REMARKS.
 1. TMI IS 042 AND OPERATORS ARE REMINDED TO
 INCLUDE THE
 TMI NUMBER AS PART OF THE OCEANIC CLEARANCE
 READ BACK.
 2. ADS–C AND CPDLC MANDATED OTS ARE AS
 FOLLOWS
 TRACK A 350 360 370 380 390
 TRACK B 350 360 370 380 390
 TRACK C 350 360 370 380 390
 TRACK D 350 360 370 380 390
 TRACK E 350 360 370 380 390
 END OF ADS–C AND CPDLC MANDATED OTS
 3. RLATSM OTS LEVELS 350–390. RLATSM TRACKS AS
 FOLLOWS
 TRACK A
 TRACK B
 TRACK C
 TRACK D
 TRACK E
 END OF RLATSM OTS

b. Operators must file the correct ICAO Flight Plan annotations in Items 10 and 18 to indicate that RLatSM required CNS systems are operational for the flight.

(1) Item 10a (Radio communication, navigation and approach aid equipment and capabilities).

- Insert “X” to indicate that the aircraft meets requirements for NAT HLA operations. (See FAA Notice “Re–designation of NAT MNPS Airspace As High Level Airspace (HLA);
- Insert “J5” to indicate FANS 1/A (or equivalent) Inmarsat CPDLC SATCOM and/or “J7” to indicate FANS 1/A (or equivalent CPDLC Iridium SATCOM data link equipage and operation;
- Insert “R” to indicate that aircraft navigation system equipage and operation are Performance Based Navigation (PBN) approved. See below for the related Item 18 entry for RNP 4.

- (2) Item 10b (Surveillance equipment and capabilities)
 - Insert “D1” to indicate FANS 1/A (or equivalent) ADS-C equipage and operation
- (3) Item 18 (Other information)
 - Insert the characters “PBN/” followed by “L1” to indicate RNP 4 authorization.

5. Special Emphasis Items for RLatSM Operators. The Special Emphasis Items (SEI) listed below should be incorporated into operator training programs and operations manuals with the intent of raising pilot and dispatcher awareness of the importance of following procedures in an environment where ½ degree waypoints and a lateral separation minimum of 25 NM are applied. Each SEI is followed by an explanation of the factors leading it to be identified as an RLatSM SEI.

a. Requirement to use the CNS equipment that is indicated in the ICAO flight plan:

ATC uses the Flight Plan annotations in Items 10 and 18 to apply the reduced separation between aircraft. Therefore, before entering the NAT, the pilot must ensure that:

- the aircraft is logged on when data link capability (J5, J7, D1) has been filed in the FPL; and
- RNP 4 is inserted into the FMC, when RNP 4 capability (L1) has been filed in the FPL. This is to enable aircraft navigation system monitoring and alerting against the required RNP 4 Navigation Specification.

b. Pilot Training on Map and FMC Displays of ½ Degree and Whole Degree Waypoints:

To mitigate misinterpretation of waypoint coordinates, operator initial and re-current training programs and operations manuals must incorporate training and guidance to enable pilots to understand map and FMC displays of ½ degree and whole degree waypoints.

Explanation

Map displays and certain FMC pages generally do not display full waypoint degrees **and** minutes, e.g. when the full 13 latitude/longitude characters are used to insert ½ degree waypoints. See Figure 1 and 2 in Attachment B.

c. Aircraft Navigation Database (NDB) Waypoint Identifiers

In 2015, Canada, the United Kingdom and Iceland published Aeronautical Information Circulars (AIC) strongly advocating that aircraft NDB vendors and flight planning services **not** provide operators with half-degree waypoint identifiers in the ARINC 424, paragraph 7.2.5 “N-prefix” format (e.g., *N5250 = 52°30’ NORTH 050°00’ WEST*). See Canada AIC 23/15 (23 July 2015), UK AIC 059/2015 (9 July 2015), and Iceland AIC A009/2015 (18 September 2015). The guidance in these circulars will be incorporated into the Aeronautical Information Publications (AIP) of the respective organizations in the future.

NAT operators should use a full latitude/longitude (e.g., 13-character) input for waypoints containing both half-degree and whole degrees of latitude and whole degrees of longitude, when they are required to make a manual input of waypoints, unless they have the operational need discussed below.

NAT operators **with an operational need to populate the aircraft NDB** with a 5-character waypoint identifier should ensure that the aircraft NDB vendors and flight planning services use an alternate

half-degree of latitude 5-character format such as Hxxyy, where xx = degrees and 30 minutes of NORTH latitude and yy = degrees of WEST longitude (e.g., H5250 = 52 °30' NORTH 050 °00' WEST). (It is recognized that, for whole degree waypoint inputs, such operators will likely continue using the ARINC 424, 7.2.5 “N-suffix” format (e.g., 5250N = 52 °00' NORTH 050 °00' WEST)).

Rerouting of flights onto RLatSM identified tracks containing ½ degree coordinates will only be permitted using a CPDLC route clearance uplink. Aircraft will therefore not be re-routed onto ½ degree OTS tracks if ARINC 623 data link or voice is used for the issuance of the oceanic clearance.

The CPDLC route clearance will be uplinked in a full Lat/Long format that will be unfamiliar to the flight crews using an ARINC 424, 7.2.5 format. Operators **with an operational need to populate the aircraft NDB** with a 5-character waypoint identifier format need to ensure flight crews are properly trained on the use of the full Lat/Long waypoint format in uplink messages. They must also emphasize the necessity for proper waypoint verification procedures.

Explanation

Half-degree waypoint identifiers in the ARINC 424, paragraph 7.2.5 “N-prefix” format have led to a number of Gross Navigation Errors (GNEs) and Lateral Deviations. The guidance for waypoint insertion in paragraph 5c is intended to remove the potential for such errors. They occur when a pilot intending to input a waypoint defined by a half-degree of latitude inadvertently loads a waypoint containing a whole-degree of latitude, or vice versa, because the “N” is not loaded in the correct pre-fix or suffix position.

d. Pilot Procedures for Verifying Waypoint Degrees and Minutes Inserted into Aircraft Navigation Systems:

Procedures must be used to display and verify the DEGREES and MINUTES loaded into the Flight Management Computer (FMC) for the “un-named” (Lat/Long) waypoints defining the route contained in the oceanic clearance.

Regardless of FMC waypoint format and entry method, crew procedures should be designed to promote strong crew resource management techniques to prevent opportunities for error occurring as a result of confirmation bias and to generally maintain an attitude of healthy suspicion. Accordingly, the waypoint verification procedures should be conducted as detailed below.

- During pre-flight LRNS programming, both pilots independently verify the full latitude and longitude coordinates of “un-named” (Lat/Long) waypoints defining the expected route of flight within oceanic airspace as entered in the FMC.
- Upon receipt of a revised oceanic clearance (i.e., one not conforming to the flight planned route), both pilots independently verify the full latitude and longitude coordinates of “un-named” (Lat/Long) waypoints defining the route contained in the revised oceanic clearance.
- Approaching an oceanic waypoint, one pilot should verify the full latitude and longitude coordinates of that waypoint in the FMC, the NEXT and NEXT +1 waypoints, while the other pilot crosschecks the latitude and longitude coordinates against the master flight plan/oceanic clearance.

Explanation

Due to the factors in the map and FMC display of ½ degree and whole degree waypoints, it is imperative that pilots follow the procedure in paragraph 5d above to avoid lateral errors caused by incorrect insertion of waypoints. Verification of the full DEGREES and MINUTES of oceanic waypoints loaded into the FMC is a critical step in ensuring a proper navigational load.

e. Pilot Track and Distance Check:

It is strongly recommended that pilot pre-flight and in-flight procedures call for the pilot to compare the track and distance between waypoints shown on the Computer Flight Plan (CFP) to those displayed by the FMC.

Pilots should be aware that waypoint insertion errors of ½ degree of latitude may in some cases result in only small differences in track and distance, however, the track and distance check can help prevent waypoint insertion errors of one degree or more that have been observed in oceanic operations.

Note: the currency of magnetic variation tables loaded into aircraft navigation databases and the point at which the track is measured affect the track displayed on the FMC by as much as ±3 degrees.

Explanation

This check remains valuable for RLatSM operations because waypoint insertion errors are **not** limited to ½ degree errors and waypoint insertion errors of one degree or more have been observed in oceanic operations. Waypoint insertion errors of ½ degree produce a small difference in leg segment track and distance, however, as noted above, waypoint insertion errors are not limited to ½ degree.

f. Pilot Action When Notified By ATC of Possible Deviation from Cleared Track:

Flight crews are advised that, should they be notified that ATC systems indicate the aircraft is not flying the cleared route, they should immediately display the full degrees and minutes loaded into the FMC for the NEXT and NEXT + 1 waypoints, and verify them against the cleared route before responding.

Voice message example: “SHANWICK CONFIRMS YOUR POSITION REPORT INDICATES INCORRECT ROUTING. CHECK FULL DEGREES AND MINUTES LOADED INTO FMC. YOUR CLEARED ROUTE IS [route]”

CPDLC message example:

YOUR POSITION REPORT INDICATES INCORRECT ROUTING. CHECK FULL DEGREES AND MINUTES LOADED INTO FMC. YOUR CLEARED ROUTE IS [route]

When ATC notifies the pilot that the aircraft has indicated it has already deviated from the cleared track (UM169f: *ADS-C INDICATES OFF ROUTE. ADVISE INTENTIONS*), the pilot shall **immediately** display the full DEGREES and MINUTES loaded into the FMC for the NEXT waypoint, and verify against the cleared route.

g. Policy for Operational Airborne Collision Avoidance System II (ACAS II):

Prior to departure for flight on an NAT OTS track at a flight level where RLatSM is applied, the ACAS II system shall be fully operational for the pilot flying (i.e., the TA and RA visual display and audio function will be operative for the pilot flying). If the ACAS II system is not fully operational for the pilot flying, the operator has the option of requesting clearance to operate on a track and/or at a FL where

RLatSM is not applied. If the ACAS II system fails after departure, the aircraft may continue on the cleared route.

Note: The ACAS II (TCAS II) system must be a Version 7.0 or more recent version).

Explanation

ACAS II provides a valuable situational awareness tool and safety net for pilots operating in NAT airspace including those where aircraft separation standards have already been reduced in the vertical and longitudinal dimensions. The carriage and operation of ACAS II is emphasized here in the context of RLatSM trials for the following reasons:

- The introduction of ½ degree OTS waypoints is an operational change that introduces the use of ½ degree waypoints into NAT OTS operations. Although both pilot procedures and ADS-C conformance monitoring capabilities should mitigate the occurrence of lateral deviations related to ½ degree waypoints, ACAS II provides an independent margin of safety should lateral deviations occur during the RLatSM trial period.
- ACAS II will provide a **situational awareness tool** that will enable pilots to be better prepared to safely execute weather deviation and contingency procedures necessitating lateral deviations (e.g., diversions and turn-backs). In the RLatSM operational environment, such deviations will occur in airspace where the minimum lateral separation is to be 25 NM.

h. Pilot In-flight Contingency Procedures and Weather Deviation Procedures (Diversions, Turn-backs, etc.):

In training and checking programs, operators shall place special emphasis on pilot knowledge of and preparation to execute the *Special Procedures for Inflight Contingencies in Oceanic Airspace* published in ICAO Doc 4444, paragraph 15.2 and *Weather deviation procedures* (paragraph 15.2.3).

Pilots must be aware that when crossing adjacent tracks without an ATC clearance, the potential vertical separation provided by the In-flight Contingency Procedure is 500 ft. which may not adequately account for RVSM Altimetry System Error. Pilots must use all the steps called for in the Contingency Procedures to avoid conflict with other aircraft. Consideration should be given to intercepting the 15 NM offset in the same direction of flight and then descending below FL 280 or climbing above FL 410 prior to crossing adjacent tracks or making a 180° turn back.

Pilots must also be aware that when unable to obtain an ATC clearance, Weather Deviation Procedures call for a climb or descent of 300 ft. based on direction of flight and direction of deviation, and, in addition, guidance to the pilot is to adjust the path of the aircraft, if necessary, to avoid aircraft at or near the same flight level.

Pilots must stringently follow all measures for avoiding conflict with other aircraft provided for in the Doc 4444 Contingency and Weather Deviation Procedures.

Explanation

The implementation of RLatSM (25 NM) separation and ½ degree track spacing significantly reduces the distance and time a diverting aircraft has to maneuver when executing a diversion, turn-back or weather deviation without an ATC clearance before approaching adjacent tracks. It also reduces the time that a pilot has to obtain an ATC clearance. (An aircraft deviating from track can be in the proximity of aircraft on an

adjacent track within approximately 4 minutes, depending on the angle of deviation from cleared track). In addition, as discussed above, the margin for safety for aircraft crossing adjacent tracks is 500 ft. of vertical separation when executing In-flight Contingency Procedures.

i. RLatSM Operational policies (aircraft CNS system failure, data link system failure, etc.):

- (1) **Objective.** The guidance provided in the paragraphs below applies during the RLatSM trials. It is intended to supplement the Global Operational Data Link Document (GOLD) guidance to controllers and flight crew on data link service failures and aircraft data link system failures (GOLD paragraphs 4.9.4 and 5.9.4 respectively).
- (2) **RLatSM Required CNS System Failure Prior to Departure.** If a flight experiences a failure of an RLatSM required CNS system PRIOR TO DEPARTURE, the flight should flight plan so as to remain clear of NAT RLatSM tracks between FL 350–390 (inclusive).
- (3) **RLatSM Required CNS System Failure After Departure But Prior to Entering On To RLatSM Tracks Between FL 350–390 (Inclusive).** If a flight experiences a failure of an RLatSM required CNS system AFTER DEPARTURE BUT PRIOR TO ENTERING RLATSM AIRSPACE, the flight should contact ATC and request a revised clearance that will keep it clear of NAT RLatSM tracks between FL 350– 390 (inclusive).
- (4) **RLatSM Required CNS System Failure After Entering On To RLatSM Tracks Between FL 350–390 (Inclusive).** If a flight experiences a failure of an RLatSM required CNS system WHILE OPERATING IN RLATSM AIRSPACE, ATC must be immediately advised. Such flights may be re-cleared to exit RLatSM airspace, but consideration will be given to allowing the flight to remain in the airspace, based on tactical considerations. (GOLD paragraph 4.9.4.8 refers).

Note: aircraft may be cleared to climb above FL 390 or descend below FL 350 and remain on half-degree tracks. However, 60 NM lateral separation will then be applied.

- (5) **Continuous Climb or Descent of Aircraft Not RLatSM Eligible.** Any aircraft that is not RLatSM eligible may request continuous climb or descent without intermediate level off through the vertical extent of the NAT RLatSM airspace. Such requests will be considered on a tactical basis.
- (6) **Altitude Reservation (ALTRV) Requests.** ALTRV requests will be considered on a case by case basis (as is done today regarding NAT MNPS airspace), irrespective of the RLatSM eligibility status of the participating aircraft.
- (7) **Contingency Situations.** NAT RLatSM airspace restrictions are not applicable to aircraft experiencing a contingency situation.

j. Domestic ATC Agency Contact

Pilots are reminded to ensure that they contact the appropriate **domestic** ATC agency BEFORE exiting oceanic airspace.

6. Websites

- a. The **“FAA NAT Resource Guide for U.S. Operators”** provides information on NAT initiatives and programs, including this notice. See paragraph 1a for access information.

b. Job Aid Templates.

- (1) **RNP 4 Job Aid Template** (Application to conduct RNP 4 operations) – can be found on the FAA Oceanic webpage at: https://www.faa.gov/pilots/intl/oceanic_ops/
- (2) **Data Link Job Aid Template** (Operator Application to Conduct Data Link Operations) –found on the Data Link Authorization Page of the NAT Resource Guide.

7. Contacts

The following individuals may be contacted for information or to provide feedback on RLatSM operations:

Name	Title	Phone	E-mail
Roy Grimes	FAA Separation Standards Program Support, CSSI, Inc.	+1 202-863-3692	rgrimes@cssiinc.com
Kevin Kelley	FAA Performance Based Flight Systems Branch, AFS-470	+1 202-267-8854	Kevin.c.kelley@faa.gov
<u>Mark Wisniewski</u>	SAIC, AFS-470 program support	+1 202-267-8843	Mark.CTR.Wisniewski@faa.gov
Madison Walton	FAA Performance Based Flight Systems Branch, AFS-470	+1 202-267-8850	Madison.walton@faa.gov

ATTACHMENT A – SUMMARY OF RLatSM SPECIAL EMPHASIS ITEMS CONTAINED IN THIS NOTICE

1. Operator/Aircraft Eligibility and Flight Planning Provisions:

Only operators that are authorized RNP 4 and equipped with and operating CPDLC and ADS-C will be eligible for RLatSM operations. In addition, the ICAO Flight Plan must be correctly annotated to indicate that RLatSM required CNS systems are operational for the flight. (Paragraph 4b refers).

2. Requirement to use the CNS equipment that is indicated in the flight plan:

The pilot must use that CNS systems indicated on the ICAO Flight Plan because ATC uses the Flight Plan annotations in Items 10 and 18 to apply the reduced separation between aircraft (Paragraph 5a refers).

The pilot must also confirm that RNP 4 is inserted into the FMC to enable aircraft navigation system monitoring and alerting against the required RNP4 Navigation Specification (Paragraph 5a refers).

3. Aircraft Navigation Database (NDB) Waypoint Identifiers:

Canadian AIC 23/15, UK AIC 059/15 and Iceland AIC A009/2015 strongly advocate that aircraft NDB vendors and flight planning services should **not** provide operators with **half-degree** waypoint identifiers in the ARINC 424, paragraph 7.2.5 “N-prefix” format (e.g., *N5250 = 52°30’ NORTH 050°00’ WEST*). (These AICs will be incorporated into State AIPs in the future).

NAT operators should use a full latitude/longitude (e.g., 13-character) input for waypoint coordinates. NAT operators **with an operational need to populate the aircraft NDB** with a 5-character waypoint identifier should ensure that the aircraft NDB vendors and flight planning services use an alternate half-degree of latitude 5-character format e.g., *H5250 = 52°30’ NORTH 050°00’ WEST*. (Paragraph 5c refers)

4. Pilot Training on Map and FMC Displays of ½ Degree and Whole Degree Waypoints:

Operator initial and re-current training programs and operations manuals must have incorporated training and guidance to enable pilots to understand map and FMC displays of ½ degree and whole degree waypoints. (Paragraph 5b and Attachment B Figure 1 and 2 refer).

5. Pilot Procedures for Verifying Waypoint Degrees and Minutes Inserted into Aircraft Navigation Systems:

Pilot Pre-flight and In-flight procedures must call for each pilot to independently display and verify the DEGREES and MINUTES loaded into the Flight Management Computer (FMC) for each waypoint defining the cleared route of flight. This procedure is necessary regardless of the FMC waypoint input format being used. Procedures must call for both pilots to independently verify the waypoint coordinates inserted and concur on their accuracy prior to route activation. (Paragraph 5d refers).

6. Pilot Track and Distance Check:

It is strongly recommended that pilot pre-flight and in-flight procedures call for the pilot to compare the track and distance between waypoints shown on the Computer Flight Plan (CFP) to those displayed by the FMC.

Pilots should be aware that waypoint insertion errors of ½ degree of latitude may in some cases result in only small differences in track and distance, however, the track and distance check can help prevent waypoint insertion errors of one degree or more that have been observed in oceanic operations.

Note: the currency of magnetic variation tables loaded into aircraft navigation databases and the point at which the track is measured affect the track displayed on the FMC by as much as +/- 3 degrees. (Paragraph 5e refers)

7. Pilot Action When Notified By ATC of Possible Deviation From Cleared Track:

When ATC notifies the pilot that ATC systems indicate that the aircraft is not flying the cleared track, the pilot shall immediately display the full DEGREES and MINUTES loaded into the FMC for the NEXT waypoint, and verify against the cleared route. (Paragraph 5f refers)

8. Policy for Operational Airborne Collision Avoidance System II (ACAS II):

Prior to departure for flight on in airspace where RLatSM is applied, the ACAS II system shall be fully operational for the pilot flying (i.e., the TA and RA visual display and audio function will be operative for the pilot flying). If the ACAS II system is not fully operational for the pilot flying, the operator has the option of requesting clearance to operate on a track and/or at a FL where RLatSM is not applied. If the ACAS II system fails after departure, the aircraft may continue on the cleared route.

Note: The ACAS II (TCAS II) system must be a Version 7.0 or more recent version). (Paragraph 5g refers)

9. Pilot In-flight Contingency Procedures and Weather Deviation Procedures (Diversions, Turn-backs, etc.):

In training and checking programs, operators shall place special emphasis on pilot knowledge of and preparation to execute the *Special Procedures for Inflight Contingencies in Oceanic Airspace* published in ICAO Doc 4444, paragraph 15.2 and *Weather deviation procedures* (paragraph 15.2.3).

Pilots must be aware that when crossing adjacent tracks without an ATC clearance, the potential vertical separation provided by the In-flight Contingency Procedure is 500 ft. which may not adequately account for

RVSM Altimetry System Error. Pilots must use all the steps called for in the Contingency Procedure to avoid conflict with other aircraft. Consideration should be given to intercepting the 15NM offset in the same direction of flight and then descending below FL 280 or climbing above FL 410 prior to crossing adjacent tracks or making a 180° turn back.

Pilots must also be aware that when unable to obtain an ATC clearance, Weather Deviation Procedures call for a climb or descent of 300 ft. based on direction of flight and direction of deviation, and, in addition, guidance to the pilot is to adjust the path of the aircraft, if necessary, to avoid aircraft at or near the same flight level.

Pilots must stringently follow all measures for avoiding conflict with other aircraft provided for in the Doc 4444 contingency procedures. (Paragraph 5h refers).

10. RLatSM Operational policies (aircraft CNS system failure, data link system failure, etc.):

Operators must be aware of the RLatSM operational policies posted in paragraph 5i. In particular, operators must be aware that all RLatSM required aircraft CNS systems must be operational PRIOR TO DEPARTURE and PRIOR TO ENTRY on to RLatSM tracks between FL 350–390 (inclusive). In addition, if RLatSM required aircraft systems fail WHILE OPERATING IN RLATSM AIRSPACE, ATC must be advised immediately so that an appropriate course of action can be determined.

11. Domestic ATC Agency Contact:

Pilots are reminded to ensure that they contact the appropriate **domestic** ATC agency BEFORE exiting oceanic airspace. (Paragraph 5j refers)

ATTACHMENT B – EXAMPLE FMC AND MAP DISPLAYS


Note: Figure 1 and 2 are intended to support paragraph 5b (Pilot Training on Map and FMC Displays of ½ Degree and Whole Degree Waypoints). **The figures emphasize that for a large number of aircraft, the input of waypoints containing whole degrees of latitude and waypoints containing half-degrees of latitude will result in identical 7-character FMC and waypoint map displays.**

Figure 1. Example FMC Display: Full Waypoint Latitude and Longitude (13-characters) inserted into FMC



1. 52 degrees–30 minutes North latitude, 20 degrees West longitude inserted into the FMC using full latitude and longitude degrees, minutes and seconds (i.e., 13 characters)
2. The waypoint IDENT is truncated to 7 characters with no display of minutes of latitude.

Figure 2. Example Map Display: Full Waypoint Latitude and Longitude (13-characters) Inserted into FMC



1. 50 degrees–30 minutes North, 20 degrees West displayed is displayed in 7 characters. (N50W020)
2. **Minutes of latitude are not displayed.**
3. The Map display would be the same for 50 degrees North, 20 degrees West.

(Performance Based Flight Systems Branch, AFS–470, 10/7/16)

JANUARY 2017 UPDATE – NAT ATS SURVEILLANCE AIRSPACE PHASE 2 OF THE NORTH ATLANTIC REGIONAL DATA LINK MANDATE

1. Introduction

a. **Purpose of This Notice.** This Notice provides notice to U.S. operators of the plan for Phase 2 of the North Atlantic Data Link Mandate (NAT DLM). The plan was adopted at the Forty-ninth meeting of the North Atlantic Systems Planning Group (NAT SPG/49). As detailed below, Phase 2 is planned to be implemented in three phases (2A, 2B and 2C). Phase 2A was implemented on 5 February 2015. Phase 2B is planned for 7 December 2017 and Phase 2C is planned for 30 January 2020. The Notice provides information on: the expanded vertical and horizontal boundaries of NAT DLM airspace and policies for planning operations into NAT DLM airspace.

b. **January 2017 Update.** This Notice provides an update to the “ATS Surveillance Airspace Graphic”. (See paragraph 10). It also provides guidance for operation of aircraft that are not data link equipped on “Tango” routes, when DLM Phase 2B is implemented on 7 December 2017. (See paragraph 4).

2. Background

a. **NAT DLM Phase 2A.** DLM Phase 2A commenced on 5 February 2015. As of that date, all aircraft operating between FL 350 to FL 390 (inclusive) on or at any point along in the NAT organized track system (OTS) during the OTS validity period are required to be fitted with and using FANS 1/A (or equivalent) CPDLC and ADS-C equipment. (This phase applies to all aircraft operating on or at any point along the tracks).

Note: the “FAA NAT Resource Guide for U.S. Operators” provides information on NAT initiatives and programs, including this Notice. It can be accessed at:

http://www.faa.gov/about/office_org/headquarters_offices/avs/offices/afs/afs400/afs470/media/NAT.pdf

It is recommended that “Google Chrome” be used to access the site.

b. **NAT DLM Phase 2B (7 December 2017).** DLM Phase 2B will commence on 7 December 2017. On that date the NAT DLM will apply between FL 350–FL 390 (inclusive) throughout the ICAO NAT Region.

c. **NAT DLM Objectives.** The objectives of the NAT DLM are to enhance communication, surveillance and ATC intervention capabilities in the NAT Region in order to reduce collision risk and enable the NAT Target Level of Safety to be met, particularly in the vertical plane. ADS-C provides capabilities for conformance monitoring of aircraft adherence to cleared route and FL, thereby, significantly enhancing safety in the NAT Region. ADS-C also facilitates search and rescue operations and the capability to locate the site of an accident in oceanic airspace. CPDLC significantly enhances air/ground communication capability and, therefore, controller intervention capability.

d. **NAT DLM Equipage Goals.** The NAT SPG goals for the expansion of the NAT DLM are in concert with the ICAO Global Air Navigation Plan (GANP) (Doc 9750), Aviation System Block Upgrade (ASBU) Block 0, Module B0–40 (2013–2018). This module calls for safety and efficiency improvements for enroute operations supported by data link. The NAT SPG goals are that: by 2018, 90% of aircraft operating in the NAT Region airspace at FL290 and above will be equipped with FANS 1/A (or equivalent) ADS-C and CPDLC systems, and, that by 2020, 95% of aircraft operating in that airspace will be so equipped.

3. Planned Vertical and Horizontal Boundaries For NAT Region DLM Airspace

- **Phase 2A commenced 5 February 2015:** FL350 to FL390 (inclusive) all tracks within the NAT Organized Track System (OTS). (This phase applies to all aircraft operating on or at any point along the tracks;
- **Phase 2B commencing 7 December 2017:** FL350-FL390 (inclusive) throughout the ICAO NAT Region;
- **Phase 2C commencing 30 January 2020:** FL290 and above throughout the ICAO NAT Region.

4. **Airspace NOT INCLUDED in NAT Region DLM Airspace**

- **ATS Surveillance Airspace.** “ATS Surveillance Airspace” is airspace where surveillance is provided by radar, multilateration, and/or ADS-B **and** VHF voice communications are available. Aircraft must be suitably equipped with transponder/ADS-B Extended Squitter (ES) transmitter).

Note: for planning purposes, a depiction of ATS Surveillance Airspace, where flights are considered to be exempt from the DLM in the NAT Region is provided below in the “**January 2017 Update: ATS Surveillance Airspace Graphic**”. See paragraph 10. ATS Surveillance Airspace is also depicted in State AIP’s.

- **Airspace north of 80° North.** (Airspace north of 80°N lies outside the reliable service area of geostationary satellites).
- **The New York Oceanic FIR**
- **Tango routes.** When DLM Phase 2B commences on 7 December 2017, aircraft not data link equipped will be allowed to continue to operate on the routes specified below:
 - **T9 and T213.** Aircraft not data link equipped will be allowed to operate on T9 and T213 until solutions to provide ATS surveillance and VHF coverage on those routes are implemented. (When that coverage is provided, the NAT DLM would no longer be applicable to those routes. T213 will be moved to the east in order to provide ATS Surveillance and VHF coverage). ATS surveillance and VHF coverage will be provided on these routes as early as possible, but no later than 30 January 2020.
 - **T16 (until 30 January 2020).**

Note: *aircraft operators using Tango routes within the NAT DLM area of applicability will either complete their fleet upgrades by January 2020 or will not be allowed to operate in DLM airspace.*

5. Flights Allowed To Flight Plan Into NAT Region Phase 2 DLM Airspace. The following flights will be permitted to flight plan to enter the NAT DLM airspace:

- a. **Equipped Flights.** Flights equipped with and prepared to operate FANS 1/A (or equivalent) CPDLC and ADS-C data link systems.
- b. **Specific Categories of Non-equipped Flights:** Non-equipped flights that file STS/FFR, HOSP, HUM, MEDEVAC SAR, or STATE in Item 18 of the flight plan. (Depending on the tactical situation at the time of flight, however, such flights may not receive an ATC clearance which fully corresponds to the requested flight profile).

6. Operational Policies Applicable To NAT Region Phase 2 DLM Airspace

- **Climb or Descent of Non-equipped Aircraft.** Any aircraft not equipped with FANS 1/A (or equivalent) systems may request a continuous climb or descent without intermediate level off through NAT DLM airspace. Such requests will be considered on a tactical basis.
- **Altitude Reservation (ALTRV) Requests.** ALTRV requests will be considered on a case by case basis (as is done today regarding NAT MNPS airspace), irrespective of the equipage status of the participating aircraft.
- **FANS 1/A (or equivalent) Datalink System Failure Prior to Departure.** If a flight experiences an equipment failure **PRIOR TO DEPARTURE** which renders the aircraft non-DLM compliant, the flight should flight plan so as to remain clear of NAT Regional DLM Airspace.
- **FANS 1/A (or equivalent) Datalink System Failure After Departure.** If a flight experiences an equipment failure **AFTER DEPARTURE** which renders the aircraft unable to operate FANS 1/A (or equivalent) CPDLC and/or ADS-C systems, requests to operate in the NAT DLM Airspace will be considered on a tactical basis. Such flights must notify ATC of their status **PRIOR TO ENTERING** the airspace.
- **FANS 1/A (or equivalent) Datalink System Failure After Entering NAT DLM Airspace.** If a FANS 1/A data link equipment failure occurs while the flight is **OPERATING WITHIN NAT DLM AIRSPACE**, ATC must be immediately advised. Such flights may be re-cleared so as to avoid the airspace, but consideration will be given to allowing the flight to remain in the airspace, based on tactical considerations.

7. European/North Atlantic (EUR/NAT) Interface.

a. Where the NAT interfaces with the EUR Data Link Implementation Rule airspace, procedures will be established by the ANSPs concerned to facilitate the vertical transition of traffic to and from the NAT Region Data Link Mandate and the EUR Data Link Implementation Rule areas. The transition will be conducted as soon as is practicable by the initial EUR Domestic area along the common FIR/UIR boundary bordering the NAT Region Data Link Mandate. For flights exiting the NAT Region DLM airspace, operators and the ANSP's shall ensure that the vertical transition is complete prior to crossing any subsequent FIR/UIR boundary.

8. U.S. Operator Requirement For Operational Authorization To Use FANS 1/A (or equivalent) Data Link Systems.

a. U.S operators are required to obtain operational authorization prior to using FANS 1/A data link systems. U.S. FAA guidance on the process and procedures for operational authorization and aircraft data link system approval can be found in the following documents:

- (1) **AC 20-140** (as amended) (Guidelines for Design Approval of Aircraft Data Link Communication Systems Supporting Air Traffic Services (ATS)).

Note: the Inmarsat I3 and Inmarsat I4 Classic Aero sub-networks and Iridium Short Burst Data have been determined to be acceptable for data link services in the NAT Region.

- (2) **AC 120-70** (as amended) (Operational Authorization Process for Use of Data Link Communication System)

b. These documents are posted on the “FAA NAT Resource Guide For U.S. Operators” under: COMM/Nav/Surveillance, Data Link Communications. See paragraph 2 above for access to the Resource Guide.

c. The U.S. FAA will grant operational authorization for operators to use FANS 1/A data link by issuing an Operational Specifications or Management Specifications paragraph A056 (Data Link Communications), as appropriate, or a part 91 Letter of Authorization A056 (Data Link Communications).


9. Contacts

Name	Organization	Phone	Email
Roy Grimes	CSSI, Inc., Performance Based Flight Systems Branch (AFS-470) program support	202-863-3692	RGrimes@cssiinc.com;
Mark Wisniewski	SAIC, AFS-470 program support	202-267-8843	Mark.CTR.Wisniewski@faa.gov;
Madison Walton	AFS-470	202-267-8850	Madison.Walton@faa.gov;
Mark Patterson	AFS-470	202-267-8848	Mark.Patterson@faa.gov;

10. January 2017 Update to NAT “ATS Surveillance Airspace Graphic”. The “January 2017 Update: ATS Surveillance Airspace Graphic” updates the depiction of the airspace. **ATS Surveillance Airspace is located in the green shaded areas shown in the graphic.**

(Performance Based Flight Systems Branch, AFS-470, 1/31/17)

January 2017 Update: ATS Surveillance Airspace Graphic - NAT Regional Data Link Mandate Phase 2



Note 1. ATS surveillance and VHF voice coverage is provided at and above FL 300 in the green shaded areas.

Note 2. the blue lines on the map represent the NAT Blue Spruce Routes.

Operational Policy/Procedures for 30 Nautical Mile (NM) Lateral, 30 NM Longitudinal and 50 NM Longitudinal Separation in the Anchorage, Oakland and New York Oceanic Control Areas (CTAs)

1. Applicability and Areas Affected (Date/Time and Area)

1.1 Applicability. The policies, guidance and procedures in this section apply to appropriately authorized and equipped aircraft operating throughout the Anchorage, Oakland and New York Oceanic Control Areas (CTAs), excluding the Anchorage Arctic FIR.

1.2 Date/Time. Since December 2005 Oakland Air Route Traffic Control Center (ARTCC), November 2012 Anchorage ARTCC and beginning in December 2013 New York ARTCC, have applied 30 NM lateral, 30 NM longitudinal and 50 NM longitudinal separation between suitably equipped and authorized pairs of aircraft throughout the respective CTAs/Flight Information Regions (FIRs). The ARTCCs continue to accommodate operators that are not eligible for the reduced separation minima. Published ATS routes and other tracks have not changed. Minimum separation based on ADS-C between aircraft authorized RNP 4 and aircraft authorized Required Navigation Performance 10 (RNP 10) will continue to be 50 NM lateral and 50 NM longitudinal. Lateral and longitudinal separation standards applied between RNP 10 and Non-RNP aircraft also remains unchanged.

2. Requirements for Aircraft and Operators.

2.1 Communication, Navigation and Surveillance Requirements. The combination of RNP values, specified communication capability and necessary surveillance and the associated separation minimum are in table:

CNS Requirements

Separation Minimum	Navigation Requirement	Communications Requirement	ADS-C Surveillance Requirements
50 NM longitudinal	RNP 10	CPDLC	Position report at least every 27 minutes (at least every 32 minutes if both aircraft are approved for RNP-4 operations)
30 NM longitudinal	RNP 4	CPDLC	ADS-C position report at least every <u>10</u> minutes (14 minutes in Oakland)
30 NM lateral	RNP 4	CPDLC	ADS-C-based lateral deviation event contract with 5NM lateral deviation from planned routing set as threshold for triggering ADS report of lateral deviation event

2.2 RNP Authorizations and Equipage. For reduced separation to be applied, the aircraft and operator must be authorized by the State of the operator or State of Registry, as appropriate, for the required RNP specification. The aircraft must be equipped with two approved long range navigation systems that will enable the aircraft to maintain the required navigation performance for the duration of flight in the applicable airspace. The aircraft must be equipped with a FANS-1/A package (or equivalent) that includes satellite CPDLC and ADS-C that meets the standards of RTCA DO 258 using ARINC 622 Data Communication Standard. CPDLC communications and ADS-C surveillance must be conducted in accordance with ICAO *Global Operational Data Link Document* (GOLD), as amended, and maintained for the duration of the flight in the applicable CTA. Pilots and, if applicable, dispatchers must be trained on policies and procedures for 30 NM lateral, 30 NM longitudinal and 50 NM longitudinal requirements including the use of satellite CPDLC and ADS-C in oceanic airspace. See the ICAO Document (Doc) 9613, *Performance-based*

Navigation (PBN) Manual and Advisory Circular 90-105A Approval Guidance for RNP Operations and Barometric Vertical Navigation in the U.S. National Airspace System and in Oceanic and Remote Continental Airspace.

NOTE-

Currently RNP4 and RNP 10 are the only navigation specifications applicable to oceanic operations. However, RNP 2 is being developed and once implemented aircraft and operators authorized RNP 2 should be eligible for these reduced separation minima.

2.3 Data Link Operational Authorization. U.S. operators are required to obtain operational authorization prior to using FANS 1/A data link systems. Data link authorizations should be in accordance with FAA AC 20-140 (as amended), *Guidelines for Design Approval of Aircraft Data Link Communication Systems Supporting Air Traffic Services (ATS)* and FAA AC 120-70 (as amended), *Operational Authorization Process for Use of Data Link Communication System.*

3. Flight Planning Requirements:

To inform ATC, and to key Ocean21 automation, that aircraft operators have appropriate operational authorizations and are therefore eligible for 30 NM lateral, 30 NM longitudinal or 50 NM longitudinal separation, operators must annotate their flight plans in accordance with the following table:

Flight Plan Filing Requirements

Item 10a. Radio communication, navigation and approach aid equipment and capabilities: • CPDLC capabilities: J5 (CPDLC FANS 1/A SATCOM (INMARSAT)) and/or J7 (CPDLC FANS 1/A SATCOM(Iridium)), J6 (CPDLC FANS 1/A SATCOM (MTSAT, where applicable)) • Navigation: R (PBN approved) (see related Item 18 entry below)
Item 10b. Surveillance equipment and capabilities: • D1 (ADS-C with FANS 1/A capabilities)
Item 18. Other Information: • PBN/L1 (RNP 4) • PBN/A1 (RNP 10)

NOTE- If only RNP 10 is filed then separation is limited to 50 NM

4. Special Emphasis Items.

4.1 Weather Contingency Procedure. Weather deviation procedures can be found in ICAO Doc 4444, *Procedures for Air Navigation Services – Air Traffic Management (PANS-ATM)*, Chapter 15.2.3. Pilots maneuver (deviate) around convective weather on a regular basis in the course of operations. Weather, therefore, was a major factor considered in establishing the ATC, operator and aircraft requirements for reducing horizontal separation minima to 30 NM. For weather avoidance maneuvers in areas where 30 NM lateral and 30 NM longitudinal separation minima are applied, operators must train the procedures in the ICAO Doc 4444. Emphasis should be placed on the following:

Weather Contingency Items

• In accordance with ICAO Doc 4444, pilots are reminded that, regardless of the magnitude of a deviation from assigned route, whenever possible, clearance should be requested in advance from ATC. This does not apply to deviations associated with Strategic Lateral Offset Procedures (SLOP). Prior coordination with ATC will help prevent the aircraft generating unnecessary alerts to ATC for lateral deviation events.
• Pilots should not assume that the Ocean21 system will quickly detect significant changes to the aircraft flight path. Unlike radar, the Ocean21 system does not receive aircraft position updates in real-time. Aircraft position is updated to the Ocean21 system at intervals of up to 10 minutes, when 30 NM lateral and 30 NM longitudinal separation is applied. Controllers can change the update intervals as the situation warrants.

It is therefore imperative that pilots keep ATC advised, via CPDLC (or HF voice, if necessary), of their intentions (including significant airspeed changes and/or turbulence conditions) during the initial weather avoidance maneuver and any subsequent maneuvers to avoid convective weather. In order to enhance situational awareness, flight crews should consider broadcasting on 123.45 or 121.5 their intentions to deviate from weather - particularly if an ATC weather deviation is not obtained. This could be a significant event in reduced lateral separation situations.
Pilots must be aware that other aircraft could be approximately 30NM ahead or behind them on the same track and inform ATC expeditiously of changes to flight path or airspeed that could erode longitudinal separation.
In particular, for the weather deviation procedures, pilots should be aware of the provision to climb or descend 300 feet (depending on the direction of flight and direction of deviation from track) to mitigate the chance of conflict with other aircraft when forced to deviate without a clearance.
It is recommended that ACAS be operational for aircraft to which 30 NM lateral and 30 NM longitudinal separation minima can be applied. ACAS is not a separation maintenance tool, but provides valuable data to alert the pilot to the presence and proximity of nearby aircraft in contingency and weather deviation situations.

4.2 15NM Offset Contingency Procedures. Guidance published in ICAO Doc 4444, Chapter 15.2 reflects current ICAO guidance calling for a 15 NM track offset when unable to obtain ATC clearance prior to executing maneuvers for contingencies such as rapid descent, turn-back or diversion. This is of particular importance for aircraft to which 30 NM separation minima can be applied.

4.3 GOLD Procedures for Data Link Operations and Conditional Clearances. A conditional clearance is an ATC clearance given to an aircraft with certain conditions or restrictions such as changing a flight level based on a time or place. Conditional clearances add to the operational efficiency of the airspace. However, conditional clearances have been associated with a large number of pilot deviations. These types of clearances require special attention by the flight crew and operators should develop training material to emphasize proper procedures for executing them accordingly. Resources available for aircrew to properly interpret conditional clearances (and which may assist operators in developing training material) can be found in the ICAO Global Operational Data Link Document (GOLD), Chapter 5 and paragraph 5.3.3. Additionally, the North Atlantic Oceanic Error Safety Bulletin (OESB) provides operators information on procedures and best practices for dealing with conditional clearances. Both the GOLD and the latest version of the OESB can be found in the “NAT Resource Guide for US Operators”. See the web link in paragraph 3.

4.4 Aircraft Navigation or Data Links System Malfunction. Pilots must advise ATC of any loss of CPDLC and/or ADS-C capability or an inability to continue to meet RNP-4. ATC will then apply the separation standard appropriate to the situation.

4.5 Air Traffic System Malfunction. If there is a known malfunction of the CPDLC or ADS-C ground system, ATC will contact aircraft and apply separation appropriate to the situation.

4.6 Verifying correct RNP Values prior to entering oceanic and remote airspace. RNP procedures and routes may require the use of RNAV systems with on-board performance monitoring and alerting. A critical component of RNP is the ability of the aircraft navigation system, in combination with the pilot, to monitor its achieved navigation performance and to identify for the pilot whether the operational requirement is, or is not, being met. Operators conducting oceanic operations must verify the RNP value is properly entered into the FMC, from the flight plan, prior to the aircraft entering oceanic or remote airspace.

4.7 Pilot Report of NonRNP10 or RNP 4 Status. If RNP 10 or RNP 4 approval status is requested by the air traffic controller, the pilot shall communicate approval status using the following phraseology:

RNP 10 or 4 Approval Status

Controller Request	Pilot Response
“(call sign) <i>confirm RNP 10 or 4 approved</i> ”	“ <i>Affirm RNP 10 approved</i> ” or “ <i>Affirm RNP 4 approved</i> ”, as appropriate; or “ <i>Negative RNP 10</i> ”

4.7 Strategic Lateral Offset Procedures (SLOP). Pilots should use SLOP procedures in the course of regular oceanic operations. SLOP procedures are published in ICAO Doc 4444, paragraph 16.5 and. FAA Notices.

4.8 Monitoring Aircraft Navigation. The FAA will monitor and document aircraft navigation errors and system malfunctions. Operators are required to cooperate in follow up investigations of these events. Monitoring is used to verify separation safety and as a means to detect trends in operational practice.

5. Points of contact. If there are questions or requests, one of the following may be contacted:

Steve Smoot	FAA Flight Standards Support, CSSI, Inc.	+1 202-267-8855	ssmoot@cssiinc.com
Kim Joyce	FAA Flight Standards Support, CSSI, Inc.	+1 480-459-5786	kjoyce@cssiinc.com
Roy Grimes	FAA Flight Standards Support, CSSI, Inc.	+1 202-863-3692	rgrimes@cssiinc.com
Madison Walton	FAA Flight Standards Service, AFS-470	+1 202-267-8850	madison.walton@faa.gov
Keith Dutch	FAA Oceanic and Offshore Operations , North Pacific, AJV-824	+1 202-385-8459	keith.dutch@faa.gov
Steven Pinkerton	FAA Oceanic and Offshore Operations, North Atlantic, AJV-824	+1 202-385-8384	steven.pinkerton@faa.gov

SPECIAL NOTICE -- NAT ATS MESSAGE FORMAT

The following is submitted in an effort to standardize ATS message formats for air/ground communications in the North Atlantic (NAT) Region:

a. General

1. All NAT air-ground messages are categorized under one of the following headings (excluding emergency messages):

(a) Position Report.

(b) Request Clearance.

(c) Revised Estimate.

(d) Miscellaneous Message.

2. In order to enable ground stations to process messages in the shortest possible time, pilots should observe the following rules:

- (a) Use the correct type of message applicable to the data transmitted.
 - (b) State the message type on the contact call to the ground station or at the start of the message.
 - (c) Adhere strictly to the sequence of information for the type of message.
 - (d) All times in each of the messages should be expressed in hours and minutes.
- b. Description of ATS Message Types. Aircraft should transmit air–ground messages using standard RTF phraseology in accordance with the following:
- 1. POSITION. To be used for routine position reports.

CONTENT AND DATA SEQUENCE

- (a) “POSITION.”
- (b) Flight identification.
- (c) Present position.
- (d) Time over present position (hours and minutes).
- (e) Present flight level.
- (f) Next position on assigned route.
- (g) Estimated time for next position (hours and minutes).
- (h) Next subsequent position.
- (i) Any further information; e.g., MET data or Company message.

EXAMPLE–

“Position, SWISSAIR 100, 56N 010W 1235, flight level 330, estimating 56N 020W 1310, next 56N 030W”

2. REQUEST CLEARANCE.

(a) To be used, in conjunction with a routine position report, to request a change of mach number, flight level, or route and to request westbound oceanic clearance prior to entering Reykjavik, Santa Maria or Shanwick CTAs.

CONTENT AND DATA SEQUENCE

- (1) “REQUEST CLEARANCE.”
- (2) Flight identification.
- (3) Present or last reported position.
- (4) Time over present or last reported position (hours and minutes).
- (5) Present flight level.
- (6) Next position on assigned route or oceanic entry point.
- (7) Estimate for next position or oceanic entry point.

- (8) Next subsequent position.
- (9) Requested Mach number, flight level or route.
- (10) Further information or clarifying remarks.

EXAMPLE–

“Request clearance, TWA 801, 56N 020W 1245, flight level 330, estimating 56N 030W 1320, next 56N 040W, requesting flight level 350”

(b) To be used to request a change in Mach number, flight level, or route when a position report message is not appropriate.

CONTENT AND DATA SEQUENCE

- (1) “REQUEST CLEARANCE.”
- (2) Flight identification.
- (3) Requested Mach number, flight level or route.
- (4) Further information or clarifying remarks.

EXAMPLE–

“Request clearance, BAW 212, requesting flight level 370”

3. REVISED ESTIMATE. To be used to update estimate for next position.

CONTENT AND DATA SEQUENCE

- (a) “Revised Estimate.”
- (b) Flight identification.
- (c) Next position on route.
- (d) Revised estimate for next position (hours and minutes).
- (e) Further information.

EXAMPLE–

“Revised estimate, WDA 523, 57N 040W 0325”

4. MISCELLANEOUS. To be used to pass information or make a request in plain language that does not conform with the content of other message formats. No message designator is required as this will be inserted by the ground station.

CONTENT AND DATA SEQUENCE

- (a) Flight identification.
- (b) General information or request in plain language and format free.

“When Able Higher” (WAH) Reports

To ensure maximum use of available altitudes, aircraft entering RVSM and/or NAT HLA airspace in the New York FIR should be prepared to advise ATC of the time or position the aircraft can accept the next higher altitude. WAH reports are also used to plan the altitude for aircraft as they transition from RVSM to CVSM altitudes. Therefore it is important that the altitude capability of the aircraft is known by controllers. If the aircraft is capable of a higher altitude that, for whatever reason, is not preferred by the pilot, give the altitude in the WAH report and advise that you prefer not to be assigned that altitude.

The procedures will differ for eastbound and westbound aircraft since many of the eastbound aircraft will enter New York NAT HLA/RVSM airspace from ATC sectors that have direct controller–pilot communications. ATC acknowledgment of a WAH report is NOT a clearance to change altitude.

Eastbound aircraft entering RVSM or NAT HLA airspace in the New York FIR:

Pilots may be requested by ATC to provide an estimate for when the flight can accept the next higher altitude(s). If requested, pilots should provide this information as soon as possible.

Westbound aircraft entering RVSM or NAT HLA airspace in the New York FIR:

Pilots should include in the initial position report the time or location that the next higher altitude can be accepted.

EXAMPLE–

“Global Air 543, 40 north 40 west at 1010, flight level 350, estimating 40 north 50 west at 1110, 40 north 60 west. Next able flight level 360 at 1035.”

NOTE–

Pilots may include more than one altitude if that information is available.

EXAMPLE–

(after stating initial report) “Able flight level 360 at 1035, able flight level 370 at 1145, able flight level 390 at 1300.”

Mandatory Pilot Reports

In addition to reading back altitude assignments, pilots shall report reaching any altitude assigned within RVSM airspace. This serves as a double check between pilots and controllers and reduces the possibility of operational errors. This requirement for altitude readback and reports of reaching assigned altitudes applies to both RVSM and CVSM altitudes (i.e., flight levels 330, 340, 350, 360, and 370).

EXAMPLE–

(initial altitude readback): “Global Air 543 climbing to flight level 360.”

(upon reaching assigned altitude): “Global Air 543 level at flight level 360.”

CARIBBEAN, SOUTH AMERICA, AND GULF OF MEXICO

FDC 2/8646 ZFW TX.. Due to the lack of terrain and obstacle clearance data, accurate automation data bases are not available for providing minimum safe altitude warning information to aircraft overflying Mexico. Air traffic facilities along the United States/Mexico border have inhibited minimum safe altitude warning computer programs for aircraft operating in Mexican airspace until accurate terrain data can be obtained. (ATP-130 7/29/02)

FDC 2/8645 ZHU TX.. Due to the lack of terrain and obstacle clearance data, accurate automation data bases are not available for providing minimum safe altitude warning information to aircraft overflying Mexico. Air traffic facilities along the United States/Mexico border have inhibited minimum safe altitude warning computer programs for aircraft operating in Mexican airspace until accurate terrain data can be obtained. (ATP-130 7/29/02)

FDC 2/8644 ZAB NM.. Due to the lack of terrain and obstacle clearance data, accurate automation data bases are not available for providing minimum safe altitude warning information to aircraft overflying Mexico. Air traffic facilities along the United States/Mexico border have inhibited minimum safe altitude warning computer programs for aircraft operating in Mexican airspace until accurate terrain data can be obtained. (ATP-130 7/29/02)

GULF OF MEXICO 50 NM LATERAL SEPARATION / RNAV ROUTES PROJECT OPERATIONAL POLICY AND PROCEDURES

Introduction. In January 2013, the Federal Aviation Administration (FAA), Servicios a la Navegacion en el Espacio Aéreo Mexicano (SENEAM) and the Direccion General de Aeronautica Civil (DGAC) Mexico

implemented new RNAV routes in the GoMex CTA's identified in the paragraphs below. Since that time, 50 Nautical Mile (NM) lateral separation has been applied between aircraft authorized RNP 10 or RNP 4. RNP 10 is the minimum navigation specification (NavSpec) required for the application of 50 NM lateral separation.

Note: Information useful for flight planning and operations within the Gulf of Mexico under this 50 nm lateral separation initiative can be found in the "West Atlantic Route System, Gulf of Mexico, and Caribbean Resource Guide for U.S. Operators" located at:

www.faa.gov/about/office_org/headquarters_offices/avs/offices/afs/afs400/afs470/media/WATRS.pdf

Policy and Procedures Coordination With SENEAM and DGAC Mexico. The policies and procedures contained in this Notice have been coordinated with SENEAM and DGAC Mexico. They will be applied in the Gomex CTA's where the FAA and SENEAM provide Air Traffic Control.

RNP 10 Versus RNAV 10 Terminology. "RNP 10" has the same meaning and application as "RNAV 10". The ICAO Performance-based Navigation (PBN) Manual (ICAO Doc 9613), Volume II, Part B, Chapter 1 (**Implementing RNAV 10, Designated and Authorized as RNP 10**) explains that the term "RNP 10" was in use before the publication of the ICAO PBN Manual and the manual has "grandfathered in" its continued use when implementing an "RNAV 10" navigation specification.

Control Areas (CTA) Affected. The new RNAV routes were implemented and 50 NM lateral separation has been applied since 10 January 2013 in the following CTAs/FIRs/Upper Control Areas (UTA):

- The Houston Oceanic CTA/FIR and the Gulf of Mexico portion of the Miami Oceanic CTA/FIR.
- The Monterrey CTA and Merida High CTA within the Mexico FIR/UTA

Procedural Change In This Update. See paragraph 4 (Accommodation of NonRNP10 Aircraft). Aircraft not authorized RNP 10 (non-RNP 10 aircraft) are **no longer required** to coordinate the flight prior to departure with the Houston Center Operational Supervisor, but are still required to flight plan and make in-flight calls in accordance with paragraph 4.

Table of Contents. The following is a list of the major paragraphs that follow:

1. Policy, Procedures and Guidance
2. Lateral Separation Minima to be Applied
3. Operation in Areas or on Routes within the Gulf of Mexico not affected by the project.
4. Provisions for Accommodation of **Non-RNP 10 Aircraft** (Aircraft not authorized RNP 10 or RNP 4)
5. Operator Action
6. RNP 10 or RNP 4 Authorization: Policy and Procedures for Aircraft and Operators
7. Flight Planning Requirements
8. Pilot and Dispatcher Procedures: Basic and In-flight Contingency Procedures
9. FAA Hq, Houston and Miami Center Contacts
10. FAA Project Leads
11. DGAC - Mexico Leads
12. SENEAM Project Leads

OPERATIONAL POLICY AND PROCEDURES

1. Policy, Procedures and Guidance. Information useful for flight planning and operations within the Gulf of Mexico under this 50 nm lateral separation initiative can be found in the "West Atlantic Route System, Gulf of Mexico, and Caribbean Resource Guide for U.S. Operators" located at:

www.faa.gov/about/office_org/headquarters_offices/avs/offices/afs/afs400/afs470/media/WATRS.pdf

The Resource Guide also provides information on operator and aircraft authorization for RNP 10.

2. Lateral Separation Minima To Be Applied Outside Radar Coverage

- 50 NM lateral separation will continue to be applied in the GoMex CTA's between aircraft authorized RNP 10 or RNP 4 at all altitudes above the published MEA.
- A lateral separation minima of 100 NM in the Houston, Monterrey and Merida CTAs, and 90 NM in the Miami Oceanic CTA will continue to be applied between aircraft not authorized RNP 10 or RNP 4.

3. Operation on Routes on the periphery of the Gulf of Mexico CTAs

Operations on certain routes that fall within the boundaries of affected CTAs will not be affected by the introduction of 50 NM lateral separation. Operation on the following routes is **not** affected:

- a. Routes that are flown by reference to ICAO standard ground-based navigation aids (VOR, VOR/DME, NDB).
- b. Special Area Navigation (RNAV) routes Q100, Q102 and Q105 in the Houston, Jacksonville and Miami CTA's.

4. Provisions for Accommodation of Non-RNP 10 Aircraft (Aircraft Not Authorized RNP 10 or RNP 4). Operators of non-RNP 10 aircraft shall follow the practices detailed in the paragraphs below.

- a. **When filing an ICAO flight plan**, operators of non-RNP 10 aircraft shall annotate ICAO flight plan Item 18 as follows:

First remark, if possible: "RMK/NONRNP10" (no space between letters and numbers).

- b. Pilots of non-RNP 10 aircraft that operate in GoMex CTA's shall report the lack of authorization by stating "**Negative RNP 10**":

- on initial call to ATC in a GoMex CTA; or...
 - when approval status is requested by the controller. (See paragraph 8e below).
- c. Operators of non-RNP 10 aircraft shall **not** indicate RNP 10 or RNP 4 capabilities in ICAO flight plan Item 18 (Other Information) if they have **not** obtained RNP 10 or RNP 4 authorization.
 - d. NonRNP10 operators/aircraft may file any route at any altitude in a GoMex CTA. They will be cleared to operate on their preferred routes and altitudes as traffic permits. 50 NM lateral separation will **not** be applied to NonRNP10 aircraft.
 - e. NonRNP10 aircraft should plan on completing their climb to or descent from higher FLs within radar coverage, if possible.

5. Operator Action

In order to maximize operational flexibility provided by 50 NM lateral separation, operators capable of meeting RNP 10 or RNP 4 that operate on oceanic routes or areas in the GoMex CTA's should obtain authorization for RNP 10 or RNP 4 and annotate the ICAO flight plan accordingly.

Note 1: RNP 10 is the minimum "Navigation Specification (NavSpec)" required for the application of 50 NM lateral separation. RNP 4 is an operator option. Operators/aircraft authorized RNP 4 are not required to also obtain RNP 10 authorization.

Note 2: "RNP navigation specification" (e.g., RNP 10) is the term adopted in the ICAO Performance-based Navigation (PBN) Manual (Doc 9613). It replaced the term "RNP type".

6. RNP 10 or RNP 4 Authorization: Policy and Procedures for Aircraft and Operators

- a. **RNP NavSpecs Applicable To Oceanic Operations.** In accordance with ICAO guidance, RNP 10 and RNP 4 are the only NavSpecs currently applicable to oceanic and remote area operations, however, Edition 4 of the ICAO PBN Manual is planned to introduce RNP 2 into oceanic operations. This Notice will be updated at the appropriate time. Other RNAV and RNP NavSpecs are applicable to continental en route, terminal area and approach operations.
- b. **Responsible State Authority (ICAO Guidance).** The following is ICAO guidance on the State authority responsible for authorizations such as RNP 10, RNP 4 and RVSM.
- **International Commercial Operators.** The State of Registry makes the determination that the aircraft meets the applicable RNP requirements. The State of Operator issues operating authority (e.g., Operations Specifications (OpSpecs)).
 - **International General Aviation (IGA) Operators.** The State of Registry makes the determination that aircraft meets the applicable RNP requirements and issues operating authority (e.g., Letter of Authorization (LOA)).
- c. **FAA Documents.** The guidance and direction of AC 90-105A Approval Guidance for RNP Operations and Barometric Vertical Navigation in the U.S. National Airspace System and in Oceanic and Remote Continental Airspace will be used to authorize RNP 4 and RNP 10. AC 90-105A is FAA and ICAO documents are accessible through the West Atlantic, Gulf of Mexico and Caribbean Resource Guide.
- d. **ICAO Performance-based Navigation (PBN) Manual (ICAO Doc 9613).** Guidance for authorization of RNP 10 and RNP 4 is provided in ICAO Doc 9613. RNP 10 is addressed in Volume II, Part B; Chapter 1. RNP 4 is addressed in Volume II, Part C; Chapter 1.
- e. **RNP 10 and RNP 4 Job Aids.** Operators and authorities are encouraged to use the RNP 10 or RNP 4 Job Aids are available through the West Atlantic, Gulf of Mexico and Caribbean Resource Guide. These Job Aids address the operational and airworthiness elements of aircraft and operator authorization and provide references to appropriate document paragraphs. The Job Aids provide a method for operators to develop and authorities to track the operator/aircraft program elements required for RNP 10 or RNP 4 authorization.
- f. **Qualification of Aircraft Equipped With a Single Long-Range Navigation System (S-LRNS) For RNP 10 Operations In GoMex CTA's.**
- (1) **Background.** S-LRNS operations in the Gulf of Mexico, the Caribbean Sea and the other designated areas have been conducted for at least 25 years. Provisions allowing aircraft equipage with a S-LRNS for operations in specified oceanic and off-shore areas are contained in the following sections of 14 Code Of Federal Regulations (CFR): 91.511, 121.351, 125.203 and 135.165.
 - (2) **ICAO PBN Manual Reference.** In reference to RNP 10 authorization, the ICAO PBN Manual, Volume II, Part B, Chapter 1, paragraph 1.3.6.2 states that: "A State authority may approve the use of a single LRNS in specific circumstances (e.g., North Atlantic NAT HLA and 14 CFR 121.351 (c) refer). An RNP 10 approval is still required."
 - (3) **Policy Development.** The FAA has worked with the ICAO NACC Office (North American, Central American and Caribbean), State regulators and ATS providers in the GoMex and Caribbean areas to implement a policy for S-LRNS equipped aircraft to qualify for RNP 10 **for GoMex operations**. Allowing S-LRNS equipped aircraft to qualify for RNP 10 will enable more operator aircraft to be authorized RNP 10, thereby creating a more uniform operating environment for the application of 50 NM lateral separation. The factors considered were: the shortness of the legs outside the range of ground navigation aids, the availability of radar and VHF coverage in a large portion of GoMex airspace and the absence of events attributed to S-LRNS in GoMex operations.
 - (4) **Document Revision.** The following documents have been revised or created to enable implementation of the S-LRNS/RNP 10 qualification policy:

- AC 90-105A
- FAA Order 8900.1 (Flight Standards Information Management System (FSIMS))
- Paragraph B054 of FAA Operations Specifications and Management Specifications (Class II Navigation Using Single Long-Range Navigation System)
- LOA B054 (Class II Navigation Using Single Long-Range Navigation System (S-LRNS) Equipped Airplane Authorized RNP 10) (LOA's are applicable to International General Aviation operators.)
- FAA RNP 10 Job Aid with AC 90-105A and PBN Manual references

(5) S-LRNS/RNP 10 Authorization Limited To GoMex. At this time, S-LRNS qualification for RNP 10 will only apply to GoMex operations. Any expansion of this provision will require assessment and agreement by the appropriate State authorities.

g. **RNP 10 Time Limit for INS or IRU Only Equipped Aircraft.** Operators should review their Airplane Flight Manual (AFM), AFM Supplement or other appropriate documents and/or contact the airplane or avionics manufacturer to determine the RNP 10 time limit applicable to their aircraft. They will then need to determine its effect, if any, on their operation. Unless otherwise approved, the basic RNP 10 time limit is 6.2 hours between position updates for aircraft on which Inertial Navigation Systems (INS) or Inertial Reference Units (IRU) provide the only source of long range navigation. **Extended RNP 10 time limits of 10 hours and greater are already approved for many IRU systems.** FAA Order 8400.12 contains provisions for extending RNP 10 time limits

7. **Flight Planning Requirements.** Operators shall make ICAO flight plan annotations in accordance with this paragraph **and**, if applicable, paragraph 4 (Provisions For Accommodation of NonRNP 10 Aircraft). (See the introductory paragraphs of this notice for information on ICAO Flight Plan (FPL) 2012 implementation).

a. **ICAO Flight Plan Requirement.** ICAO flight plans are required to operate on oceanic routes and areas in the Houston Oceanic CTA/FIR, the Gulf of Mexico portion of the Miami CTA/FIR, the Monterrey CTA and Merida High CTA.

b. **When filing an ICAO flight plan under ICAO FPL 2012 provisions**, to inform ATC that they have obtained RNP 10 or RNP 4 authorization and are eligible for 50 NM lateral separation, operators shall:

(1) annotate ICAO Flight Plan Item 10a (Equipment) with the letter “R” and...

(2) annotate Item 18 (Other Information) with, as appropriate, “PBN/A1” for RNP 10 aircraft or “PBN/L1” for RNP 4 aircraft (**no space between letters and numbers**). (“PBN” is the acronym for “Performance-based Navigation”).

Note: under ICAO FPL 2012 provisions, letter “R” indicates that the performance-based navigation specification (e.g., RNP 10 or RNP 4) is specified in Item 18 following the indicator “PBN/”.

c. 50 NM lateral separation will only be applied to operators/aircraft that annotate the ICAO flight plan in accordance with this policy. See 7b (1)(2) above.

d. Operators that have not obtained RNP 10 or RNP 4 authorization shall not annotate ICAO flight plan Item 18 (Other information) to indicate RNP 10 or RNP 4 capabilities, but shall follow the practices detailed in paragraph 4 of this notice.

e. **Filing to Show Domestic U.S. RNAV Capabilities.** The FAA program to enhance operators’ capability to communicate their domestic U.S. RNAV capabilities to ATC has been in place since 2008. Detailed instructions are available on the following web page: <http://www.faa.gov/ato?k=fpl>

8. **Pilot and Dispatcher Procedures: Basic and In-flight Contingency Procedures**

a. **Basic Pilot Procedures.** The RNP 10 and RNP 4 Job Aids contain references to pilot and, if applicable, dispatcher procedures contained in:

- (1) AC 90-105A chapters 8, 9, and 10
- (2) ICAO PBN Manual, Volume II, Part B, Chapter 1 (RNP 10)
- (3) ICAO PBN Manual, Volume II, Part C, Chapter 1 (RNP 4)

b. **ICAO Doc 4444, Chapter 15, In-flight Contingency Procedures.** Doc 4444 Chapter 15 contains important guidance for pilot training programs. For ease of reference, significant Chapter 15 paragraphs are posted on the Gulf of Mexico 50 NM Lateral Separation Web Page. Chapter 15 paragraphs posted on the website include:

(1) **Paragraph 15.2 (Special Procedures For In-Flight Contingencies in Oceanic Airspace).** Paragraph 15.2.2 (General Procedures) provides guidance for in-flight diversions, turn-backs and for loss of, or significant reduction in, required navigation capability when operating in an airspace where the navigation performance accuracy is a prerequisite to the safe conduct of flight operations.

(2) **Paragraph 15.2.3 (Weather Deviation Procedures).** Paragraph 15.2.3 provides guidance for events where the pilot is able to obtain a clearance prior to deviating from track to avoid convective weather and for events where the pilot is unable to obtain clearance prior to deviating.

c. **Strategic Lateral Offset Procedures (SLOP).** Pilots should use SLOP procedures in the course of regular oceanic operations. SLOP procedures are published in ICAO Document 4444, 15th Edition, Amendment 2, paragraph 16.5 and FAA Notices. They are posted on the Gulf of Mexico 50 NM Lateral Separation Web Page and are addressed in the RNP 10 and RNP 4 Job Aids.

d. **Pilot Report of NonRNP10 Status.** The pilot shall report the lack of RNP 10 or RNP 4 status in accordance with the following:

- When the operator/aircraft is not authorized RNP 10 or RNP 4. **See paragraph 4.**
- If approval status is requested by the controller in accordance with paragraph 8e below.

e. **Pilot Statement of RNP 10 or RNP 4 Approval Status, If Requested.** If requested by the controller, the pilot shall communicate approval status using the following phraseology:

Controller Request	Pilot Response
(call sign) confirm RNP 10 or 4 approved	“Affirm RNP 10 approved” or “Affirm RNP 4 approved”, as appropriate, or... “Negative RNP 10” (See paragraph 4 for NonRNP10 aircraft procedures).

f. **Pilot action when navigation system malfunctions.** In addition to the actions suggested in ICAO Doc. 4444, Chapter 15, when pilots suspect a navigation system malfunction, the following actions should be taken:

- Immediately inform ATC of navigation system malfunction or failure
- Accounting for wind drift, fly magnetic compass heading to maintain track
- Request radar vectors from ATC, when available

9. **Contacts for Questions.** The following individuals may be contacted with questions or requests. A response will be coordinated with the appropriate FAA subject matter expert, if necessary:

9a. **U.S. FAA Hq Contacts**

Name	Title	Phone	E-mail
Roy Grimes	FAA Separation Standards Program Support, CSSI, Inc.	+1 202-863-3692	rgrimes@cssiinc.com
Keith Dutch	Air Traffic Oceanic and Offshore Operations (AJE-32)	+1 202-385-8459	Keith.Dutch@faa.gov ;

9b. **U.S. FAA Center Contacts**

Name	Title	Phone	E-mail
John Beckman	Airspace Specialist, Houston ARTCC	+1 281-230-5521	john.beckman@faa.gov
Mike McGhee	Airspace Manager, Houston ARTCC	+1 281-230-5520	mike.mcghee@faa.gov
Mark Palazzo	Manager, Operations Support, Miami ARTCC	+1 305-716-1547	mark.palazzo@faa.gov
Juan Almanzar	Airspace Specialist, Miami ARTCC	+1 305-716-1531	juan.almanzar@faa.gov

10. **FAA Project Leads.**

Name	Title	Phone	E-mail
Karen Chiodini	Manager, Air Traffic Oceanic and Offshore Operations (AJE-32)	+1 202-385-8931	karen.l.chiodini@faa.gov
Madison Walton	Flight Standards Performance Based Flight Systems Branch (AFS-470)	+1 202-267-8850	madison.walton@faa.gov

11. **Project Leads For DGAC Mexico**

Jose Gil Jimenez	Air Traffic Control Department, Manager	+52-55-57-23-9300 Extension 18074	jigiljim@sct.gob.mx
Oscar Vargas Antonio	Air Traffic Inspector	+52-55-57-23-9300 Extension 18074	ovargasa@sct.gob.mx

12. **SENEAM Project Leads.**

Name	Title	Phone	E-mail
Martin Fuentes	Director - Navigation and Aeronautical Information	+52 -55-57-86-55-19	ais_pcr@sct.gob.mx
Bruce Magallon	Air Traffic Director	+52 55-57-86-55-13	dta_seneam@sct.gob.mx
Jorge Carrión	Air Traffic Specialist	+52 55-57-86-55-14	jcarrión@sct.gob.mx

(AJV-824, 4/3/14)

SPECIAL NOTICE -- GULF OF MEXICO COMMUNICATIONS REQUIREMENTS AND POSITION REPORTING WITHIN HOUSTON OCEANIC CONTROL AREA

Position reports and the ability to communicate at any point of the route of flight is vital to the air traffic safety and control process. When flight planning, users are responsible to ensure that they will be capable of compliance. Inability to comply is in violation of ICAO requirements. The communication requirements for IFR flights within the Houston Oceanic Control Area are:

- a. Functioning two-way radio communications equipment capable of communicating with at least one ground station from any point on the route.
- b. Maintaining a continuous listening watch on the appropriate radio frequency.
- c. Reporting of mandatory points.

The following describes an area in the Houston CTA/FIR where reliable VHF air-to-ground communications below FL180, are not available:

26 30 00N 86 00 00W TO 26 30 00N 92 00 00W
TO 24 30 00N 93 00 00W TO 24 30 00N 88 00 00W
TO 24 00 00N 86 00 00W TO BEGINNING POINT.

Communications within this area are available for all oceanic flights via HF.

The attention of pilots planning flights within the Houston CTA/FIR is directed to the communications and position reports requirements specified in the following ICAO Documents:

ANNEX 2, PARAGRAPHS 3.6.3 AND 3.6.5

ANNEX 11, PARAGRAPH 6.1.2

PANS-RAC 4444, PART 2, PARAGRAPH 14

DOC 7030, CAR, PARAGRAPH 3. (FAA)

GULF OF MEXICO RNAV ROUTES Q100, Q102, AND Q105

This NOTAM defines RNAV equipment requirements for operators filing Q100, Q102, and Q105 through Gulf of Mexico airspace. Only aircraft approved for IFR Area Navigation operations will be cleared to operate on Q100, Q102, and Q105 between the surface and FL600 (inclusive).

Operator Determination of RNAV Equipment Eligibility

In accordance with Federal Aviation Regulations 91.511, 121.351, 125.203, and 135.165 (as applicable) an approved Long-Range Navigation System (INS, IRS, GPS or Loran C) is required for operation on these routes.

In addition, operators will not flight plan or operate on these routes unless their aircraft are equipped with RNAV systems that are approved for IFR navigation and the pilots are qualified to operate them. Aircraft may be considered eligible to operate on these routes if they fall under one of the following categories:

- a. For new installations, the Airplane Flight Manual must show that the navigation system installation has received airworthiness approval in accordance with one of the following FAA ACs:

1. AC 20-138, as amended (Airworthiness Approval of Positioning and Navigation Systems).
 2. AC 25-15 (Flight Management System [FMS] approval).
- b.** Installations that have previously received airworthiness approval under the following ACs are eligible for Gulf of Mexico Q-route operation provided it is shown in the Airplane Flight Manual:
1. AC 90-45A (RNAV system approval).
 2. AC 20-130, as amended (Multi-Sensor Navigation system approval).

NOTE - INS LIMITATIONS. See paragraph f, below.

Operational Requirements and Procedures

- a.** Class I Navigation: operations on Q100, Q102 and Q105 will continue to be categorized as Class I navigation, as defined in FAA Order 8900.1, Vol. 4, Chapter 1, Section 3, Class I Navigation.
- b.** Operations Specifications: operators are considered eligible to conduct operations on the Q-routes provided that aircraft are equipped with the appropriate equipment in accordance with the “Operator Determination of RNAV Equipment Eligibility” paragraph above and operations are conducted in accordance with paragraph (c), (d), (e) and (f) below. Title 14 CFR Parts 121, 125, 135 operators are authorized to operate on the Q-routes when they are issued Operations Specifications (OpSpecs) paragraph B034 (Class I Navigation Using Area Navigation Systems). In addition, OpSpecs B034 must be annotated in OpSpecs paragraph B050 (Enroute Authorizations, Limitations and Procedures), for the Gulf of Mexico High Offshore Airspace.
- c.** Pilots in command filing on RNAV routes are certifying that the crews and equipment are qualified to conduct RNAV operations.
- d.** Pilots in command shall be responsible for navigating along route centerline (as defined by the aircraft navigation system) in accordance with the requirements of Title 14 CFR 91, section 181 (course to be flown) and ICAO Annex 2, paragraph 3.6.2.1.1. (Annex 2, paragraph 3.6.2.1 states that flights shall “in so far as practical, when on an established ATS route, operate on the defined centerline of that route.”)
- e.** Pilots in command shall notify the Air Route Traffic Control Center (ARTCC) of any loss of navigation capability that affects the aircraft’s ability to navigate within the lateral limits of the route.
- f.** INS or IRS LIMITATION. For the purposes of operating on the following RNAV routes, Q100, Q102, and Q105, aircraft equipped with Inertial Navigation Systems (INS) or Inertial Reference Systems (IRS) that cannot receive automatic position updates (e.g., DME/DME update) for the entire length of the route, are limited to 1.5 consecutive hours of un-updated operation. In preparation for take-off, this time starts at the time that the INS or IRS is placed in the navigation mode. En route, the maximum time allowed between automatic position updates is 1.5 hours. Systems that perform updating after the pilot has manually selected the navigation aid are considered to have “automatic update” capability.
- g.** Radar monitoring will normally be provided. In the event of loss of radar, aircraft will be advised. ATC will ensure that the appropriate nonradar separation is applied during these time periods.

FAA Contacts

Roy Grimes	CSSI, Inc.; FAA Separation Standards Program Support	202-863-3692	RGrimes@cssiinc.com
Madison Walton	Performance Based Flight Systems Branch (AFS-470)	202-267-8850	Madison.Walton@faa.gov

Jorge A. Chades	Oceanic Air Traffic Procedures Group (AJV-824)	202-385-8461	Jorge.A.Chades@faa.gov
Jerry Bordeaux	AJV-824	202-385-8329	Jerry.Bordeaux@faa.gov

(AFS-470, 4/29/14)

MIAMI CTA/FIR Havana CTA/FIR -- Miami CTA/FIR

Aircraft on IFR flight plans entering the Miami CTA/FIR from the Havana CTA/FIR are requested to establish communication with Miami Oceanic CTA/FIR on the frequencies listed below for airways/direct routes:

between 7810W–7536W 127.22 VHF/239.02 UHF

between 7536W–7320W 123.77 VHF/256.80 UHF

Aircraft must contact Miami ARTCC 10 minutes prior to reaching the Miami CTA/FIR Boundary.

NOTE–

This information should appear on all applicable Domestic and Latin American High/Low En Route Charts.

RADAR SEPARATION

Miami ARTCC and Havana Center. Aircraft predominantly use radar procedures. High altitude aircraft should anticipate radar services.

Miami ARTCC utilizes secondary radar systems from antennas located on the island of Grand Turk, Great Exuma Island and Nassau in the Bahamas. IFR aircraft within 200 NM of the antenna above FL130 can expect radar separation from other IFR aircraft. Radar service may be provided below FL130 by Miami Center to those participating aircraft within the antenna coverage.

Redundancy in radar coverage occurs above FL240, from the Tamiami radar antenna in South Florida, through the Bahamas and Turks & Caicos Island, to the radar systems in Puerto Rico.

There is no primary radar data or weather information available from the Grand Turk, Great Exuma and Nassau radar systems. Since radar separation is dependent upon the receipt of transponder returns, all aircraft within antenna coverage of either system are required to squawk transponder codes as assigned by ATC, or, if none assigned, squawk the appropriate stratum code.

Aircraft departing and overflying the Santo Domingo and Port Au Prince FIRs that will enter Miami ARTCC FIR can expect ATC assigned codes from those agencies. If a code is not assigned by either Santo Domingo or Port Au Prince, pilots should request a code. The assigned codes should be squawked prior to crossing the Miami CTA/FIR boundary north or west bound. Initial call up to Miami Center prior to crossing the CTA/FIR boundary will permit early radar identification. Radar flight following of VFR aircraft is available on a workload permitting basis. The primary ATC frequency is as follows: Grand Turk area 126.45 and 307.2 or secondary is 135.2 and 327.0; Great Exuma area 127.22 and 239.02 and Nassau are 125.7 and 307.9.

Aircraft on IFR flight plan entering Miami CTA/FIR from Port Au Prince or Santo Domingo CTA/FIR contact Miami ARTCC at least 10 minutes prior to reaching Miami CTA/FIR boundary. (FAA)

FLIGHT PLANNING INTO OR THROUGH THE MIAMI CTA/FIR AND SAN JUAN CTA/FIRs

In an effort to eliminate erroneous or duplicate flight plans (FPLs) that may be received from various filers, and to increase the safety of flight within the Miami and San Juan CTA/FIRs, operators must adhere to the

following procedures when filing flight plans for flights originating in foreign aerodromes and entering the United States National Airspace System:

- a. All FPL amendments (CHG message) to an IFR flight must be submitted as soon as possible to the Air Traffic Service unit having authority for the departure aerodrome.
- b. A Cancel (CNL) messages must be sent PRIOR to resubmitting a new FPL for the same flight..

These references are contained in ICAO DOC 4444 and FAAO 7210.3, *Facility Operation and Administration*. Operators should be aware that failure to adhere to these procedures could result in an operational delay or pilot deviation.

If you have any questions, please do not hesitate to call the Miami Center Flight Data at 1650/1731/1648. (ZMA 8/1/13)

SPECIAL NOTICE --INSPECTION OF MEANS OF CONVEYANCE FOR AIRCRAFT MOVING TO GUAM

Inspection of aircraft moving to Guam. Any person who has moved an aircraft from Puerto Rico or the Virgin Islands of the United States to Guam shall contact an inspector and offer the inspector the opportunity to inspect the aircraft upon the aircraft's arrival in Guam, unless the aircraft has been inspected and cleared in Puerto Rico or the Virgin Islands prior to departure in accordance with arrangements between the operator of the aircraft, the Animal and Plant Health Inspection Service, and the government of Guam.

(USDA Regulation 318.58-9)

50 NM Lateral Separation Within Anchorage Arctic FIR

Policy and Procedures

Introduction. Throughout the Anchorage Arctic Flight Information Region (FIR) the FAA applies 50 nautical mile (NM) lateral separation between aircraft authorized to operate under Required Navigation Performance (RNP) 10 or 4 navigation specifications. This notice explains related policies and procedures pertaining to operations in the Anchorage Arctic FIR.

Separation Standards. Within the Anchorage Arctic FIR 50 NM lateral separation will be applied between any two aircraft for which flight plans indicate capability for RNP 10 or RNP 4. ATC will space any aircraft without RNP 10 or RNP 4 capability such that at least 90 NM lateral separation is maintained with other aircraft.

- 50 NM lateral separation is not provided on Northern Control Area tracks and laterals, nor on user preferred routes (UPR) unless restricted by NOTAM.

Accommodating non-RNP 10 aircraft. Operators intending to fly within the Anchorage Arctic FIR who are not authorized at least RNP 10 must include, in Item 18 of their flight plan, the annotation "RMK/NONRNP10." Operators of such aircraft may file for any route and altitude within the FIR. Clearance on preferred routes and altitudes will be provided as traffic allows for 90 NM lateral separation between that aircraft and any others. Priority will be given to RNP 10 or RNP 4 aircraft. Pilots of non-RNP 10 aircraft are to remind ATC of their RNP status, i.e. report "Negative RNP 10:"

- Prior to entering Anchorage Arctic FIR
- In reading back a clearance to descend from FL 410 within the Anchorage Arctic FIR

Note: Operators will likely benefit from the effort they invest to obtain RNP 10 or RNP 4 authorization, provided they are flying aircraft equipped to meet RNP 10 or RNP 4 standards.

Obtaining RNP 10 or RNP 4 operational authorization. For U.S. operators, Advisory Circular (AC) 90–105 provides the aircraft and operator qualification criteria for RNP 10 and RNP 4 authorizations. FAA personnel at certificate management offices and flight standards district offices will use the guidance contained on AC 90–105 to evaluate an operator’s application for RNP 10 or RNP 4 authorization. ICAO Document 9613 *Performance Based Navigation (PBN) Manual* establishes RNP authorization policies applicable to all ICAO member states. Operators can find “job aids” and other information that should help with the RNP authorization process on the FAA’s *Pacific Resource Guide for U.S. Operators* available at the following link:

https://www.faa.gov/about/office_org/headquarters_offices/avs/offices/afs/afs400/afs470/media/PAC.pdf

Note: The operator’s RNP 10 or RNP 4 authorization should include any equipment requirements (e.g. dual long-range navigation systems) and any RNP 10 time limits (if operating solely inertial-based navigation systems) that must be observed when conducting RNP operations. RNP 4 requires tighter navigation and track maintenance accuracy than RNP 10. RNP 4 requires use of GNSS.

Flight Plan Requirements. In order for an operator with RNP 10 or RNP 4 authorization to obtain 50 NM lateral separation within the Anchorage Arctic FIR, and therefore obtain routing available to RNP authorized aircraft, the flight plan must be annotated as follows:

- Item 10a (Equipment) must include the letter “R”
- Item 18 must include either “PBN/A1” for RNP 10 authorization or “PBN/L1” for RNP 4 authorization.

Indication of RNP 4 authorization implies the aircraft and pilots are also authorized RNP 10.

Note: The FAA’s Aeronautical Information Manual (AIM), chapter 5, section 1, includes information on all flight plan codes.

Contingency procedures. Pilots operating under reduced lateral separation must be particularly familiar with, and prepared to rapidly implement, the standard contingency procedures specifically written for operations when outside ATC surveillance and direct VHF communications (e.g. the oceanic environment). Specific procedures have been developed for weather deviations. Operators should ensure all flight crews operating in this type of environment have been provided the standard contingency procedures in a readily accessible format. The margin for error when operating at reduced separation mandates correct and expeditious application of the standard contingency procedures. These standard, internationally accepted procedures are published in ICAO Document 4444, *Procedures for Air Navigation Services – Air Traffic Management*, chapter 15. The procedures are also provided in the U.S. Aeronautical Information Publication (AIP) section ENR 7.3, and the FAA’s AC 91–70 *Oceanic and Remote Continental Airspace Operations*.

Operators may find information and recommended procedures to follow in the event of degraded navigation capability in the FAA’s Chart Supplement Alaska, Notices section, under *Navigation Procedures*.


Strategic Lateral Offset Procedures (SLOP). Pilots should use SLOP in the course of regular operations within the Anchorage Arctic FIR. SLOP procedures and limitations are published in the Chart Supplement Alaska, the U.S. AIP, AC 91–70, and ICAO Document 4444.

Points of Contact. Operators may contact one of the following individuals to address questions specific to 50 NM lateral separation in the Anchorage Arctic FIR:

- Beth Luciotti, AJV–84, 202–267–0619, Beth.L.Luciotti@faa.gov
- Madison Walton, AFS–470, 202–267–8850, Madison.Walton@faa.gov
- Mark Wisniewski, SAIC (supporting AFS–400), 202–267–8843, mark.ctr.wisniewski@faa.gov

(AJV-84 and AFS-470, revision 2/2/2017)

Arctic 50 – Lateral Notice – Graphic



Part 4.

GRAPHIC NOTICES



Section 1. General

COLD TEMPERATURE RESTRICTED AIRPORTS

13 Oct, 2016

Cold Temperature Altitude Corrections

Subject: Cold temperature altitude corrections at airports with a published cold temperature restriction.

Purpose: 1. To provide a list of 14 CFR Part 97 Cold Temperature Restricted Airports (CTRA) and segments designated with a temperature restriction; 2. Update guidance on how to calculate and apply altitude corrections during cold temperature operations; 3. Provide additional method to allow operators wishing to correct all altitudes from the IAF altitude through the missed approach final holding altitude.

This list may also be found at the bottom of the, “Terminal Procedures Basic Search” page.
http://www.faa.gov/air_traffic/flight_info/aeronav/digital_products/dtpp/search/

Background: In response to aviation industry concerns over cold weather altimetry errors, the FAA conducted a risk analysis to determine if current 14 CFR Part 97 instrument approach procedures, in the United States National Airspace System, place aircraft at risk during cold temperature operations. This study applied the coldest recorded temperature at the given airports in the last five years and specifically determined if there was a probability that during these non-standard day operations, anticipated altitude errors in a barometric altimetry system could exceed the Required Obstacle Clearance (ROC) used on procedure segment altitudes. If a probability, of the ROC being exceeded, went above one percent on a segment of the approach, a temperature restriction was applied to that segment. In addition to the low probability that these procedures will be required, the probability of the ROC being exceeded precisely at an obstacle position is extremely low, providing an even greater safety margin.

The CTRA risk analysis was only performed on airports of 2500 ft. and greater due to database constraints. Pilots must calculate a cold temperature altitude correction at any airport included in the airports list below. Pilots operating into an airport with a runway length less than 2,500 feet may make a cold temperature altitude correction in cold temperature conditions, if desired. Pilots applying altitude corrections to any segment but final must advise ATC with the corrected altitude.

Additional Method: The FAA is providing an approved way to simplify the procedure. Pilots may correct all altitudes from the IAF altitude to the missed approach final holding altitude (All Segments Method). The required segments currently listed in the NTAP will remain for pilots who wish to correct by using segment(s) indicated in the NTAP (NTAP Segment(s) Method). Pilots familiar with the NTAP procedure for making altitude corrections and choosing to use the All Segments Method are only required to use the published “snowflake” icon,  /CTRA temperature limit on the approach chart for making corrections and do not need to reference the restricted airports list in this NTAP. Pilots using the NTAP Segments(s) Method will need to reference the NTAP to determine which segments require a correction. This additional action will accommodate pilot’s comments that the current procedure for determining which segment to correct is too complex. For both procedures, calculations will be made based on the altitude at the Final Approach Fix (FAF)/Precision Final Approach Fix (PFAF), the Minimum Descent Altitude or Decision Altitude (DA) and the Missed Approach (MA) final holding altitude. The calculations made at these fixes will be used to make altitude corrections on the other fixes in the applicable approach segment(s).

Actions:

When and where to correct: Pilots must make an altitude correction to the published, “at”, “at or above” and “at or below” altitudes on all designated segment(s), for all published procedures and runways when the reported airport temperature is at or below the published airport cold temperature restriction on the approach plate. Pilots must advise ATC when correcting on any segment of the approach other than the final segment. Reference the **How to Apply Cold Temperature Altitude Corrections on an Approach** for examples and additional information.

Affected Airports: Cold Temperature Restricted Airports are identified by a “snowflake” icon,  and temperature limit in Celsius on U.S. Government approach charts or a “textual” Note published on commercial charting publications. The NTAP will maintain the list of airports and segment(s) affected. Pilots correcting all segments will need only to use the instrument approach chart to determine whether the approach requires a cold temperature altitude correction.

Altitudes not corrected: ATC will not apply a cold temperature correction to Minimum Vectoring Altitudes (MVA). Pilots must be cleared by ATC to apply a cold temperature compensation to an ATC assigned altitude or when flying on a radar vector in lieu of a published missed approach procedure. Pilots must not correct altitudes published on Standard Instrument Departures (SIDs), Obstacle Departure Procedures (ODPs) and Standard Terminal Arrivals (STARs).

Use of corrected MDA/DA: Pilots must use the corrected Minimum Descent Altitude (MDA) or Decision Altitude/ Decision Height (DA) as the minimum for an approach. Pilots must meet the requirements in 14 CFR Part 91.175 in order to operate below the corrected MDA or DA. Pilots must see and avoid obstacles when descending below the MDA.

Methods for Calculating Altitude Corrections: Pilots of aircraft **not equipped with** an RNAV system capable of temperature compensation must use the AIM 7-2-3, ICAO Cold Temperature Error Table to calculate a cold temperature altitude correction. The calculations for the approach will be calculated from three points on the approach:

NOTE: For the purpose of this procedure, when the FAF is referenced, it is the FAF altitude or the PFAF/Glideslope intercept altitude.

1. The FAF/PFAF will be used to calculate the correction to be applied to all altitudes from the FAF/PFAF:
 - a. Up to but not including the intermediate fix (IF) altitude for the NTAP Segment(s) Method
 - b. Up to and including the initial approach fix (IAF) for the All Segments Method
2. The published MDA or DA will be used to calculate the correction to be applied to all altitudes in the final approach segment as applicable.
3. The final missed approach (MA) holding altitude will be used to calculate the correction to be applied to the final missed approach holding altitude only.

NOTE: Pilots may use Real Time Mesoscale Analysis (RTMA): Alternate Report of Surface Temperature, for computing altitude corrections, when airport temperatures are not available via normal reporting. See InFO 15006 for additional information,
http://www.faa.gov/other_visit/aviation_industry/airline_operators/airline_safety/info/all_infos/media/2015/info15006.pdf.

The RTMA website is http://nomads.ncep.noaa.gov/pub/data/nccf/com/rtma/prod/airport_temps/

Pilots of aircraft **equipped with** an RNAV system capable of temperature compensation, and choosing to use this system, must ensure the system is active and operating. If the system is not operating, or not being used, the pilot must manually calculate and apply a cold weather altitude correction using the AIM 7-2-3, ICAO Cold Temperature Error Table. The MDA/DA and step down fixes in the final segment will still require a manual correction.

PILOTS MUST NOT MAKE AN ALTIMETER CHANGE to accomplish an altitude correction. Pilots must ensure that the altimeter is set to the current altimeter setting provided by ATC in accordance with 14 CFR §91.121.

**ICAO COLD TEMPERATURE ERROR TABLE
HEIGHT ABOVE AIRPORT IN FEET**

REPORTED TEMP °C		200	300	400	500	600	700	800	900	1000	1500	2000	3000	4000	5000
	+10	10	10	10	10	20	20	20	20	20	30	40	60	80	90
	0	20	20	30	30	40	40	50	50	60	90	120	170	230	280
	-10	20	30	40	50	60	70	80	90	100	150	200	290	390	490
	-20	30	50	60	70	90	100	120	130	140	210	280	420	570	710
	-30	40	60	80	100	120	140	150	170	190	280	380	570	760	950
	-40	50	80	100	120	150	170	190	220	240	360	480	720	970	1210
	-50	60	90	120	150	180	210	240	270	300	450	590	890	1190	1500

Acceptable Use of Table:

Pilots may calculate a correction with a visual interpolation of the chart when using reported temperature and height above airport. This calculated altitude correction may then be rounded to the nearest whole hundred or rounded up. I.e., a correction of 130 ft. from the chart may be rounded to 100 ft. or 200 ft. A correction of 280 ft. will be rounded up to 300 ft. This rounded correction will be added to the FAF, all step-down fixes outside of the FAF and the IAF altitudes. The correction calculated from the MDA or DA may be used as is, rounded up, but never rounded down. This number will be added to the MDA, DA and all step-down fixes inside of the FAF as applicable.

No extrapolation above the 5000 ft. column is required. Pilots may use the 5000 ft. “height above airport in feet” column for calculating corrections when the published altitude is greater than 5000 ft. above reporting station elevation. Pilots must add the correction(s) from the table to the affected segment altitude(s) and fly at the new corrected altitude.

It is important to understand that the correction from the table will place the aircraft back to an altitude based on a standard day. Although the techniques adopted in this NTAP to use the FAF altitude and MDA to correct the affected segment altitudes may not place the aircraft back to a standard day altitude on all fixes, a safe obstacle clearance will be maintained. These techniques have also been adopted to minimize the number of entries into the table while making corrections required by the pilot.

Additional Temperature Restrictions on IAP Charts: The charted temperature restriction for “uncompensated baro-VNAV systems” on 14 CFR Part 97 RNAV (GPS) and RNAV (RNP) Authorization Required (AR) approach plates is independent of the temperature restriction established at a “Cold Temperature Restricted Airport”. The charted temperature restriction for an uncompensated baro-VNAV system is applicable when the LNAV/VNAV line of minima is used on an RNAV (GPS) approach. The temperature restriction for an

uncompensated baro-VNAV system on an RNAV (RNP) AR approach applies to the entire procedure. Aircraft without a compensating baro-VNAV system may not use the LNAV/VNAV line of minima on the RNAV (GPS) approach when the actual temperature is above or below the charted baro-VNAV temperature restriction. For aircraft without a compensating baro-VNAV system, the RNAV (RNP) AR approach is not authorized when the actual temperature is above or below the charted baro-VNAV temperature restriction. In all cases, a cold temperature altitude correction must be applied when the actual temperature is at or below the cold temperature restricted airport temperature restriction.

How to Apply Cold Temperature Altitude Corrections on an Approach:

NTAP Segment(s) method:

Step 1: Determine if there is a published “snowflake” icon,  /CTRA temperature limit on the approach chart.

Step 2: If the reported airport temperature is at or below the published CTRA temperature limit, apply cold temperature altitude corrections to all published altitudes, on the affected segments, listed in Cold Temperature Restricted Airports List found in this NTAP.

A. Aircraft not equipped with a temperature compensating RNAV system or not using the system will make a manual correction using ICAO Cold Temperature Error Table.

- Intermediate Segment: All altitudes from the FAF/PFAF up to but not including the intermediate fix (IF) altitude. Calculate correction by taking FAF/PFAF altitude and subtracting the airport elevation. This number will be used to enter the height above airport in the ICAO table until reaching the reported temperature. Round this number as applicable and then add to FAF altitude and all step-down altitudes.
- Final segment: Calculate correction by taking the MDA or DA for the approach being flown and subtract the airport elevation. This number will be used to enter the height above airport in the ICAO table until reaching the reported temperature. Use this number or round up. Add this number to MDA or DA/DH, as applicable, and any applicable step-down fixes in the final segment.
- Missed Approach Segment: Calculate the correction by taking the final missed approach (MA) holding altitude and subtract the airport elevation. This number will be used to enter the height above airport in the ICAO table until reaching the reported temperature. Round this number as applicable and then add to the final MA altitude only.

B. If flying an aircraft equipped with a RNAV system capable of temperature compensation, follow the instructions for applying temperature compensation provided in the AFM, AFM supplement, or RNAV system operating manual. Ensure that temperature compensation is active on the segment being corrected. Manually calculate an altimetry correction for the MDA or DA. Determine an altimetry correction from the ICAO table based on the reported airport temperature and the height difference between the MDA or DA, as applicable, and the airport elevation.

NOTE: Some RNAV systems apply temperature compensation only to those altitudes associated with an instrument approach procedure loaded into the active flight plan while other systems apply temperature compensation to all procedure altitudes or user entered altitudes in the active flight plan, including altitudes associated with a STAR. For those systems that apply temperature compensation to

all altitudes in the active flight plan, delay activating temperature compensation until the aircraft has passed the last altitude constraint associated with the active STAR.

Step 3: For RNAV (GPS) approaches flown to the LNAV/VNAV line of minima using baro-VNAV vertical guidance, determine if there are published uncompensated baro-VNAV temperature limits. If the reported airport temperature is above or below the published limits, do not use the LNAV/VNAV line of minima unless the RNAV system is capable of temperature compensation and the system is active. Use an alternative line of minima (e.g., LNAV). CTRA correction must still be made on this approach if applicable.

Step 4: For RNAV (RNP) AR approaches, determine if there are uncompensated baro-VNAV temperature limits published on the approach. If the reported airport temperature is above or below the published temperature limits, the RNP (AR) approach may not be flown.

NOTE: When executing an approach with vertical guidance at a CTRA airport (i.e., ILS, LPV, LNAV/VNAV), pilots are reminded to follow the glideslope/glidepath as published when it is intersected inbound on the approach at the corrected altitude. The ILS glideslope and WAAS generated glidepath are unaffected by cold temperatures and will provide reliable vertical guidance to the corrected DA/DH. A baro-VNAV generated glidepath will be affected by cold temperatures and must be corrected when at or below the published temperature limit and using the LNAV/VNAV line of minima to DA/DH.

All Segments Method: All segments corrected from IAF through MA holding altitude:

Step 1: Determine if there is a published “snowflake” icon,  /CTRA temperature limit on the approach chart.

Step 2: If the reported airport temperature is at or below the published CTRA temperature limit, apply cold temperature altitude corrections to all published altitudes from the IAF altitude to the MA final holding altitude.

A. Aircraft not equipped with a temperature compensating RNAV system or not using that system (use manual correction).

- All altitudes from the FAF/PFAF up to and including the IAF altitude: Calculate correction by taking FAF/PFAF altitude and subtracting the airport elevation. This number will be used to enter the height above airport in the ICAO table until reaching the reported temperature. Round this number as applicable and then add to all altitudes from the FAF altitude through the IAF altitude.
- All altitudes in final segment: Calculate correction by taking the MDA or DA for the approach being flown and subtract the airport elevation. This number will be used to enter the height above airport in the ICAO table until reaching the reported temperature. Use this number or round up. Add this number to MDA or DA/DH, as applicable, and any applicable step-down fixes in the final segment.
- Final holding altitude in the Missed Approach Segment: Calculate the correction by taking the final missed approach (MA) holding altitude and subtract the airport elevation. This number will be used to enter the height above airport in the ICAO table until reaching the reported temperature. Round this number as applicable and then add to the final MA altitude only.

B. If flying an aircraft equipped with a RNAV system capable of temperature compensation, follow the instructions for applying temperature compensation provided in the AFM, AFM supplement, or RNAV system operating manual. Ensure that temperature compensation is active prior to the IAF and remains active through the entire approach. Manually calculate an altimetry correction for the MDA or DA. Determine an altimetry correction from the ICAO table based on the reported airport temperature and the height difference between the MDA or DA, as applicable, and the airport elevation.

NOTE: Some RNAV systems apply temperature compensation only to those altitudes associated with an instrument approach procedure loaded into the active flight plan while other systems apply temperature compensation to all procedure altitudes or user entered altitudes in the active flight plan, including altitudes associated with a STAR. For those systems that apply temperature compensation to all altitudes in the active flight plan, delay activating temperature compensation until the aircraft has passed the last altitude constraint associated with the active STAR.

Step 3: For RNAV (GPS) approaches flown to the LNAV/VNAV line of minima using baro-VNAV vertical guidance, determine if there are published uncompensated baro-VNAV temperature limits. If the reported airport temperature is above or below the published limits, do not use the LNAV/VNAV line of minima unless the RNAV system is capable of temperature compensation and the system is active. Use an alternative line of minima (e.g., LNAV). CTRA correction must still be made on this approach if applicable.

Step 4: For RNAV (RNP) AR approaches, determine if there are uncompensated baro-VNAV temperature limits published on the approach. If the reported airport temperature is above or below the published temperature limits, the RNP (AR) approach may not be flown.

NOTE: When executing an approach with vertical guidance at a CTRA airport (i.e., ILS, LPV, LNAV/VNAV), pilots are reminded to follow the glideslope/glidepath as published when it is intersected inbound on the approach at the corrected altitude. The ILS glideslope and WAAS generated glidepath are unaffected by cold temperatures and will provide reliable vertical guidance to the corrected DA/DH. A baro-VNAV generated glidepath will be affected by cold temperatures and must be corrected when at or below the published temperature limit and using the LNAV/VNAV line of minima to DA/DH.

Communication: Pilots must report cold temperature corrected altitudes to ATC whenever applying a cold temperature altitude correction. Pilots do not need to inform ATC of the final approach segment correction (i.e., new MDA or DA/DH). This report should be provided on initial radio contact with the ATC facility issuing approach clearance. ATC requires this information in order to ensure appropriate vertical separation between known traffic. Pilots should query ATC when vectored altitudes to a segment are lower than the requested corrected altitude. Pilots are encouraged to self-announce corrected altitude when flying into non-towered airfields.

The following are examples of appropriate pilot-to-ATC communication when applying cold-temperature altitude corrections.

- On initial check-in with ATC providing approach clearance: Hayden, CO (example below).
 - Vectors to final approach course: Outside of PICIN: *“Request 12000 ft. for cold temperature operations.”*
 - Vectors to final approach course: Inside of PICIN: *“Request 10500 ft. for cold temperature operations.”*
 - Missed Approach segment: *“Require final holding altitude, 10500 ft. on missed approach for cold temperature operations.”*

- Pilots cleared by ATC for an instrument approach procedure; “Cleared the RNAV RWY 28 approach (from any IAF)”. Hayden, CO (example below).

○ IAF: “*Request 13500 for cold temperature operations at TUSKK, TILLI or HIPNA*”

For additional information contact Kel Christianson, AFS-470, at 202-267-8838.

Cold Temperature Restricted Airports: Airports are listed by ICAO code, Airport Name, Temperature Restriction in Celsius. The temperature will be indicated on Airport IAPs next to a snowflake symbol, ❄-XX°C in the United States Terminal Procedure Publication (TPP).

Identifier	Airport Name	Temperature	Affected Segment		
			Intermediate	Final	Missed Appr
<u>Alaska</u>					
PABL	Buckland	-36C	X		
PABR	Wiley Post-Will Rogers	-42C	X		
PABT	Bettles	-37C	X	X	
PACE	Central	-25C	X	X	
PACH	Chuathbaluk	-36C	X	X	
PACI	Chalkyitsik	-32C	X		
PACM	Scammon Bay	-21C	X	X	X
PACV	Merle K (Mudhole) Smith	-22C	X		
PACX	Coldfoot	-5C	X	X	X
PADE	Deering	-24C	X	X	
PADM	Marshall Don Hunter Sr	-22C	X	X	
PAEE	EEK	-38C	X		
PAEG	Eagle	-15C	X		
PAEN	Kenai	-31C	X		
PAFA	Fairbanks Intl	-20C	X	X	X
PAFM	Ambler	-42C	X		
PAFS	Nikolai	-23C	X		
PAGA	Edward G. Pitka Sr.	-33C	X		X
PAGH	Shungnak	-20C	X		X
PAGK	Gulkana	-37C	X		
PAGL	Golovin	-21C	X		X
PAGM	Gambell	-26C		X	
PAHC	Holy Cross	-26C	X	X	
PAHL	Huslia	-32C	X		
PAHX	Shageluk	-37C	X		
PAIK	Bob Baker Memorial	-7C	X	X	
PAIL	Iliamna	-13C	X		X
PAIW	Wales	-12C	X	X	
PAJN	Juneau Intl	-13C	X		X
PAKA	Tatitlek	-19C	X		
PAKN	King Salmon	-31C	X		
PAKP	Anaktuvuk	-9C	X		

Identifier	Airport Name	Temperature	Intermediate	Final	Missed Appr
PAKT	Ketchikan Intl	-11C	X		
PAKV	Kaltag	-21C	X	X	
PAKW	Klawock	-12C		X	
PALG	Kalskag	-42C	X		
PAMB	Manokotak	-34C	X		
PAMC	McGrath	-31C	X	X	X
PAMH	Minchumina	-25C	X	X	X
PAMK	St Michael	-37C	X		
PANA	Napakiak	-37C	X		
PANI	Aniak	-24C	X	X	
PANN	Nenana Muni	-43C	X		
PANO	Nondalton	-13C	X	X	
PANU	Nulato	-29C	X	X	X
PANV	Anvik	-32C	X		
PAOB	Kobuk	-23C	X		
PAOM	Nome	-27C	X		
PAOR	Northway	-19C	X		
PAOT	Ralph Wien Memorial	-44C	X		
PAPE	Perryville	-17C			X
PAPG	Petersburg James A Johnson	-12C	X		X
PAQH	Quinhagak	-17C	X	X	X
PAQT	Nuiqsut	-41C	X		
PARC	Artic Village	-29C	X	X	
PARS	Russian Mission	-15C	X	X	X
PARY	Ruby	-33C	X	X	
PASA	Savoonga	-27C	X		
PASC	Deadhorse	-45C	X		
PASI	Sitka Rocky Gutierrez	-12C		X	
PASK	Selawik	-36C	X		X
PATA	Ralph M Calhoun Memorial	-32C	X	X	
PATE	Teller	-25C		X	
PATG	Togiak	-36C	X		
PATQ	Atkasuk Edward Burnell Sr. Mem	-43C	X		
PAUN	Unalakleet	-39C	X		
PAUO	Willow	-23C		X	
PAVC	King Cove	-14C	X		
PAVD	Valdez Pioneer Field	-4C	X		
PAVE	Venetie	-42C	X		
PAVL	Kivalina	-34C	X		
PAWB	Beaver	-42C	X		
PAWD	Seward	-3C	X		
PAWG	Wrangell	-5C	X	X	

Identifier	Airport Name	Temperature	Intermediate	Final	Missed Appr
PAWI	Wainwright	-42C	X		
PAWM	White Mountain	-40C	X		
PAWS	Wasilla	-31C	X		
PFAL	Allakaket	-34C	X		X
PFCL	Clarks Point	-34C	X		
PFEL	Elim	-15C	X	X	X
PFKK	Kokhanok	-17C	X		X
PFKT	Brevig Mission	-24C	X	X	X
PFKU	Koyukuk	-30C	X	X	
PFKW	Kwethluk	-38C	X		
PFNO	Robert (Bob) Curtis Memorial	-17C	X		X
PFSH	Shaktoolik	-25C	X		
PFTO	Tok Junction	-20C	X		
PFYU	Fort Yukon	-45C	X	X	
<u>California</u>					
KACV	Arcata	-5C		X	
KMMH	Mammoth Yosemite	-25C		X	
KBIH	Eastern Sierra Rgnl	-9C		X	
KSVE	Susanville Muni	-22C	X		
KTRK	Truckee – Tahoe	-13C	X	X	
KTVL	Lake Tahoe	-27C	X		
<u>Colorado</u>					
KA EJ	Central Colorado Rgnl	-25C		X	X
KANK	Harriet Alexander Field	-22C	X		
KASE	Aspen–Pitkin County/Sardy Field	-22C	X		
KCAG	Craig–Moffat	-26C	X	X	
KCEZ	Cortez Muni	-25C		X	
KEEO	Meeker Coulter Field	-17C	X	X	
KEGE	Eagle County Rgnl	-18C	X		X
KGUC	Gunnison–Crested Butte Rgnl	-28C	X		X
KHDN	Yampa Valley	-24C	X	X	X
KLXV	Lake County	-27C		X	
KRIL	Garfield County Rgnl	-15C	X	X	
KSBS	Steamboat Springs/Bob Adams Fld	-32C	X		
KTAD	Perry Stokes	-26C	X		
KTEX	Telluride Rgnl	-14C		X	
20V	McElroy Airfield	-25C	X		X
33V	Walden–Jackson County	-25C	X		
4V1	Spanish Peaks Airfield	-35C	X		
<u>Connecticut</u>					

Identifier	Airport Name	Temperature	Intermediate	Final	Missed Appr
KBDL	Bradley Intl	-23C		X	
<u>Idaho</u>					
KJER	Jerome County	-22C		X	
KLWS	Lewiston-Nez Perce County	-17C	X		
KMYL	McCall Muni	-21C	X		X
KSMN	Lemhi County	-11C	X		
KSUN	Friedman Memorial	-16C		X	
65S	Boundary County	-8C		X	
<u>Indiana</u>					
KSMD	Smith Field	-27C		X	
<u>Iowa</u>					
KAMW	Ames Muni	-27C	X		
KIKV	Ankeny Rgnl	-27C	X		
KSPW	Spencer Muni	-32C	X		
<u>Maine</u>					
KIZG	Eastern Slopes Rgnl	-18C	X		
KPQI	Northern Maine Rgnl	-30C	X		
<u>Maryland</u>					
KCBE	Greater Cumberland Rgnl	-13C		X	
<u>Massachusetts</u>					
KAQW	Harriman-and-West	-18C	X		
KBAF	Westfield-Barnes Regional	-21C		X	
KGBR	Walter J. Koladza	-21C	X		
KFIT	Fitchburg Muni	-25C	X	X	
KPSF	Pittsfield Muni	-24C		X	
0B5	Turners Falls	-22C	X		
7B2	Northampton	-24C	X		
<u>Michigan</u>					
KAPN	Alpena County Rgnl	-32C	X		
KBFA	Boyne Mountain	-29C		X	
KIWD	Gogebic-Iron County	-27C		X	
KPLN	Pellston Rgnl of Emmet County	-30C	X	X	
KTVK	Cherry Capital	-15C		X	
<u>Minnesota</u>					
KBDE	Baudette Intl	-28C		X	
KBFW	Silver Bay Municipal	-35C	X	X	
KCKC	Grand Marais/Cook County	-30C			X
KCQM	Cook Muni	-38C	X		
KELO	Ely Muni	-39C	X		
KHIB	Range Rgnl	-31C	X		
KINL	Falls Intl	-31C	X		
KRRT	Warroad Intl Memorial	-37C	X		

Identifier	Airport Name	Temperature	Intermediate	Final	Missed Appr
KSTP	St Paul Downtown Holman Fld	-29C	X		
12D	Tower Municipal	-38C	X		
<u>Montana</u>					
KBTM	Bert Mooney	-19C	X	X	
KBZN	Bozeman Yellowstone Intl	-12C	X		X
KCTB	Cut Bank Intl	-34C			X
KEKS	Ennis-Big Sky	-26C	X	X	X
KGPI	Glacier Park Intl	-12C	X		X
KGTF	Great Falls Intl	-33C	X		
KHLN	Helena Rgnl	-16C	X	X	X
KHVR	Havre City-County	-30C			X
KMSO	Missoula Intl	-11C	X	X	X
KOLF	L M Clayton	-38C	X		
KSBX	Shelby	-31C			X
KWYS	Yellowstone	-19C	X	X	X
M46	Colstrip	-32C	X		
M75	Malta	-37C	X		
S59	Libby	-16C	X		X
3U3	Bowman Field	-33C	X		
38S	Deer Lodge City County	-21C			X
6S5	Ravalli County	-23C	X		X
6S8	Laurel Municipal	-30C	X		
7S0	Ronan	-27C	X		
8S1	Polson	-20C	X	X	X
32S	Stevensville	-20C	X		
<u>Nebraska</u>					
KCDR	Chadron Muni	-32C	X		
<u>Nevada</u>					
KCXP	Carson	-19C		X	
KEKO	Elko Rgnl	-20C	X	X	
KELY	Ely (Yelland Field)	-31C	X		
KLLO	Derby Field	-25C	X		
KMEV	Minden-Tahoe	-19C	X		
KRNO	Reno/Tahoe Intl	-15C		X	
KRTS	Reno/Stead	-15C		X	
KWMC	Winnemucca Muni	-22C			X
05U	Eureka	-24C			X
<u>New Hampshire</u>					
KBML	Berlin Rgnl	-24C	X	X	
KCNH	Claremont Muni	-28C		X	
KEEN	Dillant-Hopkins	-28C		X	
KHIE	Mount Washington Rgnl	-24C	X	X	X

Identifier	Airport Name	Temperature	Intermediate	Final	Missed Appr
KLEB	Lebanon Muni	-20C	X	X	
5B9	Haverhill/Dean Memorial	-27C		X	
<u>New Mexico</u>					
KAXX	Angel Fire	-22C	X	X	
<u>New York</u>					
KART	Watertown Intl	-37C	X		
KDKK	Chautauqua County/Dunkirk	-20C	X	X	
KDSV	Dansville Muni	-18C		X	
KELM	Elmira/Corning Rgnl	-16C	X	X	
KGFL	Floyd Bennett Memorial	-18C	X	X	
KITH	Ithaca Tompkins Rgnl	-19C		X	
KLKP	Lake Placid	-12C	X	X	
KMSS	Massena Intl-Richards Field	-34C		X	
KPBG	Plattsburgh Intl	-29C	X		
KSCH	Schenectady County	-22C	X		
KSLK	Adirondack Rgnl	-26C		X	
KVGC	Hamilton Muni	-28C	X		
N03	Cortland County-Chase Field	-25C	X		
N89	Joseph Y Resnick	-12C		X	X
06N	Randall	-20C	X		
20N	Kingston-Ulster	-21C	X		
4B6	Ticonderoga Muni	-27C		X	
<u>North Carolina</u>					
KRHP	Western Carolina Rgnl	-5C		X	
1A5	Macon County	-17C	X		
<u>North Dakota</u>					
KBIS	Bismarck Muni	-35C	X		
KDIK	Dickinson-Theodore Roosevelt Rgnl	-30C	X		
KFAR	Hector Intl	-25C	X		
KISN	Sloulin Field Intl	-36C	X		
S25	Watford City Muni	-36C	X		
<u>Ohio</u>					
KBKL	Burke Lakefront	-23C		X	
KILN	Wilmington Air Park	-22C	X		
<u>Oregon</u>					
KAAT	Astoria Rgnl	-11C	X		
KBDN	Bend Muni	-23C	X		
KBKE	Baker City Muni	-21C	X		X
KGCD	Grant County Rgnl/Ogilvie Field	-19C			X
KLGD	La Grande/Union County	-13C		X	
KLKV	Lake County	-29C			X

Identifier	Airport Name	Temperature	Intermediate	Final	Missed Appr
KLMT	Klamath Falls	-27C	X		
KMFR	Rogue Valley Intl–Medford	-5C	X	X	
KPDT	Eastern Oregon Rgnl at Pendleton	-19C	X		
KRDM	Roberts Field	-21C	X		
S39	Prineville	-26C	X		
3S8	Grants Pass	-15C	X		
<u>Pennsylvania</u>					
KAVP	Wilkes–Barre/Scranton Intl	-21C	X		
KIPT	Williamsport Rgnl	-10C	X	X	
KMDT	Harrisburg Intl	-17C		X	
9N3	Seamans Field	-22C	X		
<u>South Dakota</u>					
KEFC	Belle Fourche Muni	-27C	X		
KMBG	Mobridge Muni	-31C	X		
KSPF	Black Hills–Clyde Ice Field	-28C	X		
<u>Tennessee</u>					
0A9	Elizabethton Muni	-12C		X	
6A4	Mountain City/Johnson County	-20C		X	
<u>Utah</u>					
KBCE	Bryce Canyon Airport	-30C	X		
KDTA	Delta Muni	-27C			X
KENV	Wendover	-12C	X		
KLGU	Logan–Cache	-25C	X		
KRIF	Richfield Muni	-28C	X		X
KSGU	St George Muni	-14C	X	X	
U52	Beaver Municipal	-27C	X		
U55	Panguitch Municipal	-28C		X	
<u>Vermont</u>					
KBTV	Burlington Intl	-10C	X	X	
KDDH	William H. Morse State	-17C	X	X	
KEFK	Newport State	-30C	X		
KMPV	Edward F. Knapp State	-20C	X		
KMVL	Morrisville–Stowe State	-15C	X	X	X
KRUT	Rutland–Southern Vermont Rgnl	-4C	X	X	
KVSF	Hartness State (Springfield)	-24C	X	X	
<u>Virginia</u>					
KMTV	Blue Ridge	-18C	X		
KROA	Roanoke Rgnl/Woodrum Field	-9C		X	
KVBW	Bridgewater Air Park	-16C	X		
W13	Eagle’s Nest	-19C	X		

Identifier	Airport Name	Temperature	Intermediate	Final	Missed Appr
<u>Washington St.</u>					
KEAT	Pangborn Memorial	-7C	X		
KELN	Bowers Field	-17C	X		
KOMK	Omak	-13C		X	
<u>West Virginia</u>					
KEKN	Elkins-Randolph County Jennings Randolph Field	-10C	X	X	
W99	Grant County	-9C	X	X	
3I2	Point Pleasant/Mason County	-18C		X	
<u>Wisconsin</u>					
KASX	John F. Kennedy Memorial	-31C	X		
KCMY	Sparta/Fort McCoy	-33C	X		
KLNR	Tri-County Rgnl	-26C		X	
KLSE	La Crosse Muni	-20C		X	
KOVS	Boscobel	-27C		X	
KPDC	Prairie du Chien Muni	-28C		X	
KRHI	Rhineland-Oneida County	-31C	X		
KRPD	Rice Lake Rgnl-Carl's Field	-35C	X		
4R5	Major Gilbert Field	-33C	X		
<u>Wyoming</u>					
KAFO	Afton Municipal Airport	-22C	X	X	
KCOD	Yellowstone Rgnl	-31C	X		
KEMM	Kemmerer Muni	-35C	X		
KGCC	Gillette-Campbell County	-26C		X	
KWRL	Worland Muni	-33C			X
KGEY	South Big Horn County	-33C	X	X	
KJAC	Jackson Hole	-26C	X	X	X
KLAR	Laramie Rgnl	-35C	X		
KSHR	Sheridan County	-24C	X		
W43	Hulett Muni	-34C	X		

Additional Information: The following military airfields meet the criteria to be identified as a Cold Temperature Restricted Airport using the FAA cold temperature model. USAF, USA, USM, USN and USCG are not required to adhere to the procedures found in this NTAP at these airfields. This information is applicable to FAA authorized operators operating into these airfields.

Identifier	Airport Name	Temperature	Intermediate	Final	Missed Appr
KGTB	Wheeler-Sack AAF	-29C	X		
KRYM	Ray S. Miller AAF	-34C	X		
PAEI	Eielson AFB	-37C	X		X
PAFB	Ladd AAF	-33C	X		X
PAIM	Indian Mountain LRRS	-44C	X		
PALU	Cape Lisburne LRRS	-34C	X		

Identifier	Airport Name	Temperature	Intermediate	Final	Missed Appr
PASV	Sparrevohn LRRS	-21C	X		
PATC	Tin City LRRS	-37C	X		
PATL	Tatalina LRRS	-21C	X		X
PPIZ	Point Lay LRRS	-41C	X		

See the following examples for identifying and applying altitude corrections.

Hayden/Yampa Valley. Hayden, CO, Reported Temperature -24° C: RNAV (GPS) RWY 28.

NTAP Segment(s) method: Intermediate, final and missed approach required.

Uncompensated Baro-VNAV System or Manual Method:

1. Cold Temperature Restricted Airport Temperature Limit: -24° C
2. Altitude at the Final Approach Fix (FAF) (BEEAR) = 10000 ft.
3. Airport elevation = 6606 ft.
4. Difference: 10000 ft. - 6606 ft. = 3394 ft.
5. Use the AIM 7-2-3 ICAO Cold Temperature Error Table for a height above airport of 3394 ft. and -24° C. Visual interpolation is approximately 500 ft. Actual interpolation is 546 ft. Add 500 ft. to the FAF altitude and all applicable altitudes outside of the FAF up to but not including IF altitude:
 - BEEAR (FAF): 10000 + 500 = 10500 ft.
 - PICIN (stepdown fix): 11500 + 500 = 12000 ft.
6. Correct altitudes within the final segment altitude based on the minima used, which is the LP MDA = 7080 ft.
7. Difference: 7080 ft. - 6606 ft. = 474 ft.
8. AIM 7-2-3 Table: 474 ft. at -24C is approximately 80ft. Use 80 ft. or round up to 100 ft.
9. Add corrections to altitudes up to but not including the FAF:
 - DICEV (stepdown fix): 8400 + 80 = 8480 ft.
 - BUYYA (stepdown fix): 7860 + 80 = 7940 ft.
 - LP MDA: 7080 + 80 = 7160 ft.
10. Correct MEKWY/Missed Approach Holding Altitude: MA altitude is same as BEEAR (10000); therefore, the same table calculation in step 5 may be used at MEKWY. Take 500 ft. correction for 10000 ft. and add to MA holding altitude:
 - MEKWY: 10000 + 500 = 10500 ft.

Compensated Baro-VNAV System:

Operators using a temperature compensating RNAV system to make altitude corrections will set the current airport temperature (-24° C) and activate the system for the required segment(s). A manual calculation of the cold temperature altitude correction is required for the MDA/DA. Although using the temperature compensating system should provide clearance over step-down fixes on any segment, a correction will be added to all applicable step-down fixes and monitored during descent to ensure aircraft will be “at” or “above” the corrected step-down fix altitude during the approach.

All Segments Method: All segments corrected from IAF through MA holding altitude:

Uncompensated Baro-VNAV System or Manual Method:

1. Cold Temperature Restricted Airport Temperature Limit: -24° C

2. Altitude at the Final Approach Fix (FAF) (BEEAR) = 10000 ft.
3. Airport elevation = 6606 ft.
4. Difference: $10000 - 6606 = 3394$ ft.
5. Use the AIM 7-2-3 ICAO Cold Temperature Error Table for a height above airport of 3394 ft. and -24° C. Visual interpolation is approximately 500 ft. Actual interpolation is 546 ft. Add 500 ft. to the FAF altitude and all applicable altitudes outside of the FAF up to and including IAF altitude:
 - BEEAR (FAF): $10000 + 500 = 10500$ ft.
 - PICIN (Stepdown fix): $11500 + 500 = 12000$ ft.
 - HIPNA (IF/IAF), TILLI (IAF) and TUSKK (IAF): $13000 + 500 = 13500$ ft.
6. Correct altitudes within the final segment altitude based on the minima used, which is the LP MDA = 7080 ft.
7. Difference: $7080 - 6606 = 474$ ft.
8. AIM 7-2-3 Table: 474 ft. at -24° C is approximately 80ft. Use 80 ft. or round up to 100 ft.
9. Add corrections to MDA and all stepdown fix altitudes in final segment up to but not including the FAF:
 - DICEV (stepdown fix): $8400 + 80 = 8480$ ft.
 - BUYYA (stepdown fix): $7860 + 80 = 7940$ ft.
 - LP MDA: $7080 + 80 = 7160$
10. Correct MEKWY/Missed Approach Holding Altitude: MA altitude is same as BEEAR (10000); therefore, the same table calculation in step 5 may be used at MEKWY. Take 500 ft. correction for 10000 ft. and add to MA holding altitude:
 - MEKWY: $10000 + 500 = 10500$ ft.

Compensated Baro-VNAV System:

Operators using a temperature compensating RNAV system to make altitude corrections will be set to the current airport temperature (-24° C) and activated prior to the passing the IAF. A manual calculation of the cold temperature altitude correction is required for the MDA/DA. Although using the temperature compensating system should provide clearance over step-down fixes on any segment, a correction will be added to all applicable step-down fixes and monitored during descent to ensure aircraft will be “at” or “above” the corrected step-down fix altitude during the approach.

HAYDEN, COLORADO

AL-5983 (FAA)

15064

WAAS CH 48825 W28A	APP CRS 303°	Rwy Idg 10000 TDZE 6606 Apt Elev 6606
--------------------------	-----------------	--

RNAV (GPS) RWY 28 YAMPA VALLEY (HDN)

MISSED APCH FIX MEKWKY 7 NM 120° 300° Procedure NA for arrivals on CHE VOR/DME airway radial 041.	MISSED APPROACH: Climb to 10000 direct NESPE and on track 296° to MEKWKY and hold.
---	--


AWOS-3 119.275	DENVER CENTER 120.475 235.975	UNICOM 123.0 (CTAF) 0
-------------------	----------------------------------	--------------------------



SW-1, 28 MAY 2015 to 25 JUN 2015

SW-1, 28 MAY 2015 to 25 JUN 2015

ELEV 6606	TDZE 6606
-----------	-----------



10000	NESPE	MEKWKY	HIPNA				8 NM Holding Pattern
	tr 296°		DICEV 4.1 NM to WOGRI	BEEAR	PICIN		
	BUYA 2.7 NM to WOGRI		$\angle 3.60^\circ$			123° →	← 303° 13000
	0.7 NM to WOGRI		TCH 55			303°	
	WOGRI		7860	8400	10000	11500	

HAYDEN, COLORADO
Amdt 2B 24JUL14

40°29'N-107°13'W

RNAV (GPS) RWY 28 YAMPA VALLEY (HDN)

Arcata–Eureka CA, Reported Temperature -5° C: RNAV (GPS) RWY 1.

NTAP Segment(s) method: Intermediate segment required

Uncompensated Baro–VNAV System or Manual Method:

1. Cold Temperature Restricted Airport Temperature Limit: -5° C
2. Altitude at the PFAF = 1900 ft.
3. Airport elevation = 222 ft.
4. Difference: 1900 ft. – 222 ft. = 1678 ft.
5. Use the AIM 7–2–3 ICAO Cold Temperature Error Table for a height above airport of 1678 ft. and -5° C. The approximate calculation is 130 ft. This may be rounded down to 100 ft. or rounded up to 200 ft. Add the correction to the FAF and all procedure altitudes outside of the FAF up to but not including IF:
 - OGMOW (PFAF): 1900 + 100 = 2000 ft.

If the airport temperature decreases below -15° C, an uncompensated baro–VNAV system may not be used to fly this approach to the LNAV/VNAV line of minima. Pilots of aircraft without a temperature compensated baro–VNAV system should select a different line of minima appropriate to capabilities of their RNAV system (e.g. LNAV line of minima). Cold temperature correction is still required on the intermediate segment.

Compensated Baro–VNAV System:

Operators using a temperature compensating RNAV system to make altitude corrections will set the current airport temperature (-5° C) and activate the system for the intermediate segment. At temperatures below -15° C, baro–VNAV temperature compensation must be on and active to use the LNAV/VNAV line of minima if baro–VNAV is used to generate the glidepath. Manual calculation of a cold temperature compensated MDA or DA, as applicable, is still required. Cold temperature correction is still required on the intermediate segment.

All Segments Method: All segments corrected from IAF through MA holding altitude:

Uncompensated Baro–VNAV System or Manual Method:

1. Cold Temperature Restricted Airport Temperature Limit: -5° C
2. Altitude at the Precise Final Approach Fix (PFAF) (OGMOW) = 1900 ft.
3. Airport elevation = 222 ft.
4. Difference: 1900 ft. – 222 ft. = 1678 ft.
5. Use the AIM 7–2–3 ICAO Cold Temperature Error Table for a height above airport of 1678 ft. and -5° C. The approximate calculation is 130 ft. This may be rounded down to 100 ft. or rounded up to 200 ft. Add the correction to the FAF and all procedure altitudes outside of the FAF up to and including IAF altitude:
 - OGMOW (PFAF): 1900 + 100 = 2000 ft.
 - SEGVE (IF/IAF) & Hold-in-Lieu of PT: 3000 + 100 = 3100 ft.
6. Correct altitudes within the final segment altitude based on the minima used, which is the LNAV/VNAV DA(H) = 847 ft.
7. Difference: 847 ft. – 222 ft. = 625 ft.
8. AIM 7–2–3 Table: 625 ft. at -5° C is approximately 50 ft. Use 50 ft. or round up to 100 ft. for correction.
 - Add correction to LNAV/VNAV DA: 847 ft. + 50 ft. = 897 ft.

9. Correction at CULDU: Take final holding altitude and subtract field elevation: $3200 - 222 = 2978$. Using table, correction is approximately 230 ft. This may be rounded down to 200 ft. or up to 300 ft.
- Missed Approach Holding Altitude/CULDU: $3200 + 200 = 3400$ ft

If the airport temperature decreases below -15°C , an uncompensated baro-VNAV system may not be used to fly this approach to the LNAV/VNAV line of minima. Pilots of aircraft without a temperature compensated baro-VNAV system should select a different line of minima appropriate to capabilities of their RNAV system (e.g. LNAV line of minima). Manual calculation of a cold temperature compensated LNAV MDA, as applicable, is still required. Cold temperature correction is still required on all segments.

Compensated Baro-VNAV System:

Operators using a temperature compensating RNAV system to make altitude corrections will be set to the current airport temperature (-5°C) and activated prior to the passing the IAF. A manual calculation of the cold temperature altitude correction is required for the MDA/DA. At temperatures below -15°C , baro-VNAV temperature compensation must be on and active to use the LNAV/VNAV line of minima if baro-VNAV is used to generate the glidepath. Manual calculation of a cold temperature compensated MDA or DA, as applicable, is still required. Cold temperature correction is still required on all segments.

Arcata–Eureka CA, Reported Temperature -5° C: ILS Y or LOC/DME RWY 32.

NTAP Segment(s) method: Intermediate segment required

Uncompensated Baro–VNAV System or Manual Method:

1. Cold Temperature Restricted Airport Temperature Limit: -5° C
2. Altitude at the PFAF = 2100 ft.
3. Airport elevation = 222 ft.
4. Difference: 2100 ft. – 222 ft. = 1878 ft.
5. Use the AIM 7–2–3 ICAO Cold Temperature Error Table for a height above airport of 1878 ft. and -5° C. The approximate calculation is 150 ft. Round up to 200 ft. Add the correction to the FAF and all procedure altitudes outside of the FAF up to but not including IF:
 - ELVAA (PFAF): 2100 + 200 = 2300 ft.
 - OMBEE (stepdown fix): 2800 + 200 = 3000 ft.
 - HURDU (stepdown fix): 3400 + 200 = 3600 ft.

Compensated Baro–VNAV System:

Operators using a temperature compensating RNAV system to make altitude corrections will set the current airport temperature (-5° C) and activate the system for the intermediate segment.

All Segments Method: All segments corrected from IAF through MA holding altitude:

Uncompensated Baro–VNAV System or Manual Method:

1. Cold Temperature Restricted Airport Temperature Limit: -5° C
2. Altitude correction at PFAF (ELVAA) = 200 ft.
3. Add the correction to the FAF and all procedure altitudes outside of the FAF up to and including IAF altitudes:
 - ELVAA (PFAF): 2100 + 200 = 2300 ft.
 - OMBEE (stepdown fix): 2800 + 200 = 3000 ft.
 - HURDU (stepdown fix): 3400 + 200 = 3600 ft.
 - KORBE (IF): 4300 + 200 = 4500 ft.
 - VOMAC (IAF): 6000 + 200 = 6200 ft.
 - FORTUNA (FOT) (IAF): 4300 + 200 = 4500 ft.
 - HIDAK (IAF): 5400 + 200 = 5600 ft.
4. Correct altitudes in the final segment based on the minima used. ILS DA(H): 421 ft.
5. Difference: 421 ft. – 222 ft. = 199 ft.
6. AIM 7–2–3 Table: 199 ft. at -5° C is 20 ft. Use 20 ft. for correction or round up to 100 ft.
7. Add correction to DA: 421 + 20 = 441 ft.
8. Correction at final holding altitude (TRIAL): Take final holding altitude and subtract field elevation: 3000 – 222 = 2778. Using table, correction is approximately 210 ft. This may be rounded down to 200 ft. or up to 300 ft.
 - Missed Approach final holding altitude (TRIAL): 3000 + 200 = 3200 ft

Compensated Baro–VNAV System:

Operators using a temperature compensating RNAV system to make altitude corrections will be set to the current airport temperature (-5° C) and activated prior to the passing the IAF. A manual calculation of the cold temperature altitude correction is required for the MDA/DA.

ARCATA-EUREKA, CALIFORNIA

AL-519 (FAA)

15288

LOC/DME I-ACV
109.5
Chan 32

APP CRS
316°

Rwy Idg
5846

TDZE
221

Apt Elev
222

ILS Y or LOC/DME RWY 32
ARCATA (ACV)

V
A
-5°C

When local altimeter setting not received, use Crescent City altimeter setting and increase all DA 135 feet and all MDA 140 feet, increase S-ILS 32 visibility all Cats to RVR 3200, S-LOC 32 Cat B visibility to RVR 4000, Cat C/D to 1½ mile, increase visibility Circling Cat B to 1¼ mile, Cat C to 2 ½ mile, Cat D to 2 ½ mile. For inop MALSR increase S-LOC 32 visibility Cats C/D to 1½ mile. For inop MALSR when using Crescent City altimeter setting increase S-ILS 32 visibility all Cats to RVR 6000, LOC Cat B visibility to 1¼, Cat C/D visibility to 2 miles. Circling NA east of Rwy 14-32.

MALSR



MISSED APPROACH:
Climb to 800, then climbing left turn to 3000 on heading 280° and on FOT VORTAC R-341 to TRIAL/FOT 23.5 DME and hold, continue climb-in-hold to 3000.

ASOS

118,525


SEATTLE CENTER

124.85 306.3

UNICOM


123.0 (CTAF) 0

ALTERNATE MISSED
APCH FIX




ARCATA
ACV
110.2
Chan 39

LOCALIZER 109.5
I-ACV
Chan 32



IAF FORTUNA
114.0 FOT
Chan 87

ELEV 222 **D** TDZE 221
355 ± A



ARCATA-EUREKA, CALIFORNIA
Amdt 2C 23JUL15

40°59'N-124°07'W

ARCATA (ACV)

ILS Y or LOC/DME RWY 32

800	3000	TRIAL	Use I-ACV DME when on the localizer course.	HURDU	KORBE
hdg 280°	FOT R-341	△		I-ACV 11.1	I-ACV 13.9
*LOC only.	HUNLI	I-ACV 6.8	OMBEE	I-ACV 9.1	
*I-ACV 2.9	I-ACV 4.8	2100			
1.8	1.9	2.1 NM	2.3 NM	2 NM	2.8 NM
CATEGORY					
S-ILS 32					
S-LOC 32					
CIRCLING					


Section 2. Special Military Operations

Notice to Pilots and Interested Personnel in Northern Oregon and Southwest Washington

LIGHTS OUT MILITARY HELICOPTER OPERATIONS

Effective Date: April 30, 2000

The U.S. Air Force 304th Rescue Squadron conducts low altitude flight in five low altitude tactical navigation (LATN) Areas: "Charlie," "Delta," "Echo," "Golf," and "Tango." These operations are conducted day and night below 200 feet above ground level (AGL). The night operations are conducted utilizing night vision goggles (NVGs). FAA exemption 5891A authorized NVG training in Air Force helicopters to be conducted without lighted position lights. These operations will ONLY be conducted below 200 feet AGL and outside of five (5) nautical miles from any public use airport, within the five (5) LATN areas.




(ANM-520.6 3/2/2000)

Notice to Pilots and Interested Personnel in Central and Southwest Texas

LIGHTS OUT MILITARY HELICOPTER OPERATIONS

The U.S. Army/National Guard is conducting “lights out” tactical helicopter training. These operations are conducted day and night. The night operations are conducted without the use of exterior aircraft lights from the surface up to 200 feet AGL, outside four (4) nautical miles from any public-use airport, and within the boundaries depicted below:



Beginning at lat. 31°24'00" N., long. 097°44'00" W./ North Fort Hood;
to lat. 31°30'00" N., long. 097°44'00" W.; to lat. 31°48'00" N., long. 098°07'00" W.;
to lat. 31°57'00" N., long. 098°37'00" W.; to lat. 31°48'00" N., long. 099°59'00" W.;
to lat. 31°23'00" N., long. 100°35'00" W.; to lat. 30°29'00" N., long. 100°40'00" W.;
to lat. 30°16'00" N., long. 098°42'00" W.; to lat. 30°43'00" N., long. 098°41'00" W.;
to lat. 30°45'00" N., long. 098°03'00" W.; to lat. 30°52'00" N., long. 097°52'00" W.;
to lat. 31°09'00" N., long. 097°55'00" W.; to lat. 31°17'00" N., long. 097°53'00" W.;
to point of origin.

(SJT 2/21/02)

LIGHTS OUT/LOW LEVEL MILITARY HELICOPTER OPERATIONS IN SOUTHWEST WISCONSIN

The Army National Guard is conducting "Lights Out" tactical operation training IAW FAA Exemption 3946J. These operations are conducted between official sunset and official sunrise at an altitude below 500' agl. and outside four (4) nautical miles from any public use airport.

The Routes are defined as below:

LONE ROCK (NVG Route #1)

42° 49.70' N 89° 24.70' W – SP
42° 45.50' N 89° 58.00' W – CP A
42° 46.00' N 90° 17.50' W – CP B
43° 03.80' N 90° 56.40' W – CP C
43° 17.74' N 91° 01.13' W – CP D
43° 43.16' N 91° 04.76' W – CP E
43° 53.21' N 91° 00.64' W – CP F
44° 08.82' N 90° 44.30' W – RP

DELLS (NVG Route #2)

43° 11.00' N 89° 54.50' W – SP
43° 26.35' N 90° 21.24' W – CP A
43° 41.34' N 90° 47.89' W – CP B
43° 43.49' N 90° 54.37' W – CP C
43° 50.10' N 90° 57.31' W – CP D
43° 51.32' N 90° 59.43' W – CP E
43° 53.21' N 91° 00.64' W – CP F
44° 08.82' N 90° 44.30' W – RP

CW3 TRAVIS E. BOXRUCKER
AASF#2 MADISON, WI
travis.boxrucker@us.army.mil


Notice to Pilots and Interested Persons in KY, TN, Southern IL, IN and Northern AL

LIGHTS OUT MILITARY HELICOPTER OPERATIONS

The U.S. Army is conducting “lights out” tactical helicopter training. These operations are conducted without the use of exterior aircraft lights from the surface to 500 feet above ground level, in accordance with FAA Exemption 3946, as amended, during the times of Sunset to Sunrise, and within the boundaries depicted below:

Lat. 38-00-00N, Long. 085-00-00W, to
Lat. 35-00-00N, Long. 085-30-00W, to
Lat. 35-00-00N, Long. 089-20-00W, to
Lat. 36-05-00N, Long. 089-40-00W, to
Lat. 38-10-00N, Long. 089-15-00W, to
Lat. 38-15-00N, Long. 087-30-00W, to
Lat. 38-00-00N, Long. 085-40-00W, to
point of origin. Excluding that airspace
within a 4 nautical mile radius of all public
use airports, and also excluding all class
“B”, “C”, “D” and “E” controlled airspace.

(ASO-530/920 6/8/06)




Notice to Pilots and Other Interested Personnel in Southern Arizona

Night Vision Goggle Lights-Out Operations

Sells Low/Sells 1 MOA, Arizona

Lights-out night vision goggle training operations will be conducted within the Sells Low/Sells 1 MOAs at all altitudes from sunset to 0700Z, Monday-Friday, or as scheduled by NOTAM when the MOAs are activated for military training. Nonparticipating pilots should contact Albuquerque Center on 126.45 or 125.25 for traffic advisories and NOTAM information.



SPECIAL USE AIRSPACE

Chugs Temporary Military Operations Area, Windham, VT

Effective: May 1 to June 14, 2017

The Chugs Temporary Military Operations Area (TMOA) will be in effect in the vicinity of Windham, Vermont during the period May 1 to June 14, 2017. The purpose of the TMOA is to support exercise Eagle Claw 17-02 for the 104th Fighter Wing (FW) based at Barnes Air National Guard Base (ANGB), Westfield, MA.

The Eagle Claw exercises are designed to provide training in basic fighter maneuvering and air combat maneuvering (air-to-air combat maneuvers) with no external fuel tanks or pods installed on the aircraft. With no external fuel tanks, the ability for fighter aircraft to transit long distances to and from other existing special use airspace is severely limited. Establishing the Chugs TMOA that is geographically closer to Barnes ANGB will enable the 104th FW to comply with Air National Guard training objectives.

Projected typical use of the Chugs TMOA is 12 sorties per day, with expected average sortie duration of less than one hour. Use of the TMOA will be from 0900 to 1630 local time daily. During periods when the TMOA is not required, the airspace will be returned to the FAA controlling agency (Boston Air Route Traffic Control Center).

The following is the description and chart of the Chugs TMOA airspace:

Chugs TMOA, Windham, VT


Boundaries. Beginning at lat. 43°23'15"N., long. 72°57'06"W.;
to lat. 43°23'15"N., long. 72°30'06"W.;
to lat. 42°53'12"N., long. 72°30'06"W.;
to lat. 42°53'12"N., long. 72°57'06"W.;
to the point of beginning.

Altitudes. 9,000 feet MSL to but not including FL 180.

Times of use. 0900–1630 local time daily from May 1 to June 14, 2017.

Controlling agency. FAA, Boston ARTCC.

Using agency. Air National Guard, 104th FW, Barnes ANGB, Westfield, MA.



SPECIAL USE AIRSPACE

Consolidation of Hog and Arrowhead Military Operations Areas, AR

Effective Date: June 22, 2017.

The FAA is reducing the internal segmentation of Hog High North, Hog High South, Hog Low North, Hog Low South, and Arrowhead Military Operations Areas (MOAs) by combining them into Hog A and Hog B MOAs. Associated actions include changing the times of use to “By NOTAM,” updating the using agency designation, and removing the Airport Reference Point (ARP) coordinates and updating that airport names listed in the excluded airspace areas.

The current MOA complex configuration was optimized to support the 188th Wing’s last assigned aircraft, the A-10 Thunderbolt II. The relatively slow speed and maneuverability of the A-10 was well suited for the multiple segmentations of the MOA complex and enhanced joint use of the airspace; however, the A-10 mission at Fort Smith ended in 2014. Current users are transient fighter or bomber aircraft that either operate at much higher speeds or have much less maneuverability, nearly always requiring simultaneous activation of all five MOAs. Utilization reporting since 2014 is consistent with simultaneous activation of the entire complex. The FAA has determined that consolidating the MOA complex from five to two internal segments will still allow reasonable flexibility for joint use of the airspace and support military training requirements.

With the departure of the A-10s from Fort Smith, overall use of the MOA complex dropped dramatically. The current core hours “0500–2000, Monday–Friday,” still reflect a using agency with an active flying mission, but the 188th Wing does not have one. Actual usage now averages one to two hours per week. Changing the times of use to “By NOTAM” will more accurately reflect actual usage and will greatly reduce any burden on the National Airspace System (NAS).

The using agency listed for the five MOAs being consolidated into the Hog A and Hog B MOAs was reflected as “Arkansas Air National Guard, 188th Fighter Wing, Ft Smith, AR.” The current using agency designation for the wing is “188th Wing.” The using agency information is being updated to reflect “U.S. Air Force, 188th Wing, Ft Smith, AR,” in accordance with FAA Order JO 7400.2 guidance.

Finally, the legal description exclusion language is being updated to remove the ARP coordinates listed for the excluded airports (Booneville, Waldron, and Bearce) and to correct the Booneville and Waldron airport names to reflect “Booneville Municipal Airport” and “Waldron Municipal Airport”, respectively.

The FAA circularized this action from January 6 – February 28, 2017, with no public comments received, either aeronautical or environmental. Additionally, an aeronautical study conducted by the Memphis Air Route Traffic Control Center (ARTCC) determined that safety in the NAS would be improved by this action with no impacts to overall efficiency.

This notice and graphic for the consolidation of the Hog and Arrowhead MOAs to become the Hog A and Hog B MOAs is effective June 22, 2017, and will be carried in the Notices to Airmen Publication (NTAP) until September 14, 2017, when the Memphis Sectional Aeronautical Chart is updated to reflect the Hog A and Hog B MOAs.

Hog A MOA, AR

Boundaries. Beginning at lat. 35°15'16"N., long. 94°17'28"W.;
to lat. 35°13'50"N., long. 94°15'01"W.;
to lat. 35°13'50"N., long. 94°12'01"W.;
to lat. 35°11'35"N., long. 94°12'01"W.;
thence east along Arkansas State Highway 10
to lat. 35°10'03"N., long. 94°01'01"W.;
to lat. 35°15'00"N., long. 94°01'01"W.;
to lat. 35°05'00"N., long. 93°34'01"W.;
to lat. 34°51'00"N., long. 93°25'01"W.;
to lat. 34°38'12"N., long. 93°31'18"W.;
to lat. 34°41'30"N., long. 93°45'53"W.;
to lat. 34°40'58"N., long. 93°50'18"W.;
to lat. 34°47'19"N., long. 94°26'52"W.;
to lat. 34°55'00"N., long. 94°23'08"W.;
to lat. 35°05'31"N., long. 94°17'57"W.;
to lat. 35°13'42"N., long. 94°18'49"W.;
to the point of beginning, excluding that airspace
at and below 1,500 feet AGL within a 3-NM
radius of the Booneville Municipal Airport and
the Waldron Municipal Airport, and excluding
R-2402B when active.

Altitudes. 100 feet AGL to, but not including, FL180.

Times of use. By NOTAM.

Controlling agency. FAA, Memphis ARTCC.

Using agency. U.S. Air Force, 188th Wing, Fort Smith, AR.

Hog B MOA, AR


Boundaries. Beginning at lat. 34°47'19" N., long. 94°26'52"W.;
to lat. 34°40'58"N., long. 93°50'18"W.;
to lat. 34°41'30"N., long. 93°45'53"W.;
to lat. 34°38'12"N., long. 93°31'18"W.;
to lat. 34°22'30"N., long. 93°39'01"W.;
to lat. 34°22'30"N., long. 94°00'01"W.;
to lat. 34°30'00"N., long. 94°23'01"W.;
to lat. 34°42'00"N., long. 94°30'01"W.;
to the point of beginning, excluding that airspace
below 6,000 feet MSL west of a line drawn from
lat. 34°40' 58" N., long. 93°50' 18" W. to
lat. 34°22' 30" N., long. 94°00' 01" W.; and
excluding that airspace at and below 1,500 feet AGL
within a 3 NM radius of the Bearce Airport.

Altitudes. 100 feet AGL to, but not including, FL180.

Times of use. By NOTAM.

Controlling agency. FAA, Memphis ARTCC.

Using agency. U.S. Air Force, 188th Wing, Fort Smith, AR.



SPECIAL USE AIRSPACE

Sentry Eagle Temporary Military Operations Area, OR


Effective Dates: July 10 – 23, 2017.

SENTRY EAGLE is designed to provide dissimilar aircraft advanced combat training for aircrews, intelligence personnel and air battle managers. The execution of SENTRY EAGLE allows combat air forces to practice effective integration/application of air and space power in the interdiction mission while operating in a heavily contested, hostile environment. SENTRY EAGLE will execute from Kingsley Field ANGB, OR. Multiple types of aircraft will be involved in the exercise to include F-15, F-16, F-18, F-35, F-5, KC-135 and E-3 AWACS from the Air National Guard, United States Air Force and United States Navy.

Aerial activities will consist of typical MOA flight operations to include tactical combat maneuvering by fighter and transport category, fixed wing aircraft involving abrupt, unpredictable changes in altitude, attitude, and direction of flight.

Sentry Eagle Temporary MOA, OR

Boundaries – Beginning	at lat. 43°38'00" N., long. 119°34'00" W.; to lat. 43°30'18" N., long. 119°12'30" W.; to lat. 42°40'00" N., long. 118°42'00" W.; to lat. 41°30'00" N., long. 119°00'00" W.; to lat. 41°30'00" N., long. 119°27'04" W.; to lat. 42°40'00" N., long. 119°10'04" W.; to the point of beginning.
Altitudes	11,000ft MSL up to 18,000ft MSL.
Times of Use	0900L–1630L, 10–14 July 2017, 17– 23 Jul 2017, by NOTAM 4 hours in advance.
Controlling Agency	FAA, Seattle ARTCC.
Using Agency	U.S. Air Force, 173FW, Klamath Falls, OR.



SPECIAL USE AIRSPACE

Grayling Temporary Military Operations Area, MI

Effective Dates: July 24–August 11, 2017, for Exercise Northern Strike
August 12–31, 2017, for Exercise Rocket Steel

The Grayling Temporary Military Operations Area (TMOA) is established in the vicinity of Grayling, MI, to provide maneuvering airspace between the Grayling Aerial Gunnery Range (R-4201A & B) and the Pike West MOA in support of Exercises Northern Strike and Rocket Steel. The exercises are designed to integrate ground forces with air operations in training scenarios that meet current and future combat tactics requirements. The execution of the exercises allow combat air forces to practice weapons attack mechanics, target acquisition, and reaction to simulated surface-to-air threats while coordinating with friendly ground elements. Exercises Verdant Summit and Rocket Steel will focus on Anti-Access, Area-Denial Air Interdiction scenarios.

The Grayling TMOA will be used for aircraft marshaling, air-to-air refueling, and as maneuver airspace for attack aircraft on ordnance deliveries into the R-4201 range complex. The exercises will be conducted from the Alpena Combat Readiness Training Center located at the Alpena County Regional Airport, Alpena, MI; the Camp Grayling Joint Maneuver Training Center located at Grayling, MI; and several military bases located in MI, OH, MN, IN, and ND. A maximum of 36 sorties per day/night will be performed during the exercises. The aircraft types participating in the exercises will include A-10, F-16, B-1, C-130, F/A-18, and B-52. Activities will occur between 5,000 feet Mean Sea Level (MSL) to, but not including, Flight Level 180 (FL180).

The Grayling TMOA will only be activated for aircraft participating in Exercises Northern Strike and Rocket Steel. Military aircraft will conduct aggressive three-dimensional tactical combat maneuvering by attack and transport category fixed wing aircraft involving abrupt, unpredictable changes in altitude, attitude, and direction of flight. Chaff will be employed in the Grayling TMOA; however, supersonic flight is not authorized and flares will not be employed.

Contact Minneapolis Air Route Traffic Control Center (ARTCC) for status.

Grayling Temporary MOA, MI

Boundaries. Beginning at lat. 45°08'00"N., long. 84°39'00"W.;
to lat. 45°15'00"N., long. 84°08'08"W.;
to lat. 44°41'00"N., long. 84°06'00"W.;
to lat. 44°34'00"N., long. 83°59'11"W.;
to lat. 44°34'00"N., long. 84°35'00"W.;
to lat. 44°41'00"N., long. 84°40'00"W.;
to lat. 44°43'00"N., long. 84°40'00"W.;
to lat. 44°43'00"N., long. 84°38'00"W.;
to lat. 44°47'00"N., long. 84°38'00"W.;
to lat. 44°47'00"N., long. 84°39'00"W.;
to the point of beginning, excluding R-4201A
and R-4201B when active.

Altitudes. 5,000 feet MSL to, but not including, FL180.

Times of use. July 24–August 31, 2017: 0830–0200, daily, by NOTAM 4 hours in advance.

Note: Exercise Northern Strike July 24–August 11 and Exercise Rocket Steel August 12–31.


Controlling agency. FAA, Minneapolis ARTCC.

Using agency. U.S. Air Force, Alpena Combat Readiness Training Center, MI.

Grayling Temporary MOA

Jul 24-Aug 11, 2017: Northern Strike

Aug 12-31, 2017: Rocket Steel

Times of Use: 0830-0200, daily, by
NOTAM 4 hrs in advanceAltitudes: 5,000 feet MSL to but not
including FL180**NOT FOR NAVIGATION**

Section 3. Airport and Facility Notices

Northeast United States



PHILADELPHIA INTERNATIONAL AIRPORT

Special Authorization to Conduct Simultaneous Approaches to Runway 26 with Departures from Runway 27R

Philadelphia International Air Traffic Control Tower has been granted a waiver that authorizes air traffic personnel to conduct simultaneous ILS approaches to Runway 26 while aircraft simultaneously depart Runway 27R.

(PHL ATCT 3/25/2010)

BALTIMORE–WASHINGTON INTERNATIONAL AIRPORT (BWI)

STANDARD TAXI ROUTES

Baltimore, Maryland

Baltimore Tower has instituted Standard Taxi Routes to Runway 28 for departure aircraft located at Pier A, B, C, and the southern portion of Pier D. Ground Control will issue the Standard Taxi Route. Pilots who are unable to comply with standardized routes should advise Ground Control on initial contact. **Read back all hold short instructions.** Aircraft operators are required to have a letter of agreement with Baltimore Tower to use the Standard Taxi Routes.

RUNWAY 28		
Start Point	Route ID	Route
Pier A, Pier B Pier C Gates 2, 4, 6, 8, 12 & 16	Perrys 1	Taxiways T, U, U1
Pier C Gates 1, 3, 5, 7, 9, 11, 13 & 15 Pier D Gates 2, 4, 7, 8, 10, 11, 12, 13, 14, 15 & 16	Perrys 2	Taxiways T, C U U1

BOSTON-LOGAN INTERNATIONAL AIRPORT (KBOS)

Boston, Massachusetts

Land and Hold Short Operations (LAHSO)

Boston-Logan Airport (BOS) has received authorization to allow a Land and Hold Short Operation (LAHSO) to take place between an arriving and departing aircraft on certain runway pairs. This Arrival - Departure LAHSO is authorized at the following locations:

Arrivals on Rwy 15R (short of Rwy 9/27) - for aircraft departing on Rwy 9.

Arrivals on Rwy 27 (short of Rwy 22L/4R) - for aircraft departing on Rwy 22L.

A Rejected Landing Procedure (RLP) is required for the two LAHSO operations described above. A RLP is defined as: *“A published, predetermined heading to be used in the event of a rejected landing. Unless alternate instructions are given by ATC, pilots are expected to execute the procedure as published and remain clear of clouds.”*

The associated Rejected Landing Procedure (RLP) for each of the Arrival - Departure LAHSO configurations noted above is as follows:

Arrival - Departure LAHSO Configuration	Rejected Landing Procedure (RLP)
LAHSO on RWY 15R - Short of RWY 9 (when aircraft are departing Rwy 9)	<u>TURN RIGHT HEADING 180</u>
LAHSO on RWY 27 - Short of RWY 22L (when aircraft are departing Rwy 22L)	<u>TURN RIGHT HEADING 300</u>

It is important to note that at Boston-Logan Airport (KBOS), the RLP is only applicable if the intersecting runway is being utilized by a departing aircraft.

Arrival - Arrival LAHSO also takes place on Runway 15R (short of Rwy 9/27) to accommodate aircraft arriving on Runway 9, and, on Runway 27 (short of Rwy 22L/4R) to accommodate aircraft arriving on Runway 22L.

The Rejected Landing Procedures (RLP) noted above are not applicable when the intersecting runway is being utilized by an arriving aircraft.

PHILADELPHIA INTERNATIONAL AIRPORT

RUNWAY 35 ARRIVALS PROCEDURES

“TALL SHIP” IN RIVER CHANNEL


Ships with an air-draft (height above the water) of 125' or greater could be a penetration of the 20:1 Threshold Siting Surface, as referenced in the Federal Aviation Administration's (FAA) Advisory Circular AC 150/5300-13, *Airport Design*.

In 2004 procedures were put in place requiring the PHL TRACON to cease arrival operations to Runway 35 upon a 10 minute notification from the Department of Aviation “River Watch” when a “Tall Ship” is approaching the airport. Arrivals to Runway 35 may resume only upon notification from “River Watch” that the “Tall Ship” has cleared the Runway 35 Arrival Path.

When the time estimates are off even slightly, arrival aircraft that are lined up for Runway 35 must be re-routed into existing traffic flows to other runways.. At peak arrival periods there may be no available capacity on any other runway.

To reduce the impact on aircraft operations due to last minute re-sequencing to other runways and en-route holding of aircraft, on August 1, 2011 PHL ATCT will institute the following changes to Runway 35 “Tall Ship” arrival procedures:

From Sunrise to Sunset: From 10 minutes before a “Tall Ship” enters the Runway 35 Arrival Path, until the “Tall Ship” clears the Runway 35 Arrival Path; the PHL TRACON will clear aircraft for a Visual Approach Runway 35. The Approach Controller will advise the aircrew of the presence of a “Tall Ship” in the channel, and instruct the aircrew to report the ship “in sight” to the Tower Controller, then transfer the aircraft to the Tower. Once the aircrew reports that the “Tall Ship” is “in sight”, the Tower Controller will issue landing clearance. The Tower Controller would assist the pilot in acquiring the ship traffic by advising of direction of travel, or position if the vessel is pushing off the piers. Aircraft are not expected to directly over-fly a “Tall Ship”.



These procedures would be utilized from sunrise to sunset, during Visual Meteorological Conditions (VMC), utilizing Visual Approaches only. To conduct visual approaches, Air Traffic rules require cloud ceilings to be at least 500' above the Minimum Vectoring Altitude (MVA). The MVA south of the airport is 1600'. This effectively restricts Air Traffic from conducting visual approaches to Runway 35 to periods with weather conditions greater than 2100' ceilings, and assuming a standard rate of descent of 310' per nautical mile, between 5-6 miles visibility. This procedure would give a pilot more than ample time to visually acquire both the airport and a "Tall Ship".

PROTOTYPE RUNWAY STATUS LIGHTS

BOSTON LOGAN INTERNATIONAL AIRPORT BOSTON, MA

The Federal Aviation Administration (FAA) operates a prototype Runway Status Lights (RWSL) system at Boston Logan International Airport (BOS).

Runway Status Lights indicate when a runway is unsafe to enter, cross, or take-off through the use of in-pavement red lights installed at selected intersections and runways as described below.

LIGHTING

RWSL convey the runway occupancy status, indicating when a runway is unsafe to enter through the use of red in-pavement warning Runway Entrance Lights (REL) and when it is unsafe to take off through the use of red in-pavement warning Takeoff Hold Lights (THL).

REL are a series, typically 6, 7, or up to 20 or more, of red in-pavement lights spaced evenly along the **taxiway centerline** from the taxiway hold line to the runway edge. One REL is placed just before the hold line, and one REL is placed near the runway centerline.

REL are directed toward the **runway hold line** and are oriented to be visible only to pilots and vehicle operators entering or crossing the runway from that location.

REL are operational at the following intersections at BOS:

Runway 4L/22R	Taxiways K and E (East and West Side)
Runway 4R/22L	Taxiway E (East Side)
Runway 9/27	Taxiway C (Northwest Side)
Runway 15R/33L	Taxiway D (Southwest Side)

THL are a series of red in-pavement lights at 100 foot spacing along the **runway centerline**.

THL are directed toward the **approach end of the runway** and are visible to pilots in position for takeoff or just commencing departure roll.

There are two sets of THL on the following runways at BOS:

Runway 9	16 pairs (total of 32 lights)
Runway 15R	16 pairs (total of 32 lights)

When operating at airports with RWSL, pilots will operate with transponder "ON" when departing the gate or parking area until arrival at the gate or parking area. This ensures interaction with the FAA surveillance systems which provide information to the RWSL system.

Runway Status Lights indicate runway status only. They do not substitute for an ATC clearance. Pilots are still required to receive an ATC clearance for any operation on the runway.

Pilots are encouraged to learn more about the RWSL system at:

http://www.faa.gov/air_traffic/technology/rwsl/

Southeast United States



ATLANTA TRACON

PREFERRED ARRIVAL ROUTES - AIRCRAFT ARRIVING ATLANTA NORTH SATELLITE AIRPORTS FROM THE SOUTH

Effective July 29, 2010, two new STARs will be published for IFR aircraft arriving Atlanta North Satellite airports from the south. The STARs are the DIFFI and the JRAMS RNAV.

To the maximum extent possible, aircraft arriving the following airports should file either the DIFFI* or JRAMS RNAV STAR*:

<u>Airport</u>	<u>STAR(s)</u>
Canton, Cherokee County Airport (47A)	DIFFI/JRAMS
Cartersville Airport (VPC)	DIFFI/JRAMS
Cobb County, McCollum Field (RYY)	DIFFI/JRAMS
Dallas, Paulding County Regional Airport (PUJ)	DIFFI/JRAMS
DeKalb-Peachtree Airport (PDK)	DIFFI/JRAMS
Dobbins Air Reserve Base (MGE)	DIFFI/JRAMS
Fulton County Airport - Brown Field (FTY)	DIFFI/JRAMS
Gainesville, Lee Gilmer Memorial Airport (GVL)	DIFFI
Lawrenceville, Gwinnett County - Briscoe Field (LZU)	DIFFI/JRAMS
Monroe-Walton County Airport (D73)	JRAMS

*File the STAR that is most closely aligned with your route of flight.

Questions about these procedures should be referred to:

Jim Allerdice
Operations Support Specialist
Atlanta TRACON (A80)
Phone: 678-364-6169
E-mail: james.allerdice@faa.gov

ATLANTA TRACON

THE USE OF VISUAL SEPARATION FOR AIRCRAFT TRANSITIONING BETWEEN ATLANTA ATCT and ATLANTA APPROACH / DEPARTURE CONTROL

FAA JOINT ORDER 7110.65 authorizes the application and use of Visual Separation between aircraft under the control of the same facility. Historically in Terminal Facilities, Air Traffic Controllers worked in an Up/Down environment. They would rotate through the RADAR room and the Tower. In recent years, the Federal Aviation Administration has separated these functions at select locations and created a separate RADAR facility, known as a TRACON (Terminal RADAR Approach Control). This is the case in Atlanta, Georgia. Atlanta ATCT (ATL) and Atlanta TRACON (A80) are two separate and distinct air traffic facilities, each with their own employees.

In keeping with the spirit and intent of the regulations and rules governing the National Airspace System, the use and application of Visual Separation for aircraft transitioning between the two facilities will continue as if the two facilities remained one.

There will be no change in the use or application of Visual Separation in the Atlanta Terminal area, therefore the users of the National Airspace System should see no difference and this will have no effect on the flying community.

Questions about this procedure should be referred to:

Mark J. Dillon
Operations Support Specialist
Atlanta TRACON (A80)
Ph: 678-364-6175
E-mail: mark.dillon@faa.gov

ATLANTA TRACON / ATLANTA ARTCC / AUGUSTA APPROACH CONTROL REALIGNMENT OF AIRSPACE

EFFECTIVE: August 25, 2011

In order to provide weather advisory services in the eastern part of the state of Georgia, a realignment of airspace between Atlanta ARTCC, Atlanta TRACON and Augusta Approach Control is being implemented.

The ATHENS sector of Atlanta TRACON will operate from **0615 Local to 2200 Local**. Air Traffic Control Services will be provided to the following airports on frequency 132.475 / 291.1. Clearances may be obtained via published frequencies or via telephone number: 678-364-6131.

Services during all other times will be provided by Atlanta ARTCC on 127.5 / 316.05 (2200L – 0615L)

Athens / Ben Epps Airport (AHN)

Gainesville / Lee Gilmer Memorial (GVL)

Greensboro / Green County Regional (3J7)

Jefferson / Jackson County (19A)

Madison Municipal (52A)

Winder / Barrow County (WDR)

Augusta Approach Control will operate from 0645 Local to 2300 Local. Air Traffic Control Services will be provided to the following airports on frequency 126.8 / 270.3, other times by Atlanta ARTCC on **128.1 / 323.0**

Washington / Wilkes County (IIY)

Atlanta ARTCC will provide Air Traffic Control Service to the following airports on frequency 127.5:

Calhoun Falls / Hester Memorial (0A2)

Canon / Franklin County (18A)

Elberton / Elbert County PATZ Field (27A)

A diagram depicting the geographical boundaries follows.



ATLANTA HARTSFIELD-JACKSON INTERNATIONAL AIRPORT (ATL) REDUCED DIVERGENCE AREA NAVIGATION (RNAV) STANDARD INSTRUMENT DEPARTURES (SIDs)

EFFECTIVE: October 20, 2011

Beginning Thursday, October 20, 2011, ATL will implement new Reduced Divergence RNAV SIDs. These SIDs have been designed to aid in noise abatement and add departure capacity to the ATL airport while maintaining an equivalent level of safety when compared to existing separation standards. To achieve this, ATL will implement the Equivalent Lateral Spacing Operations (ELSO) standard developed by MITRE Corporation and approved for implementation by FAA Waiver 11-T-05.

1. Reduced Divergence RNAV SIDs will be conducted daily between 0700-2300 Local Time. Between 2300-0700 Local Time, aircraft will be issued noise abatement radar vectors.
2. Pilots must ensure that they are operating on the **current RNAV database** (dated 10/20/2011 or later) and that the **correct departure runway** is entered into the Flight Management Computer (FMC) prior to departure.

NOTE- Several fixes/waypoints on the new SIDs are new or have moved from their previous location.

3. ATL controllers will issue departure clearances to RNAV aircraft using the “RNAV to” phraseology. Example – “DAL123, RNAV to SNUFY, Runway 26L, Cleared for Takeoff.” In this case, SNUFY would be the first named fix/waypoint on the SID to be flown. The pilot is expected to verify that the fix/waypoint displayed on the Flight Management System (FMS) corresponds to the fix/waypoint issued in the departure clearance. **If the fix/waypoint is not identical, pilots must request a vector from the Tower.**
4. Advise ATC immediately of any RNAV anomaly and request vectors as necessary.
5. Extra vigilance is required in order to ensure the highest level of safety. The ATL Reduced Divergence RNAV SIDs commonly use divergence less than 15-degrees as depicted in Figure #1 and #2 below. Departure tracks may be separated by as little as 10-degrees.


(Dual Departures)



Figure #2

Normal Departure Operations Utilizing the ELSO Standard

(Triple Departures)



Questions about this operation should be referred to:

James K. Allerdice, Jr.

NEXTGEN Support Specialist

Atlanta TRACON (A80)

Ph: 678-364-6169

Email: james.allerdice@faa.gov

East Central United States



CLEVELAND-HOPKINS INTERNATIONAL AIRPORT (CLE) STANDARD (CODED) TAXI ROUTES

Effective: Until Further Notice

The Cleveland–Hopkins International Airport (CLE) has instituted standardized taxi routes to all runways for departure aircraft.

These standardized taxi routes will use color-coded designations for routings to various runways. The color-coded routes may be issued by the CLE ground controller instead of the normal traditional full taxiway routings. The routes and associated codes are published in text form below. Pilots who are unable to comply with standardized routes should advise ground control on initial contact.

READBACK ALL HOLD SHORT INSTRUCTIONS

Runway 6L		
Route ID	Start Point	Routing Via
Violet	All Terminal Parking Areas	Juliet, Kilo, Lima, November HOLD SHORT OF RUNWAY 6R and monitor 120.9, Golf. <i>(Monitor 124.5 when west of Runway 6R)</i>

Runway 6R		
Route ID	Start Point	Routing Via
Emerald	All Terminal Parking Areas	Juliet, Kilo and Lima.

Runway 6R, Intersection Tango		
Route ID	Start Point	Routing Via
Red	All Terminal Parking Areas	Juliet, Kilo, Lima and Tango

Runway 24L		
Route ID	Start Point	Routing Via
Blue	All Terminal Parking Areas	Juliet, Sierra, Lima, Whiskey

Runway 24R		
Route ID	Start Point	Routing Via
Grey	All Terminal Parking Areas	Juliet, Sierra, HOLD SHORT OF RUNWAY 24L and monitor 120.9, Sierra. <i>(Monitor 124.5 when west of Runway 24L)</i>

Runway 24R		
Route ID	Start Point	Routing Via
Orange	All Terminal Parking Areas	Juliet, Romeo HOLD SHORT OF RUNWAY 24L and monitor 120.9, Bravo, Golf, Sierra. <i>(Monitor 124.5 when west of Runway 24L)</i>

(CLE ATCT 10/23/08)

DETROIT METROPOLITAN WAYNE COUNTY (DTW)

STANDARD (CODED) TAXI ROUTES

RUNWAY 22L

Route ID	Starting Point	Routing Via
Green 5	South terminal circles 3N or 4N. CONTACT GROUND ON 121.8	Uniform, Yankee.
Green 6	South terminal circle 2S. CONTACT GROUND ON 119.25	J-8, Tango, Yankee. Hold short of Quebec and contact ground on 132.72. Hold short of Uniform and contact ground on 121.8.
Green 7	North terminal circle 1. CONTACT GROUND ON 119.45	Hotel, Yankee. Hold short of Kilo and contact ground 121.8.
Green 8	South terminal circle 2N. CONTACT GROUND ON 119.45	Uniform, Foxtrot, Hotel and Yankee. Hold short of Kilo and contact ground on 121.8.

RUNWAY 21R

Route ID	Starting Point	Routing Via
Blue 1	South terminal circles 3N or 4N. CONTACT GROUND ON 121.8.	TURN RIGHT on Uniform, Golf, RY 9L, Mike and M-6. Hold short of U-8 and contact ground on 119.45.
Blue 2	South terminal circles 3N or 4N. CONTACT GROUND ON 121.8.	TURN RIGHT on Uniform, Golf, Victor, Mike and M-6. Hold short of U-8 and contact ground on 119.45.
Blue 3	South terminal circle 2N. CONTACT GROUND ON 119.45.	Uniform, Golf, Victor, Mike, M-6.
Blue 4	South terminal circle 2N. CONTACT GROUND ON 119.45.	Uniform, Golf, RY 9L, Mike, M-6.
Blue 6	South terminal circle 3N or 4N CONTACT GROUND ON 121.8.	TURN LEFT on Uniform, join Kilo, RY 9L, Golf, Victor, Mike and M-6. Hold short of Foxtrot and contact ground on 119.45 joining RY 9L.


Blue 7	South terminal circles 2S. CONTACT GROUND ON 119.25	Juliet, Papa Papa, Foxtrot, Whiskey and Papa.
Blue 11	South terminal circles 3N or 4N CONTACT GROUND ON 121.8	TURN LEFT on Uniform, join Kilo, RY 9L, Mike and M-6. Hold short of Foxtrot and contact ground on 119.45 joining RY 9L.
Blue 16	South terminal Taxiway Kilo between Taxiways Romeo and Uniform CONTACT GROUND ON 132.72.	Kilo, RY 9L, Mike and M-6. Hold short of Uniform and contact ground 121.8. Hold short of Foxtrot and contact ground on 119.45 joining RY 9L.
Blue 17	South terminal . Taxiway Kilo between Taxiways Romeo and Uniform CONTACT GROUND ON 132.72.	Kilo, RY 9L, Golf, Victor, Mike and M-6. Hold short of Uniform and contact ground 121.8. Hold short of Foxtrot and contact ground on 119.45 joining RY 9L.
Blue 14	North terminal circle 1 CONTACT GROUND ON 119.45	Foxtrot, Victor, Mike, and M-6.
Blue 15	North terminal circles 2 through 6 CONTACT GROUND ON 121.8	Kilo, Victor, Mike and M-6. Hold short of Foxtrot and contact ground on 119.45.

RUNWAY 3L

Route ID	Starting Point	Routing Via
Brown 8	South terminal Taxiway Kilo between Taxiways Romeo and Uniform. CONTACT GROUND ON 132.72.	Kilo, RY 9L, Foxtrot and Mike. Hold short of Uniform and contact ground 121.8. Hold short of Foxtrot and contact ground on 119.45 joining RY 9L.
Brown 2	South terminal circle 2S. CONTACT GROUND ON 119.25.	Juliet, Papa Papa. Hold short of PP-1 and MONITOR tower on 118.4
Brown 4	North terminal circles 2 through 6 CONTACT GROUND ON 121.8	Kilo, Victor, Foxtrot, Mike. Hold short of Foxtrot and contact ground on 119.45.
Brown 6	North terminal circle 1 CONTACT GROUND ON 119.45	Foxtrot, Mike.
Brown 7	South terminal circle 2S. CONTACT GROUND ON 119.25.	Juliet, Papa Papa, PP1.

Effective February 6, 2014

Chicago TRACON



**Red tracks indicate the estimated flight paths into Runway 22L*

Should you have any questions, please feel free to contact the Chicago TRACON Plans and Procedures office at:


(847)608-5591

O'HARE INTERNATIONAL AIRPORT RUNWAY 10R/28L


OPENS OCTOBER 15, 2015

New Runway 10R/28L opens on October 15, 2015. Arrivals and departures at O'Hare will remain in primarily east/west flow.

EAST FLOW CONDITIONS



WEST FLOW CONDITIONS



→ Arrivals → Departures

Special Authorization to Conduct Line Up and Wait (LUAW) Operations at Intersection

Detroit Metro Tower is authorized to taxi aircraft to line up and wait (LUAW) on Runway 04R at the intersection of Taxiway Y2 when the intersection is not visible from the tower. While conducting the LUAW operation, the specific runway must be used only for departures.

(AJV-C21, 3/30/17)

South Central United States



NON-MOVEMENT AREA AT BATON ROUGE METROPOLITAN (BTR) AIRPORT, BATON ROUGE, LOUISIANA

NATIONAL AIRSPACE CHANGE: A decision to establish a non-movement area is being implemented in accordance with Federal Aviation Administration Order JO 7210.3, Facility Operation and Administration, on Taxiway E (Echo) at BTR Airport. The decision to implement this non-movement area is due to the construction of a new hangar that blocks visibility from the Airport Traffic Control Tower (ATCT).

BACKGROUND: BTR ATCT has Line of Sight obstructions to Taxiway E. The non-visible area of Taxiway E is approximately 1,150 feet and extends from the southwest side of the River City Hangar Aviation Ramp to 200 feet southwest of the Runway 22L hold short line. A 650 foot portion of the non-visible area was pre-existing; however, an additional 500 feet was created when the River City Hangar was constructed in March 2006.

IMPACT: Due to obstructed vision, the BTR Tower is unable to provide air traffic control service in the non-movement area on Taxiway Echo from the southwest side of the River City Hangar Ramp to 200 feet southwest of the Runway 22L hold short line.

****MOVEMENT IN THIS AREA IS AT PILOTS OWN RISK.****

(Central Service Area, 9/2/09)

**HOUSTON INTERCONTINENTAL ATC TOWER AND HOUSTON
TRACON VISUAL SEPARATION PROCEDURES
AT GEORGE BUSH INTERCONTINENTAL AIRPORT (IAH)**

BACKGROUND: The purpose of this NOTAM is to inform pilots operating to/from IAH Airport of visual separation procedures between the Houston Intercontinental ATC Tower and Houston TRACON.

Houston Intercontinental ATC Tower and Houston TRACON are authorized to apply visual separation between aircraft under the control of either facility in order to maintain efficiency at IAH Airport.

Both facilities must ensure that visual separation is applied only when weather conditions do not obscure visibility affecting the application of visual separation.

If you have any questions or concerns, please contact the manager or designee of one of the facilities listed below during normal business hours:

Houston TRACON	281-230-8400
----------------	--------------

Houston Intercontinental ATC Tower	281-209-8600
------------------------------------	--------------

NOTICES TO AIRMEN (NOTAM) FOR THE PROTOTYPE RUNWAY STATUS LIGHTS (RWSL) AT DALLAS FT WORTH INTERNATIONAL AIRPORT (DFW), DFW, TX

The Federal Aviation Administration (FAA) operates prototype Runway Status Lights (RWSL) system at DFW.

Runway Status Lights, indicate when a runway is unsafe to enter, cross, or take-off through the use of in-pavement red lights installed only at selected intersections and runways as described below.

LIGHTING

RWSL conveys the **runway occupancy status**, indicating when a runway is unsafe to enter through the use of red in-pavement warning Runway Entrance Lights (RELs) and when it is unsafe to take off through the use of red in-pavement warning Takeoff Hold Lights (THLs).

The RELs are a series of red lights, typically 6, 7 or up to 20+ in-pavement lights spaced evenly along the taxiway centerline from the taxiway hold line to the runway edge. One REL is placed just before the hold line and one REL is placed near the runway centerline. All RELs are directed toward the **runway hold line** and are oriented to be visible only to pilots and vehicle operators entering or crossing the runway from that location.

RELs are operational at the following intersections at DFW:

- **Runway 18L/36R**
- **Runway 17R/35L**
 - **Taxiways EK, K8, EL, EM (East Side)**
 - **Taxiways Y, Z, EJ, B, A (East and West Side)**
- **Runway 17C/35C**
 - **Taxiways EJ, EL, ER (East Side)**
 - **Taxiways Y, Z, B, A (East and West Side)**

The THLs are directed toward the **approach end** of the runway and are visible to pilots in position for takeoff or just commencing departure roll. There are two sets of THLs, each comprising a series of **red** in-pavement lights at 100' spacing along the runway centerline.

There are four sets of THLs on the following runways at DFW:

- **17R/35L comprised of 16 pairs for a total of 32 lights at each end of the runway**

When operating at airports with RWSL, pilots will operate with the transponder "On" when departing the gate or parking area until arrival at the gate or parking area. This ensures interaction with the FAA surveillance systems which provide information to the RWSL system.

Runway Status Lights indicate runway status only. They do not substitute for an ATC clearance. Pilots are still required to receive an ATC clearance as they normally would for any operation on the runway.

Pilots are encouraged to learn more about the RWSL system at
http://www.faa.gov/air_traffic/technology/rwsl/

North Central United States



LAMBERT-ST. LOUIS INTERNATIONAL ATCT/TRACON

VISUAL SEPARATION PROCEDURES AT LAMBERT ST. LOUIS INTERNATIONAL AIRPORT (STL)

BACKGROUND. The purpose of the NOTAM is to inform pilots operating from Lambert-St. Louis International Airport of visual separation procedures between the ATCT and TRACON.

St. Louis ATCT and St. Louis TRACON are authorized to apply visual separation between aircraft under the control of either facility in order to maintain efficiency at STL Airport.

Both facilities must ensure that visual separation is applied only when weather conditions do not obscure visibility affecting the application of visual separation.

If you have any questions or concerns, please contact the manager or designee of one of the facilities below during normal business hours.

St. Louis Approach Control (314) 890-1003

St. Louis Tower (314) 890-4703

MINNEAPOLIS – ST. PAUL INTERNATIONAL ATCT/TRACON

BACKGROUND: The Use of Visual Separation for Aircraft Transitioning Between Minneapolis Air Traffic Control Tower and Minneapolis Terminal Radar Approach Control.

FAA Joint Order 7110.65 authorizes the application and use of Visual Separation between aircraft under the control of the same facility. Historically in Terminal Facilities, Air Traffic Controllers worked in an up/down environment. They would rotate through the RADAR room and the Tower. In recent years, the Federal Aviation Administration has separated these functions at select location and created a separate RADAR facility, known as a TRACON (Terminal RADAR Approach Control). This is the case in Minneapolis, Minnesota. Minneapolis ATCT (MSP) and Minneapolis TRACON (M98) are two separate and distinct air traffic facilities, each with their own employees.


In keeping with the spirit and intent of the regulations and rules governing the National Airspace System, the use and application of Visual Separation for aircraft transitioning between the two facilities will continue as if the two facilities remained as one.

There will be no change in the use or application of Visual Separation in the Minneapolis Terminal area, therefore the users of the National Airspace System should see no difference and this will have no effect on the flying community.

Questions about this procedure should be referred to:

Jim Shadduck
Support Manager
Minneapolis TRACON (M98)
612-713-4000
E-mail: Jim.Shadduck@faa.gov

Northwest United States



SPOKANE APPROACH CONTROL (GEG) CONCURRENT OPERATIONS TO SPOKANE INTERNATIONAL AIRPORT (GEG) AND FAIRCHILD AIR FORCE BASE (SKA)

Background: The purpose of this Notice is to inform pilots landing/departing from either Spokane International Airport (GEG) or Fairchild Air force Base (SKA) under Instrument Flight Rules concerning the special use of visual separation to maintain efficiency at both airports.

Sequencing aircraft simultaneously to GEG and SKA under Instrument Flight Rules requires lateral and or vertical separation between aircraft while ensuring protected airspace for potential missed approaches. These requirements directly affect the capacity of both airports.

In a north flow, the ILS approach to GEG Runway 3 converges with the departure path of SKA Runway 5. GEG is located 2.9 NM east of SKA. The convergence and divergence of flight paths, and distance between airports has made it possible to utilize visual separation under certain weather conditions to reduce the spacing normally provided to aircraft landing and departing SKA and GEG.

INFORMATION: When weather/operational conditions permit, GEG Tower controllers will provide visual separation during the following operations:

- IFR arrivals to GEG Runway 3 and SKA departures Runway 5

These procedures have proven to provide an equivalent level of safety compared to standard visual separation rules. This special use of visual separation procedures enables both airports to operate at or near capacity during periods of heavy demand.

If you have any questions or concerns, please contact the manager or designee of the facility listed below during normal business hours.

Spokane Approach Control: 509-363-6900

(ANM-530 5/8/03)

GEG RWY 3 ARRIVALS SKA RWY 5 DEPARTURES



SEATTLE APPROACH CONTROL (S46) CONCURRENT OPERATIONS TO BOEING FIELD (BFI) AND SEATTLE–TACOMA INTERNATIONAL AIRPORT (SEA)

Background: The purpose of this Notice is to inform pilots landing/departing from either Boeing King County International Airport (BFI) or Seattle–Tacoma International Airport (SEA) under Instrument Flight Rules concerning the special use of visual separation to maintain efficiency at both airports.

Sequencing aircraft simultaneously to BFI and SEA under Instrument Flight Rules requires lateral and or vertical separation between aircraft while ensuring protected airspace for potential missed approaches. These requirements directly affect the capacity of both airports.

In a south flow, the ILS approach to BFI Runway 13R converges with the ILS approaches to SEA Runways 16 L/C/R directly over BFI. In a north flow, the departure paths for aircraft departing north from SEA Runways 34L/R and BFI Runway 31L diverge directly over the north end of BFI Runway 31L. BFI field elevation is 21 feet MSL and SEA field elevation is 433 feet MSL. BFI is located 4.5 NM north of SEA. The convergence and divergence of flight paths, differences in field elevations and distance between airports has made it possible to utilize visual separation under certain weather conditions to reduce the spacing normally provided to aircraft landing and departing SEA and BFI.

INFORMATION: When weather/operational conditions permit, BFI Tower controllers will provide visual separation during the following operations:

IFR arrivals to BFI Runways 13R/L and SEA arrivals Runways 16L/C/R

IFR arrivals from BFI Runways 13R/L and IFR departures from SEA Runways
34L/C/R

IFR departures from BFI Runways 31L/R and IFR departures from SEA Runways
34L/C/R

IFR arrivals to SEA 16R/C/L and IFR departures from BFI Runways 31L/R

IFR arrivals to BFI Runways 31L/R and IFR arrivals to SEA Runways 16L/C/R

When weather/operational conditions permit, SEA Tower controllers will provide visual separation during the following operations:


IFR arrivals to BFI Runways 31L/R and IFR departures from SEA Runways 34L/C/R

IFR arrivals to BFI Runways 31L/R and IFR arrivals to SEA Runways 16L/C/R


These procedures have proven to provide an equivalent level of safety compared to standard visual separation rules. This special use of visual separation procedures enables both airports to operate at or near capacity during periods of heavy demand.

If you have any questions or concerns, please contact the manager or designee of one the facilities listed below during normal business hours.


SEATAC (SEA) – BOEING FIELD (BFI) NORTH FLOW



SEATAC (SEA) – BOEING FIELD (BFI) SOUTH FLOW



Southwest United States




LOS ANGELES AIR ROUTE TRAFFIC CONTROL CENTER

Limited Long Range Radar Coverage

Effective Until Further Notice

Radar services are limited from surface to 14,500 feet in the area from PSP to 15 NM south of PKE to EED to 15 NM south of GFS to PSP. ATC may not be depicting all the traffic. Visual vigilance is highly recommended.



(AWP-530 11/29/01)

SAN FRANCISCO SOIA/PRM

Effective Tuesday, October 26, 2004. During the hours of 0700–2200 local, SFO ATCT may utilize ILS PRM and LDA PRM approaches as weather and arrival traffic demand dictate. Aircraft arriving from the east (primarily over CEDES intersection) should expect Runway 28R; aircraft arriving from the south, west, and north should expect Runway 28L. If unable to participate in PRM approaches, aircraft operators are required to contact FAA ATCSCC directly at 1–800–333–4286 or at 703–904–4452 prior to departure to obtain a pre-coordinated arrival time.

Non-participating aircraft may encounter delays attributable to PRM flow.

Pilot requirements and procedures are outlined in the U.S. Terminal Procedures Publications on the pages entitled “ATTENTION ALL USERS OF ILS PRECISION RUNWAY MONITOR (PRM) OR LDA PRECISION RUNWAY MONITOR (PRM).”

Denver Tower

Standard Ramp Taxi Routes

Denver, Colorado

Denver Ramp Tower has instituted Standard Ramp Departure Taxi Routes for aircraft departing the main ramp and south cargo. Pilots who are unable to comply with standardized routes should advise Ramp Control on initial contact. The route will be issued by Ramp Control as “Standard Taxi East” or “Standard Taxi West”.

Standard Ramp Departure Taxi Routes

Standard Taxi East	
Origin	Routing
Concourse A – South Side	Taxi via Taxiway Alfa Sierra (AS) towards Apron Location Point 2E. Hold short of Taxiway Lima (L). Contact Ground on 121.85 when number one at Apron Location Point 2E.
Concourse A – North Side	Taxi via Taxiway Bravo Sierra (BS) towards Apron Location Point 4E. Hold short of Taxiway Lima (L). Contact Ground on 121.85 when number one at Apron Location Point 4E.
Concourse B – South Side	Taxi via Taxiway Bravo Sierra (BS) towards Apron Location Point 4E. Hold short of Taxiway Lima (L). Contact Ground on 121.85 when number one at Apron Location Point 4E.
Concourse B – North Side	Taxi via Taxiway Charlie Sierra (CS) towards Apron Location Point 6E. Hold short of Taxiway Lima (L). Contact Ground on 121.85 when number one at Apron Location Point 6E.
Concourse C – South Side	Taxi via Taxiway Charlie Sierra (CS) towards Apron Location Point 6E. Hold short of Taxiway Lima (L). Contact Ground on 121.85 when number one at Apron Location Point 6E.
Concourse C – North Side	Taxi via Taxiway Charlie November (CN) towards Apron Location Point 7E. Hold short of Taxiway Lima (L). Contact Ground on 121.85 when number one at Apron Location Point 7E.
South Cargo	Taxi east on Taxiway Alfa (A). Hold short of Taxiway Lima (L). Contact Ground on 121.85 when number one at the taxiway clearance bar.

Standard Ramp Departure Taxi Routes

Standard Taxi West	
Origin	Routing
Concourse A – South Side	Taxi via Taxiway Alfa Alfa (AA) towards Apron Location Point 1W. Hold short of Taxiway Golf (G). Contact Ground on 127.5 when number one at Apron Location Point 1W.
Concourse A – North Side	Taxi via Taxiway Alfa November (AN) towards Apron Location Point 3W. Hold short of Taxiway Golf (G). Contact Ground on 127.5 when number one at Apron Location Point 3W.
Concourse B – South Side	Taxi via Taxiway Alfa November (AN) towards Apron Location Point 3W. Hold short of Taxiway Golf (G). Contact Ground on 127.5 when number one at Apron Location Point 3W.
Concourse B – North Side	Taxi via Taxiway Bravo November (BN) towards Apron Location Point 5W. Hold short of Taxiway Golf (G). Contact Ground on 127.5 when number one at Apron Location Point 5W.
Concourse C – South Side	Taxi via Taxiway Bravo November (BN) towards Apron Location Point 5W. Hold short of Taxiway Golf (G). Contact Ground on 127.5 when number one at Apron Location Point 5W.
Concourse C – North Side	Taxi via Taxiway Charlie November (CN) towards Apron Location Point 7W. Hold short of Taxiway Golf (G). Contact Ground on 127.5 when number one at Apron Location Point 7W.

STANDARDIZED TAXI ROUTES FOR LOS ANGELES INTERNATIONAL AIRPORT (KLAX)

The following Standardized Taxi routes may be issued to all taxiing aircraft.

North Route

Taxi towards taxiway Sierra (S) taxi northbound on taxiway Sierra (S), and at Check-point-1 contact Ground Control on frequency 121.65, hold short of taxiway Delta (D).

Taxiway Sierra (S) is not visible from the ATCT

South Route

Taxi towards taxiway Romeo (R) taxi southbound on taxiway Romeo (R), and at Check-point-2 contact Ground Control on frequency 121.4, hold short of taxiway Charlie (C).

Taxiway Romeo (R) is not visible from the ATCT

Bradley Route

Taxi toward Taxiway Sierra (S) taxi southbound on Taxiway Sierra (S), and at Check-point-1 contact Ground Control on frequency 121.75, hold short of Taxiway Charlie (C).

Taxiway Sierra (S) is not visible from the ATCT

West Route

Taxi westbound on Taxiway Charlie (C) towards taxiway Alfa-Alfa (AA), hold short of taxiway Alfa-Alfa (AA), contact Ground Control on frequency 121.65 when number one approaching Taxiway Alfa-Alfa (AA).

Taxiway Alfa-Alfa (AA) is not visible from the ATCT

Bridge Route

Taxi towards taxiway Alfa-Alfa (AA) taxi southbound on taxiway Alfa-Alfa (AA), and at Check-point-3 contact Ground Control on frequency 121.4, hold short of taxiway Charlie (C).

Taxiway Alfa-Alfa (AA) is not visible from the ATCT

Romeo Route

Taxi westbound on Taxiway Charlie (C) towards Taxiway Romeo (R), hold short of Taxiway Romeo (R), contact Ground Control on frequency 121.65 when number one approaching Taxiway Romeo (R).

Taxiway Romeo (R) is not visible from the ATCT.

Van Nuys Airport (VNY)

Van Nuys, California

Simultaneous Same Direction Operations

Van Nuys Air Traffic Control Tower has been granted a waiver that authorizes air traffic personnel to conduct simultaneous, same direction operations on parallel runways separated by less than 500 feet between centerlines for lightweight single-engine propeller driven aircraft and Category II and III twin engine propeller driven aircraft.

SAN FRANCISCO INTERNATIONAL AIRPORT EXPANDED CHARTED VISUAL FLIGHT PROCEDURES

(Until Further Notice)

*****GENERAL*****

San Francisco International Airport (SFO) is subject to stratus moving slowly from West to East, creating a reportable weather ceiling over the airport, while the final approach area for Runways 28R and 28L have no significant ceiling or visibility conditions. And expanded charted visual flight procedure (E/CVFP) has been developed to maximize the level of airport efficiency during the unusual weather conditions described above.

*****MINIMUMS*****

The E/CVFP incorporates the following weather minimums:

SFO ceiling 2100 feet and visibility 5 miles; or,

SFO ceiling 1000 feet and visibility 3 miles, and,

visibility 5 miles in the Eastern quadrant (030–120), and,

ceiling 2400 and visibility 5 miles at the automated weather observing system (AWOS) located at N37° 34.338 W122° 15.598 LOM.

In the event the AWOS is inoperative, weather at San Carlos (SQL) is required to be at least ceiling 2400 feet and visibility 5 miles.

Although the listed weather minima are in effect aircraft should not expect simultaneous E/CVFP approaches unless N37° 34.338 W122° 15.598 AWOS ceiling is at least 3500 feet and visibility is at least 5 miles.

*****SPACING AND SEQUENCING*****

Controllers will clear aircraft for the E/CVFP in accordance with the provisions of Order 7110.65, Air Traffic Control. They will not utilize phrases requesting or requiring aircraft to "fly right alongside", "wingtip to wingtip", or "directly abeam" other aircraft. Additionally, controllers will not assign instructions or require aircraft to pass and/or overtake other aircraft on the adjacent final approach course. Preferably, aircraft will be vectored to achieve a slightly staggered position of approximately 1/8 to 1/4 mile behind the aircraft on the adjacent final approach course. Heavy aircraft and B757's will not be authorized to overtake another aircraft on the adjacent final approach course. Wake turbulence cautionary advisories will be issued, as appropriate.

*****GO-AROUND PROCEDURE*****

The Tipp Toe and Quiet Bridge approaches are visual approaches, and as such have no missed approach segment. If a go-around is necessary, aircraft will be issued an appropriate advisory/clearance/instruction by

the tower or TRACON. To ensure standard separation from other traffic, these instructions will include the assignment of a specific heading and altitude, normally, the following procedures will apply:

Tipp Toe Visual Runway 28L

In the event of a go-around turn left heading 265, climb and maintain 3000; or as directed by Air Traffic Control.

Quiet Bridge Visual Runway 28R

In the event of a go-around turn right heading 310, climb and maintain 3000; or as directed by Air Traffic Control

Los Angeles International Airport (LAX)

Noise Abatement Procedures

Successive or simultaneous departures from Runways 24L/R and Runways 25 L/R are authorized, with course divergence beginning within 2 miles from the departure end of parallel runways, due to noise abatement restrictions.

The published departure procedure from Runways 25L/R may include a left turn in addition to the at or below 3000- foot altitude restriction, at the SMO 154^o/SMO 160^o crossing radial or the DOCKR/HIIPR RNAV fixes.

When the published departure procedure includes a left turn, expeditious compliance of this turn is required, when crossing the SMO 154^o/160^o radial or DOCKR/HIIPR RNAV fix, to ensure simultaneous departure separation from the north complex Runways 24L/R.

Failure to initiate the turn in an expeditious manner could result in the filing of a pilot deviation due to the automatic features of the Traffic Analysis and Review Program (TARP).




Los Angeles International Airport (LAX) Runway Status Lights (RWSLs)

LAX Runway Status Lights (RWSLs) are operating. RWSLs are red in-pavement lights that serve as warning lights on runways and taxiways indicating that it is unsafe to enter, cross, or begin takeoff on a runway when illuminated.

Note: RWSLs indicate a runway's status only, they do not indicate clearance. Pilots and vehicle operators are required to receive a clearance from air traffic control before proceeding.

Runway Status Lights at Los Angeles (LAX)



Takeoff Hold Lights (THLs)

- Runway 24L (North Complex)
- Runway 25R (South Complex)

Runway Entrance Lights (RELs)

South Complex:

- Taxiway B1 (North of Runway 25R)
- Taxiway F (North and South of Runways 25L/25R)
- Taxiway G (North and South of Runways 25L/25R)
- Taxiway M (South of Runway 25R)
- Taxiway N (South of Runway 25L)
- Taxiway P (North and South of Runway 25R)
- Taxiway T (North and South of Runway 25R)
- Taxiway U (North and South of Runway 25R and North of Runway 25L)

North Complex:

- Taxiway E6 (South of Runway 24L)
- Taxiway E7 (South of Runway 24L)
- Taxiway V (South of Runway 24R)
- Taxiway V (South of Runway 24L)
- Taxiway W (North of Runway 24L)
- Taxiway Y (North of Runway 24L)
- Taxiway Z (North of Runway 24L)
- Taxiway AA (North of Runway 24L)
- Taxiway BB (North of Runway 24L)

For more information, visit the website: http://www.faa.gov/air_traffic/technology/rwsl/



NOTICES TO AIRMEN (NOTAM) FOR THE PROTOTYPE RUNWAY STATUS LIGHTS (RWSL) AT SAN DIEGO INTERNATIONAL AIRPORT (SAN), SAN DIEGO, CA

The Federal Aviation Administration (FAA) operates a prototype Runway Status Lights (RWSL) system at SAN.

Runway Status Lights, indicate when a runway is unsafe to enter, cross, or take-off through the use of in-pavement red lights installed only at selected intersections and runways as described below.

LIGHTING

RWSL conveys the **runway occupancy status**, indicating when a runway is unsafe to enter through the use of red in-pavement warning Runway Entrance Lights (RELs) and when it is unsafe to take off through the use of red in-pavement warning Takeoff Hold Lights (THLs).

The RELs are a series of red lights, typically 6, 7 or up to 20+ in-pavement lights spaced evenly along the taxiway centerline from the taxiway hold line to the runway edge. One REL is placed just before the hold line and one REL is placed near the runway centerline. All RELs are directed toward the **runway hold line** and are oriented to be visible only to pilots and vehicle operators entering or crossing the runway from that location.

RELs are operational at the following intersections at SAN:

- **Runway 9/27**
 - **Taxiways B1, B6, B10, C1, C2, C6**

When operating at airports with RWSL, pilots will operate with the transponder “On” when departing the gate or parking area until arrival at the gate or parking area. This ensures interaction with the FAA surveillance systems which provide information to the RWSL system.

Runway Status Lights indicate runway status only. They do not substitute for an ATC clearance. Pilots are still required to receive an ATC clearance as they normally would for any operation on the runway.

Pilots are encouraged to learn more about the RWSL system at
http://www.faa.gov/air_traffic/technology/rwsl/

Alaska



Hawaii



MODE C INTRUDER ALERT SERVICES


Merrill Field Airport

Anchorage, Alaska

MODE C INTRUDER ALERT is a function of certain air traffic control automated systems designed to alert radar controllers to existing or pending situations between a tracked target (known IFR or VFR aircraft) and an untracked target (an unknown IFR or VFR aircraft equipped with an operating Mode C transponder) that requires immediate attention/action.

Mode C Intruder Alert provides an aural and associated visual alert that produces enlarged and blinking alphanumeric data blocks displayed on the controller's radar display. Due to the close proximity of aircraft, the enlarged and blinking data blocks overlap and may make the radar unusable during periods of high air traffic activity. Additionally, the associated aural alarm may distract the controller from performing air traffic control duties.

The Mode C Intruder Alert base altitude has been adjusted from 643 feet above Mean Sea Level to 1,201 feet above Mean Sea Level within that portion of the Merrill Class D Surface Area that overlies land southeast of the south shore of Knik Arm. This action eliminates Mode C Intruder Alerts in the Merrill Field traffic pattern, while continuing to provide alerts in the areas over the Knik Arm, east of Muldoon Road and South of Tudor Road.



(AAL-530 8/7/01)

MODE C INTRUDER ALERT SERVICES


Lake Hood Seaplane Base

Anchorage, Alaska

MODE C INTRUDER ALERT is a function of certain air traffic control automated systems designed to alert controllers to existing or pending situations between a tracked target (a known IFR or VFR aircraft) and an untracked target (an unknown IFR or VFR aircraft equipped with an operating Mode C transponder) that requires immediate attention/action.

Mode C Intruder Alert provides an aural and associated visual alert that produces enlarged and blinking alphanumeric data blocks on the controller's radar display. Due to the close proximity of aircraft, the enlarged and blinking data blocks may make the radar unusable and the associated aural alarm may distract the controller from performing air traffic control duties.

During periods of high air traffic activity, Lake Hood Tower may elect to temporarily disable the Mode C Intruder Alert function within the Lake Hood Segment (as described in 14 CFR 93.55) below 2,029 feet AGL. Suspensions of Mode C Intruder Alert service will be broadcast on the Lake Hood ATIS.



(AAL-530 8/7/01)

MODE C INTRUDER ALERT SERVICES

Point Mackenzie Area

Northwest of Anchorage, Alaska

MODE C INTRUDER ALERT is a function of certain air traffic control automated systems designed to alert controllers to existing or pending situations between a tracked target (a known IFR or VFR aircraft) and an untracked target (an unknown IFR or VFR aircraft equipped with an operating Mode C transponder) that requires immediate attention/action.

Mode C Intruder Alert provides an aural and associated visual alert that produces enlarged and blinking alphanumeric data blocks on the controller's radar display. Due to the close proximity of aircraft, the enlarged and blinking data blocks may make the radar unusable and the associated aural alarm distracts the controller from performing air traffic control duties.


During periods of high air traffic activity in the vicinity of Point Mackenzie, Anchorage Approach Control may temporarily disable the Mode C Intruder Alert function within one or both of the following areas:

Region 1: A dual range, dual azimuth area, based upon the Anchorage Airport Surveillance Radar (ASR) antenna, from 285° magnetic to 007° magnetic, between 3.66 nautical miles and 10 nautical miles, and from the surface up to and including 1,000 feet above ground level (AGL).


Region 2: From the surface up to and including 2,100 feet AGL within a polygon defined by the following latitude/longitude points:

61:24:00.0N	149:50:00.0W	(1ST & LAST POINT)
61:15:36.0N	149:55:00.0W	(NEXT POINT)
61:14:10.0N	149:59:00.0W	(NEXT POINT)
61:14:30.0N	150:00:30.0W	(NEXT POINT)
61:24:00.0N	150:04:00.0W	(NEXT POINT)


A message will be broadcast on the Anchorage ATIS, Lake Hood ATIS, and MRI ATIS when the Mode C Intruder Alert function is disabled.



Mode C Alert Inhibit Region 1



Mode C Alert Inhibit Region 2



**Implementation of Instrument Flight Rules (IFR)
Area Navigation (RNAV) Operations
Using Global Positioning Systems (GPS) In Alaska**

When. May 15, 2003

Type. Permanent

Purpose.

To enable, in Alaska, the use of Global Positioning System/Wide Area Augmentation Systems (GPS/WAAS) for IFR RNAV in lieu of ground-based navigation aids, including altitudes below current IFR Minimum Enroute Altitudes (MEAs). In general, IFR enroute altitudes are determined by (1) obstacle clearance; (2) the lowest altitude for receiving ground-based radio navigation signals; and (3) the lowest altitude for two-way voice communication with Air Traffic Control (ATC). No accommodation was made for IFR altitudes determined by fixes using other than ground-based navigation aids. Under SFAR No. 97, operators using IFR certified TSO C145a and TSO C146a GPS WAAS RNAV systems are permitted to conduct operations over routes in Alaska at the lowest MEA based only on route obstacle assessments and ATC two-way voice communication capability.

Operations.

SFAR No. 97 allows the use of IFR-certified RNAV GPS/WAAS systems in lieu of ground facilities. This SFAR can be used for U.S. and foreign Part 91 operations, as well as Part 119 operations, Part 125 certificate holders, and Part 129 operations specifications holders, commercial, and certificated air carrier operators, in Alaska. The SFAR establishes training requirements for operators, including service degradation and equipment failure modes. It allows operators subject to this SFAR to operate over Air Traffic Service (ATS) routes where the MEA for a route or route segment is lower for GPS/WAAS IFR RNAV-equipped aircraft than the MEA for operators equipped only with ground-based navigation systems. This flexibility allows those GPS/WAAS IFR RNAV-equipped operators to conduct operations at the lowest permissible altitude in an attempt to avoid in-flight icing or other adverse weather conditions.

Required equipment.

TSO C145a and TSO C146a GPS WAAS navigation systems are authorized to be used as the only means of navigation on Federal airways and other published ATS routes in lieu of ground-based navigation aids in Alaska. In the absence of a WAAS signal, these systems continue to provide navigation guidance using fault detection and exclusion (FDE) or receiver autonomous integrity monitoring (RAIM) techniques. Commercial operators are required to have dual TSO C145a or TSO C146a GPS WAAS navigation equipment, while Part 91 operations require at least one.

New chart features/symbology.

The new RNAV MEAs will be depicted on the Low Altitude Enroute Charts as in the example at the top of this notice. Without a Special (RNAV) MEA depicted, the Standard MEA will be used.

Chart terminology.

“Special MEA” refers to the minimum enroute IFR altitude using GPS/WAAS systems on an ATS route, ATS route segment, or other direct route outside the operational service volume of ground-based navigation aids. “Standard MEA” refers to the minimum enroute IFR altitude on an ATS route, ATS route segment, or other direct route that uses very high frequency/ultra high frequency (VHF/UHF) ground-based navigation aids.

ATS route.

The term ATS route includes Jet Routes, Colored Federal Airways, VOR Federal Airways, and RNAV Routes.

(AAL-535 3/20/03)


LINE UP AND WAIT OPERATIONS

Ted Stevens Anchorage International Airport

Anchorage, Alaska

LINE UP AND WAIT (LUAW) procedures are a tool used by air traffic control to expedite the movement of aircraft on an airport. Normally, LUAW is not authorized for intersection departures between the hours of sunset and sunrise. Anchorage Tower operates under a waiver that permits these operations on Runway 33 at Taxiway Kilo between the hours of sunset and sunrise under the following conditions:

1. The intersection must be visible from the tower.
2. Runway 33 is restricted to departures only.
3. Aircraft shall not simultaneously line up and wait from any other point on Runway 33.



SPECIAL USE AIRSPACE

W-220

Oliktok, Alaska

Warning Area W-220 is being established to support research conducted by the Department of Energy as part of the North Slope of Alaska Atmospheric Radiation Measurement Climate Research Facility.

Due to the yearly print cycle of the Point Barrow Sectional, W-220 will be effective before the charting in 2016. This graphic notice is provided until the Point Barrow Sectional chart is updated to reflect the W-220 airspace. W-220 is divided in 16 sub-areas, W-220A through H, each with a high and low division. Only W-220A and W-220B will appear on the Sectional chart, the remaining areas fall outside the lateral boundaries of the U.S. Sectional publications, extending north to 82°00'00"N. In all subdivisions, the Times of Use are by NOTAM, the Controlling Agency is Anchorage ARTCC and the Using Agency is U.S. Department of Energy, Office of Science, Biological and Environmental Research. The descriptions of W-220A and W-220B are as follows:

W-220A Low Oliktok, AK

Boundaries: Beginning at lat. 70°47'00"N., long. 150°58'15"W.;
To lat. 71°37'00"N., long. 151°01'03"W.;
To lat. 71°37'00"N., long. 148°42'04"W.;
To lat. 70°47'00"N., long. 148°44'52"W.;
To the point of beginning.

Altitudes: Surface up to but not including 2,000 feet MSL.

W-220A High Oliktok, AK

Boundaries: Beginning at lat. 70°47'00"N., long. 150°58'15"W.;
To lat. 71°37'00"N., long. 151°01'03"W.;
To lat. 71°37'00"N., long. 148°42'04"W.;
To lat. 70°47'00"N., long. 148°44'52"W.;
To the point of beginning.

Altitudes: 2,000 feet MSL up to but not including 2,000 feet MSL.

W- 220B Low Oliktok, AK

Boundaries: Beginning at lat. 71°37'00"N., long. 151°01'03"W.;
To lat. 72°27'00"N., long. 151°04'09"W.;
To lat. 72°27'00"N., long. 148°39'03"W.;
To lat. 71°37'00"N., long. 148°42'04"W.;
To the point of beginning.


Altitudes: Surface up to but not including 2,000 feet MSL.

W- 220B High Oliktok, AK

Boundaries: Beginning at lat. 71°37'00"N., long. 151°01'03"W.;
To lat. 72°27'00"N., long. 151°04'09"W.;
To lat. 72°27'00"N., long. 148°39'03"W.;
To lat. 71°37'00"N., long. 148°42'04"W.;

To the point of beginning.

Altitudes: 2,000 feet MSL up to but not including 10,000 feet MSL.



Section 4. Major Sporting and Entertainment Events

INDIANAPOLIS 500

Verizon IndyCar Series Event

INDIANAPOLIS, INDIANA
May 25 – May 28, 2017

In anticipation of a large number of aircraft operating to and from the Indianapolis area in conjunction with this event, the following procedures will be used to enhance safety and minimize air traffic delays. These procedures will be in effect for aircraft operating to and from the following airports.

Indianapolis Area Airports	Identifier
Indianapolis International Airport	IND
Greenwood Municipal Airport	HFY
Shelbyville Municipal Airport	GEZ
Indianapolis Executive Airport	TYQ
Indianapolis Metropolitan Airport	UMP
Indianapolis Regional Airport	MQJ
Eagle Creek Airpark	EYE

These procedures will be in effect during the following time periods.

Day	Date	Time EDT	Time UTC
Thursday	May 25, 2017	1300–2059	1700–0059
Friday	May 26, 2017	1300–2059	1700–0059
Saturday	May 27, 2017	1300–2059	1700–0059
Sunday	May 28, 2017	0600–2059	1000–0059

Pilots are requested to adhere to preferential arrival and departure routes when filing their flight plans.

PREFERRED IFR ROUTES

Pilots are requested to file Preferred IFR Routes as listed in the Airport/Facility Directory or as noted below.

Destination	Route
ABE	BDOCK DJB J29 CXR J146 ETG
ACY	BDOCK APE JST J152 HAR LRP DQO ENO SIE
ALB	BDOCK DJB JHW J82 ALB
ATL	MYS BNA NEWBB IHAVE KNGGG DRMMM– STAR
BDL	BDOCK DJB JHW Q82 MEMMS WILET STELA– STAR
BNA	DAWNN BWG HEHAW–STAR
BOS	BDOCK WWSHR JHW Q82 PONCT JFUND–STAR
BWI	BDOCK APE AIR EMI–STAR
CAE	DAWNN IIU HMV SPA

CLT	DAWNN IIU SKYWA FLIPZ-STAR
DCA	BDOCK APE J30 BUCKO FRDMM-STAR
DFW	OOM PXV J131 LIT BYP-STAR
DTW	OKK FWA MIZAR-STAR
EWR	BDOCK WWSHR Q29 DORET J584 SLT FQM-STAR
EXX	DAWNN IIU GZG TRAKS
GSO	DAWNN IIU GZG BROOK-STAR
GSP	DAWNN IIU SOT SUG
HKY	DAWNN IIU GZG MULBE BZM
HPN	BDOCK DJB JHW ITH DNY VALRE-STAR
IAD	BDOCK APE AIR MGW GIBBZ- STAR
IAH	OOM PXV J131 LIT J180 SWB DAS- STAR
INT	DAWNN IIU GZG BROOK STAR
ISP	BDOCK APE JST J152 J78 PSB J49 HNK DNY LOVES- STAR
JFK	BDOCK DJB JHW LVZ LENDY- STAR
JQF	DAWNN IIU GZG MULBE BZM PEGTE
LGA	BDOCK DJB CXR ETG MIP- STAR
MDT	BDOCK JST J152 HAR
MDW	OKK FISSK- STAR
MEM	OOM PXV WLDER- STAR
MMU	BDOCK DJB JHW LVZ -STAR
MTV	DAWNN IIU GZG TRAKS
ORD	MZZ ROYKO- STAR
ORF	DAWNN IIU J526 BKW J42 MOL TERKS- STAR
PHL	BDOCK JST BUNTS- STAR
RDU	DAWNN IIU J526 BKW ROA SBV-STAR
RIC	DAWNN IIU J6 HVQ J24 FAK
SVH	DAWNN IIU GZG MULBE BZM
SYR	BDOCK DJB SYR
TEB	BDOCK WWSHR JHW LVZ- STAR

FREQUENCY CONGESTION

Due to anticipated frequency congestion, Indianapolis Center and Indianapolis ATCT, **except for emergency situations**, will not accept air filed flight plans to or from the Indianapolis area during the time frames listed above. Airborne filed flight plans filed with other facilities may experience lengthy delays.

ATIS

Pilots should monitor ATIS on 134.25 prior to initial contact with Indianapolis Approach Control.

VFR ARRIVALS

VFR arrivals operating within the **Indianapolis Approach Class C airspace** should conform to the following guidelines during these times.

Day	Date	Time EDT	Time UTC
Thursday	May 25, 2017	0900–1959	1300–2359
Friday	May 26, 2017	0900–1959	1300–2359
Saturday	May 27, 2017	0900–1959	1300–2359
Sunday	May 28, 2017	0900–1159	1300–1559

SET TRANSPONDER TO 1200 AND SQUAWK ALTITUDE

VFR Inbound from 225–044 degrees, contact INDY Approach on 119.05

VFR Inbound from 045–224 degrees, contact INDY Approach on 124.95

VFR DEPARTURES

Due to traffic volume, Class C service will not be available beyond 10 miles of Indianapolis International Airport from 1600–2059 EDT (2000–0059 UTC) on Sunday, May 28, 2017. **Except for emergency situations, air filed flight plans will not be accepted from those aircraft that depart the Indianapolis area VFR.**

INDIANAPOLIS INTERNATIONAL AIRPORT

IND ATIS 134.25

Clearance Delivery 128.75

Ground Control 121.9

Tower 120.9 Rwy.23L/5R / 127.82 Rwy.23R/5L

- Obtain VFR/IFR clearances on 128.75
VFR—Advise A/C ID, A/C type, direction of flight, destination & initial cruise altitude.
- **IFR—Flight plans will be stored in NAS computer for 2 hours after proposed departure time. Do not contact Clearance Delivery earlier than 30 minutes prior to proposed departure time.**
- **DO NOT** contact ground control until aircraft has moved to the *colored ramp exit or exit point*.
- **Million Air** – When aircraft is #1 at the exit point, call ground control and specify position by stating Million Air and exit point (i.e., N500TS, number 1 at Million Air INTL Point 1/2/3, Golf – Hotel 1/2, Remote Parking – Hotel 1/2, Hotel – Hotel 1/2, Wind Sock – Hotel... Taxi).
- **Signature** – When aircraft is #1 at the colored ramp exit sign, call ground control and specify position by stating Signature and exit sign color (i.e., N18JG, number 1 at Signature Red/Blue/Yellow/Green/White, Wind Sock – Hotel... Taxi). If no ramp signs are posted, report position.
- **DO NOT CONTACT THE TOWER UNTIL A/C IS #1 HOLDING SHORT OF RUNWAY.**

TEMPORARY FLIGHT RESTRICTION

****INDIANAPOLIS MOTOR SPEEDWAY****

Temporary Flight Restrictions will be in effect over the Speedway. For details, see FDC NOTAM 4/3621 available on the following web site:

tfr.faa.gov

Additional security provisions could be in effect. Pilots are encouraged to check Local and FDC NOTAMS frequently to verify they have the most current information.

ADDITIONAL PILOT INFORMATION

WAKE TURBULENCE – Pilots should be aware that a significant amount of wake turbulence may exist due to the large number of aircraft operating in the Indianapolis area. Exercise caution when flying within 30 miles of Indianapolis.

OVERFLIGHT TRAFFIC – Aircraft not landing in the Indianapolis area are requested to avoid overflight below 13,000 MSL within 20 miles of Indianapolis.

RESTRICTED AREA ADVISORY – Pilots should be aware of the existence of Restricted Area R3401A/B to the southeast of Indianapolis. This area is active during scheduled times noted on the aeronautical charts as well as other times by NOTAM. Pilots are reminded penetration of Restricted Areas without authorization from the using or controlling agency may be extremely hazardous.

PILOTS ARE URGED TO OBTAIN A COMPLETE WEATHER BRIEFING AND REVIEW ALL APPLICABLE NOTAMS PRIOR TO CONDUCTING FLIGHT

Leidos Flight Service	
Telephone Flight Planning	1-800-WX-BRIEF (1-800-992-7433)
Web Site	www.1800wxbrief.com

For further information contact:

FAA Indianapolis ARTCC
Traffic Management Unit
1850 S. Sigsbee Street
Indianapolis, IN 46241
317-247-2243

AAA 400 DRIVE FOR AUTISM MONSTER ENERGY NASCAR CUP EVENT

DOVER, DELAWARE
June 1 – June 5 2017

In anticipation of a large number of aircraft operating to and from the Dover area in conjunction with this event, the following procedures will be used to enhance safety and minimize air traffic delays.

These procedures are effective daily for aircraft operating to/from the following airports:

AIRPORT	LOCATION	IDENTIFIER
Dover AFB	Dover, Delaware	DOV
Sussex County Airport	Dover, Delaware	GED
New Castle Airport	Wilmington, Delaware	ILG
Delaware Airpark	Dover/Cheswold, Delaware	33N

PREFERRED ARRIVAL ROUTES

From CLT area:

RDU J209 SBY V29 LAFLN

From GSO area:

GSO QUAK3 CREWE J14 RIC V16 RIDGY

From WEST of GSO area:

GVE ENO3 DOV

From or through ZJX:

ORF J209 SBY V29 LAFLN

PREFERRED DEPARTURE ROUTES

To help minimize delays, it is important that **IFR JET** aircraft file via the following routes:

JQF/RUQ/VUJ:

GRACO CONLE FIXIT SCRAM WALCE LYH NASCR1
SBY J79 FKN NASCR1

CLT

GRACO CONLE FIXIT SCRAM WALCE LYH CHSLY2 KCLT
SBY J79 KATZN COUPN CHSLY2

EQY

GRACO CONLE FIXIT SCRAM WALCE LYH MAJIC1 KEQY
SBY J209 ORF J121 BARTL J4 FLO RASLN2 KEQY

GSO/INT

GRACO CONLE FIXIT SCRAM WALCE LYH HENBY2 INT
SBY J79 FKN V66 RDU

EXX/SVH

GRACO CONLE FIXIT SCRAM WALCE LYH HENBY
SBY J79 FKN V66 RDU GSO

PROP/TURBOPROP DEPARTURES

File via the following routes for destinations:

SOUTH and SOUTHWEST

CHOPS V16 LYH or
CHOPS V213 TAPPA

NORTH and NORTHWEST

ENO V268 BAL V214 MRB

EAST and NORTHEAST

SBY V1 or
SIE V139

**MONSTER ENERGY
NASCAR ALL-STAR RACE
AND
COCA-COLA 600**

MONSTER ENERGY NASCAR CUP EVENTS

**CHARLOTTE MOTOR SPEEDWAY
CHARLOTTE, NC**

May 20–21, 2017

May 25–28, 2017

In anticipation of increased air traffic at the Charlotte International Airport and Charlotte Motor Speedway during these events, the following special air traffic procedures will be used to enhance safety and minimize delays. These procedures are effective during the following dates and times:

DATE	HOURS EDT	HOURS UTC
May 20–21	0700–2300	1100–0300
May 25–28	0700–2300	1100–0300

VFR HELICOPTER OPERATIONS

CHARLOTTE INTERNATIONAL AIRPORT TO SPEEDWAY– BLUE ROUTE

Contact CLT Tower 118.1 and request “BLUE ROUTE”. After receiving VFR departure instructions, proceed direct Central Piedmont Community College, inside the I–277 loop, then on course Charlotte Motor Speedway. Expect Radar Services to be terminated upon leaving CLT CLASS B airspace.

SPEEDWAY TO CHARLOTTE INTERNATIONAL AIRPORT– GREY ROUTE


Contact CLT Tower 118.1 on the north side of Highway 49/29 and W. Sugar Creek Road, request “GREY ROUTE”. Upon receipt of Class B clearance, proceed VFR inbound remaining on the North side of Highway 49/29 to I–277 loop, direct Bank of America Stadium, direct CLT Airport.

TRAFFIC MANAGEMENT INITIATIVES

Traffic Management initiatives may be implemented for IFR and VFR flights operating into and out of Concord Regional Airport. Inbound and Outbound helicopters are expected to squawk assigned beacon codes.

FREQUENCIES

CONCORD (JQF) TOWER	134.65
CHARLOTTE (CLT) APPROACH	128.32



Charlotte Class B Airspace is in effect. Remain clear of Class B Airspace unless authorized by ATC.

Pocono 400 MONSTER ENERGY NASCAR CUP EVENT

**Mount Pocono, PA
June 7 – 11, 2017**

SPECIAL AIR TRAFFIC PROCEDURES

In anticipation of a large number of aircraft operating to and from the Mt. Pocono, PA area in conjunction with this event, special air traffic procedures at the following airports will be in effect to enhance safety and minimize air traffic delays:

Airport	Identifier
Wilkes-Barre/Scranton International	AVP
Pocono Mountains Municipal	MPO

VFR DEPARTURES / IFR PICKUP

Due to the high volume of traffic, controller workload, and mile-in-trail requirements, pilots should avoid departing VFR and requesting airborne activation of an IFR flight plan. Except in emergencies or unless otherwise coordinated with New York ARTCC (ZNY) VFR aircraft should not expect to obtain an IFR clearance within 100 miles of departure.

FLIGHT PLANS

In order to facilitate ATC planning and coordination, flight crews should file departure flight plans at least **two (2) hours** prior to proposed departure time. To minimize delays, users should file routes that conform to published departure procedures and traffic flows. IFR departures should file via preferred routes listed below.

PREFERRED ROUTES

Arrivals

FROM	ROUTE
GSO/INT	QUAK3 CREWE FAK COURG SCAPE SEG LVZ
CLT/EQY/JQF/RUQ/VUJ	BARMY2 AUDII FAK COURG SCAPE SEG LVZ OR KRITR3 FILDS ILLSA COURG SCAPE SEG LVZ
EXX/HKY/SVH	LYH COURG SCAPE SEG LVZ

Departures

TO	ROUTE (JETS at/above FL180)
CLT	LVZ V106 DIANO LRP EMI GVE LYH CHSLY2
JQF/RUQ/VUJ	LVZ V106 DIANO LRP EMI GVE LYH NASCR1
EQY	LVZ V106 DIANO LRP EMI GVE LYH

GSO/INT	LVZ V106 DIANO LRP EMI GVE LYH HENBY
HKY/SVH	EMI J75 GVE LYH HENBY
(AIRCRAFT below FL180)	LVZ V226 SWANK MIP HAR EMI GVE LYH...

NOTE: some departures to the CLT area may be dynamically re-routed via LVZ V106 DIANO PSB HVQ etc.

For other destinations, routing information may be obtained by calling:

New York Air Route Traffic Control Center
Traffic Management Unit
(631) 468-1015
0700-1500 EDT Monday-Friday

Section 5. Airshows

2017 U.S. & Canadian Military Aerial Aircraft/Parachute Demonstration

During CY 2017, the U.S. and Canadian Military Aerial Demonstration Teams (Thunderbirds, Blue Angels, Snowbirds, and Golden Knights) will be performing on the dates and locations listed below.

Pilots should expect Temporary Flight Restrictions (TFR) in accordance with 14 CFR Section 91.145, Management of aircraft operations in the vicinity of aerial demonstrations and major sporting events. The dimensions and effective times of the TFRs may vary based upon the specific aerial demonstration event and will be issued via the U.S. NOTAM system. Pilots are strongly encouraged to check FDC NOTAMs to verify they have the most current information regarding these airspace restrictions.

The currently scheduled 2017 aerial demonstration locations, subject to change without notice, are:

DATE		USAF Thunderbirds	USN Blue Angels	USA Golden Knights	Canadian Snowbirds
May	6-7	Travis AFB, CA	Barksdale, LA	Fort Bragg, NC Travis AFB, CA	Fort Lauderdale, FL
	13-14	Pittsburgh, PA	Millington, TN		
	17				Rochester, NY
	20-21	Tinker AFB, OK	Seymour Johnson AFB, NC		North Kingstown, RI
	24		US Naval Academy, MD		
	25			Fort Bragg, NC	
	26		US Naval Academy, MD		
	27-28	Wantagh (Jones Beach), NY	Millville, NJ	Wantagh (Jones Beach), NY	
	31				Whiteman, MO
June	1	USAF Academy, CO			
	3			Fort Jackson, SC	
	3-4	Grand Junction, CO	Duluth, MN	Greenwood, MS Myrtle Beach, SC	Duluth, MN
	10-11	Rockford, IL		Whiteman AFB, MO Englishtown, NJ	
	14			Fort Bragg, NC	Gaylord, MI
	17-18	Youngstown ARB, OH	Ocean City, MD	Omaha, NE	
	24-25	Dayton, OH	Latrobe, PA	Latrobe, PA	
July	1-2	Traverse City, MI	New Windsor, NY	Traverse City, MI Dubuque IA	
	4			Elizabethtown, KY	
	8		Pensacola Beach, FL		
	8-9	Gary, IN		Gary, IN	

DATE		USAF Thunderbirds	USN Blue Angels	USA Golden Knights	Canadian Snowbirds
	15-16	Open Date	Milwaukee, WI	Milwaukee, WI	
	23				
	22-23	Great Falls, MT	Idaho Falls, ID		
	26	Cheyenne, WY			
	29-30	Fairchild AFB, WA	Oshkosh, WI	Bronx, NY	
August	5-6		Seattle, WA		
	12-13	Westfield, MA			
	17				
	19-20	Selfridge ANG, MI	Chicago, IL	Chicago, IL	
	20			Long Pond, PA	
	23	Atlantic City, NJ			
	26-27	Dover AFB, DE	Brunswick, ME		
September	2-3			Indianapolis, IN Cleveland, OH	
	2-4	Cleveland, OH	Ypsilanti, MI		
	5				
	3-5				
	9-10	Altus AFB, OK	Open Date		
	13-14			JB Andrews, MD	
	14-16			Columbus, OH	
	16-17	JB Andrews, MD	NAS Oceana, VA	Reading, PA JB Andrews, MD	
	23-24	Colorado Springs, CO	MCAS Miramar, CA	MCAS Miramar, CA Durango, CO	
	30	Open Date	Huntington Beach, CA	Danville, IL	Huntington Beach, CA
October	1	Open Date	Huntington Beach, CA	Danville, IL	Huntington Beach, CA
	1-2			Lincoln, AL	
	7-8	Minden, NV	San Francisco, CA	Minden, NV Washington, DC	San Francisco, CA
	14-15	Phoenix (Speedway), AZ		Punta Gorda, FL Peachtree City, GA	Boise, ID
	21-22	Houston, TX	Rome, GA		
	28-29	Moody AFB, GA	Fort Worth, TX		

DATE		USAF Thunderbirds	USN Blue Angels	USA Golden Knights	Canadian Snowbirds
November	4-5	JB San Antonio Lackland Kelly, TX	NAS Jacksonville, FL	Stuart, FL	
	10-11		NAS Pensacola, FL		
	11-12	Nellis AFB, NV		Austin, TX	
December	9-10			Philadelphia, PA	

Note: Dates and locations are scheduled “show dates” only and do not reflect arrival or practice date TFR periods that may precede the specific aerial demonstration events listed above. Again, pilots are strongly encouraged to check FDC NOTAMs to verify they have the most current information regarding any airspace restrictions.

Arlington Fly-In NOTAM



July 7-9, 2017

**2017 ARLINGTON FLY-IN
JULY 7-9, 2017**

Control Tower Hours and Airshow Closures	2
Frequency and Contact Guide	3
Communicating with ATC	4
VFR Route Planning to Green Valley	5
General Arrival Procedures from Green Valley to Arlington	9
Runway 34 VFR Arrival	11
Runway 16 VFR Arrival	11
IFR Arrivals	12
Ground Operations and Parking	13
VFR Departures	15
IFR Departures	15
Special Operations (Helicopters, Ultralight, Light-sport & NORDO Aircraft)	16
Mode C Veil Exemption (For No Transponder Aircraft)	18

Please submit any questions, comments or suggestions to:

Jeannette Elkins
Paine ATCT Manager
3310 100th Street SW
Everett, WA 98204
Phone: (425)923-1400
E-mail: Jeannette.Elkins@Faa.gov

CONTROL TOWER HOURS AND AIRSHOW CLOSURES

Control Tower Hours

The fly-in procedures outlined in this NOTAM will be in effect only during the times the control tower is open. Outside the below times, consult the FAA Chart Supplement for normal airport operations.

Friday, July 7, 2017	9:00 AM to 6:30 PM local time
Saturday, July 8, 2017	9:00 AM to 6:30 PM local time
Sunday, July 9, 2017	8:00 AM to 4:00 PM local time

Airport Closures and Airshow Times

There will be a TFR in effect from the surface to 8000' MSL within a 5 NM radius of AWO during the airshow. All departures will stop 15 minutes prior to these airshow times and there will be no arrivals or departures during the following periods¹:

Friday, July 7, 2017	6:30 PM to 9:30 PM local time
Saturday, July 8, 2017	2:00 PM to 5:00 PM local time

¹ The only exception to operations during the TFR is through prior permission from the Airport Manager, Air Show Boss and Air Traffic Control.

FREQUENCY AND CONTACT GUIDE

Arlington ATIS	132.225
Arlington Tower	127.2
Arlington Tower Back-up	118.575
Arlington Ground	121.25
Arlington Ramp Control	124.375
Seattle Approach Control	128.5
Arlington Unicom & CTAF	122.7
Arlington AWOS	135.625
Warbird Parking Advisory	125.225
Light Flight Advisory	133.575

Flight Service 1(800)992-7433

Fly-In Flight Operations 1(425)224-6611
Flyin@arlingtonflyin.org
www.arlingtonflyin.org

FAA Control Tower 1(425)466-2672

*Please use this number for NORDO requests and urgent requests.

COMMUNICATING WITH ATC

The Arlington temporary tower is staffed by FAA air traffic controllers. The tower is a modified trailer outfitted with two-way radio communications and 180° windows. Unlike most towered airports throughout the country, the controllers are working with no radar to assist in providing traffic calls or sequencing arrivals. Instead, they are constantly scanning the sky with binoculars searching for inbound aircraft near Green Valley Airfield. Because of this, it is important for pilots to fly inbound via the standard routes and be vigilant in searching for other aircraft.

After you are spotted near Green Valley, ATC will issue instructions using color and type instead of registration number. Aircraft call signs will not be used. Use wing rocks instead of verbal acknowledgements, unless requested, to minimize frequency congestion.

When departing during the busiest traffic periods, red or green hand paddles may be used for takeoff clearances. See 'VFR Departures' section for more information about this procedure.



Arlington Temporary Tower (Photo Credit: JBFlying.com)


VFR ROUTE PLANNING TO GREEN VALLEY

General Planning:


- Turn on landing lights 30NM from AWO to aid in being spotted.
- Monitor Arlington ATIS 15-20 miles from the airport for landing information.
- Be familiar with and avoid the nearby:
 - Prohibited Area (P-51)
 - 3 National Security Areas (NSAs)
 - Parachuting zone near Harvey Field (S43)
- Remain outside the Seattle Class B airspace unless authorized by ATC.
- No transponder aircraft: refer to the Seattle-Tacoma Airport Mode C Veil Exemption included at the end of this packet.

VFR sequencing inbound to Arlington Airport begins over Green Valley Airfield. Green Valley Airfield (WA25) is a grass strip located 7 NM SE of Arlington Airport and 3NM SE of Frontier Airpark (WN53) at N48 06 W 122 04.

To reach Green Valley, ATC strongly recommends you obtain VFR flight following from Seattle Approach and request the Langley, Kingston or Monroe Arrival. See the following pages for route depictions.



Request the Langley, Kingston, or Monroe Arrival towards Green Valley.



Inset showing the three VFR flight following routes feeding toward Green Valley. The area over Lake Stevens where the Langlely and Kingston Arrivals merge as well as the airspace over Green Valley where all routes merge are traffic hot spots.

Approaching Green Valley (Flying north)



Green Valley Airfield (Facing north)



GENERAL ARRIVAL PROCEDURES FROM GREEN VALLEY TO ARLINGTON

From Green Valley Airfield, all arrivals must fly inbound to Arlington via the routes depicted in the following pages for the runway in use unless instructed otherwise by ATC.

If VFR holding becomes necessary due to traffic volume or an unanticipated runway closure, ATC will provide holding instructions and advertise it on the ATIS. If holding is in effect, do not proceed past Green Valley without clearance to do so. Expect to hold over the Stillaguamish River between Green Valley and Granite Falls. Be vigilant of heavy traffic in the vicinity and look for another aircraft to follow. Plan for right turns.




Diagram of VFR holding area (Shown as a black oval)

All inbound and departure patterns must be flown east of the runway. The airspace west of the runway is reserved for pre-authorized fly-by aircraft that are not under ATC control. To join the fly-by pattern west of the runway you must first receive a briefing from Arlington Fly-In Flight Operations.

Monitor Arlington Tower as you approach Green Valley and expect to be contacted and sequenced by ATC.

Watch for and sequence your aircraft with other observed traffic. Maintain single file. Maintain 90 KTS and 1200 MSL. If unable, maintain 135 KTS and 1700 MSL.

Notify ATC if you are unable to maintain at least 90 KTS. Advise ATC immediately if your fuel status is critical.

No touch-and-go or closed traffic operations will be authorized during the fly-in.


Use caution for gliders flying a high east-side pattern on approach to the grass glider strip located east of Runway 16/34.

Runway 16/34 has an orange dot painted on the runway surface to designate the mid-field touchdown point. You may be asked to land long and touch down at the midfield intersection for traffic. Reduced runway separation may be in effect.

The grass strip landing area available upon request as traffic permits. It is immediately east and adjacent to Runway 34 at the south end. The landing area is marked with orange cones in the shape of a chevron. The glider strip is marked with an X farther northeast of the grass strip.


After landing, exit the runway onto a taxiway without delay. Remain on the hard surfaces at all times unless instructed otherwise by ATC.

Fly-in parking is on the west side. If your destination is on the east side, use caution for glider tow operations departing and arriving the glider strip.




North facing picture of RWY 16/34

VFR RUNWAY 34 ARRIVAL



From Green Valley Airfield, fly single file direct to the City of Arlington, then turn inbound to Arlington Airport and enter a right downwind for Runway 34.

VFR RUNWAY 16 ARRIVAL



From Green Valley Airfield, fly single file directly toward Arlington Airport and enter a left downwind for Runway 16.

IFR ARRIVALS

IFR practice approaches will not be permitted.

Be prepared to discontinue IFR approach and enter the VFR traffic pattern for landing sequence. When the ceiling and visibility at Arlington Airport is reported at or above 3000 feet and five (5) miles, expect a vector for a visual approach. Arlington tower will assign VFR pattern entry instructions on initial contact.

Provide IFR cancellation information to Seattle TRACON. If you have not canceled prior to landing, advise ground control.

GROUND OPERATIONS AND PARKING

Arrivals

Contact Arlington Ground Control (121.25) for taxi instructions after exiting the runway. When nearing the parking area, Ground Control will instruct you to contact Arlington Ramp Control (124.375) for parking instructions. Monitor ramp control at all times when active on the fly-in grounds.

Departures

Contact Arlington Ramp Control (124.375) prior to start-up for instructions. Monitor the ATIS (132.225) before taxiing and contact Arlington Ground Control (121.25) for instructions after passing Taxiway D2. Complete any required run-up before reaching the runway.

Runway 11/29 and Taxiway Echo are closed from July 3rd to July 13th.

Fly-in parking is closed sunset to sunrise local time. Parking will also close 15 minutes prior to airshow times and this will be denoted by a red flag flown over the orange aircraft parking tower. During the time the flag is displayed no running engines will be permitted. Arrivals will be temporarily redirected to park at east airport transient parking.

Please prepare a sign that denotes your parking area and display it on the left side of your windshield. The sign should have dark letters on a light background readable from 50 feet away. Signs can be handmade or printed from www.arlingtonflyin.org/flying-in/aircraft-parking-signs/. Use one of the following codes:

Abbreviation	Category
GA	General Aviation Daily
GAO	General Aviation Overnight
HB	Home-Built Daily
HBO	Home-Built Overnight
ANQ	Antique Barn Display
VA	Vintage Aircraft Daily
VAO	Vintage Aircraft Overnight
WBD	Warbird Parking
IAC	Aerobatic Aircraft
EXH	Exhibit-Vendor Area
CHK	Cherokee Daily & Overnight
LSA	Light Sport Aircraft
ZEN	Zenith Aircraft
WPA	Washington Pilots Association
FATPNW	Flights Above the Pacific Northwest



[illegible]

Arlington Airport Diagram and Parking Map

VFR DEPARTURES

Contact tower as you approach the runway. On departure, fly straight out until reaching 500 AGL.

During heavy departure traffic, orange-vested controllers may be positioned on the runway and directing aircraft with red and green paddles. Aircraft will be lined up on both the left and right side of the runway. To avoid conflict, if you depart the left side depart straight out or via left turn only. If you depart the right side depart the area straight out or right turn only.

IFR DEPARTURES

File your flight plan at least one hour prior to the proposed departure time. Ensure you have received an IFR clearance from Ground Control prior to taxiing for departure.

Ensure you have received your departure release from Ground Control prior to entering the runway for takeoff. If you have not received it prior to reaching the runway, attempt to taxi into an area that allows VFR aircraft to pass you for departure.

SPECIAL OPERATIONS

Ultralight and Light-Sport (LSA) Operations

All LSA aircraft must conduct initial arrivals to Runway 16/34. Ultralight arrivals to Arlington Airport should join the Ultralight pattern from the northwest, observing the altitude restriction.

Additional Ultralight and LSA operations are to be conducted in the southwest quadrant of the airport south of the numbers of Runway 11. Pattern altitude is 500 AGL. Fly left traffic to the midfield of Runway 29 only. Remain west of Runway 16/34 at all times. All operations will be conducted between the southwest corner of the airfield and the Island Crossing (I-5) intersection to the northwest.

No-Radio (NORDO) Procedures

This procedure is provided for use by vintage aircraft incapable of radio communication. Each arriving no-radio aircraft must land at an airport within approximately 45 minutes of AWO. Contact the FAA Tower via phone or tower frequency to coordinate your arrival.

If a red light gun signal is observed from the control tower (see graphics on page 10 or 12 for tower location), exit the traffic pattern then re-enter following the published arrival procedures for the runway in use.

Helicopters

The northwest helicopter arrival route runs from Interstate Highway 5 (I-5) from the State Route 530 exit (Island Crossing) to the landing zone. Crossing I-5, at 800 feet, descend at your discretion to arrive at the NE corner of the housing development at 500 feet as depicted on the graphic. From that point to the LZ, descend to 250 feet for your final approach to landing.


Use caution for commercial helicopter operations and passengers near the civilian landing zone, light sport operations on Runway 11/29 and aircraft in the fly-by pattern.

There are two parking areas for helicopters at Arlington. Arlington Tower (127.3) will hand you to Arlington Ramp (124.375) who will direct you to your landing zone.

- The civilian landing zone is on the grass near the Taxiway B grass extension (see map). Look for the ride hopping R44 and land just south of their location.
- Military display helicopters are to operate as briefed from the Warbird parking area.

Tower will clear aircraft into these areas but pilots should be familiar with the traffic patterns established for the event. See the attached diagram.

Departing the Fly-In please fly the reverse inbound course from your landing zone to I-5. Over the airport property, do not ascend above 500 feet, once over the streets, ascend to 800 feet before resuming own navigation at I-5. Contact Arlington Ramp (124.375) prior to engine start and Arlington Tower (127.3) prior to departure.



Helicopter route and landing zone in and out of AWO

SEATTLE-TACOMA AIRPORT MODE C VEIL EXEMPTION

AUTHORIZATION TO DEVIATE FROM ATC TRANSPONDER AND ALTITUDE REPORTING EQUIPMENT REQUIREMENTS WITHIN THE SEATTLE-TACOMA AIRPORT 30 MILE MODE C VEIL DURING THE ARLINGTON FLY-IN, July 7-9, 2017.

Seattle TRACON has authorized aircraft to deviate from the ATC transponder and altitude reporting equipment and use requirements prescribed in 14 CFR 91.215b(2) within the Seattle-Tacoma Airport Mode C veil during the Arlington Fly-In, July 7-9, 2017. This exemption provides pilots with a general north/south route through the Seattle area 30 mile Mode C Veil, along the following designated route only.

ROUTING

The route starts in the vicinity of Eatonville, to the Eastside of Lake Kapowsin, then to Orting, Enumclaw, Issaquah, Monroe to Arlington. Pilots are advised to follow the arrival procedures outlined in the Arlington Fly-In NOTAM. All operations shall be conducted VFR; at or below 2500' MSL South of Enumclaw, and at or below 4500' MSL North of Enumclaw to Monroe.

This exemption does not authorize entry into the Seattle Class B airspace.

This exemption does not authorize pilots to operate within the Boeing, Renton or Paine Class Delta surface areas without establishing two-way communication.

A GENERAL WARNING

- Use caution for heavy traffic and parachute jump activity around Snohomish airport/Harvey Field
- Prohibit Area (P-51), up to 2,500' MSL, located over Bangor, WA
- National Security Area's (NSA's) in effect, over Everett, Bremerton and Port Townsend, WA up to the altitude specified on the VFR sectional charts.

All pilots are encouraged to obtain the coordinates and dimensions of these areas, mark them for easy visibility on your navigational charts and comply with FAR's while navigating to/from the Arlington Fly-In.

Due to the restrictions of P-51 and the NSA's, NO West route Mode C Veil Exemption will be authorized for this event.



EAA AIRVENTURE
OSHKOSH
2017



NOTAM

Special Flight Procedures effective 6 AM CDT July 21 to Noon CDT July 31, 2017



For a free, printed copy of this NOTAM booklet, call EAA at 1-800-564-6322.
To view or download this information, visit www.eaa.org/notam,
or www.faa.gov/air_traffic/publications/notices/.

Table of Contents

Preflight Planning	1
VFR Route Planning Guide	2-3
Fisk VFR Arrival to OSH	4-7
FISK VFR Arrival Runway Paths	8-12
Oshkosh Airport Notes.....	13
VFR & IFR Departure from Oshkosh .	14-15
Turbine/Warbird Arrival.....	16
AirVenture Seaplane Base	17
Helicopter Arrival/Departure.....	18
Ultralight Arrival/Departure	19
Fond du Lac Arrival/Departure	20-21
Appleton Arrival/Departure	22-23
IFR Arrival/Departure.....	24-27
Canadian Pilots	28
Oshkosh No-Radio Arrival	28
Flight Service Information	29

Changes for 2017 include:

- TFRs expected 10-11:00 AM CDT Friday morning, July 28 and during afternoon airshows Monday-Sunday, July 24-30
- Military area changes in central Wisconsin
- Oshkosh Taxiway Bravo designators changed
- Aircraft camping allowed at Appleton
- IFR arrival and departure routings
- Airports added to IFR Special Traffic Management Program

This notice does not supersede restrictions contained in other FDC NOTAMs. Be sure to check current NOTAMs.

Preflight Planning

For one week each year, EAA AirVenture Oshkosh has the highest concentration of aircraft in the world. Careful reading and adherence to the procedures in this NOTAM are essential to maintaining the safety record of this event. Flight planning should include thorough familiarity with NOTAM procedures, as well as knowledge of primary and alternate airports. Carry a copy of this NOTAM for in-flight reference.

Planning your Alternate Airport

- Pilots intending to land at OSH should be prepared for the possibility of diverting to an alternate airport, such as Appleton (ATW), Fond du Lac (FLD), or Green Bay (GRB).
- Parking and scheduled transportation to Oshkosh is available from these airports.
- If your alternate is Fond du Lac, check pages 20-21 for temporary control tower information.
- Pilots on VFR flight plans diverting from Oshkosh are reminded to change their flight plan destination with flight service.

Aerobatic Demonstrations/Airshow Times

The Aerobatic Demonstration Area is within a 5 NM radius of Wittman Regional Airport, from the surface to 10,000' MSL.

2017 Oshkosh Airshow Times (CDT)

Monday, July 24, thru Saturday, July 29: 2:30-6:30 PM
Wednesday, July 26: 8:00-10:00 PM
Friday, July 28: 10:00-11:00 AM
Saturday, July 29: 8:00-10:00 PM
Sunday, July 30: 1:00-4:30 PM

Wittman Regional Airport will be NOTAMed closed and all aircraft must remain clear of the Aerobatic Demonstration Area when it is active. Check the Arrival ATIS (125.9) to determine when the airport is reopened. Arrivals at Wittman Regional Airport are normally resumed 30 minutes after each afternoon airshow.

Temporary Flight Restrictions (TFRs)

TFR's are expected at OSH during afternoon airshows Monday-Sunday, July 24-30 and on Friday, July 28 at 10:00-11:00 AM CDT. These TFR's are expected to extend to 16,000' MSL. Check current FDC NOTAMs for updated information.

Wittman Regional Airport (OSH) Flight Planning

Beginning Friday, July 21, 2017, OSH is closed to all arriving aircraft from 8:00 PM until 7:00 AM CDT daily. Some or all categories of aircraft may not be accepted due to parking saturation, ground conditions, special activities, or scheduled airshows.

OSH Aircraft Parking



- Separate aircraft parking areas are used at OSH for different types of aircraft. Parking for show planes (experimental, warbirds, rotorcraft, amphibians, and production aircraft manufactured prior to 1971) has generally been available throughout EAA AirVenture. Parking and camping areas for other aircraft may reach saturation at times. Parking area status is available via telephone recording (920-230-7820) and at www.eaa.org/aircraftparking. The AirVenture Arrival ATIS (125.9) also has parking availability information, when applicable.
- Pilots landing at OSH must use a printed sign to designate their intended parking or camping area. The sign should have large dark letters readable from at least fifty feet. It can be handmade or printed from www.eaa.org/signs (no tablet computer signs, please). Display it in the left side of your windshield after landing. Use one of the following codes:

Homebuilt Camping	HBC	Homebuilt Parking	HBP
Vintage Aircraft Camping	VAC	Vintage Aircraft Parking	VAP
General Aviation Camping	GAC	General Aviation Parking	GAP
Warbird Area	WB	Seaplane Area (amphibian)	SP
International Aerobatic Club	IAC	Basler Ramp (with prior permission)	FBO



- A similar sign with the letters VFR or IFR will be used when you depart.

VFR Route Planning Guide

The VFR arrival to Oshkosh starts at the city of Ripon, Wisconsin (Chicago sectional chart). These four graphics show sample routes that bypass high-density airports en route to Ripon and leaving the AirVenture area. Be sure to use current charts. Use extra caution for heavy traffic.



VFR Route Planning Guide



Check NOTAMS for large Military Operations Areas (MOAs) in west central Wisconsin.

FISK VFR Arrival to OSH

General Information

This procedure is to be used by all VFR aircraft landing at OSH from Friday, July 21, through Sunday, July 30, 2017 (except those using the Turbine/Warbird, Ultralight or NORDO arrivals).

The procedure starts at Ripon, WI (15 NM SW of Oshkosh) and requires visual navigation. Pilots follow a railroad track from Ripon to Fisk, WI. ATC at Fisk controls traffic flow and assigns OSH landing runways and approach paths (pages 8-12).

Planning

Plan your arrival to avoid airport closure periods, such as the daily airshows listed on page 1. Arrivals normally resume 30 minutes after daytime airshows. Allow ample time to arrive and park before the daily airport closure at 8 PM CDT.

Plan your fuel load carefully. If you do not have sufficient fuel for unexpected holding and possible landing go-arounds, divert to an alternate. **If your fuel status is critical, notify ATC immediately.**

First, fly the aircraft. If you are not comfortable with the OSH AirVenture procedures, please consider flying into FLD or ATW and taking public transportation to OSH.

Approaching Ripon

Ensure lights are on within 30 miles of OSH. All non-ADS-B equipped aircraft set transponder to Standby at or before Ripon.

Obtain Arrival ATIS (125.9) no later than 15 miles from Ripon and note arrival runways in use. Have NOTAM arrival pages mentioned on ATIS available. Then monitor Fisk Approach (120.7).


Arrive at Ripon at 90 knots and 1,800'. For aircraft unable to operate comfortably at 90 knots:

- Slower aircraft should use maximum cruising speed. ATC recommends that you arrive at Fisk between 7:00-7:30 AM CDT daily, if practicable.
- Faster aircraft use 135 knots and 2,300'.

GPS-equipped pilots may reference RIPON and FISKE intersections, but must visually navigate directly over the railroad tracks

Ripon to Fisk

If holding is not in progress, enter the VFR Arrival Procedure over the northeast corner of Ripon (OSH 232°, 15.5 DME).



Proceed single file, directly over the railroad tracks from Ripon northeast to Fisk (10 miles). Remain at least ½ mile in-trail behind any aircraft you are following. Do not overtake another aircraft unless authorized by ATC.

Do not "S-turn" to follow an aircraft; instead, break off the procedure; return to Ripon; and follow another aircraft of similar speed.

If possible, lower your landing gear prior to reaching Fisk.

The small town of Pickett is about 4 miles from Fisk (you may see steam from the grain drying facility adjacent to the tracks). At this point, listen very carefully for ATC instructions directed at your aircraft.

FISK VFR Arrival to OSH


AirVenture Arrival ATIS..... 125.9

Fisk Approach..... 120.7

Ripon (city): N43°50.29' W88°50.68'

Fisk (community): N43°57.20' W88°40.47'

Oshkosh (airport): N43°59.06' W88°33.42'




At Fisk

Controllers will call your aircraft by color and type (if known). No verbal responses are required. If you do not understand the ATC instructions, or need clarification, request instructions on frequency.

When you are in the immediate vicinity of Fisk (less than 2 miles), ATC will issue a runway assignment, transition to the airport and appropriate Tower frequency to monitor. **Do not proceed beyond Fisk or change to Tower frequency without ATC authorization.**

Fisk to Oshkosh

Transition instructions to the airport will either be **"Follow the railroad tracks northeast"** or **"Reaching Fisk, turn right and follow Fisk Avenue"**.



(continued on next page)

FISK VFR Arrival to OSH

Fisk to Oshkosh (continued)

Railroad Track Transition: Continue following the railroad tracks northeast from Fisk to Oshkosh.

Fisk Avenue Transition: Fisk Avenue runs 090° from the town of Fisk. Do not confuse this road with Highway 44.

A large microwave tower is located approximately one mile east of Fisk and ¼ mile south of Fisk Avenue. Navigate **close** to Fisk Ave. on south side, but remain north of the microwave tower.

Landing Approach at Oshkosh

A waiver has been issued reducing arrival and departure separation standards for category 1 and 2 aircraft (primarily single-engine and light twin-engine aircraft).

Pilots should be prepared for a combination of maneuvers that may include a short approach with descending turns, followed by touchdown at a point specified by ATC which may be almost halfway down the runway. **Use extra caution to maintain a safe airspeed throughout the approach to landing.**

Arrivals and Departures on Separate ATC Frequencies

Note that two separate ATC radio frequencies are used for each landing runway – departures on one frequency and arrivals on a separate frequency. As a result, landing pilots may see aircraft departing from or crossing the landing runway, but not hear ATC communications with those aircraft.

Flights of Aircraft

Some pilots travel together to AirVenture as a “flight”. Flights approaching Ripon should, traffic volume permitting, advise Fisk ATC (120.7) of position, identifying as a “flight of number and type aircraft.”

Flights that choose to maintain formation less than ½ mile in-trail are responsible for their own separation between members of the flight.

Although flight members generally want to remain together to the airport, this may not always be feasible. Make advance reconnection plans with all flight members in the event you become separated from one another upon arrival.

Large Formation Arrivals

To increase efficiency and safety of traffic arriving at Wittman Regional Airport, several large groups of similar-performance aircraft have been approved to make formation arrivals. Participation in these arrivals is limited to aircraft registered in each group and requires an FAA letter of authorization.

These formation arrivals are scheduled for late morning through mid-afternoon on Saturday, July 22, and for early morning through early afternoon on Sunday, July 23. Weather and other factors may change the schedule. Other traffic using the Fisk VFR arrival to Oshkosh can expect delays during these large formation arrivals.

FISK Holding

Holding

ATC controllers at Fisk will advise on 120.7 when holding is necessary.

Aircraft at or beyond Ripon: Continue to Fisk and enter the Rush Lake holding pattern as depicted.

Aircraft approaching Ripon: Watch for traffic to follow and enter the hold at Green Lake as depicted.


Holding pattern saturation: If the Green Lake holding pattern is observed or reported to be nearing capacity, stay clear and proceed no further. Instead, make left turns over a point on the ground and continue to hold until ATC advises you to proceed or to transition into one of the published holding patterns.

Holding Altitudes/Airspeeds: Maintain 90 knots (or maximum cruise speed if below 90 knots) and 1,800' MSL. If unable, maintain 135 knots and 2,300' MSL.

Clearing Holding Patterns

When ATC advises aircraft to depart a specific holding pattern, those aircraft shall transition to the arrival procedure in the following manner:


- Rush Lake: Rejoin railroad tracks at the southeast corner of Rush Lake and proceed northeast towards Fisk.
- Green Lake: Upon reaching the southeast corner of Green Lake, proceed directly to Ripon and follow the railroad tracks northeast towards Fisk.
- Others: Proceed to Ripon and follow the railroad tracks northeast towards Fisk.



FISK VFR Arrival to OSH RWY 27

This Arrival May Require a Short Approach.

Airport Elevation 808' Oshkosh Tower North: **118.5** (Departures on separate frequency)



NOT FOR NAVIGATION

Turn base prior to reaching shoreline.
Do not continue past shoreline **unless**
advised by ATC.

If a go-around is needed, notify ATC
immediately for resequencing instructions.


RWY 27 landing distances
Displaced Threshold...5,647'
Orange Dot.....4,600'
Green Dot.....3,050'

After landing and when speed permits, air-
craft under 6,250 lbs. are required to exit
RWY 27 to the left or right, as directed,
onto the sod. **Do not turn back onto the**
runway. Be alert and use caution for
hazards marked with cones and/or flags.

After exiting runway, you must put a
parking/camping sign in windshield and
follow EAA flagperson directions.

FISK VFR Arrival to OSH RWY 9

Airport Elevation 808' Oshkosh Tower North: **118.5** (Departures on separate frequency)



If a go-around is needed, notify ATC immediately for resequencing instructions.

RWY 9 landing distances

Threshold 6,179'

White Dot 4,350'

After landing and when speed permits, aircraft under 6,250 lbs. are required to exit RWY 9 to the left or right, as directed, onto the sod. **Do not turn back onto the runway.** Be alert and use caution for hazards marked with cones and/or flags.


After exiting runway, you must put a parking/camping sign in windshield and follow EAA flagperson directions.

Maintain a safe airspeed and avoid low turns on landing approach.

FISK VFR Arrival to OSH RWY 18R via Fisk Ave.

This Arrival Requires a Short Approach and a Long Landing.

Airport Elevation 808' Oshkosh Tower South: **126.6** (Departures on separate frequency)



Turn base abeam the Blue Dot. If unable, make immediate right turn to the Southeast for resequencing. **Do not** continue past the Blue Dot **unless advised by ATC**.

The RWY 18R relocated threshold is well beyond the concrete edge and is marked by Runway End Identification Lights and white lines. Do not land short of this threshold without specific Tower approval.

If a go-around or pattern break is needed, notify ATC immediately.


RWY 18R landing dist.

Blue Dot.....6,350'

Pink Dot.....4,750'

FSK VFR Arrival to OSH RWY 18L/R via Railroad Tracks

Airport Elevation 808' Oshkosh Tower South: **126.6** (Departures on separate frequency)



Do not descend below 1,500' until past RWY 9/27.

The RWY 18R relocated threshold is well beyond the concrete edge and is marked by Runway End Identification Lights and white lines. Do not land short of this threshold without specific Tower approval.

Oshkosh controllers may request that you land on a large Blue Dot or Pink Dot painted on the runway.

If a go-around is needed, notify ATC immediately for resequencing instructions.

RWY 18L landing dist.
Threshold6,300'
(50' wide)


RWY 18R landing dist.
Threshold.....6,700'
Blue Dot.....6,350'
Pink Dot.....4,750'

Aircraft landing on RWY 18L must hold short of RWY 18R until cleared via 126.6 or a pink shirt OSH controller.

When taxiing west of RWY 18R, you must put a parking/camping sign in windshield and follow EAA flagperson directions.

FSK VFR Arrival to OSH RWY 36L/R

Airport Elevation 808' Oshkosh Tower South: **126.6** (Departures on separate frequency)



If a go-around is needed, notify ATC immediately and do not continue past ATC Tower. If unable to notify ATC, make a right turn to the southeast prior to ATC tower for resequencing.

RWY 36L landing dist.

Yellow Dot ...3,400'
Purple Dot ...4,950'
Threshold6,700'


RWY 36R landing dist.

Red Square..... 3,150'
Green Square ..4,700'
Threshold6,300'
(50' wide)

Aircraft landing on RWY 36L **must not** roll beyond the Blue Dot without specific Tower authorization.

Aircraft landing on RWY 36R can expect to land long and roll to end for parking. **Do not turn left unless advised by ATC. If so, you must hold short of RWY 36L until cleared via 126.6 or a pink shirt OSH controller.**

Oshkosh Airport Notes



- All movement on other than paved runways is at pilot's own risk. Use extra caution when operating in non-movement areas. Be alert for taxiing aircraft in all areas.
- Aircraft landing during peak saturation periods may be asked to depart if insufficient parking spaces are available.
- All aircraft parked on grass must be tied down securely; all aircraft parked on paved surfaces must be chocked.
- Aircraft parking and camping is allowed in designated areas only. No aircraft camping is allowed east of TWY B3.
- For hard-surface parking and fueling information, contact Basler Flight Service (920-236-7827).
- **If Wittman Regional Airport is IFR, taxiing is prohibited except for aircraft with IFR clearance.**
- Engine operation and taxiing are prohibited when the airport is closed (during airshows and overnight: 8:00 PM to 6:00 AM CDT).
- Mishaps, incidents, or accidents must be reported to the FAA Flight Standards District Office, NTSB, a Sheriff's Deputy or Wittman Regional Airport personnel.
- Only authorized personnel are allowed on runways, taxiways, and the terminal ramp at any time. Motorcycles and bicycles are also strictly prohibited on these areas.
- Observe all fire prevention rules. No campfires or stoves are permitted near aircraft.
- Student pilot training and student solos are not permitted at OSH during the AirVenture period.
- Contact law enforcement or Wittman Regional Airport personnel with any airport safety related questions (920-236-4930).

VFR Departure from Oshkosh


- Pilots are urged to obtain a complete weather briefing and review all applicable NOTAMS prior to departure. FSS weather briefings and flight plan filing services are available via phone at 800-WX-BRIEF.
- You must place a sign in your windshield with the letters "VFR" to show ground personnel that you intend to depart VFR. Note that Wittman Regional Airport is closed to departing aircraft from 8 PM until 6 AM CDT daily, during the scheduled airshows and at other times.
- Monitor the Departure ATIS (121.75) prior to engine start. There must be no engine operation or aircraft movement until the Departure ATIS indicates the airport is open.
- **When the airport is IFR, all taxiing is prohibited except for aircraft with an IFR clearance.**
- Taxi toward the designated runway without contacting Ground Control. Follow EAA flagperson instructions. To expedite departures, you may be directed to a different runway than you expected.
- FAA controllers wearing pink shirts are stationed on elevated platforms near the runway departure points. Monitor their radio frequency, listed on page 15.
- After takeoff, fly the routes depicted on page 15, based on your departure runway.
 - You must avoid the Ripon/Fisk arrival route and the AirVenture Seaplane Base.
 - RWY 36L departures must turn to heading 150° prior to ATC Tower.
 - Non-ADS-B equipped aircraft keep transponder on Standby until leaving OSH Class D airspace.
- Milwaukee Approach Control will not provide traffic advisories within 70 NM of Oshkosh.

A waiver has been issued reducing arrival and departure separation standards for category 1 and 2 aircraft (primarily single-engine and light twin engine aircraft).

Another waiver has been issued amending "Line Up and Wait" procedures; more than one aircraft may be instructed to "Line Up and Wait" on the runway using both sides of the centerline.

IFR Departure from Oshkosh

- See page 26 for departure routings.
- **You must place a sign in aircraft windshield with block letters "IFR"** to specify routing by ground personnel.
- Monitor Departure ATIS (121.75) prior to engine start.
- Request IFR departure clearance from Clearance Delivery (119.05) no more than 20 minutes prior to your STMP reservation time (see page 24). Do not start engines until authorized by Clearance Delivery.
- Remain on 119.05 until told to contact Ground Control (121.9).
- Taxi as instructed by Ground Control and EAA flagpersons. Unless directed by Ground Control, ensure you are established in the IFR staging area for your assigned runway (see chart below)
- IFR clearances are not valid without a transponder code. Expect transponder code assignment just prior to departure.
Do not take off without an assigned transponder code.




VFR Departure from Oshkosh

VFR Departure Location	Remaining	Monitor
RWY 9 at TWY B1	6,179'	128.75
RWY 18L	6,300'	126.6
RWY 18R at Tower Road	6,300'	118.9
RWY 27 at TWY A	4,600'	128.75
RWY 36L at TWY P5	5,050'	118.9

Oshkosh Departure Frequencies

OSH VORTAC	111.8
AirVenture Departure ATIS	121.75
Oshkosh Clearance Delivery	119.05
Oshkosh Ground Control	121.9
Oshkosh UHF	290.9
Green Bay Radio	122.25




SAFETY ALERT: Do not depart on RWYs 13/31 or 5/23; they are closed.

Turbine/Warbird Arrival

Restricted to aircraft types listed

- This procedure is restricted to high-performance turbojet, turboprop, and Warbird aircraft capable of cruising at 130 knots or greater. Slower Warbird aircraft shall use the VFR Arrival from Ripon (pages 4-12).
- The city of Fond du Lac is the entry point for all Turbine/Warbird arrivals. Monitor the AirVenture Arrival ATIS (125.9) for anticipated landing runways (see charts on pages 8-12).
- Avoid the Fond du Lac County Airport (FLD) airspace. FLD has a temporary control tower from Saturday, July 22 until Sunday, July 30, 2017 (operating hours on page 20). FLD airspace is 3,300' MSL and below within 4 NM.
- Aircraft weighing more than 12,500 pounds must advise ATC on initial contact.
- All aircraft shall report arrival over the city of Fond du Lac and again at Warbird Island to Oshkosh Tower on the appropriate tower frequency:
 - **When RWY 36L/R is in use, report on 126.6**
 - **Otherwise report on 118.5**

Examples: "Blue and yellow Wildcat, Fond du Lac"
"White Citation, Warbird Island"
- Proceed from the city of Fond du Lac direct to Warbird Island (6 miles SE of OSH, along the west shore of Lake Winnebago). When within 4 NM from FLD, descend to maintain 2,800' MSL.
- Pilots may be instructed to orbit the island until a landing sequence is issued. **Use caution; make left turns; and stay alert for other aircraft!**
- When cleared at Warbird Island, proceed to the assigned runway as directed by ATC, reduce speed to 150 knots or less and begin descent to 1,800' MSL (2,300' MSL for overhead approaches). Pilots are cautioned to maintain VFR separation at all times.
- If your landing clearance appears unsafe because of spacing, speed of preceding aircraft, or any other reason, go around! A new sequence will be issued.
- Pilots may request a 360° overhead approach to RWY 36 L/R or RWY 27. Break altitude is 2,300' MSL. Expect a right break only.
- ATC may initiate a 360° overhead approach to other runways as needed for spacing. Break altitude will be 2,300' MSL. Expect a north break for RWYs 9/27 and an east break for RWYs 18/36.
- Under all circumstances, avoid the VFR arrivals area southwest of OSH.
- Pilots of Warbird aircraft are encouraged to call Warbird Ground (123.9) when arriving at the Warbird area and before starting engines for departure.



AirVenture Seaplane Base

The AirVenture Seaplane Base, 5 miles southeast of Oshkosh, on the west shore of Lake Winnebago, will be operational Saturday July 22 through Sunday July 30, 2017, 8:00 AM – 8:00 PM CDT.


VFR Arrival

Seaplane arrivals should avoid nearby Class C and D airspace. Approach the Seaplane Base from the east, over Lake Winnebago. Do not use the Fisk VFR arrival route and do not contact Oshkosh Tower.

Destination identifier 96WI should be used for VFR flight plans.

Contact the Seaplane Base (123.3 or 920-230-7829) for water condition information.

To orient yourself, fly a pattern from north to south at 600' AGL with left turns. Landing and takeoff patterns are at pilot's discretion. Avoid flying low over boats and structures.



CAUTION

Turbine and Warbird aircraft activity along southwest shoreline at or above 1,800' MSL.

AirVenture Seaplane Base	123.3
Green Bay Radio	122.25
AirVenture Arrival ATIS	125.9
AirVenture Departure ATIS	121.75

Seaplane Base Notes

Information on housing, food, activities, arrival procedures, and rough water alternate landing areas is available at www.eaa.org/seaplanebase, by calling 715-581-4381, or e-mail before event to paul676@tds.net.

- The Seaplane Base radio frequency is 123.3; however a radio is not required. Operators are authorized to deviate from the two-way radio communications requirements of FAR 91.129(c) for arriving and departing at EAA AirVenture 2017.
- Helicopter operations require prior approval via telephone (920-230-7829).
- Pilot briefings are mandatory prior to local flights or departures.
- Taxi slowly in bay near lagoon; heavy traffic enters and leaves lagoon.
- No takeoff or landing in lagoon
- No takeoffs allowed directly over seaplane base shoreline or crowds. With south wind use lagoon opening as line of reference for takeoffs and turn east to stay over lagoon and farm fields when climbing.
- Boats are available to take you to and from your aircraft.
- Larger aircraft may anchor in the bay next to the lagoon.
- Daily camping with showers is available to pilots and crew operating from the Base.
- Transportation is available to and from the EAA AirVenture site by bus.
- Wittman Regional Airport is closed during afternoon airshows, so you must land outside the Aerobatic Demonstration area, a 5 NM radius of OSH, and then taxi to the Seaplane Base. Check for possible TFRs which could restrict larger areas.
- Amphibian aircraft can also use a special parking location on the EAA AirVenture site in the south part of the Vintage Aircraft area west of Runway 18R/36L. Use windshield sign code SP as described on page 1.

Transient Helicopter VFR Arrival/Departure


The AirVenture helipad and long-term helicopter parking are located on Pioneer Airport. The helipad is designated on a turf area with a white box surrounding the letters "HELI". Camping is not allowed in this area.

- Use caution for high-volume, fixed-wing traffic following railroad tracks to Runway 9/27, for ultralight vehicles operating at or below 1,100' MSL south of Waukau Ave, and for zeppelin mooring near helipad area.
- Obtain AirVenture Arrival ATIS (125.9) prior to entering Oshkosh Class D airspace.
- Helicopters arriving VFR shall enter the Oshkosh Class D airspace from the west, following and remaining north of Waukau Ave. at 1,300' MSL. Remain south of Runway 9/27 at all times and monitor Oshkosh Tower (118.5). Landing at Pioneer Airport is at pilot's discretion.

- Arrivals/departures are not authorized when Wittman Regional Airport (OSH) is IFR or closed, including during the daily airshows (times on page 1).
- Helicopters may depart VFR from Pioneer Airport at pilot's discretion. Obtain AirVenture Departure ATIS (121.75) and then monitor Oshkosh Tower (118.5). Depart north of the AirVenture Museum and remain well south of the RWY 9/27 extended centerline. Follow and remain south of Waukau Ave at 1,300' MSL until clear of Class D airspace to the west.

PILOT NOTICE

Helicopter operators are authorized to deviate from the two-way radio communications requirements specified in FAR 91.129(c) for arriving and departing at EAA AirVenture 2017.




Ultralight/Homebuilt Rotorcraft Arrival/Departure

This procedure is effective Saturday, July 22, through Sunday July 30, 2017, 7:00 AM to 9:00 AM and 6:30 PM to 8:00 PM CDT. The procedure may be used from 9:00 AM to 6:30 PM CDT only after receiving approval from EAA Ultralight Flightline Operations (920-230-7759).

Helicopters and gyroplanes flying in should arrive between Noon and 2:00 PM CDT unless prior arrangements have been made. Large helicopters should use the Transient Helicopter procedure (page 18) and land at Pioneer Airport.

- If radio equipped, monitor AirVenture Arrival ATIS (125.9) prior to entering at Highway Z and Highway 26.
- Enter at Highway Z and Highway 26, approximately 5 miles SW of Oshkosh.
- Be alert for aircraft inbound from Fisk entering a left base for RWY 36L/R. Maintain a vigilant watch at all times while flying into or out of the Oshkosh area.
- Pattern is clockwise (right turns) for landings to the southeast. Pattern is counter-clockwise (left turns) for landings to the northwest.
- Ultralights/Rotorcraft must remain clear of OSH RWYs 18L/R and 36L/R.
- Ultralight RWY 15/33 is 1,200' long. Each runway end has a 300' displaced landing threshold, followed by a 900' landing area.
- Use caution for numerous obstructions near approach and departure ends of Ultralight RWYs 15 and 33.
- Departing traffic has the right of way.
- Do not fly over people, houses, livestock, parked aircraft, etc. lower than 300' AGL.
- If radio equipped, obtain AirVenture Departure ATIS (121.75) prior to departure.
- Compliance with this arrival/departure procedure waives the requirements of FAR 103.17.



Fond du Lac Arrival/Departure

The FAA will operate a temporary air traffic control tower at the Fond du Lac County Airport (FLD) from Saturday, July 22 through Sunday, July 30, 2017. The Tower will be operational from 7:00 AM until 8:30 PM CDT, except closing at 5:00 PM CDT on Sunday, July 30.

Communication with FLD Tower is required when at or below 3,300' MSL within 4 NM of FLD. See graphic below for locations to contact Tower.

- Because of expected delays due to heavy traffic volume, watch your fuel status closely.
- To enhance safety, arrivals after sunset are discouraged.
- Be alert for high-density traffic en route to Oshkosh and for Turbine/Warbird aircraft in vicinity of FLD airport.
- Turn lights on within 30 miles of FLD.

VFR Arrival to FLD


- Obtain Fond du Lac ATIS (121.1).
- Avoid high-traffic arrival routes from Ripon to Fisk and along shoreline.
- Contact Fond du Lac Tower (120.4) when 10 NM from airport.
- After landing, close VFR flight plan with Green Bay Radio on 122.5.

IFR Arrival to FLD


See IFR Information on pages 24-25. Expect a visual approach or radar vectors to a final approach course from Milwaukee Approach. Weather permitting, cancel IFR with Milwaukee Approach and proceed VFR to the airport.

No-radio (NORDO) Arrival to FLD

Follow another aircraft if possible and watch the Tower for a green or red light.



Fond du Lac Arrival/Departure continued



Fond du Lac Area Frequencies

ATIS	121.1
Milwaukee Approach	127.0
Temporary Tower	120.4
Ground Control	121.85
Unicom (CTAF when tower closed)	123.05
ASOS (920-922-4444)	134.0
Green Bay Radio	122.5

Intersection Departures

Intersection	Runway Available
RWY 18 at A4	4,940'
RWY 18 at B	2,940'
RWY 27 at B1	2,900'
RWY 36 at A2	5,040'
RWY 36 at A3	3,740'
RWY 36 at B	3,000'

VFR Departure from FLD

Pilots are urged to obtain a complete weather briefing and review all applicable NOTAMS prior to departure. Flight plan filing and briefing services are available from Flight Service (1-800-992-7433).

IFR Departure from FLD

See page 26 for required IFR departure routings.

Within 5 minutes of taxi, contact Ground Control (121.85) and advise that you are IFR. Clearance, taxi and departure information will be issued on Ground Control frequency.

After takeoff, FLD Tower will advise when to contact Milwaukee Approach, normally when clear of traffic.

Fond du Lac Airport Notes

- All movement on other than paved runways is at pilot's own risk.
- **Do not** walk across taxiways or runways.
- **Camping and showers are available.**
- Bring your own tiedowns; all aircraft must be secured.
- Hard surface parking available by prior arrangement with Fond du Lac Skyport (920-922-6000).
- Scheduled transportation is available to/from Oshkosh.
- FBO is unattended 9:00 PM – 6:30 AM.

PILOT NOTICE

A waiver has been issued reducing arrival and departure standards for category 1 and 2 aircraft (primarily single engine and light twin engine aircraft).

Appleton Arrival/Departure

The Control Tower at Appleton International Airport (ATW) operates from 5:30 AM until 11:00 PM CDT daily. See graphic for recommended arrival routes.


- Because of expected delays due to heavy traffic volume, watch your fuel status closely and plan an extra reserve.
- Be alert for high-density traffic en route to Oshkosh.
- Leave lights on within 30 miles of Appleton.

VFR Arrival to ATW


- Obtain Appleton ATIS (127.15).
- Contact Appleton Tower (119.6) over recommended VFR reporting points (New London, Little Chute, or Lake Butte Des Morts). Advise Tower of position and ATIS code received.
- After landing, cancel VFR flight plan in person at Civil Air Patrol ramp facility.

IFR Arrival to ATW

See IFR arrival information on pages 24-25.



Appleton Arrival/Departure continued



Appleton Area Frequencies

ATIS	127.15
Green Bay Approach	126.3
Tower (5:30 AM–11:00 PM CDT), CTAF	119.6
Ground Control	121.7
Clearance Delivery	124.25
Platinum Flight Center Unicom	122.95
AWOS (920-832-2597)	127.15
Green Bay Radio (airborne only)	122.55

Land and Hold Short (LAHSO) Information (Day only)

Landing Runway	Hold Short Point	Measured Distance
RWY 03	RWY 12/30	3,300 feet
RWY 21	RWY 12/30	4,100 feet
RWY 30	RWY 03/21	3,400 feet

IFR Departure Routings from Appleton

- Routing to MKE and its satellite airports:
ATW CHING BJB...
- Routing to ORD satellite airports:
ATW CHING BJB OBK...
- Routing to MSN and its satellite airports:
ATW BANKY DLL...
- Routing to other destinations below 14,000' should avoid MKE airspace:
 - Southeast: ATW NEROE V26 WELKO...
 - South around ORD airspace: ATW BANKY DLL... (then see page 26 chart)
 - Southwest: ATW BANKY DLL...
 - West: ATW BANKY...

VFR or IFR Departure from Appleton

- Obtain ATIS (127.15).
- IFR flights: Request IFR clearance prior to engine start from Ground Control (121.7) or Clearance Delivery (124.25), as indicated on ATIS.
- Taxi to grass-parking exit, holding short of hard surface taxiways.
- When number one at the grass-parking exit, contact Ground Control (121.7) with position, ATIS code received, and direction of flight.
- For VFR flight following over Lake Michigan, contact Green Bay Approach 10 NM northwest of MTW on 120.2.

Appleton Airport Notes

- All transient parking (hard surface and grass) is in the south GA area, south of RWY 12/30 and east of RWY 3/21. Shuttles transport visitors to the FBO (Platinum Flight Center, 920-738-3034).
- New for 2017: Aircraft camping is available. For reservations, visit www.platinumflightcenter.com.
- Transient grass and hard surface parking areas are closed to all operations from 8:00 PM until 6:00 AM CDT from Saturday, July 22, through Sunday, July 30, 2017.
- Airport management requires that all aircraft be secured to the ground. Tiedowns are available for purchase.
- Scheduled transportation to and from Oshkosh is at the terminal and the FBO.
- The self-service fuel station is not available during AirVenture. Fueling is at aircraft parking and the FBO.
- International arrivals must clear Customs, located just south of the Tower. For more information, contact 920-968-2348.

IFR Reservation Program

Special Traffic Management Program

A Special Traffic Management Program (STMP) will be implemented at Oshkosh and surrounding airports. See paragraphs 4-1-21 b, c and d of the Aeronautical Information Manual for STMP details.

An IFR slot reservation program will be used for the following airports:

ATW	Appleton International
C29	Middleton Municipal - Morey
C35	Reedsburg Municipal
C47	Portage Municipal
DLL	Baraboo Wisconsin Dells
FLD	Fond du Lac County
LNR	Tri-County Regional – Lone Rock
MSN	Dane County Regional - Madison
OSH	Wittman Regional
RYV	Watertown Municipal
SBM	Sheboygan County Memorial
UNU	Dodge County - Juneau
61C	Fort Atkinson Municipal
8D1	New Holstein Municipal

ARRIVAL RESERVATIONS

Arrival slot reservations will be required for all domestic non-scheduled IFR arrivals during the following dates and times:

Friday, July 21 through Sunday, July 30, 2017
0700-2000 CDT (1200-0100 UTC).

Arrival slot reservations will be available beginning Tuesday, July 18, 2017 at 0700 CDT (1200 UTC) and will not be assigned more than 72 hours in advance.

Reservations will not be allocated to OSH during the scheduled hours of the daily airshows, but they will be allocated to the other listed airports.

DEPARTURE RESERVATIONS

Departure slot reservations will be required for all domestic non-scheduled IFR departures from Wittman Regional Airport (OSH), but not from the other listed airports.

They will be required during the following dates and times:
Monday, July 24 through Sunday, July 30, 2017
0600-2000 CDT (1100-0100 UTC).

Departure slot reservations will be available beginning Friday, July 21, 2017 at 0600 CDT (1100 UTC) and will not be assigned more than 72 hours in advance.

Departure reservation slots will not be available during the scheduled hours of the daily airshows.

Slot reservations do not preclude possible delays if weather conditions necessitate additional traffic management initiatives.

An IFR arrival slot reservation does not guarantee a parking spot at Wittman Regional Airport if parking areas are full.

How to Obtain a Reservation

- STMP reservation may be obtained by using the computer interface (e-STMP) or touch-tone telephone interface.
- e-STMP: Computer access is available at www.fly.faa.gov/estmp/index.html. A user guide is available on the web site.
- Telephone interface: Dial (800) 875-9755 and follow the prompts. **This 800 number is for reservations only, not for information concerning the STMP.** Use of the telephone interface is described in Aeronautical Information Manual paragraph 4-1-21 d.
- Be prepared to provide your departure / destination airports, estimated UTC time of departure / arrival, UTC date, aircraft call sign and type. Upon completion of a slot reservation, you will receive a preliminary reservation number.
- Between 24 and 12 hours prior to your arrival/departure reservation, you must confirm your reservation and you will receive a confirmation number. If your reservation is not confirmed by 12 hours prior to your reservation time, it will be cancelled and automatically returned to the reservations system for reassignment. Reservations made within 24 hours of the arrival/departure time are automatically confirmed with a confirmation number.
- **The slot reservation confirmation number must be included in the remarks section of your flight plan.** If possible, file flight plan at least six hours prior to departure.
- Aircraft are required to arrive at a reservation airport or depart OSH **within +/- 15 minutes of their reservation time.** If a reservation requires change or cancellation, please do so as early as possible, to release the slot for another flight.
- The reservation system is available 24 hours a day. If you experience difficulty completing a slot reservation, you may contact the Air Traffic Control System Command Center, Airport Reservation Office at (540) 422-4246.

IFR Arrival to Oshkosh Area

An IFR slot reservation confirmation number is required for IFR flights to the Oshkosh-area STMP airports (see IFR Reservation Program on page 24). Keep this number onboard for verification by ATC.

If you do not have a confirmed reservation number, do not file IFR to one of the STMP airports – file to a destination airport away from the Oshkosh area; then cancel IFR as appropriate and proceed to the Oshkosh area using the published VFR routes.

- File flight plans early (minimum 6 hours prior to departure, maximum 22 hours).
- Pilots departing from airports within 600 NM of OSH should receive their IFR clearances before departure; to prevent excessive airborne holding, airborne IFR clearance pickup is not recommended.
- Cancelling IFR: When the ceiling at OSH is reported at or above 4,500' and the visibility is greater than 5 miles, all IFR arrivals

except turbojet and air carrier aircraft are **strongly encouraged to cancel their IFR flight plan 60 NM from Oshkosh**. Piston aircraft must then execute the VFR arrival procedure from Ripon (pages 4-7); high-performance aircraft unable to use that procedure must use the Turbine/ Warbird arrival from Fond du Lac (page 16).

- When the reported weather is less than 4,500' ceiling or 5 miles visibility, you may retain your IFR flight plan and expect radar vectors to the active instrument runway. OSH arrivals can expect Direct IGVEW or PRIMO for the RNAV RWY 27 approach.
- Be extremely alert for a high volume of traffic with widely varying performance characteristics in the Oshkosh area.
- In VFR weather conditions, IFR arrivals will be sequenced with VFR arrivals and may be asked to land on a runway dot. Review NOTAM pages 8-12.

IFR Routings to Oshkosh area airports


FROM	DESTINATION	ROUTE
Northeast	OSH / FLD / SBM / 8D1: ATW:	HIC V26 NEROE MTW Direct or MBL MTW Direct TVC V420 GRB ATW or HIC V26 GRB ATW
East	OSH / FLD / SBM / 8D1: ATW:	MKG V510 FAH Direct ** MKG V450 GRB ATW
Southeast	All area airports: or OSH / FLD / ATW: SBM / MTW / 8D1: UNU / RYV:	PMM PMM333063 GAYLE V510 FAH Direct ** OXI V156 MAPPS V144 IKK V128 JVL V9 OSH Direct OXI V156 MAPPS V144 IKK V128 JVL V63 BAE Direct OXI V156 MAPPS V144 IKK V128 JVL Direct
South	OSH / ATW / FLD: SBM / MTW / 8D1: UNU / RYV:	PNT V9 OSH Direct PNT V9 JVL V63 BAE Direct PNT V9 JVL Direct
Southwest	All area airports:	DBQ V341 OSH Direct
West	All area airports: <u>Pistons</u> : <u>Turboprops/jets</u> :	ODI BOOTY OSH Direct (RNAV or ATC radar service reqd.) ODI V170 RANDO V9 OSH Direct or UKN V398 LNR V2 MSN V9 OSH Direct
Northwest	OSH / FLD / SBM / 8D1: ATW:	WLCHS RIPON Direct (RNAV only) BIPID ATW
North	OSH / FLD / SBM / 8D1: ATW:	GRB MTW Direct GRB ATW

Notes: Shaded routes are over water.

** Expect to cross GAYLE at or above 6,000'.

IFR Departure Route Planning

- IFR flight plans should be filed prior to departure. Chicago Center, Minneapolis Center and surrounding Approach Control facilities will not accept airborne filing of flight plans within 150 NM of OSH. See page 27 for airborne clearance pick-up.
- Non-transponder and inoperative transponder IFR aircraft may experience lengthy delays and will only be handled as workload-permits.
- Aircraft operating at or below 15,000' MSL shall not file flight plans through Chicago Approach Control airspace.
- **Oshkosh departures:** See IFR Reservation Program (page 24), procedures on page 14, and use routings in chart below.
- **Appleton (ATW) departures:** Use routings on page 23.
- **Other area airport departures:** Use routings in chart below.



IFR Routings for departures from Oshkosh area airports (except ATW)

DIRECTION	ALTITUDE	TYPE	REQUIRED INITIAL ROUTES
All except SBM	16,000' & above	All	<i>Radar Vectors</i> on course
	16,000' & above	RNAV	<u>SHLTZ WELKO</u>
		Non-RNAV	<u>Radar Vectors WELKO</u>
North	15,000' & below	All	<i>Radar Vectors</i> on course
Northeast thru Southeast	15,000' & below	RNAV	DLL PLL WYNET SMARS RODNY or <u>SHLTZ WELKO</u>
	13,000'-15,000'	Non-RNAV	DLL PLL V158 SHOO V128 IKK V144 RODNY or <u>Radar Vectors WELKO</u>
	12,000' & below	Non-RNAV	DLL PLL V127 BDF V144 RODNY or <u>Radar Vectors WELKO</u>
South	13,000'-15,000'	RNAV	DLL PLL SMARS
		Non-RNAV	DLL PLL V158 SHOO V128 SMARS
	12,000' & below	RNAV	DLL PLL WYNET
		Non-RNAV	DLL PLL V127 BDF
Southwest	15,000' & below	All	DLL
West	15,000' & below	All	BOOTY ODI
Northwest	15,000' & below	RNAV	CEBMU GWIZZ
		Non-RNAV	<i>Radar Vectors</i> AUL

Note: Shaded routes are over water.

Airborne IFR Clearance Pickup after VFR Departure

Aircraft departing VFR from Oshkosh area airports must use the following procedures in order to pick up IFR clearances when airborne. Note that Milwaukee Approach Control will not issue airborne IFR clearances within 100 NM of OSH.

Airborne pickup of IFR clearances may be received from the ATC facilities listed below. Flight plans must specify the appropriate pickup point within the facility's airspace; otherwise they will not be able to access your flight plan and may not issue an IFR clearance.

Madison Approach / Chicago Center

File from Dells VOR (**DLL**). Your filed route must avoid Chicago Approach Control airspace (see page 26 chart) and use route below. Request IFR clearance from Madison Approach (135.45) when over Dells VOR at or below 5,000', or from Chicago Center (135.55) when over Dells VOR at or between 5,500' and 9,500' MSL, or from Chicago Center (133.3) when over Dells VOR at or above 10,500' MSL.

DIRECTION	ALTITUDE	TYPE	REQUIRED INITIAL ROUTES
Northeast thru Southeast	15,000' & below 13,000'-15,000' 12,000' & below	RNAV Non-RNAV Non-RNAV	DLL PLL WYNET SMARS RODNY DLL PLL V158 SHOOF V128 IKK V144 RODNY DLL PLL V127 BDF V144 RODNY
South	13,000'-15,000' 12,000' & below	RNAV Non-RNAV RNAV Non-RNAV	DLL PLL SMARS DLL PLL V158 SHOOF V128 SMARS DLL PLL WYNET DLL PLL V127 BDF
Southwest	15,000' & below	All	DLL
West	15,000' & below	All	DLL ODI

Rockford Approach Control

File from Monroe, WI (**EFT**). Your filed route must avoid Chicago Approach Control airspace (see page 26 chart) and use route below. Request IFR clearance from Rockford Approach Control (126.0) when west of Janesville VOR (JVL) at or below 11,500' MSL.

DIRECTION	ALTITUDE	TYPE	REQUIRED INITIAL ROUTES
Northeast thru Southeast	15,000' & below 13,000'-15,000' 12,000' & below	RNAV Non-RNAV Non-RNAV	EFT PLL WYNET SMARS RODNY EFT PLL V158 SHOOF V128 IKK V144 RODNY EFT PLL V127 BDF V144 RODNY
South	13,000'-15,000' 12,000' & below	RNAV Non-RNAV RNAV Non-RNAV	EFT PLL SMARS EFT PLL V158 SHOOF V128 SMARS EFT PLL WYNET EFT PLL V127 BDF
West	15,000' & below	All	EFT

Muskegon Approach Control

File from Fremont, MI (**FFX**). Request IFR clearance from Muskegon Approach Control (119.8) when 40 DME NW of MKG or 10 NM east of GAYLE on V510 at or below 9,500' MSL.

Green Bay Approach Control

File from Clintonville, WI (**CLI**). Filed route cannot re-enter Milwaukee Approach airspace (see page 26 chart). Use route below. Request IFR clearance from Green Bay Approach Control (126.3) when in vicinity of KCLI at or below 12,500' MSL

DIRECTION	ALTITUDE	TYPE	REQUIRED INITIAL ROUTES
Southeast	13,000' & below 14,000' & higher'	All All	CLI NEROE MKG (or north of that route) CLI GRB V450 MKG (or north of that route)
West	All	All	CLI BANKY

Canadian Pilots

- Canadian pilots flying Canadian registered experimental amateur-built aircraft, or basic or advanced ultralight aeroplanes must obtain an FAA Special Flight Authorization (SFA) to operate in the United States.
- The SFA may be obtained from the FAA web site:
www.faa.gov/aircraft/gen_av/ultralights/sfa.
- The SFA must be carried on board the aircraft when operating in the United States. It constitutes valid FAA authorization to operate in United States airspace, provided the operator of one of these specific aircraft types complies with the operating limitations that are part of the SFA.
- Canadian pilots flying experimental Warbirds are encouraged to contact the FAA Milwaukee Flight Standards District Office (FSDO) to apply for an SFA for their flight to/from Oshkosh.
- Questions concerning this SFA should be addressed to: FAA Milwaukee FSDO, 414-486-2920; EAA Aviation Services, 920-426-4821; or Transport Canada, Recreational Aviation, 613-993-7284 or 800-305-2059.
- Canadian pilots flying aircraft issued a Canadian "Flight Permit-Owner Maintenance" are prohibited from flying in the U.S.

Oshkosh No-Radio Arrival

- To enhance safety, all pilots are encouraged to use radios (including hand-held aircraft radios).
- **This no-radio (NORDO) procedure is provided for use only by Vintage aircraft incapable of radio communication.**
- Each arriving no-radio aircraft must land at an airport within approximately 45 minutes of Wittman Regional Airport (OSH), call Oshkosh Tower (920-424-8002) between **7 AM and 10 AM CDT** and receive approval for a NORDO arrival.
- If authorized by Oshkosh Tower, no-radio aircraft will be assigned a route and runway to use based on traffic and weather conditions.
- No-radio arrivals must not taxi across RWY 18R/36L until receiving a clearance via hand signal from an FAA controller wearing a pink shirt.

Flight Service Information

Preflight Planning and Flight Plan Filing


- Please file all flight plans as far in advance as possible. IFR flight plans can be filed up to 22 hours in advance. VFR flight plans have no advance time limit.
- Telephone briefings and flight plan filing are available 24 hours/day at 1-800-WX-BRIEF (1-800-992-7433).
- In-flight services include flight plan activation, cancellation and weather updates. See chart below for frequency.

Helpful Hints

- Inbound flights – **Add 30 minutes** to your ETE.
- Flight plans containing multiple stops are strongly discouraged. They should be filed as separate flight plans.
- Please cancel VFR flight plans while approaching destination airport. Parking delays can exceed 45 minutes.
- Air Traffic Control Towers do not forward VFR arrival information to Flight Service.
- When contacting Flight Service, provide your complete call sign, general location, and the frequency you are using.

Example:

Green Bay Radio, N5241A over Ripon, 122.25



- Due to frequency congestion, air filing of flight plans is discouraged between 0600-2100 CDT.
- Avoid using 122.25 and 122.5 for weather information. For weather information contact Green Bay Radio near:
Green Bay: 122.55,
Milwaukee: 122.4,
Madison: 122.6,
Wausau: 122.4.

Oshkosh Arrival Frequencies

OSH VORTAC..... 111.8
AirVenture Arrival ATIS..... 125.9
Fisk Approach..... 120.7
Oshkosh Tower North, RWY 09/27..... 118.5
Oshkosh Tower South, RWY 18/36..... 126.6
Unicom (Basler Flight Service FBO) 122.95
Oshkosh UHF..... 290.9
Green Bay Radio..... 122.25

Oshkosh Departure Frequencies

AirVenture Departure ATIS 121.75
Oshkosh Clearance Delivery..... 119.05
Oshkosh Ground Control..... 121.9
RWY 09/27 Departures Monitor..... 128.75
RWY 18/36 Departures Monitor..... 118.9
Oshkosh UHF..... 290.9
Milwaukee Approach..... 127.0
Green Bay Radio..... 122.25

AirVenture Seaplane Base 123.3

AirVenture Warbird Area 123.9

Oshkosh Telephone Numbers

AirVenture Arrival ATIS..... 866-493-5553
Oshkosh Tower for No-Radio
Arrival Instructions 920-424-8002
Police/Fire/Medical at Oshkosh
Emergencies..... 911
Non-Emergencies..... 920-236-7300
Wittman Regional Airport..... 920-236-4930

2017 Oshkosh Airshow Times (CDT)

Monday, July 24, thru Saturday, July 29: 2:30-6:30 PM
Wednesday, July 26: 8:00-10:00 PM
Friday, July 28: 10:00-11:00 AM
Saturday, July 29: 8:00-10:00 PM
Sunday, July 30: 1:00-4:30 PM

Appleton Area Frequencies

ATIS 127.15
Green Bay Approach 126.3
Tower (5:30 am-11:00pm CDT), CTAF 119.6
Ground Control 121.7
Clearance Delivery 124.25
Unicom 122.95
AWOS (920-832-2597) 127.15
Green Bay Radio (airborne only) 122.55

Fond du Lac Area Frequencies

ATIS 121.1
Temporary Tower 120.4
Ground Control 121.85
Unicom (CTAF when tower closed).... 123.05
ASOS (920-922-4444) 134.0
Green Bay Radio 122.5

Ripon	N43°50.29'	W88°50.68'
Fisk	N43°57.20'	W88°40.47'
Oshkosh (OSH)	N43°59.06'	W88°33.42'
Warbird Island	N43°53.98'	W88°27.26'

From 6 AM CDT July 21 through Noon CDT July 31, 2017, Wittman Regional Airport will be closed to all ARRIVING aircraft from 8 PM until 7 AM CDT daily and closed to all DEPARTING aircraft from 8 PM until 6 AM CDT daily.

The airport will also close periodically for aerobatic demonstrations, TFRs, or other special activities.

During airport closure periods, no arrivals, departures, engine operation or aircraft movement is permitted.

Check current FDC NOTAMS for expected Temporary Flight Restrictions during the afternoon airshows Monday-Sunday, July 24-30 and on Friday, July 28 at 10:00-11:00 AM CDT.
These TFR's are expected to extend in a 5 NM radius from OSH from the surface to 16,000' MSL.

FUTURE AIRVENTURE DATES

July 23-29, 2018

July 22-28, 2019

JANUARY – 2018							FEBRUARY – 2018							MARCH – 2018						
SUN	MON	TUE	WED	THU	FRI	SAT	SUN	MON	TUE	WED	THU	FRI	SAT	SUN	MON	TUE	WED	THU	FRI	SAT
	1	2	3	4	5	6					1	2	3					1	2	3
7	8	9	10	11	12	13	4	5	6	7	8	9	10	4	5	6	7	8	9	10
14	15	16	17	18	19	20	11	12	13	14	15	16	17	11	12	13	14	15	16	17
21	22	23	24	25	26	27	18	19	20	21	22	23	24	18	19	20	21	22	23	24
28	29	30	31				25	26	27	28				25	26	27	28	29	30	31
APRIL – 2018							MAY – 2018							JUNE – 2018						
SUN	MON	TUE	WED	THU	FRI	SAT	SUN	MON	TUE	WED	THU	FRI	SAT	SUN	MON	TUE	WED	THU	FRI	SAT
1	2	3	4	5	6	7			1	2	3	4	5						1	2
8	9	10	11	12	13	14	6	7	8	9	10	11	12	3	4	5	6	7	8	9
15	16	17	18	19	20	21	13	14	15	16	17	18	19	10	11	12	13	14	15	16
22	23	24	25	26	27	28	20	21	22	23	24	25	26	17	18	19	20	21	22	23
29	30						27	28	29	30	31			24	25	26	27	28	29	30
JULY – 2018							AUGUST – 2018							SEPTEMBER – 2018						
SUN	MON	TUE	WED	THU	FRI	SAT	SUN	MON	TUE	WED	THU	FRI	SAT	SUN	MON	TUE	WED	THU	FRI	SAT
1	2	3	4	5	6	7				1	2	3	4							1
8	9	10	11	12	13	14	5	6	7	8	9	10	11	2	3	4	5	6	7	8
15	16	17	18	19	20	21	12	13	14	15	16	17	18	9	10	11	12	13	14	15
22	23	24	25	26	27	28	19	20	21	22	23	24	25	16	17	18	19	20	21	22
29	30	31					26	27	28	29	30	31		23	24	25	26	27	28	29
														30						
OCTOBER – 2018							NOVEMBER – 2018							DECEMBER – 2018						
SUN	MON	TUE	WED	THU	FRI	SAT	SUN	MON	TUE	WED	THU	FRI	SAT	SUN	MON	TUE	WED	THU	FRI	SAT
	1	2	3	4	5	6					1	2	3							1
7	8	9	10	11	12	13	4	5	6	7	8	9	10	2	3	4	5	6	7	8
14	15	16	17	18	19	20	11	12	13	14	15	16	17	9	10	11	12	13	14	15
21	22	23	24	25	26	27	18	19	20	21	22	23	24	16	17	18	19	20	21	22
28	29	30	31				25	26	27	28	29	30		23	24	25	26	27	28	29
														30	31					

 = Cutoff dates for submitting NOTAMs to AJV-21 for next publication. (Twenty-three (23) days before effective date.)

 = Effective dates and cutoff dates for submitting information to the Publications Staff, AJV-8 for next publication. (Twenty-eight (28) days before next effective date.)

**U.S. Department
of Transportation
Federal Aviation
Administration
800 Independence Ave., S.W.
Washington, DC 20591**

**Critical to
Flying
Safety**

**Flight Information Publication
*Notices to Airmen***