

IFDC 4/1734 ZDC SECURITY INSTRUCTIONS, WASHINGTON, DC.

THIS NOTAM REFERENCES THE WASHINGTON DC SPECIAL FLIGHT RULES AREA (SFRA) ONLY AND ADDS THE VISUAL WARNING SYSTEM (VWS) INSTRUCTIONS AND SPEED RESTRICTIONS IN THE SFRA. THIS NOTAM CANCELS FDC 9/1812, 2/2422 AND 1/1155. A SEPARATE NOTAM REFERENCES THE WASHINGTON DC FLIGHT RESTRICTED ZONE (FRZ) PROCEDURES AND OPERATIONS BY UNMANNED AIRCRAFT SYSTEMS (UAS), INCLUDING MODEL AIRCRAFT (HOBBYIST OR RECREATIONAL UAS ONLY), CIVIL AND COMMERCIAL OPERATIONS, AND PUBLIC OPERATIONS WITHIN THE SFRA. SPECIAL SECURITY INSTRUCTIONS FOR AIRCRAFT OPERATIONS IN THE DC SFRA ARE IN EFFECT PURSUANT TO 14 CODE OF FEDERAL REGULATIONS (CFR) SECTIONS 93.335, 93.337, 93.339, 93.341, 93.343, 93.345, AND 99.7, AND 49 UNITED STATES CODE (USC) SECTION 40103(B)(3). THIS NOTAM AND THREE RELATED NOTAMS REGARDING THE: DC FLIGHT RESTRICTED ZONE (FRZ); LEESBURG MANEUVERING AREA (LMA); AND UNMANNED AIRCRAFT SYSTEM (UAS) OPERATIONS IN THE DC SFRA, CLARIFY AND SUPPLEMENT THE OPERATING REQUIREMENTS PRESCRIBED BY THE CITED 14 CFR SECTIONS.

SECTION I. RESPONSE AND ENFORCEMENT: PURSUANT TO 49 USC 40103(B)(3), THE FAA HAS ESTABLISHED THE DC SFRA AS 'NATIONAL DEFENSE AIRSPACE'. PERSONS WHO DO NOT ADHERE TO THE PROCEDURES PRESCRIBED BY THE CITED 14 CFR SECTIONS AND THIS NOTAM MAY FACE THE FOLLOWING RESPONSE AND WASHINGTON, DC. ENFORCEMENT ACTIONS:

A. PILOTS OF AIRCRAFT THAT DO NOT ADHERE TO THE PROCEDURES IN THE SPECIAL SECURITY REQUIREMENTS CONTAINED IN THIS NOTAM MAY BE INTERCEPTED, AND/OR DETAINED AND INTERVIEWED BY FEDERAL, STATE, OR LOCAL LAW ENFORCEMENT, OR OTHER GOVERNMENT PERSONNEL.

B. PILOTS OF AIRCRAFT THAT DO NOT ADHERE TO THE PROCEDURES IN THE SPECIAL SECURITY REQUIREMENTS CONTAINED IN THIS NOTAM MAY FACE FAA ADMINISTRATIVE ENFORCEMENT ACTIONS, INCLUDING IMPOSING CIVIL PENALTIES AND THE SUSPENSION OR REVOCATION OF AIRMEN CERTIFICATES.

C. ANY PERSON WHO KNOWINGLY OR WILLFULLY VIOLATES THE RULES CONCERNING OPERATIONS IN THIS AIRSPACE MAY BE SUBJECT TO CRIMINAL PENALTIES UNDER 49 USC SECTION 46307.

D. THE U.S. GOVERNMENT MAY USE DEADLY FORCE AGAINST AN AIRCRAFT OPERATING IN THE DC SFRA, INCLUDING THE DC FRZ, IF IT IS DETERMINED THAT THE AIRCRAFT POSES AN IMMINENT SECURITY THREAT.

E. A VISUAL WARNING SIGNAL (VWS) FOR COMMUNICATING WITH VFR AIRCRAFT, INCLUDING DOD, LAW ENFORCEMENT, AND AEROMEDICAL OPERATIONS, IS DEPLOYED AND IS OPERATING WITHIN THE WASHINGTON DC SPECIAL FLIGHT RULES AREA (SFRA), INCLUDING THE FLIGHT RESTRICTED ZONE (FRZ). THE SIGNAL CONSISTS OF HIGHLY FOCUSED RED AND GREEN COLORED LIGHTS IN AN ALTERNATING RED/RED/GREEN SIGNAL PATTERN. THE BEAM IS NOT INJURIOUS TO THE EYES OF PILOTS/AIRCREWS OR PASSENGERS, REGARDLESS OF ALTITUDE OR DISTANCE FROM THE SOURCE.

1. THIS SIGNAL MAY BE DIRECTED AT SPECIFIC AIRCRAFT SUSPECTED OF MAKING UNAUTHORIZED ENTRY INTO THE SFRA/FRZ AND ARE ON A HEADING OR FLIGHT PATH THAT MAY BE INTERPRETED AS A THREAT OR AT THE REQUEST OF THE FAA.

2. IF YOU ARE IN COMMUNICATION WITH AIR TRAFFIC CONTROL AND THIS SIGNAL IS DIRECTED AT YOUR AIRCRAFT, IMMEDIATELY COMMUNICATE WITH ATC THAT YOU ARE BEING ILLUMINATED BY A VISUAL WARNING SIGNAL.

3. IF THIS SIGNAL IS DIRECTED AT YOU AND YOU ARE NOT COMMUNICATING WITH ATC, TURN TO A HEADING AWAY FROM THE CENTER OF THE FRZ/SFRA AS SOON AS POSSIBLE AND IMMEDIATELY CONTACT ATC ON AN APPROPRIATE FREQUENCY, OR IF UNSURE OF THE FREQUENCY, CONTACT ATC ON VHF GUARD 121.5 OR UHF GUARD 243.0.

SECTION II. OPERATING REQUIREMENTS: ALL AIRCRAFT FLIGHT OPERATIONS ARE PROHIBITED WITHIN THE DC SFRA UNLESS IN COMPLIANCE WITH 14 CFR SECTIONS 93.335, 93.337, 93.339, 93.341, 93.343, AND

93.345, AND THE FOLLOWING SUPPLEMENTAL SPECIAL SECURITY INSTRUCTIONS REQUIRED WASHINGTON, DC. PURSUANT TO 14 CFR SECTION 99.7 AND 49 USC SECTION 40103(B)(3):

A. APPLICATION OF DEFINITIONS IN 14 CFR SECTION 93.335:

1. A DC SFRA FLIGHT PLAN DOES NOT FULFILL THE REQUIREMENTS FOR VISUAL FLIGHT RULES (VFR).
2. A DC FRZ FLIGHT PLAN IS REQUIRED FOR VFR OPERATIONS IN THE DC FRZ. PILOTS MAY NOT FILE A DC FRZ FLIGHT PLAN WHILE AIRBORNE.

B. ADDITIONS TO REQUIREMENTS IN 14 CFR SECTION 93.339 - DC SFRA:

1. ALL VFR AIRCRAFT OPERATIONS FROM THE SURFACE UP TO BUT NOT INCLUDING FL180, MUST COMPLY WITH THE FOLLOWING DC SFRA SPEED RESTRICTIONS, EXCLUDING FAA-APPROVED DOD, DHS, LAW ENFORCEMENT, AND WAIVERED MEDEVAC/AIR AMBULANCE FLIGHTS:

(A) WITHIN 30NM OF 385134N/0770211W OR THE WASHINGTON DCA VOR/DME AIRCRAFT MUST MAINTAIN AN INDICATED AIRSPEED OF 180 KNOTS OR LESS. IF UNABLE, THE PILOT MUST CONTACT THE APPROPRIATE ATC FACILITY AND ADVISE THEM OF THE AIRCRAFT'S OPERATIONAL LIMITATIONS;

(B) BETWEEN 30 NMR AND 60 NMR OF 385134N/0770211W OR THE WASHINGTON DCA VOR/DME, AIRCRAFT MUST MAINTAIN AN AIRSPEED OF 230 KNOTS OR LESS. IF UNABLE, THE PILOT MUST CONTACT THE APPROPRIATE ATC FACILITY AND ADVISE THEM OF THE AIRCRAFT'S OPERATIONAL LIMITATIONS PRIOR TO FLYING WITHIN 60 NMR OF THE WASHINGTON DCA VOR/DME;

2. AIRCRAFT OPERATING IN THE DC SFRA MUST BE EQUIPPED WITH AN OPERABLE TWO WAY RADIO CAPABLE OF COMMUNICATING WITH AIR TRAFFIC CONTROL (ATC) ON APPROPRIATE RADIO FREQUENCIES OR UNICOM. IT IS HIGHLY RECOMMENDED THAT A PILOT CONTINUOUSLY MONITOR VHF FREQUENCY 121.5 OR UHF FREQUENCY 243.0 FOR EMERGENCY INSTRUCTIONS WHEN OPERATING AN AIRCRAFT IN THE DC SFRA, EITHER IN AN AIRCRAFT THAT IS SUITABLY EQUIPPED, OR BY USE OF PORTABLE EQUIPMENT.

3. ANY PERSON OPERATING AN AIRBORNE AIRCRAFT UNDER VFR TO OR FROM, WITHIN, OR TRANSITING THE DC SFRA/FRZ WHO BECOMES AWARE OF AN INABILITY TO COMPLY WITH THE REQUIREMENT TO MAINTAIN RADIO CONTACT WITH AIR TRAFFIC CONTROL (ATC) MUST IMMEDIATELY SQUAWK 7600 AND EXIT THE DC SFRA/FRZ BY THE MOST DIRECT LATERAL ROUTE EXCEPT WHEN THE WASHINGTON, DC. DEPARTURE POINT IS WITHIN THE DC SFRA AND THE DEPARTURE POINT IS CLOSER THAN THE DC SFRA BOUNDARY, THE PILOT MAY RETURN TO THE DEPARTURE POINT BY THE MOST DIRECT ROUTE.

4. ANY PERSON OPERATING AN AIRBORNE AIRCRAFT UNDER INSTRUMENT FLIGHT RULES (IFR) TO OR FROM, WITHIN, OR TRANSITING THE DC SFRA/FRZ WHO BECOMES AWARE OF AN INABILITY TO COMPLY WITH THE REQUIREMENT TO MAINTAIN RADIO CONTACT WITH ATC MUST CONTINUE THE FLIGHT IN COMPLIANCE WITH THE TWO-WAY RADIO COMMUNICATIONS FAILURE PROCEDURES FOUND IN THE FAA AERONAUTICAL INFORMATION MANUAL (AIM) AND/OR APPLICABLE CODE OF FEDERAL REGULATIONS (CFR).

5. ANY PERSON OPERATING AN AIRCRAFT TO OR FROM, WITHIN, OR TRANSITING THE DC SFRA WHO BECOMES AWARE OF AN INABILITY TO COMPLY WITH THE REQUIREMENT TO CONTINUOUSLY SQUAWK AN ATC ASSIGNED TRANSPONDER CODE MUST IMMEDIATELY ADVISE ATC AND COMPLY WITH ALL INSTRUCTIONS FROM ATC. IF UNABLE TO CONTACT ATC, PILOTS MUST EXIT THE DC SFRA/FRZ BY THE MOST DIRECT LATERAL ROUTE EXCEPT WHEN THE WASHINGTON, DC DEPARTURE POINT IS WITHIN THE SFRA AND THE DEPARTURE POINT IS CLOSER THAN THE DC SFRA BOUNDARY, THE PILOT MAY RETURN TO THE DEPARTURE POINT BY THE MOST DIRECT ROUTE.

6. THE PROCEDURES IN SECTION II, SUBSECTION A, B, AND C DO NOT AUTHORIZE PENETRATION OF RESTRICTED AREAS OR PROHIBITED AREAS.

7. AIRCRAFT DEPARTING AIRPORTS WITHIN THE DC SFRA WITH LIMITED TWO-WAY RADIO COMMUNICATIONS MUST ESTABLISH TWO-WAY COMMUNICATIONS AS SOON AS FEASIBLE, NORMALLY WITHIN 2NM OF THE DEPARTURE POINT.

8. PATTERN WORK OPERATIONS AT UN-CONTROLLED AIRPORTS WITHIN THE DC SFRA (BUT NOT WITHIN THE DC FRZ) MUST BE CONDUCTED IN ACCORDANCE WITH 14 CFR SECTION 93.339 (C) AND THE PROCEDURES SPECIFIED IN THE MOST CURRENT POTOMAC TRACON LETTER TO AIRMEN (LTA) ON THE SUBJECT. THE LETTER CAN BE FOUND AT: [HTTPS://NOTAMS.AIM.FAA.GOV/NOTAMSEARCH/](https://NOTAMS.AIM.FAA.GOV/NOTAMSEARCH/) (SEARCH LOCATION PCT).

(A) ALL PILOTS WHO INTEND TO CONDUCT VFR TRAFFIC PATTERN WORK AT AN AIRPORT WITHIN THE DC SFRA (NOT WITHIN THE DC FRZ) WHICH DOES NOT HAVE AN OPERATING CONTROL TOWER OR WHEN THE CONTROL TOWER IS CLOSED MUST:

(1) INCLUDE "PATTERN" IN SFRA FLIGHT PLAN REMARKS.

(2) PRIOR TO DEPARTURE, CONTACT POTOMAC TRACON VIA TELEPHONE NUMBER SPECIFIED IN LTA TO OBTAIN TRANSPONDER CODE AND ADVISE TRACON OF INTENT TO CONDUCT PATTERN WORK. WASHINGTON, DC.

(3) INFORM ATC OF INTENT TO CONDUCT PATTERN WORK PRIOR TO CHANGING TO COMMON TRAFFIC ADVISORY FREQUENCY (CTAF).

(B) UPON COMPLETION OF PATTERN WORK, PILOTS MUST CONTACT POTOMAC TRACON VIA TELEPHONE NUMBER SPECIFIED IN LTA TO ADVISE PATTERN WORK IS COMPLETE.

9. OPERATIONS BY UNMANNED AIRCRAFT SYSTEMS (UAS), INCLUDING MODEL AIRCRAFT (HOBBYIST OR RECREATIONAL USE ONLY), CIVIL AND COMMERCIAL OPERATIONS, AND PUBLIC OPERATIONS, ARE ONLY AUTHORIZED WITHIN THE DC SFRA, EXCLUDING THE DC FRZ, IF IN COMPLIANCE WITH THE SEPARATE FAA NOTAM, WHICH PRESCRIBES UAS-SPECIFIC OPERATING REQUIREMENTS IN THE DC SFRA.

SECTION III. RESOURCES:

A. THE CODE OF FEDERAL REGULATIONS CAN BE FOUND AT WWW.ECFR.GOV.

B. ANY PILOT QUESTIONS REGARDING DC SFRA OR FRZ PROCEDURES SHOULD BE DIRECTED TO THE FAA SYSTEM OPERATIONS SECURITY REPRESENTATIVE AT THE NATIONAL CAPITAL REGION COORDINATION CENTER (NCRCC) AT 9-ATO-NCRCC@FAA.GOV OR (866) 598-9522.

C. FOR THOSE WAIVERS AND REQUIREMENTS IN THIS NOTAM THAT REQUIRE WASHINGTON, DC. NOTIFICATION TO THE TSA AT THE NCRCC, CALL (866) 598-9520.

D. FOR THOSE WAIVERS AND REQUIREMENTS IN THIS NOTAM THAT REQUIRE NOTIFICATION TO THE FAA AT THE NCRCC, CALL (866) 598-9522.

E. THE LATEST POTOMAC TRACON (PCT) LETTER TO AIRMEN CAN BE FOUND AT: [HTTPS://NOTAMS.AIM.FAA.GOV/NOTAMSEARCH/](https://NOTAMS.AIM.FAA.GOV/NOTAMSEARCH/) (SEARCH LOCATION PCT).

F. INFORMATION ABOUT FAA/TSA AIRSPACE WAIVER APPLICATIONS AND TSA SECURITY AUTHORIZATIONS CAN BE FOUND AT WWW.TSA.GOV/FOR-INDUSTRY/GENERAL-AVIATION OR BY CONTACTING TSA AT (571) 227-2071.

G. SPECIAL AWARENESS TRAINING FOR THE WASHINGTON DC METROPOLITAN AREA IS MANDATORY FOR ALL PILOTS THAT FLY UNDER VFR WITHIN 60 NM OF THE DCA VOR/DME (14 CFR PARTS 61 AND 91, EFFECTIVE FEBRUARY 9, 2009). THIS TRAINING IS AVAILABLE IN THE AVIATION LEARNING CENTER AT WWW.FAASAFETY.GOV. IT IS STRONGLY RECOMMENDED THAT ALL PILOTS FLYING UNDER VISUAL FLIGHT RULES (VFR) WITHIN 100 NM OF THE DCA VOR/DME ALSO COMPLETE THIS TRAINING.

H. INDIVIDUALS MAY SUBMIT A REQUEST FOR A FAA WAIVER AT WAIVERS.FAA.GOV. AFTER NORMAL BUSINESS HOURS, FOR EMERGENCY OR SHORT NOTICE REQUESTS, CONTACT TSA AT THE NCRCC AT (866) 598-9520. WASHINGTON, DC.

I. THE TRANSPONDER REQUIREMENTS DESCRIBED IN THIS NOTAM ARE ESTABLISHED SOLELY FOR SECURITY TRACKING PURPOSES AND DO NOT IMPLY THE PROVISION OF ATC RADAR SERVICES, UNLESS ATC SERVICES ARE REQUESTED AND APPROVED.

J. THE COMMUNICATIONS REQUIREMENTS DESCRIBED IN THIS NOTAM ARE ESTABLISHED TO MAINTAIN THE ABILITY TO IMMEDIATELY COMMUNICATE SECURITY-BASED INSTRUCTIONS, NOT NECESSARILY FOR ATC SERVICES, UNLESS ATC SERVICES ARE REQUESTED AND APPROVED.