

## CONTENTS

|   | Page |
|---|------|
| CHAPTER 1 INTRODUCTION.....                                   | 1    |
| 1-1 PURPOSE.....  | 1    |
| 1-2 SCOPE.....  | 1    |
| 1-3 REFERENCES.....   | 1    |
| 1-4 UNITS OF MEASUREMENT.....                                 | 1    |
| 1-5 APPLICABILITY.....  | 1    |
| 1-5.1 Previous Standards.....                                 | 1    |
| 1-5.2 Applicability Within DOD.....                           | 1    |
| 1-5.3 Design Objectives.....                                  | 1    |
| 1-5.4 Waivers to Criteria.....                                | 2    |
| 1-6 GENERAL INVESTIGATIONS.....                               | 2    |
| 1-7 ENVIRONMENTAL CONSIDERATIONS.....                         | 2    |
| 1-7.1 National Environmental Policy.....                      | 2    |
| 1-7.2 Federal Guidelines.....                                 | 3    |
| 1-7.3 Regulatory Considerations.....                          | 3    |
| 1-7.4 Federal Regulations.....                                | 3    |
| 1-7.5 State Regulations.....                                  | 5    |
| 1-7.6 Local Laws.....   | 7    |
| 1-7.7 U.S. Army Environmental Quality Program.....            | 7    |
| 1-7.8 U.S. Air Force Environmental Quality Program.....       | 8    |
| 1-7.9 U.S. Navy Environmental Quality Program.....            | 8    |
| 1-7.10 FAA Environmental Handbook.....                        | 8    |
| 1-7.11 Environmental Impact Analysis.....                     | 8    |
| 1-7.12 Environmental Effects of Surface Drainage Systems..... | 8    |
| 1-7.13 Discharge Permits.....                                 | 9    |
| 1-7.14 Effects of Drainage Facilities on Fish.....            | 9    |
| CHAPTER 2 SURFACE HYDROLOGY.....                              | 10   |
| 2-1 PURPOSE AND SCOPE.....                                    | 10   |
| 2-2 HYDROLOGIC CRITERIA.....                                  | 10   |
| 2-2.1 Design Objectives.....                                  | 10   |
| 2-2.2 Degree of Drainage Required.....                        | 10   |
| 2-2.3 Surface Runoff from Design Storm.....                   | 10   |
| 2-2.4 Design Storm Frequency.....                             | 10   |
| 2-2.5 Surface Runoff from Storms Exceeding Design Storm.....  | 11   |
| 2-2.6 Reliability of Operation.....                           | 11   |
| 2-2.7 Environmental Impact.....                               | 12   |
| 2-2.8 Maintenance.....  | 12   |

|  |   |     |
|--|---|-----|
| 2-2.9                                    | Future Expansion.....                                 | 12  |
| 2-3                                      | HYDROLOGIC METHODS AND PROCEDURES.....                | 12  |
| 2-3.1                                    | Rainfall (Precipitation).....                         | 12  |
| 2-3.2                                    | Determination of Peak Flow Rates.....                 | 15  |
| 2-3.3                                    | USGS Regression Equations.....                        | 25  |
| 2-3.4                                    | SCS TR-55 Peak Flow Method.....                       | 28  |
| 2-4                                      | DEVELOPMENT OF DESIGN HYDROGRAPHS.....                | 32  |
| 2-4.1                                    | SCS Tabular Hydrograph.....                           | 33  |
| 2-4.2                                    | SCS Synthetic Unit Hydrograph (UH).....               | 37  |
| CHAPTER 3 PAVEMENT SURFACE DRAINAGE..... |   | 41  |
| 3-1                                      | OVERVIEW.....   | 41  |
| 3-2                                      | DESIGN FREQUENCY AND SPREAD.....                      | 41  |
| 3-2.1                                    | Selection of Design Frequency and Design Spread.....  | 41  |
| 3-2.2                                    | Selection of Check Storm and Spread.....              | 42  |
| 3-3                                      | SURFACE DRAINAGE.....                                 | 42  |
| 3-3.1                                    | Longitudinal Slope.....                               | 42  |
| 3-3.2                                    | Cross (Transverse) Slope.....                         | 43  |
| 3-3.3                                    | Curbs and Gutters.....                                | 44  |
| 3-3.4                                    | Roadside and Median Channels.....                     | 45  |
| 3-4                                      | FLOW IN GUTTERS.....                                  | 45  |
| 3-4.1                                    | Capacity Relationship.....                            | 46  |
| 3-4.2                                    | Conventional Curb and Gutter Sections.....            | 47  |
| 3-4.3                                    | Shallow Swale Sections.....                           | 54  |
| 3-4.4                                    | Flow in Sag Vertical Curves.....                      | 61  |
| 3-4.5                                    | Gutter Flow Time.....                                 | 61  |
| 3-5                                      | DRAINAGE INLET DESIGN.....                            | 63  |
| 3-5.1                                    | Inlet Types.....                                      | 63  |
| 3-5.2                                    | Characteristics and Uses of Inlets.....               | 65  |
| 3-5.3                                    | Inlet Capacity.....                                   | 65  |
| 3-5.4                                    | Interception Capacity of Inlets on Grade.....         | 73  |
| 3-5.5                                    | Interception Capacity of Inlets in Sag Locations..... | 87  |
| 3-5.6                                    | Inlet Locations.....                                  | 95  |
| 3-5.7                                    | Median, Embankment, and Bridge Inlets.....            | 104 |
| 3-6                                      | GRATE TYPE SELECTION CONSIDERATIONS.....              | 113 |
| CHAPTER 4 CULVERT DESIGN.....            |   | 115 |
| 4-1                                      | PURPOSE.....  | 115 |
| 4-2                                      | FISH PASSAGE CONSIDERATIONS.....                      | 117 |
| 4-2.1                                    | General.....  | 117 |
| 4-2.2                                    | High Inverts.....                                     | 117 |
| 4-2.3                                    | High Velocities in Culverts.....                      | 117 |
| 4-2.4                                    | Undersized or Failed Culverts.....                    | 117 |
| 4-2.5                                    | Erosion Along Drainageways or at Outlets.....         | 118 |

|                                     |  |     |
|-------------------------------------|--|-----|
| 4-2.6                               | Channel Filling.....   | 118 |
| 4-2.7                               | Culvert Installation.....                                      | 118 |
| 4-2.8                               | Control of Icing.....  | 118 |
| 4-3                                 | DESIGN STORM.....  | 118 |
| 4-4                                 | DESIGN.....  | 118 |
| 4-4.1                               | Hydraulic Design Data for Culverts .....                       | 119 |
| 4-4.2                               | Headwalls and Endwalls.....                                    | 153 |
| 4-4.3                               | Erosion Control at Outlets. ....                               | 163 |
| 4-4.4                               | Vehicular Safety and Hydraulically Efficient Drainage Practice | 176 |
| 4-5                                 | OUTLET PROTECTION DESIGN EXAMPLES.....                         | 177 |
| CHAPTER 5 CHANNEL DESIGN .....      |  | 187 |
| 5-1                                 | OPEN CHANNEL FLOW.....   | 187 |
| 5-1.1                               | Flow Resistance.....   | 187 |
| 5-1.2                               | Stable Channel Design.....                                     | 193 |
| 5-2                                 | DESIGN PARAMETERS.....   | 198 |
| 5-2.1                               | Discharge Frequency.....                                       | 198 |
| 5-2.2                               | Channel Geometry.....  | 198 |
| 5-2.3                               | Channel Slope.....   | 198 |
| 5-2.4                               | Freeboard.....   | 198 |
| 5-2.5                               | Shear Stress.....  | 200 |
| CHAPTER 6 STORM DRAIN DESIGN .....  |  | 203 |
| 6-1                                 | PURPOSE AND SCOPE.....   | 203 |
| 6-2                                 | DESIGN PROCEDURES FOR THE DRAINAGE SYSTEM. ....                | 203 |
| 6-2.1                               | Grading.....   | 203 |
| 6-2.2                               | Classification of Storm Drains.....                            | 203 |
| 6-2.3                               | Hydraulics of Storm Drainage Systems.....                      | 204 |
| 6-2.4                               | Design Guidelines and Considerations.....                      | 213 |
| 6-3                                 | PRELIMINARY DESIGN PROCEDURE.....                              | 217 |
| 6-3.1                               | Step 1.....  | 217 |
| 6-3.2                               | Step 2.....  | 222 |
| 6-3.3                               | Step 3.....  | 222 |
| 6-3.4                               | Step 4.....  | 222 |
| 6-3.5                               | Step 5.....  | 223 |
| 6-3.6                               | Step 6.....  | 223 |
| 6-4                                 | ENERGY GRADE LINE EVALUATION PROCEDURE.....                    | 223 |
| CHAPTER 7 DRAINAGE STRUCTURES ..... |  | 232 |
| 7-1                                 | GENERAL.....   | 232 |
| 7-2                                 | INLETS.....  | 232 |
| 7-2.1                               | Configuration.....   | 232 |
| 7-2.2                               | Area Inlets.....   | 233 |

|  |  |     |
|--|--|-----|
| 7-3  | MANHOLES.....  | 236 |
| 7-3.1  | Configuration.....   | 236 |
| 7-3.2  | Chamber and Access Shaft.....                                  | 237 |
| 7-3.3  | Frames and Covers.....   | 237 |
| 7-3.4  | Channels and Benches.....                                      | 241 |
| 7-3.5  | Manhole Depth.....   | 241 |
| 7-3.6  | Location and Spacing.....                                      | 242 |
| 7-3.7  | Settlement of Manholes.....                                    | 242 |
| 7-4  | JUNCTION CHAMBERS.....   | 243 |
| 7-5  | MISCELLANEOUS STRUCTURES.....                                  | 243 |
| 7-5.1  | Chutes.....  | 243 |
| 7-5.2  | Security Fencing.....  | 243 |
| 7-5.3  | Fuel/Water Separators.....                                     | 246 |
| 7-5.4  | Outlet Energy Dissipators.....                                 | 246 |
| 7-5.5  | Drop Structures and Check Dams.....                            | 248 |
| 7-5.6  | Transitions.....   | 248 |
| 7-5.7  | Flow Splitters.....  | 248 |
| 7-5.8  | Siphons.....   | 249 |
| 7-5.9  | Flap Gates.....  | 250 |
| 7-6  | DESIGN FEATURES.....   | 251 |
| 7-6.1  | Grates.....  | 251 |
| 7-6.2  | Ladders.....   | 252 |
| 7-6.3  | Steps.....   | 255 |
| 7-7  | SPECIAL DESIGN CONSIDERATIONS FOR AIRFIELDS.....               | 255 |
| 7-7.1  | Overview.....  | 255 |
| 7-7.2  | Recommended Design Parameters.....                             | 255 |
| CHAPTER 8 STORM WATER CONTROL FACILITIES.....      |  | 258 |
| 8-1  | GENERAL.....   | 258 |
| 8-1.1  | Storage and Detention/Retention Benefits.....                  | 258 |
| 8-1.2  | Design Objectives.....   | 259 |
| 8-2  | ISSUES RELATED TO STORM WATER QUANTITY CONTROL FACILITIES..... | 259 |
| 8-2.1  | Release Timing.....  | 259 |
| 8-2.2  | Safety.....  | 260 |
| 8-2.3  | Maintenance.....   | 261 |
| 8-3  | STORAGE FACILITY TYPES.....                                    | 261 |
| 8-3.1  | Detention Facilities.....                                      | 262 |
| 8-3.2  | Retention Facilities.....                                      | 263 |
| 8-3.3  | Wet Pond Facilities.....                                       | 263 |
| 8-3.4  | Infiltration Facilities.....                                   | 264 |
| CHAPTER 9 PIPE SELECTON, BEDDING AND BACKFILL..... |  | 265 |
| 9-1  | GENERAL.....   | 265 |

|   |   |     |
|---|---|-----|
| 9-1.1   | Pipe Selection .....  | 265 |
| 9-1.2   | Selection of <i>n</i> Values.....   | 265 |
| 9-1.3   | Restricted Use of Bituminous-Coated Pipe. ....                            | 265 |
| 9-1.4   | Classes of Bedding and Installation. ....                                 | 266 |
| 9-1.5   | Strength of Pipe.....   | 267 |
| 9-1.6   | Rigid Pipe.....   | 267 |
| 9-1.7   | Flexible Pipe.....  | 283 |
| 9-1.8   | Bedding of Pipe (Culverts and Storm Drains).....                          | 283 |
| 9-2   | FROST CONDITION CONSIDERATIONS.....                                       | 283 |
| 9-3   | INFILTRATION OF FINE SOILS THROUGH DRAINAGE PIPE<br>JOINTS.....           | 285 |
| 9-4   | MINIMUM AND MAXIMUM COVER FOR AIRFIELDS.....                              | 286 |
| 9-5   | MINIMUM AND MAXIMUM COVER FOR ROADWAYS. ....                              | 287 |
| CHAPTER 10 GUIDELINES FOR DESIGN IN THE ARCTIC AND SUBARCTIC .... |   | 289 |
| 10-1  | GENERAL.....  | 289 |
| 10-2  | ICING.....  | 289 |
| 10-2.1  | Description.....  | 289 |
| 10-2.2  | Types.....  | 289 |
| 10-2.3  | Natural Factors Conducive to Icing Formation. ....                        | 291 |
| 10-2.4  | Effects of Human Activities on Icing. ....                                | 291 |
| 10-2.5  | Methods of Counteracting Icing.....                                       | 292 |
| 10-3  | GUIDELINES FOR DESIGN OF STORM DRAINS IN THE<br>ARCTIC AND SUBARCTIC..... | 298 |
| 10-4  | GRADING.....  | 300 |
| 10-5  | TEMPORARY STORAGE.....  | 300 |
| 10-6  | MATERIALS.....  | 300 |
| 10-7  | MAINTENANCE.....  | 300 |
| 10-8  | JOINTING.....   | 300 |
| 10-9  | END PROTECTION.....   | 300 |
| 10-10   | ANCHORAGE AND BUOYANCY.....   | 301 |
| 10-11   | DEBRIS AND ICING CONTROL.....   | 301 |
| 10-12   | TIDAL AND FLOOD EFFECTS.....  | 301 |
| 10-13   | INSTALLATION.....   | 301 |
| CHAPTER 11 WATER QUALITY CONSIDERATIONS.....                      |   | 302 |
| 11-1  | GENERAL.....  | 302 |
| 11-2  | GENERAL BMP SELECTION GUIDANCE .....                                      | 302 |
| 11-3  | ESTIMATING POLLUTANT LOADS .....  | 305 |
| 11-4  | EXTENDED DETENTION DRY PONDS.....   | 305 |
| 11-5  | WET PONDS.....  | 305 |
| 11-6  | INFILTRATION/EXFILTRATION TRENCHES.....                                   | 305 |
| 11-7  | INFILTRATION BASINS.....  | 306 |
| 11-8  | SAND FILTERS.....   | 306 |

|   |  |     |
|---|--|-----|
| 11-9                                      | WATER QUALITY INLETS.....                                | 306 |
| 11-10                                     | VEGETATIVE PRACTICES. ....                               | 306 |
| 11-11                                     | ULTRA-URBAN BMPs. ....                                   | 306 |
| 11-12                                     | TEMPORARY EROSION AND SEDIMENT CONTROL<br>PRACTICES..... | 307 |
| CHAPTER 12 DESIGN COMPUTER PROGRAMS ..... |  | 308 |
| 12-1                                      | STORM WATER MANAGEMENT PROGRAMS. ....                    | 308 |
| 12-2                                      | DRIP (Drainage Requirement in Pavements).....            | 308 |
| 12-3                                      | CANDE (Culvert Analysis and Design).....                 | 308 |
| 12-4                                      | MODBERG.....   | 308 |
| 12-5                                      | PIPECAR.....   | 308 |
| 12-6                                      | ADDITIONAL SOFTWARE.....                                 | 308 |
| 12-6.1                                    | HYDRAIN. ....  | 310 |
| 12-6.2                                    | HYDRA.....   | 310 |
| 12-6.3                                    | WSPRO.....   | 311 |
| 12-6.4                                    | HYDRO. ....  | 311 |
| 12-6.5                                    | HY8. ....  | 312 |
| 12-6.6                                    | HYCHL. ....  | 313 |
| 12-6.7                                    | NSS.....   | 313 |
| 12-6.8                                    | HYEQT.....   | 313 |
| 12-6.9                                    | TR-55. ....  | 313 |
| 12-6.10                                   | TR-20. ....  | 314 |
| 12-6.11                                   | HMS. ....  | 315 |
| 12-6.12                                   | HEC-RAS. ....  | 316 |
| 12-6.13                                   | SWMM.....  | 317 |
| 12-7                                      | HYDRAULIC TOOLBOX (HY-TB). ....                          | 318 |
| 12-7.1                                    | HY12. ....   | 318 |
| 12-7.2                                    | HY15. ....   | 318 |
| 12-7.3                                    | BASIN.....   | 318 |
| 12-7.4                                    | SCOUR. ....  | 318 |
| 12-8                                      | URBAN DRAINAGE DESIGN PROGRAMS.....                      | 318 |
| 12-8.1                                    | Manning's Equation. ....                                 | 319 |
| 12-8.2                                    | HEC-22.....  | 319 |
| 12-8.3                                    | Stormwater Management. ....                              | 319 |
| 12-9                                      | DR3M. ....   | 319 |
| 12-9.1                                    | Rainfall-Excess Components. ....                         | 319 |
| 12-9.2                                    | Impervious Surfaces.....                                 | 319 |
| 12-9.3                                    | Routing.....   | 320 |
| 12-9.4                                    | Model Versatility. ....                                  | 320 |
| 12-9.5                                    | Urban Basin Planning.....                                | 320 |
| 12-9.6                                    | Usability.....   | 320 |
| 12-10                                     | EVALUATION OF WATER QUALITY.....                         | 320 |
| 12-11                                     | SOFTWARE AVAILABILITY.....                               | 321 |

GLOSSARY ..... 323

APPENDIX A REFERENCES ..... 327

APPENDIX B LIST OF CHARTS..... 334

APPENDIX C LIST OF SYMBOLS..... 385

APPENDIX D BIBLIOGRAPHY ..... 390

APPENDIX E WAIVER PROCESSING PROCEDURES FOR DOD ..... 398

APPENDIX F FAA ORDER 5300.1, MODIFICATIONS TO AGENCY AIRPORT  
DESIGN, CONSTRUCTION, AND EQUIPMENT STANDARDS. .... 401

APPENDIX G (FAA ONLY) DESIGN OF SUBSURFACE PAVEMENT DRAINAGE  
SYSTEMS. .... 404

INDEX ..... 446

## FIGURES

| <u>Figure</u> | <u>Title</u>   |     |
|---------------|--|-----|
| Figure 2-1.   | Example IDF Curve.....   | 13  |
| Figure 2-2.   | SCS 24-hour Rainfall Distribution .....  | 14  |
| Figure 2-3.   | Approximate Geographic Areas for SCS Rainfall Distributions .....                                    | 15  |
| Figure 2-4.   | Dimensionless Curvilinear SCS Synthetic Unit Hydrograph and Equivalent<br>Triangular Hydrograph..... | 38  |
| Figure 2-5.   | Example: The Triangular Unit Hydrograph.....   | 40  |
| Figure 3-1.   | Typical Gutter Sections.....   | 45  |
| Figure 3-2.   | Conveyance–Spread Curves for a Composite Gutter Section .....  | 50  |
| Figure 3-3.   | Classes of Storm Drain Inlets.....   | 64  |
| Figure 3-4.   | P-1-7/8 and P-1-7/8 x 4 Grates (Same as P-1-7/8 Grate Without 3/8-in.<br>Transverse Rods) .....      | 68  |
| Figure 3-5.   | P-1-1/8 Grate .....  | 69  |
| Figure 3-6.   | Curved Vane Grate .....  | 70  |
| Figure 3-7.   | 45-Degree 2-1/4 and 45-Degree 3-1/4 Tilt-bar Grates .....  | 71  |
| Figure 3-8.   | 30-Degree 3-1/4 Tilt-bar Grates .....  | 72  |
| Figure 3-9.   | Reticuline Grate .....   | 73  |
| Figure 3-10.  | Depressed Curb-opening Inlet .....   | 81  |
| Figure 3-11.  | Definition of Depth .....  | 88  |
| Figure 3-12.  | Curb-opening Inlets.....   | 93  |
| Figure 3-13.  | Inlet Spacing Computation Sheet.....   | 99  |
| Figure 3-14.  | Example of Flanking Inlets.....  | 102 |

Figure 3-15. Median Drop Inlet..... 105

Figure 3-16. Embankment Inlet and Downdrain ..... 113

Figure 4-1. Inlet Control..... 120

Figure 4-2. Headwater Depth for Concrete Pipe Culverts with Inlet Control..... 121

Figure 4-3. Headwater Depth for Oval Concrete Pipe Culverts Long Axis Vertical with Inlet Control ..... 122

Figure 4-5. Headwater Depth for Corrugated Metal Pipe Culverts with Inlet Control .. 124

Figure 4-6. Headwater Depth for Structural Plate and Standard Corrugated Metal Pipe-Arch Culverts with Inlet Control..... 125

Figure 4-7. Headwater Depth for Box Culverts with Inlet Control ..... 126

Figure 4-8. Headwater Depth for Corrugated Metal Pipe Culverts with Tapered Inlet Control ..... 127

Figure 4-9. Headwater Depth for Circular Pipe Culverts with Beveled Ring Inlet Control..... 128

Figure 4-10. Outlet Control..... 129

Figure 4-11. Head for Circular Pipe Culverts Flowing Full,  $n = 0.012$ ..... 132

Figure 4-12. Head for Oval Circular Pipe Culverts Long Axis Horizontal or Vertical Flowing Full,  $n = 0.012$ ..... 133

Figure 4-13. Head for Circular Pipe Culverts Flowing Full,  $n = 0.024$ ..... 134

Figure 4-14. Head for Circular Pipe Culverts Flowing Full,  $n = 0.0328$  to  $0.0302$ ..... 135

Figure 4-15. Head for Standard Corrugated Metal Pipe-Arch Culverts Flowing Full,  $n = 0.024$ ..... 136

Figure 4-16. Head for Field-Bolted Structural Plate Pipe-Arch Culverts 18 inch Corner Radius Flowing Full,  $n = 0.0327$  to  $0.0306$ ..... 137

Figure 4-17. Head for Concrete Box Culverts Flowing Full,  $n = 0.012$  ..... 138

Figure 4-18. Tailwater Elevation at or Above the Top of the Culvert ..... 139

Figure 4-19. Tailwater Below the Top of the Culvert ..... 139

Figure 4-20. Circular Pipe Critical Depth ..... 141

Figure 4-21. Oval Concrete Pipe Long Axis Horizontal Critical Depth..... 142

Figure 4-22. Oval Concrete Pipe Long Axis Vertical Critical Depth..... 143

Figure 4-23. Standard Corrugated Metal Pipe-Arch Critical Depth..... 144

Figure 4-24. Structural Plate Pipe-Arch Critical Depth ..... 145

Figure 4-25. Critical Depth Rectangular Section ..... 146

Figure 4-26: Culvert Design Form ..... 148

Figure 4-27. Culvert Headwalls and Wingwalls ..... 154

Figure 4-28. Types of Scour at Storm Drain and Culvert Outlets ..... 156

Figure 4-29. Square Culvert Froude Number ..... 157

Figure 4-30. Predicted Scour Depth vs. Observed Scour Depth ..... 158

Figure 4-31. Predicted Scour Width vs. Observed Scour Width..... 159

Figure 4-32. Predicted Scour Length vs. Observed Scour Length ..... 160

Figure 4-33. Predicted Scour Volume vs. Observed Scour Volume ..... 161

Figure 4-34. Dimensionless Scour Hole Geometry for Minimum Tailwater ..... 162

Figure 4-35. Dimensionless Scour Hole Geometry for Maximum Tailwater ..... 162

Figure 4-36. Recommended Size of Protective Stone ..... 163

Figure 4-37. Length of Stone Protection, Horizontal Blanket..... 164

Figure 4-38. Recommended Configuration of Riprap Blanket Subject to Minimum and



|  |     |
|--|-----|
| Maximum Tailwaters .....   | 165 |
| Figure 4-39. Preformed Scour Hole.....   | 166 |
| Figure 4-40. Culvert Outlet Erosion Protection, Lined Channel Expansion .....        | 167 |
| Figure 4-41. Maximum Permissible Discharge for Lined Channel Expansions .....        | 167 |
| Figure 4-42. Flared Outlet Transition.....   | 168 |
| Figure 4-43. Stilling Well .....   | 170 |
| Figure 4-44. U.S. Bureau of Reclamation Impact Basin .....                           | 171 |
| Figure 4-45. Saint Anthony Falls Stilling Basin.....                                 | 172 |
| Figure 4-46. Design Chart for SAF Stilling Basin .....                               | 173 |
| Figure 4-47. Recommended Riprap Sizes .....  | 175 |
| Figure 4-48. Scour Hole Riprap Sizes .....   | 176 |
| Figure 5-1. Distribution of Shear Stress .....                                       | 194 |
| Figure 5-2. Shear Stress Distribution in Channel Bends .....                         | 196 |
| Figure 5-3. Channel Geometries .....   | 199 |
| Figure 6-1. Storm Drain Capacity Sensitivity .....                                   | 207 |
| Figure 6-2. Hydraulic and Energy Grade Lines in Pipe Flow .....                      | 211 |
| Figure 6-3. Preliminary Storm Drain Computation Sheet .....                          | 221 |
| Figure 6-4. Energy and Hydraulic Grade Line Illustration.....                        | 224 |
| Figure 6-5. Energy Grade Line Computation Sheet - Table A.....                       | 226 |
| Figure 6-6. Energy Grade Line Computation Sheet - Table B.....                       | 227 |
| Figure 7-1. Inlet Structures.....  | 233 |
| Figure 7-2. Typical Inlet Design for Storm Drainage Systems.....                     | 234 |
| Figure 7-3. Repair Area Inlets .....   | 235 |
| Figure 7-4. Standard Storm Drain Manhole.....  | 238 |
| Figure 7-5. Standard Precast Manholes.....   | 239 |
| Figure 7-6. Junction Details for Large Pipes .....                                   | 239 |
| Figure 7-7. Typical Manhole Configurations.....                                      | 240 |
| Figure 7-8. "Tee" Manhole for Large Storm Drains .....                               | 241 |
| Figure 7-9. Efficient Channel and Bench Configurations.....                          | 244 |
| Figure 7-10. Details of a Typical Drainage Chute.....                                | 245 |
| Figure 7-11. Outlet Security Barrier.....  | 246 |
| Figure 7-12. Transitions to Avoid Obstruction .....                                  | 249 |
| Figure 7-13. Twin-Barrel Siphon .....  | 250 |
| Figure 7-14. Examples of Typical Inlet Grates .....                                  | 253 |
| Figure 7-15. Examples of Inlet Design .....  | 254 |
| Figure 7-16. Type A – Bicycle Gear Configuration .....                               | 256 |
| Figure 7-17. Type B – Tricycle Gear Configuration .....                              | 256 |
| Figure 7-18. Type C – Tricycle Gear Configuration.....                               | 257 |
| Figure 8-1. Hydrograph Schematic.....  | 258 |
| Figure 8-2. Example of a Cumulative Hydrograph with and without Detention.....       | 260 |
| Figure 9-1. Three Main Classes of Conduits .....                                     | 267 |
| Figure 9-2. Free-Body Conduit Diagrams.....  | 268 |
| Figure 9-3. Trench Beddings for Circular Pipe .....                                  | 269 |
| Figure 9-4. Beddings for Positive Projecting Conduits .....                          | 270 |
| Figure 9-5. Installation Conditions that Influence Loads on Underground Conduits.... | 270 |

Figure 10-1. Typical Cross Section of a Frost Belt Installation ..... 297  
 Figure 10-2. Earth Embankments with Impervious Barriers ..... 298

**TABLES**

| <u>Table</u> | <u>Title</u>   |     |
|--------------|--|-----|
| Table 2-1.   | Runoff Coefficients for Rational Formula .....   | 17  |
| Table 2-2.   | Manning's Roughness Coefficient ( <i>n</i> ) for Overland Sheet Flow .....   | 19  |
| Table 2-3.   | Intercept Coefficients for Velocity vs. Slope Relationship of Equation 2-4 ...   | 21  |
| Table 2-4.   | Values of Manning's Coefficient ( <i>n</i> ) for Channels and Pipes.....   | 21  |
| Table 2-5.   | Nationwide Urban Equations Developed by the USGS.....  | 26  |
| Table 2-6.   | Runoff Curve Numbers for Urban Areas (Average Watershed Condition, $C_a = 0.2S_{R\backslash}$ ) .....                  | 30  |
| Table 2-7.   | Adjustment Factor (Fp) for Pond and Swamp Areas that are Spread Throughout the Watershed .....                         | 31  |
| Table 2-8.   | Tabular Hydrograph Unit Discharges for Type II Rainfall Distributions (English Units) .....                            | 34  |
| Table 2-9.   | Subarea and Composite Hydrographs .....  | 37  |
| Table 3-1.   | Manning's <i>n</i> for Street and Pavement Gutters .....   | 47  |
| Table 3-2.   | Spread at Average Velocity in a Reach of Triangular Gutter.....  | 62  |
| Table 3-3.   | Average Debris Handling Efficiencies of Grates Tested.....   | 74  |
| Table 3-4.   | Grate Efficiency and Capacity Summary.....   | 80  |
| Table 3-5.   | Comparison of Inlet Interception Capacities.....   | 87  |
| Table 3-6.   | Distance to Flanking Inlets in a Sag Vertical Curve Using Depth at Curb Criteria .....                                 | 104 |
| Table 3-7.   | Grate Ranking with Respect to Bicycle and Pedestrian Safety .....  | 114 |
| Table 4-1.   | Entrance Loss Coefficients, Outlet Control, Full or Partly Full Entrance Head Loss, $H_e = K_e \frac{V^2}{2g}$ * ..... | 130 |
| Table 5-1.   | Manning's <i>n</i> for Natural Stream Channels (Surface Width at Flood Stage Less than 100 ft) .....                   | 188 |
| Table 5-2.   | Manning's Roughness Coefficients for Lined Channels** .....  | 188 |
| Table 5-3.   | Classification of Vegetal Covers as to Degree of Retardance* .....   | 189 |
| Table 5-4.   | Manning's <i>n</i> Relationships for Vegetal Degree of Retardance .....  | 190 |
| Table 5-5.   | Permissible Shear Stresses for Lining Materials** .....  | 200 |
| Table 6-1.   | Manning's Coefficients for Storm Drain Conduits.....   | 206 |
| Table 6-2.   | Increase in Capacity of Alternate Conduit Shapes Based on a Circular Pipe with the Same Height.....                    | 208 |
| Table 6-3.   | Frequencies for Coincidental Occurrence .....  | 213 |
| Table 6-4.   | Minimum Pipe Slopes to Ensure 3.0 ft/s Velocity in Storm Drains Flowing Full.....                                      | 217 |
| Table 7-1.   | Manhole Spacing Criteria .....   | 242 |
| Table 7-2.   | Transition Design Criteria.....  | 249 |
| Table 9-1.   | Suggested Maximum Cover Requirements for Concrete Pipe, Reinforced   |     |

|  |     |
|--|-----|
| Concrete, H-20 Highway Loading* .....  | 271 |
| Table 9-2. Suggested Maximum Cover Requirements for Corrugated Aluminum Alloy Pipe, Riveted, Helical, or Welded Fabrication 2.66-inch Spacing, 0.5-inch-Deep Corrugations, H-20 Highway Loading* ..... | 272 |
| Table 9-3. Suggested Maximum Cover Requirements for Corrugated Steel Pipe, 2.66-inch Spacing, 0.5-inch-Deep Corrugations* .....  | 273 |
| Table 9-4. Suggested Maximum Cover Requirements for Structural Plate Aluminum Alloy Pipe, 9-inch Spacing, 2.5-inch Corrugations* .....   | 274 |
| Table 9-5. Suggested Maximum Cover Requirements for Corrugated Steel Pipe, 5-inch Span, 1-inch-Deep Corrugations* .....  | 275 |
| Table 9-6. Suggested Maximum Cover Requirements for Structural Plate Steel Pipe, 6-inch Span, 2-inch-Deep Corrugations* .....  | 276 |
| Table 9-7. Suggested Maximum Cover Requirements for Corrugated Steel Pipe, 3-inch Span, 1-inch Corrugations* .....   | 278 |
| Table 9-8. Suggested Guidelines for Minimum Cover* .....   | 279 |
| Table 9-9. Minimum Depth of Cover in Feet for Pipe Under Flexible Pavement (Part 1)  | 280 |
| Table 9-9. Minimum Depth of Cover in Feet for Pipe Under Flexible Pavement (Part 2)  | 281 |
| Table 9-9. Minimum Depth of Cover in Feet for Pipe Under Flexible Pavement (Part 3)  | 282 |
| Table 11-1. BMP Selection Criteria* .....  | 303 |
| Table 11-2. Pollutant Removal Comparison for Various Urban BMP Designs* .....  | 304 |
| Table 12-1. Software vs. Capabilities Matrix .....   | 309 |
| Table 12-2. Software Program Contact Information .....   | 321 |