

TABLE OF CONTENTS

Chapter 1.	Surface Markings for Airfield Pavements and Paved Airfield Roadways.	1
1.1.	General.....	1
1.2.	Definitions.....	1
1.3.	Surface marking practices.....	2
1.4.	Requirements and recommendations for enhanced conspicuity of surface markings on concrete pavements and light colored pavements.....	8
Chapter 2.	Surface Markings for Runways.....	13
2.1.	Application.....	13
2.2.	Interruption of runway surface markings.....	14
2.3.	Runway landing designator marking.....	16
2.4.	Runway centerline marking.....	18
2.5.	Runway threshold marking.....	19
2.6.	Runway aiming point marking.....	20
2.7.	Runway touchdown zone marking.....	22
2.8.	Runway edge marking.....	26
2.9.	Runway displaced threshold marking.....	27
2.10.	Chevron markings for blast pads, stopways, and EMAS.....	29
2.11.	Runway shoulder marking.....	29
Chapter 3.	Holding Position Markings.....	31
3.1.	Applications of holding position markings.....	31
3.2.	Case 1 and Case 2 – Applications of Pattern A for the runway holding position marking on runways.....	31
3.3.	Case 3 – Applications of Pattern A for the runway holding position marking on taxiways.....	33
3.4.	Case 4 – Applications of Pattern B for the ILS/MLS holding position marking..	36
3.5.	Case 5 – Applications of Pattern B for Precision Obstacle Free Zone (POFZ) holding position marking.....	38
3.6.	Case 6 – Applications for Pattern C for the taxiway/taxiway intersection intermediate holding position marking.....	39
Chapter 4.	Surface Markings for Taxiways.....	41
4.1.	Application.....	41
4.2.	Taxiway centerline markings.....	41
4.3.	Enhanced taxiway centerline marking.....	44
4.4.	Taxiway edge marking.....	47
4.5.	Surface painted holding position signs.....	49
4.6.	Surface painted taxiway direction signs.....	55
4.7.	Surface painted taxiway location signs.....	57
4.8.	Surface painted gate destination signs.....	58
4.9.	Surface painted apron entrance point signs.....	59
4.10.	Taxiway shoulder markings.....	60

4.11. Geographic position markings..... 61

4.12. Ramp control markings..... 63

Chapter 5. Other Surface Markings..... 69

5.1. Application..... 69

5.2. Vehicle roadway markings. 69

5.3. Very High Frequency Omnidirectional Range (VOR) receiver checkpoint marking. 70

5.4. Non-movement area boundary marking. 70

5.5. Markings for thresholds temporarily relocated during construction..... 73

5.6. Marking and lighting of permanently closed runways and taxiways. 73

5.7. Temporarily closed runways and taxiways..... 73

5.8. Converting a runway to a taxiway. 74

5.9. Intermittent use of a taxiway as a runway. 75

5.10. Closed or abandoned airports..... 76

5.11. Heliport markings. 76

5.12. Marking for arresting gear. 76

5.13. Hazardous construction areas. 76

5.14. Aircraft deicing facility markings. 76

5.15. Interim surface markings for taxiways mistaken as runways. 77

Appendix A. Pavement Markings..... 81

Appendix B. Inscriptions for Signs and Geographic Position Markings..... 109

Appendix C. Examples of Markings Outlined in Black..... 115

Appendix D. Enhanced Markings for Runway Holding Position..... 119

LIST OF FIGURES

Figure 1-1. Example of marking removal patterns 4

Figure 1-2. Example of marking removal patterns 5

Figure 1-3. Example of marking removal patterns 6

Figure 1-4. Example of marking removal patterns 7

Figure 1-5. Example of painted numbering system for surface painted markings 8

Figure 2-1. Closed V geometry..... 16

Figure 4-1. Sequential circular-shaped Ramp Control Markings 3, 4, and 5 between two terminals..... 64

Figure 4-2. Circular-shaped Ramp Control Marking 16 on elongated terminal apron..... 65

Figure 4-3. Circular-shaped Ramp Control Markings 9S and 9N between terminals 66

Figure 4-4. Triangular-shaped ramp control marking between terminals 67

Figure 4-5. Circular and triangular-shaped ramp control marking dimensions..... 68

Figure 5-1. Precautionary placement of the non-movement boundary marking 72

Figure 5-2. TAXI marking location facing runway approach end..... 78

Figure 5-3. TAXI marking dimensions..... 79

Figure 5-4. Aviation grade artificial turf installation.....	80
Figure A-1. Precision runway markings	81
Figure A-2. Non-precision runway	82
Figure A-3. Visual runway markings.....	83
Figure A-4. Example of conflicting markings on crossing runways	84
Figure A-5. Details of markings for intersecting runways	85
Figure A-6. Runway designation numerals and letters.....	86
Figure A-7. Displaced threshold markings	87
Figure A-8. Marking for aligned taxiway with runway without a displaced threshold.....	88
Figure A-9. Markings for blast pads and stopways	89
Figure A-10. Markings for aligned taxiway preceding a displaced threshold.....	90
Figure A-11. Markings for blast pad preceding a displaced threshold	91
Figure A-12. Runway shoulder markings.....	92
Figure A-13. Holding position marking details	93
Figure A-14. Holding position marking details	94
Figure A-15. Taxiway markings	95
Figure A-16. Taxiway markings.....	96
Figure A-17. Taxiway markings.....	97
Figure A-18. Methods for taxiway centerline marking	98
Figure A-19. Surface painted signs.....	99
Figure A-20. Surface painted gate identification signs.....	100
Figure A-21. Multiple gate signs	101
Figure A-22. Surface painted apron entrance point signs.....	102
Figure A-23. Taxiway shoulder markings	103
Figure A-24. Geographic position markings	104
Figure A-25. Vehicle roadway markings.....	105
Figure A-26. VOR receiver checkpoint markings	106
Figure A-27. Closed runway and taxiway markings	107
Figure B-1. Pavement markings ABCDEFGH.....	109
Figure B-2. Pavement markings IJKLMNOP.....	110
Figure B-3. Pavement markings QRSTUVWX.....	111
Figure B-4. Pavement markings YZ123456	112
Figure B-5. Pavement markings 7890-,↑.....	113
Figure C-1. Runway holding position marking	115
Figure C-2. ILS/MLS holding position marking	115
Figure C-3. Continuous taxiway edge line marking	116
Figure C-4. Dashed taxiway edge line marking.....	116
Figure C-5. Alternate outlining method for dashed taxiway edge line marking	117
Figure C-6. Taxiway centerline marking.....	117
Figure C-7. Intermediate holding position markings.....	118
Figure C-8. Non-movement area boundary marking.....	118
Figure D-1. Enhanced taxiway centerline markings.....	120
Figure D-2. Dashed lines at converging taxiway centerlines	121
Figure D-3. Converging, straight, and curved enhanced taxiway centerlines intersecting with holding position marking	122
Figure D-4. Enhanced runway holding position markings on taxiways.....	123

Figure D-5. Surface painted holding position signs for taxiway widths greater than 35 feet (10.5 m)	124
Figure D-6. Surface painted holding position sign for taxiway widths equal to or less than 35 feet (10.5 m).....	125
Figure D-7. Surface painted holding position signs when taxiway centerline is not perpendicular to runway holding position marking	126
Figure D-8. Surface painted holding position signs co-located with geographic position marking	127
Figure D-9. Two taxiway centerlines converging at a runway holding position marking	128
Figure D-10. Intersection of two taxiways at runway end.....	129
Figure D-11. Intersection of three converging taxiway centerlines.....	130
Figure D-12. Intersection of multi-taxiway centerlines with less than 150 feet (45.7 m) between taxiways	131
Figure D-13. Two taxiway centerlines intersecting a runway holding position marking.....	132
Figure D-14. Intersection of stub taxiway and runway.....	133
Figure D-15. Narrow taxiway stacked surface painted holding position sign	134
Figure D-16. Enhanced taxiway centerlines when a taxiway connects closely spaced runways	135

LIST OF TABLES

Table 1-1. General guidelines for determining light-colored pavements	9
Table 1-2. Requirements and recommendations for black borders and glass beads	10
Table 2-1. Minimum required runway surface marking schemes for paved runways.....	13
Table 2-2. Number of runway threshold stripes for standard runway widths	20
Table 2-3. Groupings of touchdown zone markings required when installed from one threshold.....	23
Table 2-4. Groupings of touchdown zone markings required when installed from both thresholds.....	24
Table 4-1. Placement of repetitive surface painted holding position signs and NO-TAXI islands on taxiway entrances of over 200 feet (61 m) in width	53