



U.S. Department
of Transportation
Federal Aviation
Administration

Advisory Circular

Subject: Eligibility, Quality, and Identification
of Aeronautical Replacement Parts

Date: 9/14/18

AC No: 20-62E

Initiated by: AFS-300

Change: 1

1. PURPOSE OF THIS ADVISORY CIRCULAR (AC). This AC provides information and guidance for use in determining the quality, eligibility, and traceability of aeronautical parts and materials intended for installation on U.S. type certificated (TC) products and articles, and to enable compliance with the applicable regulations.

2. PRINCIPAL CHANGES. This change corrects definitions from Title 14 of the Code of Federal Regulations (14 CFR) parts [1](#) and [21](#). It also corrects the list of related reading materials and hyperlinks within the document.

PAGE CONTROL CHART

Remove Pages	Dated	Insert Pages	Dated
Pages 1 thru 7	12/23/10	Pages 1 thru 7	9/14/18
Pages 11 and 12	12/23/10	Pages 11 and 12	9/14/18

Rick Domingo
Executive Director, Flight Standards Service



**U.S. Department
of Transportation**
Federal Aviation
Administration

Advisory Circular

Subject: Eligibility, Quality, and Identification
of Aeronautical Replacement Parts

Date: 12/23/10

AC No: 20-62E

Initiated by: AFS-300

Change:

- 1. PURPOSE OF THIS ADVISORY CIRCULAR (AC).** This AC provides information and guidance for use in determining the quality, eligibility, and traceability of aeronautical parts and materials intended for installation on U.S. type certificated (TC) products and articles, and to enable compliance with the applicable regulations.
- 2. AUDIENCE.** This AC is intended for use by aircraft operators, maintenance organizations, and maintenance personnel when determining the quality, eligibility, and traceability of aeronautical parts and materials intended for installation on U.S. TC'd products and articles, and to enable compliance with the applicable regulations.
- 3. WHERE YOU CAN FIND THIS AC.** You can find this AC on the Federal Aviation Administration's (FAA) website at https://www.faa.gov/regulations_policies/advisory_circulars and the Dynamic Regulatory System (DRS) at <https://drs.faa.gov>.
- 4. WHAT THIS AC CANCELS.** AC 20-62D, Eligibility, Quality, and Identification of Aeronautical Replacement Parts, dated May 24, 1996, is canceled.
- 5. RELATED CFR PARTS.** Title 14 of the Code of Federal Regulations (14 CFR) parts [1](#), [21](#), [39](#), [43](#), [45](#), [91](#), [119](#), [121](#), [125](#), [129](#), [135](#), and [145](#).
- 6. DEFINITIONS.** The following definitions apply to this AC:
 - a. FAA-Approved Parts.** Under part 21, §§ [21.8](#) and [21.9](#), articles produced under an FAA-approved production system, and which conform to FAA-approved data, may be approved under the following:
 - (1) A Parts Manufacturer Approval (PMA) issued under part 21 subpart [K](#).
 - (2) A Technical Standard Order Authorization (TSOA) issued under part 21 subpart [O](#).
 - (3) In conjunction with type certification procedures for a product. In any manner approved by the Administrator, such as part 21 subparts [F](#) and [G](#). In addition, part 21 subpart [N](#) provides for the acceptance of a new part produced in a country or jurisdiction with which the United States has an agreement for the acceptance of parts for export and import. The part is approved when the country of manufacture issues a Certificate of Airworthiness for export of the part.

b. Acceptable Parts. The following parts may be found to be acceptable for installation on a TC'd product:

(1) Standard parts (such as nuts and bolts) conforming to an established industry or U.S. specification.

(2) Parts produced by an owner or operator for maintaining or altering their own product and which are shown to conform to FAA-approved data.

(3) Parts for which inspections and tests have been accomplished by appropriately certificated persons authorized to determine conformity to FAA-approved design.

(4) Parts fabricated by an appropriately rated certificate holder (CH) with a quality system and consumed in the repair or alteration of a product or article in accordance with part 43.

(5) A commercial part as defined in § [21.1](#).

c. Article. A material, part, component, process, or appliance.

d. Commercial Part. An article that is listed on an FAA-approved Commercial Parts List included in a design approval holder's (DAH) instructions for continued airworthiness (ICA) in accordance with § [21.50](#).

e. Product. An aircraft, aircraft engine, or propeller.

f. Standard Part. A part manufactured in complete compliance with an established U.S. Government or industry-accepted specification, which includes design, manufacturing, and uniform identification requirements. The specification must include all information necessary to produce and conform to the part. The specification must be published so that any party may manufacture the part. Examples include, but are not limited to, National Aerospace Standard (NAS), Air Force/Navy (AN) Aeronautical Standard, Society of Automotive Engineers (SAE), Aerospace Standard (AS), Military Standard (MIL-STD), etc.

g. Interface Component. An article that serves as a functional interface between an aircraft and an aircraft engine, an aircraft engine and a propeller, or an aircraft and a propeller. An interface component is designated by the holder of the TC or Supplemental Type Certificate (STC) who controls the approved design data for that article.

h. Surplus. Describes a product, assembly, part, or material that has been released as surplus by the military, manufacturers, owners/operators, repair facilities, or any other parts supplier. These products should show traceability to an FAA-approved manufacturing procedure.

i. Overhauled. Describes an airframe, aircraft engine, propeller, appliance, or component part using methods, techniques, and practices acceptable to the Administrator, which has undergone the following:

(1) Has been disassembled, cleaned, inspected, repaired when necessary, and reassembled to the extent possible.

(2) Has been tested in accordance with approved standards and technical data, or current standards and technical data acceptable to the Administrator (i.e., manufacturer's data), which have been developed and documented by the holder of one of the following:

- TC;
- STC, or article approval under § 21.8; or
- PMA.

j. Rebuilt. A used product or article that has been completely disassembled, inspected, repaired as necessary, reassembled, tested, and approved in the same manner and to the same tolerances and limits as a new item with either new or used parts. However, all parts used must conform to the production drawing tolerances and limits for new parts or be of approved oversized or undersized dimensions for a new engine.

k. Return to Service Inspection Records. The person approving or disapproving for return to service a TC'd product must ensure that the required maintenance record entries comply with part 43, and therefore must include the following information:

- Type of inspection and a brief description of the extent of the inspection;
- Date;
- Product hours, cycles, or life limits as applicable;
- Signature, certificate number, and kind of certificate held by the person approving or disapproving for return to service; and
- The appropriate certifying statement that the product or part thereof is approved or disapproved for return to service, as applicable.

l. As Is. Describes any airframe, aircraft engine, propeller, appliance, component part, or material, the condition of which is unknown.

m. Appropriate Certificated Person. As related to approval for return to service after maintenance, preventive maintenance, rebuilding, or alteration, it can include the holder of a:

(1) Mechanic Certificate. May perform maintenance, preventive maintenance, and alterations as provided in 14 CFR part [65](#).

(2) Inspection Authorization (IA). May inspect and approve for return to service any aircraft or related part or appliance (except aircraft maintained in accordance with a Continuous Airworthiness Maintenance Program (CAMP) under part 121 or 135) after a major repair or alteration as provided in part 43 if the work was done in accordance with technical data approved by the Administrator. Perform an annual inspection, or supervise a progressive inspection according to part 43, §§ [43.13](#) and [43.15](#).

(3) Repair Station Certificate Under Part 145. May perform maintenance, preventive maintenance, or alterations as provided in part 145.

(4) Air Carriers. Air carriers operating may perform maintenance, preventive maintenance, or alterations as provided under part 119, 121, 125, 129, or 135.

(5) Private Pilot Certificate (for Preventive Maintenance). May perform preventive maintenance described in part 43 appendix [A](#) on any aircraft operated by the pilot, except those aircraft operated under part 119, 121, 125, 129, or 135.

(6) Manufacturer's TC or Production Certificate (PC). May rebuild or alter any product or article which it manufactured under a TC or PC. Section [43.3\(j\)](#) also allows for the rebuilding or alteration of any product or article which it manufactures under a TSOA, PMA, or Product and Process Specification issued by the Administrator. Likewise, the regulation allows the Production Approval Holder (PAH) the ability to perform any inspection required by part 91 or part 125 on aircraft it manufactured under a TC, or currently manufactures under a PC.

n. Owner/Operator Produced Part. Parts that were produced by an owner/operator for installation on their own aircraft (i.e., by a certificated air carrier). An owner/operator is considered a producer of a part, if the owner participated in controlling the design, manufacture, or quality of the part. Participating in the design of the part can include supervising the manufacture of the part or providing the manufacturer with the following: the design data, the materials with which to make the part, the fabrication processes, assembly methods, or the quality control (QC) procedures.

o. Time-Limited Part. Any part for which a mandatory replacement limit is specified in the type design, the ICA, or the maintenance manual.

7. RELATED READING MATERIALS (current editions):

- AC [00-56](#), Voluntary Industry Distributor Accreditation Program.
- AC [21-2](#), Complying with the Requirements of Importing Countries or Jurisdictions When Exporting U.S. Products, Articles, or Parts.
- AC [21-13](#), Standard Airworthiness Certification of Surplus Military Aircraft and Aircraft Built from Spare and Surplus Parts.
- AC [21-23](#), Airworthiness Certification of Civil Aircraft, Engines, Propellers, and Related Products Imported to the United States.
- AC [21-29](#), Detecting and Reporting Suspected Unapproved Parts.
- AC [43-9](#), Maintenance Records.
- AC [43.13-1](#), Acceptable Methods, Techniques, and Practices—Aircraft Inspection and Repair.
- AC [43.13-2](#), Acceptable Methods, Techniques, and Practices—Aircraft Alterations.
- AC [43-18](#), Fabrication of Aircraft Parts by Maintenance Personnel.
- AC [43-216](#), Software Management During Aircraft Maintenance.
- FAA Order [8120.16](#), Suspected Unapproved Parts Program.
- FAA Order [8130.21](#), Procedures for Completion and Use of the Authorized Release Certificate, FAA Form 8130-3, Airworthiness Approval Tag.

8. DISCUSSION. The FAA continues to receive reports of replacement parts being offered for sale as aircraft quality when the quality and origin of the parts are unknown or questionable. Such parts may be advertised or presented as unused, like-new, or remanufactured. These imply that the quality of the parts is equal to an acceptable part. Purchasers of these parts may not be

aware of the potential hazards involved with replacement parts for which acceptability for installation on a TC'd product has not been established.

a. Replacement of Parts and Materials. The performance rules for replacement of parts and materials used in the maintenance, preventive maintenance, and alteration of aircraft that have (or have had) a U.S. airworthiness certificate, and components thereof, are specified in § 43.13 and part 145, § [145.201](#). These rules require that the installer of a part use methods, techniques, and practices acceptable to the FAA. Additionally, the installer of a part must accomplish the work in such a manner and use materials of such quality that the product or appliance worked on will be at least equal to its original or properly altered condition with respect to the qualities affecting airworthiness.

b. Replacement of Articles. The continued airworthiness of an aircraft, which includes the replacement of articles, is the responsibility of the owner/operator, as specified in parts 91, 119, 121, 125, 129, and 135; and §§ [91.403](#), [121.363](#), [125.243](#), and [135.413](#). These rules require that the installer determine that an article is eligible for installation on a product or component prior to returning that product or component to service with the part installed. Those rules also require that the installation of a part must be accomplished in accordance with data approved by the FAA, if the installation constitutes a major repair or alteration.

c. Conforming to Regulations. As part of determining whether installation of an article conforms with all applicable regulations, the installer should establish that the article was manufactured under a production approval pursuant to part 21, that an originally acceptable part has been maintained in accordance with part 43, or that the part is otherwise eligible for installation (i.e., has been found to conform to data approved by the FAA). This AC addresses means to help the installer make the required determinations.

9. IDENTIFICATION OF REPLACEMENT PARTS. Acceptable replacement articles should be identified using one of the following methods:

a. Airworthiness Approval Tag. FAA Form [8130-3](#), Authorized Release Certificate, Airworthiness Approval Tag, may be used when exporting products or articles to meet the requirements of bilateral agreements between the United States and other countries. This includes the shipment, not the export, of a prototype product or article to another country. It also serves as approval for return to service after maintenance or alteration by persons authorized in accordance with FAA Order 8130.21.

b. Foreign-Manufactured Replacement Parts. New foreign-manufactured parts for use on U.S. TC'd products may be imported when there is a Bilateral Airworthiness Agreement (BAA) between the country of manufacture and the United States, and the part meets the requirements under § [21.502](#).

(1) The certification may be verified on a form similar to the FAA Form 8130-3 (i.e., European Union Aviation Safety Agency (EASA), EASA Form 1), used by European member countries of the EASA with which the United States has a BAA. The EASA is an organization of European member nations that has the responsibility to develop EASA

regulations and policy. The procedures and the countries with which the United States has a BAA, and the condition of the agreements, are contained in AC 21-23.

(2) Used parts may be identified by the records required for approval for return to service as set forth in § [43.9](#). FAA Form 8130-3 may be used for this purpose if the requirements of § 43.9 are contained in or attached to the form and approved for return to service by a U.S. FAA-certificated repair station or U.S. air carrier under the requirement of their CAMP. There is no set format or form required for a maintenance or alteration record. However, the data or information used to identify a part must be traceable to a person authorized to perform and approve for return to service maintenance and alterations under part 43. The records must contain a minimum that data set forth in § 43.9.

(3) The use of an authorization tag does not approve the installation of a part on a TC'd product. Additional substantiated authorization for compliance with part 43 and the FAA-approved data for major repairs and alterations may be required for installation on a TC'd product.

c. FAA Technical Standard Order (TSO) Markings. A TSOA is issued under § [21.611](#) and marked in accordance with part 45, § [45.15](#). A TSOA must be permanently and legibly marked with the following:

- The name and address of the manufacturer;
- The name, type, part number, or model designation of the article;
- The serial number or the date of manufacture of the article, or both; and
- The applicable TSO number.

d. FAA-PMA Symbol. An FAA-PMA is issued under § [21.311](#). Each PMA part should be marked with the letters, "FAA-PMA," in accordance with § 45.15:

- CH's name;
- Trademark, symbol, or other FAA-approved identification; and
- Part number.

NOTE: If the FAA finds a part or article is too small or otherwise impractical to mark with any of the information required by part 45, the manufacturer must attach that information to the part or its container.

e. PAH's Documents or Markings. Documents or markings such as shipping tickets and invoices may provide evidence that a part was produced by a manufacturer holding an FAA-approved manufacturing process.

f. Direct Ship Authority. In order for U.S. manufactured parts with direct ship authority to be recognized as being produced under a manufacturer's FAA production approval, the manufacturer must specifically authorize the shipping supplier, in writing, and must establish procedures to ensure that the shipped parts conform to the approved design and are in condition for safe operation. A statement to the supplier from the CH authorizing direct shipment and date

of authorization should be included on the shipping ticket, invoice, or other transfer document. It should contain a declaration that the individual part was produced under a PC.

g. Maintenance Release Document. A release, signed by an appropriately certificated person, qualified for the relevant function that signifies that the item has been returned to service after maintenance or test function has been completed. This type of documentation could be in the form of a repair station tag containing adequate information (§ 43.9); work order, FAA Form [337](#), Major Repair and/or Major Alteration (Airframe, Powerplant, Propeller, or Appliance); FAA Form 8130-3; or a maintenance record entry, which must include an appropriate description of the maintenance work performed, including the recording requirements of § 43.9 and part 43 appendix [B](#).

h. Identification of Critical Components. Each person who produces a part for which there is a replacement time or an inspection interval must mark the part in accordance with § 45.15.

i. Marking of Life-Limited Parts. The TC or design holder must provide a means of marking a life-limited part when requested by a person to comply with § [43.10](#).

NOTE: When a noncertificated person certifies that they are shipping the correct part ordered, the only thing they are stating is that the part number agrees with the purchase order, not the status of FAA-acceptability of the part.

10. INFORMATION RELEVANT TO USED PARTS. The following information may be useful when assessing maintenance records and part status.

a. Documentation. If the part has been rebuilt, overhauled, inspected, modified, or repaired, the records should include a maintenance release, return to service tag, repaired parts tag, or similar documentation from an FAA-certificated person. Documentation describing the maintenance performed and parts replaced must be made for the part (i.e., FAA Form 8130-3 or FAA repair station work order). (Refer to § 43.9 and part 43 appendix B.)

b. Information to Obtain. The records should include information, either directly or by reference, to support documentation that may be helpful to the user or installer in making a final determination as to the airworthiness and eligibility of the part. Listed are examples of information one should obtain, as applicable:

(1) Airworthiness Directives (AD) status.

(2) Compliance or noncompliance with Service Bulletins (SB).

(3) Life-limited parts status (i.e., time, time since overhaul, cycles, history) should be substantiated. If the part is serialized and life-limited, then both operational time and/or cycles (where applicable) must be indicated. Historical records that clearly establish and substantiate time and cycles must be provided as evidence.

(4) Shelf-life data, including manufacturing date or cure date.

- (5) Return to service date.
- (6) Shortages applicable to assemblies or kits.
- (7) Import or export certification documents.
- (8) The name of the person who removed the part.
- (9) FAA Form 337.
- (10) Maintenance manual standards used for performing maintenance.

c. Unusual Circumstances. If a particular part was obtained from any of the following, then it should be so identified by some type of documentation (i.e., maintenance record entries, removal entries, overhaul records).

(1) Noncertificated aircraft (aircraft without airworthiness certificate; i.e., public use, non-U.S., and military surplus aircraft).

(2) Aircraft, aircraft engines, propellers, or appliances subjected to extreme stress, sudden stoppage, heat, major failure, or accident.

(3) Salvaged aircraft or aircraft components.

d. Seller's Designation. The seller may be able to provide documentation that shows traceability to an FAA-approved manufacturing procedure for one of the following:

(1) Parts produced by an FAA-PAH by TC, PC, PMA, or TSOA.

(2) Parts produced by a foreign manufacturer (in accordance with part 21 subpart N).

(3) Standard parts produced by a named manufacturer.

(4) Parts distributed with direct ship authority.

(5) Parts produced, for the work being accomplished, by a repair station to accomplish a repair or alteration on a specific TC'd product.

(6) Parts produced by an owner or operator for installation on the owner's or operator's aircraft (i.e., by a certificated air carrier).

(7) Parts with removal records showing traceability to a U.S.-certificated aircraft, signed by an appropriately certificated person.

e. Manufactured. The manufacturer of the part should be identified; if not identified it may be difficult to prove that the part is acceptable for installation on a TC'd product.

f. Certificates and Approvals Held.

(1) **Manufacturers.** The certificate or approval held by the manufacturer, TC, PC, TSOA, or PMA may be listed; if not known, state as unknown.

(2) **Air Agencies.** The certificate held by the air agencies. Part 145 may be listed. If not known, state as unknown.

(3) **Air Operator.** The certificate held by air operators, parts 119, 121, 125, and 135.

g. Part Description. Indicate the part's physical description for positive identification.

h. Part Number. Document the manufacturer's part number or, if the part has been modified, the amended part number.

i. Serial Number. Document the specific part's serial number, if so marked. Determine if serialized part has any life or overhaul limitations.

j. Disposition of Life-Limited Aircraft Parts. After April 15, 2002, each person who removes a life-limited part from a TC'd product must ensure that the part is controlled in accordance with § 43.10.

11. SURPLUS. Many materials, parts, appliances, and components that have been released as surplus by the military service or by manufacturers may originate from obsolete or overstocked items. Parts obtained from surplus sources may be used, provided it is established that they meet the standards to which they were manufactured, interchangeability with the original part can be established, and they are in compliance with all applicable ADs. Such items, although advertised as "remanufactured," "high-quality," "like-new," "unused," or "looks good," should be carefully evaluated before they are purchased. The storage time, storage conditions, or shelf life of surplus parts and materials are not usually known.

12. CONDITIONS FOR SAFE OPERATION. Parts and materials should be properly stored, protected, and maintained to ensure airworthiness. The following factors should be considered when determining airworthiness:

a. Composite Materials. Generally, most composite materials (thermoset polymers) have a refrigeration shelf life recommended by the manufacturer. Composite materials must be kept refrigerated in accordance with the manufacturer's recommended temperature range and out of refrigeration time (out time) limitations. Records must be maintained of the cumulative total of material out time to prevent exceeding shelf life.

b. Anti-Friction Bearings. Anti-friction bearings that have been in storage for a long period of time or that have been improperly stored are subject to the deteriorating effects of time and elements, unless they were hermetically sealed. Such parts should be completely inspected and lubricated before being placed in service.

c. Aircraft Fabric. Fabric and prefabricated covers should be used only if they are identifiable as meeting aircraft standards. All fabric should be examined or tested for freedom from deterioration, as determined by an appropriately certificated person.

d. Dope, Paint, Sealants, and Adhesives. These items advertised as aircraft quality may have deteriorated due to age or environmental conditions, while in storage, and may require testing before use.

e. Parts with Internal Seals. Internal seals on parts such as pumps, valves, actuators, motors, generators, and alternators are subject to deterioration from long-term storage and are susceptible to early failure in service. A procedure should be established for control of shelf-life items in order to prevent possible premature failures of the parts/components, unless other preventive procedures are in place.

f. Rotating Components. Rotating components, such as propellers, engine parts, and rotor blades, may have a life-limit or retirement life. Maintenance records should reflect a complete continuity of service time and repair history. Information that indicates whether the component has exceeded the life limit may, in some cases, be obtained from the manufacturer or from an FAA-approved repair station that may have affixed a logo, decal, or some other identification.

g. Heat and Fire. Parts that may have been exposed to heat or fire can be seriously affected and are likely unserviceable.

h. Corrosives. Foreign or corrosive liquids can also be detrimental on aircraft parts. Parts, appliances, and components that have been submerged in saltwater may be unserviceable parts.

i. Manufacturing Rejects. The manufacturers may offer parts that failed the manufacturers' quality assurance (QA) inspection criteria for conformity to type design, for sale as scrap without being mutilated or destroyed rendering them unusable, and are unacceptable for installation.

j. Damaged Aircraft. Parts removed from an aircraft involved in an accident may have been subjected to undue stresses that may have seriously affected structural integrity and rendered them permanently unusable.

k. Rebuilt Engines. Only engines that are rebuilt by a manufacturer holding an FAA production approval, an agency approved by the PAH, or an appropriately rated FAA-certificated agency can be considered as zero timed. (Refer to § [91.421](#).)

13. ELECTRICAL PARTS AND INSTRUMENTS.

a. Electronic Kits. Kits assembled by noncertificated individuals are not eligible for installation on TC'd aircraft until the part is certified as airworthy and found eligible for installation in accordance with parts 21 and 43. During and after assembly, these kits should receive documented conformity inspections by properly certificated persons to ensure that they meet all applicable airworthiness requirements for use on the specific aircraft on which they are to be installed. The installation of these approved units should be accomplished by or under the supervision of a properly certificated person or agency in accordance with parts 21 and 43. When

the installation is a major alteration, the kit data and the data used for the alteration of the product must be approved by a representative of the Administrator. An appropriately certificated person must complete the maintenance records to ensure that the aircraft is approved and airworthy for return to service.

b. Discrete Electrical and Electronic Component Parts. Electrical and electronic parts, such as resistors, capacitors, diodes, and transistors, if not specifically marked by the equipment manufacturer's part number or marking scheme, may be substituted or used as replacement parts, provided that such parts are tested or it is determined that they meet their published performance specifications and do not adversely affect the performance of the equipment or article into or onto which they are installed. The performance of such equipment or article must be equal to its original or properly altered or repaired condition. Integrated circuits such as hybrids, large scale integrated circuits (LSIC), programmable logic devices, gate arrays, application specific integrated circuits (ASIC), memories, Central Processing Units (CPU), etc., are not included because their highly specialized functionality does not readily lend itself to substitution.

c. Aircraft Software Parts. For eligibility, quality, and identification of aircraft software parts, refer to AC 43-216.

d. Aircraft Instruments. Instruments advertised as high quality, looks good, or remanufactured or that were acquired from aircraft involved in an accident should not be put in service unless they are inspected, tested, and/or overhauled as necessary, by an appropriately rated FAA-certificated repair station, and the installer establishes that (for the aircraft in which) the instrument installed will comply with the applicable regulations.

NOTE: Instruments are highly susceptible to hidden damage caused by rough handling or improper storage conditions; therefore, instruments that have been sitting on a shelf for a period that cannot be established should be tested by an appropriately rated FAA-certificated person.

14. KNOW YOUR SUPPLIERS.

a. Used and Repaired Parts. In addition to unapproved parts, used or repaired parts may be offered for sale as like-new, near new, and remanufactured. Such terms do not aid the purchaser in positively determining whether the part is acceptable for installation on a TC'd product and do not constitute the legal serviceability and condition of aircraft parts.

b. Caution. It is the installer's responsibility to ensure airworthiness. Aircraft parts distributors, aircraft supply companies, or aircraft electronic parts distributors, unless they are a PAH, cannot certify the airworthiness of the parts they advertise and/or sell; therefore, it is the installer's responsibility to request documentation establishing traceability to a PAH.

15. REPORTING SUSPECTED UNAPPROVED PARTS (SUP).

a. SUPs. SUPs are parts, components, or materials that may not be approved or acceptable, as described in subparagraphs 6a and b. Some appear to be as good as the part manufactured from an FAA-approved source; however, there may be manufacturing processes that were not performed in accordance with FAA-approved data or possibly not performed at all, and that

would not be readily apparent to the purchaser (i.e., heat treating, plating, or various tests and inspections).

b. How to Report SUPs. Persons with possible knowledge of safety violations or other circumstances that may affect aviation safety are encouraged to report them in accordance with AC 21-29.

16. SUMMARY. The approval for return to service after maintenance of aircraft, engines, propellers, appliances, and materials and parts thereof is the responsibility of the person who performs the maintenance and who signs the record for approval for return to service. The owner/operator (as noted in subparagraph 8b) is responsible for the continued airworthiness of the aircraft. To ensure continued safety in civil aviation, it is essential that appropriate data is used when inspecting, testing, and determining the acceptability of all parts and materials. Particular caution should be exercised when the origin of parts, materials, and appliances cannot be established or when their origin is in doubt.

17. AC FEEDBACK FORM. For your convenience, the AC Feedback Form is the last page of this AC. Note any deficiencies found, clarifications needed, or suggested improvements regarding the contents of this AC on the Feedback Form.

Advisory Circular Feedback Form

If you find an error in this AC, have recommendations for improving it, or have suggestions for new items/subjects to be added, you may let us know by emailing the Flight Standards Directives Management Officer at 9-AWA-AFB-120-Directives@faa.gov.

Subject: AC 20-62E CHG 1, Eligibility, Quality, and Identification of Aeronautical Replacement Parts

Date: _____

Please check all appropriate line items:

An error (procedural or typographical) has been noted in paragraph _____ on page _____.

Recommend paragraph _____ on page _____ be changed as follows:

In a future change to this AC, please cover the following subject:
(Briefly describe what you want added.)

Other comments:

I would like to discuss the above. Please contact me.

Submitted by: _____

Date: _____