TELEGRAPHIC MESSAGE

Federal Aviation Administration 800 Independence Avenue, SW Washington, DC 20591	PRECEDENCE: PRIORITY ACTION: PRIORITY	SECURITY CLASSIFICATION UNCLASSIFIED
ACCOUNTING CLASSIFICATION	DATE PREPARED:	FILE:
FOR INFORMATION	CALL	
NAME HEATHER HEMDAL	PHONE NUMBER (202) 385-8936	TYPE OF MESSAGE SINGLE BOOKX MULTI ADDRESS

MESSAGE TO BE TRANSMITTED (Use double spacing and all capital letters)

TO: KRWA NOUS2 251836

GENOT RWA 14/08

N JO 7110.665

FF ALRGNS 1/500/530 AMC-1 AMA-500 ACT-1 ALATFO XVM

EFFECTIVE: 04/03/2014

CANCELLATION: 07/24/2014

SUBJECT: EXTENSION OF FAA NOTICE JO 7110.621, PARAGRAPH 7-9-4,

SEPARATION.

ON JULY 8, 2013, TERMINAL PROCEDURES ISSUED N JO 7110.621 THAT DELINEATED SEPARATION MINIMA FOR THE V-22 OSPREY WHILE OPERATING WITHIN CLASS B AIRSPACE. ADDITIONALLY, A DEFINITION OF TILTROTOR WAS IDENTIFIED TO BE ADDED TO THE PILOT CONTROLLER GLOSSARY.

THE PROCEDURES IDENTIFIED IN THIS NOTICE WERE INADVERTENTLY
OMITTED FROM THE PUBLICATION EFFECTIVE ON APRIL 3, 2014 AND
THE FOLLOWING MUST BE COMPLETED:

		<u> </u>
PAGE NO.	NO. OF PGS	SECURITY CLASSIFICATION
1	3	UNCLASSIFIED

1. AMEND FAA ORDER JO 7110.65, PARAGRAPH 7-9-4, SEPARATION, TO READ AS FOLLOWS:

7-9-4. SEPARATION

TITLE THROUGH A, NO CHANGE.

- B. VFR FIXED-WING AIRCRAFT MUST BE SEPARATED FROM
 VFR/IFR AIRCRAFT/HELICOPTER/ROTORCRAFT THAT WEIGH MORE
 THAN 19,000 POUNDS AND TURBOJETS BY NO LESS THAN:
 - 1. 1 ½ MILES SEPARATION, OR
 - 2. 500 FEET VERTICAL SEPARATION, OR

NOTE-

APPLY THE PROVISIONS OF PARAGRAPH 5-5-4, MINIMA, WHEN WAKE
TURBULENCE SEPARATION IS REQUIRED.

3. VISUAL SEPARATION, AS SPECIFIED IN PARAGRAPH 7-2-1, VISUAL SEPARATION, PARAGRAPH 7-4-2, VECTORS FOR VISUAL APPROACH, AND PARAGRAPH 7-6-7, SEQUENCING.

NOTE-

ISSUE WAKE TURBULENCE CAUTIONARY ADVISORIES IN

ACCORDANCE WITH PARAGRAPH 2-1-20, WAKE TURBULENCE

CAUTIONARY ADVISORIES.

PAGE NO.	NO. OF PGS	SECURITY CLASSIFICATION
2	3	UNCLASSIFIED

C. FOR THE APPLICATION OF CLASS BRAVO AIRSPACE
SEPARATION REQUIREMENTS, THE V-22 OSPREY MUST BE TREATED
AS A HELICOPTER/ROTORCRAFT.

NO FURTHER CHANGES TO PARAGRAPH

2. PILOT/CONTROLLER GLOSSARY:

DISREGARD THE DEFINITION OF TILTROTOR AS DEFINED IN

FAA NOTICE N JO 7110.621. TERMINAL PROCEDURES DECIDED NOT TO

PURSUE THIS SPECIFIC DEFINITION.

FACILITIES THAT HAVE CONCERNS OR QUESTIONS REGARDING THIS GENOT SHOULD CONTACT ROBERT LAW, AJV-822, AT 202-385-8793.

ORIGINAL S/ HEATHER HEMDAL

HEATHER HEMDAL

DIRECTOR, AIR TRAFFIC PROCEDURES (AJV-8)

3	3	UNCLASSIFIED
PAGE NO.	NO. OF PGS	SECURITY CLASSIFICATION