

DIRECTIVES REVALIDATION
SECTION I

Date: June 5, 2014

Subject: **AL 7300.7M TSUNAMI WARNING SYSTEM**

To: AJR-B72

Please review the attached directive as indicated below. If this directive needs to be revised, you may keep the attached copy to work with if you wish; however, **AL Form 1320-6 should be completed and returned to AAL-30 by the deadline date.** Please note that it is mandatory that all directives be routed through AAL-30 for finalization. (See details in Order 1320.1D, AL SUP1)

(X) The attached directive is due for periodic revalidation review. Following guidelines in paragraph 203 of Order 1320.1D, please review content and update/change as necessary to comply with current procedures and directives.

() The attached directive/form must be reprinted to replenish stock. Please review for currency/accuracy.

Complete Section II and return to Tony Sepulveda, AAL-30 by: June 12, 2014

Remarks:

SECTION II

The above directive/form has been reviewed for currency and purpose, and to determine if any imposed administrative burdens/constraints are still required, with the following results:

() Directive is to be continued without change.

Directive is scheduled to be canceled about 10/11/14 *JB*

() Directive is scheduled to be revised or changed _____.

Cancel directive immediately. (Action has been circulated with the affected agencies and concurrence has been established)

Reviewer *Marshall G. Severson* Rte. Sym. AJR-BAL Date 6/12/14

Concurrence (If required) *Gregory Holt* Rte. Sym. AAL-2(a) Date 6/17/14
GREGORY HOLT, AAL-1(a).

Who/What is the current Office of Primary Responsibility (OPR) AJR-BAL