

(Generated): 2025-04-23-14:07:34					Totals :	13162	10773	3157
Service Area	District	Facility Type	Level	Facility ID	Facility Name	CPC Target *	Current # of CPC On-Board (SWB) **	ATCS in Training (SWB) ***
Western	Alaska	Approach Control	9	A11	Anchorage TRACON	24	17	1
Eastern	Atlanta	Approach Control	12	A80	Atlanta TRACON	102	77	27
Eastern	Boston	Approach Control	11	A90	Boston TRACON	77	53	13
Eastern	New York	Tower and Approach Control	7	ABE	Allentown Tower	30	25	9
Central	Fort Worth	Tower and Approach Control	6	ABI	Abilene Tower	20	16	7
Central	Albuquerque	Tower and Approach Control	8	ABQ	Albuquerque Tower	32	24	2
Eastern	Boston	Tower	5	ACK	Nantucket Tower	11	9	2
Central	Fort Worth	Tower and Approach Control	7	ACT	Waco Tower	22	13	12
Eastern	Washington	Tower and Approach Control	6	ACY	Atlantic City Tower	26	18	8
Central	Fort Worth	Tower	6	ADS	Addison Tower	11	11	3
Eastern	Washington	Tower	5	ADW	Andrews Tower	15	13	6
Central	Fort Worth	Tower	6	AFW	Alliance Tower	15	14	5
Central	Cleveland	Tower	5	AGC	Allegheny Tower	15	12	6
Eastern	Atlanta	Tower and Approach Control	6	AGS	Augusta Tower	15	13	6
Eastern	Boston	Tower and Approach Control	6	ALB	Albany Tower	28	22	11
Central	Minneapolis	Tower and Approach Control	5	ALO	Waterloo Tower	13	11	3
Central	Albuquerque	Tower and Approach Control	6	AMA	Amarillo Tower	22	17	4
Western	Alaska	Tower	8	ANC	Anchorage Tower	26	23	0
Western	Denver	Tower	8	APA	Centennial Tower	22	15	3
Western	Oakland	Tower	5	APC	Napa Tower	9	7	5
Central	Cleveland	Tower	5	ARB	Ann Arbor Tower	9	9	3
Central	Chicago	Tower	5	ARR	Aurora Tower	11	10	4
Western	Denver	Tower and Approach Control	6	ASE	Aspen TRACAB	15	15	2
Eastern	Atlanta	Tower	12	ATL	Atlanta Tower	47	42	6
Central	Houston	Tower and Approach Control	9	AUS	Austin Tower	60	32	10
Eastern	Atlanta	Tower and Approach Control	7	AVL	Asheville Tower	17	17	3
Eastern	New York	Tower and Approach Control	5	AVP	Wilkes-Barre Tower	28	13	12
Central	Chicago	Tower and Approach Control	8	AZO	Kalamazoo Tower	58	47	4
Eastern	Boston	Tower	5	BDL	Bradley Tower	17	15	8

Service Area	District	Facility Type	Level	Facility ID	Facility Name	CPC Target *	Current # of CPC On-Board (SWB) **	ATCS in Training (SWB) ***
Eastern	Boston	Tower	6	BED	Hanscom Tower	17	14	9
Western	Seattle	Tower	6	BFI	Boeing Tower	19	17	6
Western	Los Angeles	Tower and Approach Control	6	BFL	Bakersfield Tower	22	19	3
Eastern	New York	Tower and Approach Control	5	BGM	Binghamton Tower	15	14	0
Eastern	Boston	Tower and Approach Control	5	BGR	Bangor Tower	22	16	6
Eastern	Atlanta	Tower and Approach Control	8	BHM	Birmingham Tower	30	24	6
Western	Salt Lake	Tower and Approach Control	7	BIL	Billings Tower	22	17	7
Central	Minneapolis	Tower and Approach Control	5	BIS	Bismarck TRACAB	13	10	5
Western	Denver	Tower	8	BJC	Broomfield Tower	13	12	1
Eastern	Memphis	Tower and Approach Control	10	BNA	Nashville Tower	39	30	9
Western	Salt Lake	Tower and Approach Control	8	BOI	Boise Tower	30	25	3
Eastern	Boston	Tower	10	BOS	Boston Tower	34	24	6
Central	Houston	Tower	4	BPT	Beaumont Tower	11	9	4
Central	Houston	Tower and Approach Control	6	BTR	Baton Rouge Tower	22	13	8
Eastern	Boston	Tower and Approach Control	7	BTW	Burlington Tower	22	18	4
Central	Cleveland	Tower and Approach Control	7	BUF	Buffalo Tower	37	28	9
Western	Los Angeles	Tower	7	BUR	Burbank Tower	22	20	6
Eastern	Washington	Tower	8	BWI	Baltimore Tower	22	19	4
Central	Chicago	Approach Control	12	C90	Chicago TRACON	100	75	42
Eastern	Jacksonville	Tower and Approach Control	6	CAE	Columbia Tower	22	17	8
Central	Cleveland	Tower	4	CAK	Akron-Canton Tower	15	20	0
Western	Oakland	Tower	5	CCR	Concord Tower	11	8	3
Eastern	New York	Tower	6	CDW	Caldwell Tower	11	9	4
Eastern	Atlanta	Tower and Approach Control	7	CHA	Chattanooga Tower	20	19	4
Eastern	Jacksonville	Tower and Approach Control	8	CHS	Charleston Tower	22	16	11
Central	Chicago	Tower and Approach Control	5	CID	Cedar Rapids Tower	17	15	5
Central	Cleveland	Tower and Approach Control	5	CKB	Clarksburg Tower	17	15	3
Central	Cleveland	Tower and Approach Control	8	CLE	Cleveland Tower	52	44	14
Eastern	Atlanta	Tower and Approach Control	12	CLT	Charlotte Tower	94	81	12
Western	Los Angeles	Tower	7	CMA	Camarillo Tower	11	9	3

Service Area	District	Facility Type	Level	Facility ID	Facility Name	CPC Target *	Current # of CPC On-Board (SWB) **	ATCS in Training (SWB) ***
Central	Indianapolis	Tower and Approach Control	8	CMH	Columbus Tower	55	37	14
Central	Chicago	Tower and Approach Control	6	CMI	Champaign Tower	17	15	4
Western	Los Angeles	Tower	8	CNO	Chino Tower	11	9	4
Western	Denver	Tower and Approach Control	8	COS	Colorado Springs Tower	24	17	7
Western	Denver	Tower and Approach Control	5	CPR	Casper Tower	13	8	4
Central	Kansas City	Tower	6	CPS	St. Louis Downtown Tower	11	10	3
Central	Houston	Tower and Approach Control	8	CRP	Corpus Christi Tower	34	27	4
Western	Los Angeles	Tower	6	CRQ	Palomar Tower	11	11	4
Central	Indianapolis	Tower and Approach Control	5	CRW	Charleston Tower	22	19	5
Eastern	Atlanta	Tower	4	CSG	Columbus Tower	7	9	1
Central	Indianapolis	Tower and Approach Control	9	CVG	Cincinnati Tower	43	36	4
Western	Denver	Approach Control	12	D01	Denver TRACON	89	74	10
Central	Fort Worth	Approach Control	12	D10	Dallas-Fort Worth TRACON	93	72	13
Central	Cleveland	Approach Control	10	D21	Detroit TRACON	58	48	12
Eastern	Jacksonville	Tower and Approach Control	10	DAB	Daytona Beach Tower	58	49	7
Central	Fort Worth	Tower	8	DAL	Dallas Love Tower	24	19	7
Central	Indianapolis	Tower	4	DAY	Dayton Tower	15	15	5
Eastern	Washington	Tower	9	DCA	Washington National Tower	28	26	2
Western	Denver	Tower	12	DEN	Denver Tower	39	37	2
Central	Fort Worth	Tower	12	DFW	Dallas-Fort Worth Tower	57	42	12
Central	Minneapolis	Tower and Approach Control	6	DLH	Duluth Tower	20	15	9
Central	Chicago	Tower	6	DPA	Dupage Tower	15	15	9
Central	Minneapolis	Tower and Approach Control	7	DSM	Des Moines Tower	25	17	10
Central	Cleveland	Tower	9	DTW	Detroit Tower	34	29	4
Central	Albuquerque	Tower	8	DVT	Deer Valley Tower	19	15	4
Central	Houston	Tower	6	DWH	Houston Hooks Tower	13	11	4
Eastern	New York	Tower and Approach Control	5	ELM	Elmira TRACAB	13	8	3
Central	Albuquerque	Tower and Approach Control	7	ELP	El Paso Tower	26	22	5
Western	Los Angeles	Tower	5	EMT	El Monte Tower	11	9	4
Central	Cleveland	Tower	4	ERI	Erie Tower	10	8	5

Service Area	District	Facility Type	Level	Facility ID	Facility Name	CPC Target *	Current # of CPC On-Board (SWB) **	ATCS in Training (SWB) ***
Western	Seattle	Tower and Approach Control	6	EUG	Eugene Tower	22	13	9
Central	Indianapolis	Tower and Approach Control	5	EVV	Evansville Tower	17	12	5
Eastern	New York	Tower	11	EWB	Newark Tower	34	24	7
Eastern	Jacksonville	Approach Control	11	F11	Central Florida TRACON	48	37	9
Western	Alaska	Tower and Approach Control	7	FAI	Fairbanks Tower	22	17	5
Central	Minneapolis	Tower and Approach Control	7	FAR	Fargo Tower	17	18	3
Western	Oakland	Tower and Approach Control	7	FAT	Fresno Tower	28	24	4
Eastern	Washington	Tower and Approach Control	6	FAY	Fayetteville Tower	22	18	6
Central	Minneapolis	Tower	6	FCM	Flying Cloud Tower	11	11	2
Central	Albuquerque	Tower	8	FFZ	Falcon Tower	13	10	2
Eastern	Miami	Tower	8	FLL	Fort Lauderdale Tower	26	27	1
Eastern	Jacksonville	Tower and Approach Control	5	FLO	Florence Tower	13	12	3
Central	Cleveland	Tower	4	FNT	Flint Tower	9	7	3
Eastern	Miami	Tower	7	FPR	St. Lucie Tower	11	12	3
Eastern	New York	Tower	7	FRG	Farmingdale Tower	13	10	8
Central	Minneapolis	Tower and Approach Control	6	FSD	Sioux Falls Tower	17	13	7
Eastern	Memphis	Tower and Approach Control	6	FSM	Fort Smith Tower	30	25	7
Central	Fort Worth	Tower	7	FTW	Meacham Tower	15	10	8
Central	Chicago	Tower and Approach Control	5	FWA	Fort Wayne Tower	22	15	8
Eastern	Miami	Tower	7	FXE	Fort Lauderdale Executive Tower	15	13	5
Western	Los Angeles	Tower	4	GCN	Grand Canyon Tower	9	8	1
Western	Seattle	Tower and Approach Control	8	GEG	Spokane Tower	37	32	5
Central	Minneapolis	Tower	9	GFK	Grand Forks Tower	22	16	2
Central	Fort Worth	Tower and Approach Control	6	GGG	Longview Tower	22	18	5
Central	Houston	Tower and Approach Control	7	GPT	Gulfport Tower	17	14	5
Central	Minneapolis	Tower and Approach Control	6	GRB	Green Bay Tower	20	18	3
Central	Chicago	Tower	5	GRR	Grand Rapids Tower	11	12	2
Eastern	Atlanta	Tower and Approach Control	7	GSO	Greensboro Tower	26	19	11
Eastern	Atlanta	Tower and Approach Control	7	GSP	Greer Tower	22	16	10
Western	Salt Lake	Tower and Approach Control	5	GTF	Great Falls Tower	17	14	4

Service Area	District	Facility Type	Level	Facility ID	Facility Name	CPC Target *	Current # of CPC On-Board (SWB) **	ATCS in Training (SWB) ***
Western	Hawaii/Guam	Combined Control Facilities	11	HCF	Honolulu Control Facility	83	69	18
Eastern	Washington	Tower	5	HEF	Manassas Tower	11	10	4
Western	Seattle	Tower	7	HIO	Hillsboro Tower	17	14	7
Western	Salt Lake	Tower and Approach Control	5	HLN	Helena Tower	10	8	3
Central	Houston	Tower	8	HOU	Hobby Tower	20	18	4
Eastern	New York	Tower	7	HPN	Westchester Tower	15	10	8
Eastern	Memphis	Tower and Approach Control	7	HSV	Huntsville Tower	17	15	5
Central	Indianapolis	Tower and Approach Control	5	HTS	Huntington Tower	20	19	1
Central	Indianapolis	Tower and Approach Control	5	HUF	Terre Haute Tower	17	16	2
Western	Oakland	Tower	6	HWD	Hayward Tower	11	10	1
Central	Houston	Approach Control	12	I90	Houston TRACON	93	72	17
Eastern	Washington	Tower	9	IAD	Dulles Tower	30	24	8
Central	Houston	Tower	11	IAH	Houston Intercontinental Tower	34	33	5
Central	Kansas City	Tower and Approach Control	8	ICT	Wichita Tower	30	23	3
Eastern	New York	Tower	4	ILG	Wilmington Tower	11	12	2
Eastern	Washington	Tower and Approach Control	7	ILM	Wilmington Tower	21	16	9
Central	Indianapolis	Tower and Approach Control	9	IND	Indianapolis Tower	42	34	9
Eastern	New York	Tower	7	ISP	Islip Tower	17	15	7
Western	Hawaii/Guam	Tower and Approach Control	5	ITO	Hilo TRACAB	13	14	0
Eastern	Memphis	Tower and Approach Control	6	JAN	Jackson Tower	17	14	4
Eastern	Jacksonville	Tower and Approach Control	9	JAX	Jacksonville Tower	47	37	5
Western	Los Angeles	Combined Control Facilities	8	JCF	Joshua TRACON	24	17	3
Eastern	New York	Tower	11	JFK	Kennedy Tower	34	27	3
Western	Alaska	Tower	5	JNU	Juneau Tower	13	11	1
Western	Los Angeles	Approach Control	11	L30	Las Vegas TRACON	39	32	4
Central	Chicago	Tower	6	LAF	Lafayette Tower	9	9	3
Central	Cleveland	Tower	4	LAN	Lansing Tower	13	11	3
Western	Los Angeles	Tower	11	LAS	Las Vegas Tower	36	28	6
Western	Los Angeles	Tower	11	LAX	Los Angeles Tower	49	37	11
Central	Fort Worth	Tower and Approach Control	7	LBB	Lubbock Tower	17	14	6

Service Area	District	Facility Type	Level	Facility ID	Facility Name	CPC Target *	Current # of CPC On-Board (SWB) **	ATCS in Training (SWB) ***
Central	Houston	Tower and Approach Control	5	LCH	Lake Charles Tower	17	11	4
Central	Indianapolis	Tower and Approach Control	7	LEX	Lexington Tower	24	19	9
Central	Houston	Tower and Approach Control	5	LFT	Lafayette Tower	22	14	6
Eastern	New York	Tower	11	LGA	La Guardia Tower	34	32	6
Western	Los Angeles	Tower	9	LGB	Long Beach Tower	22	19	3
Eastern	Memphis	Tower and Approach Control	7	LIT	Little Rock Tower	28	20	7
Central	Minneapolis	Tower	5	LNK	Lincoln Tower	11	11	1
Central	Indianapolis	Tower	6	LOU	Louisville Bowman Tower	11	10	4
Western	Oakland	Tower	7	LVK	Livermore Tower	11	8	3
Eastern	Memphis	Approach Control	9	M03	Memphis TRACON	28	24	4
Central	Minneapolis	Approach Control	10	M98	Minneapolis TRACON	55	48	12
Central	Fort Worth	Tower and Approach Control	7	MAF	Midland Tower	22	9	14
Central	Cleveland	Tower	4	MBS	Saginaw Tower	9	7	4
Central	Kansas City	Tower and Approach Control	8	MCI	Kansas City International Tower	39	34	6
Eastern	Jacksonville	Tower	9	MCO	Orlando Tower	35	23	12
Eastern	New York	Tower and Approach Control	7	MDT	Harrisburg International Tower	32	23	9
Central	Chicago	Tower	8	MDW	Midway Tower	22	19	6
Eastern	Memphis	Tower	8	MEM	Memphis Tower	28	24	3
Central	Cleveland	Tower	4	MFD	Mansfield Tower	10	8	4
Eastern	Atlanta	Tower and Approach Control	6	MGM	Montgomery Tower	21	18	6
Eastern	Boston	Tower	4	MHT	Manchester Tower	15	13	3
Eastern	Miami	Tower and Approach Control	12	MIA	Miami Tower	91	62	29
Central	Minneapolis	Tower	4	MIC	Crystal Tower	11	9	4
Central	Kansas City	Tower	5	MKC	Kansas City Downtown Tower	15	14	8
Central	Chicago	Tower and Approach Control	8	MKE	Milwaukee Tower	39	31	9
Central	Chicago	Tower	4	MKG	Muskegon Tower	9	8	2
Central	Chicago	Tower and Approach Control	5	MLI	Moline Quad City Tower	20	16	3
Central	Fort Worth	Tower and Approach Control	5	MLU	Monroe Tower	15	13	4
Eastern	New York	Tower	6	MMU	Morristown Tower	11	9	9
Central	Houston	Tower and Approach Control	7	MOB	Mobile Tower	22	15	9

Service Area	District	Facility Type	Level	Facility ID	Facility Name	CPC Target *	Current # of CPC On-Board (SWB) **	ATCS in Training (SWB) ***
Western	Alaska	Tower	6	MRI	Merrill Tower	11	9	2
Western	Oakland	Tower	5	MRY	Monterey Tower	9	9	1
Central	Chicago	Tower and Approach Control	7	MSN	Madison Tower	20	17	5
Central	Minneapolis	Tower	9	MSP	Minneapolis Tower	36	32	4
Central	Houston	Tower and Approach Control	9	MSY	Moisant Tower	36	27	6
Western	Seattle	Tower and Approach Control	6	MWH	Grant County Tower	15	14	5
Western	Los Angeles	Tower	10	MYF	Montgomery Tower	19	17	2
Eastern	Jacksonville	Tower and Approach Control	8	MYR	Myrtle Beach Tower	22	18	4
Eastern	New York	Approach Control	12	N90	New York TRACON	226	125	79
Western	Oakland	Approach Control	12	NCT	Northern California TRACON	161	120	15
Central	Houston	Tower	5	NEW	Lakefront Tower	11	10	3
Western	Oakland	Tower	8	OAK	Oakland Tower	24	20	2
Western	Hawaii/Guam	Tower	6	OGG	Kahului Tower	13	12	7
Central	Fort Worth	Tower and Approach Control	8	OKC	Oklahoma City Tower	30	25	6
Central	Minneapolis	Tower	6	OMA	Omaha Tower	15	14	2
Western	Los Angeles	Tower	5	ONT	Ontario Tower	18	14	5
Central	Chicago	Tower	12	ORD	Chicago O'Hare Tower	68	58	9
Eastern	Washington	Tower and Approach Control	8	ORF	Norfolk Tower	28	17	11
Eastern	Jacksonville	Tower	7	ORL	Orlando Executive Tower	11	11	4
Eastern	Jacksonville	Approach Control	9	P31	Pensacola TRACON	36	32	6
Central	Albuquerque	Approach Control	11	P50	Phoenix TRACON	60	53	13
Western	Seattle	Approach Control	8	P80	Portland TRACON	26	23	5
Western	Seattle	Tower	6	PAE	Paine Tower	11	9	4
Western	Oakland	Tower	6	PAO	Palo Alto Tower	11	9	4
Eastern	Miami	Tower and Approach Control	9	PBI	West Palm Beach Tower	54	38	10
Eastern	Washington	Approach Control	12	PCT	Potomac TRACON	174	149	17
Eastern	Atlanta	Tower	7	PDK	DeKalb-Peachtree Tower	15	15	5
Western	Seattle	Tower	7	PDX	Portland Tower	26	22	8
Eastern	Washington	Tower	5	PHF	Patrick Henry Tower	11	10	3
Eastern	New York	Tower and Approach Control	12	PHL	Philadelphia Tower	114	82	24

Service Area	District	Facility Type	Level	Facility ID	Facility Name	CPC Target *	Current # of CPC On-Board (SWB) **	ATCS in Training (SWB) ***
Central	Albuquerque	Tower	10	PHX	Phoenix Tower	28	27	4
Central	Kansas City	Tower	4	PIA	Peoria Tower	15	14	1
Eastern	Miami	Tower	7	PIE	St. Petersburg Tower	11	12	3
Central	Cleveland	Tower and Approach Control	8	PIT	Pittsburgh Tower	36	35	7
Eastern	New York	Tower	5	PNE	Northeast Philadelphia Tower	11	10	5
Eastern	Jacksonville	Tower	7	PNS	Pensacola Tower	11	11	4
Western	Los Angeles	Tower	5	POC	Brackett Tower	11	9	4
Eastern	New York	Tower	5	POU	Poughkeepsie Tower	10	11	3
Central	Albuquerque	Tower	8	PRC	Prescott Tower	15	12	2
Western	Seattle	Tower	4	PSC	Pasco Tower	11	9	3
Western	Los Angeles	Tower	5	PSP	Palm Springs Tower	11	10	1
Central	Cleveland	Tower	6	PTK	Pontiac Tower	11	9	3
Western	Denver	Tower	7	PUB	Pueblo Tower	15	12	6
Eastern	Boston	Tower and Approach Control	7	PVD	Providence Tower	30	25	10
Central	Chicago	Tower	5	PWK	Palwaukee Tower	11	10	6
Eastern	Boston	Tower and Approach Control	6	PWM	Portland Tower	22	20	2
Central	Minneapolis	Approach Control	8	R90	Omaha TRACON	20	19	3
Eastern	New York	Tower and Approach Control	5	RDG	Reading TRACAB	11	17	3
Eastern	Washington	Tower and Approach Control	9	RDU	Raleigh-Durham Tower	43	38	5
Central	Chicago	Tower and Approach Control	6	RFD	Rockford Tower	22	19	4
Western	Oakland	Tower	6	RHV	Reid-Hillview Tower	13	10	3
Eastern	Washington	Tower	6	RIC	Richmond Tower	15	14	3
Western	Oakland	Tower	6	RNO	Reno Tower	15	10	10
Eastern	Washington	Tower and Approach Control	6	ROA	Roanoke Tower	24	15	12
Central	Cleveland	Tower and Approach Control	6	ROC	Rochester Tower	26	18	7
Central	Albuquerque	Tower and Approach Control	5	ROW	Roswell Tower	15	13	4
Central	Minneapolis	Tower and Approach Control	5	RST	Rochester Municipal TRACAB	13	10	2
Eastern	Miami	Tower and Approach Control	8	RSW	Fort Myers Tower	30	28	5
Central	Kansas City	Tower	8	RVS	Riverside Tower	16	13	6
Western	Seattle	Approach Control	10	S46	Seattle TRACON	43	30	9

Service Area	District	Facility Type	Level	Facility ID	Facility Name	CPC Target *	Current # of CPC On-Board (SWB) **	ATCS in Training (SWB) ***
Western	Salt Lake	Approach Control	10	S56	Salt Lake City TRACON	45	36	8
Western	Los Angeles	Tower	8	SAN	San Diego Tower	26	21	3
Central	Houston	Tower and Approach Control	9	SAT	San Antonio Tower	45	35	10
Eastern	Jacksonville	Tower and Approach Control	8	SAV	Savannah Tower	23	18	8
Western	Los Angeles	Tower and Approach Control	7	SBA	Santa Barbara Tower	28	23	9
Central	Chicago	Tower and Approach Control	7	SBN	South Bend Tower	26	23	6
Western	Oakland	Tower	4	SCK	Stockton Tower	11	11	2
Western	Los Angeles	Approach Control	12	SCT	Southern California TRACON	233	183	21
Central	Indianapolis	Tower and Approach Control	9	SDF	Standiford Tower	47	35	6
Central	Albuquerque	Tower	7	SDL	Scottsdale Tower	11	10	4
Western	Seattle	Tower	10	SEA	Seattle Tower	29	27	1
Western	Los Angeles	Tower	7	SEE	Gillespie Tower	15	15	5
Eastern	Jacksonville	Tower	8	SFB	Sanford Tower	17	15	1
Western	Oakland	Tower	10	SFO	San Francisco Tower	30	28	6
Central	Kansas City	Tower and Approach Control	7	SGF	Springfield Tower	29	25	6
Central	Fort Worth	Tower and Approach Control	5	SHV	Shreveport Tower	26	22	4
Western	Oakland	Tower	7	SJC	San Jose Tower	15	12	8
Eastern	Miami	Tower	7	SJU	San Juan Tower	17	16	5
Western	Salt Lake	Tower	10	SLC	Salt Lake City Tower	32	29	3
Western	Oakland	Tower	6	SMF	Sacramento Tower	15	14	6
Western	Los Angeles	Tower	5	SMO	Santa Monica Tower	15	12	5
Western	Los Angeles	Tower	8	SNA	John Wayne Tower	22	19	6
Central	Kansas City	Tower	4	SPI	Springfield Tower	10	10	3
Eastern	Miami	Tower	7	SRQ	Sarasota Tower	13	12	5
Central	Kansas City	Tower	7	STL	St. Louis Tower	22	19	7
Central	Minneapolis	Tower	4	STP	St. Paul Tower	11	11	4
Western	Oakland	Tower	5	STS	Sonoma Tower	9	7	4
Eastern	Miami	Tower	4	STT	St. Thomas Tower	11	9	5
Central	Kansas City	Tower	6	SUS	Spirit Tower	11	11	3
Central	Minneapolis	Tower and Approach Control	5	SUX	Sioux Gateway Tower	15	14	1

Service Area	District	Facility Type	Level	Facility ID	Facility Name	CPC Target *	Current # of CPC On-Board (SWB) **	ATCS in Training (SWB) ***
Eastern	Boston	Tower and Approach Control	6	SYR	Syracuse Tower	22	17	6
Central	Kansas City	Approach Control	9	T75	St. Louis TRACON	36	35	6
Eastern	New York	Tower	9	TEB	Teterboro Tower	20	18	1
Eastern	Jacksonville	Tower and Approach Control	7	TLH	Tallahassee Tower	17	13	9
Eastern	Miami	Tower	8	TMB	Tamiami Tower	17	15	4
Western	Los Angeles	Tower	6	TOA	Torrance Tower	11	10	4
Central	Cleveland	Tower and Approach Control	6	TOL	Toledo Tower	24	18	7
Eastern	Miami	Tower and Approach Control	10	TPA	Tampa Tower	53	42	14
Eastern	Atlanta	Tower and Approach Control	6	TRI	Tri-Cities Tower	17	14	6
Central	Kansas City	Tower and Approach Control	8	TUL	Tulsa Tower	30	23	8
Central	Albuquerque	Tower	6	TUS	Tucson Tower	17	14	5
Central	Minneapolis	Tower	5	TVC	Traverse City Tower	9	9	3
Western	Salt Lake	Tower and Approach Control	5	TWF	Twin Falls Tower	9	8	2
Eastern	Atlanta	Tower and Approach Control	8	TYS	Knoxville Tower	28	24	9
Central	Albuquerque	Approach Control	8	U90	Tucson TRACON	17	13	3
Western	Los Angeles	Tower	7	VGT	North Las Vegas Tower	20	12	9
Western	Los Angeles	Tower	9	VNY	Van Nuys Tower	24	17	6
Eastern	Miami	Tower	8	VRB	Vero Beach Tower	11	10	6
Eastern	Boston	Approach Control	8	Y90	Yankee TRACON	22	20	1
Central	Cleveland	Tower	5	YIP	Willow Run Tower	15	13	2
Central	Cleveland	Tower and Approach Control	5	YNG	Youngstown Tower	19	13	6
Central	Albuquerque	Enroute Centers	10	ZAB	Albuquerque ARTCC	200	154	57
Western	Alaska	Enroute Centers	10	ZAN	Anchorage ARTCC	98	80	26
Central	Chicago	Enroute Centers	12	ZAU	Chicago ARTCC	321	270	93
Eastern	Boston	Enroute Centers	11	ZBW	Boston ARTCC	203	174	58
Eastern	Washington	Enroute Centers	12	ZDC	Washington ARTCC	305	263	77
Western	Denver	Enroute Centers	10	ZDV	Denver ARTCC	258	215	62
Central	Fort Worth	Enroute Centers	12	ZFW	Fort Worth ARTCC	290	246	85
Central	Houston	Enroute Centers	11	ZHU	Houston ARTCC	277	254	57
Central	Indianapolis	Enroute Centers	12	ZID	Indianapolis ARTCC	296	253	71

Service Area	District	Facility Type	Level	Facility ID	Facility Name	CPC Target *	Current # of CPC On-Board (SWB) **	ATCS in Training (SWB) ***
Eastern	Jacksonville	Enroute Centers	11	ZJX	Jacksonville ARTCC	275	234	58
Central	Kansas City	Enroute Centers	11	ZKC	Kansas City ARTCC	232	206	50
Western	Los Angeles	Enroute Centers	12	ZLA	Los Angeles ARTCC	245	198	75
Western	Salt Lake	Enroute Centers	10	ZLC	Salt Lake City ARTCC	150	129	39
Eastern	Miami	Enroute Centers	11	ZMA	Miami ARTCC	267	208	78
Eastern	Memphis	Enroute Centers	12	ZME	Memphis ARTCC	264	230	48
Central	Minneapolis	Enroute Centers	11	ZMP	Minneapolis ARTCC	256	230	57
Eastern	New York	Enroute Centers	12	ZNY	New York ARTCC	296	200	80
Western	Oakland	Enroute Centers	11	ZOA	Oakland ARTCC	207	160	69
Central	Cleveland	Enroute Centers	12	ZOB	Cleveland ARTCC	313	279	64
Western	Seattle	Enroute Centers	10	ZSE	Seattle ARTCC	165	138	47
Eastern	Miami	Combined Control Facilities	9	ZSU	San Juan	62	37	18
Eastern	Atlanta	Enroute Centers	12	ZTL	Atlanta ARTCC	349	293	100
Western	Hawaii/Guam	Combined Control Facilities	8	ZUA	Guam	17	10	6

* **CPC Target:** Facility specific number of CPCs as determined by agreement between the FAA and NATCA.

** **Current # of CPC On-Board:** Facility specific number of CPCs on-board.

*** **ATCs in Training:** The number of DEVs and CPCITs in facility training.