



U.S. Department
of Transportation
**Federal Aviation
Administration**

800 Independence Ave., S.W.
Washington, D.C. 20591

August 11, 2015

Exemption No. 12420
Regulatory Docket No. FAA-2015-2202

Mr. Roguen Carlson
HiLow Photo, Aerial Drone Photography
2191 Square Road
Eden Mills, VT 05653

Dear Mr. Carlson:

This letter is to inform you that we have granted your request for exemption. It transmits our decision, explains its basis, and gives you the conditions and limitations of the exemption, including the date it ends.

By letter posted to the public docket on June 9, 2015, you petitioned the Federal Aviation Administration (FAA) on behalf of HiLow Photo, Aerial Drone Photography (hereinafter petitioner or operator) for an exemption. The petitioner requested to operate an unmanned aircraft system (UAS) to conduct research and development.

See Appendix A for the petition submitted to the FAA describing the proposed operations and the regulations that the petitioner seeks an exemption.

The FAA has determined that good cause exists for not publishing a summary of the petition in the Federal Register because the requested exemption would not set a precedent, and any delay in acting on this petition would be detrimental to the petitioner.

Airworthiness Certification

The UAS proposed by the petitioner are the DJI Phantom 2, Phantom 3, DJI Inspire 1, and DJI S900.

The petitioner requested relief from 14 CFR part 21, *Certification procedures for products and parts, Subpart H—Airworthiness Certificates*. In accordance with the statutory criteria provided in Section 333 of Public Law 112-95 in reference to 49 U.S.C. § 44704, and in

consideration of the size, weight, speed, and limited operating area associated with the aircraft and its operation, the Secretary of Transportation has determined that this aircraft meets the conditions of Section 333. Therefore, the FAA finds that the requested relief from 14 CFR part 21, *Certification procedures for products and parts, Subpart H—Airworthiness Certificates*, and any associated noise certification and testing requirements of part 36, is not necessary.

The Basis for Our Decision

You have requested to use a UAS for aerial data collection¹. The FAA has issued grants of exemption in circumstances similar in all material respects to those presented in your petition. In Grants of Exemption Nos. 11062 to Astraeus Aerial (*see* Docket No. FAA–2014–0352), 11109 to Clayco, Inc. (*see* Docket No. FAA–2014–0507), 11112 to VDOS Global, LLC (*see* Docket No. FAA–2014–0382), and 11213 to Aeryon Labs, Inc. (*see* Docket No. FAA–2014–0642), the FAA found that the enhanced safety achieved using an unmanned aircraft (UA) with the specifications described by the petitioner and carrying no passengers or crew, rather than a manned aircraft of significantly greater proportions, carrying crew in addition to flammable fuel, gives the FAA good cause to find that the UAS operation enabled by this exemption is in the public interest.

Having reviewed your reasons for requesting an exemption, I find that—

- They are similar in all material respects to relief previously requested in Grant of Exemption Nos. 11062, 11109, 11112, and 11213;
- The reasons stated by the FAA for granting Exemption Nos. 11062, 11109, 11112, and 11213 also apply to the situation you present; and
- A grant of exemption is in the public interest.

Our Decision

In consideration of the foregoing, I find that a grant of exemption is in the public interest. Therefore, pursuant to the authority contained in 49 U.S.C. 106(f), 40113, and 44701, delegated to me by the Administrator, HiLow Photo, Aerial Drone Photography is granted an exemption from 14 CFR §§ 61.23(a) and (c), 61.101(e)(4) and (5), 61.113(a), 61.315(a), 91.7(a), 91.119(c), 91.121, 91.151(a)(1), 91.405(a), 91.407(a)(1), 91.409(a)(1) and (2), and 91.417(a) and (b), to the extent necessary to allow the petitioner to operate a UAS to perform aerial data collection. This exemption is subject to the conditions and limitations listed below.

¹ Aerial data collection includes any remote sensing and measuring by an instrument(s) aboard the UA. Examples include imagery (photography, video, infrared, etc.), electronic measurement (precision surveying, RF analysis, etc.), chemical measurement (particulate measurement, etc.), or any other gathering of data by instruments aboard the UA.

Conditions and Limitations

In this grant of exemption, HiLow Photo, Aerial Drone Photography is hereafter referred to as the operator.

Failure to comply with any of the conditions and limitations of this grant of exemption will be grounds for the immediate suspension or rescission of this exemption.

1. Operations authorized by this grant of exemption are limited to the DJI Phantom 2, Phantom 3, DJI Inspire 1, and DJI S900 when weighing less than 55 pounds including payload. Proposed operations of any other aircraft will require a new petition or a petition to amend this exemption.
2. Operations for the purpose of closed-set motion picture and television filming are not permitted.
3. The UA may not be operated at a speed exceeding 87 knots (100 miles per hour). The exemption holder may use either groundspeed or calibrated airspeed to determine compliance with the 87 knot speed restriction. In no case will the UA be operated at airspeeds greater than the maximum UA operating airspeed recommended by the aircraft manufacturer.
4. The UA must be operated at an altitude of no more than 400 feet above ground level (AGL). Altitude must be reported in feet AGL.
5. The UA must be operated within visual line of sight (VLOS) of the PIC at all times. This requires the PIC to be able to use human vision unaided by any device other than corrective lenses, as specified on the PIC's FAA-issued airman medical certificate or U.S. driver's license.
6. All operations must utilize a visual observer (VO). The UA must be operated within the visual line of sight (VLOS) of the PIC and VO at all times. The VO may be used to satisfy the VLOS requirement as long as the PIC always maintains VLOS capability. The VO and PIC must be able to communicate verbally at all times; electronic messaging or texting is not permitted during flight operations. The PIC must be designated before the flight and cannot transfer his or her designation for the duration of the flight. The PIC must ensure that the VO can perform the duties required of the VO.
7. This exemption and all documents needed to operate the UAS and conduct its operations in accordance with the conditions and limitations stated in this grant of exemption, are hereinafter referred to as the operating documents. The operating documents must be accessible during UAS operations and made available to the Administrator upon request. If a discrepancy exists between the conditions and

limitations in this exemption and the procedures outlined in the operating documents, the conditions and limitations herein take precedence and must be followed.

Otherwise, the operator must follow the procedures as outlined in its operating documents. The operator may update or revise its operating documents. It is the operator's responsibility to track such revisions and present updated and revised documents to the Administrator or any law enforcement official upon request. The operator must also present updated and revised documents if it petitions for extension or amendment to this grant of exemption. If the operator determines that any update or revision would affect the basis upon which the FAA granted this exemption, then the operator must petition for an amendment to its grant of exemption. The FAA's UAS Integration Office (AFS-80) may be contacted if questions arise regarding updates or revisions to the operating documents.

8. Any UAS that has undergone maintenance or alterations that affect the UAS operation or flight characteristics, e.g., replacement of a flight critical component, must undergo a functional test flight prior to conducting further operations under this exemption. Functional test flights may only be conducted by a PIC with a VO and must remain at least 500 feet from other people. The functional test flight must be conducted in such a manner so as to not pose an undue hazard to persons and property.
9. The operator is responsible for maintaining and inspecting the UAS to ensure that it is in a condition for safe operation.
10. Prior to each flight, the PIC must conduct a pre-flight inspection and determine the UAS is in a condition for safe flight. The pre-flight inspection must account for all potential discrepancies, e.g., inoperable components, items, or equipment. If the inspection reveals a condition that affects the safe operation of the UAS, the aircraft is prohibited from operating until the necessary maintenance has been performed and the UAS is found to be in a condition for safe flight.
11. The operator must follow the UAS manufacturer's maintenance, overhaul, replacement, inspection, and life limit requirements for the aircraft and aircraft components.
12. Each UAS operated under this exemption must comply with all manufacturer safety bulletins.
13. Under this grant of exemption, a PIC must hold either an airline transport, commercial, private, recreational, or sport pilot certificate. The PIC must also hold a current FAA airman medical certificate or a valid U.S. driver's license issued by a state, the District of Columbia, Puerto Rico, a territory, a possession, or the Federal government. The PIC must also meet the flight review requirements specified in 14 CFR § 61.56 in an aircraft in which the PIC is rated on his or her pilot certificate.

14. The operator may not permit any PIC to operate unless the PIC demonstrates the ability to safely operate the UAS in a manner consistent with how the UAS will be operated under this exemption, including evasive and emergency maneuvers and maintaining appropriate distances from persons, vessels, vehicles and structures. PIC qualification flight hours and currency must be logged in a manner consistent with 14 CFR § 61.51(b). Flights for the purposes of training the operator's PICs and VOs (training, proficiency, and experience-building) and determining the PIC's ability to safely operate the UAS in a manner consistent with how the UAS will be operated under this exemption are permitted under the terms of this exemption. However, training operations may only be conducted during dedicated training sessions. During training, proficiency, and experience-building flights, all persons not essential for flight operations are considered nonparticipants, and the PIC must operate the UA with appropriate distance from nonparticipants in accordance with 14 CFR § 91.119.
15. UAS operations may not be conducted during night, as defined in 14 CFR § 1.1. All operations must be conducted under visual meteorological conditions (VMC). Flights under special visual flight rules (SVFR) are not authorized.
16. The UA may not operate within 5 nautical miles of an airport reference point (ARP) as denoted in the current FAA Airport/Facility Directory (AFD) or for airports not denoted with an ARP, the center of the airport symbol as denoted on the current FAA-published aeronautical chart, unless a letter of agreement with that airport's management is obtained or otherwise permitted by a COA issued to the exemption holder. The letter of agreement with the airport management must be made available to the Administrator or any law enforcement official upon request.
17. The UA may not be operated less than 500 feet below or less than 2,000 feet horizontally from a cloud or when visibility is less than 3 statute miles from the PIC.
18. If the UAS loses communications or loses its GPS signal, the UA must return to a pre-determined location within the private or controlled-access property.
19. The PIC must abort the flight in the event of unpredicted obstacles or emergencies.
20. The PIC is prohibited from beginning a flight unless (considering wind and forecast weather conditions) there is enough available power for the UA to conduct the intended operation and to operate after that for at least five minutes or with the reserve power recommended by the manufacturer if greater.
21. Air Traffic Organization (ATO) Certificate of Waiver or Authorization (COA). All operations shall be conducted in accordance with an ATO-issued COA. The exemption holder may apply for a new or amended COA if it intends to conduct operations that cannot be conducted under the terms of the attached COA.

22. All aircraft operated in accordance with this exemption must be identified by serial number, registered in accordance with 14 CFR part 47, and have identification (N-Number) markings in accordance with 14 CFR part 45, Subpart C. Markings must be as large as practicable.
23. Documents used by the operator to ensure the safe operation and flight of the UAS and any documents required under 14 CFR §§ 91.9 and 91.203 must be available to the PIC at the Ground Control Station of the UAS any time the aircraft is operating. These documents must be made available to the Administrator or any law enforcement official upon request.
24. The UA must remain clear and give way to all manned aviation operations and activities at all times.
25. The UAS may not be operated by the PIC from any moving device or vehicle.
26. All Flight operations must be conducted at least 500 feet from all nonparticipating persons, vessels, vehicles, and structures unless:
 - a. Barriers or structures are present that sufficiently protect nonparticipating persons from the UA and/or debris in the event of an accident. The operator must ensure that nonparticipating persons remain under such protection. If a situation arises where nonparticipating persons leave such protection and are within 500 feet of the UA, flight operations must cease immediately in a manner ensuring the safety of nonparticipating persons; and
 - b. The owner/controller of any vessels, vehicles or structures has granted permission for operating closer to those objects and the PIC has made a safety assessment of the risk of operating closer to those objects and determined that it does not present an undue hazard.

The PIC, VO, operator trainees or essential persons are not considered nonparticipating persons under this exemption.

27. All operations shall be conducted over private or controlled-access property with permission from the property owner/controller or authorized representative. Permission from property owner/controller or authorized representative will be obtained for each flight to be conducted.
28. Any incident, accident, or flight operation that transgresses the lateral or vertical boundaries of the operational area as defined by the applicable COA must be reported to the FAA's UAS Integration Office (AFS-80) within 24 hours. Accidents must be reported to the National Transportation Safety Board (NTSB) per instructions contained on the NTSB Web site: www.nts.gov.

If this exemption permits operations for the purpose of closed-set motion picture and television filming and production, the following additional conditions and limitations apply.

29. The operator must have a motion picture and television operations manual (MPTOM) as documented in this grant of exemption.
30. At least 3 days before aerial filming, the operator of the UAS affected by this exemption must submit a written Plan of Activities to the local Flight Standards District Office (FSDO) with jurisdiction over the area of proposed filming. The 3-day notification may be waived with the concurrence of the FSDO. The plan of activities must include at least the following:
 - a. Dates and times for all flights;
 - b. Name and phone number of the operator for the UAS aerial filming conducted under this grant of exemption;
 - c. Name and phone number of the person responsible for the on-scene operation of the UAS;
 - d. Make, model, and serial or N-Number of UAS to be used;
 - e. Name and certificate number of UAS PICs involved in the aerial filming;
 - f. A statement that the operator has obtained permission from property owners and/or local officials to conduct the filming production event; the list of those who gave permission must be made available to the inspector upon request;
 - g. Signature of exemption holder or representative; and
 - h. A description of the flight activity, including maps or diagrams of any area, city, town, county, and/or state over which filming will be conducted and the altitudes essential to accomplish the operation.
31. Flight operations may be conducted closer than 500 feet from participating persons consenting to be involved and necessary for the filming production, as specified in the exemption holder's MPTOM.

Unless otherwise specified in this grant of exemption, the UAS, the UAS PIC, and the UAS operations must comply with all applicable parts of 14 CFR including, but not limited to, parts 45, 47, 61, and 91.

This exemption terminates on August 31, 2017, unless sooner superseded or rescinded.

Sincerely,

/s/

John S. Duncan

Director, Flight Standards Service

Enclosures

Petition for Exemption

To Whom it Concerns,

HiLow Photo, an aerial photography, cinematography, structural and agricultural inspection, and real estate imaging business, based in North-Eastern Vermont is petitioning for a Section 333 exemption under the FAA Modernization and Reform Act of 2012, Public Law 112-95 and Title 14 Code of Federal regulations 14 CFR 21. 191 for the purpose of research and development. HiLow Photo and its owner, Roguen Carlson, seek exemption in order to establish a commercial aerial drone photography business that offers valuable aerial photography services to the public.

The name and address of the applicant is:

HiLow Photo, Aerial Drone Photography

Contact: Roguen Carlson

Email: HiLowPhoto@gmail.com

2191 Square Road, Eden Mills, Vermont, 05653

HiLow Photo is requesting an exemption that would permit the operation of small, unmanned, remote operated aerial craft in the National Airspace System. HiLow Photo petitions under the conditions of following all safety measures and regulations set by the Federal Aviation Administration and Section 333.1 and any other regulation regarding the operation of sUAV's. HiLow and its operator, Roguen Carlson, would ensure that all devices used by the business such as the DJI Phantom 2 with a Go Pro Hero 4 Silver attached by a Zen muse Gimbal, the Phantom 3, the DJI Inspire 1, and in the future the DJI A900. None of these machines would be over the 55 lb. weight limit. These machines would be

operated under controlled and strict conditions. They all have the ability to return to their take off point in the case of a low battery or lost connection from the controller. They are able to hover with GPS guidance and are professional grade equipment. They would never be operated out of sight from the operator nor the spotter chosen by the operator for the flight. The spotter will be responsible for helping the operator be aware of obstacles and to avoid danger while in flight. The operator will ensure the UAV never flies above 250 ft. to ensure no collisions with other planes and helicopters operating within the NAS. The UAV would never operate in proximity to airports or any populated area, and would never be operated at night. Each flight will be carefully planned and executed with a flight plan planned before the flight and obstacles marked and avoided.

The maximum flight times of the devices operated by HiLow Photo will be no more than 30 minutes, and will finish a flight if the battery gets to 25% of its capacity before the 30 minute limit. Located in rural northern Vermont, the operating areas of HiLow photo are very scarcely populated and there is very little risk of danger to inhabitants of flight areas.

The devices that are going to be operated by HiLow Photo are much safer than traditional aerial photography methods. The UAV that are used do not carry fuel nor do they carry passengers. They carry camera equipment used for photography and videoing of events such as weddings or sports, roof and structural inspections, realty photography as well as agricultural inspections and many other possible uses. Because the sUAV's do not have an onboard pilot or passengers, in the unlikely event of a crash, the chances of human bodily injury or death is very low. Also because there is no fuel, there is no chance of fire or explosion in the event of a collision. The DJI devices that HiLow uses are much safer than traditional gas powered airplanes that weigh over 1000 lbs.

The Applicant, HiLow Photo, operated by Roguen Carlson proposes that the exemption requested herein apply to civil aircraft that have the characteristics and that operate with the limitations

listed herein. These limitations provide for at least an equivalent or even higher level of safety to operations under the current regulatory structure because these proposed operations represent a safety enhancement for current aerial photography services. HiLow Photo's request for exemption and reasons for exemption follows and reflects the guidelines congress envisioned for commercial aerial operations of UAVs. These guidelines which include the equivalent level of safety surrounding proposed operations, the significant public benefits including enhanced safety, and reduced environmental impacts all fall within the benefit of public interest. Accordingly, the applicant respectfully requests the FAA grant the requested exemption without delay. Roguen Carlson agrees to be bound to the limitations and conditions when conducting commercial operations under an FAA issued exemption which includes:

4 Reform Act Section 333 (b).

1. The sUAS will weigh less than 55 lbs.
2. Flights will be operated within line of sight of a pilot and/or observer.
3. Maximum total flight time for each operational flight will be 30 minutes. Flights will be terminated at 25% battery power reserve should that occur prior to the 30 minute limit.
4. Flights will be operated at an altitude of no more than 400 feet AGL
5. Minimum crew for each operation will consist of the sUAS Pilot and a Visual Observer.
6. sUAS pilot will be an FAA licensed airman with at least a private pilot's

certificate. The observer will hold at least a third class medical.

7. sUAS Pilot will be Pilot in Command (PIC). If a pilot certificate holder other than the sUAS Pilot, who possess the necessary PIC qualifications, is also present on location (i.e. the Aerial Coordinator), that person can also be designated as PIC.

8. The UAS will only operate within a confined “Sterile Area” that has been investigated and evaluated before flight operations.

9. The operator will obtain the consent of all persons involved in the filming and ensure that only consenting persons will be allowed within 100 feet of the flight operation, and this radius may be reduced to 30 feet based upon an equivalent level of safety determination.

10. Pilot and observer will have been trained in operation of UAS generally and received up-to-date information on the particular UAS to be operated.

11. Observer and pilot will at all times be able to communicate by voice and/or text.

12. Written and/or oral permission from the relevant property holders will be obtained.

13. All required permissions and permits will be obtained from territorial, state,

county or city jurisdictions, including local law enforcement, fire, or other appropriate governmental agencies.

14. If the sUAS loses communications or loses its GPS signal, the UAS will have capability to return to a pre-determined location within the Security Perimeter and land.

15. The sUAS will have the capability to abort a flight in case of unpredicted obstacles or emergencies.

14 C.F.R. Part 21, Subpart H: Airworthiness Certificates 14 C.F.R. §91.203 (a) (1)

Subpart H, entitled Airworthiness Certificates, establishes the procedural requirements for the issuance of airworthiness certificates as required by FAR §91.203 (a) (1). Given the size and limited operating area associated with the aircraft to be utilized by the Applicant, an exemption from Part 21 Subpart H meets the requirements of an equivalent level of safety under Part 11 and Section 333 of the Reform Act. The Federal Aviation Act (49 U.S.C. §44701 (f)) and Section 333 of the Reform Act both authorize the FAA to exempt aircraft from the requirement for an airworthiness certificate, upon consideration of the size, weight, speed, operational capability, and proximity to airports and populated areas of the particular UAS. In all cases, an analysis of these criteria demonstrates that the UAS operated without an airworthiness

certificate, in the restricted environment and under the conditions proposed will be at least as safe, or safer, than a conventional aircraft (fixed wing or rotorcraft) operating with an airworthiness certificate without the restrictions and conditions proposed.

The sUAS to be operated hereunder is less than 55 lbs. fully loaded, carries neither a pilot nor passenger, carries no explosive materials or flammable liquid fuels, and operates exclusively within a secured area as set out in the Manual. Unlike other civil aircraft, operations under this exemption will be tightly controlled and monitored by both the operator, pursuant to the Manual's requirements, and under the requirements and in compliance with local public safety requirements, to provide security for the area of operation as is now done with conventional filming. The FAA will have advance notice of all operations. These safety enhancements provide a greater degree of safety to the public and property owners than conventional operations conducted with airworthiness certificates issued under 14 C.F.R. Part 21, Subpart H. Lastly, application of these same criteria demonstrates that there is no credible threat to national security posed by the UAS, due to its size, speed of operation, location of operation, lack of explosive materials or flammable liquid fuels, and inability to carry a substantial external load.

14 C.F.R. § 45.23 (b). Marking of the Aircraft

The regulation requires:

When marks include only the Roman capital letter "N" and the registration number is displayed on limited, restricted or light-sport category aircraft or experimental or provisionally certificated aircraft, the operator must also display on that aircraft near each entrance to the cabin, cockpit, or pilot station, in letters not less than 2 inches nor more than 6 inches high, the words "limited," "restricted," "light-sport," "experimental," or "provisional," as applicable.

Even though the UAS will have no airworthiness certificate, an exemption may be needed as the UAS will have no entrance to the cabin, cockpit or pilot station on which the word "Experimental" can be placed. Given the size of the sUAV, two-inch lettering will be impossible.

The word "Experimental" will be placed on the fuselage in compliance with §45.29 (f).

The equivalent level of safety will be provided by having the sUAV marked on its fuselage as required by §45.29 (f) where the pilot, observer and others working with the sUAV will see the identification of the UAS as "Experimental." The FAA has issued the following exemptions to this regulation to Exemptions Nos. 10700, 8738, 10167 and 10167A.

14 C.F.R. § 61.113 (a) & (b): Private Pilot Privileges and Limitations: Pilot in Command.

Sections 61.113 (a) & (b) limit private pilots to non-commercial operations. Because the UAS will not carry a pilot or passengers, the proposed operations can achieve the equivalent level of safety of current operations by requiring the PIC operating the aircraft to have a private

pilot's license rather than a commercial pilot's license to operate this small UAS. Unlike a conventional aircraft that carries the pilot and passengers, the sUAS is remotely controlled with no living thing on board. The area of operation is controlled and restricted, and all flights are planned and coordinated in advance as set forth in the Manual. The level of safety provided by the requirements included in the Manual exceeds that provided by a single individual holding a commercial pilot's certificate operating a conventional aircraft. The risks associated with the operation of the sUAS are so diminished from the level of risk associated with commercial operations contemplated by Part 61 when drafted, that allowing operations of the sUAS as requested with a private pilot as the PIC exceeds the present level of safety achieved by 14 C.F.R. §61.113 (a) & (b).

14 C.F.R. §91.7(a): Civil aircraft airworthiness.

The regulation requires that no person may operate a civil aircraft unless it is in airworthy condition. As there will be no airworthiness certificate issued for the aircraft, should this exemption be granted, no FAA regulatory standard will exist for determining airworthiness. Given the size of the aircraft and the requirements contained in the DJI Owner's Manual for maintenance and use of safety check lists prior to each flight, an equivalent level of safety will be provided.

14 C.F.R. § 91.9 (b) (2): Civil Aircraft Flight Manual in the Aircraft.

Section 91.9 (b) (2) provides:

No person may operate a U.S.-registered civil aircraft ...

(2) For which an Airplane or Rotorcraft Flight Manual is not required by § 21.5 of this chapter, unless there is available in the aircraft a current approved airplane or Rotorcraft Flight Manual, approved manual material, markings, and placards, or any combination thereof.

The sUAS, given its size and configuration has no ability or place to carry such a flight manual on the aircraft, not only because there is no pilot on board, but because there is no room or capacity to carry such an item on the aircraft.

The equivalent level of safety will be maintained by keeping the flight manual at the ground control point where the pilot flying the sUAS will have immediate access to it. The FAA has issued the following exemptions to this regulation: Exemption Nos. 8607, 8737, 8738, 9299, 9299A, 9565, 9565B, 10167, 10167A, 10602, 32827, and 10700.

14 C.F.R. § 91.103: Preflight action

This regulation requires each pilot in command to take certain actions before flight to insure the safety of flight. As FAA approved rotorcraft flight manuals will not be provided for the aircraft an exemption will be needed. An equivalent level of safety will be provided as set forth in DJI Phantom Owner's manual along with the applicant's 20+ years of experience flying radio

controlled aircraft without incident. The PIC will take all actions including reviewing weather, flight battery requirements, landing and takeoff distances and aircraft performance data before initiation of flight.

14 C.F.R. §91.109: Flight instruction:

Section 91.103 provides that no person may operate a civil aircraft (except a manned free balloon) that is being used for flight instruction unless that aircraft has fully functioning dual controls.

sUASs and remotely piloted aircraft, by their design do not have fully functional dual controls. Flight control is accomplished through the use of a control box that communicates with the aircraft via radio communications. The FAA has approved exemptions for flight training without fully functional dual controls for a number of aircraft and for flight instruction in experimental aircraft. See Exemption Nos.5778K & 9862A. The equivalent level of safety provided by the fact that neither a pilot nor passengers will be carried in the aircraft and by the size and speed of the aircraft.

14 C.F.R. §91.119: Minimum safe altitudes

Section 91.119 establishes safe altitudes for operation of civil aircraft. Section 91.119 (d) allows helicopters to be operated at less than the minimums prescribed, provided the person operating the helicopter complies with any route or altitudes prescribed for helicopters by the FAA. As this

exemption is for a sUAS that is a helicopter and the exemption requests authority to operate at altitudes up to 400 AGL, an exemption may be needed to allow such operations. As set forth herein, except for the limited conditions stated in the Manual, the UAS will never operate at higher than 400 AGL. It will however be operated in a restricted area with security perimeter, where buildings and people will not be exposed to operations without their pre-obtained consent. The sUASs are equipped with telemetry back to the operator. Telemetry includes altitude, vertical and horizontal ground speed, direction and distance from operator.

The equivalent level of safety will be achieved given the size, weight, speed of the UAS as well as the location where it is operated. No flight will be taken without the permission of the property owner or local officials. Because of the advance notice to the property owner and participants in the filming activity, all affected individuals will be aware of the planned flight operations. Compared to flight operations with aircraft or rotorcraft weighting far more than the maximum 55lbs. proposed herein and the lack of flammable fuel, any risk associated with these operations is far less than those presently presented with conventional aircraft used in photography for Real Estate and Business. In addition, the low-altitude operations of the sUAS will ensure separation between these small-UAS operations and the operations of conventional aircraft that must comply with Section 91.119.

14 C.F.R. §91.121 Altimeter Settings

This regulation requires each person operating an aircraft to maintain cruising altitude by reference to an altimeter that is set "...to the elevation of the departure airport or an appropriate altimeter setting available before departure." As the sUAS may not have a barometric altimeter, but instead a GPS altitude read out, an exemption may be needed. An equivalent level of safety will be achieved by the operator, pursuant to the Manual and Safety Check list, confirming the altitude of the launch site shown on the GPS altitude indicator before flight.

14 C.F.R. § 91.151(a): Fuel Requirements for Flight in VFR Conditions

Section 91.151 (a) prohibits an individual from beginning "a flight in an airplane under VFR conditions unless (considering wind and forecast weather conditions) there is enough fuel to fly to the first point of intended landing, and, assuming normal cruising speed – (1) During the day, to fly after that for at least 30 minutes; or (2) At night, to fly after that for at least 45 minutes."

The battery powering the sUAS provides approximately 25 minutes of powered flight.

Given the limitations on the UAS's proposed flight area and the location of its proposed operations within a predetermined area, a longer time frame for flight in daylight or night VFR conditions is reasonable.

Applicant believes that an exemption from 14 CFR §91.151(a) falls within the scope of prior exemptions. See Exemption 10673 (allowing Lockheed Martin Corporation to operate

without compliance with FAR 91.151 (a)). Operating the small UAS, in a tightly controlled area where only people and property owners or official representatives who have signed waivers will be allowed, with less than 30 minutes of reserve fuel, does not engender the type of risks that Section 91.151(a) was intended to alleviate given the size and speed of the small UAS.

Similar exemptions have been granted to other operations, including Exemptions 2689F, 5745, 10673, and 10808.

14 C.F.R. §91.203 (a) and (b): Carrying Civil Aircraft Certification and Registration

The regulation provides in pertinent part:

(a) Except as provided in § 91.715, no person may operate a civil aircraft unless

it has within it the following:

(1) An appropriate and current airworthiness certificate. . . .

(b) No person may operate a civil aircraft unless the airworthiness certificate

required by paragraph (a) of this section or a special flight authorization issued

under §91.715 is displayed at the cabin or cockpit entrance so that it is legible to

passengers or crew.

The UAS fully loaded weighs no more than 55 lbs and is operated without an onboard

pilot. As such, there is no ability or place to carry certification and registration documents or to

display them on the sUAS.

An equivalent level of safety will be achieved by keeping these documents at the ground control point where the pilot flying the sUAS will have immediate access to them, to the extent they are applicable to the sUAS. The FAA has issued numerous exemptions to this regulation. A representative sample of other exceptions includes Exemption Nos. 9565, 9665, 9789, 9789A, 9797, 9797A, 9816A, and 10700.

14 C.F.R. §91.405 (a); 407 (a) (1); 409 (a) (2); 417(a) & (b): Maintenance Inspections

These regulations require that an aircraft operator or owner “shall have that aircraft inspected as prescribed in subpart E of this part and shall between required inspections, except as provided in paragraph (c) of this section, have discrepancies repaired as prescribed in part 43 of this chapter...,” and others shall inspect or maintain the aircraft in compliance with Part 43. Given that these sections and Part 43 apply only to aircraft with an airworthiness certificate, these sections will not apply to the applicant. Maintenance will be accomplished by the operator pursuant to the manufacturer’s flight manual and operating handbook.

An equivalent level of safety will be achieved because these small UASs are very limited in size and will carry a small payload and operate only in restricted areas for limited periods of time. If mechanical issues arise the UAS can land immediately and will be operating from no higher than 400 feet AGL. As provided in the Owner’s Manual, the operator will ensure that the UAS is in working order prior to initiating flight, perform required maintenance. Moreover, the

operator is the person most familiar with the aircraft and best suited to maintain the aircraft in an airworthy condition to provide the equivalent level of safety.

Pursuant to 14 C.F.R. Part 11, the following summary is provided for publication in the Federal Register, should it be determined that publication is needed:

Applicant seeks an exemption from the following rules:

14 C.F.R. §21, subpart H; 14 C.F.R 45.23(b);14 C.F.R. §§ 61.113(a) & (b);91.7

(a); 91.9 (b) (2);91.103(b);91.109; 91.119; 91.121; 91.151(a);91.203(a) and (b); 91.405

(a); 91.407 (a) (1); 91.409 (a) (2); 91.409 (a) (2) and 91.417 (a) & (b) to operate

commercially a small unmanned vehicle (55lbs or less) in motion picture and television operations.

Approval of exemptions allowing commercial operations of sUASs will enhance safety by reducing risk. Conventional aerial photography/videography operations use jet or piston powered aircraft. Such aircraft must fly to and from the film location. In contrast, a sUAS weighing fewer than 55 lbs. and powered by batteries eliminates virtually all of that risk given the reduced mass and lack of combustible fuel carried on board. The sUAS is carried to the film location and not flown. The sUAS will carry no passengers or crew and, therefore, will not expose them to the risks associated with manned aircraft flights.

The operation of small UASs, weighing less than 55 lbs., conducted in the strict

conditions outlined above, will provide an equivalent level of safety supporting the grant of the exemptions requested herein, including exempting the applicant from the requirements of Part 21 and allowing commercial operations. These lightweight aircraft operate at slow speeds, close to the ground, and in a sterile environment and, as a result, are far safer than conventional operations conducted with turbine helicopters operating in close proximity to the ground and people.

Privacy

All flights will occur over private or controlled access property with the property owner's prior consent and knowledge. Photographs will be of people who have also consented to being photographed or otherwise have agreed to be in the area where photography will take place.

Satisfaction of the criteria provided in Section 333 of the Reform Act of 2012--size, weight, speed, operating capabilities, proximity to airports and populated areas and operation within visual line of sight and national security – provide more than adequate justification for the grant of the requested exemptions allowing commercial operation of applicant's UAS in the aerial photography industry.

Thank you

-Roguen Carlson

HiLow Photo

Hilowaerial@gmail.com