



July 24, 2015

Exemption No. 12138 Regulatory Docket No. FAA–2015–1620

Mr. Thomas Dickey sUAS Manager Garner Environmental Services, Inc. 1717 West 13th Street Deer Park, Texas 77536

Dear Mr. Dickey:

This letter is to inform you that we have granted your request for exemption. It transmits our decision, explains its basis, and gives you the conditions and limitations of the exemption, including the date it ends.

By letter dated March 25, 2015, you petitioned the Federal Aviation Administration (FAA) on behalf of Garner Environmental Services, Inc. (hereinafter petitioner or operator) for an exemption. The petitioner requested to operate an unmanned aircraft system (UAS) to conduct aerial photography, surveying, mapping, and videography.

See Appendix A for the petition submitted to the FAA describing the proposed operations and the regulations that the petitioner seeks an exemption.

The FAA has determined that good cause exists for not publishing a summary of the petition in the Federal Register because the requested exemption would not set a precedent, and any delay in acting on this petition would be detrimental to the petitioner.

Airworthiness Certification

The UAS proposed by the petitioner are the DJI Phantom 2 and DJI S1000.

In accordance with the statutory criteria provided in Section 333 of Public Law 112–95 in reference to 49 U.S.C. § 44704, and in consideration of the size, weight, speed, and limited operating area associated with the aircraft and its operation, the Secretary of Transportation

has determined that this aircraft meets the conditions of Section 333. Therefore, the FAA finds that relief from 14 CFR part 21, *Certification procedures for products and parts*, *Subpart H—Airworthiness Certificates*, and any associated noise certification and testing requirements of part 36, is not necessary.

The Basis for Our Decision

You have requested to use a UAS for aerial data collection¹. The FAA has issued grants of exemption in circumstances similar in all material respects to those presented in your petition. In Grants of Exemption Nos. 11062 to Astraeus Aerial (*see* Docket No. FAA–2014–0352), 11109 to Clayco, Inc. (*see* Docket No. FAA–2014–0507), 11112 to VDOS Global, LLC (*see* Docket No. FAA–2014–0382), and 11213 to Aeryon Labs, Inc. (*see* Docket No. FAA–2014–0642), the FAA found that the enhanced safety achieved using an unmanned aircraft (UA) with the specifications described by the petitioner and carrying no passengers or crew, rather than a manned aircraft of significantly greater proportions, carrying crew in addition to flammable fuel, gives the FAA good cause to find that the UAS operation enabled by this exemption is in the public interest.

Having reviewed your reasons for requesting an exemption, I find that—

- They are similar in all material respects to relief previously requested in Grant of Exemption Nos. 11062, 11109, 11112, and 11213;
- The reasons stated by the FAA for granting Exemption Nos. 11062, 11109, 11112, and 11213 also apply to the situation you present; and
- A grant of exemption is in the public interest.

Our Decision

In consideration of the foregoing, I find that a grant of exemption is in the public interest. Therefore, pursuant to the authority contained in 49 U.S.C. 106(f), 40113, and 44701, delegated to me by the Administrator, Garner Environmental Services, Inc. is granted an exemption from 14 CFR §§ 61.23(a) and (c), 61.101(e)(4) and (5), 61.113(a), 61.315(a), 91.7(a), 91.119(c), 91.121, 91.151(a)(1), 91.405(a), 91.407(a)(1), 91.409(a)(1) and (2), and 91.417(a) and (b), to the extent necessary to allow the petitioner to operate a UAS to perform aerial data collection. This exemption is subject to the conditions and limitations listed below.

¹ Aerial data collection includes any remote sensing and measuring by an instrument(s) aboard the UA. Examples include imagery (photography, video, infrared, etc.), electronic measurement (precision surveying, RF analysis, etc.), chemical measurement (particulate measurement, etc.), or any other gathering of data by instruments aboard the UA.

Conditions and Limitations

In this grant of exemption, Garner Environmental Services, Inc. is hereafter referred to as the operator.

Failure to comply with any of the conditions and limitations of this grant of exemption will be grounds for the immediate suspension or rescission of this exemption.

- 1. Operations authorized by this grant of exemption are limited to the DJI Phantom 2 and DJI S1000 when weighing less than 55 pounds including payload. Proposed operations of any other aircraft will require a new petition or a petition to amend this exemption.
- 2. Operations for the purpose of closed-set motion picture and television filming are not permitted.
- 3. The UA may not be operated at a speed exceeding 87 knots (100 miles per hour). The exemption holder may use either groundspeed or calibrated airspeed to determine compliance with the 87 knot speed restriction. In no case will the UA be operated at airspeeds greater than the maximum UA operating airspeed recommended by the aircraft manufacturer.
- 4. The UA must be operated at an altitude of no more than 400 feet above ground level (AGL). Altitude must be reported in feet AGL.
- 5. The UA must be operated within visual line of sight (VLOS) of the PIC at all times. This requires the PIC to be able to use human vision unaided by any device other than corrective lenses, as specified on the PIC's FAA-issued airman medical certificate or U.S. driver's license.
- 6. All operations must utilize a visual observer (VO). The UA must be operated within the visual line of sight (VLOS) of the PIC and VO at all times. The VO may be used to satisfy the VLOS requirement as long as the PIC always maintains VLOS capability. The VO and PIC must be able to communicate verbally at all times; electronic messaging or texting is not permitted during flight operations. The PIC must be designated before the flight and cannot transfer his or her designation for the duration of the flight. The PIC must ensure that the VO can perform the duties required of the VO.
- 7. This exemption and all documents needed to operate the UAS and conduct its operations in accordance with the conditions and limitations stated in this grant of exemption, are hereinafter referred to as the operating documents. The operating documents must be accessible during UAS operations and made available to the Administrator upon request. If a discrepancy exists between the conditions and

limitations in this exemption and the procedures outlined in the operating documents, the conditions and limitations herein take precedence and must be followed. Otherwise, the operator must follow the procedures as outlined in its operating documents. The operator may update or revise its operating documents. It is the operator's responsibility to track such revisions and present updated and revised documents to the Administrator or any law enforcement official upon request. The operator must also present updated and revised documents if it petitions for extension or amendment to this grant of exemption. If the operator determines that any update or revision would affect the basis upon which the FAA granted this exemption, then the operator must petition for an amendment to its grant of exemption. The FAA's UAS Integration Office (AFS–80) may be contacted if questions arise regarding updates or revisions to the operating documents.

- 8. Any UAS that has undergone maintenance or alterations that affect the UAS operation or flight characteristics, e.g., replacement of a flight critical component, must undergo a functional test flight prior to conducting further operations under this exemption. Functional test flights may only be conducted by a PIC with a VO and must remain at least 500 feet from other people. The functional test flight must be conducted in such a manner so as to not pose an undue hazard to persons and property.
- 9. The operator is responsible for maintaining and inspecting the UAS to ensure that it is in a condition for safe operation.
- 10. Prior to each flight, the PIC must conduct a pre-flight inspection and determine the UAS is in a condition for safe flight. The pre-flight inspection must account for all potential discrepancies, e.g., inoperable components, items, or equipment. If the inspection reveals a condition that affects the safe operation of the UAS, the aircraft is prohibited from operating until the necessary maintenance has been performed and the UAS is found to be in a condition for safe flight.
- 11. The operator must follow the UAS manufacturer's maintenance, overhaul, replacement, inspection, and life limit requirements for the aircraft and aircraft components.
- 12. Each UAS operated under this exemption must comply with all manufacturer safety bulletins.
- 13. Under this grant of exemption, a PIC must hold either an airline transport, commercial, private, recreational, or sport pilot certificate. The PIC must also hold a current FAA airman medical certificate or a valid U.S. driver's license issued by a state, the District of Columbia, Puerto Rico, a territory, a possession, or the Federal government. The PIC must also meet the flight review requirements specified in 14 CFR § 61.56 in an aircraft in which the PIC is rated on his or her pilot certificate.

- 14. The operator may not permit any PIC to operate unless the PIC demonstrates the ability to safely operate the UAS in a manner consistent with how the UAS will be operated under this exemption, including evasive and emergency maneuvers and maintaining appropriate distances from persons, vessels, vehicles and structures. PIC qualification flight hours and currency must be logged in a manner consistent with 14 CFR § 61.51(b). Flights for the purposes of training the operator's PICs and VOs (training, proficiency, and experience-building) and determining the PIC's ability to safely operate the UAS in a manner consistent with how the UAS will be operated under this exemption are permitted under the terms of this exemption. However, training operations may only be conducted during dedicated training sessions. During training, proficiency, and experience-building flights, all persons not essential for flight operations are considered nonparticipants, and the PIC must operate the UA with appropriate distance from nonparticipants in accordance with 14 CFR § 91.119.
- 15. UAS operations may not be conducted during night, as defined in 14 CFR § 1.1. All operations must be conducted under visual meteorological conditions (VMC). Flights under special visual flight rules (SVFR) are not authorized.
- 16. The UA may not operate within 5 nautical miles of an airport reference point (ARP) as denoted in the current FAA Airport/Facility Directory (AFD) or for airports not denoted with an ARP, the center of the airport symbol as denoted on the current FAA-published aeronautical chart, unless a letter of agreement with that airport's management is obtained or otherwise permitted by a COA issued to the exemption holder. The letter of agreement with the airport management must be made available to the Administrator or any law enforcement official upon request.
- 17. The UA may not be operated less than 500 feet below or less than 2,000 feet horizontally from a cloud or when visibility is less than 3 statute miles from the PIC.
- 18. If the UAS loses communications or loses its GPS signal, the UA must return to a pre-determined location within the private or controlled-access property.
- 19. The PIC must abort the flight in the event of unpredicted obstacles or emergencies.
- 20. The PIC is prohibited from beginning a flight unless (considering wind and forecast weather conditions) there is enough available power for the UA to conduct the intended operation and to operate after that for at least five minutes or with the reserve power recommended by the manufacturer if greater.
- 21. Air Traffic Organization (ATO) Certificate of Waiver or Authorization (COA). All operations shall be conducted in accordance with an ATO-issued COA. The exemption holder may apply for a new or amended COA if it intends to conduct operations that cannot be conducted under the terms of the attached COA.

- 22. All aircraft operated in accordance with this exemption must be identified by serial number, registered in accordance with 14 CFR part 47, and have identification (N–Number) markings in accordance with 14 CFR part 45, Subpart C. Markings must be as large as practicable.
- 23. Documents used by the operator to ensure the safe operation and flight of the UAS and any documents required under 14 CFR §§ 91.9 and 91.203 must be available to the PIC at the Ground Control Station of the UAS any time the aircraft is operating. These documents must be made available to the Administrator or any law enforcement official upon request.
- 24. The UA must remain clear and give way to all manned aviation operations and activities at all times.
- 25. The UAS may not be operated by the PIC from any moving device or vehicle.
- 26. All Flight operations must be conducted at least 500 feet from all nonparticipating persons, vessels, vehicles, and structures unless:
 - a. Barriers or structures are present that sufficiently protect nonparticipating persons from the UA and/or debris in the event of an accident. The operator must ensure that nonparticipating persons remain under such protection. If a situation arises where nonparticipating persons leave such protection and are within 500 feet of the UA, flight operations must cease immediately in a manner ensuring the safety of nonparticipating persons; and
 - b. The owner/controller of any vessels, vehicles or structures has granted permission for operating closer to those objects and the PIC has made a safety assessment of the risk of operating closer to those objects and determined that it does not present an undue hazard.
 - The PIC, VO, operator trainees or essential persons are not considered nonparticipating persons under this exemption.
- 27. All operations shall be conducted over private or controlled-access property with permission from the property owner/controller or authorized representative. Permission from property owner/controller or authorized representative will be obtained for each flight to be conducted.
- 28. Any incident, accident, or flight operation that transgresses the lateral or vertical boundaries of the operational area as defined by the applicable COA must be reported to the FAA's UAS Integration Office (AFS-80) within 24 hours. Accidents must be reported to the National Transportation Safety Board (NTSB) per instructions contained on the NTSB Web site: www.ntsb.gov.

If this exemption permits operations for the purpose of closed-set motion picture and television filming and production, the following additional conditions and limitations apply.

- 29. The operator must have a motion picture and television operations manual (MPTOM) as documented in this grant of exemption.
- 30. At least 3 days before aerial filming, the operator of the UAS affected by this exemption must submit a written Plan of Activities to the local Flight Standards District Office (FSDO) with jurisdiction over the area of proposed filming. The 3-day notification may be waived with the concurrence of the FSDO. The plan of activities must include at least the following:
 - a. Dates and times for all flights;
 - b. Name and phone number of the operator for the UAS aerial filming conducted under this grant of exemption;
 - c. Name and phone number of the person responsible for the on-scene operation of the UAS;
 - d. Make, model, and serial or N-Number of UAS to be used;
 - e. Name and certificate number of UAS PICs involved in the aerial filming;
 - f. A statement that the operator has obtained permission from property owners and/or local officials to conduct the filming production event; the list of those who gave permission must be made available to the inspector upon request;
 - g. Signature of exemption holder or representative; and
 - h. A description of the flight activity, including maps or diagrams of any area, city, town, county, and/or state over which filming will be conducted and the altitudes essential to accomplish the operation.
- 31. Flight operations may be conducted closer than 500 feet from participating persons consenting to be involved and necessary for the filming production, as specified in the exemption holder's MPTOM.

Unless otherwise specified in this grant of exemption, the UAS, the UAS PIC, and the UAS operations must comply with all applicable parts of 14 CFR including, but not limited to, parts 45, 47, 61, and 91.

This exemption terminates on July 31, 2017, unless sooner superseded or rescinded.

Sincerely,

/s/

John S. Duncan Director, Flight Standards Service

Enclosures



GARNER ENVIRONMENTAL SERVICES, INC.

CORPORATE OFFICE: 1717 W. 13TH STREET, DEER PARK, TX 77536 •281-930-1200 •800-424-1716

March 25, 2015

U.S. Department of Transportation Docket Management System 1200 New Jersey Ave., SE Washington, DC 20590

Re: Exemption Request under Section 333 of the Federal Aviation Administration Modernization and Reform Act of 2012 and Part 11 of the Federal Aviation Regulations

Dear Sir or Madam:

Pursuant to Section 333 of the FAA Modernization and Reform Act of 2012 (the Reform Act) and 14 C.F.R. Part 11, Garner Environmental Services, Inc., operator of Small Unmanned Aircraft Systems ("sUASs") equipped to conduct aerial photography for the purpose of emergency response to incidents involving hazardous materials, industrial services, disaster services and support, topographical surveying, and mapping, hereby applies for an exemption from the listed Federal Aviation Regulations ("FARs") to allow commercial operation of its sUASs, so long as such operations are conducted within and under the conditions outlined herein or as may be established by the FAA as required by Section 333.

These limitations provide for at least an equivalent or even higher level of safety to operations under the current regulatory structure specifically, a safety enhancement to aerial imagery and videography conducted by manned aviation operations.

The use of Small Unmanned Aerial Systems ("sUASs") for aerial imagery and videography by Garner Environmental Services, Inc. reduces the need to use manned aircraft activities to perform the same function. Furthermore, the ability to use sUASs reduces the exposure risk to personnel operating in a hazardous environment by negating the need to make reconnaissance entries into areas without adequate intelligence. Therefore, it is in the best interest of the Public for the FAA to approve the requested exemptions.

Sincerely,

Thomas Dickey sUAS Manager Garner Environmental Services, Inc. 1717 West 13th Street Deer Park, Texas 77536 (281)930-1200

UNITED STATES OF AMERICA DEPARTMENT OF TRANSPORTATION FEDERAL AVIATION ADMINISTRATION WASHINGTON, DC

Regulatory Docket No	

IN THE MATTER OF THE PETITION FOR EXEMPTION OF: GARNER ENVIRONMENTAL SERVICES, INC.

FOR AN EXEMPTION SEEKING RELIEF FROM THE REQUIREMENTS OF TITLE 14 OF THE CODE OF FEDERAL REGULATIONS SECTIONS 61.113(a), 61.133(b), 91.119(c), 91.151(a), 91.405(a), 91.407(a)(1), 91.409(a)(1)&(2), 91.417(a), 121 CONCERNING OPERATION OF UNMANNED AIRCRAFT SYSTEMS PURSUANT TO SECTION 333 OF THE FAA MODERNIZATION AND REFORM ACT OF 2012

Submitted	on		

Table of Contents

Glossary of Abbreviations	4
List of Attachments	5
Introduction and Interest of Petitioner	5
Unmanned Aerial Systems	5
Unmanned Aircraft Pilot in Command (PIC)	7
Operation of sUAS	8
Requested Exemptions from Regulations	10
Public Interest	13
Conclusion	14

Glossary of Abbreviations

AGL Above Ground Level
ATC Air Traffic Control

COA Certificate of Authorization
FAA Federal Aviation Administration
FAR Federal Aviation Regulation
NAS National Airspace System

NOTAM Notice To Airmen PIC Pilot in Command

PQS Personnel Qualification System

Section 333 FAA Modernization and Reform Act of 2012, Section 333

SOP Standard Operating Procedures sUAS Small Unmanned Aircraft Systems

VFR Visual Flight Rules

VMC Visual Meteorological Conditions

VO Visual Observer VLOS Visual Line of Sight

List of Attachments

- (1) DJI Phantom 2 Operating Manual
- (2) DJI S1000 Operating Manual
- (3) DJI Ground Station User's Manual
- (4) DJI 5.8Ghz Bluetooth Link Manual
- (5) FAA Registration for DJI Phantom 2 Number N5334G
- (6) FAA Registration for DJI S1000 Number N534VG

The six attachments listed are referenced in the request for exemption and contain trade secret and commercial proprietary information that Garner Environmental Services, Inc. has not and will not share with others except under appropriate confidentiality agreements. The Garner Environmental Services, Inc. Health and Safety Manual attachment contains operating conditions and procedures that have been developed exclusively by Garner Environmental Services, Inc., and that are not available to the public. Garner Environmental Services, Inc. is requesting that these attachments be treated as proprietary information pursuant to 14 C.F.R. Section 11.35, and maintains that they are protected from release under the Freedom of Information Act. See 5 U.S.C. 555 et seq.

Section 1: Introduction and Interest of Petitioner

Garner Environmental Services, Inc. is a leading provider of emergency response services for oil spills, hazardous materials releases, and natural and man-made disasters. Furthermore, Garner Environmental Services, Inc. provides industrial services to the petrochemical industry, including inspections, mapping, aerial imagery, and reconnaissance for incidents. Our safety record and professionalism for every job is what has set us apart as an emergency response company.

Garner Environmental Services, Inc. does not currently have any FAA approved COAs. However, we will be filing following this exemption request.

Section 2: Unmanned Aerial Systems

General Information Pertaining to All Proposed sUAS

Garner Environmental Services, Inc. will operate less than fifty five pound sUAS, with the ability to conduct aerial imagery and videography, with payloads capable of supporting this mission.

Prior to each flight, the PIC shall inspect the sUAS to ensure it is in a condition for safe flight. If the inspection reveals a condition that affects the safe operation of the sUAS, the aircraft will be prohibited from operating until the necessary maintenance has been performed and the sUAS is

found to be in a condition for safe flight. The Ground Control Station must be included in the preflight inspection. All maintenance and alterations must be properly documented in aircraft records. All discrepancies noted shall be documented as described in the Garner Environmental Services, Inc. Health and Safety Plan.

Any sUAS that has undergone maintenance or alterations that affect the sUAS operation or flight characteristics, e.g. replacement of a flight critical component, shall undergo a functional test flight in accordance with the manufacturer's manual and the Garner Environmental Services, Inc. Health and Safety Plan. The PIC who conducts the test flight shall make an entry in the sUAS aircraft logbook of the flight.

Garner Environmental Services, Inc. shall follow the manufacturer's sUAS aircraft/component, maintenance, overhaul, replacement, inspection, and life limit requirements, with particular attention to flight critical components that may not be addressed in the manufacturer's manuals.

Garner Environmental Services, Inc. shall carry out their maintenance, inspections and record keeping requirements, in accordance with the operator's manual. Maintenance, inspection, and alterations must be noted in the aircraft log book, including total flight hours, description of work accomplished, and the signature of the authorized maintenance technician returning the sUAV to service.

Each sUAS operated under the proposed exemption shall comply with all manufacturer System and Safety Bulletin.

Garner Environmental Services, Inc. technicians will receive and document training referenced in the manufacturer's operations manual.

Garner Environmental Services, Inc. technicians shall make a record entry in the sUAS logbook or equivalent document of the corrective action taken against discrepancies discovered between inspections.

Before conducting operations, the radio frequency spectrum used for operation and control of the sUAS shall comply with the Federal Communications Commission (FCC) or other appropriate government oversight agency requirements.

DJI Phantom 2

Garner Environmental Services, Inc. seeks an exemption to operate DJI Phantom 2 sUAS, for compensation or hire. The DJI Phantom 2 is comprised of a quad rotor unmanned aircraft and a handheld ground control station. The Phantom 2 has a maximum gross weight of approximately 2.8 pounds, diameter (rotor span) of 23.75 inches, width of 12.5 inches, and a height of 8.1

inches. The Phantom 2 is equipped with four rotors driven by four lithium polymer battery powered electric motors.

Design and operational characteristics are provided in DJI Phantom 2 Operating Manual (Page 35). Flight crews shall conduct pre-flight inspections as documented in Garner Environmental Services Health and Safety Plan and DJI Phantom 2 Operating Manual (Page 24).

DJI S1000

Garner Environmental Services, Inc. seeks an exemption to operate a DJI-S1000 sUAS for compensation or hire. The DJI S1000 is comprised of a multi-rotor unmanned aircraft and two handheld ground control stations. The DJI-S1000 has a maximum gross weight of approximately 24 pounds, diagonal wheelbase of 41.4 inches, and a height of approximately 18 inches. The DJI-S1000 is equipped with eight rotors driven by eight lithium polymer battery powered electric motors.

Design and operational characteristics are provided in DJI-S1000 Operating Manual (Page 22). Flight crews shall conduct pre-flight inspections as documents in Garner Environmental Services Health and Safety Plan and DJI S1000 Operating Manual (Page 4).

Section 3: Unmanned Aircraft Pilot in Command (PIC)

All Garner Environmental Services, Inc. flight crews, including PIC and visual observers (VO), will be qualified as directed by the Garner Environmental Services, Inc. Health and Safety Plan.

All flight crew members, including the PIC and VO, will have an understanding of, and comply with, Title 14 Code of Federal Regulations, and/or Agency directives and regulations, applicable to the airspace where the sUAS will operate. Specifically, all flight crew members will receive training on the rules and responsibilities described in 14 CFR Part 91 Section 91.111, 91.113, and 91.115 regarding cloud clearance, flight visibility and the pilot controller glossary, including standard ATC phraseology and communication.

The PIC must possess at least a second class airman medical certificate and a Garner Environmental Services, Inc. Qualification Card for the specified aircraft. Additionally, the PIC must have completed an FAA-approved Ground School for Private Pilots, have attended advanced manufacture's training, and have logged a minimum of 25 hours of total time as an sUAS pilot and at least ten hours as an sUAS pilot with a similar sUAS type (fixed wing or rotary).

Prior documented flight experience that was obtained in compliance with applicable regulations may satisfy this requirement. Training, proficiency, and experience building flights are requested to be conducted under this grant of exception to accomplish the required flight cycles and flight time. During training, proficiency, and experience building flights, all persons not essential for flight operations will be considered non-participants and the PIC will operate the sUAS with appropriate distance from non-participants in accordance with 14 CFR Section 91.119.

Prior to operations conducted for the purpose of aerial imagery and videography (or similar operations), the PIC must have accumulated and logged in a manner consistent with 14 CFR

OFFICES

DEER PARK, TX	Port Arthur, TX	Port Arthur, TX	La Marque, TX	WILLISTON, ND
(OPERATIONS & TRAINING)	(OPERATIONS)	(Training)	(OPERATIONS)	(OPERATIONS)
281-930-1200	409-983-5646	409-984-9836	409-935-0308	701-577-1200

Section 61.51(b), a minimum of five hours as an sUAS PIC operating the make and model of the sUAS to be utilized for operations under this request exemption, and three take-offs and landings in the preceding 90 days. Training, proficiency, experience building, and take-off and landing currency flights are requested to be conducted under this grant of exemption to accomplish the required flight time and 90 day currency. During training, proficiency, experience building, and take-off and landing currency flights, all personnel not essential for flight operations are considered non-participants, and the PIC must operate the sUAS with appropriate distance from the non-participants in accordance with 14 CFR Section 91.119.

All operations must utilize a VO. The VO may be used to satisfy the Visual Line of Sight (VLOS) requirements as along as the PIC always maintains VLOS capability. The VO and PIC must be able to communicate verbally at all times. This condition and limitation is consistent with all FAA approved exemptions.

Section 4: Operation of sUAS

The sUAS shall remain clear and yield the right of way to all other manned aviation operations and activities at all times.

The sUAS shall be operated at an altitude of no more than 400 feet above ground level (AGL). All altitudes reported to ATC will be in feet.

The multi-rotor sUAS shall not be flown at a ground speed exceeding 30 mph.

sUAS operations will be conducted under visual meteorological conditions (VMC). The sUAS will not be operated less than 500 feet below or less than 2000 feet horizontally from a cloud or when visibility is less than 3 statute miles from the PIC.

If the sUAS loses communications or loses its GPS signal, it must return to a predetermined location within the planned operating area and land or be recovered in accordance with Garner Environmental Services Health and Safety Plan.

The sUAS PIC must abort the flight in the event of unpredicted obstacles or emergencies in accordance with operating documents.

The sUAS PIC is prohibited from beginning a flight unless (considering wind and forecast weather conditions) there is enough power to fly at normal cruising speed t the intended landing point and land the sUAS with 25% battery power remaining.

The sUAS operated in accordance with this proposed exemption shall be identified by serial numbers, registered in accordance with 14 CFR part 47, and have identification (N-Number) markings in accordance with 14 CFR part 45, Subpart C. Markings will be as large as practical.

The sUAS documents required under 14 CFR 91.9 and 91.203 shall be available to the PIC at the Ground Control Station of the sUAS anytime the aircraft is operating. Those documents shall be available to the Administrator or any law enforcement official upon request.

Any sUAS incidents, accidents or flight operations that transgress the lateral or vertical boundaries of the operational area as defined by the applicable COA shall be reported to the FAA's UAS Integration Office (AFS-80) within 24 hours. Accidents shall be reported to the National Transportation Safety Board (NTSB) per instructions on the NTSB web site: www.ntsb.gov.

Unless otherwise specified in this petition, the sUAS PIC and the sUAS operations shall comply with all applicable parts of 14 CFR including, but not limited to, parts 45, 47, 61 and 91.

The sUAS shall not be operated over congested or densely populated areas. These areas include, but are not limited to, the yellow areas depicted on World Aeronautical Charts (WAC), Sectional Aeronautical Charts (Sectionals), or Terminal Area Charts (TAC). Each work site will also be evaluated based on local conditions.

Operations of sUAS may be conducted at distances less than 500 feet from participating persons, vessels, vehicles, or structures that perform an essential function in connection with these special purpose operations. Operations closer than 500 feet from the PIC, VO, operator trainees and essential persons are permitted when operationally necessary; but never so close to present an undue hazard. This is consistent with Exemption No. 11138.

Operations of sUAS may be conducted at distances less than 500 feet from unoccupied vessels, vehicles or structures owned by the land owner/controller when the land owner/controller grants such permission, and the PIC makes a safety assessment of the risk from the operations and determines that it does not present an undue hazard to persons or property. This is consistent with Exemption No. 11138.

Flight operations will be conducted at least 500 feet from all non-participating persons unless barriers or structures are present that sufficiently protect non-participating persons from the sUAS and/or debris in the event of an accident. Garner Environmental Services, Inc. shall ensure that non-participating persons remain under such protection. If a situation arises where non-participating persons leave such protection and are within 500 feet of the sUAS, flight operations will cease immediately. This is consistent with Exemption No. 11138.

All operations of sUAS shall be conducted with the permission from the land owner/controller or authorized representative. Permission from the land owner/controller or authorized representative will be obtained for each flight to be conducted.

The sUAS will not operate within 5 nautical miles of an airport reference point as denoted on a current FAA-published aeronautical chart unless a letter of agreement with that airport's management is obtained, and the operation is conducted in accordance with a NOTAM as required by the operator's COA. The letter of agreement with the airport management will be made available to the Administrator upon request. This is consistent with Exemption No. 11159.

The sUAS must be operated within VLOS of the PIC and VO at all times. This requires the PIC to be able to use human vision to see the sUAS unaided by any device other than corrective lenses, as specified on the PIC's FAA issued medical certificate.

All sUAS operations must utilize a VO. The VO may be used to satisfy the VLOS requirement as long as the PIC always maintains VLOS capability. The VO and PIC must be able to communicate verbally at all times. The PIC and the VO must be designated before the flight and cannot transfer his or her designation for the duration of the flight. The PIC must ensure that the VO can perform the functions prescribed in Garner Environmental Services, Inc. Health and Safety Plan.

The sUAS will not be operated by the PIC from any moving device or vehicle. Operations will not be conducted at night as defined in 14 CFR 1.1.

Garner Environmental Services, Inc. will conduct preflight safety risk assessments to determine that the sUAS is in a condition for safe flight (14 CFR Section 91.7(B)) and that the planned operations can be completed safely. Specific procedures are addressed in Garner Environmental Services, Inc. Health and Safety Plan and the sUAS Operators Manual.

Should operations require a notification to the Flight Standards District Office, such as pipeline or power line patrol, Garner Environmental Services, Inc. will notify the appropriate office via letter of intent at least 72 hours prior to the operation.

Garner Environmental Services, Inc. shall obtain an Air Traffic Organization issued Certificate of Waiver or Authorization (COA) prior to conducting any operations under this requested grant of exemption. Additionally, Garner Environmental Services, Inc. will request a Notice to Airmen (NOTAM) not more than 72 hours, but not less than 48 hours prior to the operation.

Section 5: Requested Exemptions from Regulations

Considered Regulation	Title	Recommended Action
14 CFR Part 21.185	Airworthiness Certificate	Garner Environmental Services, Inc. recommends that in consideration of the size, weight, speed and limited operating area associated with these aircraft and their operation, the Secretary of Transportation determines that these aircraft meet the conditions of Section 333. Relief is not necessary.
14 CFR Part 45.23 (b)	Display of marks	Garner Environmental Services, Inc. sUAS shall be identified by serial number, registered in accordance with 14 CFR part 47, and have identification (N-Number) markings in accordance with 14 CFR part 45, Subpart C.

		Markings will be as large as practical. Relief is not necessary.
14 CFR Part 61.113(a)	Private pilot privileges and limitations	The FAA has found in previous grants of exemption that a PIC with a private pilot certificate operating a sUAS would not adversely affect operations in the NAS or present a hazard to persons or property on the ground. Request relief with limitations and conditions specified in this petition.
14 CFR Part 61.133(b)	Commercial pilot privileges and limitations	The FAA has found in previous grants of exemption that a PIC with a private pilot certificate operating a sUAS would not adversely affect operations in the NAS or present a hazard to persons or property on the ground. Request relief with limitations and conditions specified in this petition.
14 CFR Part 91.7(a)	Civil Aircraft Airworthiness	Garner Environmental Services, Inc. recommends that in consideration of the size, weight, speed and limited operating area associated with this aircraft and its operation, the Secretary of Transportation determines that these aircraft meet the conditions of Section 333. Relief is not necessary.
14 CFR Part 91.9(b)(2) &(c)	Civil Aircraft Flight Manual, Marking, and Placard Requirements	The FAA has previously determined that relief from these sections is not necessary. Relevant materials may be kept in a location accessible to the PIC in compliance with the regulations. Relief is not necessary.

14 CFR Part 91.103	Preflight Action	Garner Environmental Services, Inc. will perform. Relief is not necessary.
14 CFR Part 91.109(a)	Flight Instruction	Garner Environmental Services, Inc. will conduct all flight training through procedures specified in Training Instruction during dedicated training sessions. Based on previous decisions made by the FAA for sUAS petitions regarding this regulation, relief is not necessary.
14 CFR Part 91.119(c)	Minimum Safe Altitude	Aircraft will be operated below 400 AGL, but not over congested areas. Request relief with limitations and conditions specified in this petition.
14 CFR Part 121	Altimeter Settings	The proposed aircraft have a barometric altimeter and GPS derived altitude capabilities. Garner Environmental Services, Inc. recommends that the altimeter be set to zero feet AGL rather than local barometric pressure or field altitude before flight. Considering the limited altitude of the proposed operations, request relief with limitations and conditions specified in this petition.
14 CFR Part 91.151(a)	Fuel Requirements in VFR	Prior relief has been granted for manned and unmanned aircraft to operate at less than prescribed minimums. Request relief with limitations and conditions specified in this petition.
14 CFR Part 91.203(a) and (b)	Certifications Required	Original intent of these regulations was to display an aircraft's airworthiness,

Deer Park, TX	Port Arthur, TX	Port Arthur, TX	La Marque, TX	Williston, ND
(Operations & Training)	(Operations)	(Training)	(OPERATIONS)	(OPERATIONS)
281-930-1200	409-983-5646	409-984-9836	409-935-0308	701-577-1200

		certification and registration documents so they would be easily available to inspectors and passengers. Based on the FAA Memorandum subject, "Interpretation regarding whether certain required documents may be kept at an unmanned aircraft's control station," dated August 8, 2014, relief is not necessary.
14 CFR Part 91.405(a)	Maintenance Required	Request relief with limitations and conditions specified in this petition.
14 CFR Part 91.407(a)(1)	Operation After Maintenance	Request relief with limitations and conditions specified in this petition.
14 CFR Part 91.409(a)(1) and (2)	Inspections	Request relief with limitations and conditions specified in this petition.
14 CFR Part 91.417(a) and (b)	Maintenance Records	Request relief with limitations and conditions specified in this petition.

Public Interest

Garner Environmental Services, Inc. operations of sUAS to perform aerial imagery and videography will reduce risk to life and property by decreasing the requirements of personnel to operate manned aircraft to perform these tasks. Garner Environmental Services, Inc. will use battery-powered sUAS that serve as safe and efficient alternatives to the manned aircraft commonly utilized to conduct aerial imagery and videography. Also, the flight data, inspection results, recorded observations and lessons learned from these operations will be compiled to further enhance its current safety program.

The applicant proposes that the exemptions requested herein apply to civil aircraft that have the characteristics and that operate with the limitations listed herein. The limitations provide for at least an equivalent or even higher level of safety to operations under the current regulatory structure because the proposed operations represent a safety enhancement to aerial imagery and videography conducted by manned aircraft.

A Summary That Can Be Published In The <i>Federal Register</i> , Stating: The Rules From Which Garner Environmental Services, Inc. Seeks Exemption:
Garner Environmental Services, Inc. seeks exemption from the requirements of 14 C.F.R. §§ 61.113(a), 61.133(b), 121, 91.119(c), 91.151(a), 91.405(a), 91.407(a)(1), 91.409(a)(1) and (2), and 91.417(a).
CONCLUSION

OFFICES

Port Arthur, TX

(Training)

409-984-9836

La Marque, TX

(OPERATIONS)

409-935-0308

Port Arthur, TX

(OPERATIONS)

409-983-5646

DEER PARK, TX

(OPERATIONS & TRAINING)

281-930-1200

Williston, ND

(OPERATIONS)

701-577-1200

As set forth above, Garner Environmental Services, Inc. seeks an exemption pursuant to 14 C.F.R. § 11.61 and Section 333 of the FAA Modernization and Reform Act of 2012, which will permit safe operation of the above-named sUAS commercially for the purpose of conducting aerial imagery and videography over other than congested areas. By granting this Petition, the FAA will allow Garner Environmental Services, Inc. to safely, effectively, and efficiently operate sUAS commercially.

Submitted on _	
Respectfully s	ubmitted,

Thomas Dickey sUAS Manager Garner Environmental Services, Inc. 1717 West 13th Street Deer Park, Texas 77536 (281)930-1200