

U.S. DEPARTMENT OF TRANSPORTATION
FEDERAL AVIATION ADMINISTRATION

CERTIFICATE OF WAIVER

ISSUED TO

Tripod Productions, LLC
Responsible Person: Evan Griffith
Waiver Number: 107W-2025-04483

ADDRESS –

**2304 Bonaventure Rd
Savannah, GA 31404**

This certificate is issued for the operations specifically described hereinafter. No person shall conduct any operation pursuant to the authority of this certificate except in accordance with the provisions contained in this certificate.

OPERATIONS AUTHORIZED

Small unmanned aircraft system (sUAS) operations over human beings.

LIST OF WAIVED REGULATIONS BY SECTION AND TITLE

14 CFR § 107.39—Operation over human beings

STANDARD PROVISIONS

1. A copy of the application made for this certificate shall be attached to and become a part hereof.
2. This certificate shall be presented for inspection upon the request of any authorized representative of the Administrator of the Federal Aviation Administration, or of any State or municipal official charged with the duty of enforcing local laws or regulations.
3. The holder of this certificate shall be responsible for the strict observance of the terms and provisions contained herein.
4. This certificate is nontransferable.

NOTE—This certificate constitutes a waiver of those Federal rules or regulations specifically referred to above. It does not constitute a waiver of any State law or local ordinance.

SPECIAL PROVISIONS

Special Provisions Nos. 1 to 19, inclusive, are set forth on the attached pages.

This Certificate of Waiver is effective from February 03, 2026, to February 28, 2030, and is subject to cancellation at any time upon notice by the Administrator or an authorized representative.

BY DIRECTION OF THE ADMINISTRATOR

Emerging Technologies Division, AFS-700

SPECIAL PROVISIONS ISSUED TO
Tripod Productions, LLC

General.

The FAA's Flight Standards Service has reviewed your application to ensure compliance with the requirements of 14 CFR § 107.200 and § 107.205. Pursuant to these authorities, the Administrator finds that the proposed small unmanned aircraft (sUA) operation can be conducted safely under the provisions of this Certificate of Waiver (Waiver) as listed below because you have established adequate mitigations for risks involved with operating your sUA in the manner you described. Adherence to the provisions of this Waiver establishes the required level of safety within the national airspace system.

The Administrator may cancel this Waiver at any time. As a general rule, this Waiver may be canceled when it is no longer required, there is an abuse of its provisions, or when unforeseen safety factors develop. Failure to comply with any provision listed below is a violation of the terms of this Waiver and will serve as justification for cancellation.

List of Regulations Waived by Section and Title. The following regulations are waived:

14 CFR § 107.39, Operations over human beings, is waived to allow sUA operations over human beings who are not direct participants, necessary for the safe operation of the small unmanned aircraft.

No part of this waiver will function as an airspace authorization under 14 CFR § 107.41. The FAA's Air Traffic Organization responds directly to requests for such authorizations. The LAANC system may not be used for Airspace Authorizations for Waivered Operations.

Common Special Provisions. The Responsible Person is directly responsible for safety of operations conducted under this Waiver and will ensure the Remote Pilot in Command (remote PIC), manipulator of the controls, and visual observer(s) (VO)¹ comply with all provisions of this Waiver.

1. The Responsible Person listed on the Waiver is responsible to the FAA for the safe conduct of the operations. Prior to conducting operations that are the subject of this Waiver, the Responsible Person:
 - a. Must ensure the remote PIC, manipulators of the controls, and VO(s) are informed of the terms and provisions of this Waiver and strictly observe the terms and provisions herein;
 - b. Must ensure the remote PIC, manipulators of the controls, and VO(s) are informed and familiar with part 107 regulations; and
 - c. Evidence of the above (a and b) must be documented and must be presented for inspection upon request from the Administrator or an authorized representative;
2. This Waiver may not be combined with any other waiver(s), authorizations(s), or exemption(s) without specific authorization from the FAA;
3. The FAA has the authority to cancel or delay any or all flight operations if the safety of persons or property on the ground or in the air are in jeopardy or there is a violation of the terms of this Waiver;

¹ Title 14 CFR § 107.3 defines the term "visual observer." Any VO participating in operations conducted under this Waiver must meet the requirements listed in § 107.33 throughout the duration of flight operations.

4. A copy of this Waiver must be accessible and available to the remote PIC at the ground control station during sUA operations that are the subject of this Waiver;
5. The Responsible Person listed on this Waiver must maintain a current list of pilots by name and remote pilot certificate number used in operations under this Waiver. This list must be presented for inspection upon request from the Administrator or an authorized representative;
6. The Responsible Person listed on this Waiver must maintain a current list of sUA by registration number(s) used in operations under this Waiver. This list must be presented for inspection upon request from the Administrator or an authorized representative;
7. For the purposes of this Waiver, direct participants are the remote PICs, persons manipulating the controls, VOs, and any persons whose involvement is necessary for safety of the sUA operation. All other persons are considered non-participants;
8. If a discrepancy exists between the provisions in this Waiver and the waiver application, the Waiver takes precedence and must be followed;

Operations Over Human Beings and/or Moving Vehicles Special Provisions sUAS operations may be conducted over human beings and/or moving vehicles provided:

SPECIAL PROVISIONS APPLICABLE TO sUA UP TO AND INCLUDING 0.88 POUNDS

9. The maximum takeoff weight of the sUA and all attachments such as shielding for rotating components (i.e. prop guards), remote ID module, camera, anti-collision lights, and/or payload **must not exceed 0.88 pounds**;

SPECIAL PROVISIONS APPLICABLE TO sUA GREATER THAN 0.88 POUNDS

10. The maximum takeoff weight of the sUA and all attachments such as shielding for rotating components (i.e. prop guards), remote ID module, camera, anti-collision lights, parachute recovery system, and/or payload **must not exceed 3.5 pounds (3 pounds, eight ounces)**;
11. The sUA must be equipped and operated with a Parachute Recovery System (PRS) conforming to the ASTM F3322-18 (or newer) standard.
 - a. The PRS must be maintained per the manufacturers recommended procedures, and safety checked prior to flight;
 - b. The operation over human beings and moving vehicles occupied by people must immediately terminate if the PRS experiences an inflight failure or fails a safety check per the operator's manual;
 - c. The sUA must be operated at or above the minimum altitude specified in the PRS operator's manual when the sUA is over human beings and moving vehicles occupied by people; and
 - d. The RPIC must have the most recent version of the PRS operator's manual for the PRS being used in their possession, and readily accessible, during the operation. A digital copy of this manual is acceptable for this purpose;

SPECIAL PROVISIONS APPLICABLE TO ALL sUAS

12. The sUAS must be equipped and operated with a mechanism to shield or prevent rotating parts from causing lacerations to human skin (e.g., prop guards);

13. Anti-Collision Lighting: The sUA must be equipped with anti-collision lighting compliant with §107.29 to appropriately increase the conspicuity of the sUA. The anti-collision lighting system must be operational at all times;
14. Operations Over Non-Participants:
 - a. Operations over open air assemblies of persons is prohibited;
 - b. Operations over non-participants or moving vehicles must be transitory in nature. Sustained operations over non-participants or moving vehicles is prohibited. For the purposes of this waiver, sustain is defined as loitering, hovering, and continuous or sequential overflight of non-participating persons or moving vehicles;
 - c. The flight paths and routes must be designed to avoid overflight of human beings and traffic areas;
 - d. The max takeoff weight of the Unmanned Aircraft must not exceed 2.7 lbs
 - e. The sUA parachute system must be operational and comply with ASTM 3322-18 as revised;
 - f. Within the previous 7 calendar days prior to operations, the responsible person and remote PIC must have verified the parachute system has no known safety defects that would alter the efficacy or safety of the parachute system; and
 - g. The sUA may not be operated lower than 134 feet AGL;
15. Prior to takeoff, the sUAS must be programmed to execute a pre-programmed RTH command if the signal is lost or disrupted for more than 5 seconds. The RPIC must program the RTH altitude that avoids any obstructions along the RTH route, limited to no higher than 400 feet AGL;
16. Operations Over Non-Participants:
 - a. Operations over open air assemblies of persons is prohibited;
 - b. Operations over non-participants or moving vehicles must be transitory in nature. Sustained operations over non-participants or moving vehicles is prohibited. For the purposes of this waiver, sustain is defined as loitering, hovering, and continuous or sequential overflight of non-participating persons or moving vehicles;
 - c. The flight paths and routes must be designed to avoid overflight of human beings and traffic areas;
 - d. The max takeoff weight of the Unmanned Aircraft must not exceed 2.7 lbs
 - e. The sUA parachute system must be operational and comply with ASTM 3322-18 as revised;
 - f. Within the previous 7 calendar days prior to operations, the responsible person and remote PIC must have verified the parachute system has no known safety defects that would alter the efficacy or safety of the parachute system; and
 - g. The sUA may not be operated lower than 134 feet AGL;
17. Prior to each flight a checklist must be used to aid in identifying potential ground and air hazards along the route of flight and in the immediate vicinity, completed by the RPIC, and briefed to the VO(s) and the person flying the sUA. The checklist must cover the following items at a minimum:
 - a. Identify areas or routes of low-level helicopter and airplane operations such as helipads, grass airstrips, airports, military operations areas below 500 feet above ground level (AGL), tour operator flights, and farmland suitable for agricultural aircraft operations, within one statute mile of the intended operating area or route;
 - b. Identify location of expected pedestrian and vehicular traffic in the immediate vicinity of the operating area or route of flight; and
 - c. Identify the highest obstacle or obstruction in the operating area that may be encountered between the takeoff/home location and anywhere along the planned route of flight should be pre-programmed return-to-home (RTH) flight be initiated;

18. At least one VO is required for each operation over people and moving vehicles. The VO(s) must understand the general concept of the operation and their specific duties.
 - a. The VO(s) must be positioned where they can immediately alert the RPIC of collision hazards. If the VO(s) is(are) not collocated with the Remote Pilot in Command, the VO(s) must have direct voice communication with the RPIC at all times during the flight.
 - b. If voice communication is lost between the VO(s) and the RPIC, the operation must cease until the communication issue is resolved;
19. Operations Area: Operations conducted under this Waiver are limited to the locations meeting the site selection performance procedures as stated in the Waiver application.