

U.S. DEPARTMENT OF TRANSPORTATION  
FEDERAL AVIATION ADMINISTRATION

# CERTIFICATE OF WAIVER AND AUTHORIZATION

ISSUED TO

**Devon Energy**  
**Responsible Person: Jared Markes**  
**Waiver Number: 107W-2026-01572**

ADDRESS –

**333 W Sheridan Ave**  
**Oklahoma City, OK 73102**

This certificate is issued for the operations specifically described hereinafter. No person shall conduct any operation pursuant to the authority of this certificate except in accordance with the provisions contained in this certificate.

OPERATIONS AUTHORIZED

Operation from a moving land borne vehicle over other than sparsely populated areas. Operation not for transportation of property for compensation or hire; operations under this Waiver are to be conducted in Class G airspace only unless specific airspace, Small unmanned aircraft system (sUAS) operations beyond the visual line of sight of the remote pilot in command (PIC), Small unmanned aircraft system (sUAS) operations in which a participating Visual Observer (VO) is not able to see the unmanned aircraft, Acting as a remote pilot in command (PIC) or visual observer (VO) in the operation of more than one small unmanned aircraft (sUA) at the same time and §107.41 Operations in Certain Airspace (May conduct operations under this Waiver at or below UAS Facility Maps (UASFM) for any airspace below published UASFM altitudes)

LIST OF WAIVED REGULATIONS BY SECTION AND TITLE

**14 CFR §§ 107.25 - Operation from a moving vehicle or aircraft, 107.31 - Visual line of sight aircraft operation, 107.33(b) & (c)(2) - Visual observer, and 107.35 - Operation of multiple small unmanned aircraft systems**

## STANDARD PROVISIONS

1. A copy of the application made for this certificate shall be attached to and become a part hereof.
2. This certificate shall be presented for inspection upon the request of any authorized representative of the Administrator of the Federal Aviation Administration, or of any State or municipal official charged with the duty of enforcing local laws or regulations.
3. The holder of this certificate shall be responsible for the strict observance of the terms and provisions contained herein.
4. This certificate is nontransferable.

NOTE—This certificate constitutes a waiver of those Federal rules or regulations specifically referred to above. It does not constitute a waiver of any State law or local ordinance.

## SPECIAL PROVISIONS

Special Provisions Nos. 1 to 31, inclusive, are set forth on the attached pages.

This Certificate of Waiver is effective from July 16, 2026, to November 30, 2028, and is subject to cancellation at any time upon notice by the Administrator or an authorized representative.

**BY DIRECTION OF THE ADMINISTRATOR**

**Emerging Technologies Division, AFS-700**

## SPECIAL PROVISIONS ISSUED TO

### Devon Energy

#### General.

This Certificate of Waiver is an amendment which supersedes and replaces Waiver's 107W-2024-03415 and 107W-2025-00375 issued to Devon Energy for operations under 14 CFR 107. **Waiver's 107W-2024-03415 and 107W-2025-00375 are no longer valid.**

The FAA's Flight Standards Service has reviewed your application to ensure compliance with the requirements of 14 CFR § 107.200 and § 107.205. Pursuant to these authorities, the Administrator finds that the proposed small unmanned aircraft (sUA) operation can be conducted safely under the provisions of this Certificate of Waiver (Waiver) as listed below because you have established adequate mitigations for risks involved with operating your sUA in the manner you described. Adherence to the provisions of this Waiver establishes the required level of safety within the national airspace system.

The Administrator may cancel this Waiver at any time. As a general rule, this Waiver may be canceled when it is no longer required, there is an abuse of its provisions, or when unforeseen safety factors develop. Failure to comply with any provision listed below is a violation of the terms of this Waiver and will serve as justification for cancellation.

List of Regulations Waived by Section and Title. The following regulations are waived:

- 14 CFR § 107.25, Operation from a moving vehicle or aircraft, is waived to allow [sUA operations from a moving vehicle or aircraft not meeting the requirements of § 107.25]
- 14 CFR § 107.31, Visual line of sight aircraft operation, is waived to allow operation of the small unmanned aircraft (sUA) beyond the direct visual line of sight of the remote pilot in command (PIC)
- 14 CFR § 107.33(b) & (c)(2), Visual observer, is waived to the extent necessary to allow operation of the small unmanned aircraft (sUA) when any Visual Observer (VO) who is participating in the operation may not be able see the unmanned aircraft in the ma
- 14 CFR § 107.35, Operation of multiple small unmanned aircraft systems, is waived to allow a person to act as the remote Pilot in Command (PIC) or visual observer (VO) to operate multiple small UAS simultaneously

**Common Special Provisions.** The Responsible Person is directly responsible for safety of operations conducted under this Waiver and will ensure the Remote Pilot in Command (remote PIC), manipulator of the controls, and visual observer(s) (VO)<sup>1</sup> comply with all provisions of this Waiver.

1. The Responsible Person listed on the Waiver is responsible to the FAA for the safe conduct of the operations. Prior to conducting operations that are the subject of this Waiver, the Responsible Person:
  - a. Must ensure the remote PIC, manipulators of the controls, and VO(s) are informed of the terms and provisions of this Waiver and strictly observe the terms and provisions herein;
  - b. Must ensure the remote PIC, manipulators of the controls, and VO(s) are informed and familiar with part 107 regulations; and
  - c. Evidence of the above (a and b) must be documented and must be presented for inspection upon request from the Administrator or an authorized representative;
2. This Waiver may not be combined with any other waiver(s), authorization(s), or exemption(s) without specific authorization from the FAA;

3. The FAA has the authority to cancel or delay any or all flight operations if the safety of persons or property on the ground or in the air are in jeopardy or there is a violation of the terms of this Waiver;
4. A copy of this Waiver must be accessible and available to the remote PIC at the ground control station during sUA operations that are the subject of this Waiver;
5. The Responsible Person listed on this Waiver must maintain a current list of pilots by name and remote pilot certificate number used in operations under this Waiver. This list must be presented for inspection upon request from the Administrator or an authorized representative;
6. The Responsible Person listed on this Waiver must maintain a current list of sUA by registration number(s) used in operations under this Waiver. This list must be presented for inspection upon request from the Administrator or an authorized representative;
7. For the purposes of this Waiver, direct participants are the remote PICs, persons manipulating the controls, VO(s), and any persons whose involvement is necessary for safety of the sUA operation. All other persons are considered non-participants;
8. If a discrepancy exists between the provisions in this Waiver and the waiver application, the Waiver takes precedence and must be followed;

### **Waiver Specific Special Provisions**

9. Remote ID: The sUA must be a standard remote identification unmanned aircraft listed on the FAA-accepted declaration of compliance list (found here: <https://uasdoc.faa.gov/>), unless otherwise authorized by the Administrator in writing;
10. The remote PIC (RPIC) must be located within the continental United States;
11. Non-Shielded Operations: w/VO(s) **(when used)**
  - a. The sUA must not exceed 400 feet AGL;
  - b. The sUA must not exceed 2sm downrange from the remote PIC and GCS;
  - c. Must use sufficient VO(s), defined as the minimum number of VO(s) required to continuously observe at least a 2 statute mile radius of airspace surrounding the sUA in flight, are;
    - i. Used to identify any non-participating aircraft prior to their entry into the planned operational area;
    - ii. Physically located such that the remote PIC receives sufficient notice to ensure the UA remains well clear of all other aircraft;
    - iii. Physically located to notify the remote PIC of any moving vehicle or human presence that may pose a hazard to the operation;
  - d. Communication between the remote PIC and VO must occur to facilitate, when necessary, for the remote PIC taking action to maneuver the sUA with sufficient time to;
    - i. Give way to all other aircraft in accordance with § 107.37;
    - ii. React to any unforeseen operational or mechanical failure without creating a hazard to other people, other aircraft, or property in the event of a loss of control of the sUA; and
    - iii. Maintain compliance with this Waiver and un-waived provisions of part 107;
  - e. If communication between the VO and the remote PIC will occur by electronic device;
    - i. The device must be continuous full-duplex;
    - ii. The remote PIC must be able to use the device hands-free; and
    - iii. There must be a reliable back-up communication method;
  - f. All VO(s) must receive documented training for their duties and responsibilities to include;

- i. Scanning of the Operational Volume for Air and Ground based intruders;
- ii. Communications procedures and phraseology; and
- iii. Overall operations conducted under this Waiver;

**12. sUA Operations from a Moving Vehicle (no multiple aircraft operations authorized);**

- a. sUAS operations may be conducted from a land or water-borne vehicle;
- b. The remote PIC and VO must have an unobstructed field of view from the moving vehicle;
- c. The remote PIC, VO, and vehicle operator have general knowledge of the topography and environment for the planned flight route and have briefed the intended flight to address matters such as vehicle route, speeds, obstacles and weather;
- d. Vehicle movement does not interfere with the duties and responsibilities of the remote PIC and/or VO;
- e. The remote PIC, the VO(s), and the person operating the moving vehicle must be designated in advance of the commencement of the operation, and may serve only in a single role throughout the operation. For example, the person who operates the moving vehicle may not simultaneously act as the VO; and
- f. Any electronic communication conducted by the driver or remote PIC during waived operations must be by use of a hands-free device
- g. The Responsible Person must ensure that the loss of data link procedures account for the dynamic location of the remote PIC. These procedures must include a safe flight termination method or a safe lost link flight path around all obstacles, adverse weather conditions, non-participating aircraft, and persons on the ground, which are encountered during the operation;

**13. Standard Shielding: The sUA must not exceed:**

- a. 50 feet above ground level (AGL); or
- b. 50 feet above the height of any object, obstacle (natural or man-made), within a 50 foot radius of the sUA and not to exceed 400 feet AGL; except
- c. Stated UAS Facility Map Grid Heights take precedent over provisos and unless otherwise authorized; and
- d. Must remain within the confines of the defined operational area detailed in the Waiver application; and
- e. Flight operations will be limited to a distance of 2 SM from takeoff location ;

**14. Critical Infrastructure Shielding - for structures as defined in subsection (e) of the Critical Infrastructures Protection Act of 2001 (42 U.S.C. 5195c(e)): The sUA must not exceed:**

- a. 200 feet above ground level (AGL); or
- b. 200 feet above the height of any object, obstacle (natural or man-made), within a 200 foot radius of the sUA; not to exceed 400 feet AGL; except
- c. Stated UAS Facility Map Grid Heights take precedent over provisos and unless otherwise authorized; and
- d. Must remain within the confines of the controlled access area as specified in the Waiver application
- e. Notwithstanding the requirement of paragraph (c) transition flights may be made between assets that may not provide shielding along the total route as long as the transition corridor is operated;
  - i. At 100 feet above ground level (AGL); and
  - ii. The area is sparsely populated with no operations over non company personnel or non company vehicles;

**15. Electrical Transmission Line Shielded Operational Parameters: The sUA must not exceed:**

- a. 200 feet above ground level (AGL); or

- b. 200 feet above the height of any object, obstacle (natural or man-made) within a 200 foot radius of the sUA perpendicular to the sUA's direction of flight (lateral separation);
- c. 200 feet above the height of any object, obstacle (natural or man-made) within a 500 foot radius of the sUA along the sUA's direction of flight (vertical separation); and
- d. Not to exceed 400 feet AGL;

16. Multiple UAS Operations:

- a. The remote PIC may conduct operations of up to **Four (4)** sUA of the make/model defined in the Waiver application, equipped with discrete flight control and transmission systems, able to operate without interference from the other sUA C2 systems;
- b. sUA operations are limited to a maximum altitude and maximum downrange distance **IAW SP 13, SP 14, and SP 15;**
- c. All sUA must be operated to a maximum 180° of the remote PIC's front facing field of view;
- d. All sUA must be operated on full autonomous, way-pointed flight plans with the operational volume confined by Geo-fencing. Manual flight is allowed as necessary to address abnormal situations;
- e. No operation within 3sm of an airport unless VO(s) are added to assist airspace clearance and monitor local CTAF frequencies; and
- f. All GCS Controllers in use must be conspicuously marked to their respective sUA for ready identification and positioned for easy access to the remote PIC as necessary

17. The remote PIC (RPIC) must ensure:

- a. Prior to conducting operations under this Waiver, the RPIC must perform a documented site survey to:
  - i. Identify flight operational area obstacles and boundaries so as to avoid collision with, or damage to property;
  - ii. Validate C2 signal strength is sufficient for control through the entire route;
  - iii. Validate suitable launch/recovery site(s); and
  - iv. Complete and document a Flight Risk Assessment;
- b. Routes are preplanned (using waypoints) prior to flight and aircraft are programmed to automatically follow the route. Manual flights are allowed as necessary;
- c. Geofencing is used to confine the Operational Volume. (defined as the property lines of the assets or perimeter boundaries of the controlled access area or right of way specified in the Waiver application + maximum allowed altitude);
- d. Return to Home/Return to Land feature must not allow the sUA to deviate from the defined operational volume;
- e. Launch or recovery areas are pre-designated and monitored to keep any human being who is not directly participating in the operation out of the areas prior to, during, and immediately following flight operations;
- f. Non-participant persons inside the operational area are notified of sUA operations; and
- g. Individuals directly participating in the operation of the sUAS must be easily identifiable visually (e.g., apparel, safety vests);

18. The Responsible Person must ensure:

- a. A copy of the Waiver application and Waiver is available to the remote PIC and all other direct participants prior to and during sUAS operations that are the subject of this Waiver;
- b. A copy of the current operations manual required by this Waiver is available to the remote PIC and all other direct participants prior to and during sUAS operations that are the subject of this Waiver;
- c. All operations conducted under this Waiver follow the procedures outlined in the current operations manual. If a discrepancy exists between the provisions in this Waiver and the

procedures outlined in the operations manual, the provisions of this Waiver take precedence and must be followed;

- d. A documented notification from the operator(s) of the sUA to any airport, heliport, known agricultural aerial application operation or aerial military installation within a 3 mile radius of the operating area; and
- e. Each remote PIC who will conduct operations under this Waiver is trained in a manner that addresses the items listed in § 107.49(a) and in a manner that is consistent with how the sUAS will be operated under this Waiver. All training and demonstration for all remote PICs and VO(s) must be documented and made available upon request by the Administrator or an authorized representative. Training operations may only be conducted under the standard requirements of part 107 (without waiver). The training must include:
  - i. sUA limitations;
  - ii. sUA programming;
  - iii. sUA operational procedures;
  - iv. Abnormal procedures;
  - v. Air traffic avoidance procedures;
  - vi. Crew Resource Management;
  - vii. sUA flight training; and
  - viii. Demonstration of sUA ground and flight skills;

19. Operations Manual: The Responsible Person must update or revise the operations manual (aka CONOPs) submitted with the Waiver application for changes in the operation. The Responsible Person must track such revisions and present revised documents to the Administrator or an authorized representative upon request. The Responsible Person must also present revised documents when applying for extension of or amendment to this Waiver. If any revision to the manual would be contrary to the information provided in the waiver application or obviate a condition or limitation of this waiver, then the Responsible Person must apply for an amendment to this Waiver;

20. Operations subject to this waiver must cease as soon as possible in a manner that does not jeopardize the safety of human beings, property or other aircraft, if, at any time:

- a. Safety of human beings or property on the ground or in the air is in jeopardy;
- b. Any failure to comply with the provisions of this Waiver exists;
- c. Full-duplex communications cannot be maintained between the remote PIC and any VO participating in the operation;

21. Lost Link Procedures: If the remote PIC loses command or control link with the sUA, the sUA must follow a predetermined route to immediately reestablish command and control link. If command and control link is not immediately reestablished and the remote PIC no longer has the ability to direct the sUAS to ensure compliance with applicable provisions of part 107, the sUA must follow the loss of command and control procedure as described in the waiver application;

22. Prior to commencing operations under this waiver, the Responsible Person must provide a copy of this waiver to the following local entities for their awareness:

- a. Law enforcement (LE) aviation units, agricultural aircraft operators, tour operators, helicopter emergency medical services (HEMS) operators, and other helicopter operators who routinely operate in the local area; and
- b. Military representative (MILREP). If operating near military facilities, use the applicable regional service center email address below:
  - i. CSC MILREPs: ASW-CSA-MILREPS@faa.gov
  - ii. ESC MILREPs: ESA-MILREPS@faa.gov
  - iii. WSC MILREPs: ANM-WSA-MILREPS@faa.gov;

23. Safety Briefing/Review: Prior to operations under this Waiver, all Direct Participants must attend a safety briefing that addresses, at minimum, the following items as applicable:
- Designated positions, physical locations, responsibilities, and Crew Resource Management;
  - Planned flight operating area;
  - Designated launch and recovery areas;
  - Verification of geo-fence boundaries;
  - Verification of return home and land flight profile, and course;
  - Procedures for avoidance of other aircraft and obstacles;
  - Procedures for operating under this waiver;
  - Land vehicle speed;
  - Intended flight path;
  - Abnormal procedures; and
  - Emergency procedures;
24. Ground Control Station (GCS), Weather, Control and Communications (C2) System:
- Telemetry: The sUAS ground control station must display in real-time the sUA altitude, position, direction of flight, ground speed, C2 signal strength, battery condition for each sUA as described in the Waiver application;
  - Alerting: The remote PIC must ensure the GCS is configured to audibly and/or visually alert the remote PIC of degraded system performance, geofence loss of containment, and loss of Control link with each sUA;
  - Emergency Profiles: The remote PIC must ensure the GCS is configured for automated emergency actions (e.g. RTL/RTH, altitude descend, position hold etc.) as described in the Waiver application;
  - Sensors: the remote PIC must ensure any installed collision/obstacle avoidance sensors are operational; and
  - Weather: A method to measure and verify wind speed must be on-site and used to verify the nominal and gust wind speeds are within the safe operating parameters of the UAS. A final weather check of the wind speeds and forecasted conditions must be made within 10 minutes of launch time;
25. Unmanned Aircraft System:
- Operations conducted under this Waiver may only occur with the make and model sUAS described in the waiver application. This includes the Docking Station specified in the CONOPS. Proposed operations of any other manufacturer, make or model of sUAS or Docking Station will require a new waiver application or a request to amend this Waiver; and
  - The sUA Docking Station must be equipped or provided with sufficient lighting to ensure the ability to determine the satisfactory condition of the sUA prior to flight for all operations and ensure the immediate takeoff and landing area is clear;
26. ADS-B out (1090/978 MHz) may not be transmitted from the sUAS when operating pursuant to this Waiver. An ADS-B in Receiver (other than a cell phone or third party internet services) must be operational and monitored during all operations pursuant to this Waiver;
27. Anti-Collision Lighting: The sUA must be equipped with anti-collision lighting compliant with §107.29 to appropriately increase the conspicuity of the sUA. The anti-collision lighting system must be operational at all times;
28. Ground Control Station, Control and Communications (C2) System:
- Telemetry: The sUAS ground control station must display in real-time the sUA altitude, position, direction of flight, ground speed, C2 signal strength, GPS or navigation system signal condition,

battery condition, and sUA distance from the control station as described in the Waiver application;

- b. Alerting: The remote PIC must ensure the GCS is configured to audibly and/or visually alert the remote PIC of degraded system performance, geofence loss of containment, loss of Control link with the sUA, and intrusion alerts as described in the Waiver application;
- c. Emergency Profiles: The remote PIC must ensure the GCS is configured for automated emergency actions (e.g. RTL/RTH, altitude descend, position hold etc.) as described in the Waiver application; and
- d. Sensors: the remote PIC must ensure any installed collision/obstacle avoidance sensors are operational;

29. UAS Maintenance: All sUAS operations conducted in accordance with this Waiver must comply with all manufacturer recommendations and limitations for the sUAS:

- a. The Responsible Person must maintain each sUAS and its components in accordance with manufacturer's instructions and recommendations. sUAS maintenance includes scheduled and unscheduled overhaul, repair, inspection, modification, replacement, and system software upgrades of the sUAS and its components necessary for flight;
- b. A log of all maintenance performed must be kept for each aircraft operated under this waiver. This log must be available to the remote PIC for review prior to conducting operations that are the subject of this waiver. Each sUAS maintenance log must be presented to the Administrator when requested. The log must contain the following information for each maintenance activity:
  - i. A description (or reference data acceptable to the Administrator) of work performed;
  - ii. The date of completion of the work performed;
  - iii. The name of the person who performed the work; and
  - iv. The signature of the person who performed the work;
- c. Any sUAS that has undergone maintenance must undergo a functional test flight prior to conducting operations under this Waiver. The functional test flight may only be conducted under the standard requirements of part 107 (without waiver). A log entry must be made for each functional test flight. The log entry must contain at minimum the:
  - i. Calendar date;
  - ii. sUA registration number;
  - iii. Remote PIC who performed the functional test flight;
  - iv. Duration of the flight; and
  - v. The result of the functional flight test;

30. All emitters used in sUAS must be compliant with all applicable FCC regulations provisions of the FCC authorization granted for the emitter. An FCC Experimental authorization may not be used for sUAS operations under this Waiver;

31. Operations Area: Operations conducted under this Waiver are limited to the location(s) as described in waiver application.