Q9-11 Configuration Change Request



WHEN

A Certificate Holder needs to propose a change to their Operations Specifications, Vitals, or Contractors

WHERE

SAS Menu Configuration Configuration Changes

WHY

To amend current operations

WHO

Certificate Holders

What is it?

Configuration Change Request (CCR)

A Certificate Holder defines the scope of Operations with the FAA by submitting a Configuration Change Request.

After the Configuration Change Request


The FAA will review a Configuration Change Request using the same approval process as the initial Configuration data approval.

SAS Men	Home				
≥ S	Preapplication Information/CSOP				
Š	Configuration A				
<	Configuration Changes Configuration Data Operating Profile (OP)				
	Data Collection Tools Document Management				



User Role	Configuration Change Request	
Certificate Holders	1. Select Configuration Changes from the SAS Menu.	

QUICK





User Role	Configuration Change Request
Certificate Holders	2. Select the <i>Add Request</i> button.
Certificate Holders	Note: Select the View Baseline button if active.

REAL AND REAL PROPERTY OF	Federal Av Administra						ance System (SAS) External Portal Control Number 2120 - 0774
			Configuration > 0	Configuration Changes		Welcome Sandra Hunter A1F4 -	- Air Operator 26506 ? Log out
	figuration Changes elect Configuration	35 (9 or Less Seats/Single Configuration Data Change Request Detail	Operating Profile			No	View Baseline
	hange Request Title	Ch	ange Request ID	Submit Date	▼ Status Date	▼ Status	T
Ν	lo records available.						*
	4 4 b b						0 - 0 of 0 items

QUICK



User Role	Configuration Change Request			
	3. Fill in the fields under the subtab Change Request Detail.			
	4. Attach document, if applicable, using the <i>Attach Document</i> button. Once the Change Request is saved, the FAA can view the document even before submission of the document.			
Certificate Holders 5. Select Save to save the change request.				
	CAUTION : Do not select the Submit button. If you select it before changing any information, a pop up message box will display a message stating "you do not have any change to the configuration data associated with this change request".			
Federal Aviation	Safety Assurance System (SAS)			
Administration	External Portal OMB Control Number 2120 - 0774			
	Configuration > Configuration Changes Welcome Sandra Hunter A1F4 - Air Operator 26506 ? Log out			
Peer Groups: (135 D) Part 135 (9 or Les	ss Seats/Single Pilot) Version: Baseline Status: Final Last Updated: N/A			
Configuration Changes Configu Select Configuration Change I	uration Data Operating Profile			
Select Configuration Change I	Request Detail Recommended Questions			
* required field Status:	New			
* Change Request Title:	Add Aircraft			
Change Request ID:	CR.A1F4.200608.1445			
* Change Request Description:	Adding a CE-172 to fleet			
* Certificate Point of Contact (PO	Ch: Sandra Hunter			
* Certificate POC Email:	SandraDHunter@trashymail.com			
Last Updated By:				
Update Date:				
Attach Document 4	5			
Edit Request Withdraw Red	quest Changes in OP\$\$ (0) Changes in Vitals (0) Save Submit			



User Role	Configuration Change Request (Operations Specifications Configuration Change)	
Certificate Holders	 6. Select the <i>Configuration Data</i> tab. 7. a) Select or deselect <i>OPSS Authorizing Documents</i>, if applicable. Grayed out check marks means the OPSS Authorizing Document is mandatory and cannot be unchecked. b) You can collapse the Parts by select the – sign or expand them again by select the + sign. 8. Select the <i>Save</i> button if you make any changes. <i>Reset</i> will clear any changes you made. 	


Federal Aviation	Safety Assurance System (SAS)	
Administration	External Portal	
MUSTRA	OMB Control Number 2120 - 0774	
Configuration > Configuration Data	Welcome Sandra Hunter A1F4 - Air Operator 26506 ? Log out	
Peer Groups: (135 D) Part 135 (9 6 Single Pilot) Version: Add Aircraft Status: Draft Last Updated: 06/08/2020 Configuration Changes Configuration Data Operating Profile OPSS Authorizing Documents Vitals Contractors		
Configuration Changes Configuration Data Operating Profile	View Baseline	
OPSS Authorizing Documents Vitals Contractors		
Standard Templates for Parts A, B, C, D, E, and H OPSS Authorizing Documents for Part 135 Air Operators		
Proposed / Part/Para Paragraph Name Approved		
+ Part A Operations Specifications—General	A	
+ I art B Operations Specifications—En Route Authorizations and Limitations		
+ F / D Specifications—Airplane Terminal Instrument Procedures and Airport Authorizations and Limitations		
+ Fart D Maintenance OpSpecs/MSpecs/LODAs		
- Fart E Maintenance OpSpecs/MSpecs/LODAs		
Aircraft Weighing		
+ Part H—Helicopter Terminal Instrument Procedures and Airport Authorizations and Limitations	8	
+ Changes to daggered configuration items may modify the DCTs/Questions for this certificate holder.	Reset Save	

Q9-11 Configuration Change Request



User RoleConfiguration Change Request (Operations Specifications Configuration Change)8. Select the Vitals subtab.9. Make any changes or additions.10. Select the Save button to retain your proposed changes or the Reset button to clear your entries.

Note: For ease of navigation in the Vitals sub-tab, the Table of Contents is available on the left side of the screen.





+ Changes to daggered configuration items may modify the DCTs/Questions for this certificate holder.



User Role	Configuration Change Request
	11. Select the Configuration Changes tab.
Certificate Holders	12. Select your Change Request Title which will take you to Change Request Detail sub-tab.

Federal Aviation Administration					
	Configuration > Configuration	n Changes			
Peer Groups: (135 D) Part 135	5 (9 or Less Seats/Single Pilot) Version: Add Aircraft Statu	s: Draft Last Upd			
1 Configuration Changes	Configuration Data Operating Profile				
Select Configuration	Change Request Detail Recommended Questions				
> Add Request					
Change Request Title	Change Request ID	Submit Date			
Add Aircraft 12	CR.A1F4.200608.1445	1			
ы ∢ 1 ► ы					
		(
		man /			

Q9-11 Configuration Change Request



	User Role (Configuration Change Request		
Certificate Holders13. To review the proposed changes in Operations Specifications, select the Changes in OPSS button page 9.14. To review the proposed changes in Vitals, select the Changes in Vitals button. Example on page 15. If the change request affects Data Collection Tools, they can be viewed by selecting the Recomm Questions sub-tab. Example on page 11.16. The Withdraw Request button removes the Configuration Change request.		anges in Vitals button. Example on page 10. can be viewed by selecting the <i>Recommended</i>		
Safety Assurance System				
	Administration		External Portal	
	WINIST RAS		OMB Control Number 2120 - 0774	
		Configuration > Configuration Changes	Welcome Sandra Hunter A1F4 - Air Operator 26506 <mark>? Log out</mark>	
SAS Menu	Peer Groups: (135 D) Part 135 (9 or Less Configuration Changes Configura	Seats/Single Pilot) Version: Add Aircraft Status: Draft Last Updated: 06/08/2020		
		quest Detail Recommended Questions 15		
>	* required field Status:	Draft		
	* Change Request Title:	Add Aircraft		
	Change Request ID:	CR.A1F4.200608.1445		
	* Change Request Description:	Adding a CE-172 to fleet		
	* Certificate Point of Contact (POC):	Sandra Hunter		
	* Certificate Point of Contact (POC): * Certificate POC Email:	Sandra Hunter		
	* Certificate POC Email:	SandraDHunter@trashymail.com		
	* Certificate POC Email: Last Updated By:	SandraDHunter@trashymail.com	13 14	

Rev Date: 6.1.2020 | FAA Order 8900.1 | SAS Automation v 3.1 | Page 8 of 13



User Role	Configuration Change Request (Changes in OPSS button)	
Certificate Holders	This is an example of when the <i>Changes in OPSS</i> button is selected after an Operations Specifications change is proposed in SAS.	
	17. Select OK when finished reviewing proposed changes.	

QUICK

Changes in OPSS		
Part/Paragraph	Current Value	Proposed Value
E096 Aircraft Weighing		Ø





×

User Role	Configuration Change Request (Changes in Vitals button)	
	This is an example of when the Changes in Vitals button is selected after a Vitals change is proposed in SAS.	
Certificate Holders	18. Select OK when finished reviewing proposed changes.	

Changes in Vitals

QUICK

Section/Field	Current Value	Proposed Value	
Personnel / Training / AW Agreement			
PIC Captains	1	2	
Certificated Mechanics	0	1	
Total Number of Employees	2	3	
✓ Aircraft			
 Record 1001: 			
Make/Model/Series		CE-172-172	
FAR		135	
Class 135		SEL	
Turbine 135			
VFR Only 135			
Day Only 135			
			18
			OK .



User Role	Configuration Change Request (Changes in Vitals button)	
Certificate Holders	This is an example of Recommended Questions.	
	19. You can select Specialty (AW or OP) or Assessment Type (DA or PA).	
	20. You can also sort by using the <i>filter</i> (in this example the filter is used to view the Modified Questions).	
	21. Select the Question View link to view the questions that will appear in the DCT.	
CAL AV	Sofaty Accurance System (SAS)	

	ral Aviation inistration		External Portal OMB Control Number 2120 - 0774
Configuration > Configuration Changes			hanges Welcome Sandra Hunter A1F4 - Air Operator 26506 ? Log
Groups: (135 D)	Part 135 (9 or Less Seats/Single	Pilot) Version: Add Aircraft Status: [Draft Last Updated: 06/08/2020
Select Configurat	tion Change Request Detail	Recommended Questions	21
Specialty: AW	✓ Assessment Type: PA	✓ 19	Summary View Question View
Change	▼ Label ▼	Title T	Description
Excluded	Search row that contains	anizational Management	Description: Organizational Management
Excluded) Safety Program	Label: 1.0
Excluded	Or	/AW) Accountable Executive	Purpose: The CH is responsible to manage the safety of the Organizational Management processes within its operation.
Excluded	Select All	/AW) Emergency Response	Objective: The FAA objective is to determine if the CH; (1) Met regulatory requirements, guidance, and safety performance objectives
Excluded	Excluded	/AW) SMS Recordkeeping	of its Organizational Management processes, and; (2) Managed safety of the Organizational Management processes by incorporating system safety principles which include safety attributes.
Included		nnical Operations	Scoping Rule: PEER GROUP = "135 C" OR "135 D" OR "145 F" OR "145 G" OR "145 H" OR "141 I" OR "147 K"
Included	Modified 20) Maintenance Certificate uirements	SRRs/Guidance: • 119.69
Included	Clear Filter) Maintenance/Inspection uirements	• 119.71 • 135.21
Included	4.2.2	(AW) Maintenance/Inspection Schedule	• 135.23
Included	4.2.3	(AW) AD Management	
Included	4.2.4	(AW) Recordkeeping	
Included	4.2.5	(AW) Maintenance Control Functions	
Included	4.3.1	(AW) Airworthiness Release/Maintenance Log Requirements	



REFERENCE CARD Configuration Change Request User Role Configuration Change Request 22. To submit the configuration change request, select the Change Request Detail subtab. 23. Select the Submit button. 24. A pop-up Message will appear. Select the Submit button.

QUICK

		Configuration > Configuration Changes	Welcome Sandra Hunter A1F4 - Air Operator 26506 ? Log out
Peer Gr	oups: (135 D) Part 135 (9 or Less S	Seats/Single Pilot) Version: Add Aircraft Status: Draft Last Updated: 06/08/2020	
Peer Gr Conf Se * re	iguration Changes Configurat		
Se Se	lect Configuration Change Rec	uest Detail	
> * re	quired field		
5	itatus:	Draft	
* C	hange Request Title:	Add Aircraft	
C	Change Request ID:	CR.A1F4.200608.1445	
* C	hange Request Description:	Adding a CE-172 to fleet	
* C	ertificate Point of Contact (POC):	Sandra Hunter	
* c	ertificate POC Email:	SandraDHunter@trashymail.com	
L	ast Updated By:	Hunter, Sandra	
ι ι	Ipdate Date:	6/8/2020 9:53:46 AM	
1	Attach Document Delete		23
	Edit Request Withdraw Reque	st	Changes in OPSS (1) Changes in Vitals (4) Save Submit
	Me	ssage	×
	This w	ill submit the Change Request	24
			Submit Cancel

Rev Date: 6.1.2020 | FAA Order 8900.1 | SAS Automation v 3.1 | Page 12 of 13



User Role	Configuration Change Request
Certificate Holders	25. When configuration change request has been successfully submitted to the FAA, a <i>Message</i> window will appear. Select the <i>OK</i> button.

QUICK

Message	×
Change Request Successfully Submitted	25 ОК