## Q3 2025 Small Airplane Issues List 09/30/2025

Applicable to Domestic Certification Projects. Refer to the applicable bilateral agreement to determine if these items apply to your International Validation Project.

| Product Type   | Issue ID#  | Category                                     | Subject   | Description   |  |
|----------------|--|--|---|---|--|
| Small Airplane | A-0101   | Airframe Loads and Flutter                   | Vinyl Covering Shrink Wraps on<br>Exterior of Part 23 Airplanes,<br>Gliders, and Airships   | Standardization Item: Applicants should be aware that the FAA has issued a memo stating there are safety issues with the installation of vinyl covering shrink wraps on the exterior of airplanes, gliders, and airships that are not present with other exteriors such as paint and deicing boots. These issues include hazards that are major to catastropic, so the installation by FAA Field Approval is not acceptable. Only Federal Aviation Administration (FAA) Type Certificate (TC), Amended Type Certificate (ATC), and Supplemental Type Certificate (STC) are acceptable for this installation. This memorandum is not applicable to vinyl decals or logos that are placed on limited areas of the fuselege or empenage. The following air as safety concerns with the installation of vinyl shrink wrap coverings that must be evaluated by the applicant for any TC/ ATC/STC application: 1. Without proper engineering evaluation and/or tests, vinyl shrink wrap cannot be placed on any control surface are onto surface as a without consideration of the effect on the futter characteristics (whether the surface) is mass balanced or not) and b. where that installation would change the existing clearance between adjacent surfaces with and without loadings. 2. Scoring the skin of aircraft when cutting the vinyl sheets to fit, which can start cracks, particularly in pressurized aircraft. 3. Blocking of the iventies, static ports, |  |
| Small Airplane | A-0201   | Structures                                   | Additive Manufacturing Design & Construction (Materials, Fabrication Methods)   | Standardization Item: Additive Manufacturing (AM) is a relatively new manufacturing process and describes the process of joining materials to make objects from three dimensional (3D) model data using a sequential layering process. This manufacturing technique is sometimes referred to as 3D printing. AM is a generic tent has pans a diverse range of techniques using a wide range of machines and technologies, such as Powder Bec Fusion (PBF), Directed Energy Deposition (DED), and Material Extrusion using energy sources such as lasers, electron beams, or thermal energy. Each of these AM process may have unique considerations.  If the use of AM is proposed, then the applicant (through the appropriate validation or certification office) should provide the information defined in the AM Applicant Specific Guidance Memorandum to the FAA, for awarenes  |  |
| Small Airplane | A-0202   | Structures                                   | Fatigue Management Programs   | and to support certification projects. An Issue Paper may be required based on the applicant's response to the memorandum. Applicants can request the memorandum from their certification or validation branch.  Standardization Item: If the applicant is proposing to incorporate a Fatigue Management Program (FMP) into an existing product, then the FAA may need to be consulted to determine the certification basis and the accepted means of compliance (MOC). FMPs cannot be mandated on existing products in the U.S. except through an Airworthiness Directive. FAA Advisory Circular AC 91-82 is considered an accepted MOC. There are varying approaches to the application of fatigue requirements to derivative model airplanes when the original model did not have fatigue requirements at initial certification. The FAA may be involved with these projects. In addition, the FAA does not Upically allow use of an inspection program in lieu of the safe life design limits already established. Reference AC 21.101-1B, Appendix Table A-2, Example 23, "Conversion from a safe-life design to a damage tolerance-based design".   |  |
| Small Airplane | A-0203   | Structures                                   | Load Relief/Alleviation Systems   | Standardization Item: If the applicant proposes to use load relief or load alleviation systems for aircraft structure, then the applicant must use applicable amendment 23-64 regulations and coordinate with the FAA to establish adequate requirements and means of compliance.   |  |
| Small Airplane | A-0204   | Structures                                   | Composite Floats  | Standardization Item: If an applicant is seeking installation approval for composite floats that have not been approved to TSO C-27a, then they may need to obtain an FAA accepted means of compliance to address fatigue and durability requirements unique to composites as detailed in AC 23-19A Sections 201 through 207. The guidance in AC-23-19A closely approximates requirements per §23.573 for composite structure. The use of composites also requires compliance methods that may require additional work to satisfy §23.603, §23.609 and §23.613 that are typically more onerous than that required for a metallic float. At amendment 23-64 and after, the applicant should coordinate an FAA accepted means of compliance with the FAA to incorporate elements of TSO-C27a, NAS 807 72, and/or AC-23-19A.   |  |
| Small Airplane | A-0205   | Structures                                   | Life Limits - Damage Tolerance<br>Inspections   | Standardization Item: If the applicant is proposing to eliminate or extend existing life limits, they must contact the FAA. Small airplanes may have structural life limits on certain components imposed by the airplane's certification basis. Type design holders or STC applicants may propose eliminating the existing life limits and replacing them with damage tolerance based inspection programs, especially as the fleet approaches the life limits. The FAA believes that it is impractical to develop an adequate inspection program, incorporate damage tolerant design features and materials, and provides sufficient residuals strength in an airplane designed and tested for the life limit approach. There exists an unacceptable risk of fatigue cracking beyond the original life limit and an inspection program has limited capability of detecting what may be a relatively large number of cracker as the fleet ages past the original life limit. The FAA position is that an inspection program cannot eliminate a life limit but it can be used to extend an existing life limit. The FAA may approve an initial life extension of the original life limit with an FAA accepted inspection program.  |  |
| Small Airplane | Il Airplane A-0206 Structures Material Design Values   |  | Material Design Values  | Standardization Item: If the applicant proposes to use material that does not meet 14 CFR 23.613 at amendment 23-63 or prior, then they may require an Equivalent Level of Safety (ELOS) finding.  The use of S-Basis design values (material allowables) do not comply with probability requirements of 14 CFR 23.613(a), (b), and (e), amendment 23-45. This requires that material strength properties be based on a sufficient number of tests to establish a statistical basis for the design values. For single load path structure, 14 CFR 23.613 further requires the design values must be established with a 99 % probability and 95 % confidence ("B" basis) value. For multiple load path structure, the design values must be established with a 90 % probability and a 95 % confidence ("B" basis) value. However, S-Basis design values have an unknown statistical assurance.  Currently, there is no alternate allowed for structure to use statistically determined minimum design values other than"a" or "B" basis. In addition, there is no option to utilize a procurement specification value as a design value verified with receiving inspection test sampling processes.  At amendment 23-64 and after, applicants should incorporate FAA accepted means of compliance (MOC) into their certification planning in lieu of an ELOS finding.  |  |
| Small Airplane | Small Airplane A-0207 Structures Life Limits - Safe Life Airplanes and Significant Change structures |  |   | Significant Change under 14 CFR 21.101 requires the applicant comply with all applicable rules for the product being changed that are effective on their date of application for the proposed change UNLESS it is determined that compliance to the later requirement is (1) Not in an area affected by the change, (2) Does not significantly contribute the Level of Safety or (3) Is impractical. Damage Tolerance is part of the latest certification basis for structural changes. However, airplanes that have been originally certificated to Safe Life or Fail Safe requirements need to be reviewed to determine if they can be certificated to Damage Tolerance requirements at the latest rule.  |  |
| Small Airplane | imall Airplane A-0301 Avionics Non-TSO Electronic Flight Instrument Systems and Avionics             |  | Instrument Systems and  | Standardization Item: If the applicant is seeking to install non-TSO avionics, then they may need to verify the level of FAA involvement in their project.  Many avionics manufacturers have developed lower cost integrated display systems specifically for the Experimental and Amateur-built airplane markets. Although these systems have many or all of the same functions, they generally do not follow the design assurance processes specified in the TSOs. The TSOs only specify a minimum performance, and they often outline the design assurance requirements as well as environmental standards in addition to general operating requirements.  TSO authorization indicates that the article manufacturer has provided a statement of compliance with the TSO requirements and the article is produced under an FAA approved quality system. For non-TSO equipment, the installer bears responsibility for supplier control of the type design and the production of the article.   |  |
| Small Airplane | A-0302   | Avionics                                     | Relief from 14 CFR  | The FAA has issued several project-by-project policies that support the integration of such EFIS into part 23 airplanes. The FAA will determine their involvement for any EFIS that has not been certificated before.  Standardization Item: If the applicant is seeking relief from 14 CFR part 23.1311(a)(5) at amendment 23-49 for installation approval of electronic displays in part 23 airplanes limited to VFR, then they may require an  |  |
| 23.1311(a)(5)  |  | 23.1311(a)(5)<br>Speech Recognition or Voice | Equivlanet Level of Safety (ELOS) finding. The FAA have developed policy designed to reduce the burden of processing multiple ELOS requests and communicates the intent of 23.1311(a)(5).  If the applicant proposes to install speech recognition or voice activated technology for avionics data entry, then they may need to obtain an FAA accepted means of compliance (MOC) to 14 CFR 23.1301 and 23.1309 at |   |  |
| Sali Airpiano  |  | AMOUNDS                                      | Activated Technology  | amendment 23-63 and prior.  |  |
| Small Airplane | A-0305   | Avionics                                     | Vision Systems - Night Vision<br>Imaging Systems  | At amendment 23-64 and after, applicants should incorporate FAA accepted means of compliance (MOC) not their certification planning.  Standardization Item: If the applicant is seeking to install night vision compatible lighting systems into part 23 airplanes, then they must obtain an FAA accepted means of compliance (MOC) at all amendment levels. The FAA accepted NVIS MOC is currently available as a Project Specific Policy Memo. This MOC defines an acceptable MOC for aided flight operations and aided takeoff and landing operations. This MOC does not address operational authorization. The project specific policy memo does not currently allow for agricultural application operations and therefore an issue paper will be required. Similarly, aided seaplanes operations are also not covered and will require an issue paper.   |  |
| Small Airplane | A-0307   | Avionics                                     | Airspeed Indicator Markings   | Standardization Item: If the applicant is installing digital avionics (glass cockpit), then they may require an Equivalent Level Of Safety (ELOS) finding when complying with 14 CFR 23.1545 Airspeed Indicator at amendment 23-63 and prior. At amendment 23-64 and after, applicants should incorporate FAA accepted means of compliance (MOC) into their certification planning in lieu of an ELOS finding.  |  |

| Product Type     | e Issue ID# | Category                                  | Subject   | Description  |  |
|------------------|-------------|---|---|--|--|
| Small Airplane   | A-0308      | Avionics                                  | Radio Altimeters  | Standardization Item: Emerging Technology/Issue. The deployment of the new SG C-Band services prompted the FAA to address the risks posed by radio frequency interference to radio altimeters comestically. Retrofit solutions that add external filters to the radia ratilimeter circuit aboard small category airplanes will have MOC issue paper. New or reworked LRUs with TSO authorizations generally do not need them. In addition to certification of the aircraft and radio (or radar) altimeter change, unrestricted flight operations in the US still require showing compliance to airworthiness directives. Policy Statement PS-AIR-600-39-01 (or later) provides guidance for operators and manufacturers to demonstrate that an aircraft is a "radio altimeter tolerant lane" as defined in paragraph (9)(1) of FAA Airworthiness Directive (AD) 2023-10-02 using a method approved by the FAA. The applicant may use the method provided in this policy statement to support requests for an approved method of compliance with an FAA AD does not establish compatibility with the radio frequency environment outside of the US where 5G C-Band services have been deployed because specific 5G C-band frequencies, signal characteristics, and deployments vary.  |  |
| Small Airplane   | A-0309      | Avionics                                  | Nonconformal Heads up<br>Display  | If the applicant is seeking to install a nonconformal heads up display, then they must obtain an accepted means of compliance(MOC). Nonconformal heads-up displays do not take into account external reference information. They act as a repeater to the electrical flight instrument system. They are not considered required equipment but have safety enhancing capability.  |  |
| 6 Small Airplane | A-0310      | Avionics                                  | Simple Autopilots   | Standardization Item: If the applicant is seeking to install simple autopilots, then they should contact the FAA for additional guidance.  |  |
| Small Airplane   | A-0311      | Avionics Flight Controls<br>Human Factors | Envelope Protection and<br>Emergency Descent Mode                                   | If the applicant is proposing to install new control functions within the autopilot on a new or existing avionics system which provides automatic stability augmentation and envelope protection or the addition of an emergency descent mode, then they must obtain an FAA accepted means of compliance (MOC). At amendment 23-64 and after, applicants should incorporate FAA accepted means of compliance (MOC) into their certification planning.  |  |
| Small Airplane   | A-0312      | Avionics                                  | Adaptive Controllers/Autopilots   | Standardization Item: If the applicant proposes to use Adaptive Controllers/Autopilots, then they must coordinate their proposals with the FAA to determine the level of FAA involvement with respect to policy or guidance. Adaptive controllers/autopilots are non-deterministic systems and are new to the Part 23 fleet. The FAA is actively working on draft policy and guidance for the use of this new and novel technology.  |  |
| Small Airplane   | A-0313      | Avionics                                  | Autoland Systems  | Standardization Item: If the applicant is proposing the installation of systems that provide automatic landing capability in a piloted airplane, then they must coordinate with the FAA. Applicants may be required to obtain FAA accepted means of compliance at 14 CFR part 23 amendment 23-63 or earlier based on the requirements found in 14 CFR 25.1329 (amendment 25-119). If special conditions would be required for amendment 23-63 or earlier, applicable amendment 23-64 regulations must be used along with FAA accepted means of compliance.   |  |
| 19               |             |   |   | AC 25.1329-1C may provide an accepted means of compliance for piloted airplanes. This issue will likely be in combination with, or installed after an autothrust system. Autoland capability is also assumed an inherent function installed in UAS and pilotless aircraft, which already have involvement by the Standards Branch staff. Operator certification (pilot training and maintenance program) is generally required to utilize the autoland function once the type design is approved.  |  |
|                  |             |   |   | At amendment 23-64 and after, applicants must use applicable amendment 23-64 regulations and coordinate with the FAA to establish adequate requirements and means of compliance.   |  |
| Small Airplane   | A-0314      | Avionics                                  | Emergency Use Only Autoland<br>Systems  | Standardization Item: If the applicant proposes to add emergency use only functionality that provides for automatic landing of the airplane, then the FAA will be involved in the project.   |  |
|                  |             |   | Systems   | Note: This functionality is not to be confused with "normal" autoland capability. This functionality provides for autonomous control and landing of the airplane to a system-determined suitable airport. The need for equivalent level of safety (ELOS) findings and corresponding means of compliance (MOC) must be determined on a case-by-case basis for each installation. The FAA has developed draft policy.  |  |
| 20               |             |   |   | The applicant should define the specific intended functions for § 23.1301 compliance, and provide a definition of appropriate failure conditions and classifications for § 23.1309 compliance. The FAA has developed an issue paper template (S-1) to address MOC for these two regulations, up to and including amendment 23-63.  |  |
|                  |             |   |   | Certain aspects of the emergency use autoland may not be able to be shown to comply with existing pilot-centric 14 CFR part 23 regulations. The applicant should identify the affected regulations and the compensating features that provide for an equivalent level of safety intended by the regulations and request an ELOS finding by the FAA for those aspects. The FAA has developed an issue paper template (S-2) to address the potential regulatory requirements that may need an ELOS.  |  |
|                  |             |   |   | At amendment 23-64 and after, applicants, applicants should incorporate FAA accepted means of compliance (MOC) into their certification planning in lieu of an ELOS finding.   |  |
| Small Airplane   | A-0401      | Cabin Safety                              | Emergency Exits -<br>Unobstructed Path  | Ramentaments and users, applicants, applicants sended incorporate FAA eccepted means of companies (wood on the propriet and t |  |
| Small Airplane   | A-0402      | Cabin Safety                              | Seats - Maximum Allowable<br>Seating Limitations                                    | Seating configurations are established as part of the aircraft type design and are listed on the Type Certificate Data Sheet (TCDS). Maximum allowable seating configurations may be changed by amending the Type Certificate (TC) or by a Supplemental Type Certificate (STC). The established maximum seating configuration as listed on a TC (on the TCDS) or STC (as a limitation) does not refer to the maximum number of seats oscupied, but instead, the maximum umber of seats allowed to be installed in a given installed in a given singular part of seats of the seating configuration used to dictate aircraft maintenance requirements are determined by the number of allowed seats listed in the TC (TCDS) or STC (limitations). The AFM also states the maximum seating configuration consistent with the TC or STC. An STC that reduces seat count must actually remove seats from to the established maximum number of allowable seats and there should be a limitation on the face of STC that clearly indicates number of allowable seats installed. If seating is integral to the product (i.e. toilet, divan, bench) it must be (1) placarded that the seat may not be occupied for take-off and landing or (2) it must counted as part of the total seat count. Note: For Part 21.41 limitations are stated on the TCDS (or STC limitation). This is applicable to maximum allowable seating configuration (limitation). At amendment 23-9 and prins 24-36 ago 23.1524 and 253.1583 address the maximum permissable seating configurations to be indicated in the TCDS and AFM. At amendment 23-9 and prins 24-36 ago 23.1524 and 253.1583 address the maximum permissable seating configurations to be indicated in the TCDS of STC STC section of AFM.   |  |
| Small Airplane   | A-0502      | Electrical Systems                        | Battery - Rechargeable  | If the applicant is seeking approval of Rechargeable Lithium Batteries (RLB) and/or battery system(s) installations on a 14 CFR part 23 airplane, then the following are needed:   |  |
|                  |             |   | Lithium/Battery Systems<br>Installation   | A Means of Compliance (Means OC) Certification Position Paper CPP-23.2525-2 that provides Safety Objectives (SOs) to address the installation of rechargeable lithium batteries when showing compliance to 23.252 (amendment 23-64 and after). Applicants may use this CPP by referring to it in their project specific certification plan.  |  |
| 23               |             |   |   | A Method of Compliance (Method OC) CPP-23.2525-3 which establishes a method of compliance with the requirements of CPP-23.2525-2 as statated above. Applicants may use this CPP by referring to it in their Project Specific Certification Plan.   |  |
|                  |             |   |   | If the applicant deviates from these CPPs, a Means and/or Methods of Compliance Issues Papers(s) will be required.   |  |
|                  |             |   |   | For 14 CFR Part 23 airplane projects, 14 CFR part 23 amendment 64 or later regulations applicable to RLB and/or battery system(s) installations must be used to avoid the need of issuing special conditions.  |  |
|                  |             |   |   | Note: Draft Advisory Circular 20-184A is not to be used for 14 CFR part 23 airplane.   |  |
| Small Airplane   | A-0503      | Electrical Systems                        | Battery - Non-Rechargeable<br>Lithium/Battery Systems                               | If the applicant is seeking approval of Non-Rechargeable Lithium Batteries (NRLB) and/or battery system(s) installations on a 14 CFR part 23 airplane, then the following are needed:  |  |
|                  |             |   | Installation  | A Means of Compliance (Means OC) Certification Position Paper CPP-23.2525-1 that provides Safety Objectives (SOs) to address the installation of non-rechargeable lithium batteries when showing compliance to 23.2525 (amendment 23-64 and after). Applicants may use this CPP by referring to it in their project specific certification plan.   |  |
| 24               |             |   |   | A Method of Compliance (Method OC) CPP-23.2525-4 establishes a method of compliance with the requirements of CPP-23.2525-1 as stated above. Applicants may use this CPP by referring to it in their project specific certification plan.   |  |
|                  |             |   |   | If the applicant deviates from these CPPs, a Means and/or Methods of Compliance Issue Paper(s) will be required.   |  |
|                  |             |   |   | For 14 CFR Part 23 airplane projects, 14 CFR part 23 amendment 64 or later regulations applicable to NRLB and/or battery system(s) installations must be used to avoid the need of issuing special conditions.   |  |
|                  |             |   |   | Note: Draft Advisory Circular 20-192 is not to be used for 14 CFR part 23 airplane.  |  |
| Small Airplane   | A-0504      | Electrical Systems                        | Battery - Storage Battery   | Note: Draft Advisory Circular 20-192 is not to be used for 14 C-Fk part 23 airplane.  Standardization Item: If the applicant proposes to use an aircraft electrical system design that has the storage battery being used as starter power and emergency power, then they may require an Equivalent Level of Safety (ELOS) finding at amendment 23-63 or earlier to comply with 14 CFR 23.1353(h). Per this design, the aircraft must use the same battery that is used for engine starting as well as to meet the 30 emergency minute requirement. At amendment 23-64 and after, applicants should incorporate FAA accepted means of compliance (MOC) into certification planning in lieu of an ELOS finding.   |  |
| Small Airplane   | A-0601      | Fire Protection                           | Fire Protection of Flight<br>Controls, Engine Mounts, and<br>Other Flight Structure | Standardization Item: If the applicant proposes to use materials not previously accepted as fire proof, such as composite materials, then they may need to obtain an FAA accepted means of compliance(MOC) to 14 CFR 23.865 at amendment 23-63 and prior.  |  |
|                  |             |   |   | At amendment 23-64 and after, the applicant should incorporate FAA accepted means of compliance (MOC) into their certification planning.   |  |
|                  |             |   |   | Testing is usually required to validate the performance of these materials.  |  |

|    | Product Type       | Issue ID# | Category        | Subject   | Description   |  |
|----|--------------------|-----------|-----------------|---|---|--|
|    | Small Airplane     | A-0602    | Fire Protection | Composite or Nonmetallic Firewall   | Standardization Item: If the applicant proposes a firewall constructed with composite materials, then they must obtain and incorporate FAA accepted means of compliance (MOC) to 14 CFR 23.601, 23.603, 23.605, 23.859, 23.863, 23.903, 23.1013, 23.1021, 23.1123, 23.1141, 23.1182, 23.1183, 23.1189, 23.1191, 23.1192, and 23.1193 at amendment 23-63 and prior to ensure their proposed test and evaluation will be adequate.  |  |
| 27 |                    |           |                 |   | While FAA Advisory Circular AC20-135 is an FAA accepted MOC that contains general guidance about the use of composite firewall materials, specific guidance is necessary to ensure a compliant design. Firewalls constructed with composite materials require consideration of unique fire threats, safety concerns and acceptance criteria that differs from those used to address firewalls constructed from traditional metallic materials.  |  |
|    |                    |           |                 |   | Applicants seeking to ensure that proposed test and evaluation will be adequate to show compliance with fire protection requirements for any firewall constructed with composite material should contact the FAA for additional guidance.   |  |
|    |                    |           |                 |   | At amendment 23-64 and after, applicants should incorporate FAA accepted means of compliance (MOC) into their certification planning.   |  |
| 28 | Small Airplane     | A-0603    | Fire Protection | Fire Protection - Turbine Engine<br>Oil Systems POC: Pretz, Jeff<br>Without a Shutoff Valve | Standardization Item: If the applicant is seeking to install a turbine-engine-oil system and all parts of the system are not shown to be fireproof when a shutoff valve is not incorporated into the system, then they may need to obtain an FAA accepted means of compliance (MOC) to 14 CFR 23.1013(e) and 23.1189(b) at amendment 23-82 and prior. Demonstration of compliance to the requirements of 14 CFR 23.1013(e) and 23.1189(b) has proven problematic in the past. At all amendment levels, applicants should incorporate FAA accepted means of compliance (MOC) into their certification planning.  |  |
| 29 | Small Airplane     | A-0604    | Fire Protection | Fire Extinguishing/Suppression<br>Agent   | Standardization Item: If the applicant proposes the use of non-Halon fire extinguishing/suppression agents for use in lavatory trash receptacle bottles, handheld fire extinguishers, engine/APU fire extinguishing, cargo compartment fire suppression, etc., then they may need to obtain an FAA accepted means of compliance (MOC) to 14 CFR 23.851, 23.855, 23.863, 23.1195, 23.1197, 23.1201, at amendment 23-63 and prior. Halon is being phased out of airplane applications per ICAO deadlines. At amendment 23-64 and after, applicants should incorporate FAA accepted means of compliance (MOC) into their certification planning.   |  |
|    | Small Airplane     | A-0701    | Flight Controls | Highly Augmented Flight Path<br>Control Systems/Fly By Wire<br>(FBW)                        | Standardization Item: If the applicant proposes to use Highly Augmented Flight Path Control Systems/Fly By Wire (FBW), then they must use applicable amendment 23-64 regulations and coordinate with the FAA to establish adequate requirements and means of compliance.  |  |
| 30 |                    |           |                 | (1211)  | FBW control systems are new to the Part 23 fleet and has only been certified to date under Parts 25 & 29 with the use of Special Conditions and Equivalent Levels of Safety. FBW systems are highly integrated flight controls and propulsion systems that may require new display symbology, and may require new performance and handling quality testing requirements. The FAA is actively working on draft policy and guidance for the use of this new and novel technology.   |  |
| 31 | Small Airplane     | A-0702    | Flight Controls | Fully Autonomous Flight Control<br>Systems  | Standardization Item: If the applicant is proposing to use Adaptive Controllers/Autopilots, then they must coordinate their proposals with the FAA to determine the level of involvement the FAA requires with respect to policy or guidance. Adaptive controllers/autopilots are non-deterministic systems and are new to the Part 23 fleet. The FAA is actively working on draft policy and guidance for the use of this new and novel technology.  |  |
| 32 | Small Airplane     | A-0801    | Flight Test     | Non - Functioning Cockpit<br>Control  | Standardization Item: If the applicant is seeking to install a non-functioning cockpit control, then they may be required to apply an Equivalent Level Of Safety (ELOS) to establish adequate requirements at amendment 23-63 or earlier. At amendment 23-64 and after, applicants should coordinate with the FAA and incorporate the requirements of the ELOS into their certification planning for 14 CFR 23.2500, 23.2505, 23.2505 and 23.2610 as FAA accepted means of compliance (MOC) in Iteu of an ELOS.   |  |
| 33 | Small Airplane     | A-0802    | Flight Test     | Active Stick Technology   | Standardization Item: If the applicant proposes to use Active Stick Technology, then they must coordinate their proposals with the FAA to determine the level of FAA involvement with respect to policy or guidance. Active stick technology is typically associated with Fly By Wire (FBW) control systems are new to the Part 23 fleet. Active stick systems are not covered at Amendment 23-63 and earlier and may require new means of compliance (MOCs) at Amendment 23-64 and later. They may require new inceptor feel characteristics, human qualities, and performance& handling quality testing requirements. The FAA is actively working on draft policy and guidance for the use of this new and novel technology.  |  |
| 34 | Small Airplane     | A-0803    | Flight Test     | Compliance to Stability Regulations   | Standardization Item: If the applicant is seeking to show compliance to stability regulations for unlimited acrobatic airplanes, then the applicant must use applicable amendment 23-64 regulations and coordinate with the FAA to establish adequate requirements and means of compliance.   |  |
| 35 | Small Airplane     | A-0901    | Fuel System     | Fuel- Approval of New Fuel  | Standardization Item: If the applicant is seeking approval to use a new fuel type, then they must coordinate their proposal with the FAA to determine the level of FAA involvement with respect to policy or guidance. There is considerable activity across the aviation industry; therefore, energy behind the introduction of new aviation fuels is high. These efforts are highly visible and potentially controversial. NOTE: This is intended for fuels new to aviation where there is no existing FAA accepted standard for that fuel, not the approval of an existing aviation fuel for use on a specific model.  |  |
| 36 | Small Airplane     | A-0902    | Fuel System     | Fuel System - Pressure<br>Defueling   | Standardization Item: If the applicant is seeking to install a pressure defueling system in accordance with 14 CFR 25.979(e), then they must use applicable amendment 23-64 regulations and coordinate with the FAA to establish adequate requirements and means of compliance.   |  |
|    | Small Airplane     | A-0903    | Fuel System     | Fuel System - Temperature   | Standardization Item: If the applicant is seeking to establish the minimum level of safety expected for the effect of elevated fuel system temperatures on the airplane, then the applicant must use applicable amendment 23-64 regulations and coordinate with the FAA to establish adequate requirements and means of compliance.   |  |
| 37 |                    |           |                 |   | Fuel systems configured to reject engine heat through the airplane fuel tanks by use of an engine oil/fuel heat exchanger or other means may result in fuel tank temperatures above the critical temperature test of 14 CFR 23.961 and 23.965(d).   |  |
|    |                    |           |                 |   | The required DDS have been captured in ASTM F3063/F3063M-21 and Practice F3397/F3397M-21. If the applicant uses F3063/F3063M-21 and F3397/F3397M-21 or later for compliance, then the items is addressed.   |  |
| 38 | Small Airplane     | A-1001    | Human Factors   | Electronic Flight Instrument<br>Systems   | If the applicant is proposing to install an electronic flight instrument system (EFIS) that has not been previously evaluated by the FAA, then the FAA may require a multi-pilot usability and human factors evaluation. This evaluation (on past EFIS) have resulted in the need for Equivalent Level of Safety (ELOS) finding(s) or additional FAA accepted means of compliance (MOC) to 14 CFR 23.1309(d), 23.1311, 23.1321 and 23.1322 at amendment 23-63 and prior. At amendment 23-64 and after, applicants should incorporate FAA accepted means of compliance (MOC) into their certification planning in lieu of an ELOS finding.   |  |
| 39 | Small Airplane     | A-1002    | Human Factors   | Touch Screens   | Standardization Item: If the applicant is seeking to install touch screens (multi-function controls), then they should follow the FAA accepted means of compliance (MOC) contained in the applicable chapters of FAA Advisory Circular AC 20-175, "Controls for Flight Deck Systems." If the touchscreen has not previously evaluated by the FAA, then the FAA will evaluate their level of involvement in the project.   |  |
| 40 | Small Airplane     | A-1101    | Icing           | Flight Into Known Icing (FIKI)  | Standardization Item: Applicants must coordinate with the FAA if they are: Seeking FIKI approvals, or Proposing changes that affect or could affect existing FIKI approvals, or Proposing to modify an aircraft that has icing related airworkiness directives (AD), or Proposing to make autioplic modifications on an airplane certification to Amendment 23-43. Section 23.2540(b) may be required in the certification basis for certain modifications, consult Annex A3 of ASTM F3120-20 "Standard Specification for Ice Protection for General Aviation Aircraft".  |  |
| 41 | Small Airplane     | A-1103    | Icing           | Engine Operation in Ice Crystal Conditions  | Standardization Item: If the applicant is installing a turbine engine that has not complied with 14 CFR 33.68 effective January 5, 2015, or as subsequently amended, then the FAA will be involved in the project to ensure to icing conditions covered by Appendix D of part 33 are adequately addressed. Blockage of engine Tt0 probes in ice crystal environments have resulted in engine roll back events.  |  |
| 42 | Small Airplane     | A-1401    | Propulsion      | Dual Electronic Ignition<br>Systems   | If the applicant is seeking to replace both traditional magnetos with a dual electronic ignition system, then they may be required to address the relevant topics in Policy Memo PS-ACE100-2004-10024 in a means of compliance issue paper for §23.1165 for all installations and \$23,903(c) for multi- engine installations at amendment 23-64 and after, applicants should address the relevant topics in Policy Memo PS-ACE100-2004-10024 in a means of compliance issue paper for §23.2410 until the appropriate ASTM standards can be revised.  |  |
| 43 | Small Airplane     | A-1402    | Propulsion      | Electric or Hybrid Electric<br>Propulsion Systems   | Standardization Item: If the applicant is proposing to install electric or hybrid-electric propulsion systems, then they must use applicable amendment 23-64 regulations and coordinate with the FAA to establish adequate requirements and means of compliance.  |  |
|    | Small Airplane     | A-1404    | Propulsion      | Autothrust System   | Standardization Item: If the applicant is seeking to install an autothrust (autothrottle) system, then they must use applicable amendment 23-64 regulations and coordinate with the FAA to establish requirements and means of compliance.  |  |
| 45 | Small Airplane     | A-1405    | Propulsion      | Engine Control System   | Standardization Item: If the applicant is seeking to install a full authority or supervisory engine control system (EEC/FADEC), then they must use applicable amendment 23-64 regulations and coordinate with the FAA to establish adequate requirements and means of compliance. The required DDS have been captured in ASTM F3064/F3064M-24. If the applicant uses F3064/F3064M-24 or later for compliance, then the items is addressed.  |  |
|    | Small Airplane     | A-1406    | Propulsion      | Turbine Engines Shutdown  | Standardization Item: If the applicants turbine engine control system only includes a single means to shutdown the engine, then the applicant may require an FAA accepted means of compliance (MOC) to 14 CFR 23.1141(e) at amendment 23-63 and prior.  |  |
| 46 |                    |           |                 |   | The installation requirements of § 23.1141(e) require that no single failure of a turbine-engine control system causes failure of any powerplant function necessary for safety.  Most engine control systems provide a redundant means for engine shutdown. For example, if the installed engine control system only provides a single means for shutting off fuel to the engine, then redundant means for  |  |
|    |                    |           |                 |   | engine shutdown must be provided to ensure a simple, quick, and safe shutdown if the primary means of shutdown fails.   |  |
|    | Small Airplane     | A-1407    | Propulsion      | Powerplant Indications - Use of   | At amendment 23-64 and after, applicants should coordinate 23.2410(a) with the FAA to incorporate an FAA accepted MOC into their certification planning.  Standardization Item: If the applicant is seeking to install digital only display(s) in lieu of analog displays for powerplant instruments when complying with 14 CFR 23.1305 (where the term "indicator" is included in the  |  |
| 47 | Cindai 7 iii punio | 7         | · ropulation    | Digital Only Indications  | or Standardization ireth: if the applicant is seeking to install digital only display(s) in leu of analog displays for powerplant instruments when complying with 14 CFR 23.1300 (where the term indicator is included in the regulation) and § 23.1549, since digital only indicators do not provide for arc, line, or radial markings, then they may require an Equivalent Level of Sefety (ELDS) finding for §23.1501, 23.1305, 23.1311, 23.1322 and 23 at amendment 23-63 or earlier. At amendment 23-64 and after, applicants should coordinate 23.2500, 23.2505, 23.2606, 23.2615, 23.2610 with the FAA to incorporate FAA accepted means of compliance (MOC) into the certification planning in lieu of an ELDS finding. |  |
|    | Small Airplane     | A-1408    | Propulsion      | Engine Cooling - Climb Speeds   | Standardization Item: If the applicant is proposing compliance with 14 CFR 23.1047, amendment 23-51, "Cooling test procedures for reciprocating engine powered airplanes", using an airspeed greater than the best rate of climb speed (Vy) or balked landing climb (VREF) speeds, then they may need to obtain an FAA accepted means of compliance (MOC).  |  |
| 48 |                    |           |                 |   | Section 23.63(a)(2), amendment 23-62, requires §§ 23.65 Climb: All engines operating; and 23.77, Balked landing, to use speeds not less than the speed used to demonstrate compliance with the powerplant cooling requirements (§§ 23.1041, amendment 23-51, through 23.1047). Applicants proposing to use an airspeed greater than those used to show compliance to §§ 23.65 or 23.77 to demonstrate compliance with § 23.1047 should propose a method of compliance that will ensure adequate engine cooling during all expected operating conditions.  |  |
|    |                    |           |                 |   | Applicants should coordinate with the FAA to determine an appropriate MOC and incorporate the FAA accepted MOC into their certification planning.   |  |

|    | Product Type                          | Issue ID# | Category                                 | Subject  | Description  |  |
|----|---------------------------------------|-----------|--|--|--|--|
| 49 | Small Airplane                        | A-1409    | Propulsion                               | Engine Cooling - Coolant Tank<br>Capacity Requirements                                   | If the applicant is seeking to install liquid cooled reciprocating engines, then an Equivalent Level of Safety (ELOS) finding to 14 CFR 23.1061(b) may be required at any amendment up to and including amendment 23-63.<br>Some 14 CFR part 33 approved reciprocating engines include a self-contained cooling system that may represent that capacity and expansion space requirements of 14 CFR 23.1061(b). At amendment 23-64 and after, applicants should incorporate FAA accepted means of compliance (MOC) into their certification planning in lieu of an ELOS finding.  |  |
| 50 | Small Airplane                        | A-1410    | Propulsion                               | Energy/Thrust Management<br>Systems/Displays for Electronic<br>Propulsion                | management systems which are new to the Part 23 fleet. Considerations include the monitoring of battery states, individual thrust vectors (magnitude and direction) as well as malfunction annunciations. The FAA is actively working on draft policy and guidance for the use of this new and novel technology.   |  |
| 51 | Small Airplane                        | A-1411    | Propulsion                               | Distributed Propulsion Systems   | Standardization Item: If the applicant proposes to use distributed propulsion systems, then they must coordinate their proposals with the FAA to determine the level of FAA involvement with respect to policy or guidance. Highly-augmented, distributed propulsion systems are new to the Part 23 fleet. They are typically defined as a highly-augmented propulsion system consisting of a single throttle controlling a multi-motor system. The FAA is actively working on draft policy and guidance for the use of this new and novel technology.   |  |
| 52 | Small Airplane                        | A-1412    | Propulsion                               | Propulsion as a Flight Control<br>Effector   | Standardization Item: If the applicant is proposing to use propulsion as a flight control effector, then they must coordinate their proposals with the FAA to determine the level of FAA involvement with respect to policy and guidance. The use of propulsion as a flight control effector is new to the Part 23 fleet. Examples of this unique type of control may be found in a distributed propulsion system or with an aircraft designed to operate in multiple flight modes. The FAA is actively working on draft policy and guidance for the use of this new and novel technology.   |  |
|    | Small Airplane                        | A-1502    | Security                                 | Security Considerations (Cybersecurity)  | Standardization Item: A means of compliance issue paper may be needed to ensure isolation or protection if new access by internal/external systems is allowed to previously isolated data networks connected to systems that perform functions required for safe operation. For example, via wired and wireless access ports such as ground support equipment, PEDs, EFBs, maintenance computers and USB.  |  |
| 53 |                                       |           |  |  | The applicant should incorporate Amendment 64 rules 14 CFR 23.2500, 23,2500 and 23.2510 and the MOC to their certification planning for any system or item that may require a cybersecurity assessment.  |  |
|    |                                       |           |  |  | Applicants should contact the FAA for additional guidance.   |  |
| 34 | Small Airplane                        | A-1601    | Software/Airborne Electronic<br>Hardware | Artificial Intelligence Software   | Standardization Item: If the applicant is proposing to use artificial intelligence (AI) software, then this will require FAA involvement. References: FAA Advisory Circular (AC) 20-115D, DO-178C. Applicants should contact the FAA for additional guidance.  |  |
| 55 | Small Airplane                        | A-1602    | Software/Airborne Electronic<br>Hardware | Multi-Core Processors  | If the applicant proposes to use software-based aircraft systems that utilize multi-core microprocessors (i.e., without disabling unused cores, etc.), then they must use or obtain an FAA accepted means of compliance (MOC).   |  |
| 56 | Small Airplane                        | A-1603    | Software/Airborne Electronic<br>Hardware | Unmanned Aircraft Systems -<br>Software and Hardware Design<br>Assurance                 | If the applicant is seeking to establish the software and airborne electronic hardware (AEH) design assurance airworthiness criteria in accordance with 14 CFR 21.17(b), then they must use or obtain an FAA accepted means of compliance (MOC). The requirements currently established for Software and AEH design assurance may not be appropriate depending on the Unmanned Aircraft System (UAS) design and concept of operations (CONOPS).  |  |
|    | Small Airplane                        | A-1701    | Systems and Equipment                    | Application of 23.1309/23.2510<br>to Oxygen Systems on<br>Unpressurized Airplanes With a | Standardization Item: If the applicant is installing a conventional oxygen system in unpressurized airplanes, then the FAA may be involved to ensure a consistent and standardized approach to the applicability of 14 CFR 23.1309 at amendment 23-41 through 23-62/14 CFR 23.2510 at amendment 23-64 and after for conventional airplanes that operate up to 25,000 feet with a single pilot.   |  |
| 67 |                                       |           |  | Single Pilot   | Prior to amendment 23-41 oxygen systems were not evaluated as part of the system safety process for 23.1309. On some recent projects that installed conventional oxygen systems in unpressurized airplanes 23.1309/23.2510 were applied inconsistently because different assumptions were made about the severity of oxygen failure conditions and different approaches were used for the applicability of 23.1309/23.2510.  |  |
| 51 |                                       |           |  |  | Oxygen system failure during unpressurized flight at 25,000 feet could be potentially catastrophic, but could also be less severe, depending on the pilot's ability to recognize the failure and respond before becoming excessively impaired by hypoxia. 23.1309/23.2510 are not applied when specific requirements adequately address failure or abnormal operation, and determining the applicability is not always clear.  |  |
|    |                                       |           |  |  | An issue paper has been developed to improve standardization for classifying oxygen failure conditions and for standardizing the applicability of 23.1309/23.2510 for conventional oxygen equipment on unpressurized airplanes that operate up to 25,000 ft with a single pilot.   |  |
| 58 | Small Airplane                        | A-1703    | Systems and Equipment                    | Data Link System Supporting<br>Air Traffic Services (ATS)<br>Communications (NEXTGEN)    | Standardization Item: If the applicant is seeking to install aircraft data communication systems used for air traffic services (ATS), then they must incorporate FAA accepted means of compliance (MOC). Advisory Circular AC 20-140C, "Guidelines for Design Approval of Aircraft Data Link Communication Systems Supporting Air Traffic Services (ATS)", covers different types of data link systems and interoperability criteria, respectively, is an FAA accepted MOC. Additionally, policy memorandum, AIR-680-17-68D-0M281, AC 20-140C General Memo, dated December 08, 2017, provides clarification on FANS 11A4, associated viable sub-networks, and use of operating limitations in the Airplane Flight Manual. Examples of ATS data communication systems are controller pilot data link communications, Automatic Dependent Surveillance-Contract, and Aircraft Communications Addressing and Reporting System. AC 20-140C covers of data link systems and interoperability criteria respectively. Applicants should incorporate FAA accepted means of compliance (MOC) into their certification planning and coordinate with the FAA of their intent to propose an alternative FAA accepted MOC in accordance with AC 23.2010-1, FAA Accepted Means of Compliance Process for 14 CFR Part 23, that can be incorporated into their certification planning.   |  |
| 59 | Small Airplane                        | A-1707    | Systems and Equipment                    | Remotely Piloted Systems/<br>Command & Control (C2)<br>Systems                           | Standardization Item: If the applicant proposes to use Remotely Piloted Systems, then they must coordinate their proposals with the FAA to determine the level of FAA involvement with respect to policy and guidance. Remotely piloted aircraft are found in the Unmanned Aircraft Systems (UAS) community and are new to the Part 23 fleet. There is UAS guidance for remotely piloted vehicles that includes definitions, specifications and testing requirements for command and control systems but this may have to be modified to adapt it to Part 23 aircraft. Additional considerations include where and how this aircraft is to be operated and whether or not it is carrying passengers. The FAA is actively working on draft policy and guidance for the use of this new and novel technology.  |  |
| 60 | Small Airplane                        | A-1708    | Systems and Equipment                    | Airbags  | Standardization Item: If the applicant is seeking to install airbags on the airframe, then they may need to obtain an FAA accepted means of compliance (MOC) or may be required to apply a special condition. Applicants should contact the FAA for any updated information or guidance.   |  |
| 61 | Small Airplane                        | A-1709    | Systems and Equipment                    | Run Time Assurance/Health<br>Monitoring Executive Systems                                | Standardization Item: If the applicant proposes to use Run-Time Assurance/Health Monitoring Executive Systems, then they must coordinate their proposals with the FAA to determine the level of FAA involvement with respect to policy and guidance. Run-Time Assurance/Health Monitoring Executive Systems are high-level monitoring and protection systems and are new to the Part 23 fleet. The FAA is actively working on draft policy and guidance for the use of this new and novel technology.  |  |
| 62 | Small Airplane                        | A-1710    | Systems and Equipment                    | Real Time Parameter<br>Identification Systems  | Standardization Item: If the applicant proposes to use Real-Time Parameter Identification Systems, then they must coordinate their proposals with the FAA to determine the level of FAA involvement with respect to policy and guidance. Real-Time Parameter Identification Systems are non-deterministic systems used to mathematically model something in real-time and are new to the Part 23 fleet. The FAA is actively working on draft policy and guidance for the use of this new and novel technology.   |  |
|    | Airships Gliders<br>(Sailplanes) Very | A-1801    | Other                                    | Special Class Products   | Standardization Item: Airships, Gliders (Sailplanes), and Very Light Airplanes are certificated by the FAA under 14 CFR 21.17(b) as "special class" products. These special class products use airworthiness design criteria as their certification basis rather than the airworthiness standards under Title 14, Code of Federal Regulations (14 CFR), part 23 etc.   |  |
|    | Light Airplanes                       |           |  |  | The FAA has published accepted means of compliance (MOC) that establish the airworthiness criteria for Gliders (Sailplanes), Very Light Airplanes, and Airships. The FAA published Advisory Circulars (AC) are:  |  |
|    |                                       |           |  |  | AC 21.17-2A, Type Certification-Fixed Wing Gliders (Sailplanes) establishes European Aviation Safety Agency (EASA) CS-22 and Joint Airworthiness Requirements (JAR-22) sailplane regulations as acceptable airworthiness criteria.   |  |
| 63 |                                       |           |  |  | AC 2.1.17-3, Type Certification of Very Light Airplanes under FAR 21.17(b), establishes EASA CS-Very Light Airplanes (CS-VLA) and JAR-VLA regulations as acceptable airworthiness criteria,  |  |
|    |                                       |           |  |  | AC 21.17-1A, Type Certification—Airships, and FAA-P-8110-2, Airship Design Criteria and additional policy memos.   |  |
|    |                                       |           |  |  | The FAA must provide a public notice and respond to public comments when changes to airworthiness criteria are proposed or when newly established airworthiness criteria are proposed to be applied to a new product.  |  |
|    |                                       |           |  |  | Any new products proposed to be certificated under 14 CFR 21.17 (b) special class and any changes to existing special class products that modify the established airworthiness criteria or deviate from the FAA accepted MOC will require FAA involvement.   |  |
| 64 | Balloon                               | A-1802    | Other                                    | Balloon - Lifting Envelope<br>Changes  | Standardization Item: If an applicant is proposing to replace the lifting envelope of a type certificated balloon with another lifting envelope (i.e. via Supplemental Type Certificate), they must retain and reinstall the original data plate and install an additional supplemental data plate as close as physically possible to the original data plate. This information is provided to communicate the requirements of FAA data plate removal and installation of a supplemental data plate for balloon envelope changes as the data plate is typically attached to the lifting envelope. Deviations from this guidance will necessitate FAA review of the applicant's proposed changes. This communication is provided due to confusion primarily seen among STC applicants about the appropriate handling of the data plate installed by the original equipment manufacturer and the need for a supplemental data plate for the propriate in the p |  |
| 65 | Balloon Space                         | A-1806    | Other                                    | Aircraft in Low Earth Orbit (LEO)  | If the applicant is seeking to operate an aircraft that will reach low-Earth orbit (LEO) or build a vehicle to operate in LEO, then they are under the jurisdiction of Title 51 U.S.C, Chapter 509, and, depending on their proposed operations my also be subject to Title 49 U.S.C and its accompanying regulations as well. On September 26, 2013, FAA legal counsel issued an interpretation under FAA's aviation and space statues to determine which law applies to a potential balloon applicant for a commercial space tourism vehicle (51 U.S.C. or 49 U.S.C.). The balloon applicant in question was determined to be entirely under the jurisdiction of 51 U.S.C. Chapter 509 "partly" because the vehicle would make a rapid transit of and exit from controlled airspace and will not loiter. However the interpretation only applied to the altitudes being proposed by the specific applicant. When not operating as a launch vehicle, the appliance would be required to operate under the appropriate aviation provision of Title 49 U.S.C. and its accompanying regulations. NOTE: The legal interpretation rendered no opinion on what constitutes outer space but used 30 kilometers because at 30 kilometers (98,425 feet), water and blood boil, and an unprotected person would rapidly experience fatal decompression. Regardless of whether 30 kilometers constitutes outer space but he FAA renders no opinion on that question-a person would experience the same physiological responses at 30 kilometers as if exposed to the environment of low-Earth orbit (LEO).   |  |

|    | Product Type   | Issue ID# | Category              | Subject   | Description   |  |
|----|----------------|-----------|-----------------------|---|---|--|
|    | Small Airplane | A-1807    | Other                 | Amendment 23-62 Errors  | Standardization Item: If an applicant is using part 23, amendment 23-62, for new products or product changes including STCs, then the FAA must determine whether an equivalent level of safety (ELOS) finding is necessary due to 14 CFR part 23, amendment 23-62 containing various errors.  |  |
|    |                |           |                       |   | The FAA develops/issues ELOS findings per 14 CFR 21.21(b). However, the FAA will likely delegate the compliance finding to the Foreign Civil Aviation Authority for the part 23, amendment 23-62, errors ELOS finding memorandum. A copy of these errors and their corrections is available upon request.   |  |
|    |                |           |                       |   | Applicants using part 23 amendment 23-62 as the Means of Compliance (MOC) to amendment 23-64 must also address these errors.  |  |
|    |                |           |                       |   | The FAA Certification Branch and applicants should review the Project Specific Policy Memo for the most accurate list of regulations with errors.   |  |
|    |                |           |                       |   | As of 3/13/18, the known errors exist in the following regulations:   |  |
| 66 |                |           |                       |   | 23.45, amendment 23-62 Clambric General (Performance) 23.61 amendment 23-62 Climbric General 23.67, amendment 23-62 Climbric General 23.67, amendment 23-62 Climbric General 23.67, amendment 23-62 Climbric General 23.77, amendment 23-62 Reference landing approach speed 23.77, amendment 23-62 Balked landing 23.761, amendment 23-62 Dynamic Stability 23.161, amendment 23-62 Dynamic Stability 23.221, amendment 23-62 Spinning 23.221, amendment 23-62 Vibration and buffeting 23.253, amendment 23-62 Vibration and buffeting 23.253, amendment 23-62 Wibration and shoulder harnesses 23.765, amendment 23-62 Wetallic pressurized cabin structures 23.785, amendment 23-62 Ventilation 23.1195, amendment 23-62 Fire extinguishing systems 23.1195, amendment 23-62 Fire extinguishing agents 23.1197, amendment 23-62 Fire extinguishing daracteristics 23.1191, amendment 23-62 Fire extinguishing daracteristics 23.1191, amendment 23-62 Fire extinguishing daracteristics 23.1192, amendment 23-62 Fire extinguishing daracteristics 23.1193, amendment 23-63 Fire extinguishing daracteristics 23.1194, amendment 23-63 Fire extinguishing daracteristics 23.1195, amendment 23-63 Coxygen distribution system 23.1527, amendment 23-64 Coxygen distribution system 23.1527, amendment 23-62 Operating limitations  |  |
| 67 | Small Airplane | A-1808    | Other                 | Required Navigation<br>Performance Authorization<br>Required (RNP AR)<br>Coordination     | FAA headquarters retains oversight of all applications for operations approval to conduct Required Navigation Performance Authorization Required (RNP AR) operations. To avoid delays in processing these operations applications and confirming aircraft qualification, Aircraft Certification field offices should coordinate all RNP AR aircraft qualification airworthiness applications with AIR-626B and AFS-140. Coordinating the application will ensure the aircraft qualification requirements are met and documented in a manner facilitating an applicant's expeditious RNP AR operations approval.   |  |
| 68 | Balloon        | A-1810    | Other                 | Aircraft in Low Earth Orbit (LEO)   | If the applicant is seeking to operate an aircraft that will reach low-Earth orbit (LEO) or build a vehicle to operate in LEO, then they are under the jurisdiction of Title 51 U.S.C. Chapter 509, and, depending on their proposed operations my also be subject to Title 49 U.S.C and its accompanying regulations as well. On September 26, 2013, FAA legal counsel issued an interpretation under FAA's avaition and space statues to determine which law applies to a potential balloon applicant for a commercial space tourism vehicle (51 U.S.C. or 49 U.S.C.). The balloon applicant in question was determined to be entirely under the jurisdiction of 51 U.S.C. Chapter 509"partly" because the vehicle would make a rapid transit of and exit from controlled airspace and will not lotter. However. The interpretation only applied to the altitudes being proposed by the special capilicant. When not operating as a launch vehicle, the appliance would be required to operate under the appropriate availation provision of Title 49 U.S.C. and its accompanying regulations. NOTE: The legal interpretation rendered no opinion on what constitutes outer space-and the FAA enders no opinion on that question-a person would experience the same physiological responses at 30 kilometers as if exposed to the environment of low-Earth or bit (LEO).  |  |
| 69 | Small Airplane | A-1811    | Other                 | Aircraft With Different Flight<br>Modes (Vertical, Transition,<br>Forward Flight) [eVTOL] | Standardization Item: If the applicant proposes to design an aircraft to operate in different flight modes (vertical, transitory, and forward flight), then they must coordinate their proposals with the FAA to determine the level of FAA involvement with respect to policy or guidance. Aircraft like the new class of Vertical Takeoff and Landing (VTOL) vehicles are capable of flying in different modes of flight (vertical, transitory, and forward) and are to the Part 23 fleet. There are many considerations not currently addressed in our requirements including new pilot vehicle interfaces, new displays for energy and thrust management, handling qualities, and unique maifunction scenarios. The FAA is actively working on draft policy and guidance for the use of this new and novel technology. The FAA is currently deciding if these vehicles will be 14 CFR 21.17(b) (special class) or 14 CFR 23 with special conditions.  |  |
| 70 | Small Airplane | A-1812    | Other                 | Basic Med Operations  | Standardization Item: If the applicant is seeking to allow 14 CFR part 68 basic med operations in some 14 CFR part 23 airplanes, then they may need to apply for type certificate action either through an amended type certificate or supplemental type certificate (STC) if their airplane is certificated above 6000 pounds maximum take-off weight and/or have seat counts greater than 6. The FAA has issued a policy memo that addresses these expectations more clearly and that memo is available upon request.   |  |
| 71 | Small Airplane | A-1813    | Other                 | Novel, Unique, or Unusual<br>Design Features  | Standardization Item: If a technology or product change is novel, unique, or has unusual design features, then applicants and Certification/Validation Branch staff should contact the Policy and Standards Division. Special Conditions are issued if the existing applicable airworthiness standards do not contain adequate or appropriate safety standards for the airplane, airplane engine, or propeller because of novel, unique or unusual design features of the product to be type certificated (refer to 14 CFR 1.119, 21.16, and 21.101(d)). Equivalent Level of Safety (ELOS) findings amy also be applicable when literal compliance with an airworthiness standard cannot be shown and compensating factors exist that can be shown to provide an ELOS to the regulation in which an ELOS is sought (refer to § 21.21(b)(11)). Novel, unique, or unusual design features (but are not limited to the following issues(s): 1) Materials: 2) Processes; 3) Design features() that would produce unsafe conditions; 4) Significant technology issues that are of controversial design; 5) Unique operational consideration(s); and 6) Other. When proposing changes to small airplane products certificated prior to amendment 23-64, applicants are encouraged to comply with later provisions of amendment 23-64 when doing so eliminates the need for special conditions or ELOS findings Complying with amendment 23-64 performance-based requirements, special conditions and ELOS findings formerly required in its prescriptive predecessors—amendment 23-63 or are airplaned produced in the provisions of 8 23.2010; FAA Accepted Means of Compliance Process for 14 CFR Part 23, thereby, potentially saving a significant amount of time and administrative effort for both the applicant and the FAA. |  |
| 72 | Small Airplane | A-1815    | Other                 | Restricted Category Airplanes -<br>Airplanes Already Certificated<br>Commuter             | Per 14 CFR 23.3(e), An airplane cannot have both Commuter Category Certification and one or more of Normal, Utility, Acrobatic certification.   |  |
| 73 | Small Airplane | A-1816    | Other                 | Significant Change - No Policy<br>and Standards Division<br>Involvement                   | Standardization Item: If the applicant is seeking to comply with an amendment earlier than that established on their date of application, then they must provide an argument per AC21.101-1A and this may be document their certification plan. The applicant's certification plan must be reviewed along with a determination on whether the applicant is complying with the latest regulations for the areas of change and if not, then they must an argument as to whether the level of safety is not materially improved or that compliance to the latest amendment is impractical. If a change is considered significant but with NO Policy and Standards involvement, it Certification Branch should follow AC21.101-1A to ensure the process is followed. Please also see Part 23 Amendment 23-62 Errors corrections to see how to incorporate the challenges associated with the errors discovered in amendment 62 in dealing with amended TCs and new and amended STCs.  |  |
| 74 | Small Airplane | A-1817    | Cabin Safety          | Additive Manufacturing -<br>Flammability of Parts   | Standardization Item: Additive Manufacturing (also known as 3D printing) may allow for variability in the production process that, while still producing the same part in accordance with the drawings, might not control flammability characteristics. Coordinate with the FAA to determine if a method of compliance issue paper is needed for additive manufactured parts that must meet part 23 flammability requirements. Coordination with FAA and an issue paper is not needed for parts that must only meet a Bunsen burner test(s) and either are constructed with Ultem 9085 or produce a Fire Growth Capacity (FGC) less than 70 J/gk in a microscale concalorimeter test conducted per ASTM D7309-21.   |  |
|    | Our all Mark   | 1 1010    | Elicht Tool           | Vilenday and B. W. C.   | Note that this Product Issues List also contains a separate item for Additive Manufacturing Design & Construction (Materials, Fabrication Methods).   |  |
| 75 | Small Airplane | A-1818    | Flight Test           | Vibration and Buffeting<br>Requirements for External<br>Modifications                     | Standardization Item: If the applicant is seeking to install antennas or other external modifications on an aircraft that is pressurized, has VNE/NO greater than 225 knots, or both, then a Means of Complianc may be required to establish adequate requirements at amendment 23-63 or earlier. At amendment 23-64 or later, applicants should coordinate with the FAA and incorporate the requirements of the issue pay certification planning for 14 CFR 23.2160 as an FAA accepted means of compliance (MOC).  In lieu of an issue paper the applicant may follow and cite Certification Position Paper CPP-23.251-1 in their project specific certification plan.   |  |
|    | Small Airplane | A-1819    | Systems and Equipment | Use of Headsets for Unsafe  | The absence of a speaker in the cockoit may affect the pilot's ability to detect and understand aural alerts. Applicants must comply with 14 CFR 23 2605(c) that states. "information concerning an unsafe system operating   |  |
| 76 | • • •          |           |                       | System Operating Condition<br>Information   | condition must be provided in a timely manner to the crewmember responsible for taking corrective action." To meet 14 CFR 23.2605(c), The FAA recognizes ASTM F3117/F3117M-20, ASTM F3117/F3117M-23a, or later revisions accepted by the FAA, along with a few other ASTM standard specifications.  |  |
| -  | D&R UAS        | 111111    |                       | D&R Unmanned Aircraft   | In lieu of an issue paper, the applicant may follow and cite Certification Position Paper CPP-23.2605-1 in their project specific certification plan, when showing compliance to ASTM F3117/F3117M-20 subsection 11.1.3.  Special class airworthiness criteria may need to be established. Certification Position Paper (CPP) No. CPP-D&R-1.1 provides acceptable proposed airworthiness criteria for certain unmanned aircraft that qualify to be  |  |
| 77 |                |           |                       | Airworthiness Criteria  | certificated using the durability and reliability testing approach (D&R UAs). CPP No. CPP-D&R-1.1 is not applicable to all D&R UAs such as those with reciprocating engines. When applicable, applicants may use the CPP by referring to it in their project specific certification plan. A G-1 issue paper is needed if CPP No. CPP-D&R-1.1 is not applicable or if an applicant proposes alternate proposed airworthiness criteria.   |  |
| 78 | D&R UAS        | D&R-2     |                       | Means of Compliance with D&R<br>Unmanned Airworthiness<br>Criteria                        | Certification Position Paper (CPP) No. CPP-D&R-2.1 provides acceptable means of compliance (MOC) with the proposed airworthiness criteria in CPP-D&R-1.1 for certain D&R UAs. This MOC is not complete for UAs that conduct certain operations (e.g., operations into adverse weather conditions). If CPP No. CPP-D&R-2.1 is not applicable or an applicant proposes an alternate MOC, a G-2 MOC issue paper is needed.   |  |

|    | Product Type | Issue ID# | Category | Subject                                       | Description   |
|----|--------------|-----------|----------|---|---|
| 79 | D&R UAS      | D&R-3     |          | Operation in Adverse Weather Conditions       | An issue paper may be needed to establish a method of compliance with D&R.130(c)(2) for operation in rain, snow or ice.   |
| 80 | D&R UAS      | D&R-4     |          | Detect and Avoid Other Aircraft and Obstacles | An issue paper may be needed to establish a method of compliance with D&R.130(b)(5) for demonstrating the capability to detect and avoid other aircraft and obstacles.  |
| 81 | D&R UAS      | D&R-5     |          | Environmental Certification Basis             | A G-3 issue paper must establish the environmental certification basis (i.e., noise standards, and fuel venting and exhaust emissions standards).   |
| 82 | D&R UAS      | D&R-6     |          | Noise Control Act of 1972                     | An N-1 issue paper may be created to request certain information from the applicant so the FAA can satisfy its statutory responsibility of a Noise Control Act (NCA) determination in accordance with the environmental provisions cited in Title 49 U.S.C. Section 44715 (Noise Control Act). This determination is required before issuing any original TC for an aircraft of any category except for experimental. |

Standardization Item – Highlights existing guidance or requests contact with Policy and Standards Division (P&S). Emerging Technology/Issue - Requests contact with P&S. No standards or guidance in place yet. Engine-Aircraft Interface Item - May affect the engine or engine installation. Recommend engine manufacturer coordination.

## Q3 2025 Small Airplane Release Notes

| Issue ID#        | Category             | Subject                         | Change Description  |
|------------------|----------------------|---------------------------------|---|
| 1 A-0203         | Structures           | Load Relief/Alleviation Systems | Updated Description   |
| 2 A-0204         | Structures           | Composite Floats                | Updated state from refining to stable                                 |
| 3 <b>A-0208</b>  | Structures           | Seats - Side Facing             | Updated Description   |
| 4 A-0313         | Avionics             | Autoland Systems                | Updated Description   |
| 5 <b>A-0601</b>  | Fire Protection      | Fire Protection of Flight       | Updated Description   |
| 6 A-0602         | Fire Protection      | Composite or Nonmetallic        | Updated Description   |
| 7 A-0701         | Flight Controls      | Highly Augmented Flight Path    | Updated Description   |
| 8 A-0803         | Flight Test          | Compliance to Stability         | Updated Description   |
| 9 A-0902         | Fuel System          | Fuel System - Pressure          | Updated Description   |
| 10 <b>A-0903</b> | Fuel System          | Fuel System - Temperature       | Updated Description   |
| 11 A-1102        | Icing                | Use of Type II, III, and IV     | Updated Description   |
| 12 <b>A-1103</b> | Icing                | Engine Operation in Ice Crystal | Updated description   |
| 13 <b>A-1402</b> | Propulsion           | Electric or Hybrid Electric     | Updated Description   |
| 14 A-1403        | Propulsion           | Diesel Engine Evaluation        | Updated Description   |
| 15 <b>A-1404</b> | Propulsion           | Autothrust System               | Updated Description   |
| 16 <b>A-1405</b> | Propulsion           | Engine Control System           | Updated Description   |
| 17 A-1502        | Security             | Security Considerations         | Updated Description   |
| 18 <b>A-1808</b> | Other                | Required Navigation             | Updated Description   |
| 19 <b>A-1816</b> | Other                | Significant Change - No Policy  | Updated Description   |
| 20 <b>A-1817</b> | Cabin Safety         | Additive Manufacturing -        | Updated description   |
| 21 <b>A-1819</b> | System and Equipment | Use of Headsets for Unsafe      | Issue added   |
| 22 Multiple      | Multiple             | Multiple                        | Changed references to various FAA offices in the description to "FAA" |