

Quick Reference for Part 23 and Associated Advisory Circulars (AC)
 Latest Revisions of ACs are available at rgl.faa.gov

Part 23 Rules	Applicable Advisory Circulars, latest revision	AC Titles
Subpart A, General		
23.1, Applicability	¹ AC 23-21, ² AC 23-8, ³ AC 23-24	¹ Airworthiness Compliance Checklists Used to Substantiate Major Alterations for Small Airplanes, ² Flight Test Guide for Certification of Part 23 Airplanes, ³ Airworthiness Compliance Checklists for Common Part 23 Supplemental Type Certificate (STC) Projects
23.2, Special retroactive requirements		
23.3, Airplane categories	AC 23-8	
Subpart B, Flight		
23.21, Proof of compliance	AC 23-8	
23.23, Load distribution limits	AC 23-8	
23.25, Weight limits	AC 23-8	
23.29, Empty weight and corresponding center of gravity	AC 23-8	
23.31, Removable ballast	AC 23-8	
23.33 Propeller speed and pitch limits	AC 23-8	
Performance		
23.45, General	AC 23-8, ¹ AC 23-15	¹ Small Airplane Certification Compliance Program
23.49, Stalling period	AC 23-8	
23.51, Takeoff speeds	AC 23-8	
23.53, Takeoff performance	AC 23-8, AC 23-15	
23.55, Accelerate-stop distance	AC 23-8	
23.57, Takeoff path	AC 23-8	
23.59, Takeoff distance and takeoff run	AC 23-8	
23.61, Takeoff flight path	AC 23-8	
23.63, Climb: General		
23.65, Climb: All engines operating	AC 23-8, AC 23-15	
23.66, Takeoff climb: One-engine inoperative	AC 23-8	

Quick Reference for Part 23 and Associated Advisory Circulars (AC)
 Latest Revisions of ACs are available at rgl.faa.gov

23.67, Climb: One engine inoperative	AC 23-8	
23.69, Enroute climb/descent	AC 23-8	
23.71, Glide: Single-engine airplanes	AC 23-8	
23.73, Reference landing approach speed	AC 23-8	
23.75, Landing distance	AC 23-8, AC 23-15	
23.77, Balked landing	AC 23-8, AC 23-15	
Flight Characteristics		
23.141, General	AC 23-8	
Controllability and Maneuverability		
23.143, General	AC 23-8	
23.145, Longitudinal control	AC 23-8, AC 23-15	
23.147, Directional and lateral control	AC 23-8	
23.149, Minimum control speed	AC 23-8	
23.151, Acrobatic maneuvers	AC 23-8	
23.153, Control during landings	AC 23-8	
23.155, Elevator control force in maneuvers	AC 23-8	
23.157, Rate of roll	AC 23-8	
Trim		
23.161, Trim	AC 23-8, AC 23-15	
Stability		
23.171, General	AC 23-8	
23.173, Static longitudinal stability	AC 23-8	
23.175, Demonstration of static longitudinal stability	AC 23-8, AC 23-15	
23.177, Static directional and lateral stability	AC 23-8	
23.181, Dynamic stability	AC 23-8	
Stalls		
23.201, Wings level stall	AC 23-8,	

Quick Reference for Part 23 and Associated Advisory Circulars (AC)
 Latest Revisions of ACs are available at rgl.faa.gov

	AC 23-15	
23.203, Turning flight and accelerated turning stalls	AC 23-8, AC 23-15	
23.207, Stall warning	AC 23-8, AC 23-15 ¹ AC 23.1419-2	¹ Certification of Part 23 Airplanes for Flight in Icing Conditions
Spinning		
23.221, Spinning	AC 23-8, AC 23-15	
Ground and Water Handling Characteristics		
23.231, Longitudinal stability and control	AC 23-8	
23.233, Directional stability and control	AC 23-8	
23.235, Operation on unpaved surfaces	AC 23-8	
23.237, Operation on water	AC 23-8	
23.239, Spray characteristics	AC 23-8	
Miscellaneous Flight Requirements		
23.251, Vibration and buffeting	AC 23-8	
23.253, High speed characteristics	AC 23-8	
Subpart C, Structure		
23.301, Loads	¹ AC 23-19	¹ Airframe Guide for Certification of Part 23 Airplanes
23.302, Canard and tandem wing configurations	AC 23-19	
23.303, Factor of safety	AC 23-19	
23.305, Strength and deformation	AC 23-19	
23.307, Proof of structure	AC 23-19	
Flight Loads		
23.321, General	AC 23-19	
23.331, Symmetrical flight conditions	AC 23-19	
23.333, Flight envelope	AC 23-19	
23.335, Design airspeeds	AC 23-19	
23.337, Limit	AC 23-19	

Quick Reference for Part 23 and Associated Advisory Circulars (AC)
 Latest Revisions of ACs are available at rgl.faa.gov

maneuvering load factors		
23.341, Gust load factors	AC 23-19	
23.343, Design flight loads	AC 23-19	
23.345, High lift devices	AC 23-19	
23.347, Unsymmetrical flight conditions	AC 23-19	
23.349, Rolling conditions	AC 23-19	
23.351, Yawing conditions	AC 23-19	
23.361, Engine torque	AC 23-19	
23.363, Side load on engine mount	AC 23-19	
23.365, Pressurized cabin loads	AC 23-19	
23.367, Unsymmetrical loads due to engine failure	AC 23-19	
23.369, Rear lift truss	AC 23-19	
23.371, Gyroscopic and aerodynamic loads	AC 23-19	
23.373, Speed control devices	AC 23-19	
Control Surface and System Loads		
23.391, Control surface loads	AC 23-19	
23.393, Loads parallel to hinge line	AC 23-19	
23.395, Control system loads	AC 23-19	
23.397, Limit control forces and torques	AC 23-19	
23.399, Dual control system	AC 23-19	
23.405, Secondary control system	AC 23-19	
23.407, Trim tabs effects	AC 23-19	
23.409, Tabs	AC 23-19	
23.415, Ground gust conditions	AC 23-19	
Horizontal Stabilizing and Balancing Surfaces		
23.421, Balancing loads	AC 23-19	

Quick Reference for Part 23 and Associated Advisory Circulars (AC)
 Latest Revisions of ACs are available at rgl.faa.gov

23.423, Maneuvering loads	AC 23-19	
23.425, Gust loads	AC 23-19	
23.427, Unsymmetrical loads	AC 23-19, ¹ AC 23-9	¹ Evaluation of Flight Loads on Small Airplanes with T, V,+ or Y Empennage Configurations
Vertical Surfaces		
23.441, Maneuvering loads	AC 23-19	
23.443, Gust loads	AC 23-19	
23.445, Outboard fins and winglets	AC 23-19	
Ailerons and Special Devices		
23.455, Ailerons	AC 23-19	
23.459, Special devices	AC 23-19	
Ground Loads		
23.471, General	AC 23-19	
23.473, Ground load conditions and assumptions	AC 23-19	
23.477, Landing gear arrangement	AC 23-19	
23.479, Level landing conditions	AC 23-19	
23.481, Tail down landing conditions	AC 23-19	
23.483, One-wheel landing conditions	AC 23-19	
23.485, Side load conditions	AC 23-19	
23.493, Braked roll conditions	AC 23-19	
23.497, Supplementary conditions for tail wheels	AC 23-19	
23.499, Supplementary conditions for nose wheels	AC 23-19	
23.505, Supplementary conditions for ski planes	AC 23-19	
23.507, Jacking loads	AC 23-19	
23.509, Towing loads	AC 23-19	
23.511, Ground load: unsymmetrical loads on multiple-wheel units	AC 23-19	

Quick Reference for Part 23 and Associated Advisory Circulars (AC)
 Latest Revisions of ACs are available at rgl.faa.gov

Water Loads		
23.521, , Water load conditions	AC 23-19	
23.523, Design weights and center of gravity positions	AC 23-19	
23.525, Application of loads	AC 23-19	
23.527, Hull and main float load factors	AC 23-19	
23.529, Hull and main float landing conditions	AC 23-19	
23.531, Hull and main float takeoff condition	AC 23-19	
23.533, Hull and main float bottom pressures	AC 23-19	
23.535, Auxiliary float loads	AC 23-19	
23.537, Seawing loads	AC 23-19	
Emergency Landing Conditions		
23.561, General	AC 23-19, ¹ AC 23-10, ² AC 21-22, ³ AC 21-34, ⁴ AC 21-25	¹ Auxiliary Fuel Systems for Reciprocating and Turbine Powered Part 23 Airplanes, ² Injury Criteria for Human Exposure to Impact, ³ Shoulder Harness-Safety Belt Installations, ⁴ Approval of Modified Seats and Berths
23.562, Emergency landing dynamic conditions	¹ AC 23.562-1, AC 23-19, AC 23-15, AC 21-25 ² AC 20-146	¹ Dynamic Testing of Part 23 Airplane Seat/Restraint Systems and Occupant Protection ² Methodology for Dynamic Seat Certification by Analysis for Use in Part 23, 25, 27, and 29 Airplanes and Rotorcraft
Fatigue Evaluation		
23.571, Metallic pressurized cabin structures	AC 23-19, ¹ AC 23-13	¹ Fatigue, Fail-Safe, and Damage Tolerance Evaluation of Metallic Structure for Normal, Utility, Acrobatic, and Commuter Category Airplanes
23.572, Metallic wing and empennage, and associated structures	AC 23-19, AC 23-13	
23.573, Damage tolerance and fatigue evaluation of	AC 23-19, AC 23-13,	¹ Composite Aircraft Structure

Quick Reference for Part 23 and Associated Advisory Circulars (AC)
 Latest Revisions of ACs are available at rgl.faa.gov

structure	¹ AC 20-107	
23.574, Metallic damage tolerance and fatigue evaluation of commuter category airplanes	AC 23-19, AC 23-13, AC 20-107	
23.575, Inspections and other procedures	AC 23-19, AC 23-13	
Subpart D, Design and Construction		
23.601, General	AC 23-10, ¹ AC 23-20	¹ Acceptance Guidance on Material Procurement and Process Specifications for Polymer Matrix Composite Systems
23.603, Materials and workmanship	AC 23-10, AC 23-20	
23.605, Fabrication methods	AC 23-15, AC 23-20	
23.607, Fasteners	¹ AC 23.607-1	¹ Self-Locking Nuts on Bolts Subject to Rotation
23.609, Protection of structure	AC 23-10	
23.611, Accessibility provisions	AC 23-13	
23.613, Material strength properties and design values	AC 23-10, AC 23-20	
23.619, Special factors	AC 23-10	
23.621, Casting factors		
23.623, Bearing factors		
23.625, Fitting factors		
23.627, Fatigue strength	AC 23-13	
23.629, Flutter	AC 23-8, AC 23-15, AC 20-107, ¹ AC 23.629-1	¹ Means of Compliance with Title 14 CFR, Part 23, § 23.629, Flutter
Wings		
23.641, Proof of strength Control Surfaces	AC 23-15	
23.651, Proof of strength		
23.655, Installation		
23.657, Hinges		
23.659, Mass balance		
Control Systems		
23.671, General	¹ AC 23-17	¹ Systems and Equipment Guide for Certification of Part 23 Airplanes and Airships

Quick Reference for Part 23 and Associated Advisory Circulars (AC)
 Latest Revisions of ACs are available at rgl.faa.gov

23.672, Stability augmentation and automatic and power-operated systems	AC 23-17	
23.673, Primary flight controls	AC 23-17	
23.675, Stops	AC 23-17	
23.677, Trim systems	AC 23-17, AC 23-8, AC 23-15	
23.679, Control system locks	AC 23-17, AC 23-8	
23.681, Limit load static tests	AC 23-17	
23.683, Operation tests	AC 23-17	
23.685, Control system details	AC 23-17	
23.687, Spring devices	AC 23-17	
23.689, Cable systems	AC 23-17	
23.691, Artificial stall barrier systems	AC 23-17	
23.693, Joints	AC 23-17	
23.697, Wing flap controls	AC 23-17	
23.699, Wing flap position indicator	AC 23-17	
23.701, Flap interconnection	AC 23-17, AC 23-8	
23.703, Takeoff warning system	AC 23-17	
Landing Gear		
23.721, , General	AC 23-17	
23.723, Shock absorption tests	AC 23-17, AC 23-15	
23.725, Limit drop tests	AC 23-17, AC 23-15	
23.726, Ground load dynamic tests	AC 23-17, AC 23-15	
23.727, Reserve energy absorption drop test	AC 23-17, AC 23-15	
23.729, Landing gear extension and retraction system	AC 23-17 AC 23-8	
23.731, Wheels	AC 23-17	
23.733, Tires	AC 23-17	

Quick Reference for Part 23 and Associated Advisory Circulars (AC)
 Latest Revisions of ACs are available at rgl.faa.gov

23.735, Brakes	AC 23-17, AC 23-8, AC 23-15	
23.737, Skis	AC 23-17	
23.745, Nose/tail wheel steering	AC 23-17	
Floats and Hulls		
23.751, Main float buoyancy	AC 23-17	
23.753, Main float design	AC 23-17	
23.755, Hulls	AC 23-17	
23.757, Auxiliary floats	AC 23-17	
Personnel and Cargo Accommodations		
23.771, Pilot compartment	AC 23-17	
23.773, Pilot compartment view	AC 23-17, AC 23-8	
23.775, Windshields and windows	AC 23-17, AC 23-8	
23.777, Cockpit controls	AC 23-17 AC 23.1419-2	
23.779, Motion and effect of cockpit controls	AC 23-17	
23.781, Cockpit control knob shape	AC 23-17	
23.783, Doors	AC 23-17,	
23.785, Seats, berths, litters, safety belts, and shoulder harnesses	AC 23-17, AC 23-8, AC 21-22, AC 21-34, AC 21-25	
23.787, Baggage and cargo compartments	AC 23-17, ¹ AC 23-2, AC 23-10	¹ Flammability Tests
23.791, Passenger information signs	AC 23-17	
23.803, Emergency evacuation	AC 23-17, ¹ AC 20-118, AC 23-8	¹ Emergency Evacuation Demonstration
23.805, Flightcrew emergency exits	AC 23-17,	
23.807, Emergency exits	AC 23-17, AC 23-8	
23.811, Emergency exit	AC 23-17	

Quick Reference for Part 23 and Associated Advisory Circulars (AC)
 Latest Revisions of ACs are available at rgl.faa.gov

marking		
23.812, Emergency lighting	AC 23-17	
23.813, Emergency exit access	AC 23-17	
23.815, Width of aisle	AC 23-17	
23.831, Ventilation	AC 23-17, ¹ AC 20-32, ² AC 25-9, AC 23-8	¹ Carbon Monoxide (CO) Contamination in Aircraft Detection and Prevention, ² Smoke Detection, Penetration, and Evacuation Tests and Related Flight Manual Emergency Procedures
Pressurization		
23.841, Pressurized cabins	AC 23-17, AC 23-8	
23.843, Pressurization tests	AC 23-17,	
Fire Protection		
23.851, Fire extinguishers	AC 23-17, ¹ AC 20-42	¹ Hand Fire Extinguishers for Use in Aircraft
23.853, Passenger and crew compartment interiors	AC 23-17, AC 23-2, AC 23-15, AC 23.1419-2 AC 21-25	
23.855, Cargo and baggage compartment fire protection	AC 23-17, AC 23-2	
23.859, Combustion heater fire protection	AC 23-17, AC 23-2, ¹ AC 20-135	¹ Powerplant Installation and Propulsion System Component Fire Protection
23.863, Flammable fluid fire protection	AC 23-17, AC 23-2, AC 23-10, AC 23.1419-2, AC 20-135	
23.865, Fire protection of flight controls, engine mounts, and other flight structure	AC 23-17, AC 23-2, AC 23-15	
Electrical Bonding and Lightning Protection	AC 23-17	
23.867, Electrical bonding and protection against lightning and static electricity	AC 23-17, AC 23-10, AC 23-15	
Miscellaneous		

Quick Reference for Part 23 and Associated Advisory Circulars (AC)

Latest Revisions of ACs are available at rgl.faa.gov

23.871, Leveling means	AC 23-17	
Subpart E, Powerplant		
General		
23.901, Installation	¹ AC 23-16, AC 23-10, AC 23.1419-2, ² AC 20-128, ³ AC 20-147	¹ Powerplant Guide for Certification of Part 23 Airplanes and Airships, Design Considerations for ² Minimizing Hazards caused by Uncontained Turbine Engine and Auxiliary Power Unit Rotor Failure, ³ Turbojet, Turboprop, and Turbofan Engine Induction System Icing and Ice Ingestion
23.903, Engines,	AC 23-16, AC 23-8, AC 23-10, AC 23-13, AC 23.1419-2, AC 20-128, AC 20-135	
23.904, Automatic power reserve system	AC 23-16	
23.905, Propellers	AC 23-16,	
23.907, Propeller vibration	AC 23-16, ¹ AC 20-66	¹ Vibration and Fatigue Evaluation of Airplane Propellers
23.909, Turbocharger systems	AC 23-16,	
23.925, Propeller clearance	AC 23-16,	
23.929, Engine installation ice protection	AC 23-16, AC 23-8, AC 23.1419-2 ¹ AC 20-73	¹ Aircraft Ice Protection
23.933, Reversing systems	AC 23-16, AC 23-8	
23.934, Turbojet and turbofan engine thrust reverser system tests	AC 23-16	
23.937, Turbopropeller-drag limiting systems	AC 23-16	
23.939, Powerplant operating characteristics	AC 23-16, AC 23-8	
23.943, Negative acceleration	AC 23-16, AC 23-8	
Fuel System		
23.951, General	AC 23-16,	

Quick Reference for Part 23 and Associated Advisory Circulars (AC)
 Latest Revisions of ACs are available at rgl.faa.gov

	AC 20-73 AC 23-10	
23.953, Fuel system independence	AC 23-16, AC 23-10	
23.954, Fuel system lightning protection	AC 23-16, AC 23-10, AC 23-15, ¹ AC 20-53	¹ Protection of Aircraft Fuel Systems Against Fuel Vapor Ignition Caused by Lightning
23.955, Fuel flow	AC 23-16, AC 23-10	
23.957, Flow between interconnected tanks	AC 23-16, AC 23-10	
23.959, Unusable fuel supply	AC 23-16,	
23.961, Fuel system hot weather operation	AC 23-16, AC 23-10	
23.963, Fuel tanks: General	AC 23-16, AC 23-10,	
23.965, Fuel tank tests	AC 23-16, AC 23-10, AC 23-15	
23.967, Fuel tank installation	AC 23-16, AC 23-10	
23.969, Fuel tank expansion space	AC 23-16, AC 23-10	
23.971, Fuel tank sump	AC 23-16, AC 23-10	
23.973, Fuel tank filler connection	AC 23-16, AC 23-10	
23.975, Fuel tank vents and carburetor vapor vents	AC 23-16, AC 23-10 AC 20-73	
23.977, Fuel tank outlet	AC 23-16, AC 23-10	
23.979, Pressure fueling systems	AC 23-16, AC 23-10	
Fuel System Components		
23.991, Fuel pumps	AC 23-16, AC 23-10	
23.993, Fuel system lines and fittings	AC 23-16, AC 23-10	
23.994, Fuel system components	AC 23-16, AC 23-10	
23.995, Fuel valves and	AC 23-16,	

Quick Reference for Part 23 and Associated Advisory Circulars (AC)
 Latest Revisions of ACs are available at rgl.faa.gov

controls	AC 23-10	
23.997, Fuel strainer or filter	AC 23-16, AC 23-10 AC 20-73	
23.999, Fuel system drains	AC 23-16	
23.1001, Fuel jettisoning system	AC 23-16, AC 23-8, AC 23-10	
Oil Systems		
23.1011, General	AC 23-16, AC 23-10, ¹ AC 23.1011-1	¹ Procedures for Determining Acceptable Fuel/Oil Ratio as Required by FAR 23.1011(b)
23.1013, Oil tanks	AC 23-16, AC 20-135	
23.1015, Oil tank tests	AC 23-16	
23.1017, Oil lines and fittings	AC 23-16	
23.1019, Oil strainer or filter	AC 23-16	
23.1021, Oil system drains	AC 23-16	
23.1023, Oil radiators	AC 23-16	
23.1027, Propeller feathering system	AC 23-16, AC 23-8	
Cooling		
23.1041, General	AC 23-16, AC 23-8	
23.1043, Cooling tests	AC 23-16, AC 23-8 AC 23.1419-2	
23.1045, Cooling test procedures for turbine engine powered airplanes	AC 23-16, AC 23-8	
23.1047, Cooling test procedures for reciprocating engine powered airplanes	AC 23-16, AC 23-8	
Liquid Cooling		
23.1061, Installation	AC 23-16	
23.1063, Coolant tank tests	AC 23-16	
Induction System		
23.1091, Air induction system	AC 23-16, AC 23-8, ¹ AC 20-124,	¹ Water Ingestion Testing for Turbine Powered Airplanes

Quick Reference for Part 23 and Associated Advisory Circulars (AC)
 Latest Revisions of ACs are available at rgl.faa.gov

	AC 20-135	
23.1093, Induction system icing protection	AC 23-16, AC 23-8, AC 23.1419-2, AC 20-73 AC 20-147	
23.1095, Carburetor deicing fluid flow rate	AC 23-16 AC 23.1419-2 AC 20-73	
23.1097, Carburetor deicing fluid system capacity	AC 23-16 AC 23.1419-2 AC 20-73	
23.1099, Carburetor deicing fluid system detail design	AC 23-16 AC 23.1419-2 AC 20-73	
23.1101, Induction air preheater design	AC 23-16 AC 23.1419-2 AC 20-73	
23.1103, Induction system ducts	AC 23-16	
23.1105, Induction system screens	AC 23-16	
23.1107, Induction system filters	AC 23-16	
23.1109, Turbocharger bleed air system	AC 23-16	
23.1111, Turbine engine bleed air system	AC 23-16	
Exhaust System		
23.1121, General	AC 23-16, AC 20-135	
23.1123, Exhaust system	AC 23-16, AC 20-135	
23.1125, Exhaust heat exchangers	AC 23-16	
Powerplant Controls and Accessories		
23.1141, Powerplant controls: General	AC 23-16, AC 23-8, AC 20-135	
23.1142, Auxiliary power unit controls	AC 23-16	
23.1143, Engine controls	AC 23-16 1 AC 20-136 2 AC 20-143	¹ Protection of Aircraft Electrical/Electronic Systems Against the Indirect Effects of Lightning ² Installation, Inspection, and Maintenance

Quick Reference for Part 23 and Associated Advisory Circulars (AC)
 Latest Revisions of ACs are available at rgl.faa.gov

		of Controls for General Aviation Reciprocating Aircraft Engines
23.1145, Ignition switches	AC 23-16	
23.1147, Mixture controls	AC 23-16	
23.1149, Propeller speed and pitch controls	AC 23-16	
23.1153, Propeller feathering controls	AC 23-16, AC 23-8	
23.1155, Turbine engine reverse thrust and propeller pitch settings below the flight regime	AC 23-16,	
23.1157, Carburetor air temperature controls	AC 23-16	
23.1163, Powerplant accessories	AC 23-16	
23.1165, Engine ignition systems	AC 23-16	
Powerplant Fire Protection		
23.1181, Designated fire zones; regions included	AC 23-16	
23.1182, Nacelle areas behind firewalls	AC 23-16, AC 20-135	
23.1183, Lines, fittings, and components	AC 23-16, AC 23-10, AC 20-135	
23.1189, Shutoff means	AC 23-16, AC 23-8, AC 23-10, AC 20-135	
23.1191, Firewalls	AC 23-16, AC 23-2, AC 20-135	
23.1192, Engine accessory compartment diagram	AC 23-16, AC 23-2, AC 20-135	
23.1193, Cowling and nacelle	AC 23-16, AC 23-2, AC 20-135	
23.1195, Fire extinguishing systems	AC 23-16 ¹ AC 20-144	¹ Recommended Method for FAA approval of Aircraft Fire Extinguishing System Components
23.1197, Fire extinguishing agents	AC 23-16, AC 20-144	

Quick Reference for Part 23 and Associated Advisory Circulars (AC)
 Latest Revisions of ACs are available at rgl.faa.gov

23.1199, Extinguishing agent containers	AC 23-16 AC 20-144	
23.1201, Fire extinguishing systems materials	AC 23-16 AC 20-144	
23.1203, Fire Detector System	AC 23-16	
Subpart F, Equipment		
General		
23.1301, Function and installation	AC 23-17, ¹ AC 20-41, AC 23-8, AC 23-15 ² AC 20-67 ³ AC 20-94 ⁴ AC 20-140 ⁵ AC 20-156 ⁶ AC 90-96 ⁷ AC 25-4 ⁸ AC 121-13 ⁹ AC 20-121 ¹⁰ AC 90-79 ¹¹ AC 23.1309-1 ¹² AC 23.1311-1	¹ Substitute Technical Standard Order (TSO) Aircraft Equipment ² Airborne VHF Communication Equipment Installations ³ Digital Clock Installation in Aircraft ⁴ Guidelines for Design Approval of Aircraft Data Communications Systems ⁵ Aviation Databus Assurance ⁶ Approval of U.S. Operators and Aircraft to Operate Under Instrument Flight Rules (IFR) in European Airspace Designated for Basic Area Navigation (B-RNAV) and Precision Area Navigation (P-RNAV) ⁷ Inertial Navigation System (INS) ⁸ Self-Contained Navigation Systems ⁹ Airworthiness Approval of Loran-C Navigation Systems for use in the U.S. National & Airspace System (NAS) and Alaska ¹⁰ Recommended Practices and Procedures for the Use of Electronic Long-Range Navigation ¹¹ Equipment, Systems, and Installations in Part 23 Airplanes, ¹² Installation of Electronic Display in Part 23 Airplanes,
23.1303, Flight and navigation instruments	AC 23-17, ¹ AC 23-18, ² AC 20-121, ³ AC 20-138, AC 23-8 ⁴ AC 20-69 ⁵ AC 20-129 ⁶ AC 20-130 AC 23.1309-1 AC 23.1311-1	¹ Installation of Terrain Awareness and Warning System (TAWS) Approved for Part 23 Airplanes, ² Airworthiness Approval of Loran-C Navigation Systems for use in the U.S. National & Airspace System (NAS) and Alaska, ³ Airworthiness Approval of Global Navigation Satellite System (GNSS) Equipment ⁴ Conspicuity of Aircraft Instrument

Quick Reference for Part 23 and Associated Advisory Circulars (AC)
 Latest Revisions of ACs are available at rgl.faa.gov

		<p>Malfunction Indicators</p> <p>⁵Airworthiness Approval of Vertical Navigation (VNAV) Systems for use in the U.S. National Airspace System (NAS) and Alaska</p> <p>⁶Airworthiness Approval of Navigation or Flight Management Systems Integrating Multiple Navigation Sensors</p>
23.1305, Powerplant instruments	<p>AC 23-17, ¹AC 20-88, AC 23-8, AC 23-10 AC 23.1309-1 AC 23.1311-1</p>	¹ Guidelines on the Marking of Aircraft
23.1307, Miscellaneous equipment	AC 23-17	
23.1308, HIRF	<p>¹AC 20-158 AC 23.1309-1 AC 23-17</p>	¹ The Certification of Aircraft Electrical and Electronic Systems for Operation in the High-Intensity Radiated Fields (HIRF) Environment
23.1309, Equipment, systems, and installations	<p>AC 23-17, AC 23.1309-1, AC 23-15, AC 23.1419-2 AC 20-136, ¹AC 20-152, ²AC 20-155, ³AC 23-26 ⁴AC 20-153 ⁵AC 20-157 AC 23.1311-1</p>	<p>¹TCA, Inc., Document RTCA/DO-254, Design Assurance Guidance for Airborne Electronic Hardware, ²SAE Documents to Support Aircraft Lightning Protection Certification, ³Synthetic Vision and Pathway Depictions on the Primary Flight Display ⁴Acceptance of Data Processes and Associated Navigation Databases ⁵How to Prepare Reliability Assessment Plans for Aircraft Systems and Equipment</p>
Instruments: Installation		
23.1311, Electronic display instrument systems	<p>AC 23-17, AC 23.1311-1, AC 23-8, AC 23-15, ¹AC 23-23 AC 23.1309-1</p>	¹ Standardization Guide for Integrated Cockpits in Part 23 Airplanes
23.1321, Arrangement and visibility	<p>AC 23-17, AC 23-26 AC 23.1311-1</p>	
23.1322, Warning, caution, and advisory lights	<p>AC 23-17 AC 23.1309-1 AC 23.1311-1</p>	
23.1323, Airspeed indicating system	<p>AC 23-17, AC 23-8</p>	

Quick Reference for Part 23 and Associated Advisory Circulars (AC)
 Latest Revisions of ACs are available at rgl.faa.gov

	AC 23.1419-2 AC 23.1309-1 AC 23.1311-1	
23.1325, Static pressure system	AC 23-17, AC 23-8, AC 20-124 AC 23.1419-2	
23.1326, Pitot heat indication systems	AC 23-17	
23.1327, Magnetic direction indicator	AC 23-17 AC 23.1309-1 AC 23.1311-1	
23.1329, Automatic pilot system	AC 23-17 AC 23.1309-1 AC 23.1311-1	
23.1331, Instruments using a power source	AC 23-17, AC 23-8 AC 23.1309-1 AC 23.1311-1	
23.1335, Flight director systems	AC 23-17 AC 23.1309-1	
23.1337, Powerplant instruments installation	AC 23-17, AC 23-16, AC 23-8, AC 23-10, AC 23-15 AC 23.1309-1	
Electrical Systems and Equipment		
23.1351, General	AC 23-17, ¹ AC 20-40, AC 23-10	¹ Placards for Battery-Excited Alternators Installed in Light Aircraft
23.1353, Storage battery design and installation	AC 23-17, AC 23-8 AC 23.1309-1 AC 23.1311-1	
23.1357, Circuit protective devices	AC 23-17, AC 23-10	
23.1359, Electrical system fire protection	AC 23-17, AC 23-2	
23.1361, Master switch arrangement	AC 23-17, AC 23-8	
23.1365, Electrical cables and equipment	AC 23-17, AC 23-2	
23.1367, Switches	AC 23-17	
Lights		

Quick Reference for Part 23 and Associated Advisory Circulars (AC)
 Latest Revisions of ACs are available at rgl.faa.gov

23.1381, Instrument lights	AC 23-17, AC 23-10	
23.1383, Taxi and landing lights	AC 23-17	
23.1385, Position light system installation	AC 23-17, ¹ AC 20-30, ² AC 20-74 AC 23-2	¹ Aircraft Position Light and Anticollision Light Installations, ² Aircraft Position and Anticollision Light Measurements
23.1387, Position light system dihedral angles	AC 23-17, AC 20-30	
23.1389, Position light distribution and intensities	AC 23-17, AC 20-30	
23.1391, Minimum intensities in the horizontal plane of position lights	AC 23-17, AC 20-30	
23.1393, Minimum intensities in any vertical plane of position lights	AC 23-17, AC 20-30	
23.1395, Maximum intensities in overlapping beams of position lights	AC 23-17, AC 20-30	
23.1397, Color specifications	AC 23-17, AC 20-30, AC 20-74	
23.1399, Riding light	AC 23-17	
23.1401, Anticollision light system	AC 23-17, AC 20-30, AC 20-74	
Safety Equipment		
23.1411, General	AC 23-17	
23.1415, Ditching equipment	AC 23-17	
23.1416, Pneumatic de-icer boot system	AC 23-17, AC 23.1419-2	
23.1419, Ice protection	AC 23-17, AC 23.1419-2 AC 20-73, AC 20-147	
Miscellaneous Equipment		
23.1431, Electronic equipment	AC 23-17, ¹ AC 20-131, AC 23-8, AC 23-15 ² AC 20-151	¹ Airworthiness Approval of Traffic Alert and Collision Avoidance Systems (TCAS II) and Mode S Transponders ² Airworthiness Approval of Traffic Alert and Collision Avoidance Systems (TCAS

Quick Reference for Part 23 and Associated Advisory Circulars (AC)
 Latest Revisions of ACs are available at rgl.faa.gov

		II) Version 7.0 and Associated Mode S Transponders
23.1435, Hydraulic systems	AC 23-17	
23.1437, Accessories for multiengine airplanes	AC 23-17	
23.1438, Pressurization and pneumatic systems	AC 23-17	
23.1441, Oxygen equipment and supply	AC 23-17	
23.1443, Minimum mass flow of supplemental oxygen	AC 23-17	
23.1445, Oxygen distribution system	AC 23-17	
23.1447, Equipment standards for oxygen dispensing units	AC 23-17	
23.1449, Means for determining use of oxygen	AC 23-17	
23.1450, Chemical oxygen generators	AC 23-17	
23.1451, Fire protection for oxygen equipment	AC 23-17	
23.1453, Protection of oxygen equipment from rupture	AC 23-17	
23.1457, Cockpit voice recorders	AC 23-17	
23.1459, Flight recorders	AC 23-17 ¹ AC 20-141	¹ Airworthiness and Operational Approval of Digital Flight Data Recorder Systems
23.1461, Equipment containing high energy rotors	AC 23-17	
Subpart G, Operating Limitations and Information		
23.1501, General	AC 23-8, AC 23-10	
23.1505, Airspeed limitations	AC 23-8, AC 23-10	
23.1507, Operating maneuvering speed	AC 23-8, AC 23-10	
23.1511, Flap extended speed	AC 23-8, AC 23-10	

Quick Reference for Part 23 and Associated Advisory Circulars (AC)
 Latest Revisions of ACs are available at rgl.faa.gov

23.1513, Minimum control speed	AC 23-8, AC 23-10	
23.1519, Weight and center of gravity	AC 23-8, AC 23-10	
23.1521, Powerplant limitations	AC 23-10, ¹ AC 23.1521-1, ² AC 23.1521-2	¹ Type Certification of Automobile Gasoline in Part 23 Airplanes with Reciprocating Engines, ² Type Certification of Oxygenates and Oxygenated Gasoline Fuels in Part 23 Airplanes with Reciprocating Engines
23.1522, Auxiliary power unit limitations	AC 23-10	
23.1523, Minimum flight crew	AC 23-8, AC 23-10, ¹ AC 23-1523 AC 23.1419-2	¹ Minimum Flight Crew
23.1524, Maximum passenger seating configuration	AC 23-8, AC 23-10	
23.1525, Kinds of operation	AC 23-8, AC 23-10	
23.1527, Maximum operating altitude	AC 23-8, AC 23-10	
23.1529, Instructions for Continued Airworthiness	AC 23-10, AC 23-13, AC 23.1419-2	
Markings and Placards		
23.1541, General	AC 23-8, AC 23-10	
23.1543, Instrument markings: General	AC 23-8, AC 23-10	
23.1545, Airspeed indicator	AC 23-8	
23.1547, Magnetic direction indicator	AC 23-8	
23.1549, Powerplant and auxiliary power unit instruments	AC 23-8	
23.1551, Oil quantity indicator	AC 23-8	
23.1553, Fuel quantity indicator	AC 23-8, AC 23-10	
23.1555, Control markings	AC 23-8, AC 23-10	
23.1557, Miscellaneous markings and placards	AC 23-10	

Quick Reference for Part 23 and Associated Advisory Circulars (AC)
 Latest Revisions of ACs are available at rgl.faa.gov

23.1559, Operating limitations placard		
23.1561, Safety equipment	AC 23-8	
23.1563, Airspeed placards	AC 23-8	
23.1567, Flight maneuver placard	AC 23-8	
Airplane Flight Manual and Approved Manual Material		
23.1581, General	AC 23-8, AC 23-10, AC 23-15	
23.1583, Operating limitations	AC 23-8, AC 23-10	
23.1585, Operating procedures	AC 23-8, AC 23-10, AC 23-15	
23.1587, Performance information	AC 23-8, AC 23-10, AC 23-15	
23.1589, Loading information	AC 23-8, AC 23-10	
Appendix A, Simplified Design Load Criteria		
Appendix B, [Reserved]		
Appendix C, Basic Landing Conditions		
Appendix D, Wheel Spin-up and Spring-back Loads		
Appendix E, [Reserved]		
Appendix F, Test Procedures for Self-extinguishing		
Appendix G, Instructions for Continued Airworthiness		
Appendix H, Installation of An Automatic Power Reserve (APR) System		
Appendix I, Seaplane Loads		
21.17, Designation of applicable regulations	¹ AC 23-11, ² AC 21.17-1 ³ AC 21.17-2	¹ 14 CFR Part 23 Type Certification of an Airplane Originally Certificated to Joint Aviation Regulations - Very Light

Quick Reference for Part 23 and Associated Advisory Circulars (AC)

Latest Revisions of ACs are available at rgl.faa.gov

	⁴ AC 21.17-3	Airplane (JAR-VLA) Standards, ² Type Certification-Airships ³ Type Certification-Fixed Wing Gliders (Sailplanes), Including Powered Gliders ⁴ Type Certification of Very Light Airplanes Under FAR 21.17(b)
21.24, Issuance of type certificate: primary category aircraft	¹ AC 21-37	¹ Primary Category Aircraft
	General ACs	
	¹ AC 43.13-1, ² AC 43-2	¹ Acceptable Methods, Techniques, and Practices - Aircraft Inspection and Repair, ² Acceptable Methods, Techniques, and Practices - Aircraft Alterations