

Technical Report Documentation Page

PAA-AM-78-14 1. Report Date 4. Title and Subtrite 1. Report Date THREE-DIMENSIONAL ANTHROPOMETRY OF THE ADULT FACE 5. Performing Organization Code 5. J. W. Young and M. S. Pinski 5. Performing Organization Report Nee. 7. Anthor() 10. Work Unit Net (TRAIS) 7. Anthor() 10. Work Unit Net (TRAIS) 7. Anthor() 11. Contract or Grant Mee. 7. A dividing the properties of the second data second	1. Report No.	2. Government Acce	sion No. 3.	Recipient's Catalog N	No.				
4. File and Subility 5. Report Date THERE-DIMENSIONAL ANTHROPOMETRY OF THE ADULT FACE 5. Performing Organization Code 7. Author(a) 5. Performing Organization None and Address 7. Author(b) 6. Performing Organization None and Address 7. Author(b) 10. Work Unit No. (TRAIS) 7. Author(c) 11. Contract or Gram No. 9. Performing Organization None and Address 10. Work Unit No. (TRAIS) 7. Author(c) 11. Contract or Gram No. 12. Spectroing Agency None and Address 11. Contract or Gram No. 13. Type of Report and Period Covered 14. Seconsoring Agency Code Washington, D.C. 20591 13. Type of Report and Period Covered 14. Seconsoring Agency Code 14. Seconsoring Agency Code Washington, D.C. 20591 14. Seconsoring Agency Code 15. Supplementary Nets: 14. Seconsoring Agency Code Washington, D.C. 20591 14. Seconsoring Agency Code 15. Secontrol of the head segment and any surface landmark in three- Conventent or Intention of the head segment and any surface landmark in three- Guing and Mathematics on the face and adjacent areas are defined and measured on 30 adult female and male test subjects participating in a study to evaluate organization storement <	FAA_AM_78_ 14								
THREE-DIMENSIONAL ANTHROPOMETRY OF THE ADULT FACE 6. Performing Organization Report No. 7. Author(1) 9. Performing Organization Report Nome and Address 7. Author(1) 9. Performing Organization Name and Address 7. Author(1) 10. Work Unit No. (TRAIS) 7. Author(1) 10. Work Unit No. (TRAIS) 7. Author(1) 11. Contract or Grant No. 8. Performing Organization Name and Address 10. Work Unit No. (TRAIS) 7. Author(1) 11. Contract or Grant No. 8. Obstance 11. Contract or Grant No. 8. Obstance 11. Septementry Notes 8. Obstance 11. Septementry Notes 8. Supplementry Netset 14. Seconsering Agency Code 16. Abureet 11. Supplementry Netset 8. Author(2) 14. Seconsering Agency Code 16. Abureet 11. Supplementry Netset 17. Author(2) 14. Seconsering Agency Code 18. Abureet 14. Seconsering Agency Code 19. Supplementry Netset 14. Seconsering Agency Code 10. Abureet 11. Supplementry Netset 10. Abureet 11. Supplementry Netset 11. Advect 11. Supplementry Netset 11. Advect 11. Abureet <td></td> <td><u> </u></td> <td>·····</td> <td></td> <th></th>		<u> </u>	·····						
Authory Construction Case Authory Construction Case Authory Construction Case Authory Construction Case Authory Construction Authory Constructi	4. Litte and Subtitle		5.	Report Date					
7. Author/d) 9. Performing Organization Report No. 9. W. Young and M. S. Pinski 9. Performing Organization Report No. 9. Performing Organization Name and Address 10. Work Unit No. (TRAIS) FAA Civil Aeromedical Institute 11. Contract or Grant No. P.O. Box 25082 11. Contract or Grant No. Oklahoma City, Oklahoma 73125 13. Type of Report and Period Covered 12. Spensoring Agency Name and Address 14. Spensoring Agency Name and Address Office of Avlation Administration 14. Spensoring Agency Code 800 Independence Avenue, S.W. 14. Spensoring Agency Code Washington, D.C. 20591 14. Spensoring Agency Code 15. Supplementary Nets 16. Abstract Task AM-B-77-FRS-61. 14. Spensoring Agency Code 16. Abstract 14. Spensoring Agency Code 17. Astronometry Nets 16. Abstract 18. Astronometry Nets 16. Starber Action of the head segment and any surface landmarks in three-dimensional anthropometrical face landmarks. Coincident as a coordinate 19. Astronometer Ordifect comparisons with subject populations. Forty-four anthropometric landmarks on the face and adjacent areas are defined and measured 10. 30 duit female and male test subject separticipating in a study to evaluate Profective bre	THREE-DIMENSIONAL ANTHROPO	METRY OF THE AL	DULT FACE	6 Performing Output in Cate					
7. Awkords 1. W. Young and M. S. Pinski 9. Performing Organization Name and Address 10. Work Unit No. (TRAIS) PAG. Exp 25082 11. Contract or Grant No. Oklahoma City, Oklahoma 73125 12. Spread Report and Period Covered Diffice of Aviation Addinistration 13. Type of Report and Period Covered Office of Aviation Addinistration 14. Spenneoring Agency Code 800 Independence Avenue, S.W. 14. Spenneoring Agency Code Washington, D.C. 20591 13. Supplementary Nets Research leading to preparation of this report was conducted under Task AM-B-77-PRS-61. 14. Spenneoring Agency Code 14. Assimet 14. Spenneoring Agency Code 15. Supplementary Nets Research leading to preparation of the head segment and any surface landmark in three-dimensional anthropometrical face landmarks. Coincident as a coordinate (orthogonal) axis system, this reference system was developed to provide conventional anthropometrical face landmarks. Coincident as a study to evaluate protective breathing equipment. These data provide a basic data base for test subject solutions. Forty-four anthropometry Immedian for the force on parisons of face types with equipment performance, and preliminary design criteria (gross structure dimensions) for dumat format for the convenience <t< td=""><td></td><td></td><td>0.</td><td colspan="6">o. Performing Organization Code</td></t<>			0.	o. Performing Organization Code					
7. Awkords 1. W. Young and M. S. Pinski 9. Performing Organization Name and Address 10. Work Unit No. (TRAIS) PAG. Exp 25082 11. Contract or Grant No. Oklahoma City, Oklahoma 73125 12. Spread Report and Period Covered Diffice of Aviation Addinistration 13. Type of Report and Period Covered Office of Aviation Addinistration 14. Spenneoring Agency Code 800 Independence Avenue, S.W. 14. Spenneoring Agency Code Washington, D.C. 20591 13. Supplementary Nets Research leading to preparation of this report was conducted under Task AM-B-77-PRS-61. 14. Spenneoring Agency Code 14. Assimet 14. Spenneoring Agency Code 15. Supplementary Nets Research leading to preparation of the head segment and any surface landmark in three-dimensional anthropometrical face landmarks. Coincident as a coordinate (orthogonal) axis system, this reference system was developed to provide conventional anthropometrical face landmarks. Coincident as a study to evaluate protective breathing equipment. These data provide a basic data base for test subject solutions. Forty-four anthropometry Immedian for the force on parisons of face types with equipment performance, and preliminary design criteria (gross structure dimensions) for dumat format for the convenience <t< td=""><td></td><td></td><td></td><td>Parfaraia - Orania - M</td><th></th></t<>				Parfaraia - Orania - M					
9. Performing Organization Name and Address 10. Work Unit No. (TRAIS) FAA Civil Aeromedical Institute 11. Contract of Grant No. P.O. Box 25082 0klahoma City, Oklahoma 73125 11. Contract of Grant No. 12. Spontering Agency Name and Address 11. Contract of Grant No. 11. Contract of Grant No. 13. Supplementary Notes 13. Type of Report and Period Covered 14. Spontaring Agency Code 13. Supplementary Notes 13. Supplementary Notes 14. Spontaring Agency Code 16. Abstract This study describes a new three-dimensional anatomical axis system based on four conventional anthropometric landmarks. Coincident as a coordinate (orthogonal) axis system, this reference system was developed to provide convenient orientation of the head segment and any surface landmark in three-dimensional space for direct comparisons with subject populations. Forty-four anthropometric landmarks on the face and adjacent areas are defined and measured on 30 adult female and male test subjects participating in a study to evaluate protective breathing equipment. These data provide a basic data base for test subject selections, dimensional correlations of face types with equipment performance, and preliminary design criteria (gross structure dimensions) for duumy test devices and protective-type breathing equipment. Individual sets of data points for each subject are presented in tabular format for the convenience of data use. These data describe only a mid-range adult population and do not represent the dimensional range or combinations of facial characteristics typical of children or older adults. 17. Key Work: 1	7. Author(s)	• •		r enoming organizati					
FAA Civil Aeromedical Institute 11. Contract or Grant Ne. P.O. Box 25082 11. Contract or Grant Ne. Oklahoma City, Oklahoma 73125 13. Type of Report and Period Covered 12. Spontoring Agency News and Address 13. Type of Report and Period Covered 13. Supplementation 14. Spontoring Agency Code 13. Supplementation 14. Spontoring Agency Code 13. Supplementary Notes 14. Spontoring Agency Code 14. Abstract 14. Spontoring Agency Code 15. Supplementary Notes Research leading to preparation of this report was conducted under 14. Abstract This study describes a new three-dimensional anatomical axis system based on four conventional anthropometrical face landmarks. Coincident as a coordinate (orthogonal) axis system, this reference system was developed to provide convenient orientation of the head segment and any surface landmark in three-dimensional space for direct comparisons with subject populations. Forty-four anthropometric landmarks on the face and adjacent areas are defined and measured on 30 adult female and male test subjects participating in a study to evaluate protective breathing equipment. These data provide a basic data base for test subject selections, dimensional correlations of face types with equipment performance, and preliminary design criteria (gross structure dimensions) for dumny test devices and protective-type breathing equipment. Individual sets of data use. These data describe only a mid-range adult population and do not represent the dimensional range or combinations of facial characteristics typical of children or ol	J. W. Young and M. S. Pins	k1							
P.O. Box 25082 11. Contract or Grant No. Oklahoma City, Oklahoma 73125 11. Contract or Grant No. 12. Spontating Agency Name and Address 13. Type of Report and Period Covered Office of Avlation Medicine Federal Aviation Medicine Federal Aviation Administration 14. Spontanting Agency Code 800 Independence Avenue, S.W. 14. Spontanting Agency Code Research leading to preparation of this report was conducted under Task AM-B-77-PRS-61. 16. Assired: This study describes a new three-dimensional anatomical axis system based on four conventional anthropometrical face landmarks. Coincident as a coordinate (orthogonal) axis system, this reference system was developed to provide convenient orientation of the head segment and any surface landmark in three-dimensional space for direct comparisons with subject populations. Forty-four anthropometric landmarks on the face and adjacent areas are defined and measured on 30 adult female and male test subjects participating in a study to evaluate protective breathing equipment. These data provide a basic data base for test subject selections, dimensional correlations of face types with equipment performance, and protective-type breathing equipment. Individual sets of data points for each subject are presented in tabular format for the convenience of data use. These data describe only a mid-range adult population and do not represent the dimensional range or combinations of facial characteristics typical of children or older tadults. 17. Key Work: 18. Distribution Statement Anthropometry No. of Pager	9. Performing Organization Name and Addr		10,	Work Unit No. (TRAI	15)				
Oklahoma City, Oklahoma 73125 13. Type of Report and Period Covered 12. Sponsoring Agency Name and Address 13. Type of Report and Period Covered 13. Supplementary Name and Address 14. Sponsoring Agency Code 15. Supplementary Name 14. Sponsoring Agency Code 15. Supplementary Name 14. Sponsoring Agency Code 16. Abstract 14. Sponsoring Agency Code 17. Type of Report and Period Covered 14. Sponsoring Agency Code 18. Supplementary Name 14. Sponsoring Agency Code 18. Supplementary Name 14. Sponsoring Agency Code 18. Supplementary Name 14. Sponsoring Agency Code 19. Supplementary Name 14. Sponsoring Agency Code 19. Supplementary Name 14. Sponsoring Agency Code 10. Supplementary Name 15. Supplementary Name 14. Abstract 15. Supplementary Name 15. Supplementary Name 15. Supplementary Name 16. Abstract 15. Supplementary Name 17. Max describes a new three-dimensional anatomical axis system based on four conventional anthropometrical face landmarks. Coincident as a coordinate (orthogonal) axis system, this reference system was developed to provide convenience dimensional space for direct comparisons with subject spaticipations in a study to evaluate protective breathing equipment. These data provide a basic data base for tes		itute		· · ·					
12. Spensoring Agency Name and Address Image: Covered 12. Spensoring Agency Name and Address Office of Aviation Medicine Federal Aviation Administration Image: Covered 800 Independence Avenue, S.W. Image: Covered Is. Supplementary Notes Research leading to preparation of this report was conducted under Task AM-B-77-PRS-61. Image: Covered Id. Abstract This study describes a new three-dimensional anatomical axis system based on four conventional anthropometrical face landmarks. Coincident as a coordinate (orthogonal) axis system, this reference system was developed to provide convenient orientation of the head segment and any surface landmark in three- dimensional space for direct comparisons with subject populations. Forty-four anthropometric landmarks on the face and adjacent areas are defined and measured on 30 adult female and male test subjects participating in a study to evaluate protective breathing equipment. These data provide a basic data base for test subject selections, dimensional correlations of face types with equipment performance, and preliminary design criteria (gross structure dimensions) for dummy test devices and protective-type breathing equipment. Individual sets of data points for each subject are presented in tabular format for the convenience of data use.		•	11.	11. Contract or Grant No.					
12. Sponsoring Agency Name and Address Office of Aviation Administration 800 Independence Avenue, S.W. Washington, D.C. 20591 15. Supplementary Notes Research leading to preparation of this report was conducted under Task AM-B-77-PRS-61. 16. Aburset This study describes a new three-dimensional anatomical axis system based on four conventional anthropometrical face landmarks. Coincident as a coordinate (orthogonal) axis system, this reference system was developed to provide convenient orientation of the head segment and any surface landmark in three-dimensional space for direct comparisons with subject populations. Forty-four anthropometric landmarks on the face and adjacent areas are defined and measured on 30 adult female and male test subjects participating in a study to evaluate protective breathing equipment. These data provide a basic data base for test subject selections, dimensional correlations of face types with equipment performance, and preliminary design criteria (gross structure dimensions) for dummy test devices and protective-type breathing equipment. Individual sets of data use. These data describe only a mid-range adult population and do not represent the dimensional range or combinations of facial characteristics typical of children or older *adults. 17. Key Word: 18. Distribution Statement 17. Key Word: 18. Distribution Statement 17. Key Word: 18. Distribution Statement 17. Key Word: 19. Distribution Statement 18. Nathropometry 19. Security Classif. (of t	Oklahoma City, Oklahoma 73	125		·····					
Office of Aviation Medicine If. Spensoring Agency Code Federal Aviation Administration If. Spensoring Agency Code Washington, D.C. 20591 If. Spensoring Agency Code IS. Supplementery Netes Research leading to preparation of this report was conducted under Task AM-B-77-PRS-61. If. Abstract Id. Abstract This study describes a new three-dimensional anatomical axis system based on four conventional anthropometrical face landmarks. Coincident as a coordinate (orthogonal) axis system, this reference system was developed to provide convenient orientation of the head segment and any surface landmark in three-dimensional space for direct comparisons with subject populations. Forty-four anthropometric landmarks on the face and adjacent areas are defined and measured on 30 adult female and male test subjects participating in a study to evaluate protective breathing equipment. These data provide a basic data base for test subject selections, dimensional correlations of face types with equipment performance, and preliminary design criteria (gross structure dimensions) for dummy test devices and protective-type breathing equipment. Individual sets of data points for each subject are presented in tabular format for the convenience of data use. These data describe only a mid-range adult population and do not represent the dimensional range or combinations of facial characteristics typical of children or older adults. If. New Words If. Distribution Statement Anthropometry Anatomical axis system If. Distribution Statement If words If the poperi 21. No. of Pages	10 0 1 1 1 1 1 1 1 1 1 1		13.	Type of Report and F	Period Covered				
Federal Aviation Administration 800 Independence Avenue, S.W. 14. Sponsoring Agency Code 805 Independence Avenue, S.W. 14. Sponsoring Agency Code 15. Supplementary Notes Research leading to preparation of this report was conducted under Task AM-B-77-PRS-61. 16. Abstract This study describes a new three-dimensional anatomical axis system based on four conventional anthropometrical face landmarks. Coincident as a coordinate (orthogonal) axis system, this reference system was developed to provide convenient orientation of the head segment and any surface landmark in three- dimensional space for direct comparisons with subject populations. Forty-four anthropometric landmarks on the face and adjacent areas are defined and measured on 30 adult female and male test subjects participating in a study to evaluate protective breathing equipment. These data provide a basic data base for test subject selections, dimensional correlations of face types with equipment performance, and protective-type breathing equipment. Individual sets of data points for each subject are presented in tabular format for the convenience of data use. These data describe only a mid-range adult population and do not represent the dimensional range or combinations of facial characteristics typical of children or older Padults. 17. Key Words 18. Distribution Statement Document is available to the U.S. public through the National Technical Information Service, Springfield, Virginia 22161. 19. Security Classif. (of this report) 20. Security Classif. (of this page) 21. No. of Pages 22. Price		-							
800 Independence Avenue, S.W. 14. Spensoring Agency Code Washington, D.C. 20591 15. Supplementary Notes Research leading to preparation of this report was conducted under Task AM-B-77-PRS-61. 16. Absreet This study describes a new three-dimensional anatomical axis system based on four conventional anthropometrical face landmarks. Coincident as a coordinate (orthogonal) axis system, this reference system was developed to provide convenient orientation of the head segment and any surface landmark in three-dimensional space for direct comparisons with subject populations. Forty-four anthropometric landmarks on the face and adjacent areas are defined and measured on 30 adult female and male test subjects participating in a study to evaluate protective breathing equipment. These data provide a basic data base for test subject selections, dimensional correlations of face types with equipment performance, and preliminary design criteria (gross structure dimensions) for dummy test devices and protective-type breathing equipment. Individual sets of data points for each subject are presented in tabular format for the convenience of data use. These data describe only a mid-range adult population and do not represent the dimensional range or combinations of facial characteristics typical of children or older adults. 17. Key Words 18. Distribution Stetement 19. Security Classif. (of this repert) 20. Security Classif. (of this page) 19. Security Classif. (of this repert) 20. Security Classif. (of this page) 21. No. of Pages 22. Price	······································	-							
Washington, D.C. 20591 15. Supplementary Noise Research Leading to preparation of this report was conducted under Task AM-B-77-PRS-61. 16. Abstract This study describes a new three-dimensional anatomical axis system based on four conventional anthropometrical face landmarks. Coincident as a coordinate (orthogonal) axis system, this reference system was developed to provide convenient orientation of the head segment and any surface landmark in three- dimensional space for direct comparisons with subject populations. Forty-four anthropometric landmarks on the face and adjacent areas are defined and measured on 30 adult female and male test subjects participating in a study to evaluate protective breathing equipment. These data provide a basic data base for test subject selections, dimensional correlations of face types with equipment performance, and preliminary design criteria (gross structure dimensions) for dummy test devices and protective-type breathing equipment. Individual sets of data points for each subject are presented in tabular format for the convenience of data use. These data describe only a mid-range adult population and do not represent the dimensional range or combinations of facial characteristics typical of children or older 'adults. 17. Key Words 18. Distribution Statement Document is available to the U.S. public through the National Technical Information Service, Springfield, Virginia 22161. 19. Security Classif. (of this report) 20. Security Classif. (of this page) 21. No. of Pages: 22. Price			14	Sponsoring Assess	ada.				
15. Supplementary Notes Research leading to preparation of this report was conducted under Task AM-B-77-PRS-61. 16. Abstract This study describes a new three-dimensional anatomical axis system based on four conventional anthropometrical face landmarks. Coincident as a coordinate (orthogonal) axis system, this reference system was developed to provide convenient orientation of the head segment and any surface landmark in three-dimensional space for direct comparisons with subject populations. Forty-four anthropometric landmarks on the face and adjacent areas are defined and measured on 30 adult female and male test subjects participating in a study to evaluate protective breathing equipment. These data provide a basic data base for test subject selections, dimensional correlations of face types with equipment performance, and preliminary design criteria (gross structure dimensions) for dummy test devices and protective-type breathing equipment. Individual sets of data use. These data describe only a mid-range adult population and do not represent the dimensional range or combinations of facial characteristics typical of children or older badults. 17. Key Words 18. Distribution Statement 19. Security Classif. (of this report) 20. Security Classif. (of this page) 21. No. of Pages 22. Price		• W •		sponsoring regency c					
Research leading to preparation of this report was conducted under Task AM-B-77-PRS-61. 16. Abstract This study describes a new three-dimensional anatomical axis system based on four conventional anthropometrical face landmarks. Coincident as a coordinate (orthogonal) axis system, this reference system was developed to provide convenient orientation of the head segment and any surface landmark in three- dimensional space for direct comparisons with subject populations. Forty-four anthropometric landmarks on the face and adjacent areas are defined and measured on 30 adult female and male test subjects participating in a study to evaluate protective breathing equipment. These data provide a basic data base for test subject selections, dimensional correlations of face types with equipment performance, and preliminary design criteria (gross structure dimensions) for dummy test devices and protective-type breathing equipment. Individual sets of data points for each subject are presented in tabular format for the convenience of data use. These data describe only a mid-range adult population and do not represent the dimensional range or combinations of facial characteristics typical of children or older adults. 17. Key Words Anatomical axis system 18. Distribution Statement Document is available to the U.S. public through the National Technical Information Service, Springfield, Virginia 22161. 19. Security Clessif. (of this report) 20. Security Clessif. (of this page) 21. No. of Pages 22. Price				<u></u>					
Task AM-B-77-PRS-61. 16. Abstract This study describes a new three-dimensional anatomical axis system based on four conventional anthropometrical face landmarks. Coincident as a coordinate (orthogonal) axis system, this reference system was developed to provide convenient orientation of the head segment and any surface landmark in three-dimensional space for direct comparisons with subject populations. Forty-four anthropometric landmarks on the face and adjacent areas are defined and measured on 30 adult female and male test subjects participating in a study to evaluate protective breathing equipment. These data provide a basic data base for test subject selections, dimensional correlations of face types with equipment performance, and preliminary design criteria (gross structure dimensions) for dummy test devices and protective-type breathing equipment. Individual sets of data points for each subject are presented in tabular format for the convenience of data use. These data describe only a mid-range adult population and do not represent the dimensional range or combinations of facial characteristics typical of children or older tadults. 17. Key Words 18. Distribution Statement Anthropometry Document is available to the U.S. public through the National Technical Information Service, Springfield, Virginia 22161. 19. Security Classif. (of this report) 20. Security Classif. (of this page) 21. No. of Pages 22. Price		ation of this	ceport was conduct	ed under					
This study describes a new three-dimensional anatomical axis system based on four conventional anthropometrical face landmarks. Coincident as a coordinate (orthogonal) axis system, this reference system was developed to provide convenient orientation of the head segment and any surface landmark in three-dimensional space for direct comparisons with subject populations. Forty-four anthropometric landmarks on the face and adjacent areas are defined and measured on 30 adult female and male test subjects participating in a study to evaluate protective breathing equipment. These data provide a basic data base for test subject selections, dimensional correlations of face types with equipment performance, and preliminary design criteria (gross structure dimensions) for dumny test devices and protective-type breathing equipment. Individual sets of data points for each subject only a mid-range adult population and do not represent the dimensional range or combinations of facial characteristics typical of children or older adults. 17. Key Words 18. Distribution Statement Anthropometry 20. Security Clessif. (of this page) 19. Security Clessif. (of this report) 20. Security Clessif. (of this page)			copore was conduce	ed ander					
This study describes a new three-dimensional anatomical axis system based on four conventional anthropometrical face landmarks. Coincident as a coordinate (orthogonal) axis system, this reference system was developed to provide convenient orientation of the head segment and any surface landmark in three-dimensional space for direct comparisons with subject populations. Forty-four anthropometric landmarks on the face and adjacent areas are defined and measured on 30 adult female and male test subjects participating in a study to evaluate protective breathing equipment. These data provide a basic data base for test subject selections, dimensional correlations of face types with equipment performance, and preliminary design criteria (gross structure dimensions) for dumny test devices and protective-type breathing equipment. Individual sets of data points for each subject only a mid-range adult population and do not represent the dimensional range or combinations of facial characteristics typical of children or older adults. 17. Key Words 18. Distribution Statement Anthropometry 20. Security Clessif. (of this page) 19. Security Clessif. (of this report) 20. Security Clessif. (of this page)									
Anthropometry Anatomical axis system 19. Security Classif. (of this report) 20. Security Classif. (of this page) 21. No. of Pages 22. Price	(orthogonal) axis system, convenient orientation of dimensional space for dire anthropometric landmarks or on 30 adult female and mal- protective breathing equips subject selections, dimens performance, and preliminar dummy test devices and pro- data points for each subject of data use. These data do represent the dimensional	this reference the head segmen of comparisons in the face and e test subjects ment. These da ional correlation ry design crite tective-type by of are presents escribe only a range or combin	system was develo t and any surface with subject populadjacent areas are participating in the provide a basi lons of face types aria (gross struct ceathing equipment of in tabular form mid-range adult p	ped to provid landmark in lations. For e defined and a study to e c data base f with equipme ure dimension . Individual at for the co opulation and	le three- ty-four l measured evaluate for test ent as) for sets of onvenience do not				
Anatomical axis system through the National Technical Information Service, Springfield, Virginia 22161.	17. Key Words		18. Distribution Statement						
Anatomical axis system through the National Technical Information Service, Springfield, Virginia 22161.	Anthropometry		Document is avai	lable to the	ILS. public				
Service, Springfield, Virginia 22161. 19. Security Classif. (of this report) 20. Security Classif. (of this page) 21. No. of Pages 22. Price									
19. Security Classif. (of this report) 20. Security Classif. (of this page) 21. No. of Pages 22. Price	•								
					. <u>.</u>				
Unclassified Unclassified 38			22. Price						
	Unclassified	Uncla	assified	38					

Form DOT F 1700.7 (8-72)

1

.4.7

.

ĺ

٩.

Reproduction of completed page authorized

.

X-1

ACKNOWLEDGMENTS

÷.

The authors gratefully acknowledge the contributions of Mr. Don deSteiguer and Mr. Richard F. Chandler to this study.

\$.

INTRODUCTION

There is a continuous need for developing human-like mechanical devices for use in safety design and performance testing in aircraft and automobiles. These devices should have more realistic human characteristics that can be faithfully reproduced in size, shape, mass, and performance than those currently available. A greater realism requires a greater complexity in defining some of these characteristics in real three-dimensional space with known dimensional relationships to other body structures.

Basic to this three-dimensional concept is the establishment of a coordinate axis system that defines and interrelates all points and surface areas of the body and provides reliable descriptors of all measurable points of interest. A major goal of this study is the standardization of all dimensional relationships from one head-face segment to another by establishing a three-dimensional anatomical axis system that is, in effect, coincident with the basic coordinate or orthogonal axis reference system.


Although there are limited, lineal (point-to-point distance) type dimensions of the human face and head that have been obtained for specific design use and sample population descriptions, there are few three-dimensional data available and inadequate facial feature descriptors to establish a meaningful size-shape range of civil aircraft user populations for mask-type equipment design and evaluation. The 30 adult male and female subjects measured in this study were specifically selected because they have had extensive testing time with oxygen mask-type equipment and reasonably match the population range (Figures 1 and 2) of total face height (Sellion-Menton distance) and total face breadth (Bizygomatic distance) for military and civilian anthropometry studies (1,2,3,4,5). A correlation analysis of these dimensional data and physiological test results will be conducted in support of the current Civil Aeromedical Institute (CAMI) oxygen mask evaluation program.

ANATOMICAL AXIS SYSTEM


Unlike conventional surface anthropometry that describes a point-topoint relationship of limited boyd features and is not necessarily dimensionally relatable to other body structures, a three-dimensional anthropometry requires a convenient fixed-origin coordinate axis system that provides a known spatial relationship with all defined surface points.


The coordinate or orthogonal axis system (Figure 3) used in this study was established by the criteria of availability, convenience, and reliability of anatomical landmarks (subcutaneous or surface) that could be identified superficially on the face and related structures of the head. The directional assignment of these descriptive axes is also compatible with those axes conventionally used to describe basic anatomical sectioning planes, positions, and orientations in space. There is only one major difference in the relationship of conventional anatomical orientation of the face and head in space relative to the midsagittal plane. The traditional Frankfort Plane and set of defining landmarks are not used to describe or orient the head in any spatial relationship.

Б.




х,





¥.,



The origin point for this orthogonal axis intersect is Sellion Point located in the masal root depression. Points Sellion and Menton establish the "Z" axis (superior-inferior) for the face-head segment regardless of position or orientation relative to other body segments or external references. The "Y" axis (bilateral left to right) intersects Sellion (origin point) at right angles and is parallel to a coronal plane which intersects both left and right Inferior Orbital Rim points and is perpendicular to the "Z" axis. The "X" axis (anterior-posterior) intersects origin point Sellion and is perpendicular to both the "Z" and "Y" axes. The resulting anatomical planes formed by these axes are (1) the X-Z plane as the midsagittal plane, (2) the Y-Z plane as a coronal plane, and (3) the X-Y plane as a transverse plane. Since, by definition, the constructed midsagittal plane was the result of using both Inferior Orbital Rim points to establish the "Y" axis orientation, it may not be coincident with the classically defined anatomical midsagittal plane. In the axis system defined, all data points are expressed as a set of coordinate values by directional signs from Sellion Point (0,0,0) to each of the eight quadrants.

α.

ANTHROPOMETRY METHODS

The selection criteria for reference landmarks are based primarily on those features or structures of the face that are accessible and reliably identified, and that adequately describe those surface areas related to equipment design. Some of these landmarks are classical standards and the others are modified with new definitions or are original for this study. All landmarks were identified by small ink dots, unless structurally superficial and plainly visible, and measured without distortion from tissue compression or facial expressions, with the subject's eyes opened and teeth in normal occlusion.

For the convenience and accuracy of measuring procedures with this particular equipment and to assure head stability, each subject was placed in an extended supine position. The posterior surfaces of the head and neck were supported in a contoured cradle elevated above the computer plotter board and adjusted for comfort. In this face-up position, all landmarks were accessible for placement of the height gauge pointer. Except for those landmarks located in the midsagittal plane, all other landmarks were identified and measured bilaterally as right side and left side as follows:

Bilateral Landmarks

Lateral Canthus Point - the lateral junction of the eyelids.

Medial Canthus Point - the medial junction of the eyelids.

¢ .

Chelion Point - the lateral junction of the lips.

Gonion Point - the most lateral point in an area at the gonial angle of the mandible.

÷.,

Superior Nose Base Point - a point located at the beginning of the anterior projection of maxillary bone that forms the nasal bridge (frontal process of the maxillary bone) and the intersection with the fronto-maxillary suture. In the living this point lies in the narrow depression immediately medial and superior to the Medial Canthus.

Middle Nose Base Point - the most lateral point at the beginning of the anterior projection of maxillary bone forming the nasal bridge. Typically, this point is approximately half the vertical distance between the Superior Nose Base Point and Inferior Nose Base Point.

Inferior Nose Base Point - the most lateral point at the intersection of the nasal ala and the cheek.

Lateral Orbital Rim Point - the most lateral point along the zygomatic frontal suture line.

Inferior Orbital Rim Point - a point along the inferior orbital margin that intersects a parasagittal plane passing through the eye pupil center.

Superior Orbital Rim Point - a point along the superior orbital margin that intersects a parasagittal plane bisecting the eye pupil.

Tragion Point - the most anterior point in the notch superior to the trague of the ear.

Lateral Zygomatic Arch Point - the most lateral point on the zygomatic arch surface.

Midsagittal Landmarks

Ĭ

Menton Point - the most anterior-inferior point on the chin that intersects the midsagittal plane.

Promenton Point - the most anterior point on the chin projection in the midsagittal plane.

Infradentale Point - a point along the chin crease that intersects the midsagittal plane.

Stomion Point - a point at the intersect of the interlip line and equidistant from the bilateral chelion points.

Subnasale Point - a point at the median intersect of the nose septum and philtrum.

Pronasale Point - the most anterior point on the nose tip.

Midnasale Point - a point equidistant from Sellion Point and Pronasale Point along the most anterior-superior aspect of the nose.

Sellion Point - the deepest point in the indentation between the forehead and nose bridge in the midsagittal plane. This is the origin point for the head-face axis system used in this study.

Glabella Point - the most anterior point along the supraorbital ridge in the midsagittal plane.

Frontal Point(s) - this series of points is aligned vertically in the midsagittal plane on the forehead at 1-cm intervals above the Glabella Point.

Sets of data points for each of the 30 measured subjects are presented in the appendix as individual tabular format listings of the coordinate values for all three axes. Since these data are not intended to describe a comprehensive population sample, it is useful to examine each set of subject data as unique combinations of size and shape. This, of course, cannot be done with only summarized data statistics that do not describe the real and unique dimensional combinations of anatomical features. The user of these data may reconstruct a variety of actual dimensional combinations as profile plots or establish comparative dimensional frequency relationships for particular needs or interest.

THREE-DIMENSIONAL MEASURING SYSTEM

The basic measuring system consists of a Hewlett-Packard (HP) 9820 calculator with interconnecting HP 9864A digitizer and X-Y digitizer board, an HP 5300B measuring system counter, and a custom-made variable resistance transducer height gauge. The calculator is programmed to establish the orientation of a subject's anatomical axis system by entering (measuring) the four axis origin points in sequence. On command all data coordinate point values are stored, the three-dimensional points are rotated in the proper axis alignment, and a final data tape listing is printed. The measurements were taken by adjusting the height gauge pointer to each surface landmark in sequence and instructing the calculator to enter the pointer position.

SUMMARY

Forty-four anthropometric landmarks on the face and adjacent areas were measured by a three-dimensional technique on 30 adult females and males. These subjects were selected because of their participation in a concurrent program to evaluate protective breathing equipment that would provide known performance data for correlation with the three-dimensional anthropometry. The range of gross face size in breadth and height for both female and male subjects is reasonably consistent with the size range of sex groups estimated from military and civilian populations (Figures 1 and 2).

1

cts

A new practical anatomical axis system to describe three-dimensional relationships of facial anthropometry and definitions for new data points have been established for use in future comprehensive data surveys. Individual sets of data points for each of the 30 subjects are presented in tabular format for the convenience of data use.

7

÷.

REFERENCES

- Churchill, E., J. T. McConville, L. L. Laubach, and R. M. White: Anthropometry of U.S. Army Aviators-1970. Report 72-52-CE, U.S. Army Natick Laboratories, Natick, Mass., 1971.
- Clauser, C. E., P. E. Tucker, J. T. McConville, E. Churchill, L. L. Laubach, and J. A. Reardon: Anthropometry of Air Force Women. AMRL-TR-70-5, Aerospace Medical Research Laboratory, Aerospace Medical Division, Air Force Systems Command, Wright-Patterson Air Force Base, Ohio, 1972.
- Hertzberg, H. T. E., G. S. Daniels, and E. Churchill: Anthropometry of Flying Personnel. WADC TR No. 52-321, Wright Air Development Center, Air Research and Development Command, U.S. Air Force, Wright-Patterson Air Force Base, Ohio, 1954.
- 4. Snow, C. C., H. M. Reynolds, and M. A. Allgood: Anthropometry of Airline Stewardesses. FAA Office of Aviation Medicine Report No. FAA-AM-75-2, 1975.
- 5. White, R. M., and E. Churchill: The Body Size of Soldiers: U.S. Army Anthropometry-1966. Report No. 72-51-CE, U.S. Army Natick Laboratories, Natick, Mass., 1971.

₹.

¥.

APPENDIX A

Anthropometry

	Ri	ght Laters	a]	Le	ft Latera	1
Bilateral Landmarks	X Axis	Y Axis	Z Axis	X Axis	Y Axis	Z Axis
Lateral Canthus	- 18	- 46	- 14	- 15	+ 46	- 13
Medial Canthus	- 11	- 16	- 13	- 11	+ 19	- 13
Chelion	- 7	- 25	- 72	- 6	+ 26	- 71
Gonion	- 61	- 60	- 81	- 52	+ 57	- 88
Superior Nose Base	- 10	- 13	- 11	- 10	+ 16	- 9
Middle Nose Base	- 3	- 15	- 27	- 5	+ 18	- 26
Inferior Nose Base	- 3	- 18	- 44	- 1	+ 17	- 43
Superior Nose Bridge	- 3	- 9	- 5	- 4	+ 12	- 3
Middle Nose Bridge	+ 5	- 9	- 22	+ 3	+ 13	- 23
Inferior Nose Bridge	+ 11	- 14	- 41	+ 14	+ 7	- 38
Superior Orbital Rim	- 7	- 31	+ 7	- 7	+ 34	+ 8
Lateral Orbital Rim	- 33	- 60	- 14	- 29	+ 61	- 13
Inferior Orbital Rim	- 11	- 31	- 23	- 11	+ 34	- 20
Tragion	- 82	- 68	- 33	- 80	+ 73	- 30
Lateral Zygomatic Arch	- 58	- 69	- 26	- 52	+ 71	- 26
Midsagittal Landmarks	X Axis	Y Axis	ZAxis	•		
Menton	0	0	- 105			
Promenton	+ 4	0	- 95			
Supramentale	0	0	- 85			
Stomion	+ 7	- 2	-,71			
Subnasale	+ 11	- 3	- 54			
Pronasale	+ 27	- 5	- 39			
Midnasale	+ 12	- 2	- 18			
Sellion	0	õ	0			
Glabella	- 1	0	+ 14			
Frontal +1	" - 3	0.	+ 27		-	

Table 1. Three-Dimensional Data Points Of Female Subject F-O5 (millimeters)

...,

Frontal +2

Frontal +3

Frontal +4

*

A-1

0

0

0

+ 37

+ 47

+ 57

1

3

7

10

- 18

		Right	Later	ral		 		Left	Late	ral	<u> </u>	
Bilateral Landmarks	X Axi	s Y	Axis	<u>Z</u> 4	xis	 X I	xis	Y	Axis		ζ A	xis
Lateral Canthus	- 18	- s	46	_	14	-	16	+	45	-		13
Medial Canthus	- 12	2 -	16	-	12		11	+	16	-	•	13
Chelion	- 9) –	27	-	70		8	+	26	-	•	71
Gonion	- 6	L	59	-	80	-	57	+	57	-	•	83
Superior Nose Base	- 10) –	12	-	11	-	10	+	12	-	•	10
Middle Nose Base	+ 2	2 -	9	-	23	+	2	+	11	· -	• .	22
Inferior Nose Base	C) –	18	-	42		1	+	19	-	•	41
Superior Nose Bridge	- 3	3 -	8	-	5		4	+	10	-	•	5
Middle Nose Bridge	+ 2	2 -	9	— .	23	+	2	+	11	••••	•	22
Inferior Nose Bridge	+ 10) –	14	-	41	+	9	+	15	-	•	40
Superior Orbital Rim	- 7	7 –	31	÷	7	-	7	+	30	+		8
Lateral Orbital Rim	~ 32	2 -	59		13	-	29	+	58	· •	-	14
Inferior Orbital Rim	- 13	з —	31		22	-	13	+	30	-	•	20
Tragion	- 85	5 -	67	-	31	-	83	+	68	-	-	30
Lateral Zygomatic Arch	- 57	7 –	67	-	25	-	53	+	6 8	-	•	26

Table 2. Three-Dimensional Data Points Of Female Subject F-20 (millimeters)

Midsagittal Landmarks	X Axis	Y Axis	Z Axis
Menton	0	0	- 107
Promenton	+ 4	0	- 95
Supramentale	+ 2	0	- 85
Stomion	+ 5	0	- 70
Subnasale	+ 8	0	- 51
Pronasale	+ 26	+ 2	- 39
Midnasale	+ 9	+ 1	- 19
Sellion	0	0	0
Glabella	+ 2	, 0	+ 11
Frontal +1	+ 1	• 0	+ 23
Frontal +2	- 3	0	+ 33
Frontal +3	- 6	0	+ 42
Frontal +4	- 10	· 0	+ 5 1
Frontal +5	- 18	0	<u>+ 5</u> 7

A-2

÷.

Bilateral LandmarksX AxisY AxisZ AxisX AxisY AxisZ AxisY AxisZ AxisY AxisZ AxisLateral Canthus -24 -47 -14 -25 $+48$ -16 Medial Canthus -16 -16 -15 -15 $+15$ -14 Chelion -10 -26 -72 -11 $+25$ -70 Gonion -66 -58 -82 -68 $+56$ -86 Superior Nose Base -13 -13 -14 $+13$ -11 Middle Nose Base -6 -18 -26 -7 $+19$ -28 Inferior Nose Bridge -6 -10 -8 -57 9 -55 Middle Nose Bridge -6 -10 -23 $+1$ $+11$ -25 Inferior Nose Bridge $+13$ -13 -39 $+11$ $+13$ -38 Superior Crobital Rim -8 -33 $+6$ -8 $+29$ $+6$ Lateral Orbital Rim -15 -33 -24 -15 $+29$ -23 Tragion -96 -67 -39 -95 $+68$ -41 Lateral Zygomatic Aroh -61 -68 -31 -63 $+68$ -26 Midsagittal LandmarksX AxisY AxisZ AxisX -56 Stomion $+3$ 0 -98 -98 -56 -15 Stomion $+3$ 0 -69 -37 -163 $+68$ -26 Mids		Ri	ght Laters	al	Left Lateral					
Medial Canthus -16 -16 -16 -15 -15 $+16$ -16 Chelion -10 -26 -72 -111 $+25$ -70 Genion -66 -58 -82 -68 $+56$ -85 Superior Nose Base -13 -13 -13 -14 $+13$ -11 Middle Nose Base -6 -18 -26 -7 $+17$ -41 Superior Nose Bridge -6 -10 -8 -5 $+9$ -5 Middle Nose Bridge $+3$ -10 -23 $+1$ $+11$ -25 Inferior Nose Bridge $+3$ -10 -23 $+1$ $+111$ -25 Inferior Nose Bridge $+3$ -10 -8 -55 $+9$ -5 Middle Nose Bridge $+3$ -10 -23 $+1$ $+111$ -25 Inferior Nose Bridge $+3$ -13 -39 $+11$ $+13$ -38 Superior Orbital Rim -8 -33 $+6$ -8 $+22$ -23 Tragion -96 -67 -39 -95 $+68$ -41 Lateral Zygomatic Aroh -61 -68 -31 -63 $+68$ -26 Midsagittal LandmarksX AxisY AxisZ AxisX -109 Promenton $+5$ -98 -31 -63 $+68$ -26 Stomion $+3$ 0 -69 -37 -109 Submasale $+7$ 0 -50 -77	Bilateral Landmarks	X Axis	Y Axis	Z Axis	X Axis	Y Axis	Z Axis			
Medial Canthus -16 -16 -15 -15 $+15$ -14 Chelion -10 -26 -72 -111 $+25$ -70 Gonion -66 -58 -62 -68 $+56$ -85 Superior Nose Base -13 -13 -13 -14 $+13$ -11 Middle Nose Base -6 -18 -26 -7 $+19$ -28 Inferior Nose Bridge -6 -10 -8 -5 $+9$ -5 Middle Nose Bridge -6 -10 -8 -55 $+9$ -5 Middle Nose Bridge $+3$ -13 -39 $+11$ $+13$ -38 Superior Orbital Rim -8 -33 $+6$ -8 $+29$ $+6$ Lateral Orbital Rim -15 -33 -24 -15 $+29$ -23 Tragion -96 -67 -39 -95 $+68$ -26 Midsagittal Landmarks X Axis Y Axis Z Axis	Lateral Canthus	- 24	- 47	- 14	- 25	+ 48	- 16			
Chelion -10 -26 -72 -111 $+25$ -70 Gonion -66 -58 -82 -68 $+56$ -85 Superior Nose Base -13 -13 -13 -14 $+13$ -11 Middle Nose Base -6 -18 -26 -7 $+19$ -28 Inferior Nose Base -6 -10 -8 -5 $+9$ -5 Middle Nose Bridge $+3$ -10 -23 $+11$ $+11$ -25 Inferior Nose Bridge $+3$ -10 -23 $+11$ $+11$ -25 Inferior Orbital Rim -8 -33 $+6$ -8 $+29$ $+6$ Lateral Orbital Rim -15 -33 $+24$ -15 $+29$ -23 Tragion -96 -67 -39 -95 $+66$ -41 Lateral Zygomatic Arch -61 -66 -31 -63 $+68$ -26 Menton 0 0 -98 -5	Medial Canthus	- 16	- 16			_				
Gonion -66 -58 -82 -68 $+56$ -85 Superior Nose Base -13 -13 -13 -14 $+13$ -11 Middle Nose Base -6 -18 -26 -7 $+19$ -28 Inferior Nose Base -4 -19 -42 -7 $+17$ -41 Superior Nose Bridge $+3$ -10 -8 -5 $+9$ -5 Middle Nose Bridge $+3$ -10 -23 $+1$ $+11$ -25 Middle Nose Bridge $+3$ -10 -23 $+1$ $+11$ -25 Inferior Nose Bridge $+3$ -10 -23 $+1$ $+11$ -25 Inferior Orbital Rim -8 -33 $+6$ -8 $+29$ $+6$ Lateral Critial Rim -15 -33 -24 -15 $+29$ -23 Tragion -96 -67 -39 -995 $+68$ -41 Lateral Zygomatic Aroh -61 -68	Chelion	- 10	- 26	- 72	_					
Superior Nose Base -13 -13 -13 -14 $+13$ -11 Middle Nose Base -6 -18 -26 -7 $+19$ -28 Inferior Nose Base -4 -19 -42 -7 $+17$ -41 Superior Nose Bridge $+3$ -10 -8 -5 $+9$ -5 Middle Nose Bridge $+3$ -10 -23 $+1$ $+11$ -25 Inferior Nose Bridge $+13$ -13 -39 $+11$ $+13$ -38 Superior Orbital Rim -8 -33 $+6$ -8 $+29$ $+6$ Lateral Orbital Rim -15 -33 -24 -15 $+29$ -23 Tragion -96 -67 -39 -95 $+68$ -41 Lateral Zygomatic Aroh -61 -68 -31 -63 $+68$ -26 Menton 0 0 -109 -98 -98 -98 -98 -98 -998 -98 -98		- 66	- 58	- 82						
Middle Nose Base - 6 - 18 - 26 - 7 + 19 - 28 Inferior Nose Bridge - 6 - 10 - 8 - 5 + 9 - 5 Middle Nose Bridge + 3 - 10 - 23 + 1 + 11 - 25 Middle Nose Bridge + 3 - 10 - 23 + 1 + 11 - 25 Inferior Nose Bridge + 13 - 13 - 39 + 11 + 13 - 38 Superior Orbital Rim - 84 - 56 - 15 - 33 + 6 - 17 Inferior Orbital Rim - 15 - 33 + 68 - 23 Tragion - 96 - 67 - 39 - 95 + 68 - 26 Midsagittal Landmarks <t< td=""><td></td><td>- 13</td><td>- 13</td><td></td><td></td><td>÷ ·</td><td></td></t<>		- 13	- 13			÷ ·				
Inferior Nose Base - 4 - 19 - 42 - 7 + 17 - 41 Superior Nose Bridge - 6 - 10 - 8 - 5 + 9 - 5 Middle Nose Bridge + 3 - 10 - 23 + 1 + 11 - 25 Inferior Nose Bridge + 13 - 13 - 39 + 11 + 13 - 38 Superior Orbital Rim - 8 - 33 + 6 - 8 + 29 + 6 Lateral Orbital Rim - 15 - 33 - 24 - 15 + 29 - 23 Tregion - 96 - 67 - 39 - 95 + 66 - 21 Lateral Zygomatic Aroh - 61 - 68 - 31 - 63 +		- 6	- 18	- 26						
Superior Nose Bridge - 6 - 10 - 8 - 5 + 9 - 5 Middle Nose Bridge + 13 - 13 - 39 + 11 + 11 - 25 Inferior Nose Bridge + 13 - 13 - 39 + 11 + 13 - 38 Superior Orbital Rim - 8 - 33 + 6 - 8 + 29 + 6 Lateral Orbital Rim - 15 - 33 - 24 - 15 + 29 - 23 Tregion - 96 - 67 - 39 - 95 + 68 - 26 Midsagittal Landmarks X Axis Y Axis Z Axis Z Axis - 26 - 26 Midsagittal Landmarks X Axis Y Axis Z Axis Z - 10 - 26 - 26		- 4	- 19	- 42	- 7					
Middle Nose Bridge + 3 - 10 - 23 + 1 + 11 - 25 Inferior Nose Bridge + 13 - 13 - 39 + 11 + 13 - 38 Superior Orbital Rim - 8 - 33 + 6 - 8 + 29 + 6 Lateral Orbital Rim - 34 - 56 - 15 - 33 + 55 - 17 Inferior Orbital Rim - 15 - 33 - 24 - 15 + 29 - 23 Tragion - 96 - 67 - 39 - 95 + 68 - 41 Lateral Zygomatic Arch - 61 - 68 - 31 - 63 + 68 - 26 Midsagittal Landmarks X Axis Y Axis Z Axis - 109 Promenton + 5 0 - 98 - 50 Supramentale + 1 0 - 85 - 50 Stomion + 3 0 - 69 - 50 Pronesale + 22 0 - 37 Midnasale + 11 0 - 21 Sellion 0 0 - 4 0		- 6	- 10	- 8	~ 5	+ 9				
Inferior Nose Bridge + 13 - 13 - 39 + 11 + 13 - 38 Superior Orbital Rim - 8 - 33 + 6 - 8 + 29 + 6 Lateral Orbital Rim - 15 - 33 + 55 - 17 Inferior Orbital Rim - 15 - 33 + 25 - 23 Tragion - 96 - 67 - 39 - 95 + 68 - 41 Lateral Zygomatic Aroh - 61 - 68 - 31 - 63 + 68 - 26 Midsagittal Landmarks X Axis Y Axis Z Axis Z Axis - 63 + 68 - 26 Menton 0 0 - 10 - 85 - 50 - 50 - 50 - 50 - 51 - 53		+ 3	- 10	~ 23	+ 1	+ 11				
Superior Orbital Rim - 8 - 33 + 6 - 8 + 29 + 6 Lateral Orbital Rim - 34 - 56 - 15 - 33 + 55 - 17 Inferior Orbital Rim - 15 - 33 - 24 - 15 + 29 - 23 Tragion - 96 - 67 - 39 - 95 + 68 - 41 Lateral Zygomatic Arch - 61 - 68 - 31 - 63 + 68 - 26 Menton 0 0 - 109 - 98 - 30 - 69 - 50 - 50 - 50 - 50 - 50 - 50 - 50 - 50 - 50 - 50 - 50 - 50 - 50 - 50 - 5		+ 13	- 13	- 39	+ 11	+ 13				
Inferior Orbital Rim - 15 - 33 - 24 - 15 + 29 - 23 Tragion - 96 - 67 - 39 - 95 + 68 - 41 Lateral Zygomatic Arch - 61 - 68 - 31 - 63 + 68 - 26 Midsagittal Landmarks X Axis Y Axis Z Axis Z Axis - 63 + 68 - 26 Menton 0 0 - 109 - 63 + 68 - 26 Menton 0 0 - 109 - 98 - 26 Supramentale + 1 0 - 85 - 50 - 98 - 30 - 69 - 50 - 50 - 21 - 10 - 21 - 51 - 20 - 37 - 11 0 <t< td=""><td></td><td>- 8</td><td>- 33</td><td>+ 6</td><td>- 8</td><td>+ 29</td><td></td></t<>		- 8	- 33	+ 6	- 8	+ 29				
Inferior Orbital Rim -15 -33 -24 -15 $+29$ -23 Tragion -96 -67 -39 -95 $+68$ -41 Lateral Zygomatic Arch -61 -68 -31 -63 $+68$ -26 Midsagittal Landmarks X Axis Y Axis Z Axis -109 Promenton $+5$ 0 -98 Supramentale $+11$ 0 -85 Stomion $+3$ 0 -69 Subnasale $+7$ 0 -50 Pronasale $+22$ 0 -37 Midnasale $+11$ 0 -21 Sellion 0 0 0 0 0 0 -21 Frontal $+1$ -22 0 $+21$ Frontal $+2$ -4 0 $+31$		- 34	- 56	- 15	- 33	+ 55	- 17			
Tragion -96 -67 -39 -95 +68 -41 Lateral Zygomatic Arch -61 -68 -31 -63 +68 -26 Midsagittal Landmarks X Axis Y Axis Z Axis -63 +68 -26 Menton 0 0 -109 - -63 +68 -26 Menton 0 0 -109 - <td></td> <td>- 15</td> <td>- 33</td> <td>- 24</td> <td>- 15</td> <td>+ 29</td> <td></td>		- 15	- 33	- 24	- 15	+ 29				
Midsagittal LandmarksX AxisY AxisZ AxisMenton00- 109Promenton+ 50- 98Supramentale+ 10- 85Stomion+ 30- 69Subnasale+ 70- 50Pronasale+ 220- 37Midnasale+ 110- 21Sellion00+ 10Frontal +1- 20+ 21Frontal +2- 40+ 31	Tragion	- 96	- 67	- 39	- 95	+ 68				
Menton 0 0 - 109 Promenton + 5 0 - 98 Supramentale + 1 0 - 85 Stomion + 3 0 - 69 Subnasale + 7 0 - 50 Pronasale + 22 0 - 37 Midnasale + 11 0 - 21 Sellion 0 0 0 Glabella 0 0 + 21 Frontal +1 - 2 0 + 31	Lateral Zygomatic Arch	- 61	- 68	- 31	- 63	+ 68	- 26			
Promenton + 5 0 - 98 Supramentale + 1 0 - 85 Stomion + 3 0 - 69 Subnasale + 7 0 - 50 Pronasale + 22 0 - 37 Midnasale + 11 0 - 21 Sellion 0 0 + 10 Frontal +1 - 2 0 + 21 Frontal +2 - 4 0 + 31	Midsagittal Landmarks	X Axis	Y Axis	Z Axis						
Supramentale + 1 0 - 85 Stomion + 3 0 - 69 Subnasale + 7 0 - 50 Pronasale + 22 0 - 37 Midnasale + 11 0 - 21 Sellion 0 0 0 0 Glabella 0 0 + 10 Frontal +1 - 2 0 + 31	Menton	0	0	- 109		· • ·				
Stomion + 3 0 - 69 Subnasale + 7 0 - 50 Pronasale + 22 0 - 37 Midnasale + 11 0 - 21 Sellion 0 0 0 Glabella 0 0 + 10 Frontal +1 - 2 0 + 21 Frontal +2 - 4 0 + 31		+ 5	0	- 98						
Subnasale + 7 0 - 50 Pronasale + 22 0 - 37 Midnasale + 11 0 - 21 Sellion 0 0 0 0 Glabella 0 0 + 10 Frontal +1 - 2 0 + 21 Frontal +2 - 4 0 + 31	Supramentale	+ 1	0	- 85						
Pronasale + 22 0 - 37 Midnasale + 11 0 - 21 Sellion 0 0 0 0 Glabella 0 0 + 10 Frontal +1 - 2 0 + 21 Frontal +2 - 4 0 + 31		+ 3	0	- 69						
Midnasale + 11 0 - 21 Sellion 0 0 0 0 0 Glabella 0 0 + 10 Frontal +1 - 2 0 + 21 Frontal +2 - 4 0 + 31		+ 7	0	- 50						
Sellion 0 0 0 Glabella 0 0 + Frontal +1 -2 0 + Frontal +2 -4 0 + Trontal +2 -4 0 +		+ 22	0	- 37						
Glabella 0 0 + 10 Frontal +1 -2 0 + 21 Frontal +2 -4 0 + 31		+ 11	0	- 21						
Frontal +1 -2 0 $+21$ Frontal +2 -4 0 $+31$	·····	0	0	0						
Frontal +1 -2 0 $+21$ Frontal +2 -4 0 $+31$	Glabella	0	0	+ 10						
Frontal +2 - 4 0 + 31		- 2	0	-						
$\mathbf{Frontal} + 3 \qquad - 7 \qquad 0 \qquad \cdot \qquad \cdot$		- 4	0	+ 31						
······································	Frontal +3	- 7	0	+ 42						
Frontal +4 -11 0 + 50		- 11	0	+ 50						
Frontal +5 -18 0 + 60	Frontal +5	- 18	0	+ 60		•				

Table 3. Three-Dimensional Data Points Of Female Subject F-17 (millimeters)

.

2

3

.

۰.

. 4.7

		R	ght	Later	al			1	Left	Later	1	
Bilateral Landmarks	<u> </u>	Axis	Y	Axis	_ <u>Z</u>	Axis	<u>_x</u>	Axis	<u>Y</u> .	Axis	Z	Axis
Lateral Canthus		16		48	-	11	-	15	+	45	-	10
Medial Canthus	-	9	-	16		12	-	8	+	15	-	11
Chelion	+	1	-	26		73	-	2	+	24	-	71
Gonion	-	61	-	57	-	86	-	63	+	54	_	83
Superior Nose Base	-	8	-	13	-	9		8	+	12		.7
Middle Nose Base	-	З	-	19		26	-	2	+	18	-	24
Inferior Nose Base	`+	l	-	19	-	46	+	1	· +	16	-	42
Superior Nose Bridge	-	2	-	8		6	_	2	+	8	-	5
Middle Nose Bridge	+	4	-	12	-	23	+	6	+	9	-	20
Inferior Nose Bridge	+	14	-	16	-	40	+	16	+	12	-	37
Superior Orbital Rim		l	-	32	+	13	-	1	+	30	+	15
Lateral Orbital Rim		30	-	59	-	8	~	28	÷	55		9
Inferior Orbital Rim	-	7	-	32	-	22	-	7	÷	30		20
Tragion	-	88		71	-	27	-	88	+	68		29
Lateral Zygomatic Arch	-	56	-	69	-	16	-	52	+	66		12

Table 4. Three-Dimensional Data Points Of Female Subject F-13 (millimeters)

Midsagittal Landmarks	X Axis	Y Axis	Z Axis
Menton	0	0	- 110
Promenton	+ 10	0	- 97
Supramentale	+ 6	0	- 86
Stomion	+ 13	- 3	- 70
Subn asale	+ 12	— З	÷ 50
Pronasale	+ 26	- 3	- 39
Midnasale	+ 11	- 2	- 19
Sellion	0	0	0
Glabella	+ 4	. 0	+ 19
Frontal +1	+ 3	• 0	+ 22
Frontal +2	0	0	+ 32
Frontal +3	- 4	0	+ 42
Frontal +4	- 8	0	+ 51
Frontal +5	- 15	0 ~	+ 62

,

•

A-4

Б.

	<u>R</u> *	ight Laters	a].	<u>I.</u>	eft Latera	1
Bilateral Landmarks	X Axis	Y Axis	Z Axis	X Axis	Y Axis	Z Axis
Lateral Canthus	- 22	- 47	- 14	- 23	+ 48	- 12
Medial Canthus	- 12	- 13	- 13	- 13	+ 20	- 10
Chelion	- 6	- 25	- 73	- 3	+ 31	- 71
Gonion	- 80	- 56	- 88	- 76	+ 61	- 81
Superior Nose Base	- 12	- 10	- 10	- 12	+ 17	- 7
Middle Nose Base	~ 4	- 17	- 30	- 3	+ 22	- 26
Inferior Nose Base	- 1	- 16	- 42	- 1	+ 24	- 40
Superior Nose Bridge	- 5	- 8	- 4	- 3	+ 14	- 2
Middle Nose Bridge	+ 4	- 9	- 25	+ 7	+ 16	- 21
Inferior Nose Bridge	+ 15	- 10	- 38	+ 14	+ 14	- 36
Superior Orbital Rim	- 8	- 29	+ 4	- 10	+ 32	+ 7
Lateral Orbital Rim	- 34	- 55	- 12	- 32	+ 56	- 12
Inferior Orbital Rim	- 14	- 29	- 23	- 14	+ 32	- 20
Tragion	- 96	- 71	- 32	- 95	+ 71	- 31
Lateral Zygomatic Arch	- 62	- 69	- 26	- 66	+ 71.	- 23
Midsagittal Landmarks	X Axis	Y Axis	Z Axis			
Menton	0	0	- 113			
Promenton	+ 7	0	- 103			
Supramentale	+ 4	0	- 90			
Stomion	+ 11	0	- 71			
Subnasale	+ 12	0	- 50			
Pronasale	+ 27	0	- 35			
Midnasale	+ 14	0	- 17			
Sellion	0	0	0			
Glabella	0	0	+ 13			
Frontal +1	- 3	0	+ 26			
Frontal +2	- 7	0	+ 35			
Frontal +3	- 1 0	0	+ 44			
Frontal +4 Frontal +5	- 15	0	+ 53			

Table 5. Three-Dimensional Data Points Of Female Subject F-O2 (millimeters)

۰.

A-5

¥-

¢		R	ight	Later	al	· · ·			Left	Later	al	
Bilateral Landmarks	<u>_X</u>	Axis	<u> </u>	Axis	Z	Axis	X	Axis	<u> </u>	Axis	_ <u>Z</u> .	Axis
Lateral Canthus	-	18	-	43		1.3	_	15	+	45	_	9
Medial Canthus	-	10	-	13	_	13	-	10	+	17	-	7
Chelion	-	2	-	21	-	77		l	+	22	-	70
Gonion	-	61	-	53	-	90	-	57	+	57	-	88
Superior Nose Base	-	9	-	10	-	7	-	10	· +	14		3
Middle Nose Base	-	4	-	14	-	28		5	+	17	_	23
Inferior Nose Base	-	З	-	16	-	48	+	1	+	16	-	41
Superior Nose Bridge	-	2	_	5	-	2	_	з	+	11	-	з
Middle Nose Bridge	+	5	-	8	-	25	+	5	+	9	-	19
Inferior Nose Bridge	+	13	-	8	-	44	+	15	+	10	_	40
Superior Orbital Rim	-	8	-	27	+	10	-	9	+	31	+	14
Lateral Orbital Rim	-	32	-	54	_	8	-	34	+	58	-	6
Inferior Orbital Rim	-	9	-	27		25	-	9	+	31	-+-	17
Tragion	-	89	-	70	_	34	-	85	+	69	-	33
Lateral Zygomatic Arch	-	54	-	67	-	27	-	51	+	68	-	21

Table 6. Three-Dimensional Data Points Of Female Subject F-04 (millimeters)

Midsagittal Landmarks	X Axis	Y Axis	Z Axis
Menton	0	0	- 114
Promenton	+ 7	0	- 102
Supramentale	+ 3	0	- 90
Stomion	+ 10	+ 2	- 73
Subnasale	+ 1.2	+ 2	- 54
Pronasale	+ 29	+ 3	- 41
Midnasale	+ 14	+ 1	- 18
Sellion	0	0	0
Glabella	- 3	, 0	+ 20
Frontal +1	- 8	• 0	+ 36
Frontal +2	- 12	0	+ 43
Frontal +3	- 17	0	+ 51
Frontal +4	- 23	0	+ 59
Frontal +5	- 29	0	+ 65

÷

đi nago

A-6

*

÷

	R	ight Latera	1	Left Lateral					
Bilateral Landmarks	X Axis	Y Axis	Z Axis	X Axis	Y Aris	ZAris			
Lateral Canthus	- 24	- 44	- 9	- 20	+ 48	- 8			
Medial Canthus	- 15	- 12	- 12	- 14	+ 15	- 10			
Chelion	- 8	- 23	- 72	- 10	+ 31	- 71			
Gonion	- 61	- 57	- 92	- 68	+ 61	- 92			
Superior Nose Base	- 12	- 9	- 12	- 13	+ 11	- 10			
Middle Nose Base	- 4	- 14	- 25	- 4	+ 18	- 23			
Inferior Nose Base	- 1	- 15	- 43	- 2	+ 20	- 38			
Superior Nose Bridge	— з	- 5	- 7	- 4	+ 9	- 5			
Middle Nose Bridge	+ 4	- 7	- 21	+ 2	+ 11	- 20			
Inferior Nose Bridge	+ 16	- 10	- 37	+ 15	+ 16	- 35			
Superior Orbital Rim	- 5	- 26	+ 8	- 7	+ 32	- 35 + 10			
Lateral Orbital Rim	- 38	- 56	- 7	- 35	+ 59	- 6			
Inferior Orbital Rim	- 12	- 26	- 21.	- 12	+ 32	- 18			
Tragion	- 92	- 70	- 25	- 93	+ 72	- 10			
Lateral Zygomatic Arch	- 24	- 44	- 9	- 20	+ 48	- 8			
Midsagittal Landmarks	X Axis	Y Axis	ZAxis						
Menton	0	0	- 115						
Promenton	+ 8	0	- 97						
Supramentale	+ 6	ō	- 87						
Stomion	+ 11	+ 2	- 69						
Subnasale	+ 14	+ 2	- 48						
Pronasale	+ 25	+ 2	- 34						
Midnasale	+ 9	+ 1	- 18						

-

-10

0

0

3

7 _

14 -

- 20

0

0

0

0

0

0

0

.

38 +

154

3

÷ 10

÷+ 21

> + 30

+ 47

+ 57

0

Table 7. Three-Dimensional Data Points Of Female Subject F-08 (millimeters)

.....

Sellion

Glabella

Frontal +1

Frontal +2

Frontal +3

Frontal +4

Frontal +5

*

r

A-7

Table 8. Three-Dimensional Data Points Of Female Subject F-O3 (millimeters)

	Ri	ght Latera	1	Left Lateral					
Bilateral Landmarks	X Axis	Y Axis	Z Axis	X Axis	Y Axis	Z Axis			
Lateral Canthus	- 20	- 52	- 9	- 17	+ 51	- 10			
Medial Canthus	- 10	- 17	- 10	- 10	+ 18	- 7			
Chelion	- 2	- 26	- 74	+ 1	+ 26	- 71			
Gonion	- 71	- 57	- 86	- 70	+ 60	- 84			
Superior Nose Base	- 10	- 12	- 6	- 7	+ 15	- 4			
Middle Nose Base	- 2	- 18	- 25	0	+ 17	- 22			
Inferior Nose Base	0	- 20	- 43	+ 1	+ 18	- 42			
Sup erior Nose Bridge	- 3	- 7	- 2	- 4	+ 10	0			
Middle Nose Bridge	+ 7	- 10	- 22	+ 8	+ 9	- 20			
Inferior Nose Bridge	+ 14	- 12	- 41	+ 16	+ 9	- 39			
Superior Orbital Rim	- 7	- 34	+ 11	- 7	+ 37	+ 13			
Lateral Orbital Rim	- 33	- 62	- 6	- 30	+ 63	- 7			
Inferior Orbital Rim	- 10	- 34	- 21	- 10	+ 37	- 18			
Tragion	- 92	- 70	- 25	- 87	+ 75	- 27			
Lateral Zygomatic Arch	- 6l	- 70	- 23	- 59	+ 73	- 19			
) ** 3 ** + + - 7 _ T 3	V And a	V turka							
Midsagittal Landmarks	X Axis	Y Axis	Z Axis	1					
Menton	0	0	- 117						
Promenton	+ 8	0	- 104						
Supramentale	+ 7	0	- 88						
Stomion	+ 12	- 2	- 72						
Subn asale	+ 15	- 2	- 54						
Pronasale	+ 29	- 2	- 40						
Midnasale	+ 15	- 3	- 20						
Sellion	0	0	0						
Glabella	+ 2	0	+ 19						
Frontal +1	- 1	, 0	+ 33		-				
Frontal +2	- 3	0	+ 43						
Frontal +3	- 7	0	+ 53						
Frontal +4	- 12	0	+ 62						
Frontal +5									

A-8

<u>منع</u>

30

*

	R	ight Laters	<u>.l</u>]	Left Lateral				
Bilateral Landmarks	X Axis	Y Axis	Z Axis	X Axis	Y Axis	Z Axis			
Lateral Canthus	- 26	- 50	- 17	- 22	+ 48	- 19			
Medial Canthus	- 14	- 17	- 17	- 15	+ 15	- 16			
Chelion	- 9	- 26	- 78	- 8	+ 26	- 77			
Gonion	- 72	- 56	- 92	- 63	+ 58	- 98			
Superior Nose Base	- 15	- 13	- 13	- 14	+ 11	- 11			
Middle Nose Base	- 6	- 19	- 31	- 5	+ 16	- 29			
Inferior Nose Base	- 3	- 18	- 50	— з	+ 17	- 48			
Superior Nose Bridge	- 6	- 11	- 6	- 6	+ 9	- 3			
Middle Nose Bridge	+ 5	- 12	- 27	+ 3	+ 10	- 25			
Inferior Nose Bridge	+ 16	- 15	- 45	+ 14	+ 12	~ 43			
Superior Orbital Rim	- 10	- 30	+ 6	- 10	+ 31	+ 9			
Lateral Orbital Rim	- 39	- 60	- 15	- 34	+ 60	- 16			
Inferior Orbital Rim	- 12	- 30	- 27	- 12	+ 31.	- 28			
Tragion	- 100	- 71	- 33	- 94	+ 74	- 37			
Lateral Zygomatic Arch	- 63	- 69	- 25	- 59	+ 71	- 29			

Table 9. Three-Dimensional Data Points Of Female Subject F-15 (millimeters)

Midsagittal Landmarks	X Axis	Y Axis	Z Axis
Menton	0	0	- 117
Promenton	+ 7	0	- 107
Supramentale	+ 1	0	- 95
Stomion	+ 7	- 2	- 77
Subnasale	+ 11	- 1	- 54
Pronasale	+ 28	0	- 43
Midnasale	+ 17	- 2	- 22
Sellion	0	0	0
Glabella	0	0	+ 14
Frontal +1	- 5	0	+ 25
Frontal +2	- 9	0	+ 34
Frontal +3	- 14	0	+ 44
Frontal +4	- 19	0	+ 52
Frontal +5	- 25	0	+ 60
	-	•	

Í

....

*

A-9

¥-

Table 10. Three-Dimensional Data Points Of Female Subject F-12 (millimeters)

	Ri	ght Latera	1	Left Lateral			
Bilateral Landmarks	X Axis	Y Axis	Z Axis	X Axis	Y Axis	Z Axis	
Lateral Canthus	- 17	- 49	- 16	- 18	+ 46	- 18	
Medial Canthus	- 9	- 19	- 17	- 10	+ 16	- 18	
Chelion	- 11	- 24	- 79	- 13	+ 24	- 78	
Gonion	- 72	- 59	- 86	- 76	+ 55	- 84	
Superior Nose Base	- 9	- 14	- 14	- 11	+ 11	- 14	
Middle Nose Base	- 5	- 17	- 33	- 5	+ 16	- 33	
Inferior Nose Base	- 4	- 16	- 50	- 5	+ 18	- 49	
Superior Nose Bridge	- 3	- 9	- 9	- 3	+ 6	- 7	
Middle Nose Bridge	+ 5	- 10	- 29	+ 3	+ 9	- 29	
Inferior Nose Bridge	+ 14	- 13	- 48	+ 14	+ 13	- 47	
Superior Orbital Rim	- 3	- 33	+ 7	- 4	+ 31	+ 5	
Lateral Orbital Rim	- 29	- 60	- 12	- 30	+ 57	- 13	
Inferior Orbital Rim	- 8	- 33	- 28	- 8	+ 31	- 26	
Tragion	- 91	- 73	- 35	- 94	+ 68	- 38	
Lateral Zygomatic Arch	- 61	- 70	- 24	- 54	+ 66	- 23	
	÷						
Midsagittal Landmarks	X Axis	Y Axis	Z Axis				
Menton	0	0	- 1 18				
Promenton	+ 3	0	- 94				
Supramentale	+ 4	0	- 77				
Stomion	+ 6	+ 3	- 60				

+

+

+

ŧ

3

з

2

0

0

0

0

0

0

0

÷ 27

+

+

Ŧ

÷

ŧ

-

_

÷ 14

1

0

1

1

1

2

4

9

_ 49

+ 23

+ 44

Ŧ 53

- 26

- 14

+ 11.

+ 33

+ 61

÷.

ж

0

٠,

Subnasale

Pronasale

Midnasale

Sellion

Glabella

Frontal +1

Frontal +2

Frontal +3

Frontal +4

Frontal +5

A-10

2

	Ri	ght Latera	1	I	Left Lateral		
Bilateral Landmarks	X Axis	Y Axis	Z Axis	X Axis	Y Axis	ZAX	
Lateral Canthus	- 18	~ 45	- 11	- 17	+ 42	- 12	
Medial Canthus	- 12	- 15	- 14	- 12	+ 11	- 12	
Chelion	- 8	- 23	- 77	- 11	+ 26	~ 78	
Gonion	- 71	- 59	- 80	- 74	+ 60	- 82	
Superior Nose Base	- 13	- 12	- 11	- 11	+ 8	- 8	
Middle Nose Base	- 6	- 19	- 29	- 7	+ 18	- 20	
Inferior Nose Base	- 2	- 17	- 45	- 3	+ 17	- 45	
Superior Nose Bridge	- 4	- 8	- 5	- 4	+ 5	- 3	
Middle Nose Bridge	+ 6	- 10	- 24	+ 5	+ 8	- 22	
Inferior Nose Bridge	+ 15	- 12	- 41	+ 15	+ 12	- 40	
Superior Orbital Rim	- 6	- 32	+ 9	- 5	+ 29	+ 12	
Lateral Orbital Rim	- 34	- 57	- 8	- 30	+ 55	- !	
Inferior Orbital Rim	- 10	- 32	- 23	- 10	+ 29	- 2	
Tragion	- 90	- 71	- 32	- 88	+ 71	~ 30	
Lateral Zygomatic Arch	- 62	- 69	- 27	- 55	+ 70	- 29	
Mideadittal Landmonica	X Axis	Y Axis	Z Axis				
Midsagittal Landmarks			,				
Menton	0	0	- 119				
Menton Promenton							
Menton Promenton Supramentale	0 + 6 + 4	0	- 119 - 110 - 92				
Menton Promenton Supramentale Stomion	0 + 6 + 4 + 7	0 0 - 1	- 119 - 110				
Menton Promenton Supramentale	0 + 6 + 4	0 0 0	- 119 - 110 - 92				
Menton Promenton Supramentale Stomion	0 + 6 + 4 + 7	0 0 - 1	- 119 - 110 - 92 - 78				
Menton Promenton Supramentale Stomion Subnasale	0 + 6 + 4 + 7 + 10	0 0 - 1 - 1	- 119 - 110 - 92 - 78 - 53				
Menton Promenton Supramentale Stomion Subnasale Pronasale	0 + 6 + 4 + 7 + 10 + 30	0 0 - 1 - 1 0	- 119 - 110 - 92 - 78 - 53 - 38				
Menton Promenton Supramentale Stomion Subnasale Pronasale Midnasale	0 + 6 + 4 + 7 + 10 + 30 + 17	0 0 - 1 - 1 0 0	- 119 - 110 - 92 - 78 - 53 - 38 - 18				
Menton Promenton Supramentale Stomion Subnasale Pronasale Midnasale Sellion Glabella Frontal +1	0 + 6 + 4 + 7 + 10 + 30 + 17 0	0 0 - 1 - 1 0 0 0	- 119 - 110 - 92 - 78 - 53 - 38 - 18 , 0				
Menton Promenton Supramentale Stomion Subnasale Pronasale Midnasale Sellion Glabella	0 + 6 + 4 + 7 + 10 + 30 + 17 0 0	0 0 - 1 - 1 0 0 0	- 119 - 110 - 92 - 78 - 53 - 38 - 18 , 0 + 14				
Menton Promenton Supramentale Stomion Subnasale Pronasale Midnasale Sellion Glabella Frontal +1	0 + 6 + 4 + 7 + 10 + 30 + 17 0 0 - 3	0 0 - 1 - 1 0 0 0 0	- 119 - 110 - 92 - 78 - 53 - 38 - 18 . 0 + 14 + 25				
Menton Promenton Supramentale Stomion Subnasale Pronasale Midnasale Sellion Glabella Frontal +1 Frontal +2	0 + 6 + 4 + 7 + 10 + 30 + 17 0 - 3 - 8	0 0 - 1 - 1 0 0 0 0 0 0	- 119 - 110 - 92 - 78 - 53 - 38 - 18 , 0 + 14 + 25 + 34				

]

Table 11. Three-Dimensional Data Points Of Female Subject F-11 (millimeters)

A-11

÷.

	Ri	ght Latera	1	Left Lateral					
Bilateral Landmarks	X Axis	Y Axis	ZAxis	X Axis	Y Axis	ZAxis			
Lateral Canthus Medial Canthus Chelion Gonion Superior Nose Base Middle Nose Base Inferior Nose Base	- 22 - 13 - 11 - 83 - 11 - 6 - 4 - 4	- 47 - 16 - 22 - 61 - 12 - 17 - 17 - 7	- 9 - 72 - 86 - 6 - 24 - 46 - 2	- 20 - 11 - 9 - 83 - 8 - 4 - 2 - 2	+ 47 + 18 + 27 + 62 + 12 + 21 + 19 + 8	8 7 - 68 - 88 - 3 - 23 - 42 + 2			
Superior Nose Bridge Middle Nose Bridge Inferior Nose Bridge Superior Orbital Rim Lateral Orbital Rim Inferior Orbital Rim Tragion Lateral Zygomatic Arch	+ 5 + 15 - 4 - 38 - 11 - 100 - 69	- 9 - 13 - 34 - 60 - 34 - 74 - 74	- 22 - 43 + 8 - 10 - 21 - 25 - 14	$\begin{array}{rrrr} + & 7 \\ + & 17 \\ - & 1 \\ - & 34 \\ - & 11 \\ - & 99 \\ - & 64 \end{array}$	+ 10 + 14 + 33 + 59 + 33 + 75 + 75	- 19 - 38 + 10 - 7 - 18 - 23 - 13			
Midsagittal Landmarks	X Axis	Y Axis	Z Axis						
Menton Promenton Supramentale Stomion Subnasale Pronasale Midnasale Sellion Glabella Frontal +1 Frontal +2 Frontal +3 Frontal +4 Frontal +5	0 + 9 + 2 + 6 + 8 + 29 + 14 0 + 3 + 1 - 5 - 11 - 17	0 0 + 2 + 2 + 2 + 2 + 2 0 0 0 0 0 0 0 0	$\begin{array}{c} - 110 \\ - 100 \\ - 83 \\ - 71 \\ - 53 \\ - 42 \\ - 20 \\ 0 \\ + 19 \\ + 33 \\ + 33 \\ + 53 \\ + 62 \\ + 70 \end{array}$						

Table 12. Three-Dimensional Data Points Of Male Subject M-28 (millimeters)

Ø.

*.

\$

A-12

. چې

	Ri	ght Latera	1	Left Lateral				
Bilateral Landmarks	X Axis	Y Axis	Z Axis	X Axis	Y Axis	Z Ards		
Lateral Canthus	- 29	- 50	- 10	- 27	+ 49	- 14		
Medial Canthus	- 17	- 1 6	- 11.	- 16	+ 19	- 8		
Chelion	- 12	- 27	- 75	- 13	+ 25	- 72		
Gonion	- 69	- 60	- 91.	- 72	+ 58	- 89		
Superior Nose Base	- 15	- 13	- 9	- 15	+ 14	- 6		
Middle Nose Base	- 12	- 20	- 28	- 12	+ 20	- 26		
Inferior Nose Base	- 8	- 17	- 45	- 10	+ 17	- 43		
Superior Nose Bridge	- 5	- 8	- 5	- 8	+ 10	- 3		
Middle Nose Bridge	+ 2	- 10	- 24	- 1	+ 12	- 22		
Inferior Nose Bridge	+ 13	- 13	- 43	+ 11	+ 13	- 40		
Superior Orbital Rim	- 9	- 31	+ 10	- 9	+ 32	+ 12		
Lateral Orbital Rim	- 44	- 57	- 5	- 42	+ 57	- 11		
Inferior Orbital Rim	- 19	- 31	- 23	- 19	+ 32	- 21		
Tragion	- 98	- 69	- 30	- 100	+ 70	- 34		
Lateral Zygomatic Arch	- 75	- 68	- 27	- 76	+ 68	- 26		
Midsagittal Landmarks	X Axis	Y Axis	ZAxis					
Menton	0	0	- 115					
Promenton	+ 4	0	- 104					
Supramentale	- 1	0	- 88					

2

2

l

0

0

0

0

0

0

0

+

+

+

÷

+ 9

+ 26

+ 11

4

0

0

3

6

10

+ 22

-15 73

18

0

-

-**5**5

-42

+ 16

+ 29

+ 40

+ 65

<u>م کو</u>

*

+ 51

+ 58

4

è

ł

1

Stomion

Subnasale

Pronasale

Midnasale

Sellion

Glabella

Frontal +1

Frontal +2

Frontal +3

Frontal +4

Frontal +5

•

Table 13. Three-Dimensional Data Points Of Male Subject M-18 (millimeters)

Table 14. Three-Dimensional Data Points Of Male Subject M-24 (millimeters)

	Ri	ight Laters	ul	Left Lateral			
Bilateral Landmarks	X Axis	Y Axis	Z Axis	X Axis	Y Axis	Z Axis	
Lateral Canthus	- 22	- 48	- 12	- 20	+ 49	- 9	
Medial Canthus	- 13	- 16	- 10	- 12	+ 16	- 7	
Chelion	- 9	- 27	- 72	- 9	+ 28	- 70	
Gonion	- 81	- 74	- 86	- 73	+ 76	- 81	
Superior Nose Base	- 10	- 11	- 6	- 9	+ 9	- 2	
Middle Nose Base	- 4	- 18	- 25	- 3	+ 18	- 23	
Inferior Nose Base	- 6	- 21	- 38	- 4	+ 21	- 37	
Superior Nose Bridge	- 4	- 9	- 5	- 1	+ 4	0	
Middle Nose Bridge	+ 6	- 11	- 21	+ 8	+ 8	- 19	
Inferior Nose Bridge	+ 14	- 16	- 35	+ 16	+ 12	- 32	
Superior Orbital Rim	- 4	- 32	+ 9	- 5	+ 34	+ 1.4	
Lateral Orbital Rim	- 42	- 62	- 13	- 41	+ 66	- 9	
Inferior Orbital Rim	- 10	- 32	- 25	- 10	+ 34	- 19	
Tragion	- 102	- 74	- 25	- 96	+ 78	- 20	
Lateral Zygomatic Arch	- 68	- 75	- 22	- 64	+ 78	- 13	
Midsagittal Landmarks	X Axis	Y Axis	Z Axis				
Menton	0	0	- 116				
Promenton	+ 11	0	- 100				
Supramentale	+ 4	0	- 87				
Stomion	+ 6	0	- 70				
Subnasale	+ 6	0	- 48				
Pronasale	+ 26	- 1	- 34				
Midnasale	+ 14	- 1	- 17				
Sellion	0	Э	0				
Glabella	0	0	+ 16				
Frontal +1	- 2	. 0	+ 27		-		
Frontal +2	- 3	0	+ 37				
Frontal +3	- 4	0	+ 48				
Frontal +4	- 8	0	+ 57				
			÷.				

•

A-14

3

È.

	Ri	ght Latera	1	Left Lateral		
Bilateral Landmarks	X Aris	Y Axis	Z Axis	X Axis Y Axis Z Ax	<u>1s</u>	
Lateral Canthus	- 22	- 45	- 16	- 23 + 47 - 3	4	
Medial Canthus	- 16	- 14	- 16	- 17 + 16 - 3	.5	
Chelion	- 9	- 29	- 79	- 10 + 28 - 7	8'	
Gonion	- 73	- 65	- 92	79 + 63 - 9	0	
Superior Nose Base	- 15	- 9	- 12	- 15 + 10 - 1	1	
Middle Nose Base	- 8	- 18	- 29	- 8 + 19 - 2	28	
Inferior Nose Base	- 6	- 20	- 48	- 6 + 18 - 4	47	
Superior Nose Bridge	- 4	- 7	- 7	- 5 + 8 -	5	
Middle Nose Bridge	+ 3	- 10	- 25	+ 2 + 11 2	24	
Inferior Nose Bridge	+ 15	- 15	- 40	+ 14 + 14 - 4	40	
Superior Orbital Rim	- 5	- 31	0	- 6 + 33 +	1	
Lateral Orbital Rim	- 38	- 62	- 16	- 39 + 62 - 3	16	
Inferior Orbital Rim	- 16	- 31	- 28	- 16 + 33 - 2	26	
Tragion	- 98	- 75	- 33	- 99 + 74 - 3	30	
Lateral Zygomatic Arch	- 72	- 75	- 23	- 67 + 73 - 2	21	
Midsagittal Landmarks	X Axis	Y Axis	Z Axis			
Menton	0	0	- 118			
Promenton	+ 5	0	- 105			
Supramentale	0	0	- 95			
Stomion	+ 8	- 2	- 79			
Subnasale	+ 1.3	0	- 5l			
Pronasale	+ 29	0	- 38			
Midnasale	+ 15	+ 1	- 18	·		
Sellion	0	0	0			

+ l

-8

- 11

- 15

- 19

4

5 1

)

Glabella

Frontal +1

Frontal +2

Frontal +3 Frontal +4

Frontal +5

Ł

Table 15. Three-Dimensional Data Points Of Male Subject M-09 (millimeters)

A-15

0

0

0

0

0

0

9

+ 22

+ 33

+ 43

+ 52 + 62

¥~

39

+ ،

	Ri	ght Laters	1	Left Lateral					
Bilateral Landmarks	X Axis	Y Axis	Z Axis	X Axis	Y Axis	Z Axis			
Lateral Canthus	- 34	- 56	- 7	- 39	+ 52	- 6			
Medial Canthus	- 18	- 19	- 9	- 19	+ 19	- 5			
Chelion	- 8	- 31	- 69	- 11	+ 30	- 65			
Gonion	- 77	- 78	- 81	- 80	+ 69	- 85			
Superior Nose Base	- 16	- 15	- 7	- 16	+ 14	- 3			
Middle Nose Base	- 10	- 22	- 23	- 13	+ 22	- 19			
Inferior Nose Base	- 9	- 23	- 38	- 10	+ 22	- 32			
Superior Nose Bridge	- 6	- 10	- 5	- 6	+ 9	0			
Middle Nose Bridge	- 1	- 13	- 18	0	+ 13	- 16			
Inferior Nose Bridge	+ 8	- 14	- 30	+ 9	+ 13	- 28			
Superior Orbital Rim	- 7	- 36	+ 7	- 9	+ 35	+ 10			
Lateral Orbital Rim	- 49	- 69	- 2	- 47	+ 66	- 3			
Inferior Orbital Rim	- 19	- 36	- 18	- 19	+ 35	- 13			
Tragion	- 111	- 81	- 22	- 116	+ 76	- 23			
Lateral Zygomatic Arch	- 68	- 80	- 17	- 85	+ 81.	- 16			
Midsagittal Landmarks	X Axis	Y Axis	Z Axis						
Menton	0	0	- 118						
Promenton	+. 7	0	- 1.04						
Supramentale	+ 4	0	- 86						
Stomion	+ 7	0	- 66						
Subn asale	+ 7	0	- 46						
Pronasale	+ 24	0	- 29						
Midnasale	+ 8	0	- 16						
Sellion	0	0	0						
Glabella	+ 1	0	+ 16						
Frontal +1	- 3,	, 0	+ 31						
Frontal +2	- 7	0	+ 40						
Frontal +3	- 10	0	+ 50						
Frontal +4	- 12	0	+ 59						
Frontal +5	- 18	0	+ 70						
		•		•					

Table 16. Three-Dimensional Data Points Of Male Subject M-Ol (millimeters)

7

٠,

*_

A-16

*

	R	ght Laters	1	Left Lateral		
Bilateral Landmarks	X Aris	Y Axis	Z Aris	X Aris	Y Aris	ZAXLE
Lateral Canthus	- 24	- 45	- 10	- 24	+ 45	- 8
Medial Canthus	- 16	- 15	- 10	- 16	+ 14	- 9
Chelion	- 6	- 23	- 75	- 6	+ 26	- 73
Gonion	- 68	- 57	- 86	- 65	+ 59	- 83
Superior Nose Base	- 14	- 11	- 7	- 14	+ 10	- 6
Middle Nose Base	- 9	- 18	- 27	- 7	+ 17	- 26
Inferior Nose Base	- 7	- 19	- 45	- 5	+ 19	- 43
Superior Nose Bridge	- 5	- 8	- з	- 6	+ 7	- 2
Middle Nose Bridge	+ 2	- 11	- 24	+ 3	+ 8	- 22
Inferior Nose Bridge	+ 13	- 15	- 43	+ 14	+ 12	- 40
Superior Orbital Rim	- 6	- 28	+ 6	- 6	+ 30	+ 8
Lateral Orbital Rim	- 36	- 55	- 9	- 37	+ 56	- 8
Inferior Orbital Rim	- 1.6	- 28	- 22	- 16	+ 30	- 19
Tragion	- 96	- 71	- 28	- 98	+ 72	- 25
Lateral Zygomatic Arch	- 59	- 67	- 24	- 63	+ 67	- 22
Midsagittal, Landmarks	X Axis	Y Axis	Z Axis			
Menton	0	0	- 119			
Promenton	+ 6	0	- 107			
Supramentale	+ 3	0	- 91			
Stomion	+ 5	- 1	- 75			
Subnasale	+ 10	- 2	- 52			
Pronasale	+ 27	- 3	- 42			
Midnasale	+ 13	0	- 21			
Sellion	0	0	0			
Glabella	0	0	+ 16 <i>.</i>			
Frontal +1 .	- 5	0	+ 28			
Frontal +2	- 8	0	+ 38			
Frontal +3	- 12	0	+ 47			
Frontal +4	- 17	· 0	+ 56			
Frontal +5	- 23		+ 62			

Table 17. Three-Dimensional Data Points Of Male Subject M-10 (millimeters)

. .

.

A-17

÷-

		R	lght (Latera	al		<u></u>]	left	Latera	1	
Bilateral Landmarks	<u>_X</u>	Axis	<u>Y</u> .	Axis	_ <u>Z</u> .	Axis	<u>_X</u>	Axis	Y	Axis	Z	Axis
Lateral Canthus	-	17	-	48	-	10	-	18	+	47	· _	11
Medial Canthus	-	11	-	17	-	10	_	12	· +	16	-	9
Chelion	-	14	-	30	-	73	-	13	+	27	-	73
Gonion	-	77	-	71		87	-	76	+	67	-	90
Superior Nose Base	-	11	-	11	-	4	-	9	+	10	-	4
Middle Nose Base	-	6	-	16	-	23	-	6	+	16	-	24
Inferior Nose Base	-	9	-	20	-	40		7	+	15		40
Superior Nose Bridge	-	4	-	6	-	l	-	З	+	5		0
Middle Nose Bridge	+	2	-	9		22	+	4	+	8	-	21.
Inferior Nose Bridge	+	13	-	16		38	+	15	+	11	-	37
Superior Orbital Rim	+	2	-	31	+	15	+	1	+	31	+	15
Lateral Orbital Rim	-	33	-	66	-	5	-	32	+	63	-	7
Inferior Orbital Rim	-	10	-	31.	-	1.8	-	10	+	31	-	19
Tragion	-	98	-	77	-	27	-	99	+	76	-	29
Lateral Zygomatic Arch	-	64	-	80	-	16	-	61	+	78	-	13

Table 18. Three-Dimensional Data Points Of Male Subject M-30 (millimeters)

Midsagittal Landmarks	<u>' X</u>	Axis	<u>Y</u> .	Axis	Z	Axis
Menton		0		0	_	119
Promenton	+	5		0	-	105
Supramentale		0		0	*	89
Stomion	+	2	-	2	-	70
Subnasale	+	7	-	1	-	50
Pronasale	+	28	-	1	-	38
Midnasale	+	14	-	1	-	19
Sellion		0		0		0
Glab ella	+	4		0	+	19
Frontal +1	+	1	E.	0	+	29
Frontal +2	-	2		0	+	38
Frontal +3	-	5		0	+	47
Frontal +4	-	9		0	+	57
Frontal +5	-	15		0	+	65

٩.

A-18

τ.

32

•_____

•	Right Lateral						Left Lateral				
Bilateral Landmarks	X Ax	is <u>)</u>	(Axi	<u>s</u> Z	Axis	<u>x</u>	Axi	<u> </u>	Axis	Z	Axis
Lateral Canthus	- 2	4 -	- 51	_	13	-	27	+	51	_	11
Medial Canthus	- 1	5 -	- 1.8	-	14	-	17	+	17	-	12
Chelion	-	5 -	- 28	-	7 7	-	4	+	28	-	75
Gonion	- 7	з –	- 69	-	98	-	76	+	64	-	102
Superior Nose Base	- 1	.3 -	- 14	-	12		14	+	11	-	9
Middle Nose Base	-	5 -	· 19	-	28	_	6	+	19	-	25
Inferior Nose Base	-	1 -	- 20	-	46		0	+	18	-	45
Superior Nose Bridge	-	4 -	• ġ	-	7	_	5	+	9	-	4
Middle Nose Bridge	+	з -	• 12	-	22	+	4	+	9.		19
Inferior Nose Bridge	+ 2	o –	- 10	-	20	+	21	+	8	-	39
Sup erior Orbital Rim	-	6 -	- 35	+	l	_	8	+	31	+	4
Lateral Orbital Rim	- 3	8 -	- 67	-	11	_	43	+	66		8
Inferior Orbital Rim	- 1	.2 -	- 35	•	25	-	12	+	31	-	22
Tragion	- 9	8 -	- 82	-	31		102	+	74	****	30
Lateral Zygomatic Arch	••• F	8 -	- 79	_	31	_	57	+	75	-	26

Table 19. Three-Dimensional Data Points Of Male Subject M-06 (millimeters)

Midsagittal Landmarks	<u>X Axis</u>	Y Axis	Z Axis
			· · · · · · · · · · · · · · · · · · ·
Menton	0	0	- 119
Promenton	+ 4	0	- 110
Supramentale	+ 1	0	- 90
Stomion	+ 11	+ 3	- 75
Subnasale	+ 19	+ 2	- 52
Pronasale	+ 32	0	- 37
Midnasale	+ 14	0	- 17
Sellion	0	0	0
Glabella	+ 2	0	+ 14
Frontal +1	- 5	0	+ 26
Frontal +2	~ 8	0	+ 36
Frontal +3	- 10	0	+ 45
Frontal +4	- 15	0	+ 55
Frontal +5	. – 20	0	+ 65
		-	

1

.....

4

٩.

A-19

.

÷.

*

		Ri	ght :	Later	al]	Left	Laters	l	
Bilateral Landmarks	<u>X</u> A	<u>xis</u>	<u>Y</u> .	Axis	Z	Axis	<u></u>	Axis	<u> </u>	<u>Axis</u> ,	Z	Axis
Lateral Canthus		24	-	52	_	9	-	22	+	47	-	12
Medial Canthus		14	-	21	-	9	-	13	+	17	-	12
Chelion		0	-	25	-	74	-	1	+	22	-	77
Gonion		71	-	63	-	87	_	69	+	60	-	93
Superior Nose Base	-	12	-	14	-	7	-	10	+	12	-	7
Middle Nose Base	-	5	-	21	-	22	-	4	+	15	-	25
Inferior Nose Base	-	2		20		42	-	l	+	16	-	43
Superior Nose Bridge	-	5	-	11	-	5	-	4	+	7	-	4
Middle Nose Bridge	+	4	-	11	-	20	+	6	+	6	-	21
Inferior Nose Bridge	+	16	-	14	-	38	+	15 ·	+	9	-	36
Superior Orbital Rim	-	5	-	35	+	12	-	~3	+	32	+	13
Lateral Orbital Rim	-	41	-	64	-	7	_	37	+	62	-	10
Inferior Orbital Rim	-	11	-	35	-	18	-	11	+	32	-	19
Tragion	-	97	-	76	-	36	-	96	+	74		38
Lateral Zygomatic Arch	-	67	-	73	-	22	-	67	+	70	-	26

Table 20. Three-Dimensional Data Points Of Male Subject M-29 (millimeters)

Midsagittal Landmarks	X Axis	Y Axis	Z Axis
Menton	0	0	- 120
Promenton	+ 7	Ō	- 108
Supramentale	0	0	- 93
Stomion	+ 10	- 2	- 73
Subnasale	+ 10	- 1	- 51
Pronasale	+ 26	- 1	- 36
Midnasale	+ 12	- 2	- 16
Sellion	0	0	0
Glabella	+ 2	0	+ 18
Frontal +1	- 1	* 0	+ 26
Frontal +2	- 5	0	+ 36
Frontal +3	- 8	0	+ 47
Frontal +4	- 12	0	+ 56
Frontal +5	- 18	0	+ 66

P

٠.

*_

A-20

*

	Ri	lght Latera	1	Left Lateral			
Bilateral Landmarks	X Axis	Y Axis	ZAXIS	X Axis	Y Axis	Z Axis	
Lateral Canthus	- 23	- 50	- 13	- 26	+ 48	- 13	
Medial Canthus	- 13	- 18	- 12	- 13	+ 15	- 11	
Chelion	- 1.	- 26	- 76	- 1	+ 23	- 75	
Gonion	- 66	- 70	- 88	- 70	+ 59	- 90	
Superior Nose Base	- 11	- 14	- 11	- 11	+ 10	- 8	
Middle Nose Base	- 6	- 18	- 27	- 7	+ 18	- 25	
Inferior Nose Base	- 4	- 18	- 45	- 2	+ 17	- 44	
Superior Nose Bridge	- 5	- 9	- 7	- 4	+ 6	~ 3	
Middle Nose Bridge	+ 4	- 10	- 12	+ 2	+ 10	- 21	
Inferior Nose Bridge	+ 16	- 14	- 39	+ 13	+ 13	- 39	
Superior Orbital Rim	- 6	- 33	+ 5	- 7	+ 30	+ 7	
Lateral Orbital Rim	- 39	- 65	- 10	- 39	+ 58	- 10	
Inferior Orbital Rim	- 12	- 33	- 23	- 12	+ 30	- 21	
Tragion	- 94	- 76	- 33	- 98	+ 76	- 34	
Lateral Zygomatic Arch	- 60	- 75	- 27	- 62	+ 69	- 18	
Midsagittal Landmarks	X Axis	Y Axis	Z Axis				
Menton	0	0	- 120				
Promenton	+ 8	0	- 106				
Supramentale	+ 8	0	- 94				
Stomion	+ 10	0	- 73				
Subnasale	+ 12	0	- 50				
Pronasale	+ 25	+ 1	- 38				
Midnasale	+ 10	+ 1	- 19				
Sellion	0	0	0				
Glabella	+ 1	0	+ 17				
Frontal +1	- 4	0	+ 29				
Frontal +2	- 8	0	+ 38				
Frontal +3	- 12	0	+ 47			,	
Frontal +4	- 16	0	+ 56				
Frontal +5	- 20	0	+ 65				
	4	•					

Table 21. Three-Dimensional Data Points Of Male Subject M-19 (millimeters)

-

3

~

	R	ight Latera	al	Left Lateral				
Bilateral Landmarks	X Axis	Y Axis	Z Axis	X Axis	Y Axis	Z Axis		
Lateral Canthus	- 22	- 49	- 15	- 20	+ 46	- 13		
Medial Canthus	- 14	- 18	- 13	- 14	+ 16	- 10		
Chelion	- 11	- 29	- 82	- 10	+ 26	- 80		
Gonion	- 83	- 67	- 98	- 84	+ 61	- 97		
Superior Nose Base	- 12	- 14	- 9	- 11	+ 12	- 7		
Middle Nose Base	- 4	- 21	- 30	- 3	+ 19	- 28		
Inferior Nose Base	- 2	- 23	- 47	- 3	+ 20	- 47		
Superior Nose Bridge	- 5	- 10	- 6	- 4	+ 8	- 5		
Middle Nose Bridge	+ 6	- 14	- 26	+ 8	+ 13	- 24		
Inferior Nose Bridge	+ 19	- 18	- 44	+ 19	+ 15	- 39		
Superior Orbital Rim	- 6	- 34	+ 6	- 3	+ 30	+ 8		
Lateral Orbital Rim	- 40	~ 65	- 16	- 37	+ 61	- 12		
Inferior Orbital Rim	- 12	- 34	- 22	- 12	+ 30	- 20		
Tragion	- 95	- 73	- 35	- 97	+ 73	- 34		
Lateral Zygomatic Arch	- 67	- 75	- 34	- 65	+ 70	- 30		

Table 22. Three-Dimensional Data Points Of Male Subject M-23 (millimeters)

Midsagittal Landmarks	X Axis	Y Axis	Z Axis
Menton	0	0	- 124
Promenton	+ 7	0	- 110
Supramentale	- 4	0	- 98
Stomion	+ 7	- 2	- 83
Subnasale	+ 13	- 3	- 58
Pronasale	+ 32	- 2	- 42
Midnasale	+ 14	- 4	- 22
Sellion	0	0	
Glabella	+ 2	0 0	+ 20
Frontal +1	- 3	⊧ 0	+ 33
Frontal +2	- 9	0	+ 41
Frontal +3	- 14	õ	+ 50
Frontal +4	- 18	0	+ 58
Frontal +5	- 24	0	+ 56

A-22

¥6-1

	R	ight Laters	<u>u </u>	Left Lateral			
Bilateral Landmarks	X Axis	Y Axis	Z Axis	X Axis	YAXIS ZA	Axis	
Lateral Canthus	- 21	- 43	- 15	- 22	+ 49 -	17	
Medial Canthus	- 14	- 15	- 14	· - 17	+ 21. –	13	
Chelion	- 1 6	- 26	- 80	- 15	+ 28 -	78	
Gonion ·	- 80	- 59	- 91	- 78	+ 58 -	97	
Superior Nose Base	- 12	- 11	- 8	- 16	+ 16 -	7	
Middle Nose Base	- 9	- 18	- 29	- 9	+ 24 -	28	
Inferior Nose Base	- 10	- 18	- 51	- 10	+ 20 -	4 9	
Superior Nose Bridge	- 5	- 7	- 6	- 7	+ 13 -	З	
Middle Nose Bridge	+ 1	- 9	~ 27	+ 3	+ 13 -	24	
Inferior Nose Bridge	+ 12	- 12	- 50	+ 10	+ 16 -	46	
Superior Orbital Rim	- 3	- 31	+ 8	- 4	+ 36 +	8	
Lateral Orbital Rim	- 39	- 59	- 14	- 42	+ 62 -	16	
Inferior Orbital Rim	- 16	- 31	- 27	- 16	+ 36 -	26	
Tragion	- 97	- 74	- 33	- 104	+ 76 -	40	
Lateral Zygomatic Arch	- 65	- 69	- 29	- 65	+ 72 -	37	

Table 23. Three-Dimensional Data Points Of Male Subject M-27 (millimeters)

Midsagittal Landmarks	X Axis	Y Axis	Z Axis
Menton	0	0	- 126
Promenton	+ 3	0	- 114
Supramentale	- 1	0	- 100
Stomion	- 1	+ 1	- 80
Subnasale	+ 1	+ 2	- 61
Pronasale	+ 22	+ 2	- 50
Midnasale	+ 12	+ 2	- 26
Sellion	0	0	0
Glabella	+ 1	0	* + 15
Frontal +1	- 2	0	+ 30
Frontal +2	- 5	0	+ 40
Frontal +3	~ 10	0	+ 49
Frontal +4	- 15	0	+ 58
Frontal +5	- 22	. 0	+ 66
		•	

1

A-23

مك

	R	ight Lateral	Left Lateral
Bilateral Landmarks	X Axis	Y Axis Z Axis	<u>X Axis Y Axis Z Axis</u>
Lateral Canthus	- 28	- 50 - 18	- 25 + 50 - 12
Medial Canthus	- 15	- 17 - 17	- 15 + 18 - 13
Chelion	- 8	- 28 `- 85	- 8 + 31 - 80
Gonion	- 72	- 66 - 104	- 77 + 66 - 104
Superior Nose Base	- 15	- 13 - 12	- 15 + 15 - 7
Middle Nose Base	- 6	- 21 31	- 7 + 24 - 29
Inferior Nose Base	+ 2	- 18 - 51	+ 1 + 21 - 47
Superior Nose Bridge	- 5	- 10 - 6	- 8 + 12 - 3
Middle Nose Bridge	+ 7	- 10 - 27	+ 4 + 16 - 25
Inferior Nose Bridge	+ 22	- 12 - 45	+ 21 + 18 - 43
Superior Orbital Rim	- 9	- 33 + 2	- 1.0 + 36 + 7
Lateral Orbital Rim	- 43	- 62 - 16	- 41 + 63 - 11
Inferior Orbital Rim	- 15	- 33 - 29	- 15 + 36 - 25
Tragion	- 107	- 74 - 43	- 107 + 77 - 39
Lateral Zygomatic Arch	- 65	- 74 - 32	- 61 + 76 - 31

Table 24. Three-Dimensional Data Points Of Male Subject M-14 (millimeters)

Midsagittal Landmarks	X Axis	Y Axis	Z Axis
Menton	0	0	- 126
Promenton	+ 8	· 0	- 112
Supramentale	+ 3	0	- 98
Stomion	+ 12	+ 2	- 82
Subn asale	+ 18	+ 3	- 62
Pronasale	+ 36	+ 5	- 44
Midnasale	+ 19	+ 3	- 21
Sellion	0	0	0
G la bella	- 1	• 0	+ 14
Frontal +1	- 8	0	+ 26
Frontal +2	- 12	0	+ 35
Frontal +3	- 17	0	+ 43
Frontal +4	- 21	0	+ 50
Frontal +5	- 26	0	* + 58

Ë.

۰,

2

A-24

÷.

	Right Lateral					Left Lateral						
Bilateral Landmarks	<u>x</u> .	Axis	Y.	Axis	<u>Z</u> .	Axis	<u>x</u>	Axis	Y	Axis	Z	Axia
Lateral Canthus	_	24	-	52		13	-	24	+	50	_	14
Medial Canthus	-	14	-	18		11	-	13	+	17	-	8
Chelion		з		30	-	81	-	4	+	26	-	79
Gonion		72	-	62	-	97	-	74	+	59	-	95
Superior Nose Base	-	12	-	13	-	10	-	12	+	13		5
Middle Nose Base		5		19		30	-	4	+	17	-	26
Inferior Nose Base	-	2	-	19	-	48	+	4	+	18	-	46
Superior Nose Bridge	-	4	-	8	-	5	-	5	+	8	-	1
Middle Nose Bridge	+	6		9		27	+	4	+	12	-	23
Inferior Nose Bridge	+	18	-	12		41	+	15	+	17	-	39
Superior Orbital Rim	-	6	-	34	+	8		9	+	33	+	10
Lateral Orbital Rim	-	39	-	63	-	13	-	37	+	58	-	14
Inferior Orbital Rim	-	13	-	34	-	26	-	13	+	33	-	23
Tragion	-	97	-	73		33	-	98	+	66		35
Lateral Zygomatic Arch	_	70	-	73	-	21	-	70	+	68	-	23

Table 25. Three-Dimensional Data Points Of Male Subject M-07 (millimeters)

Menton 0 0 - 126 - 115 Promenton 6 +0 Supramentale - 103 + 7 0 Stomion 10 79 ÷ 1 --------Subnasale ÷ 14 + 4 ---55 Pronasale + 31 2 41 ÷ _ Midnasale + 15 ÷ 4 _ 23 Sellion 0 0 0 Glabella 1 0 23 + à Frontal +1 _ 7 0 + 36 Frontal +2 -14 0 ÷ 45 Frontal +3 20 0 -54 ÷ Frontal +4 _ 26 0 ÷ 61 Frontal +5 0 -33 + 69

A-25

1

æ

	R	ight Lateral	Left Lateral
Bilateral Landmarks	X Axis	Y Axis Z Axis	X Axis Y Axis Z Axis
Lateral Canthus	- 21	- 50 - 10	- 19 + 47 - 12
Medial Canthus	- 13	- 16 - 11	- 12 + 12 - 10
Chelion	- 11	- 29 - 80	- 10 + 24 - 80
Gonion	- 83	- 79 - 89	- 85 + 7 1 - 92
Superior Nose Base	- 11	- 12 - 6	- 11 + 12 - 6
Middle Nose Base	- 7	- 19 - 28	- 7 + 16 - 27
Inferior Nose Base	- 7	- 24 - 46	- 6 + 18 - 48
Superior Nose Bridge	- 5	- 9 - 4	- 3 + 3 - 3
Middle Nose Bridge	+ 3	- 11 - 26	+ 3 + 7 - 24
Inferior Nose Bridge	+ 17	- 17 - 46	+ 17 + 12 - 45
Superior Orbital Rim	- 1	- 33 + 11	0 + 30 + 11
Lateral Orbital Rim	- 37	- 66 - 7	- 34 + 65 ~ 10
Inferior Orbital Rim	- 10	- 33 - 26	- 10 + 30 - 23
Tragion	- 98	- 81 - 30	- 100 + 77 - 34
Lateral Zygomatic Arch	- 64	- 78 - 17	– 67 [°] + 76 – 15

Table 26. Three-Dimensional Data Points Of Male Subject M-26 (millimeters)

Midsagittal Landmarks	X	Axis	<u>Y</u> .	Axis	Z	Axis
Menton		0		0	-	126
Promenton	+	4		0	-	116
Supramentale		0		0	-	101
Stomion	+	7	-	2	-	82
Subnasale	+	9	-	3	-	58
Pronasale	+	28	-	З	-	45
Midnasale	+	12		2	-	23
Sellion		0		0		0
Glabella	+	З		0	+	18
Frontal +1	-	1	F .	0	+	31
Frontal +2	-	5		0	+	40
Frontal +3		10		0	+	50
Frontal +4	-	15		0	+	58
Frontal +5	~	21		Ο.	+	67

Ë.

A-26

	R	ight Laters	al	Left Lateral			
Bilateral Landmarks	X Axis	Y Axis	Z Axis	X Axis	Y Axis	Z Axie	
Lateral Canthus	- 21	- 52	- 13	- 20	+ 49	- 14	
Medial Canthus	- 10	- 20	- 13	- 10	+ 15	- 11	
Chelion	- 14	- 33	- 80	- 18	+ 27	- 79	
Gonion	- 81	- 69	- 88	- 73	+ 64	- 94	
Superior Nose Base	- 10	- 13	- 11	- 10	+ 10	~ 8	
Middle Nose Base	- 4	- 22	- 26	- 5	+ 20	- 27	
Inferior Nose Base	- 2	- 25	- 47	- 5	+ 20	- 46	
Superior Nose Bridge	- 2	- 10	- 7	- 2	+ 5	- 5	
Middle Nose Bridge	+ 7	- 12	- 24	+ 4	+ 11	- 24	
Inferior Nose Bridge	+ 19	- 16	- 44	+ 17	+ 13	- 42	
Superior Orbital Rim	0	- 36	+ 6	+ 3	+ 30	+ 5	
Lateral Orbital Rim	- 36	- 66	- 6	- 34	+ 63	- 9	
Inferior Orbital Rim	- 9	- 36	- 24	- 9	+ 30	- 23	
Tragion	- 105	- 78	- 35	- 105	+ 77	- 33	
Lateral Zygomatic Arch	- 68	- 80	- 23	- 66	+ 78	- 24	

Table 27. Three-Dimensional Data Points Of Male Subject M-21 (millimeters)

÷

Midsagittal Landmarks	X Axis	Y Axis	Z Axis
Menton	0	0	- 127
Promenton	+ 8	0	- 112
Supramentale	+ 2	· O	- 98
Stomion	+ 6	- 2	- 82
Subnasale	+ 11.	- 2	- 54
Pronasale	+ 27	+ 1	- 43
Midna sale	+ 12	- 1	- 23
Sellion	0	0	0
Glabella	+ 6	0	+ 11
Frontal +1	+ 4	0	+ 23
Frontal +2	+ 2	0	+ 33
Frontal +3	- 1	0	+ 42
Frontal +4	- 5	0	+ 52
Frontal +5	- 10	0	+ 60

A-27

2.

э

	Right Lateral			Left Lateral		
Bilateral Landmarks	X Axis	Y Axis	Z Axis	X Axis	Y Axis	ZAxis
Lateral Canthus	- 23	- 55	- 17	- 23	+ 47	- 20
Medial Canthus	- 15	- 19	- 15	- 15	+ 16	- 13
Chelion	- 15	- 32	- 84	- 16	+ 26	- 81
Gonion	- 78	- 77	- 88	- 79	+ 61	- 96
Superior Nose Base	- 12	- 13	- 10	- 12	+ 10	· - 8
Middle Nose Base	- 8	- 21	- 31	- 8	+ 17	- 33
Inferior Nose Base	- 9	- 20	- 47	- 9	+ 16	- 47
Superior Nose Bridge	- 4	~ 9	- 6	- 5	+ 6	- 4
Middle Nose Bridge	+ 3	- 12	- 26	+ 5	+ 6	- 26
Inferior Nose Bridge	+ 13	- 16	- 44	+ 13	+ 11	- 43
Superior Orbital Rim	0	- 35	+ 6	- 1	+ 29	+ 4
Lateral Orbital Rim	- 41	- 69	- 13	- 42	+ 63	- 15
Inferior Orbital Rim	- 13	- 35	- 28	- 1.3	+ 29	- 30
Tragion	- 97	- 81	- 28	- 98	+ 75	- 31
Lateral Zygomatic Arch	- 71	- 79	- 17	- 71	+ 76	- 20

Table 28. Three-Dimensional Data Points Of Male Subject M-25 (millimeters)

Midsagittal Landmarks	<u>'X'</u>	<u>Azis</u>	<u>Y</u>	lxis	Z	Axis
Menton		0		0	-	131
Promenton	+	8		0	-	1.18
Supramentale	-	l.		0	-	104
Stomion	+	5	-	1	-	81
Subnasale	+	8	_	2	-	56
Pronasale	+	27	_	3	_	46
Midnasale	+	11	-	2	-	23
Sellion		0		0		0
Glabella	+	3		0	+	12
Frontal +1	+	2	Þ	0	+	24
Frontal +2	+	З		0	+	34
Frontal +3		0		0	+	44
Frontal +4	-	5		o	+	54
Frontal +5	-	9		0	+	61

٠

•

A-28

. تۇ

	Right Lateral			Left Lateral		
Bilateral Landmarks	X Axis	Y Axis	Z Axis	X Axis	Y Axis	Z Axis
Lateral Canthus	- 19	- 48	- 15	- 19	+ 46	- 12
Medial Canthus	- 16	- 17	- 1 6	- 15	+ 16	- 13
Chelion	- 7	- 31	- 85	- 6	+ 28	- 82
Gonion	- 79	- 68	- 103	- 86	+ 65	- 97
Superior Nose Base	- 15	- 15	- 14	- 12	+ 13	- 11
Middle Nose Base	- 8	- 24	- 33	- 8	+ 21.	- 29
Inferior Nose Base	- 7	- 25	- 48	- 7	+ 23	- 45
Superior Nose Bridge	- 5	- 12	- 9	- 6	+ 10	- 5
Middle Nose Bridge	+ 1	- 16	- 30	+ 4	+ 12	- 25
Inferior Nose Bridge	+ 13	- 19	- 48	+ 14	+ 14	- 43
Superior Orbital Rim	- 3	- 33	+ 4	- 2	+ 31	+ 9
Lateral Orbital Rim	- 37	- 65	- 15	- 35	+ 62	- 12
Inferior Orbital Rim	- 12	- 33	- 26	- 12	+ 31	- 25
Tragion	- 92	- 81	- 34	- 94	+ 79	- 31
Lateral Zygomatic Arch	- 65	- 78	- 34	- 65	+ 75	- 34

.

Table 29. Three-Dimensional Data Points Of Male Subject M-22 (millimeters)

Midsagittal Landmarks	X Axis	Y Axis	Z AXIS
Menton	0	0	- 135
Promenton	+ 8	0	- 121
Supramentale	+ 2	0	- 105
Stomion	+ 7	- 3	- 82
Subnasale	+ 8	- 3	- 58
Pronasale	+ 26	- 4	- 47
Midnasale	+ 14	- 3	- 24
Sellion	0	0	0
Glabella	0	0	* + 1 4
Frontal +1	- 4	0	+ 27
Frontal +2	- 9	0	+ 35
Frontal +3	- 13	0	+ 44
Frontal +4	- 18	0	+ 53
Frontal +5	- 24	0	+ 6 1 .
		•	

A-29

-

	Right Lateral			1	Left Laters	<u>.l</u>
Bilateral Landmarks	X Axis	Y Axis	Z Aris	X Axis	Y Axis	ZAxis
Lateral Canthus	- 30	- 51	- 18	- 27	+ 47	- 21
Medial Canthus	- 14	- 19	- 18	- 17	+ 16	- 16
Chelion	- 12	- 29	- 89	- 12	+ 27	- 87
Gonion	- 71.	~ 63	- 108	- 75	+ 60	- 111
Superior Nose Base	- 12	- 1 6	- 16	- 13	+ 13	- 13
Middle Nose Base	- 7	- 24	- 33	- 8	+ 21	- 33
Inferior Nose Base	- 5	- 21	- 52	- 6	+ 20	- 51
Superior Nose Bridge	- 2	- 12	- 7	- 5	+ 10	- 6
Middle Nose Bridge	+ 7	- 14	- 27	+ 4	+ 14	- 28
Inferior Nose Bridge	+ 19	- 15	- 47	+ 13	+ 16	- 48
Superior Orbital Rim	- 8	- 34	+ 2	- 9	+ 33	+ 3
Lateral Orbital Rim	- 46	- 63	- 13	- 44	+ 59	- 15
Inferior Orbital Rim	- 15	- 34	- 30	- 15	+ 33	- 29
Tragion	- 105	- 75	- 40	- 105	+ 73	- 40
Lateral Zygomatic Arch	- 75	- 74	- 35	- 80	+ 71	- 23
Midsagittal Landmarks	X Axis	Y Axis	Z Axis			
Menton	0	0	- 137			
Promenton	+ 5	0	- 121			
Supramentale	- 2	Ō	- 105			
Stomion	+ 4	+ 2	- 87			
Subnasale	+ 13	+ 1	- 61			
Pronasale	+ 32	+ 3	- 46			

+ 18

0

З

6

- 21

- 28

- 11

ŧ

+

-

- 16

+

l

0

0

0

0

0

0

0

- 23

+ 15

+ 26

+ 36

+ 44

+ 53

+ 60

0

Midnasale

Sellion

Glabella

Frontal +1

Frontal +2

Frontal +3

Frontal +4

Frontal +5

Table 30. Three-Dimensional Data Points Of Male Subject M-16 (millimeters)

☆U.S. GOVERNMENT PRINTING OFFICE: 1978-261-264/74

*

A-30